

# HW5, Math 228A Conjugate Gradient Solver

Date due 12/10/2010 UC Davis, California  
Fall 2010

Nasser M. Abbasi

Fall 2010      Compiled on January 4, 2020 at 11:15pm      [public]

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Solvers efficiency and iterations count</b>	<b>7</b>
2.1	Work per iteration . . . . .	7
2.2	Number of iterations . . . . .	8
<b>3</b>	<b>Discussion of results and conclusions</b>	<b>9</b>
<b>4</b>	<b>Appendix</b>	<b>11</b>
4.1	Result for CG with no preconditioner . . . . .	11
4.2	Result for CG with Multigrid preconditioner . . . . .	15
4.3	Result for CG with SSOR preconditioner . . . . .	19
4.4	Plots for $h=1/128$ . . . . .	22
4.5	Result for CG with incomplete cholesky preconditioner $\varepsilon = 10^{-2}$ . . . . .	23
<b>5</b>	<b>Result for CG with incomplete cholesky preconditioner <math>\varepsilon = 10^{-3}</math></b>	<b>27</b>
5.1	References . . . . .	31
5.2	Computation Tables . . . . .	31
5.3	Table CG with incomplete cholesky . . . . .	47

# 1 Introduction

---

Math 228A  
 Homework 5  
 Due Friday, 12/10/10, 4:00 P.M.

Homework must be turned in to Arcade before the deadline. You may email him a pdf file or put a hard copy in his mailbox.

Exam week office hours:  
 Bob, Monday 12-1  
 Arcade, Tuesday & Wednesday 1:30-2:20

1. Write a program to solve the discrete Poisson equation on the unit square using preconditioned conjugate gradient. Set up a test problem and compare the number of iterations and efficiency of using (i) no preconditioning and (ii) SSOR preconditioning. Run your tests for different grid sizes. How does the number of iterations scale with the number of unknowns as the grid is refined?

Note that there are two typos in the PCG algorithm in our textbook. See your class notes, another textbook, or the author's webpage for the correct algorithm.

**SSOR preconditioning** Symmetric SOR (SSOR) consists of one forward sweep of SOR followed by one backward sweep of SOR. For the discrete Poisson equation, one step of SSOR is

$$u_{i,j}^{k+1/2} = \frac{\omega}{4}(u_{i-1,j}^{k+1/2} + u_{i,j-1}^{k+1/2} + u_{i+1,j}^k + u_{i,j+1}^k - h^2 f_{i,j}) + (1-\omega)u_{i,j}^k$$

$$u_{i,j}^{k+1} = \frac{\omega}{4}(u_{i-1,j}^{k+1/2} + u_{i,j-1}^{k+1/2} + u_{i+1,j}^{k+1} + u_{i,j+1}^{k+1} - h^2 f_{i,j}) + (1-\omega)u_{i,j}^{k+1/2}.$$

It can be shown that one step of SSOR in matrix form is equivalent to

$$\frac{1}{\omega(2-\omega)}(D-\omega L)D^{-1}(D-\omega U)(\mathbf{u}^{k+1}-\mathbf{u}^k) = \mathbf{f},$$

where  $A = D - L - U$ .

For the constant coefficient problem, this suggests the preconditioner.

$$M = (D - \omega L)(D - \omega U).$$

**Note:** If you are interested, experiment with incomplete Cholesky factorization preconditioning and multigrid preconditioning. Incomplete Cholesky preconditioning requires that you form the matrix. Vary the amount of fill (in MATLAB use `cholinc` and vary the drop tolerance). Obviously, a factorization with more elements results in fewer iterations of CG, but it is more expensive to compute and to apply the preconditioner. To use MG as a preconditioner, the product  $M^{-1}r$  is computed by applying one V-cycle with zero initial guess with right hand side  $r$ . If the smoother is symmetric and the number of pre and post smoothing steps are the same, this preconditioner is symmetric positive definite and may be used with CG.

## Figure 1: problem description

The test problem used is

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

on the unit square  $[(0,1), (0,1)]$  with zero boundary conditions.

The above problem is solved using the numerical method of conjugate gradient iterative solver. The mesh spacings used is

$$h = \left\{ \frac{1}{16}, \frac{1}{32}, \frac{1}{64}, \frac{1}{128} \right\}$$

and the tolerance used to check for convergence is

$$\varepsilon = 10^{-6}$$

The solver terminates when the mesh norm of the residual becomes smaller than the above quantity using the following check

$$\sqrt{h} \|r^{(k)}\|_2 < \varepsilon$$

Where in the above,  $r^{(k)}$  is the residual at the  $k^{\text{th}}$  iteration and  $h$  is the current value of the mesh spacing.

The reason for using *zero* as the driving force on the RHS of the pde, is to allow the calculation and tracking of the error at each iteration as the exact solution  $u_{exact}$  for this problem is now known, which is zero. Now the error at each iteration  $k$  to be found using

$$\begin{aligned} e^{(k)} &= \|u_{exact} - u^{(k)}\| \\ &= \|u^{(k)}\| \end{aligned}$$

Where in the above  $u^{(k)}$  represents the approximate solution at the  $k^{\text{th}}$  iteration.

A Matlab function *CG.m* was written to implement conjugate gradient solver. One of the parameters this function accepts is the name of the preconditioner to use. The following preconditioners are supported

NONE, SSOR, MultiGrid, IncompleteCholesky

When NONE is specified, then no preconditioning is done.

For each preconditioner, the solver was run to find the solution to the above test problem. The initial guess for the solution  $u^{(0)}$  used was generated using Matlab `rand()` function.

For each preconditioner the following plots were generated

1. Plot of error  $\|e^{(k)}\|$  per iteration  $k$  which showed how the rate of error reduction per iteration. The plot was generated in log and linear scale.
2. Plot of the residual  $\|r^{(k)}\|$  per iteration which showed the rate of residual norm reduction per iteration, and also plotted in log and linear scale. The initial residual is defined as  $r^{(0)} = f - Au^{(0)}$  and each subsequent iteration, the residual is defined as  $r^{(k)} = r^{(k-1)} - \alpha Ap^{(k-1)}$ . The algorithm below illustrates this in more details.
3. The spectrum of the eigenvalues of  $A$  and the spectrum of the eigenvalues of  $M^{-1}A$  are plotted using matlab's `scatter()` command to better see the effect on the condition number value when multiplying  $A$  by  $M^{-1}$ , where  $M$  is the preconditioner matrix.
4. Plot of the final solution found on a 3D mesh plot. The final solution was verified to

be close to zero, which is the same as the exact solution.

In addition to the above plots, for each mesh spacing  $h$ , the actual result table is printed which tabulates the above values at each iteration. This table was used to generate the above plots. The printed tables also show the ratio of the value of norm of the residual at the current iteration to its value at the previous iteration, similarly for the error norm.

Due to the large size of these tables, the tables for all the spacings and for each solver are available in the appendix.

### Conjugate gradient algorithm description

The idea of conjugate gradient is to use preconditioning matrix to speed up the convergence of the conjugate gradient method. The original problem

$$Ax = f$$

is transformed to a new problem

$$M^{-1}Ax = M^{-1}f$$

such that  $M^{-1}A$  has a smaller condition number than  $A$ . For most iterative solvers, the rate of convergence increases as the condition number of the system matrix  $A$  decreases.

The conjugate gradient method works only on symmetric positive definite  $A$  matrix, and its speed of convergence is affected by the distribution of the eigenvalues of the  $A$  matrix. The estimate of convergence is more accurate if the distribution of eigenvalues is uniform. For the discrete 2D Poisson problem, this is the case, as verified by plots of the spectrum generated below for each case.

The preconditioning is used to modify the spectrum of  $A$  so that the eigenvalues of the new system matrix  $M^{-1}A$  become more clustered together causing the condition number to become smaller and thus increasing the convergence rate.

The following table was generated to show the effect of preconditioning on lowering the condition number. It shows the condition number for CG (in other words, for the  $A$  matrix only), and then the condition number for  $M^{-1}A$  for different solvers as mesh spacing is changed. It also shows below the condition number value, in a box, the maximum eigenvalue and the minimum eigenvalue. Notice that in the following table, if one tries to apply the  $\frac{|\max \lambda|}{|\min \lambda|}$  to determine the condition number, then the result will not match the condition number as shown. The above formula do not apply in this case, as these are sparse matrices and the condition number was found by estimating its value using the Matlab function `cond` and not by applying the above formula.

solver	$h = \frac{1}{16}, N = 225$	$h = \frac{1}{32}, N = 961$	$h = \frac{1}{64}, N = 3969$	$h = \frac{1}{128}, N = 16129$
NONE	150, (7.923, 0.0768)	603, (7.9807, 0.01926)	2413, (7.9995, 0.0048)	9655, (7.9987, 0.001205)
SSOR	33, (0.25, 0.018203)	128, (0.25, 0.004748)	511, (0.25, 0.0012)	
IncCholesky $\varepsilon = 10^{-2}$	32, (2.365, 0.2279)	108, (2.44, 0.0585)	422, (2.537, 0.0146)	
IncCholesky $\varepsilon = 10^{-3}$	48, (2.337, 0.508)	153, (2.526, 0.1603)	373, (2.592, 0.041756)	

This diagram below reflects the above table result to clearly show the reduction of the condition number as a result of preconditioning.




Figure 2: compare condition numbers

### CG Algorithm pseudocode

The following is the algorithm used for the implementation of conjugate gradient with precondition-

ing.

*Input* :  $A, f, tol, preconditionSolverName, dropTol$

*Output* :  $\tilde{u}$  approximate solution to  $Ax = 0$

$u_0 = \text{rand}()$  (\*initial guess of solution \*)

$r_0 = f - Au_0$  (\*initial residual\*)

$z_0 \leftarrow \text{CALL } preconditionSolver(r_0, A, preconditionSolverName, dropTol)$

$p_0 = z_0$

FOR  $k = 1, 2, 3, \dots$

$e_{k-1} = \sqrt{h} \|u_{k-1}\|_2$  (\* the error since  $u_{exact}$  is known to be zero\*)

$\omega_{k-1} = Ap_{k-1}$

$\alpha_{k-1} = \frac{z_{k-1}^T r_{k-1}}{p_{k-1}^T \omega_{k-1}}$

$u_k = u_{k-1} + \alpha_{k-1} p_{k-1}$

$r_k = r_{k-1} - \alpha_{k-1} \omega_{k-1}$

IF  $(\sqrt{h} \|r_k\|_2) < tol$  THEN

    RETURN  $u_k$

END IF

$z_k \leftarrow \text{CALL } preconditionSolver(r_k, A, preconditionSolverName, dropTol)$

$\beta_{k-1} = \frac{z_k^T r_k}{z_{k-1}^T r_{k-1}}$

$p_k = z_k + \beta_{k-1} p_{k-1}$

END FOR

The algorithm for the function  $preconditionSolver()$  is as follows

*Input* :  $r, A, preconditionSolverName, dropTol$

*Output* :  $z$  approximate solution to  $Mz = r$

CASE  $preconditionSolverName$  IS

    WHEN NONE  $z \leftarrow r$       // no preconditioning

    WHEN MultiGrid

$\mu_1 = \mu_2 = 1$  (\* presmoothing and postsmoothing\*)

$z \leftarrow \text{CALL } VCYCLE(\text{zeroInitialGuess}, r)$

        //VCYCLE is one implemented in HW4 but changed to do

        //one forward Gauss – Seidel/red – black followed by

        //one reverse Gauss – Seidel/red – black

    WHEN SSOR

$z \leftarrow \text{CALL } \text{SOR forward followed by SOR in reverse}$

    WHEN IncompleteCholesky

$R = \text{cholinc}(A, dropTol)$

$z \leftarrow R \setminus (R^T \setminus r)$

END CASE

RETURN  $z$

## 2 Solvers efficiency and iterations count

In addition to finding the number of iterations needed for convergence by each solver, the problem also asked to compare the efficiency of each solver. This is done by finding the work needed by each solver to converge.

Work needed is defined as

$$\text{Work} = \text{NumberOfIterations} \times \text{WorkPerIteration}$$

Before determining the work for each solver, the following table lists the *cputime* used by each solver for the different spacings. The cpu time is measured using Matlab *cputime* function, and measures only the call to *CG()* and does not include any other calls such as plotting.

preconditioning	$h = \frac{1}{16}$ $N = 225$	$h = \frac{1}{32}$ $N = 961$	$h = \frac{1}{64}$ $N = 3969$	$h = \frac{1}{128}$ $N = 16129$
NONE	0.19	0.37	13.48	556.6
Multigrid	0.34	0.6	13.48	566
SSOR	0.23	0.5	13.3	564.6
Incomplete Cholesky $\varepsilon = 10^{-2}$	0.16	0.34	13.8	559
Incomplete Cholesky $\varepsilon = 10^{-3}$	0.19	0.5	13.3	559

Surprisingly, no appreciable difference can be seen between the different solvers in terms of cpu time. It was expected that NONE would have the largest CPU time as it has the lowest efficiency. This result can be attributed to using small number of  $N$  values, which was not large enough in the limit to reflect the difference. One needs to use much larger values of  $N$  to see the effect of preconditioning on CPU time difference. Due to memory limitation, this was not possible to implement at this time. Now the work per iteration is analyzed.

### 2.1 Work per iteration

All solvers perform similar work per iterations except for the step needed to apply the preconditioning to determine  $z_k$ . The only difference between not using preconditioning and using one, is in the step to solve for  $z$  in  $Mz = r$ . Using work per iteration as  $O(N)$  for the base CG with no preconditioning, then the following can be defined for work per iteration for each solver:

1. No preconditioner is applied: no extra work is needed, as  $z$  is the same as  $r$  hence  $O(N)$
2. *multigrid* : work needed to determine  $z$  adds an extra cost of one V cycle. Work for one V cycle was found from HW4 to be  $\frac{4}{3}C \times N$  where  $N$  is number of unknowns and  $C$  is a constant estimated to be  $(7(v_1 + v_2) + 13)$  where  $v_1, v_2$  are the numbers of pre smooth and post smooth operations. These are both *one* in this case. The smoothing is done twice (forward and reverse), hence the above becomes  $(2 \times 7(v_1 + v_2) + 13)$ , resulting in work per iteration of  $\frac{4}{3}(2 \times 7(v_1 + v_2) + 13)N$  or about  $55N$ . Adding the  $O(N)$  from the above, this is still results in  $O(N)$ .
3. *SSOR* : The cost is twice one SOR step. One step of SOR work is  $7N$ , where  $N$  is number of unknowns, since it takes about 7 flop operations to smooth one grid point, and there are  $N$  of these. Hence for SSOR work is twice that or  $14N$ . As above, this is still an order of  $N$ .

## 2.2 Number of iterations

From lectures notes, it was found that the error rate in conjugate gradient (with no preconditioning) behaves as

$$\|e_k\|_A \leq 2 \frac{\sqrt{\kappa(A)} - 1}{\sqrt{\kappa(A)} + 1} \|e_0\|_A$$

Where  $\kappa(A)$  is the condition number of  $A$ , it was shown that  $\kappa(A) = O(h^{-1})$  where  $h$  is the mesh spacing. Hence, for fixed tolerance, which is the case here, the number of iterations is  $O(h^{-1}) = O(N^{1/2})$  where  $N$  is number of unknowns.

The results of the numerical experiment done agrees with the above, as shown below, for the case of NONE (which is the case of conjugate gradient with no preconditioning).

The following table was generated from result of running the program. In this table,  $N$  is the number of unknowns,  $\kappa(M^{-1}A)$  is the condition number of  $M^{-1}A$ , and  $\kappa(A)$  is the condition number of  $A$ . Since sparse matrices are used, the Matlab function `cond` was used to find the condition numbers. In this table I.C. means Incomplete Cholesky

preconditioner	$h = \frac{1}{16}$ $N = 225$	$\kappa(M^{-1}A)$	$\kappa(A)$	$h = \frac{1}{32}$ $N = 961$	$\kappa(M^{-1}A)$	$\kappa(A)$
NONE	42	N/A	150	82	N/A	603
Multigrid	4		150	4		603
SSOR	18	33	150	30	128	603
IC $\varepsilon = 10^{-2}$	7	32	150	13	108	603
IC $\varepsilon = 10^{-3}$	4	48	150	6	153	603

preconditioner	$h = \frac{1}{64}$ $N = 3969$	$\kappa(M^{-1}A)$	$\kappa(A)$	$h = \frac{1}{128}$ $N = 16129$	$\kappa(M^{-1}A)$	$\kappa(A)$
NONE	157	N/A	2413	291	N/A	9655
Multigrid	4		2413	4		9655
SSOR	56	511	2413	103	Memory problem	9655
IC $\varepsilon = 10^{-2}$	22	422	2413	39	Memory problem	9655
IC $\varepsilon = 10^{-3}$	8	373	2413	14	Memory problem	9655

The following is a plot that represents the above results.






Figure 3: iterations plot

From the above one can see that multigrid has  $O(1)$  for the number of iterations. The number of iterations was 4 for all the cases from  $h = \frac{1}{16}$  to  $h = \frac{1}{128}$ . For SSOR, the number of iterations grew sublinear in terms of  $N$ , from the above one can estimate this to be  $O(N^{1/4})$ , while for no preconditioning, the number of iterations grew as approximately as  $O(N^{\frac{1}{2}})$  as predicted by earlier analytical result.

### 3 Discussion of results and conclusions

The use of preconditioning on  $A$  caused a reduction of the number of iterations to convergence to the same fixed tolerance when compared to convergence with no preconditioning. This was due to reduction of the condition number of the system matrix as can be seen in the above table. By reducing the largest eigenvalue, the rate of convergence increased. However, preconditioning also adds an extra cost per iteration. The extra work however, was also of order  $N$  and hence the final efficiency was governed by the number of iterations for large  $N$ .

Therefore, this is the result of work efficiency for the main solvers, using the formula of

$$\text{Work} = \text{NumberOfIterations} \times \text{WorkPerIteration}$$

1. NONE:  $O(N^{1/2}) \times O(N) = O(N^{3/2})$
2. SSOR:  $O(N^{1/4}) \times O(N) = O(N^{5/4})$
3. Multigrid:  $O(1) \times O(N) = O(N)$

Incomplete Cholesky was not added as it was hard to estimate from the curve above the number of iterations and since depend on the drop tolerance values.


The above analysis showed that **Multigrid is most efficient**, followed by Incomplete Cholesky (but these depend on the tolerance drop term), followed by SSOR, and finally by CG with no preconditioning

In conclusion, using Multigrid for preconditioner for conjugate gradient seems to be the most effective solver.


## 4 Appendix

### 4.1 Result for CG with no preconditioner


Plots  $h=1/16$




Eigenvalues of A



Final solution




Residual per iteration




ERROR per iteration

Figure 4: solver none plots 16


Plots for  $h=1/32$




Eigenvalues of A



Final solution




Residual per iteration




ERROR per iteration

Figure 5: solver none plots 32


Plot for  $h=1/64$




**Eigenvalues of A**



**Final solution**




**Residual per iteration**




**ERROR per iteration**

Figure 6: solver none plots 64


Plots for  $h=1/128$




**Eigenvalues of A**



**Final solution**



**Residual per iteration**




**ERROR per iteration**


Figure 7: solver none plots 128

## 4.2 Result for CG with Multigrid preconditioner


Plots for  $h=1/16$




Eigenvalues of A



Final solution




Residual per iteration




ERROR per iteration

Figure 8: solver MG plots 16


Plots for  $h=1/32$




Eigenvalues of A



Final solution



Residual per iteration




ERROR per iteration


Figure 9: solver MG plots 32




Plots for  $h=164$




Eigenvalues of A



Final solution




Residual per iteration




ERROR per iteration

Figure 10: solver MG plots 64


Plots for  $h=1/128$




**Eigenvalues of A**



**Final solution**



**Residual per iteration**




**ERROR per iteration**


Figure 11: solver MG plots 128

### 4.3 Result for CG with SSOR preconditioner


Plots for  $h=1/16$




Eigenvalues of A and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 12: solver SSOR plots 16


Plots for  $h=1/32$




Eigenvalues of A and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 13: solver SSOR plots 32


Plots for  $h=1/64$




Eigenvalues of A and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 14: solver SSOR plots 64


### 4.4 Plots for $h=1/128$




**Eigenvalues of A**



**Final solution**



**Residual per iteration**




**ERROR per iteration**


Figure 15: solver SSOR plots 128

### 4.5 Result for CG with incomplete cholesky preconditioner $\varepsilon = 10^{-2}$


Plots for  $h=1/16$




Eigenvalues of A and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 16: solver incomplete cholesky plots 16


Plots for  $h=1/32$




Eigenvalues of A and  $M^{-1}A$



Final solution



Residual per iteration




ERROR per iteration


Figure 17: solver incomplete cholesky plots 32




Plots for  $h=1/64$




Eigenvalues of  $A$  and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 18: solver incomplete cholesky plots 64


Plots for  $h=1/128$




**Eigenvalues of A**



**Final solution**



**Residual per iteration**




**ERROR per iteration**

Figure 19: solver incomplete cholesky plots 128


## 5 Result for CG with incomplete cholesky preconditioner

$\varepsilon = 10^{-3}$


Plots for  $h=1/16$




Eigenvalues of A and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 20: solver CG with incomplete cholesky preconditioner 16


underlinePlots for  $h=1/32$




**Eigenvalues of  $A$  and  $M^{-1}A$**



**Final solution**




**Residual per iteration**




**ERROR per iteration**

Figure 21: solver CG with incomplete cholesky preconditioner 32


Plots for  $h = \frac{1}{64}$




Eigenvalues of  $A$  and  $M^{-1}A$



Final solution




Residual per iteration




ERROR per iteration

Figure 22: solver CG with incomplete cholesky preconditioner 64


## Plots for $h=1/128$




**Eigenvalues of A**



**Final solution**



**Residual per iteration**



**ERROR per iteration**

Figure 23: solver CG with incomplete cholesky preconditioner 128

## 5.1 References

1. R. J. LeVeque. Finite Difference Methods for Ordinary and Partial Differential Equations: Steady-State and Time-Dependent Problems. SIAM, 2007.

## 5.2 Computation Tables

table for CG with no preconditioner

table for CG with no preconditioner  $h = \frac{1}{16}$

Tolerance= $10^{-6}$  method=NONE, Iterations = 42, condition number A=150.4167

	k	e	ratio	r	ratio
1					
2	1	2.1830924	0.0000000	4.7210582	0.0000000
3	2	1.8864972	0.8641399	1.4184825	0.3004586
4	3	1.7843339	0.9458449	0.6424897	0.4529416
5	4	1.6861080	0.9449509	0.4396146	0.6842360
6	5	1.5849468	0.9400032	0.3336348	0.7589256
7	6	1.4553992	0.9182637	0.3163522	0.9481991
8	7	1.2957415	0.8902998	0.2736152	0.8649068
9	8	1.1409611	0.8805468	0.2420287	0.8845587
10	9	0.9977301	0.8744646	0.2038050	0.8420696
11	10	0.8499980	0.8519318	0.2051285	1.0064937
12	11	0.6651595	0.7825425	0.1974297	0.9624684
13	12	0.4864479	0.7313251	0.1747116	0.8849309
14	13	0.2960128	0.6085191	0.1779989	1.0188155
15	14	0.1451740	0.4904313	0.1199788	0.6740421
16	15	0.0935858	0.6446460	0.0678391	0.5654261
17	16	0.0756963	0.8088434	0.0408147	0.6016397
18	17	0.0635298	0.8392727	0.0298095	0.7303614
19	18	0.0529339	0.8332136	0.0218161	0.7318495
20	19	0.0429735	0.8118324	0.0195722	0.8971481
21	20	0.0322133	0.7496102	0.0163238	0.8340275
22	21	0.0237202	0.7363457	0.0127609	0.7817369
23	22	0.0157525	0.6640959	0.0107769	0.8445245
24	23	0.0090001	0.5713465	0.0081136	0.7528675
25	24	0.0049041	0.5448943	0.0056646	0.6981578
26	25	0.0029273	0.5968981	0.0032193	0.5683292
27	26	0.0021383	0.7304863	0.0017564	0.5455764
28	27	0.0016007	0.7485962	0.0012297	0.7001280
29	28	0.0011635	0.7268656	0.0008660	0.7042553
30	29	0.0008013	0.6886615	0.0006405	0.7396406
31	30	0.0005365	0.6695259	0.0005187	0.8097440
32	31	0.0003581	0.6674555	0.0002751	0.5304362
33	32	0.0002692	0.7517878	0.0001920	0.6979471
34	33	0.0001902	0.7066626	0.0001491	0.7762729
35	34	0.0001158	0.6085937	0.0001143	0.7665146
36	35	0.0000648	0.5601207	0.0000746	0.6531095
37	36	0.0000377	0.5807215	0.0000446	0.5983047
38	37	0.0000238	0.6316540	0.0000268	0.5993857
39	38	0.0000137	0.5773472	0.0000177	0.6619224
40	39	0.0000077	0.5599609	0.0000104	0.5863875
41	40	0.0000043	0.5545265	0.0000060	0.5767504

42	41	0.0000023	0.5432272	0.0000034	0.5745691
43	42	0.0000005	0.2307583	0.0000009	0.2689011

Table CG with no preconditioner for  $h = \frac{1}{32}$

Tolerance= $10^{-6}$  method=NONE, Iterations =82, condition number A=603

1	k	e	ratio	r	ratio
2	1	3.1348156	0.0000000	7.2393385	0.0000000
3	2	2.7330660	0.8718427	2.0520496	0.2834582
4	3	2.6175107	0.9577196	0.9150415	0.4459159
5	4	2.5284570	0.9659777	0.6101126	0.6667595
6	5	2.4421554	0.9658679	0.4386752	0.7190070
7	6	2.3586462	0.9658051	0.3380251	0.7705588
8	7	2.2766645	0.9652421	0.2853482	0.8441627
9	8	2.1887867	0.9614006	0.2476061	0.8677331
10	9	2.1039473	0.9612391	0.2079568	0.8398696
11	10	2.0254995	0.9627140	0.1877177	0.9026765
12	11	1.9387591	0.9571758	0.1699200	0.9051889
13	12	1.8539303	0.9562459	0.1545855	0.9097544
14	13	1.7682926	0.9538075	0.1400435	0.9059291
15	14	1.6834581	0.9520246	0.1278646	0.9130349
16	15	1.6022568	0.9517652	0.1160407	0.9075285
17	16	1.5217100	0.9497291	0.1094328	0.9430547
18	17	1.4395506	0.9460085	0.1027356	0.9388016
19	18	1.3562155	0.9421104	0.0942611	0.9175109
20	19	1.2759187	0.9407934	0.0898504	0.9532076
21	20	1.1866336	0.9300229	0.0872327	0.9708661
22	21	1.0934573	0.9214784	0.0826619	0.9476025
23	22	1.0024063	0.9167311	0.0788741	0.9541777
24	23	0.8992085	0.8970499	0.0830311	1.0527040
25	24	0.7631293	0.8486678	0.0970541	1.1688879
26	25	0.5530580	0.7247239	0.1109983	1.1436745
27	26	0.3359324	0.6074089	0.0961082	0.8658534
28	27	0.2191717	0.6524281	0.0639449	0.6653430
29	28	0.1626895	0.7422922	0.0484804	0.7581592
30	29	0.1228014	0.7548210	0.0407252	0.8400342
31	30	0.0917790	0.7473771	0.0335094	0.8228158
32	31	0.0700724	0.7634914	0.0273614	0.8165289
33	32	0.0540805	0.7717795	0.0214580	0.7842445
34	33	0.0432646	0.8000041	0.0163945	0.7640291
35	34	0.0364310	0.8420503	0.0126036	0.7687676
36	35	0.0309924	0.8507149	0.0103112	0.8181153
37	36	0.0268480	0.8662776	0.0080396	0.7796959
38	37	0.0236146	0.8795683	0.0066579	0.8281358
39	38	0.0209965	0.8891317	0.0052897	0.7945024
40	39	0.0191928	0.9140930	0.0040810	0.7714996
41	40	0.0177298	0.9237770	0.0033815	0.8285992
42	41	0.0164277	0.9265582	0.0027478	0.8126066
43	42	0.0154290	0.9392033	0.0020770	0.7558581
44	43	0.0144978	0.9396484	0.0018150	0.8738906
45	44	0.0134250	0.9260010	0.0016909	0.9316005
46	45	0.0121487	0.9049280	0.0017116	1.0122194
47	46	0.0103132	0.8489185	0.0019431	1.1352723



48	47	0.0076740	0.7440911	0.0020798	1.0703591
49	48	0.0052118	0.6791481	0.0017795	0.8556085
50	49	0.0036674	0.7036863	0.0012802	0.7194204
51	50	0.0028794	0.7851283	0.0009362	0.7313235
52	51	0.0023421	0.8133830	0.0007764	0.8292528
53	52	0.0019119	0.8163410	0.0006295	0.8108465
54	53	0.0016151	0.8447753	0.0004538	0.7207790
55	54	0.0014025	0.8683421	0.0003797	0.8368191
56	55	0.0011871	0.8464182	0.0003408	0.8975492
57	56	0.0009760	0.8221407	0.0002934	0.8609202
58	57	0.0007699	0.7888788	0.0002736	0.9323579
59	58	0.0005719	0.7428557	0.0002359	0.8624696
60	59	0.0004284	0.7489784	0.0001812	0.7678420
61	60	0.0003281	0.7659409	0.0001493	0.8242995
62	61	0.0002531	0.7714986	0.0001175	0.7865263
63	62	0.0002060	0.8136716	0.0000861	0.7334368
64	63	0.0001797	0.8726498	0.0000546	0.6339584
65	64	0.0001644	0.9147896	0.0000414	0.7578420
66	65	0.0001500	0.9121801	0.0000324	0.7822544
67	66	0.0001359	0.9062892	0.0000282	0.8704977
68	67	0.0001196	0.8799064	0.0000263	0.9342924
69	68	0.0001024	0.8564000	0.0000246	0.9353246
70	69	0.0000828	0.8079831	0.0000233	0.9453090
71	70	0.0000620	0.7488319	0.0000226	0.9703960
72	71	0.0000452	0.7287425	0.0000167	0.7383479
73	72	0.0000366	0.8101289	0.0000122	0.7285159
74	73	0.0000299	0.8162470	0.0000101	0.8335502
75	74	0.0000239	0.8015867	0.0000085	0.8430243
76	75	0.0000186	0.7787371	0.0000074	0.8676639
77	76	0.0000140	0.7525703	0.0000060	0.8134688
78	77	0.0000104	0.7435247	0.0000050	0.8225143
79	78	0.0000076	0.7246112	0.0000039	0.7889123
80	79	0.0000055	0.7232358	0.0000030	0.7583253
81	80	0.0000040	0.7287703	0.0000023	0.7618901
82	81	0.0000029	0.7237151	0.0000017	0.7706604
83	82	0.0000015	0.5224390	0.0000010	0.5519726

Table for CG with no preconditioner  $h = \frac{1}{64}$

Tolerance= $10^{-6}$  method=NONE, Iterations = 157, condition number A=2413

	k	e	ratio	r	ratio
1					
2	1	4.5618175	0.0000000	10.2041977	0.0000000
3	2	4.0484423	0.8874626	2.9223637	0.2863884
4	3	3.9296490	0.9706570	1.1769802	0.4027494
5	4	3.8598809	0.9822457	0.7112536	0.6043038
6	5	3.7995456	0.9843686	0.4805222	0.6755989
7	6	3.7431529	0.9851580	0.3718902	0.7739293
8	7	3.6863983	0.9848378	0.2978303	0.8008555
9	8	3.6292174	0.9844887	0.2541673	0.8533964
10	9	3.5685722	0.9832897	0.2226181	0.8758725
11	10	3.5069581	0.9827342	0.2001179	0.8989292
12	11	3.4429589	0.9817508	0.1826321	0.9126225
13	12	3.3782370	0.9812017	0.1713830	0.9384053

14	13	3.3146909	0.9811896	0.1522840	0.8885599
15	14	3.2564054	0.9824160	0.1328174	0.8721691
16	15	3.2008849	0.9829504	0.1224334	0.9218176
17	16	3.1455152	0.9827018	0.1137015	0.9286800
18	17	3.0882964	0.9818094	0.1060581	0.9327769
19	18	3.0308365	0.9813943	0.0996429	0.9395123
20	19	2.9722551	0.9806716	0.0956821	0.9602499
21	20	2.9114870	0.9795549	0.0903023	0.9437739
22	21	2.8528462	0.9798588	0.0851183	0.9425936
23	22	2.7941605	0.9794291	0.0812703	0.9547925
24	23	2.7330511	0.9781296	0.0777886	0.9571584
25	24	2.6717953	0.9775870	0.0762112	0.9797225
26	25	2.6080786	0.9761521	0.0724646	0.9508390
27	26	2.5466310	0.9764395	0.0682339	0.9416164
28	27	2.4869367	0.9765595	0.0647979	0.9496439
29	28	2.4272004	0.9759800	0.0620220	0.9571603
30	29	2.3688169	0.9759461	0.0598978	0.9657516
31	30	2.3065758	0.9737248	0.0596884	0.9965033
32	31	2.2416075	0.9718334	0.0576136	0.9652406
33	32	2.1770400	0.9711959	0.0558695	0.9697274
34	33	2.1148235	0.9714215	0.0530152	0.9489108
35	34	2.0513467	0.9699848	0.0526473	0.9930604
36	35	1.9830861	0.9667240	0.0520339	0.9883494
37	36	1.9164540	0.9663998	0.0501573	0.9639341
38	37	1.8482870	0.9644306	0.0495531	0.9879541
39	38	1.7802122	0.9631687	0.0470089	0.9486572
40	39	1.7180330	0.9650720	0.0434971	0.9252956
41	40	1.6579511	0.9650286	0.0428035	0.9840528
42	41	1.5950758	0.9620765	0.0419171	0.9792931
43	42	1.5314235	0.9600945	0.0407596	0.9723845
44	43	1.4665547	0.9576415	0.0403056	0.9888615
45	44	1.3990502	0.9539707	0.0399968	0.9923390
46	45	1.3251017	0.9471438	0.0414126	1.0353981
47	46	1.2399275	0.9357225	0.0446116	1.0772483
48	47	1.1274063	0.9092518	0.0518707	1.1627170
49	48	0.9608210	0.8522402	0.0624979	1.2048781
50	49	0.7395289	0.7696844	0.0669797	1.0717122
51	50	0.5283032	0.7143780	0.0585964	0.8748381
52	51	0.3950155	0.7477062	0.0442497	0.7551608
53	52	0.3199062	0.8098571	0.0353741	0.7994194
54	53	0.2652143	0.8290380	0.0311022	0.8792360
55	54	0.2243041	0.8457467	0.0261245	0.8399568
56	55	0.1942000	0.8657888	0.0227046	0.8690920
57	56	0.1684643	0.8674782	0.0210588	0.9275151
58	57	0.1453235	0.8626370	0.0187644	0.8910446
59	58	0.1265923	0.8711071	0.0167577	0.8930590
60	59	0.1097734	0.8671408	0.0154345	0.9210396
61	60	0.0947833	0.8634453	0.0138393	0.8966502
62	61	0.0823391	0.8687086	0.0123950	0.8956317
63	62	0.0713607	0.8666691	0.0111566	0.9000953
64	63	0.0615239	0.8621533	0.0099908	0.8954998
65	64	0.0531284	0.8635401	0.0089677	0.8976025
66	65	0.0460486	0.8667428	0.0078037	0.8701995
67	66	0.0401432	0.8717562	0.0068652	0.8797327

68	67	0.0349347	0.8702530	0.0061224	0.8918082
69	68	0.0305072	0.8732635	0.0053390	0.8720462
70	69	0.0267317	0.8762420	0.0047623	0.8919769
71	70	0.0234572	0.8775033	0.0041094	0.8628988
72	71	0.0207112	0.8829387	0.0036173	0.8802590
73	72	0.0181979	0.8786512	0.0032920	0.9100613
74	73	0.0159488	0.8764068	0.0028970	0.8800222
75	74	0.0140658	0.8819366	0.0025342	0.8747771
76	75	0.0125049	0.8890299	0.0021879	0.8633171
77	76	0.0111985	0.8955273	0.0019189	0.8770658
78	77	0.0101148	0.9032251	0.0016804	0.8757329
79	78	0.0091865	0.9082280	0.0015038	0.8948967
80	79	0.0084158	0.9160976	0.0013190	0.8770684
81	80	0.0078196	0.9291617	0.0011071	0.8393543
82	81	0.0073758	0.9432389	0.0009256	0.8360613
83	82	0.0070385	0.9542812	0.0007869	0.8502076
84	83	0.0067629	0.9608446	0.0006653	0.8453718
85	84	0.0065430	0.9674723	0.0005542	0.8330332
86	85	0.0063606	0.9721362	0.0004631	0.8356598
87	86	0.0062041	0.9753943	0.0003904	0.8429988
88	87	0.0060628	0.9772213	0.0003301	0.8455336
89	88	0.0059316	0.9783588	0.0002793	0.8462168
90	89	0.0058038	0.9784528	0.0002434	0.8714097
91	90	0.0056707	0.9770673	0.0002200	0.9036392
92	91	0.0055215	0.9736957	0.0002182	0.9922456
93	92	0.0053270	0.9647725	0.0002329	1.0671837
94	93	0.0050613	0.9501202	0.0002563	1.1003357
95	94	0.0047075	0.9300953	0.0002754	1.0744267
96	95	0.0043063	0.9147708	0.0002692	0.9778062
97	96	0.0039172	0.9096464	0.0002592	0.9626214
98	97	0.0035245	0.8997507	0.0002627	1.0135967
99	98	0.0030928	0.8774993	0.0002717	1.0343359
100	99	0.0026357	0.8522177	0.0002652	0.9760185
101	100	0.0022317	0.8467214	0.0002384	0.8988006
102	101	0.0019165	0.8587692	0.0002124	0.8912480
103	102	0.0016658	0.8691736	0.0001896	0.8925872
104	103	0.0014748	0.8853198	0.0001562	0.8237657
105	104	0.0013425	0.9102889	0.0001341	0.8584851
106	105	0.0012338	0.9190797	0.0001229	0.9163269
107	106	0.0011364	0.9210448	0.0001110	0.9029318
108	107	0.0010529	0.9264833	0.0000981	0.8837443
109	108	0.0009822	0.9329029	0.0000884	0.9015361
110	109	0.0009173	0.9338643	0.0000805	0.9108633
111	110	0.0008605	0.9381542	0.0000706	0.8763963
112	111	0.0008106	0.9420035	0.0000648	0.9185117
113	112	0.0007612	0.9390822	0.0000609	0.9395127
114	113	0.0007143	0.9383693	0.0000557	0.9139756
115	114	0.0006696	0.9374446	0.0000519	0.9329107
116	115	0.0006260	0.9348144	0.0000481	0.9264502
117	116	0.0005854	0.9351858	0.0000443	0.9199678
118	117	0.0005460	0.9326180	0.0000424	0.9576760
119	118	0.0005044	0.9239461	0.0000413	0.9738142
120	119	0.0004627	0.9172921	0.0000391	0.9473491
121	120	0.0004208	0.9094667	0.0000381	0.9752708

122	121	0.0003784	0.8992550	0.0000372	0.9763676
123	122	0.0003372	0.8911407	0.0000350	0.9403920
124	123	0.0002996	0.8885168	0.0000322	0.9205549
125	124	0.0002665	0.8895264	0.0000296	0.9186267
126	125	0.0002382	0.8936247	0.0000267	0.9014817
127	126	0.0002145	0.9005476	0.0000235	0.8810575
128	127	0.0001949	0.9087432	0.0000205	0.8702270
129	128	0.0001793	0.9195943	0.0000191	0.9333716
130	129	0.0001645	0.9175205	0.0000165	0.8627026
131	130	0.0001529	0.9299627	0.0000145	0.8810031
132	131	0.0001428	0.9334836	0.0000126	0.8674787
133	132	0.0001338	0.9370194	0.0000113	0.8986161
134	133	0.0001252	0.9354832	0.0000105	0.9248925
135	134	0.0001161	0.9280017	0.0000101	0.9641272
136	135	0.0001061	0.9132398	0.0000104	1.0276371
137	136	0.0000941	0.8872630	0.0000108	1.0403204
138	137	0.0000809	0.8591660	0.0000106	0.9825534
139	138	0.0000692	0.8553820	0.0000095	0.9003622
140	139	0.0000600	0.8674816	0.0000080	0.8360480
141	140	0.0000535	0.8925543	0.0000066	0.8225625
142	141	0.0000486	0.9079807	0.0000057	0.8611308
143	142	0.0000443	0.9113730	0.0000052	0.9135594
144	143	0.0000402	0.9066825	0.0000048	0.9354110
145	144	0.0000361	0.8975802	0.0000045	0.9304066
146	145	0.0000323	0.8956690	0.0000041	0.9034467
147	146	0.0000288	0.8917449	0.0000038	0.9321324
148	147	0.0000255	0.8865527	0.0000034	0.9105714
149	148	0.0000226	0.8841495	0.0000031	0.9002286
150	149	0.0000200	0.8862625	0.0000028	0.8885652
151	150	0.0000177	0.8849574	0.0000025	0.8993699
152	151	0.0000155	0.8766179	0.0000024	0.9491487
153	152	0.0000133	0.8572703	0.0000022	0.9393268
154	153	0.0000113	0.8482148	0.0000020	0.9135275
155	154	0.0000095	0.8451107	0.0000018	0.8915801
156	155	0.0000081	0.8501849	0.0000015	0.8470707
157	156	0.0000070	0.8664622	0.0000013	0.8602920
158	157	0.0000054	0.7724505	0.0000010	0.7331119

Table for CG with no preconditioner  $h = \frac{1}{128}$

Tolerance= $10^{-6}$  method=NONE, Iterations = 291, condition number A=9655

	k	e	ratio	r	ratio
1					
2	1	6.5216900	0.0000000	14.4577169	0.0000000
3	2	5.8211800	0.8925877	4.0764931	0.2819597
4	3	5.6842162	0.9764715	1.5799015	0.3875639
5	4	5.6198883	0.9886831	0.8968116	0.5676377
6	5	5.5711714	0.9913313	0.5778805	0.6443723
7	6	5.5285647	0.9923523	0.4303215	0.7446548
8	7	5.4869080	0.9924652	0.3341897	0.7766047
9	8	5.4468461	0.9926986	0.2785535	0.8335192
10	9	5.4044559	0.9922175	0.2424388	0.8703491
11	10	5.3616029	0.9920708	0.2146822	0.8855108
12	11	5.3191442	0.9920810	0.1862262	0.8674507

13	12	5.2782868	0.9923188	0.1677396	0.9007302
14	13	5.2363954	0.9920634	0.1524839	0.9090513
15	14	5.1941353	0.9919295	0.1420818	0.9317825
16	15	5.1513426	0.9917614	0.1293917	0.9106846
17	16	5.1099665	0.9919679	0.1195224	0.9237248
18	17	5.0683715	0.9918600	0.1119117	0.9363248
19	18	5.0255870	0.9915585	0.1066056	0.9525867
20	19	4.9819254	0.9913121	0.0994276	0.9326674
21	20	4.9398031	0.9915450	0.0934835	0.9402165
22	21	4.8972751	0.9913908	0.0895284	0.9576918
23	22	4.8541439	0.9911928	0.0849488	0.9488477
24	23	4.8107070	0.9910516	0.0811183	0.9549077
25	24	4.7673483	0.9909871	0.0782140	0.9641979
26	25	4.7234798	0.9907981	0.0742769	0.9496615
27	26	4.6807711	0.9909582	0.0714271	0.9616324
28	27	4.6372353	0.9906990	0.0684405	0.9581873
29	28	4.5948580	0.9908615	0.0651097	0.9513333
30	29	4.5530996	0.9909119	0.0621499	0.9545408
31	30	4.5112658	0.9908120	0.0601683	0.9681159
32	31	4.4687574	0.9905773	0.0584916	0.9721339
33	32	4.4262843	0.9904955	0.0566503	0.9685198
34	33	4.3834625	0.9903256	0.0547127	0.9657966
35	34	4.3405454	0.9902093	0.0529867	0.9684541
36	35	4.2983731	0.9902841	0.0507715	0.9581929
37	36	4.2562271	0.9901949	0.0496163	0.9772479
38	37	4.2138748	0.9900493	0.0481310	0.9700646
39	38	4.1708118	0.9897807	0.0472816	0.9823505
40	39	4.1266023	0.9894003	0.0466718	0.9871047
41	40	4.0823351	0.9892727	0.0454224	0.9732297
42	41	4.0380267	0.9891463	0.0441588	0.9721808
43	42	3.9946964	0.9892694	0.0426145	0.9650276
44	43	3.9522103	0.9893644	0.0409349	0.9605877
45	44	3.9106277	0.9894786	0.0398300	0.9730069
46	45	3.8684976	0.9892268	0.0392197	0.9846780
47	46	3.8257317	0.9889451	0.0385564	0.9830880
48	47	3.7830507	0.9888437	0.0372870	0.9670762
49	48	3.7403946	0.9887244	0.0366904	0.9839996
50	49	3.6974958	0.9885310	0.0359622	0.9801539
51	50	3.6549289	0.9884876	0.0352283	0.9795926
52	51	3.6113640	0.9880805	0.0345719	0.9813650
53	52	3.5675354	0.9878637	0.0340535	0.9850064
54	53	3.5231205	0.9875503	0.0336276	0.9874943
55	54	3.4787130	0.9873954	0.0329058	0.9785343
56	55	3.4345867	0.9873153	0.0323069	0.9817996
57	56	3.3901581	0.9870643	0.0316810	0.9806276
58	57	3.3461400	0.9870159	0.0306893	0.9686978
59	58	3.3036285	0.9872954	0.0298158	0.9715352
60	59	3.2612089	0.9871597	0.0294984	0.9893541
61	60	3.2175113	0.9866008	0.0293399	0.9946276
62	61	3.1732557	0.9862454	0.0288105	0.9819557
63	62	3.1292108	0.9861200	0.0282986	0.9822332
64	63	3.0851351	0.9859147	0.0277461	0.9804746
65	64	3.0412129	0.9857633	0.0274147	0.9880581
66	65	2.9964828	0.9852920	0.0267788	0.9768022

67	66	2.9522621	0.9852425	0.0265317	0.9907736
68	67	2.9083386	0.9851221	0.0258464	0.9741706
69	68	2.8648102	0.9850332	0.0254640	0.9852068
70	69	2.8199937	0.9843562	0.0255037	1.0015562
71	70	2.7742200	0.9837682	0.0252014	0.9881474
72	71	2.7287776	0.9836197	0.0245978	0.9760481
73	72	2.6844169	0.9837434	0.0237590	0.9659003
74	73	2.6412743	0.9839285	0.0235033	0.9892381
75	74	2.5968246	0.9831711	0.0234332	0.9970183
76	75	2.5517313	0.9826352	0.0230106	0.9819663
77	76	2.5070630	0.9824949	0.0225744	0.9810401
78	77	2.4633246	0.9825539	0.0220316	0.9759583
79	78	2.4188791	0.9819571	0.0219368	0.9956962
80	79	2.3736882	0.9813174	0.0216703	0.9878504
81	80	2.3279918	0.9807488	0.0217378	1.0031152
82	81	2.2808231	0.9797385	0.0215495	0.9913383
83	82	2.2336755	0.9793287	0.0212204	0.9847292
84	83	2.1862533	0.9787694	0.0208521	0.9826415
85	84	2.1387752	0.9782833	0.0206835	0.9919146
86	85	2.0909984	0.9776616	0.0203045	0.9816770
87	86	2.0438264	0.9774405	0.0199742	0.9837320
88	87	1.9962370	0.9767155	0.0198473	0.9936479
89	88	1.9483597	0.9760162	0.0195917	0.9871222
90	89	1.8995855	0.9749666	0.0195412	0.9974214
91	90	1.8476324	0.9726503	0.0202739	1.0374967
92	91	1.7887809	0.9681476	0.0215423	1.0625600
93	92	1.7179957	0.9604282	0.0239573	1.1121081
94	93	1.6232429	0.9448469	0.0281514	1.1750654
95	94	1.4854374	0.9151048	0.0338549	1.2025994
96	95	1.2901182	0.8685107	0.0389859	1.1515605
97	96	1.0644065	0.8250457	0.0390577	1.0018411
98	97	0.8691133	0.8165238	0.0342085	0.8758440
99	98	0.7330221	0.8434137	0.0280872	0.8210594
100	99	0.6386873	0.8713069	0.0245142	0.8727891
101	100	0.5637403	0.8826547	0.0221816	0.9048483
102	101	0.5029967	0.8922489	0.0199448	0.8991569
103	102	0.4540556	0.9027011	0.0177812	0.8915224
104	103	0.4150739	0.9141476	0.0160900	0.9048868
105	104	0.3813251	0.9186921	0.0152002	0.9446998
106	105	0.3512848	0.9212212	0.0140495	0.9243007
107	106	0.3250302	0.9252614	0.0132617	0.9439243
108	107	0.3006703	0.9250533	0.0127023	0.9578196
109	108	0.2782780	0.9255254	0.0118652	0.9340934
110	109	0.2583980	0.9285605	0.0111782	0.9421066
111	110	0.2399280	0.9285211	0.0107487	0.9615730
112	111	0.2224847	0.9272978	0.0101863	0.9476738
113	112	0.2067140	0.9291155	0.0095446	0.9370026
114	113	0.1922750	0.9301500	0.0090068	0.9436612
115	114	0.1789377	0.9306343	0.0085970	0.9544985
116	115	0.1659538	0.9274389	0.0084277	0.9803081
117	116	0.1532174	0.9232532	0.0081486	0.9668770
118	117	0.1413960	0.9228457	0.0076599	0.9400255
119	118	0.1307287	0.9245573	0.0071955	0.9393847
120	119	0.1209090	0.9248852	0.0067734	0.9413369

121	120	0.1120288	0.9265547	0.0063259	0.9339284
122	121	0.1039599	0.9279741	0.0059769	0.9448358
123	122	0.0964983	0.9282266	0.0056345	0.9427016
124	123	0.0896672	0.9292102	0.0053026	0.9411039
125	124	0.0833125	0.9291304	0.0049828	0.9396944
126	125	0.0776324	0.9318209	0.0046406	0.9313226
127	126	0.0724280	0.9329618	0.0043473	0.9367799
128	127	0.0676853	0.9345182	0.0040083	0.9220193
129	128	0.0635380	0.9387263	0.0036864	0.9197089
130	129	0.0597311	0.9400845	0.0034773	0.9432675
131	130	0.0560418	0.9382361	0.0033230	0.9556383
132	131	0.0525073	0.9369301	0.0031496	0.9478249
133	132	0.0491855	0.9367361	0.0029710	0.9432938
134	133	0.0460666	0.9365890	0.0027967	0.9413153
135	134	0.0431344	0.9363485	0.0026568	0.9499861
136	135	0.0403771	0.9360763	0.0024800	0.9334519
137	136	0.0378184	0.9366311	0.0023383	0.9428438
138	137	0.0354510	0.9374012	0.0021922	0.9375558
139	138	0.0332424	0.9376994	0.0020377	0.9294867
140	139	0.0312191	0.9391363	0.0019028	0.9338130
141	140	0.0293648	0.9406007	0.0017822	0.9366054
142	141	0.0275654	0.9387233	0.0017140	0.9617729
143	142	0.0258209	0.9367154	0.0016189	0.9444659
144	143	0.0242216	0.9380629	0.0015084	0.9317937
145	144	0.0227180	0.9379219	0.0014412	0.9554332
146	145	0.0212899	0.9371386	0.0013528	0.9386613
147	146	0.0199738	0.9381832	0.0012813	0.9471259
148	147	0.0187271	0.9375794	0.0012066	0.9417288
149	148	0.0175963	0.9396166	0.0011173	0.9259961
150	149	0.0165930	0.9429837	0.0010360	0.9271850
151	150	0.0156685	0.9442818	0.0009697	0.9359917
152	151	0.0148093	0.9451670	0.0009143	0.9429451
153	152	0.0140387	0.9479640	0.0008446	0.9236841
154	153	0.0133481	0.9508081	0.0007828	0.9269097
155	154	0.0127077	0.9520237	0.0007435	0.9498209
156	155	0.0121136	0.9532515	0.0007005	0.9420813
157	156	0.0115697	0.9551005	0.0006583	0.9397314
158	157	0.0110828	0.9579138	0.0006133	0.9317308
159	158	0.0106451	0.9605075	0.0005721	0.9327397
160	159	0.0102507	0.9629485	0.0005351	0.9353541
161	160	0.0099019	0.9659712	0.0005003	0.9348993
162	161	0.0095977	0.9692748	0.0004553	0.9101756
163	162	0.0093373	0.9728771	0.0004165	0.9146442
164	163	0.0091078	0.9754214	0.0003875	0.9305895
165	164	0.0089051	0.9777442	0.0003573	0.9218909
166	165	0.0087271	0.9800029	0.0003282	0.9185575
167	166	0.0085684	0.9818138	0.0003015	0.9188234
168	167	0.0084309	0.9839583	0.0002719	0.9016052
169	168	0.0083109	0.9857609	0.0002449	0.9008619
170	169	0.0082058	0.9873564	0.0002206	0.9008608
171	170	0.0081135	0.9887523	0.0001955	0.8858579
172	171	0.0080298	0.9896858	0.0001764	0.9025415
173	172	0.0079505	0.9901290	0.0001610	0.9127841
174	173	0.0078748	0.9904714	0.0001459	0.9060863

175	174	0.0078020	0.9907636	0.0001330	0.9115998
176	175	0.0077322	0.9910514	0.0001201	0.9027629
177	176	0.0076646	0.9912555	0.0001102	0.9181004
178	177	0.0075980	0.9913082	0.0000994	0.9021361
179	178	0.0075343	0.9916206	0.0000903	0.9080043
180	179	0.0074697	0.9914240	0.0000843	0.9338806
181	180	0.0073991	0.9905492	0.0000836	0.9916163
182	181	0.0073144	0.9885474	0.0000873	1.0443408
183	182	0.0072065	0.9852455	0.0000944	1.0807980
184	183	0.0070661	0.9805186	0.0001041	1.1030488
185	184	0.0068861	0.9745304	0.0001130	1.0857231
186	185	0.0066684	0.9683929	0.0001181	1.0445829
187	186	0.0064350	0.9649952	0.0001170	0.9906712
188	187	0.0062072	0.9645942	0.0001121	0.9587357
189	188	0.0059900	0.9650072	0.0001088	0.9702163
190	189	0.0057630	0.9621089	0.0001137	1.0446340
191	190	0.0054891	0.9524693	0.0001251	1.1007868
192	191	0.0051459	0.9374773	0.0001347	1.0766640
193	192	0.0047715	0.9272480	0.0001344	0.9978854
194	193	0.0044069	0.9235887	0.0001313	0.9767634
195	194	0.0040493	0.9188441	0.0001316	1.0022126
196	195	0.0036749	0.9075451	0.0001353	1.0284495
197	196	0.0032688	0.8895021	0.0001380	1.0193791
198	197	0.0028661	0.8768005	0.0001344	0.9740698
199	198	0.0024955	0.8707062	0.0001284	0.9558213
200	199	0.0021550	0.8635418	0.0001229	0.9570292
201	200	0.0018567	0.8615758	0.0001137	0.9250923
202	201	0.0016166	0.8706679	0.0001009	0.8877237
203	202	0.0014368	0.8887817	0.0000897	0.8888228
204	203	0.0012963	0.9022463	0.0000810	0.9033006
205	204	0.0011838	0.9131675	0.0000720	0.8884030
206	205	0.0010994	0.9286959	0.0000635	0.8813002
207	206	0.0010326	0.9392711	0.0000578	0.9112359
208	207	0.0009772	0.9463790	0.0000524	0.9068811
209	208	0.0009315	0.9532468	0.0000471	0.8981476
210	209	0.0008948	0.9606123	0.0000418	0.8876419
211	210	0.0008645	0.9660678	0.0000379	0.9073230
212	211	0.0008375	0.9687479	0.0000348	0.9164967
213	212	0.0008140	0.9720156	0.0000308	0.8855352
214	213	0.0007936	0.9749646	0.0000281	0.9143270
215	214	0.0007742	0.9755578	0.0000264	0.9377285
216	215	0.0007555	0.9758417	0.0000243	0.9211895
217	216	0.0007382	0.9770402	0.0000225	0.9238694
218	217	0.0007210	0.9766651	0.0000216	0.9599043
219	218	0.0007031	0.9752798	0.0000205	0.9529276
220	219	0.0006856	0.9749951	0.0000197	0.9592020
221	220	0.0006669	0.9727617	0.0000196	0.9934542
222	221	0.0006474	0.9706996	0.0000188	0.9599738
223	222	0.0006279	0.9699750	0.0000182	0.9670444
224	223	0.0006080	0.9682281	0.0000178	0.9778561
225	224	0.0005876	0.9665155	0.0000170	0.9586794
226	225	0.0005677	0.9661052	0.0000167	0.9784560
227	226	0.0005461	0.9619817	0.0000169	1.0115654
228	227	0.0005230	0.9576032	0.0000169	1.0017682



229	228	0.0004988	0.9538113	0.0000169	0.9996731
230	229	0.0004738	0.9498157	0.0000167	0.9877224
231	230	0.0004487	0.9470574	0.0000163	0.9743509
232	231	0.0004240	0.9450280	0.0000160	0.9872214
233	232	0.0003992	0.9414172	0.0000157	0.9805466
234	233	0.0003747	0.9386238	0.0000154	0.9774359
235	234	0.0003508	0.9362417	0.0000150	0.9738462
236	235	0.0003281	0.9354138	0.0000143	0.9557997
237	236	0.0003072	0.9361931	0.0000135	0.9455793
238	237	0.0002887	0.9398553	0.0000125	0.9270502
239	238	0.0002722	0.9427474	0.0000119	0.9470597
240	239	0.0002566	0.9425761	0.0000115	0.9644387
241	240	0.0002423	0.9445275	0.0000106	0.9283254
242	241	0.0002296	0.9476198	0.0000099	0.9320668
243	242	0.0002183	0.9506384	0.0000093	0.9384921
244	243	0.0002078	0.9516694	0.0000088	0.9457131
245	244	0.0001979	0.9526251	0.0000083	0.9406033
246	245	0.0001890	0.9550989	0.0000078	0.9394368
247	246	0.0001807	0.9558598	0.0000074	0.9484184
248	247	0.0001727	0.9559939	0.0000072	0.9728821
249	248	0.0001647	0.9537430	0.0000070	0.9768819
250	249	0.0001571	0.9536549	0.0000067	0.9498763
251	250	0.0001499	0.9544458	0.0000064	0.9553444
252	251	0.0001433	0.9558753	0.0000060	0.9370424
253	252	0.0001374	0.9585791	0.0000056	0.9316401
254	253	0.0001320	0.9606996	0.0000052	0.9306494
255	254	0.0001272	0.9637858	0.0000048	0.9190719
256	255	0.0001228	0.9655622	0.0000044	0.9347832
257	256	0.0001188	0.9668738	0.0000044	0.9940088
258	257	0.0001143	0.9625490	0.0000043	0.9723134
259	258	0.0001102	0.9637233	0.0000041	0.9537761
260	259	0.0001063	0.9649779	0.0000038	0.9226164
261	260	0.0001030	0.9687202	0.0000035	0.9165359
262	261	0.0001000	0.9705944	0.0000032	0.9210341
263	262	0.0000972	0.9725780	0.0000030	0.9262509
264	263	0.0000947	0.9740029	0.0000027	0.9186089
265	264	0.0000923	0.9752465	0.0000025	0.9217604
266	265	0.0000902	0.9762555	0.0000023	0.9262124
267	266	0.0000880	0.9765195	0.0000022	0.9434152
268	267	0.0000859	0.9755254	0.0000021	0.9638640
269	268	0.0000836	0.9736855	0.0000021	0.9837715
270	269	0.0000812	0.9707770	0.0000021	0.9930902
271	270	0.0000785	0.9675646	0.0000021	1.0173215
272	271	0.0000755	0.9611090	0.0000022	1.0450837
273	272	0.0000719	0.9527471	0.0000023	1.0645178
274	273	0.0000678	0.9424429	0.0000024	1.0398748
275	274	0.0000632	0.9323311	0.0000025	1.0201026
276	275	0.0000585	0.9260217	0.0000024	0.9839147
277	276	0.0000541	0.9241385	0.0000023	0.9540136
278	277	0.0000500	0.9240218	0.0000022	0.9530567
279	278	0.0000462	0.9245567	0.0000021	0.9527424
280	279	0.0000426	0.9230466	0.0000020	0.9612610
281	280	0.0000394	0.9231135	0.0000019	0.9543941
282	281	0.0000364	0.9245357	0.0000018	0.9222267

283	282	0.0000339	0.9301992	0.0000016	0.9061832
284	283	0.0000317	0.9376877	0.0000015	0.9005013
285	284	0.0000299	0.9433252	0.0000013	0.9244644
286	285	0.0000283	0.9433824	0.0000013	0.9573062
287	286	0.0000266	0.9404446	0.0000013	0.9814851
288	287	0.0000249	0.9364105	0.0000012	0.9666827
289	288	0.0000232	0.9340297	0.0000012	0.9701371
290	289	0.0000216	0.9308285	0.0000012	0.9738573
291	290	0.0000200	0.9257747	0.0000011	0.9852032
292	291	0.0000171	0.8523176	0.0000010	0.8703063

tables for CG with Multigrid preconditioner

h = 1/16 eps=0.000001 method=MG  
k=4, cond A=150.416930

k	e	ratio	r	ratio
1	2.1998630	0.0000000	5.3253083	0.0000000
2	0.0956633	0.0434860	0.0363016	0.0068168
3	0.0014271	0.0149181	0.0006556	0.0180607
4	0.0000002	0.0001388	0.0000002	0.0003796

h = 1/32 eps=0.000001 method=MG  
k=4, cond A=603.051928

k	e	ratio	r	ratio
1	3.1204692	0.0000000	7.1238671	0.0000000
2	0.1461191	0.0468260	0.0360066	0.0050544
3	0.0031325	0.0214382	0.0006083	0.0168931
4	0.0000004	0.0001403	0.0000003	0.0005447

h = 1/64 ,n=65 eps=0.000001 method=MG  
k=4, cond A=2413.598654

k	e	ratio	r	ratio
1	4.5764854	0.0000000	10.4620417	0.0000000
2	0.2180254	0.0476404	0.0388724	0.0037156
3	0.0058026	0.0266142	0.0006767	0.0174076
4	0.0000012	0.0002040	0.0000004	0.0005660

h = 1/128 ,n=129 eps=0.000001 method=MG  
k=4, cond A=9655.787254

k	e	ratio	r	ratio
1	6.4563811	0.0000000	14.6329466	0.0000000
2	0.3174234	0.0491643	0.0482766	0.0032992
3	0.0094526	0.0297790	0.0008327	0.0172495
4	0.0000034	0.0003597	0.0000004	0.0005216

Tables for CG with SSOR preconditioner

Tables for CG with SSOR preconditioner h=1/16

1	k	e	ratio	r	ratio
2	1	2.2693639	0.0000000	4.9322226	0.0000000

3	2	1.6468398	0.7256835	0.4605221	0.0933701
4	3	1.3513665	0.8205816	0.2730178	0.5928442
5	4	0.9606275	0.7108564	0.1964313	0.7194818
6	5	0.5252730	0.5468019	0.1561994	0.7951855
7	6	0.1534885	0.2922070	0.1084332	0.6941974
8	7	0.0416077	0.2710804	0.0275143	0.2537445
9	8	0.0262239	0.6302655	0.0103129	0.3748198
10	9	0.0123709	0.4717420	0.0068234	0.6616409
11	10	0.0033437	0.2702897	0.0029164	0.4274017
12	11	0.0011039	0.3301359	0.0008844	0.3032476
13	12	0.0005418	0.4908182	0.0003122	0.3530697
14	13	0.0001777	0.3279708	0.0001683	0.5389642
15	14	0.0000471	0.2650202	0.0000421	0.2501429
16	15	0.0000242	0.5133066	0.0000142	0.3362731
17	16	0.0000147	0.6099509	0.0000054	0.3833065
18	17	0.0000053	0.3600554	0.0000040	0.7457782
19	18	0.0000004	0.0818492	0.0000004	0.0934337

Tables for CG with SSOR preconditioner  $h=1/32$ 

	k	e	ratio	r	ratio
1					
2	1	3.1617307	0.0000000	7.0150453	0.0000000
3	2	2.5617890	0.8102490	0.5539254	0.0789625
4	3	2.3542794	0.9189982	0.2962589	0.5348354
5	4	2.1065890	0.8947914	0.1986559	0.6705483
6	5	1.8518713	0.8790853	0.1422168	0.7158951
7	6	1.6156673	0.8724512	0.1133796	0.7972310
8	7	1.3789468	0.8534844	0.0910121	0.8027200
9	8	1.1345409	0.8227590	0.0843711	0.9270315
10	9	0.8224095	0.7248831	0.0847173	1.0041038
11	10	0.4180835	0.5083641	0.0825150	0.9740034
12	11	0.1235549	0.2955268	0.0482795	0.5850996
13	12	0.0551450	0.4463198	0.0203644	0.4218024
14	13	0.0278858	0.5056810	0.0122853	0.6032745
15	14	0.0128799	0.4618815	0.0057640	0.4691758
16	15	0.0081751	0.6347162	0.0026993	0.4683099
17	16	0.0058303	0.7131826	0.0013998	0.5185673
18	17	0.0047541	0.8154064	0.0006696	0.4783424
19	18	0.0038683	0.8136734	0.0005167	0.7716602
20	19	0.0021487	0.5554644	0.0005517	1.0677534
21	20	0.0011032	0.5134135	0.0002821	0.5114078
22	21	0.0007772	0.7045585	0.0001444	0.5119507
23	22	0.0005067	0.6519440	0.0001267	0.8768386
24	23	0.0002475	0.4884356	0.0000763	0.6020652
25	24	0.0001620	0.6545659	0.0000398	0.5221399
26	25	0.0001077	0.6648438	0.0000249	0.6246745
27	26	0.0000674	0.6260178	0.0000172	0.6916799
28	27	0.0000335	0.4974052	0.0000121	0.7029690
29	28	0.0000133	0.3976940	0.0000067	0.5550799
30	29	0.0000054	0.4034871	0.0000029	0.4265622
31	30	0.0000016	0.2990445	0.0000007	0.2473623

Tables for CG with SSOR preconditioner  $h=1/64$ 

	k	e	ratio	r	ratio
1					

2	1	4.5490436	0.0000000	10.0541553	0.0000000
3	2	3.8362026	0.8432987	0.7280693	0.0724148
4	3	3.7003001	0.9645737	0.3053137	0.4193471
5	4	3.5423025	0.9573014	0.1926717	0.6310615
6	5	3.3783165	0.9537064	0.1437188	0.7459256
7	6	3.1995620	0.9470877	0.1180847	0.8216375
8	7	3.0218250	0.9444496	0.1001557	0.8481680
9	8	2.8564678	0.9452790	0.0828611	0.8273226
10	9	2.6921619	0.9424794	0.0706543	0.8526838
11	10	2.5198220	0.9359846	0.0632266	0.8948726
12	11	2.3462801	0.9311293	0.0583966	0.9236077
13	12	2.1638926	0.9222652	0.0533587	0.9137299
14	13	1.9814273	0.9156773	0.0489931	0.9181837
15	14	1.8029129	0.9099062	0.0433065	0.8839308
16	15	1.6149689	0.8957553	0.0422280	0.9750970
17	16	1.4112614	0.8738629	0.0412639	0.9771686
18	17	1.1749024	0.8325193	0.0429641	1.0412016
19	18	0.8528075	0.7258539	0.0493421	1.1484509
20	19	0.4518308	0.5298157	0.0484776	0.9824796
21	20	0.2132808	0.4720368	0.0278557	0.5746100
22	21	0.1501244	0.7038816	0.0146585	0.5262282
23	22	0.1111903	0.7406542	0.0140617	0.9592857
24	23	0.0662040	0.5954116	0.0111642	0.7939485
25	24	0.0437040	0.6601420	0.0069109	0.6190224
26	25	0.0303526	0.6945044	0.0050944	0.7371500
27	26	0.0221190	0.7287351	0.0033023	0.6482254
28	27	0.0165263	0.7471507	0.0024898	0.7539705
29	28	0.0129979	0.7865014	0.0016588	0.6662198
30	29	0.0110448	0.8497327	0.0011217	0.6762264
31	30	0.0098942	0.8958298	0.0007244	0.6457952
32	31	0.0091291	0.9226731	0.0004742	0.6545639
33	32	0.0084946	0.9304946	0.0003511	0.7405437
34	33	0.0076879	0.9050339	0.0003237	0.9219407
35	34	0.0065529	0.8523626	0.0003485	1.0763733
36	35	0.0047519	0.7251674	0.0003915	1.1234523
37	36	0.0028376	0.5971538	0.0003422	0.8742031
38	37	0.0018887	0.6656051	0.0002004	0.5855785
39	38	0.0015408	0.8157954	0.0001243	0.6204067
40	39	0.0012973	0.8419573	0.0001008	0.8108109
41	40	0.0010583	0.8157939	0.0000853	0.8463996
42	41	0.0007990	0.7549702	0.0000787	0.9219365
43	42	0.0005529	0.6919610	0.0000666	0.8468646
44	43	0.0003932	0.7111390	0.0000455	0.6826150
45	44	0.0003029	0.7704465	0.0000339	0.7445688
46	45	0.0002333	0.7702420	0.0000257	0.7580561
47	46	0.0001916	0.8211070	0.0000175	0.6821221
48	47	0.0001600	0.8349544	0.0000136	0.7744449
49	48	0.0001358	0.8490333	0.0000095	0.7032869
50	49	0.0001119	0.8239944	0.0000090	0.9472819
51	50	0.0000825	0.7372094	0.0000083	0.9171382
52	51	0.0000541	0.6554525	0.0000073	0.8784722
53	52	0.0000349	0.6460945	0.0000048	0.6616077
54	53	0.0000248	0.7089250	0.0000034	0.7101718
55	54	0.0000182	0.7361531	0.0000023	0.6772298

56	55	0.0000124	0.6811877	0.0000021	0.9093606
57	56	0.0000048	0.3868446	0.0000009	0.4194420

Tables for CG with SSOR preconditioner  $h=1/128$ 

	k	e	ratio	r	ratio
1					
2	1	6.4457756	0.0000000	14.4540779	0.0000000
3	2	5.5139993	0.8554439	0.9798537	0.0677908
4	3	5.4088913	0.9809380	0.3403982	0.3473970
5	4	5.3026393	0.9803560	0.2034492	0.5976800
6	5	5.1853961	0.9778897	0.1483529	0.7291887
7	6	5.0654954	0.9768772	0.1202717	0.8107138
8	7	4.9451401	0.9762402	0.1012563	0.8418966
9	8	4.8245020	0.9756047	0.0858063	0.8474169
10	9	4.7066959	0.9755817	0.0722637	0.8421718
11	10	4.5874237	0.9746590	0.0649999	0.8994827
12	11	4.4629279	0.9728615	0.0605125	0.9309626
13	12	4.3391818	0.9722724	0.0545367	0.9012460
14	13	4.2186913	0.9722320	0.0488740	0.8961687
15	14	4.1021192	0.9723677	0.0440151	0.9005828
16	15	3.9854067	0.9715483	0.0412976	0.9382589
17	16	3.8680259	0.9705473	0.0382945	0.9272820
18	17	3.7513422	0.9698338	0.0359069	0.9376523
19	18	3.6295795	0.9675415	0.0344123	0.9583746
20	19	3.5086283	0.9666763	0.0316764	0.9204971
21	20	3.3903746	0.9662963	0.0299359	0.9450520
22	21	3.2691604	0.9642475	0.0290988	0.9720394
23	22	3.1436705	0.9616140	0.0277443	0.9534507
24	23	3.0186217	0.9602220	0.0262770	0.9471139
25	24	2.8957417	0.9592927	0.0248096	0.9441578
26	25	2.7732455	0.9576978	0.0238982	0.9632612
27	26	2.6506297	0.9557862	0.0223533	0.9353568
28	27	2.5323184	0.9553648	0.0216356	0.9678923
29	28	2.4045866	0.9495594	0.0212703	0.9831139
30	29	2.2772037	0.9470250	0.0200174	0.9410971
31	30	2.1483420	0.9434123	0.0196727	0.9827790
32	31	2.0149086	0.9378901	0.0192478	0.9784036
33	32	1.8686594	0.9274165	0.0199859	1.0383474
34	33	1.6895903	0.9041724	0.0217554	1.0885392
35	34	1.4442876	0.8548153	0.0258210	1.1868754
36	35	1.0931431	0.7568736	0.0302817	1.1727536
37	36	0.6837108	0.6254540	0.0283683	0.9368158
38	37	0.4418863	0.6463058	0.0184521	0.6504463
39	38	0.3518847	0.7963243	0.0114809	0.6221984
40	39	0.3006824	0.8544912	0.0105466	0.9186222
41	40	0.2372194	0.7889368	0.0114586	1.0864744
42	41	0.1840178	0.7757283	0.0085694	0.7478555
43	42	0.1528291	0.8305127	0.0068315	0.7971989
44	43	0.1237482	0.8097158	0.0067367	0.9861302
45	44	0.0985025	0.7959918	0.0053549	0.7948776
46	45	0.0801615	0.8138015	0.0046556	0.8694177
47	46	0.0645647	0.8054324	0.0038580	0.8286741
48	47	0.0538188	0.8335634	0.0030348	0.7866214
49	48	0.0443159	0.8234283	0.0027050	0.8913447

50	49	0.0369617	0.8340510	0.0021314	0.7879483
51	50	0.0306704	0.8297872	0.0018818	0.8828969
52	51	0.0251646	0.8204853	0.0015780	0.8385403
53	52	0.0206586	0.8209407	0.0013350	0.8459954
54	53	0.0170433	0.8249991	0.0010816	0.8101736
55	54	0.0140243	0.8228592	0.0009494	0.8778358
56	55	0.0116435	0.8302376	0.0007679	0.8087564
57	56	0.0099038	0.8505901	0.0006226	0.8107796
58	57	0.0087211	0.8805767	0.0004813	0.7731395
59	58	0.0078802	0.9035759	0.0003957	0.8221169
60	59	0.0072607	0.9213899	0.0003211	0.8113631
61	60	0.0068350	0.9413714	0.0002460	0.7660613
62	61	0.0065434	0.9573309	0.0001854	0.7536923
63	62	0.0063343	0.9680457	0.0001386	0.7475188
64	63	0.0061677	0.9736986	0.0001019	0.7352154
65	64	0.0060189	0.9758793	0.0000781	0.7662600
66	65	0.0058564	0.9730031	0.0000697	0.8929152
67	66	0.0056418	0.9633473	0.0000711	1.0197906
68	67	0.0053083	0.9408880	0.0000812	1.1420576
69	68	0.0047907	0.9024899	0.0000954	1.1756096
70	69	0.0040810	0.8518580	0.0001007	1.0553830
71	70	0.0033234	0.8143729	0.0000974	0.9667177
72	71	0.0026225	0.7891023	0.0000930	0.9553683
73	72	0.0019626	0.7483464	0.0000878	0.9441616
74	73	0.0014856	0.7569965	0.0000692	0.7874535
75	74	0.0012467	0.8391488	0.0000479	0.6925092
76	75	0.0011161	0.8952418	0.0000366	0.7631700
77	76	0.0010177	0.9118797	0.0000315	0.8615686
78	77	0.0009285	0.9123426	0.0000269	0.8534135
79	78	0.0008523	0.9179524	0.0000225	0.8376764
80	79	0.0007739	0.9080042	0.0000224	0.9961889
81	80	0.0006799	0.8785639	0.0000216	0.9629637
82	81	0.0005881	0.8648625	0.0000201	0.9290428
83	82	0.0004882	0.8301801	0.0000208	1.0351272
84	83	0.0003913	0.8015060	0.0000176	0.8481698
85	84	0.0003242	0.8285988	0.0000142	0.8060784
86	85	0.0002702	0.8334427	0.0000129	0.9107954
87	86	0.0002246	0.8311510	0.0000109	0.8432222
88	87	0.0001916	0.8532194	0.0000089	0.8125177
89	88	0.0001647	0.8592511	0.0000077	0.8643326
90	89	0.0001439	0.8739769	0.0000063	0.8266711
91	90	0.0001263	0.8773506	0.0000057	0.8934908
92	91	0.0001118	0.8853776	0.0000047	0.8270530
93	92	0.0001006	0.8995960	0.0000040	0.8506773
94	93	0.0000920	0.9145468	0.0000031	0.7799253
95	94	0.0000856	0.9305279	0.0000025	0.8191927
96	95	0.0000800	0.9350646	0.0000021	0.8149292
97	96	0.0000752	0.9394217	0.0000017	0.8363557
98	97	0.0000698	0.9282142	0.0000017	0.9814936
99	98	0.0000632	0.9062999	0.0000017	1.0138043
100	99	0.0000547	0.8654208	0.0000018	1.0641346
101	100	0.0000461	0.8418280	0.0000016	0.8914509
102	101	0.0000391	0.8481096	0.0000014	0.8598060
103	102	0.0000338	0.8637455	0.0000011	0.8164981

104	103	0.0000254	0.7524275	0.0000009	0.8216432
-----	-----	-----------	-----------	-----------	-----------

### 5.3 Table CG with incomplete cholesky

Table CG with incomplete cholesky preconditioner  $\epsilon = 10^{-2}$ ,  $h = \frac{1}{25}$

	k	e	ratio	r	ratio
1					
2	1	2.2117568	0.0000000	4.9847338	0.0000000
3	2	0.9605500	0.4342928	0.1236319	0.0248021
4	3	0.1101739	0.1146987	0.0740761	0.5991666
5	4	0.0098178	0.0891114	0.0064913	0.0876300
6	5	0.0006397	0.0651529	0.0007141	0.1100128
7	6	0.0000566	0.0885013	0.0000495	0.0693702
8	7	0.0000012	0.0210676	0.0000009	0.0178494

Table CG with incomplete cholesky preconditioner  $\epsilon = 10^{-2}$ ,  $h = \frac{1}{50}$

	k	e	ratio	r	ratio
1					
2	1	3.1411335	0.0000000	6.9640117	0.0000000
3	2	2.0214097	0.6435287	0.1420103	0.0203920
4	3	1.3623817	0.6739760	0.1149900	0.8097304
5	4	0.6575397	0.4826399	0.0682371	0.5934171
6	5	0.1011955	0.1539003	0.0247907	0.3633033
7	6	0.0225210	0.2225494	0.0069472	0.2802356
8	7	0.0067767	0.3009055	0.0015084	0.2171254
9	8	0.0019548	0.2884659	0.0004569	0.3028904
10	9	0.0008448	0.4321526	0.0001217	0.2664539
11	10	0.0002326	0.2753055	0.0000595	0.4889375
12	11	0.0000681	0.2927750	0.0000127	0.2125976
13	12	0.0000188	0.2754409	0.0000052	0.4094558
14	13	0.0000022	0.1195568	0.0000003	0.0640489

Table CG with incomplete cholesky preconditioner  $\epsilon = 10^{-2}$ ,  $h = \frac{1}{100}$

	k	e	ratio	r	ratio
1					
2	1	4.6047158	0.0000000	10.3310633	0.0000000
3	2	3.4648962	0.7524669	0.1937203	0.0187512
4	3	3.0608082	0.8833766	0.1211410	0.6253400
5	4	2.5757427	0.8415237	0.0563599	0.4652418
6	5	2.0650650	0.8017358	0.0413553	0.7337726
7	6	1.5529332	0.7520021	0.0446463	1.0795781
8	7	0.9346100	0.6018353	0.0369208	0.8269618
9	8	0.2831630	0.3029745	0.0265590	0.7193503
10	9	0.0732691	0.2587522	0.0112939	0.4252372
11	10	0.0321756	0.4391431	0.0039872	0.3530414
12	11	0.0178107	0.5535469	0.0013842	0.3471708
13	12	0.0110120	0.6182812	0.0008543	0.6171309
14	13	0.0073396	0.6665038	0.0004321	0.5057645
15	14	0.0039218	0.5343410	0.0002636	0.6101306
16	15	0.0023472	0.5984915	0.0001345	0.5102407
17	16	0.0013514	0.5757587	0.0001004	0.7467383
18	17	0.0007088	0.5244614	0.0000461	0.4586731
19	18	0.0002407	0.3396233	0.0000342	0.7426365

20	19	0.0001089	0.4524637	0.0000103	0.3000293
21	20	0.0000698	0.6407427	0.0000045	0.4406339
22	21	0.0000343	0.4918772	0.0000034	0.7510210
23	22	0.0000068	0.1977073	0.0000005	0.1584427

Table CG with incomplete cholesky preconditioner  $\epsilon = 10^{-2}$ ,  $h = \frac{1}{100}$

	k	e	ratio	r	ratio
1					
2	1	6.4885732	0.0000000	14.5067213	0.0000000
3	2	5.2612798	0.8108531	0.2641937	0.0182118
4	3	5.0111119	0.9524511	0.1164715	0.4408564
5	4	4.6620201	0.9303364	0.0500341	0.4295820
6	5	4.3222195	0.9271130	0.0496910	0.9931436
7	6	3.9989939	0.9252177	0.0423171	0.8516054
8	7	3.6528553	0.9134436	0.0289715	0.6846290
9	8	3.2996211	0.9032991	0.0270517	0.9337335
10	9	2.9620134	0.8976829	0.0260842	0.9642352
11	10	2.6075430	0.8803279	0.0207816	0.7967142
12	11	2.2325951	0.8562064	0.0176972	0.8515802
13	12	1.8177887	0.8142044	0.0202955	1.1468181
14	13	1.2782021	0.7031632	0.0227175	1.1193341
15	14	0.5725682	0.4479481	0.0191123	0.8413068
16	15	0.2181351	0.3809767	0.0101596	0.5315716
17	16	0.1256071	0.5758222	0.0059499	0.5856484
18	17	0.0759987	0.6050512	0.0036252	0.6092867
19	18	0.0443639	0.5837452	0.0024628	0.6793574
20	19	0.0240991	0.5432141	0.0014339	0.5822123
21	20	0.0156123	0.6478383	0.0008604	0.6000823
22	21	0.0094219	0.6034940	0.0005069	0.5891044
23	22	0.0066705	0.7079759	0.0002955	0.5830443
24	23	0.0054586	0.8183167	0.0001677	0.5673221
25	24	0.0047031	0.8615927	0.0000873	0.5205250
26	25	0.0040218	0.8551456	0.0000745	0.8537794
27	26	0.0030834	0.7666791	0.0000688	0.9227595
28	27	0.0021837	0.7082150	0.0000606	0.8814875
29	28	0.0014407	0.6597450	0.0000421	0.6948456
30	29	0.0011682	0.8108344	0.0000212	0.5036729
31	30	0.0009944	0.8512118	0.0000176	0.8296109
32	31	0.0007347	0.7388340	0.0000182	1.0336879
33	32	0.0005166	0.7031852	0.0000114	0.6264216
34	33	0.0003559	0.6888947	0.0000107	0.9380414
35	34	0.0002062	0.5794708	0.0000081	0.7584751
36	35	0.0001239	0.6006305	0.0000052	0.6377109
37	36	0.0000837	0.6759086	0.0000032	0.6095393
38	37	0.0000659	0.7871051	0.0000017	0.5390215
39	38	0.0000539	0.8184570	0.0000013	0.7405635
40	39	0.0000202	0.3752176	0.0000009	0.7459009

Tables for CG with incomplete cholesky preconditioner  $\epsilon = 10^{-3}$

h =	1/16	,n=17	eps=0.000001	method=CHL		
	k	e	ratio	r	ratio	
3	1	2.2113015	0.0000000	4.8698707	0.0000000	
4	2	0.1268927	0.0573837	0.0196604	0.0040372	



5		3	0.0011025	0.0086886	0.0005919	0.0301065
6		4	0.0000002	0.0001684	0.0000001	0.0001565
7						
8	h =	1/32	,n=33	eps=0.000001	method=CHL	
9		k	e	ratio	r	ratio
10		1	3.2189095	0.0000000	7.0357482	0.0000000
11		2	0.8589679	0.2668506	0.0306470	0.0043559
12		3	0.0363666	0.0423375	0.0064895	0.2117505
13		4	0.0025347	0.0696990	0.0003268	0.0503545
14		5	0.0001276	0.0503368	0.0000319	0.0976751
15		6	0.0000006	0.0047450	0.0000001	0.0037884
16	h =	1/64	,n=65	eps=0.000001	method=CHL	
17		k	e	ratio	r	ratio
18		1	4.5281055	0.0000000	10.2891303	0.0000000
19		2	2.3962171	0.5291876	0.0305161	0.0029659
20		3	1.0190972	0.4252942	0.0239474	0.7847488
21		4	0.1236226	0.1213060	0.0102118	0.4264245
22		5	0.0186393	0.1507755	0.0012096	0.1184530
23		6	0.0016236	0.0871065	0.0002558	0.2114490
24		7	0.0002756	0.1697321	0.0000182	0.0713307
25		8	0.0000163	0.0592016	0.0000009	0.0502623
26	h =	1/128	,n=129	eps=0.000001	method=CHL	
27		k	e	ratio	r	ratio
28		1	6.4658650	0.0000000	14.3821767	0.0000000
29		2	4.5500543	0.7037039	0.0349350	0.0024290
30		3	3.5640524	0.7832989	0.0316566	0.9061590
31		4	2.5832848	0.7248167	0.0229909	0.7262586
32		5	1.4701895	0.5691163	0.0119903	0.5215250
33		6	0.3578766	0.2434221	0.0077001	0.6421915
34		7	0.0850789	0.2377325	0.0036799	0.4779069
35		8	0.0274688	0.3228626	0.0009809	0.2665421
36		9	0.0121215	0.4412808	0.0002445	0.2492235
37		10	0.0034751	0.2866930	0.0001041	0.4258668
38		11	0.0019516	0.5615987	0.0000341	0.3280329
39		12	0.0010720	0.5492590	0.0000211	0.6186532
40		13	0.0003595	0.3353743	0.0000058	0.2766025
41		14	0.0000439	0.1220343	0.0000010	0.1636738