

# Computer algebra independent integration tests

1-Algebraic-functions/1.2-Trinomial-products/1.2.2-Quartic/1.2.2.6-P-x-d-x^m-a+b-x^2+c-x^4-p

Nasser M. Abbasi

May 13, 2020

Compiled on May 13, 2020 at 11:54pm

## Contents

<b>1</b>	<b>Introduction</b>	<b>9</b>
1.1	Listing of CAS systems tested . . . . .	9
1.2	Results . . . . .	10
1.3	Performance . . . . .	13
1.4	list of integrals that has no closed form antiderivative . . . . .	14
1.5	list of integrals solved by CAS but has no known antiderivative . . . . .	14
1.6	list of integrals solved by CAS but failed verification . . . . .	14
1.7	Timing . . . . .	15
1.8	Verification . . . . .	15
1.9	Important notes about some of the results . . . . .	15
1.10	Design of the test system . . . . .	17
<b>2</b>	<b>detailed summary tables of results</b>	<b>19</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	19
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	21
2.3	Detailed conclusion table specific for Rubi results . . . . .	51
<b>3</b>	<b>Listing of integrals</b>	<b>57</b>
3.1	$\int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$ . . . . .	57
3.2	$\int x (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$ . . . . .	61
3.3	$\int (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$ . . . . .	64

3.4	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x} dx$	67
3.5	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^2} dx$	70
3.6	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^3} dx$	73
3.7	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^4} dx$	76
3.8	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^5} dx$	79
3.9	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^6} dx$	82
3.10	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^7} dx$	85
3.11	$\int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx$	88
3.12	$\int x (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx$	92
3.13	$\int (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx$	96
3.14	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x} dx$	100
3.15	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^2} dx$	104
3.16	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^3} dx$	108
3.17	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^4} dx$	112
3.18	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^5} dx$	116
3.19	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^6} dx$	120
3.20	$\int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^7} dx$	124
3.21	$\int \frac{x^4(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$	128
3.22	$\int \frac{x^3(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$	135
3.23	$\int \frac{x^2(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$	141
3.24	$\int \frac{x(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$	147
3.25	$\int \frac{A+Bx+Cx^2}{a+bx^2+cx^4} dx$	156
3.26	$\int \frac{A+Bx+Cx^2}{x(a+bx^2+cx^4)} dx$	166
3.27	$\int \frac{A+Bx+Cx^2}{x^2(a+bx^2+cx^4)} dx$	175
3.28	$\int \frac{A+Bx+Cx^2}{x^3(a+bx^2+cx^4)} dx$	185
3.29	$\int \frac{x^4(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	192

3.30	$\int \frac{x^3(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	199
3.31	$\int \frac{x^2(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	204
3.32	$\int \frac{x(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	211
3.33	$\int \frac{A+Bx+Cx^2}{(a+bx^2+cx^4)^2} dx$	217
3.34	$\int \frac{A+Bx+Cx^2}{x(a+bx^2+cx^4)^2} dx$	223
3.35	$\int \frac{A+Bx+Cx^2}{x^2(a+bx^2+cx^4)^2} dx$	230
3.36	$\int \frac{A+Bx+Cx^2}{x^3(a+bx^2+cx^4)^2} dx$	238
3.37	$\int (dx)^m (A+Bx+Cx^2) (a+bx^2+cx^4)^3 dx$	246
3.38	$\int (dx)^m (A+Bx+Cx^2) (a+bx^2+cx^4)^2 dx$	257
3.39	$\int (dx)^m (A+Bx+Cx^2) (a+bx^2+cx^4) dx$	264
3.40	$\int \frac{(dx)^m (A+Bx+Cx^2)}{a+bx^2+cx^4} dx$	271
3.41	$\int \frac{(dx)^m (A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	276
3.42	$\int \frac{x^2(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$	281
3.43	$\int \frac{x(Ax+Bx^2+Cx^3)}{(a+bx^2+cx^4)^2} dx$	288
3.44	$\int \frac{Ax^2+Bx^3+Cx^4}{(a+bx^2+cx^4)^2} dx$	295
3.45	$\int \frac{Ax^3+Bx^4+Cx^5}{x(a+bx^2+cx^4)^2} dx$	302
3.46	$\int \frac{Ax^4+Bx^5+Cx^6}{x^2(a+bx^2+cx^4)^2} dx$	309
3.47	$\int \frac{x^7(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	316
3.48	$\int \frac{x^5(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	322
3.49	$\int \frac{x^3(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	328
3.50	$\int \frac{x(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	334
3.51	$\int \frac{d+ex^2+fx^4}{x(a+bx^2+cx^4)} dx$	339
3.52	$\int \frac{d+ex^2+fx^4}{x^3(a+bx^2+cx^4)} dx$	344
3.53	$\int \frac{d+ex^2+fx^4}{x^5(a+bx^2+cx^4)} dx$	349

3.54	$\int \frac{d+ex^2+fx^4}{x^7(a+bx^2+cx^4)} dx$	354
3.55	$\int \frac{x^4(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	360
3.56	$\int \frac{x^2(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$	372
3.57	$\int \frac{d+ex^2+fx^4}{a+bx^2+cx^4} dx$	381
3.58	$\int \frac{d+ex^2+fx^4}{x^2(a+bx^2+cx^4)} dx$	388
3.59	$\int \frac{d+ex^2+fx^4}{x^4(a+bx^2+cx^4)} dx$	395
3.60	$\int \frac{d+ex^2+fx^4}{x^6(a+bx^2+cx^4)} dx$	404
3.61	$\int \frac{x^7(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	416
3.62	$\int \frac{x^5(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	423
3.63	$\int \frac{x^3(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	429
3.64	$\int \frac{x(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	435
3.65	$\int \frac{d+ex^2+fx^4}{x(a+bx^2+cx^4)^2} dx$	440
3.66	$\int \frac{d+ex^2+fx^4}{x^3(a+bx^2+cx^4)^2} dx$	446
3.67	$\int \frac{d+ex^2+fx^4}{x^5(a+bx^2+cx^4)^2} dx$	452
3.68	$\int \frac{x^6(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	459
3.69	$\int \frac{x^4(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	465
3.70	$\int \frac{x^2(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$	477
3.71	$\int \frac{d+ex^2+fx^4}{(a+bx^2+cx^4)^2} dx$	486
3.72	$\int \frac{d+ex^2+fx^4}{x^2(a+bx^2+cx^4)^2} dx$	495
3.73	$\int \frac{d+ex^2+fx^4}{x^4(a+bx^2+cx^4)^2} dx$	507
3.74	$\int \frac{x^9(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	513
3.75	$\int \frac{x^7(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	517
3.76	$\int \frac{x^5(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	521

3.77	$\int \frac{x^3(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	525
3.78	$\int \frac{x(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	529
3.79	$\int \frac{4+x^2+3x^4+5x^6}{x(2+3x^2+x^4)^2} dx$	533
3.80	$\int \frac{4+x^2+3x^4+5x^6}{x^3(2+3x^2+x^4)^2} dx$	537
3.81	$\int \frac{4+x^2+3x^4+5x^6}{x^5(2+3x^2+x^4)^2} dx$	541
3.82	$\int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	545
3.83	$\int \frac{x^6(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	549
3.84	$\int \frac{x^4(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	553
3.85	$\int \frac{x^2(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$	557
3.86	$\int \frac{4+x^2+3x^4+5x^6}{(2+3x^2+x^4)^2} dx$	561
3.87	$\int \frac{4+x^2+3x^4+5x^6}{x^2(2+3x^2+x^4)^2} dx$	565
3.88	$\int \frac{4+x^2+3x^4+5x^6}{x^4(2+3x^2+x^4)^2} dx$	569
3.89	$\int \frac{4+x^2+3x^4+5x^6}{x^6(2+3x^2+x^4)^2} dx$	573
3.90	$\int \frac{4+x^2+3x^4+5x^6}{x^8(2+3x^2+x^4)^2} dx$	577
3.91	$\int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$	581
3.92	$\int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$	586
3.93	$\int \frac{x^6(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$	591
3.94	$\int \frac{x^4(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$	596
3.95	$\int \frac{x^2(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$	600
3.96	$\int \frac{4+x^2+3x^4+5x^6}{(2+3x^2+x^4)^3} dx$	604
3.97	$\int \frac{4+x^2+3x^4+5x^6}{x^2(2+3x^2+x^4)^3} dx$	608
3.98	$\int \frac{4+x^2+3x^4+5x^6}{x^4(2+3x^2+x^4)^3} dx$	612

3.99	$\int \frac{4+x^2+3x^4+5x^6}{x^6(2+3x^2+x^4)^3} dx$	616
3.100	$\int \frac{x^9(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	620
3.101	$\int \frac{x^7(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	625
3.102	$\int \frac{x^5(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	630
3.103	$\int \frac{x^3(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	635
3.104	$\int \frac{x(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	640
3.105	$\int \frac{4+x^2+3x^4+5x^6}{x(3+2x^2+x^4)^2} dx$	645
3.106	$\int \frac{4+x^2+3x^4+5x^6}{x^3(3+2x^2+x^4)^2} dx$	650
3.107	$\int \frac{4+x^2+3x^4+5x^6}{x^5(3+2x^2+x^4)^2} dx$	655
3.108	$\int \frac{4+x^2+3x^4+5x^6}{x^7(3+2x^2+x^4)^2} dx$	660
3.109	$\int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	665
3.110	$\int \frac{x^6(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	671
3.111	$\int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	677
3.112	$\int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$	683
3.113	$\int \frac{4+x^2+3x^4+5x^6}{(3+2x^2+x^4)^2} dx$	689
3.114	$\int \frac{4+x^2+3x^4+5x^6}{x^2(3+2x^2+x^4)^2} dx$	695
3.115	$\int \frac{4+x^2+3x^4+5x^6}{x^4(3+2x^2+x^4)^2} dx$	701
3.116	$\int \frac{4+x^2+3x^4+5x^6}{x^6(3+2x^2+x^4)^2} dx$	707
3.117	$\int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$	713
3.118	$\int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$	720
3.119	$\int \frac{x^6(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$	727

3.120	$\int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$	734
3.121	$\int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$	740
3.122	$\int \frac{4+x^2+3x^4+5x^6}{(3+2x^2+x^4)^3} dx$	746
3.123	$\int \frac{4+x^2+3x^4+5x^6}{x^2(3+2x^2+x^4)^3} dx$	752
3.124	$\int \frac{4+x^2+3x^4+5x^6}{x^4(3+2x^2+x^4)^3} dx$	758
3.125	$\int \frac{x(d+ex^2+fx^4+gx^6)}{a+bx^2+cx^4} dx$	764
3.126	$\int \frac{x^4(d+ex^2+fx^4+gx^6)}{(a+bx^2+cx^4)^2} dx$	770
3.127	$\int \frac{x^2(d+ex^2+fx^4+gx^6)}{(a+bx^2+cx^4)^2} dx$	777
3.128	$\int \frac{d+ex^2+fx^4+gx^6}{(a+bx^2+cx^4)^2} dx$	783
3.129	$\int \frac{d+ex^2+fx^4+gx^6}{x^2(a+bx^2+cx^4)^2} dx$	789
3.130	$\int \frac{d+ex^2+fx^4+gx^6}{x^4(a+bx^2+cx^4)^2} dx$	795
3.131	$\int x^2(a+bx^2+cx^4)^p (3a+b(5+2p)x^2+c(7+4p)x^4) dx$	801
3.132	$\int \frac{x^5(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$	804
3.133	$\int \frac{x^3(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$	809
3.134	$\int \frac{x(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$	813
3.135	$\int \frac{a+bx^2+cx^4}{x\sqrt{d-ex}\sqrt{d+ex}} dx$	817
3.136	$\int \frac{a+bx^2+cx^4}{x^3\sqrt{d-ex}\sqrt{d+ex}} dx$	822
3.137	$\int \frac{a+bx^2+cx^4}{x^5\sqrt{d-ex}\sqrt{d+ex}} dx$	827
3.138	$\int \frac{a+bx^2+cx^4}{x^7\sqrt{d-ex}\sqrt{d+ex}} dx$	832
3.139	$\int \frac{x^2(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$	837
3.140	$\int \frac{a+bx^2+cx^4}{\sqrt{d-ex}\sqrt{d+ex}} dx$	843
3.141	$\int \frac{a+bx^2+cx^4}{x^2\sqrt{d-ex}\sqrt{d+ex}} dx$	848
3.142	$\int \frac{a+bx^2+cx^4}{x^4\sqrt{d-ex}\sqrt{d+ex}} dx$	853
3.143	$\int \frac{a+bx^2+cx^4}{x^6\sqrt{d-ex}\sqrt{d+ex}} dx$	858
3.144	$\int \frac{a+bx^2+cx^4}{x^8\sqrt{d-ex}\sqrt{d+ex}} dx$	863

3.145	$\int \frac{a+bx^2+cx^4}{x^{10}\sqrt{d-ex}\sqrt{d+ex}} dx$	869
<b>4</b>	<b>Listing of Grading functions</b>	<b>875</b>



# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 145 ]. This is test number [ 43 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. ( 145 )	% 0. ( 0 )
Mathematica	% 100. ( 145 )	% 0. ( 0 )
Maple	% 97.93 ( 142 )	% 2.07 ( 3 )
Maxima	% 42.07 ( 61 )	% 57.93 ( 84 )
Fricas	% 79.31 ( 115 )	% 20.69 ( 30 )
Sympy	% 61.38 ( 89 )	% 38.62 ( 56 )
Giac	% 60. ( 87 )	% 40. ( 58 )


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	81.38	1.38	17.24	0.
Maple	44.14	48.28	5.52	2.07
Maxima	42.07	0.	0.	57.93
Fricas	54.48	24.83	0.	20.69
Sympy	49.66	6.21	5.52	38.62
Giac	52.41	4.83	2.76	40.

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



### 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.84	207.48	1.03	179.	1.
Mathematica	0.46	207.06	1.02	144.	1.
Maple	0.02	584.	2.09	224.5	1.67
Maxima	1.25	111.54	1.23	81.	1.18
Fricas	6.52	2775.24	10.67	327.	3.67
Sympy	13.52	223.51	1.69	70.	0.95
Giac	2.76	717.02	3.52	103.	1.3

## 1.4 list of integrals that has no closed form antiderivative

{}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {40, 41}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used



#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in>

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())

try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



**One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)**

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

### High level overview of the CAS independent integration test build system

# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145 }

B grade: { }

C grade: { }

F grade: { }

#### 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 125, 126, 127, 128, 129, 130, 131, 137, 138, 139, 140, 141, 142, 143, 144, 145 }

B grade: { 135, 136 }

C grade: { 40, 41, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 132, 133, 134 }

F grade: { }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 51, 64, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 131, 132, 133, 134, 143, 144, 145 }

B grade: { 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 34, 35, 36, 37, 38, 39, 42, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130 }

C grade: { 135, 136, 137, 138, 139, 140, 141, 142 }

F grade: { 30, 40, 41 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 131, 132, 133, 134, 139, 140 }

B grade: { }

C grade: { }

F grade: { 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 135, 136, 137, 138, 141, 142, 143, 144, 145 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 47, 48, 49, 50, 51, 52, 53, 54, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 125, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145 }

B grade: { 37, 38, 39, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 69, 70, 71, 72, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124 }

C grade: { }

F grade: { 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 40, 41, 42, 43, 44, 45, 46, 68, 73, 126, 127, 128, 129, 130 }

## 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 39, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124 }

B grade: { 47, 48, 49, 50, 57, 58, 63, 64, 125 }

C grade: { 134, 135, 136, 137, 139, 140, 141, 142 }

F grade: { 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 46, 51, 52, 53, 54, 55, 56, 59, 60, 61, 62, 65, 66, 67, 68, 69, 70, 71, 72, 73, 126, 127, 128, 129, 130, 131, 132, 133, 138, 143, 144, 145 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 47, 48, 49, 50, 51, 52, 53, 54, 61, 62, 63, 64, 65, 66, 67, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 125, 132, 133, 134, 139, 140 }

B grade: { 37, 38, 39, 131, 143, 144, 145 }

C grade: { 24, 25, 26, 27 }

F grade: { 21, 22, 23, 28, 29, 30, 31, 32, 33, 34, 35, 36, 40, 41, 42, 43, 44, 45, 46, 55, 56, 57, 58, 59, 60, 68, 69, 70, 71, 72, 73, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 126, 127, 128, 129, 130, 135, 136, 137, 138, 141, 142 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	74	61	81	169	68	86
normalized size	1	1.	1.	0.82	1.09	2.28	0.92	1.16
time (sec)	N/A	0.082	0.015	0.001	0.932	1.052	0.087	1.093

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	74	61	81	169	68	86
normalized size	1	1.	1.	0.82	1.09	2.28	0.92	1.16
time (sec)	N/A	0.057	0.012	0.001	0.961	1.124	0.074	1.085

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	69	58	77	161	65	82
normalized size	1	1.	1.	0.84	1.12	2.33	0.94	1.19
time (sec)	N/A	0.036	0.013	0.	0.946	1.122	0.11	1.093

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	65	60	74	143	63	81
normalized size	1	1.	1.	0.92	1.14	2.2	0.97	1.25
time (sec)	N/A	0.04	0.015	0.003	0.941	1.271	0.45	1.095

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	63	57	74	157	58	77
normalized size	1	1.	1.	0.9	1.17	2.49	0.92	1.22
time (sec)	N/A	0.051	0.023	0.007	0.965	1.289	0.492	1.095

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	58	58	74	154	60	78
normalized size	1	1.	0.92	0.92	1.17	2.44	0.95	1.24
time (sec)	N/A	0.048	0.04	0.006	0.945	1.211	0.67	1.083

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	60	57	76	149	61	76
normalized size	1	1.	0.95	0.9	1.21	2.37	0.97	1.21
time (sec)	N/A	0.051	0.047	0.006	0.959	1.263	1.013	1.106

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	62	58	76	154	61	77
normalized size	1	1.	0.98	0.92	1.21	2.44	0.97	1.22
time (sec)	N/A	0.051	0.03	0.007	0.969	1.291	2.982	1.097

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	63	60	76	159	63	77
normalized size	1	1.	1.	0.95	1.21	2.52	1.	1.22
time (sec)	N/A	0.052	0.058	0.007	0.952	1.208	8.345	1.091

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	68	63	80	159	66	81
normalized size	1	1.	1.	0.93	1.18	2.34	0.97	1.19
time (sec)	N/A	0.048	0.048	0.006	0.968	1.272	16.138	1.096

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	159	142	193	400	168	208
normalized size	1	1.	1.	0.89	1.21	2.52	1.06	1.31
time (sec)	N/A	0.214	0.047	0.002	0.943	1.113	0.094	1.115

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	159	159	142	193	397	163	208
normalized size	1	1.	1.	0.89	1.21	2.5	1.03	1.31
time (sec)	N/A	0.143	0.036	0.001	0.949	1.13	0.095	1.1

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	154	139	189	385	165	204
normalized size	1	1.	1.	0.9	1.23	2.5	1.07	1.32
time (sec)	N/A	0.111	0.031	0.001	0.973	1.103	0.095	1.091

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	150	150	150	149	186	335	156	201
normalized size	1	1.	1.	0.99	1.24	2.23	1.04	1.34
time (sec)	N/A	0.107	0.04	0.003	0.955	1.247	0.5	1.095

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	145	147	185	365	156	198
normalized size	1	1.	1.	1.01	1.28	2.52	1.08	1.37
time (sec)	N/A	0.121	0.097	0.007	0.931	1.251	0.503	1.088



Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	139	148	188	362	151	200
normalized size	1	1.	0.93	0.99	1.26	2.43	1.01	1.34
time (sec)	N/A	0.123	0.109	0.008	0.944	1.3	0.641	1.136

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	151	146	189	354	158	197
normalized size	1	1.	1.01	0.98	1.27	2.38	1.06	1.32
time (sec)	N/A	0.137	0.082	0.006	0.956	1.288	0.886	1.088

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	130	144	188	346	151	192
normalized size	1	1.	0.88	0.97	1.27	2.34	1.02	1.3
time (sec)	N/A	0.142	0.083	0.008	0.984	1.237	2.622	1.114

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	142	144	186	344	151	189
normalized size	1	1.	0.99	1.01	1.3	2.41	1.06	1.32
time (sec)	N/A	0.147	0.082	0.007	0.97	1.204	8.278	1.121

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	144	148	189	346	153	190
normalized size	1	1.	0.97	0.99	1.27	2.32	1.03	1.28
time (sec)	N/A	0.143	0.101	0.009	0.953	1.217	29.718	1.129

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	339	339	460	1622	0	0	0	0
normalized size	1	1.	1.36	4.78	0.	0.	0.	0.
time (sec)	N/A	1.856	0.644	0.046	0.	0.	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	377	1171	0	0	0	0
normalized size	1	1.	1.36	4.21	0.	0.	0.	0.
time (sec)	N/A	0.466	0.451	0.033	0.	0.	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	360	1327	0	0	0	0
normalized size	1	1.	1.33	4.91	0.	0.	0.	0.
time (sec)	N/A	0.835	0.396	0.036	0.	0.	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	223	223	240	728	0	0	0	7461
normalized size	1	1.	1.08	3.26	0.	0.	0.	33.46
time (sec)	N/A	0.213	0.396	0.023	0.	0.	0.	3.237

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	211	211	234	616	0	0	0	9080
normalized size	1	1.	1.11	2.92	0.	0.	0.	43.03
time (sec)	N/A	0.266	0.223	0.017	0.	0.	0.	2.946

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	285	488	0	0	0	4740
normalized size	1	1.	1.24	2.13	0.	0.	0.	20.7
time (sec)	N/A	0.259	0.468	0.027	0.	0.	0.	2.447

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	315	811	0	0	0	7089
normalized size	1	1.	1.21	3.12	0.	0.	0.	27.27
time (sec)	N/A	0.471	1.135	0.027	0.	0.	0.	3.037

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	288	288	377	1054	0	0	0	0
normalized size	1	1.	1.31	3.66	0.	0.	0.	0.
time (sec)	N/A	0.474	0.984	0.037	0.	0.	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	412	412	444	1429	0	0	0	0
normalized size	1	1.	1.08	3.47	0.	0.	0.	0.
time (sec)	N/A	1.334	1.561	0.042	0.	0.	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	347	347	358	0	0	0	0	0
normalized size	1	1.	1.03	0.	0.	0.	0.	0.
time (sec)	N/A	0.618	0.995	180.	0.	0.	0.	0.

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.902	1.161	0.036	0.	0.	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	317	317	335	1344	0	0	0	0
normalized size	1	1.	1.06	4.24	0.	0.	0.	0.
time (sec)	N/A	0.415	1.411	0.117	0.	0.	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	368	368	393	1813	0	0	0	0
normalized size	1	1.	1.07	4.93	0.	0.	0.	0.
time (sec)	N/A	0.867	1.456	0.105	0.	0.	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	403	403	458	1603	0	0	0	0
normalized size	1	1.	1.14	3.98	0.	0.	0.	0.
time (sec)	N/A	0.932	1.676	0.042	0.	0.	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	514	514	559	2398	0	0	0	0
normalized size	1	1.	1.09	4.67	0.	0.	0.	0.
time (sec)	N/A	1.486	2.278	0.057	0.	0.	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	534	534	655	2512	0	0	0	0
normalized size	1	1.	1.23	4.7	0.	0.	0.	0.
time (sec)	N/A	1.992	2.761	0.062	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	399	399	296	5520	0	11187	0	10541
normalized size	1	1.	0.74	13.83	0.	28.04	0.	26.42
time (sec)	N/A	0.425	1.271	0.016	0.	2.672	0.	1.338

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	260	260	185	2187	0	4469	0	4324
normalized size	1	1.	0.71	8.41	0.	17.19	0.	16.63
time (sec)	N/A	0.223	0.383	0.01	0.	1.825	0.	1.195

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	137	137	90	585	0	1181	3735	1234
normalized size	1	1.	0.66	4.27	0.	8.62	27.26	9.01
time (sec)	N/A	0.088	0.122	0.004	0.	1.577	2.79	1.123

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	368	368	168	0	0	0	0	0
normalized size	1	1.	0.46	0.	0.	0.	0.	0.
time (sec)	N/A	0.622	0.22	0.043	0.	0.	0.	0.

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	685	670	242	0	0	0	0	0
normalized size	1	0.98	0.35	0.	0.	0.	0.	0.
time (sec)	N/A	2.378	0.345	0.029	0.	0.	0.	0.

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.924	1.187	0.	0.	0.	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.371	0.793	0.025	0.	0.	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.37	0.171	0.022	0.	0.	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.356	0.165	0.021	0.	0.	0.	0.

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	378	1119	0	0	0	0
normalized size	1	1.	1.06	3.14	0.	0.	0.	0.
time (sec)	N/A	0.359	0.16	0.024	0.	0.	0.	0.

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	273	273	260	622	0	1854	1392	413
normalized size	1	1.	0.95	2.28	0.	6.79	5.1	1.51
time (sec)	N/A	0.854	0.208	0.007	0.	4.168	49.741	1.15

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	193	474	0	1404	1044	289
normalized size	1	1.	0.95	2.33	0.	6.92	5.14	1.42
time (sec)	N/A	0.424	0.143	0.006	0.	2.823	35.705	1.162

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	144	144	136	321	0	994	721	190
normalized size	1	1.	0.94	2.23	0.	6.9	5.01	1.32
time (sec)	N/A	0.272	0.107	0.005	0.	1.966	19.719	1.15

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	100	211	0	691	498	134
normalized size	1	1.	0.97	2.05	0.	6.71	4.83	1.3
time (sec)	N/A	0.179	0.069	0.005	0.	1.747	11.093	1.147

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	178	165	0	683	0	131
normalized size	1	1.	1.84	1.7	0.	7.04	0.	1.35
time (sec)	N/A	0.2	0.143	0.008	0.	2.633	0.	1.174

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	203	227	0	873	0	182
normalized size	1	1.	1.72	1.92	0.	7.4	0.	1.54
time (sec)	N/A	0.285	0.162	0.009	0.	2.991	0.	1.129

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	314	356	0	1283	0	286
normalized size	1	1.	1.8	2.05	0.	7.37	0.	1.64
time (sec)	N/A	0.407	0.353	0.011	0.	5.267	0.	1.137

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	416	523	0	1747	0	423
normalized size	1	1.	1.7	2.14	0.	7.16	0.	1.73
time (sec)	N/A	0.573	0.352	0.014	0.	13.701	0.	1.146

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	369	369	456	1450	0	31190	0	0
normalized size	1	1.	1.24	3.93	0.	84.53	0.	0.
time (sec)	N/A	4.577	0.546	0.036	0.	100.239	0.	0.



Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	282	282	365	1035	0	18515	0	0
normalized size	1	1.	1.29	3.67	0.	65.66	0.	0.
time (sec)	N/A	3.59	0.538	0.031	0.	22.088	0.	0.

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	B	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	258	676	0	11135	1151	0
normalized size	1	1.	1.18	3.09	0.	50.84	5.26	0.
time (sec)	N/A	0.637	0.347	0.025	0.	11.18	90.156	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	B	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	213	213	253	563	0	11429	1192	0
normalized size	1	1.	1.19	2.64	0.	53.66	5.6	0.
time (sec)	N/A	0.839	0.328	0.025	0.	5.209	96.593	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	284	727	0	19478	0	0
normalized size	1	1.	1.06	2.72	0.	72.95	0.	0.
time (sec)	N/A	1.065	0.373	0.029	0.	27.674	0.	0.

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	329	329	394	1121	0	31905	0	0
normalized size	1	1.	1.2	3.41	0.	96.98	0.	0.
time (sec)	N/A	1.942	0.604	0.036	0.	102.526	0.	0.

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	309	1167	0	4393	0	572
normalized size	1	1.	0.97	3.65	0.	13.73	0.	1.79
time (sec)	N/A	1.233	0.551	0.018	0.	3.462	0.	19.825

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	236	236	236	832	0	3043	0	377
normalized size	1	1.	1.	3.53	0.	12.89	0.	1.6
time (sec)	N/A	0.44	0.385	0.017	0.	2.305	0.	19.206

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	175	336	0	2033	1030	263
normalized size	1	1.	1.06	2.04	0.	12.32	6.24	1.59
time (sec)	N/A	0.287	0.288	0.013	0.	1.7	145.522	19.602

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	130	205	0	1374	474	189
normalized size	1	1.	1.06	1.67	0.	11.17	3.85	1.54
time (sec)	N/A	0.184	0.122	0.011	0.	1.446	40.153	19.251

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	166	166	268	462	0	2333	0	306
normalized size	1	1.	1.61	2.78	0.	14.05	0.	1.84
time (sec)	N/A	0.394	0.469	0.018	0.	7.603	0.	19.512

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	403	722	0	3637	0	387
normalized size	1	1.	1.72	3.09	0.	15.54	0.	1.65
time (sec)	N/A	0.725	0.692	0.023	0.	16.641	0.	21.974

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	329	329	592	1078	0	5341	0	722
normalized size	1	1.	1.8	3.28	0.	16.23	0.	2.19
time (sec)	N/A	1.157	1.219	0.028	0.	39.111	0.	19.648

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	550	550	648	2558	0	0	0	0
normalized size	1	1.	1.18	4.65	0.	0.	0.	0.
time (sec)	N/A	13.227	2.313	0.053	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	436	436	511	1977	0	26999	0	0
normalized size	1	1.	1.17	4.53	0.	61.92	0.	0.
time (sec)	N/A	5.541	1.74	0.042	0.	75.811	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	362	362	414	1300	0	18090	0	0
normalized size	1	1.	1.14	3.59	0.	49.97	0.	0.
time (sec)	N/A	2.498	1.235	0.035	0.	37.949	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	346	346	382	1182	0	18375	0	0
normalized size	1	1.	1.1	3.42	0.	53.11	0.	0.
time (sec)	N/A	1.896	1.196	0.033	0.	35.917	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	399	399	444	1575	0	28044	0	0
normalized size	1	1.	1.11	3.95	0.	70.29	0.	0.
time (sec)	N/A	2.203	1.473	0.045	0.	79.06	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	575	575	548	2180	0	0	0	0
normalized size	1	1.	0.95	3.79	0.	0.	0.	0.
time (sec)	N/A	9.906	1.96	0.048	0.	0.	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	62	56	78	220	61	85
normalized size	1	1.	0.91	0.82	1.15	3.24	0.9	1.25
time (sec)	N/A	0.126	0.035	0.015	0.972	1.962	0.163	1.119

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	61	51	72	208	54	78
normalized size	1	1.	1.	0.84	1.18	3.41	0.89	1.28
time (sec)	N/A	0.118	0.027	0.016	1.016	1.949	0.156	1.111

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	54	54	54	46	65	186	48	72
normalized size	1	1.	1.	0.85	1.2	3.44	0.89	1.33
time (sec)	N/A	0.108	0.024	0.014	0.996	1.964	0.155	1.131

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	49	41	58	169	42	61
normalized size	1	1.	1.	0.84	1.18	3.45	0.86	1.24
time (sec)	N/A	0.086	0.022	0.013	1.027	1.975	0.156	1.093

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	42	36	51	144	36	54
normalized size	1	1.	1.	0.86	1.21	3.43	0.86	1.29
time (sec)	N/A	0.049	0.017	0.015	0.965	2.003	0.15	1.121

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	44	44	44	38	59	185	39	63
normalized size	1	1.	1.	0.86	1.34	4.2	0.89	1.43
time (sec)	N/A	0.077	0.022	0.017	1.019	1.749	0.164	1.084

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	50	45	72	219	51	72
normalized size	1	1.	0.91	0.82	1.31	3.98	0.93	1.31
time (sec)	N/A	0.104	0.025	0.017	1.001	1.859	0.19	1.11

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	56	50	76	231	56	89
normalized size	1	1.	0.88	0.78	1.19	3.61	0.88	1.39
time (sec)	N/A	0.111	0.029	0.018	0.953	1.727	0.204	1.094

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	71	56	78	247	66	78
normalized size	1	1.	1.01	0.8	1.11	3.53	0.94	1.11
time (sec)	N/A	0.085	0.046	0.013	1.468	1.843	0.186	1.083

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	58	49	69	209	54	69
normalized size	1	1.	1.02	0.86	1.21	3.67	0.95	1.21
time (sec)	N/A	0.082	0.048	0.013	1.486	1.756	0.185	1.084

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	56	56	57	46	65	198	53	65
normalized size	1	1.	1.02	0.82	1.16	3.54	0.95	1.16
time (sec)	N/A	0.073	0.043	0.01	1.488	1.903	0.19	1.147

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	50	41	58	180	48	58
normalized size	1	1.	1.02	0.84	1.18	3.67	0.98	1.18
time (sec)	N/A	0.066	0.039	0.01	1.487	2.14	0.186	1.101

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	46	38	54	170	44	54
normalized size	1	1.	0.96	0.79	1.12	3.54	0.92	1.12
time (sec)	N/A	0.028	0.041	0.011	1.499	2.06	0.182	1.081

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	53	53	51	43	61	185	49	61
normalized size	1	1.	0.96	0.81	1.15	3.49	0.92	1.15
time (sec)	N/A	0.073	0.049	0.012	1.458	2.18	0.201	1.123

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	56	48	70	213	56	70
normalized size	1	1.	0.9	0.77	1.13	3.44	0.9	1.13
time (sec)	N/A	0.084	0.053	0.014	1.471	1.587	0.225	1.115

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	61	53	77	239	61	77
normalized size	1	1.	0.88	0.77	1.12	3.46	0.88	1.12
time (sec)	N/A	0.09	0.06	0.016	1.466	1.53	0.243	1.142

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	77	58	84	271	66	84
normalized size	1	1.	1.01	0.76	1.11	3.57	0.87	1.11
time (sec)	N/A	0.1	0.057	0.013	1.531	1.565	0.263	1.077

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	81	81	71	64	96	325	75	82
normalized size	1	1.	0.88	0.79	1.19	4.01	0.93	1.01
time (sec)	N/A	0.112	0.06	0.013	1.494	1.585	0.241	1.096

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	66	62	92	313	75	78
normalized size	1	1.	0.82	0.78	1.15	3.91	0.94	0.98
time (sec)	N/A	0.1	0.055	0.011	1.495	1.538	0.238	1.113

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	60	56	85	285	68	72
normalized size	1	1.	0.8	0.75	1.13	3.8	0.91	0.96
time (sec)	N/A	0.091	0.061	0.011	1.496	1.626	0.241	1.085

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	55	54	81	274	65	68
normalized size	1	1.	0.76	0.75	1.12	3.81	0.9	0.94
time (sec)	N/A	0.068	0.061	0.012	1.49	1.64	0.237	1.1

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	56	53	81	279	65	68
normalized size	1	1.	0.78	0.74	1.12	3.88	0.9	0.94
time (sec)	N/A	0.066	0.063	0.012	1.497	1.521	0.236	1.105



Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	56	53	81	281	65	68
normalized size	1	1.	0.78	0.74	1.12	3.9	0.9	0.94
time (sec)	N/A	0.037	0.06	0.013	1.515	1.573	0.231	1.106

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	63	58	88	302	70	74
normalized size	1	1.	0.8	0.73	1.11	3.82	0.89	0.94
time (sec)	N/A	0.103	0.068	0.014	1.486	1.567	0.26	1.127

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	78	64	97	336	76	84
normalized size	1	1.	0.91	0.74	1.13	3.91	0.88	0.98
time (sec)	N/A	0.119	0.06	0.016	1.548	1.544	0.278	1.11

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	73	68	104	370	82	90
normalized size	1	1.	0.78	0.73	1.12	3.98	0.88	0.97
time (sec)	N/A	0.134	0.079	0.015	1.474	1.569	0.301	1.121

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	78	74	96	270	85	103
normalized size	1	1.	0.91	0.86	1.12	3.14	0.99	1.2
time (sec)	N/A	0.135	0.047	0.011	1.472	1.5	0.172	1.131

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	81	81	73	69	89	255	80	96
normalized size	1	1.	0.9	0.85	1.1	3.15	0.99	1.19
time (sec)	N/A	0.127	0.031	0.01	1.499	1.545	0.168	1.121

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	74	74	66	64	80	235	73	89
normalized size	1	1.	0.89	0.86	1.08	3.18	0.99	1.2
time (sec)	N/A	0.121	0.03	0.008	1.469	1.557	0.164	1.08

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	61	59	73	219	66	73
normalized size	1	1.	0.94	0.91	1.12	3.37	1.02	1.12
time (sec)	N/A	0.105	0.027	0.008	1.471	1.503	0.168	1.112

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	58	54	66	194	60	66
normalized size	1	1.	1.	0.93	1.14	3.34	1.03	1.14
time (sec)	N/A	0.067	0.022	0.01	1.47	1.527	0.162	1.109

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	93	58	74	238	65	84
normalized size	1	1.	1.41	0.88	1.12	3.61	0.98	1.27
time (sec)	N/A	0.108	0.06	0.01	1.479	1.481	0.174	1.08

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	97	63	89	275	75	89
normalized size	1	1.	1.37	0.89	1.25	3.87	1.06	1.25
time (sec)	N/A	0.134	0.051	0.014	1.458	1.615	0.201	1.098

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	80	80	105	68	96	289	80	107
normalized size	1	1.	1.31	0.85	1.2	3.61	1.	1.34
time (sec)	N/A	0.137	0.061	0.012	1.475	1.49	0.214	1.083

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	110	73	103	317	85	113
normalized size	1	1.	1.26	0.84	1.18	3.64	0.98	1.3
time (sec)	N/A	0.149	0.069	0.013	1.499	1.527	0.237	1.094

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	248	248	145	427	0	2484	71	0
normalized size	1	1.	0.58	1.72	0.	10.02	0.29	0.
time (sec)	N/A	0.345	0.178	0.105	0.	1.747	0.537	0.

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	132	419	0	2055	63	0
normalized size	1	1.	0.56	1.77	0.	8.67	0.27	0.
time (sec)	N/A	0.293	0.165	0.026	0.	1.665	0.541	0.

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	232	232	129	416	0	2102	58	0
normalized size	1	1.	0.56	1.79	0.	9.06	0.25	0.
time (sec)	N/A	0.292	0.162	0.022	0.	1.775	0.533	0.

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	121	412	0	2072	51	0
normalized size	1	1.	0.54	1.83	0.	9.21	0.23	0.
time (sec)	N/A	0.297	0.17	0.018	0.	1.756	0.535	0.

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	224	224	115	408	0	1993	48	0
normalized size	1	1.	0.51	1.82	0.	8.9	0.21	0.
time (sec)	N/A	0.215	0.274	0.02	0.	1.724	0.522	0.

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	229	229	126	414	0	1871	53	0
normalized size	1	1.	0.55	1.81	0.	8.17	0.23	0.
time (sec)	N/A	0.31	0.185	0.023	0.	1.706	0.551	0.

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	131	419	0	2205	60	0
normalized size	1	1.	0.55	1.76	0.	9.26	0.25	0.
time (sec)	N/A	0.335	0.31	0.023	0.	1.723	0.575	0.

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	140	424	0	2392	65	0
normalized size	1	1.	0.57	1.73	0.	9.76	0.27	0.
time (sec)	N/A	0.329	0.303	0.023	0.	1.741	0.59	0.

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	156	429	0	2853	82	0
normalized size	1	1.	0.64	1.77	0.	11.74	0.34	0.
time (sec)	N/A	0.36	0.222	0.02	0.	1.794	0.591	0.

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	242	242	155	426	0	2421	80	0
normalized size	1	1.	0.64	1.76	0.	10.	0.33	0.
time (sec)	N/A	0.31	0.211	0.022	0.	1.81	0.607	0.

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	235	235	138	422	0	2670	71	0
normalized size	1	1.	0.59	1.8	0.	11.36	0.3	0.
time (sec)	N/A	0.3	0.33	0.022	0.	1.773	0.587	0.

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	238	238	129	418	0	2402	68	0
normalized size	1	1.	0.54	1.76	0.	10.09	0.29	0.
time (sec)	N/A	0.29	0.304	0.019	0.	1.835	0.592	0.

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	246	246	133	418	0	2074	68	0
normalized size	1	1.	0.54	1.7	0.	8.43	0.28	0.
time (sec)	N/A	0.284	0.299	0.022	0.	1.734	0.592	0.

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	248	248	129	418	0	2261	68	0
normalized size	1	1.	0.52	1.69	0.	9.12	0.27	0.
time (sec)	N/A	0.254	0.302	0.022	0.	1.68	0.571	0.

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	253	253	140	424	0	2529	73	0
normalized size	1	1.	0.55	1.68	0.	10.	0.29	0.
time (sec)	N/A	0.343	0.379	0.023	0.	1.733	0.607	0.

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	B	F	B	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	262	262	139	429	0	2952	80	0
normalized size	1	1.	0.53	1.64	0.	11.27	0.31	0.
time (sec)	N/A	0.366	0.332	0.024	0.	1.75	0.627	0.

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	B	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	149	149	142	357	0	1021	789	197
normalized size	1	1.	0.95	2.4	0.	6.85	5.3	1.32
time (sec)	N/A	0.295	0.127	0.005	0.	2.351	49.275	1.175

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	594	594	721	3028	0	0	0	0
normalized size	1	1.	1.21	5.1	0.	0.	0.	0.
time (sec)	N/A	14.113	2.847	0.059	0.	0.	0.	0.

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	471	471	575	2300	0	0	0	0
normalized size	1	1.	1.22	4.88	0.	0.	0.	0.
time (sec)	N/A	6.662	2.116	0.05	0.	0.	0.	0.

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	449	449	512	1760	0	0	0	0
normalized size	1	1.	1.14	3.92	0.	0.	0.	0.
time (sec)	N/A	2.867	1.833	0.042	0.	0.	0.	0.

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-1)	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	460	460	529	2045	0	0	0	0
normalized size	1	1.	1.15	4.45	0.	0.	0.	0.
time (sec)	N/A	2.791	2.638	0.045	0.	0.	0.	0.

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F	F(-1)	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	542	542	612	2503	0	0	0	0
normalized size	1	1.	1.13	4.62	0.	0.	0.	0.
time (sec)	N/A	7.265	2.336	0.048	0.	0.	0.	0.

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	20	20	20	21	42	63	0	78
normalized size	1	1.	1.	1.05	2.1	3.15	0.	3.9
time (sec)	N/A	0.036	0.147	0.014	1.239	1.857	0.	1.197

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	210	278	265	145	398	317	0	328
normalized size	1	1.32	1.26	0.69	1.9	1.51	0.	1.56
time (sec)	N/A	0.315	1.437	0.006	1.647	1.774	0.	1.255

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	159	213	232	109	293	238	0	239
normalized size	1	1.34	1.46	0.69	1.84	1.5	0.	1.5
time (sec)	N/A	0.189	1.089	0.007	1.492	1.911	0.	1.148

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	A	A	C	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	149	194	73	188	162	350	153
normalized size	1	1.37	1.78	0.67	1.72	1.49	3.21	1.4
time (sec)	N/A	0.122	0.703	0.005	1.636	1.817	77.822	1.159

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	151	217	143	0	178	304	0
normalized size	1	1.62	2.33	1.54	0.	1.91	3.27	0.
time (sec)	N/A	0.165	0.891	0.044	0.	1.598	45.044	0.



Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	C	F(-2)	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	155	233	163	0	215	270	0
normalized size	1	1.57	2.35	1.65	0.	2.17	2.73	0.
time (sec)	N/A	0.252	0.217	0.025	0.	1.297	64.196	0.

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	126	182	134	222	0	224	253	0
normalized size	1	1.44	1.06	1.76	0.	1.78	2.01	0.
time (sec)	N/A	0.277	0.167	0.025	0.	1.367	89.724	0.

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	A	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	248	173	306	0	298	0	0
normalized size	1	1.17	0.82	1.44	0.	1.41	0.	0.
time (sec)	N/A	0.373	0.2	0.033	0.	1.449	0.	0.

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	A	C	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	245	202	273	309	298	362	257
normalized size	1	1.13	0.94	1.26	1.43	1.38	1.68	1.19
time (sec)	N/A	0.205	0.809	0.035	1.56	1.432	125.927	1.152

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	A	A	C	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	179	157	191	201	227	325	170
normalized size	1	1.4	1.23	1.49	1.57	1.77	2.54	1.33
time (sec)	N/A	0.091	0.582	0.017	1.506	1.58	37.972	1.138

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	A	C	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	155	135	148	0	203	287	0
normalized size	1	1.52	1.32	1.45	0.	1.99	2.81	0.
time (sec)	N/A	0.122	0.565	0.022	0.	1.524	54.216	0.

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	A	C	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	81	146	0	203	257	0
normalized size	1	1.	0.52	0.93	0.	1.29	1.64	0.
time (sec)	N/A	0.125	0.128	0.022	0.	1.382	77.442	0.

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	160	160	87	82	0	173	0	1489
normalized size	1	1.	0.54	0.51	0.	1.08	0.	9.31
time (sec)	N/A	0.145	0.125	0.005	0.	1.418	0.	1.84

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	226	226	124	118	0	251	0	2048
normalized size	1	1.	0.55	0.52	0.	1.11	0.	9.06
time (sec)	N/A	0.178	0.15	0.005	0.	1.54	0.	2.506

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	292	292	158	154	0	327	0	2607
normalized size	1	1.	0.54	0.53	0.	1.12	0.	8.93
time (sec)	N/A	0.242	0.181	0.007	0.	1.861	0.	3.479

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [35] had the largest ratio of [ 0.4643 ]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	1	1.	26	0.038
2	A	2	1	1.	24	0.042
3	A	2	1	1.	23	0.043
4	A	2	1	1.	26	0.038
5	A	2	1	1.	26	0.038
6	A	2	1	1.	26	0.038
7	A	2	1	1.	26	0.038
8	A	2	1	1.	26	0.038
9	A	2	1	1.	26	0.038
10	A	2	1	1.	26	0.038
11	A	2	1	1.	28	0.036
12	A	2	1	1.	26	0.038
13	A	2	1	1.	25	0.04
14	A	2	1	1.	28	0.036
15	A	2	1	1.	28	0.036
16	A	2	1	1.	28	0.036
17	A	2	1	1.	28	0.036
18	A	2	1	1.	28	0.036
19	A	2	1	1.	28	0.036
20	A	2	1	1.	28	0.036
21	A	13	11	1.	28	0.393
22	A	12	11	1.	28	0.393
23	A	11	10	1.	28	0.357

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
24	A	10	9	1.	26	0.346
25	A	8	7	1.	25	0.28
26	A	12	10	1.	28	0.357
27	A	13	12	1.	28	0.429
28	A	13	11	1.	28	0.393
29	A	11	10	1.	28	0.357
30	A	10	9	1.	28	0.321
31	A	10	9	1.	28	0.321
32	A	10	9	1.	26	0.346
33	A	10	9	1.	25	0.36
34	A	14	12	1.	28	0.429
35	A	15	13	1.	28	0.464
36	A	15	13	1.	28	0.464
37	A	2	1	1.	30	0.033
38	A	2	1	1.	30	0.033
39	A	2	1	1.	28	0.036
40	A	8	5	1.	30	0.167
41	A	10	6	0.98	30	0.2
42	A	10	9	1.	28	0.321
43	A	11	10	1.	30	0.333
44	A	11	10	1.	31	0.323
45	A	11	10	1.	34	0.294
46	A	11	10	1.	34	0.294
47	A	7	6	1.	30	0.2
48	A	7	6	1.	30	0.2
49	A	7	6	1.	30	0.2
50	A	7	6	1.	28	0.214
51	A	7	6	1.	30	0.2
52	A	7	6	1.	30	0.2
53	A	7	6	1.	30	0.2
54	A	7	6	1.	30	0.2
55	A	5	3	1.	30	0.1

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
56	A	5	3	1.	30	0.1
57	A	5	3	1.	27	0.111
58	A	5	3	1.	30	0.1
59	A	5	3	1.	30	0.1
60	A	5	3	1.	30	0.1
61	A	8	7	1.	30	0.233
62	A	7	7	1.	30	0.233
63	A	6	6	1.	30	0.2
64	A	5	5	1.	28	0.179
65	A	8	7	1.	30	0.233
66	A	8	7	1.	30	0.233
67	A	8	7	1.	30	0.233
68	A	6	4	1.	30	0.133
69	A	6	4	1.	30	0.133
70	A	4	3	1.	30	0.1
71	A	4	3	1.	27	0.111
72	A	6	4	1.	30	0.133
73	A	6	4	1.	30	0.133
74	A	7	5	1.	31	0.161
75	A	7	5	1.	31	0.161
76	A	7	5	1.	31	0.161
77	A	7	5	1.	31	0.161
78	A	5	4	1.	29	0.138
79	A	4	3	1.	31	0.097
80	A	4	3	1.	31	0.097
81	A	4	3	1.	31	0.097
82	A	6	4	1.	31	0.129
83	A	6	4	1.	31	0.129
84	A	6	4	1.	31	0.129
85	A	6	4	1.	31	0.129
86	A	4	3	1.	28	0.107
87	A	5	3	1.	31	0.097

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
88	A	5	3	1.	31	0.097
89	A	5	3	1.	31	0.097
90	A	5	3	1.	31	0.097
91	A	7	5	1.	31	0.161
92	A	7	5	1.	31	0.161
93	A	7	5	1.	31	0.161
94	A	5	4	1.	31	0.129
95	A	5	4	1.	31	0.129
96	A	5	4	1.	28	0.143
97	A	6	3	1.	31	0.097
98	A	6	3	1.	31	0.097
99	A	6	3	1.	31	0.097
100	A	8	7	1.	31	0.226
101	A	8	7	1.	31	0.226
102	A	8	7	1.	31	0.226
103	A	8	7	1.	31	0.226
104	A	6	6	1.	29	0.207
105	A	8	7	1.	31	0.226
106	A	8	7	1.	31	0.226
107	A	8	7	1.	31	0.226
108	A	8	7	1.	31	0.226
109	A	12	7	1.	31	0.226
110	A	12	7	1.	31	0.226
111	A	12	7	1.	31	0.226
112	A	12	7	1.	31	0.226
113	A	10	6	1.	28	0.214
114	A	12	7	1.	31	0.226
115	A	12	7	1.	31	0.226
116	A	12	7	1.	31	0.226
117	A	13	8	1.	31	0.258
118	A	13	8	1.	31	0.258
119	A	13	8	1.	31	0.258

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
120	A	11	7	1.	31	0.226
121	A	11	7	1.	31	0.226
122	A	11	7	1.	28	0.25
123	A	13	7	1.	31	0.226
124	A	13	7	1.	31	0.226
125	A	7	6	1.	33	0.182
126	A	6	4	1.	35	0.114
127	A	6	4	1.	35	0.114
128	A	4	3	1.	32	0.094
129	A	6	4	1.	35	0.114
130	A	6	4	1.	35	0.114
131	A	1	1	1.	42	0.024
132	A	5	4	1.32	35	0.114
133	A	4	3	1.34	35	0.086
134	A	4	3	1.37	33	0.091
135	A	6	5	1.62	35	0.143
136	A	6	6	1.57	35	0.171
137	A	6	6	1.44	35	0.171
138	A	7	7	1.17	35	0.2
139	A	6	6	1.13	35	0.171
140	A	5	5	1.4	32	0.156
141	A	5	5	1.52	35	0.143
142	A	5	5	1.	35	0.143
143	A	4	4	1.	35	0.114
144	A	5	5	1.	35	0.143
145	A	6	5	1.	35	0.143





# Chapter 3

## Listing of integrals

### 3.1 $\int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$

Optimal. Leaf size=74

$$\frac{1}{5}x^5(aC + Ab) + \frac{1}{3}aAx^3 + \frac{1}{4}aBx^4 + \frac{1}{7}x^7(Ac + bC) + \frac{1}{6}bBx^6 + \frac{1}{8}Bcx^8 + \frac{1}{9}cCx^9$$

[Out] (a\*A\*x^3)/3 + (a\*B\*x^4)/4 + ((A\*b + a\*C)\*x^5)/5 + (b\*B\*x^6)/6 + ((A\*c + b\*C)\*x^7)/7 + (B\*c\*x^8)/8 + (c\*C\*x^9)/9

---

**Rubi [A]** time = 0.0815531, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$\frac{1}{5}x^5(aC + Ab) + \frac{1}{3}aAx^3 + \frac{1}{4}aBx^4 + \frac{1}{7}x^7(Ac + bC) + \frac{1}{6}bBx^6 + \frac{1}{8}Bcx^8 + \frac{1}{9}cCx^9$$

Antiderivative was successfully verified.

[In] Int[x^2\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] (a\*A\*x^3)/3 + (a\*B\*x^4)/4 + ((A\*b + a\*C)\*x^5)/5 + (b\*B\*x^6)/6 + ((A\*c + b\*C)\*x^7)/7 + (B\*c\*x^8)/8 + (c\*C\*x^9)/9

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x

], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4) dx = \int (aAx^2 + aBx^3 + (Ab + aC)x^4 + bBx^5 + (Ac + bC)x^6 + Bcx^7 + cCx^8) dx$$

$$= \frac{1}{3}aAx^3 + \frac{1}{4}aBx^4 + \frac{1}{5}(Ab + aC)x^5 + \frac{1}{6}bBx^6 + \frac{1}{7}(Ac + bC)x^7 + \frac{1}{8}Bcx^8 + \frac{1}{9}cCx^9$$

**Mathematica [A]** time = 0.0154219, size = 74, normalized size = 1.

$$\frac{1}{5}x^5(aC + Ab) + \frac{1}{3}aAx^3 + \frac{1}{4}aBx^4 + \frac{1}{7}x^7(Ac + bC) + \frac{1}{6}bBx^6 + \frac{1}{8}Bcx^8 + \frac{1}{9}cCx^9$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] (a\*A\*x^3)/3 + (a\*B\*x^4)/4 + ((A\*b + a\*C)\*x^5)/5 + (b\*B\*x^6)/6 + ((A\*c + b\*C)\*x^7)/7 + (B\*c\*x^8)/8 + (c\*C\*x^9)/9

**Maple [A]** time = 0.001, size = 61, normalized size = 0.8

$$\frac{aAx^3}{3} + \frac{aBx^4}{4} + \frac{(Ab + aC)x^5}{5} + \frac{bBx^6}{6} + \frac{(Ac + bC)x^7}{7} + \frac{Bcx^8}{8} + \frac{cCx^9}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a), x)

[Out] 1/3\*a\*A\*x^3+1/4\*a\*B\*x^4+1/5\*(A\*b+C\*a)\*x^5+1/6\*b\*B\*x^6+1/7\*(A\*c+C\*b)\*x^7+1/8\*B\*c\*x^8+1/9\*c\*C\*x^9

**Maxima [A]** time = 0.931994, size = 81, normalized size = 1.09

$$\frac{1}{9}Ccx^9 + \frac{1}{8}Bcx^8 + \frac{1}{6}Bbx^6 + \frac{1}{7}(Cb + Ac)x^7 + \frac{1}{4}Bax^4 + \frac{1}{5}(Ca + Ab)x^5 + \frac{1}{3}Aax^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out]  $\frac{1}{9}C*c*x^9 + \frac{1}{8}B*c*x^8 + \frac{1}{6}B*b*x^6 + \frac{1}{7}*(C*b + A*c)*x^7 + \frac{1}{4}B*a*x^4 + \frac{1}{5}*(C*a + A*b)*x^5 + \frac{1}{3}A*a*x^3$

**Fricas [A]** time = 1.0522, size = 169, normalized size = 2.28

$$\frac{1}{9}x^9cC + \frac{1}{8}x^8cB + \frac{1}{7}x^7bC + \frac{1}{7}x^7cA + \frac{1}{6}x^6bB + \frac{1}{5}x^5aC + \frac{1}{5}x^5bA + \frac{1}{4}x^4aB + \frac{1}{3}x^3aA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out]  $\frac{1}{9}x^9*c*C + \frac{1}{8}x^8*c*B + \frac{1}{7}x^7*b*C + \frac{1}{7}x^7*c*A + \frac{1}{6}x^6*b*B + \frac{1}{5}x^5*a*C + \frac{1}{5}x^5*b*A + \frac{1}{4}x^4*a*B + \frac{1}{3}x^3*a*A$

**Sympy [A]** time = 0.086636, size = 68, normalized size = 0.92

$$\frac{Aax^3}{3} + \frac{Bax^4}{4} + \frac{Bbx^6}{6} + \frac{Bcx^8}{8} + \frac{Ccx^9}{9} + x^7\left(\frac{Ac}{7} + \frac{Cb}{7}\right) + x^5\left(\frac{Ab}{5} + \frac{Ca}{5}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(C*x**2+B*x+A)*(c*x**4+b*x**2+a),x)`

[Out]  $A*a*x**3/3 + B*a*x**4/4 + B*b*x**6/6 + B*c*x**8/8 + C*c*x**9/9 + x**7*(A*c/7 + C*b/7) + x**5*(A*b/5 + C*a/5)$

**Giac [A]** time = 1.09347, size = 86, normalized size = 1.16

$$\frac{1}{9}Ccx^9 + \frac{1}{8}Bcx^8 + \frac{1}{7}Cbx^7 + \frac{1}{7}Acx^7 + \frac{1}{6}Bbx^6 + \frac{1}{5}Cax^5 + \frac{1}{5}Abx^5 + \frac{1}{4}Bax^4 + \frac{1}{3}Aax^3$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/9*C*c*x^9 + 1/8*B*c*x^8 + 1/7*C*b*x^7 + 1/7*A*c*x^7 + 1/6*B*b*x^6 + 1/5*C  
*a*x^5 + 1/5*A*b*x^5 + 1/4*B*a*x^4 + 1/3*A*a*x^3
```

### 3.2 $\int x (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$

**Optimal.** Leaf size=74

$$\frac{1}{4}x^4(aC + Ab) + \frac{1}{2}aAx^2 + \frac{1}{3}aBx^3 + \frac{1}{6}x^6(Ac + bC) + \frac{1}{5}bBx^5 + \frac{1}{7}Bcx^7 + \frac{1}{8}cCx^8$$

[Out] (a\*A\*x^2)/2 + (a\*B\*x^3)/3 + ((A\*b + a\*C)\*x^4)/4 + (b\*B\*x^5)/5 + ((A\*c + b\*C)\*x^6)/6 + (B\*c\*x^7)/7 + (c\*C\*x^8)/8

**Rubi [A]** time = 0.0565914, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 24,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.042$ , Rules used = {1628}

$$\frac{1}{4}x^4(aC + Ab) + \frac{1}{2}aAx^2 + \frac{1}{3}aBx^3 + \frac{1}{6}x^6(Ac + bC) + \frac{1}{5}bBx^5 + \frac{1}{7}Bcx^7 + \frac{1}{8}cCx^8$$

Antiderivative was successfully verified.

[In] Int[x\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] (a\*A\*x^2)/2 + (a\*B\*x^3)/3 + ((A\*b + a\*C)\*x^4)/4 + (b\*B\*x^5)/5 + ((A\*c + b\*C)\*x^6)/6 + (B\*c\*x^7)/7 + (c\*C\*x^8)/8

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int x (A + Bx + Cx^2) (a + bx^2 + cx^4) dx &= \int (aAx + aBx^2 + (Ab + aC)x^3 + bBx^4 + (Ac + bC)x^5 + Bcx^6 + cCx^7) dx \\ &= \frac{1}{2}aAx^2 + \frac{1}{3}aBx^3 + \frac{1}{4}(Ab + aC)x^4 + \frac{1}{5}bBx^5 + \frac{1}{6}(Ac + bC)x^6 + \frac{1}{7}Bcx^7 + \frac{1}{8}cCx^8 \end{aligned}$$

**Mathematica [A]** time = 0.0120258, size = 74, normalized size = 1.

$$\frac{1}{4}x^4(aC + Ab) + \frac{1}{2}aAx^2 + \frac{1}{3}aBx^3 + \frac{1}{6}x^6(Ac + bC) + \frac{1}{5}bBx^5 + \frac{1}{7}Bcx^7 + \frac{1}{8}cCx^8$$

Antiderivative was successfully verified.

[In] Integrate[x\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4),x]

[Out] (a\*A\*x^2)/2 + (a\*B\*x^3)/3 + ((A\*b + a\*C)\*x^4)/4 + (b\*B\*x^5)/5 + ((A\*c + b\*C)\*x^6)/6 + (B\*c\*x^7)/7 + (c\*C\*x^8)/8

**Maple [A]** time = 0.001, size = 61, normalized size = 0.8

$$\frac{aAx^2}{2} + \frac{aBx^3}{3} + \frac{(Ab + aC)x^4}{4} + \frac{bBx^5}{5} + \frac{(Ac + bC)x^6}{6} + \frac{Bcx^7}{7} + \frac{cCx^8}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x)

[Out] 1/2\*a\*A\*x^2+1/3\*a\*B\*x^3+1/4\*(A\*b+C\*a)\*x^4+1/5\*b\*B\*x^5+1/6\*(A\*c+C\*b)\*x^6+1/7\*B\*c\*x^7+1/8\*c\*C\*x^8

**Maxima [A]** time = 0.961008, size = 81, normalized size = 1.09

$$\frac{1}{8} Ccx^8 + \frac{1}{7} Bcx^7 + \frac{1}{5} Bbx^5 + \frac{1}{6} (Cb + Ac)x^6 + \frac{1}{3} Bax^3 + \frac{1}{4} (Ca + Ab)x^4 + \frac{1}{2} Aax^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] 1/8\*C\*c\*x^8 + 1/7\*B\*c\*x^7 + 1/5\*B\*b\*x^5 + 1/6\*(C\*b + A\*c)\*x^6 + 1/3\*B\*a\*x^3 + 1/4\*(C\*a + A\*b)\*x^4 + 1/2\*A\*a\*x^2

**Fricas [A]** time = 1.12357, size = 169, normalized size = 2.28

$$\frac{1}{8}x^8cC + \frac{1}{7}x^7cB + \frac{1}{6}x^6bC + \frac{1}{6}x^6cA + \frac{1}{5}x^5bB + \frac{1}{4}x^4aC + \frac{1}{4}x^4bA + \frac{1}{3}x^3aB + \frac{1}{2}x^2aA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out]  $\frac{1}{8}x^8cC + \frac{1}{7}x^7cB + \frac{1}{6}x^6bC + \frac{1}{6}x^6cA + \frac{1}{5}x^5bB + \frac{1}{4}x^4aC + \frac{1}{4}x^4bA + \frac{1}{3}x^3aB + \frac{1}{2}x^2aA$

**Sympy [A]** time = 0.07363, size = 68, normalized size = 0.92

$$\frac{Aax^2}{2} + \frac{Bax^3}{3} + \frac{Bbx^5}{5} + \frac{Bcx^7}{7} + \frac{Ccx^8}{8} + x^6\left(\frac{Ac}{6} + \frac{Cb}{6}\right) + x^4\left(\frac{Ab}{4} + \frac{Ca}{4}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a),x)

[Out]  $A*a*x**2/2 + B*a*x**3/3 + B*b*x**5/5 + B*c*x**7/7 + C*c*x**8/8 + x**6*(A*c/6 + C*b/6) + x**4*(A*b/4 + C*a/4)$

**Giac [A]** time = 1.08453, size = 86, normalized size = 1.16

$$\frac{1}{8}Ccx^8 + \frac{1}{7}Bcx^7 + \frac{1}{6}Cbx^6 + \frac{1}{6}Acx^6 + \frac{1}{5}Bbx^5 + \frac{1}{4}Cax^4 + \frac{1}{4}Abx^4 + \frac{1}{3}Bax^3 + \frac{1}{2}Aax^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out]  $\frac{1}{8}C*c*x^8 + \frac{1}{7}B*c*x^7 + \frac{1}{6}C*b*x^6 + \frac{1}{6}A*c*x^6 + \frac{1}{5}B*b*x^5 + \frac{1}{4}C*a*x^4 + \frac{1}{4}A*b*x^4 + \frac{1}{3}B*a*x^3 + \frac{1}{2}A*a*x^2$

### 3.3 $\int (A + Bx + Cx^2)(a + bx^2 + cx^4) dx$

**Optimal.** Leaf size=69

$$\frac{1}{3}x^3(aC + Ab) + aAx + \frac{1}{2}aBx^2 + \frac{1}{5}x^5(Ac + bC) + \frac{1}{4}bBx^4 + \frac{1}{6}Bcx^6 + \frac{1}{7}cCx^7$$

[Out] a\*A\*x + (a\*B\*x^2)/2 + ((A\*b + a\*C)\*x^3)/3 + (b\*B\*x^4)/4 + ((A\*c + b\*C)\*x^5)/5 + (B\*c\*x^6)/6 + (c\*C\*x^7)/7

**Rubi [A]** time = 0.0355215, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {1657}

$$\frac{1}{3}x^3(aC + Ab) + aAx + \frac{1}{2}aBx^2 + \frac{1}{5}x^5(Ac + bC) + \frac{1}{4}bBx^4 + \frac{1}{6}Bcx^6 + \frac{1}{7}cCx^7$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] a\*A\*x + (a\*B\*x^2)/2 + ((A\*b + a\*C)\*x^3)/3 + (b\*B\*x^4)/4 + ((A\*c + b\*C)\*x^5)/5 + (B\*c\*x^6)/6 + (c\*C\*x^7)/7

#### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[Expand Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int (A + Bx + Cx^2)(a + bx^2 + cx^4) dx &= \int (aA + aBx + (Ab + aC)x^2 + bBx^3 + (Ac + bC)x^4 + Bcx^5 + cCx^6) dx \\ &= aAx + \frac{1}{2}aBx^2 + \frac{1}{3}(Ab + aC)x^3 + \frac{1}{4}bBx^4 + \frac{1}{5}(Ac + bC)x^5 + \frac{1}{6}Bcx^6 + \frac{1}{7}cCx^7 \end{aligned}$$

**Mathematica [A]** time = 0.0127978, size = 69, normalized size = 1.

$$\frac{1}{3}x^3(aC + Ab) + aAx + \frac{1}{2}aBx^2 + \frac{1}{5}x^5(Ac + bC) + \frac{1}{4}bBx^4 + \frac{1}{6}Bcx^6 + \frac{1}{7}cCx^7$$



Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] a\*A\*x + (a\*B\*x^2)/2 + ((A\*b + a\*C)\*x^3)/3 + (b\*B\*x^4)/4 + ((A\*c + b\*C)\*x^5)/5 + (B\*c\*x^6)/6 + (c\*C\*x^7)/7

**Maple [A]** time = 0., size = 58, normalized size = 0.8

$$aAx + \frac{aBx^2}{2} + \frac{(Ab + aC)x^3}{3} + \frac{bBx^4}{4} + \frac{(Ac + bC)x^5}{5} + \frac{Bcx^6}{6} + \frac{cCx^7}{7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a), x)

[Out] a\*A\*x+1/2\*a\*B\*x^2+1/3\*(A\*b+C\*a)\*x^3+1/4\*b\*B\*x^4+1/5\*(A\*c+C\*b)\*x^5+1/6\*B\*c\*x^6+1/7\*c\*C\*x^7

**Maxima [A]** time = 0.94561, size = 77, normalized size = 1.12

$$\frac{1}{7} Ccx^7 + \frac{1}{6} Bcx^6 + \frac{1}{4} Bbx^4 + \frac{1}{5} (Cb + Ac)x^5 + \frac{1}{2} Bax^2 + \frac{1}{3} (Ca + Ab)x^3 + Aax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a), x, algorithm="maxima")

[Out] 1/7\*C\*c\*x^7 + 1/6\*B\*c\*x^6 + 1/4\*B\*b\*x^4 + 1/5\*(C\*b + A\*c)\*x^5 + 1/2\*B\*a\*x^2 + 1/3\*(C\*a + A\*b)\*x^3 + A\*a\*x

**Fricas [A]** time = 1.12176, size = 161, normalized size = 2.33

$$\frac{1}{7}x^7cC + \frac{1}{6}x^6cB + \frac{1}{5}x^5bC + \frac{1}{5}x^5cA + \frac{1}{4}x^4bB + \frac{1}{3}x^3aC + \frac{1}{3}x^3bA + \frac{1}{2}x^2aB + xaA$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out]  $\frac{1}{7}x^7cC + \frac{1}{6}x^6cB + \frac{1}{5}x^5bC + \frac{1}{5}x^5cA + \frac{1}{4}x^4bB + \frac{1}{3}x^3aC + \frac{1}{3}x^3bA + \frac{1}{2}x^2aB + xA$

**Sympy [A]** time = 0.11015, size = 65, normalized size = 0.94

$$Aax + \frac{Bax^2}{2} + \frac{Bbx^4}{4} + \frac{Bcx^6}{6} + \frac{Ccx^7}{7} + x^5\left(\frac{Ac}{5} + \frac{Cb}{5}\right) + x^3\left(\frac{Ab}{3} + \frac{Ca}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a),x)

[Out]  $Aax + Bax^2/2 + Bbx^4/4 + Bcx^6/6 + Ccx^7/7 + x^5(Ac/5 + Cb/5) + x^3(Ab/3 + Ca/3)$

**Giac [A]** time = 1.09284, size = 82, normalized size = 1.19

$$\frac{1}{7}Ccx^7 + \frac{1}{6}Bcx^6 + \frac{1}{5}Cbx^5 + \frac{1}{5}Acx^5 + \frac{1}{4}Bbx^4 + \frac{1}{3}Cax^3 + \frac{1}{3}Abx^3 + \frac{1}{2}Bax^2 + Aax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out]  $\frac{1}{7}Ccx^7 + \frac{1}{6}Bcx^6 + \frac{1}{5}Cbx^5 + \frac{1}{5}Acx^5 + \frac{1}{4}Bbx^4 + \frac{1}{3}Cax^3 + \frac{1}{3}Abx^3 + \frac{1}{2}Bax^2 + Aax$

$$3.4 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x} dx$$

**Optimal.** Leaf size=65

$$\frac{1}{2}x^2(aC + Ab) + aA \log(x) + aBx + \frac{1}{4}x^4(Ac + bC) + \frac{1}{3}bBx^3 + \frac{1}{5}Bcx^5 + \frac{1}{6}cCx^6$$

[Out] a\*B\*x + ((A\*b + a\*C)\*x^2)/2 + (b\*B\*x^3)/3 + ((A\*c + b\*C)\*x^4)/4 + (B\*c\*x^5)/5 + (c\*C\*x^6)/6 + a\*A\*Log[x]

**Rubi [A]** time = 0.0400262, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$\frac{1}{2}x^2(aC + Ab) + aA \log(x) + aBx + \frac{1}{4}x^4(Ac + bC) + \frac{1}{3}bBx^3 + \frac{1}{5}Bcx^5 + \frac{1}{6}cCx^6$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x, x]

[Out] a\*B\*x + ((A\*b + a\*C)\*x^2)/2 + (b\*B\*x^3)/3 + ((A\*c + b\*C)\*x^4)/4 + (B\*c\*x^5)/5 + (c\*C\*x^6)/6 + a\*A\*Log[x]

**Rule 1628**

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

**Rubi steps**

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x} dx &= \int \left( aB + \frac{aA}{x} + (Ab + aC)x + bBx^2 + (Ac + bC)x^3 + Bcx^4 + cCx^5 \right) dx \\ &= aBx + \frac{1}{2}(Ab + aC)x^2 + \frac{1}{3}bBx^3 + \frac{1}{4}(Ac + bC)x^4 + \frac{1}{5}Bcx^5 + \frac{1}{6}cCx^6 + aA \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.015423, size = 65, normalized size = 1.

$$\frac{1}{2}x^2(aC + Ab) + aA \log(x) + aBx + \frac{1}{4}x^4(Ac + bC) + \frac{1}{3}bBx^3 + \frac{1}{5}Bcx^5 + \frac{1}{6}cCx^6$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x,x]

[Out] a\*B\*x + ((A\*b + a\*C)\*x^2)/2 + (b\*B\*x^3)/3 + ((A\*c + b\*C)\*x^4)/4 + (B\*c\*x^5)/5 + (c\*C\*x^6)/6 + a\*A\*Log[x]

**Maple [A]** time = 0.003, size = 60, normalized size = 0.9

$$\frac{cCx^6}{6} + \frac{Bcx^5}{5} + \frac{Ax^4c}{4} + \frac{Cx^4b}{4} + \frac{bBx^3}{3} + \frac{Ax^2b}{2} + \frac{Cx^2a}{2} + aBx + aA \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x,x)

[Out] 1/6\*c\*C\*x^6+1/5\*B\*c\*x^5+1/4\*A\*x^4\*c+1/4\*C\*x^4\*b+1/3\*b\*B\*x^3+1/2\*A\*x^2\*b+1/2\*C\*x^2\*a+a\*B\*x+a\*A\*ln(x)

**Maxima [A]** time = 0.940837, size = 74, normalized size = 1.14

$$\frac{1}{6} Ccx^6 + \frac{1}{5} Bcx^5 + \frac{1}{3} Bbx^3 + \frac{1}{4} (Cb + Ac)x^4 + Bax + \frac{1}{2} (Ca + Ab)x^2 + Aa \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x,x, algorithm="maxima")

[Out] 1/6\*C\*c\*x^6 + 1/5\*B\*c\*x^5 + 1/3\*B\*b\*x^3 + 1/4\*(C\*b + A\*c)\*x^4 + B\*a\*x + 1/2\*(C\*a + A\*b)\*x^2 + A\*a\*log(x)

**Fricas [A]** time = 1.27108, size = 143, normalized size = 2.2

$$\frac{1}{6} Ccx^6 + \frac{1}{5} Bcx^5 + \frac{1}{3} Bbx^3 + \frac{1}{4} (Cb + Ac)x^4 + Bax + \frac{1}{2} (Ca + Ab)x^2 + Aa \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(c*x^4+b*x^2+a)/x,x, algorithm="fricas")
```

```
[Out] 1/6*C*c*x^6 + 1/5*B*c*x^5 + 1/3*B*b*x^3 + 1/4*(C*b + A*c)*x^4 + B*a*x + 1/2
*(C*a + A*b)*x^2 + A*a*log(x)
```

**Sympy [A]** time = 0.449987, size = 63, normalized size = 0.97

$$Aa \log(x) + Bax + \frac{Bbx^3}{3} + \frac{Bcx^5}{5} + \frac{Ccx^6}{6} + x^4 \left( \frac{Ac}{4} + \frac{Cb}{4} \right) + x^2 \left( \frac{Ab}{2} + \frac{Ca}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(c*x**4+b*x**2+a)/x,x)
```

```
[Out] A*a*log(x) + B*a*x + B*b*x**3/3 + B*c*x**5/5 + C*c*x**6/6 + x**4*(A*c/4 + C
*b/4) + x**2*(A*b/2 + C*a/2)
```

**Giac [A]** time = 1.09484, size = 81, normalized size = 1.25

$$\frac{1}{6} Ccx^6 + \frac{1}{5} Bcx^5 + \frac{1}{4} Cbx^4 + \frac{1}{4} Acx^4 + \frac{1}{3} Bbx^3 + \frac{1}{2} Cax^2 + \frac{1}{2} Abx^2 + Bax + Aa \log(|x|)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(c*x^4+b*x^2+a)/x,x, algorithm="giac")
```

```
[Out] 1/6*C*c*x^6 + 1/5*B*c*x^5 + 1/4*C*b*x^4 + 1/4*A*c*x^4 + 1/3*B*b*x^3 + 1/2*C
*a*x^2 + 1/2*A*b*x^2 + B*a*x + A*a*log(abs(x))
```

$$3.5 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^2} dx$$

**Optimal.** Leaf size=63

$$x(aC + Ab) - \frac{aA}{x} + aB \log(x) + \frac{1}{3}x^3(Ac + bC) + \frac{1}{2}bBx^2 + \frac{1}{4}Bcx^4 + \frac{1}{5}cCx^5$$

[Out]  $-\frac{(aA)}{x} + (A*b + a*C)*x + (b*B*x^2)/2 + ((A*c + b*C)*x^3)/3 + (B*c*x^4)/4 + (c*C*x^5)/5 + a*B*\text{Log}[x]$

**Rubi [A]** time = 0.0505412, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$x(aC + Ab) - \frac{aA}{x} + aB \log(x) + \frac{1}{3}x^3(Ac + bC) + \frac{1}{2}bBx^2 + \frac{1}{4}Bcx^4 + \frac{1}{5}cCx^5$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)/x^2, x]$

[Out]  $-\frac{(aA)}{x} + (A*b + a*C)*x + (b*B*x^2)/2 + ((A*c + b*C)*x^3)/3 + (B*c*x^4)/4 + (c*C*x^5)/5 + a*B*\text{Log}[x]$

**Rule 1628**

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

**Rubi steps**

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^2} dx &= \int \left( Ab \left( 1 + \frac{aC}{Ab} \right) + \frac{aA}{x^2} + \frac{aB}{x} + bBx + (Ac + bC)x^2 + Bcx^3 + cCx^4 \right) dx \\ &= -\frac{aA}{x} + (Ab + aC)x + \frac{1}{2}bBx^2 + \frac{1}{3}(Ac + bC)x^3 + \frac{1}{4}Bcx^4 + \frac{1}{5}cCx^5 + aB \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.0230996, size = 63, normalized size = 1.

$$x(aC + Ab) - \frac{aA}{x} + aB \log(x) + \frac{1}{3}x^3(Ac + bC) + \frac{1}{2}bBx^2 + \frac{1}{4}Bcx^4 + \frac{1}{5}cCx^5$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^2,x]

[Out] -((a\*A)/x) + (A\*b + a\*C)\*x + (b\*B\*x^2)/2 + ((A\*c + b\*C)\*x^3)/3 + (B\*c\*x^4)/4 + (c\*C\*x^5)/5 + a\*B\*Log[x]

**Maple [A]** time = 0.007, size = 57, normalized size = 0.9

$$\frac{cCx^5}{5} + \frac{Bcx^4}{4} + \frac{Ax^3c}{3} + \frac{Cx^3b}{3} + \frac{bBx^2}{2} + Abx + aCx - \frac{Aa}{x} + aB \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^2,x)

[Out] 1/5\*c\*C\*x^5+1/4\*B\*c\*x^4+1/3\*A\*x^3\*c+1/3\*C\*x^3\*b+1/2\*b\*B\*x^2+A\*b\*x+a\*C\*x-a\*A/x+a\*B\*ln(x)

**Maxima [A]** time = 0.965118, size = 74, normalized size = 1.17

$$\frac{1}{5} Ccx^5 + \frac{1}{4} Bcx^4 + \frac{1}{2} Bbx^2 + \frac{1}{3} (Cb + Ac)x^3 + Ba \log(x) + (Ca + Ab)x - \frac{Aa}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^2,x, algorithm="maxima")

[Out] 1/5\*C\*c\*x^5 + 1/4\*B\*c\*x^4 + 1/2\*B\*b\*x^2 + 1/3\*(C\*b + A\*c)\*x^3 + B\*a\*log(x) + (C\*a + A\*b)\*x - A\*a/x

**Fricas [A]** time = 1.28934, size = 157, normalized size = 2.49

$$\frac{12 Ccx^6 + 15 Bcx^5 + 30 Bbx^3 + 20 (Cb + Ac)x^4 + 60 Bax \log(x) + 60 (Ca + Ab)x^2 - 60 Aa}{60x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^2,x, algorithm="fricas")

[Out] 1/60\*(12\*C\*c\*x^6 + 15\*B\*c\*x^5 + 30\*B\*b\*x^3 + 20\*(C\*b + A\*c)\*x^4 + 60\*B\*a\*x\*log(x) + 60\*(C\*a + A\*b)\*x^2 - 60\*A\*a)/x

**Sympy [A]** time = 0.49202, size = 58, normalized size = 0.92

$$-\frac{Aa}{x} + Ba \log(x) + \frac{Bbx^2}{2} + \frac{Bcx^4}{4} + \frac{Ccx^5}{5} + x^3 \left( \frac{Ac}{3} + \frac{Cb}{3} \right) + x(Ab + Ca)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)/x\*\*2,x)

[Out] -A\*a/x + B\*a\*log(x) + B\*b\*x\*\*2/2 + B\*c\*x\*\*4/4 + C\*c\*x\*\*5/5 + x\*\*3\*(A\*c/3 + C\*b/3) + x\*(A\*b + C\*a)

**Giac [A]** time = 1.09517, size = 77, normalized size = 1.22

$$\frac{1}{5} Ccx^5 + \frac{1}{4} Bcx^4 + \frac{1}{3} Cbx^3 + \frac{1}{3} Acx^3 + \frac{1}{2} Bbx^2 + Cax + Abx + Ba \log(|x|) - \frac{Aa}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^2,x, algorithm="giac")

[Out] 1/5\*C\*c\*x^5 + 1/4\*B\*c\*x^4 + 1/3\*C\*b\*x^3 + 1/3\*A\*c\*x^3 + 1/2\*B\*b\*x^2 + C\*a\*x + A\*b\*x + B\*a\*log(abs(x)) - A\*a/x



$$3.6 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^3} dx$$

**Optimal.** Leaf size=63

$$\log(x)(aC + Ab) - \frac{aA}{2x^2} - \frac{aB}{x} + \frac{1}{2}x^2(Ac + bC) + bBx + \frac{1}{3}Bcx^3 + \frac{1}{4}cCx^4$$

[Out]  $-(a*A)/(2*x^2) - (a*B)/x + b*B*x + ((A*c + b*C)*x^2)/2 + (B*c*x^3)/3 + (c*C*x^4)/4 + (A*b + a*C)*\text{Log}[x]$

**Rubi [A]** time = 0.048346, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$\log(x)(aC + Ab) - \frac{aA}{2x^2} - \frac{aB}{x} + \frac{1}{2}x^2(Ac + bC) + bBx + \frac{1}{3}Bcx^3 + \frac{1}{4}cCx^4$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)/x^3, x]$

[Out]  $-(a*A)/(2*x^2) - (a*B)/x + b*B*x + ((A*c + b*C)*x^2)/2 + (B*c*x^3)/3 + (c*C*x^4)/4 + (A*b + a*C)*\text{Log}[x]$

### Rule 1628

$\text{Int}[(Pq_*)*((d_*) + (e_*)(x_*)^m)*((a_*) + (b_*)(x_*) + (c_*)(x_*)^2)^p, x]$   
 $\text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, m\}, x \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{IGtQ}[p, -2]$

### Rubi steps

$$\int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^3} dx = \int \left( bB + \frac{aA}{x^3} + \frac{aB}{x^2} + \frac{Ab + aC}{x} + (Ac + bC)x + Bcx^2 + cCx^3 \right) dx$$

$$= -\frac{aA}{2x^2} - \frac{aB}{x} + bBx + \frac{1}{2}(Ac + bC)x^2 + \frac{1}{3}Bcx^3 + \frac{1}{4}cCx^4 + (Ab + aC)\log(x)$$

**Mathematica [A]** time = 0.0398518, size = 58, normalized size = 0.92

$$\log(x)(aC + Ab) - \frac{a(A + 2Bx)}{2x^2} + \frac{1}{12}x(cx(6A + 4Bx + 3Cx^2) + 6b(2B + Cx))$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^3,x]

[Out]  $-(a*(A + 2*B*x))/(2*x^2) + (x*(6*b*(2*B + C*x) + c*x*(6*A + 4*B*x + 3*C*x^2)))/12 + (A*b + a*C)*\text{Log}[x]$

**Maple [A]** time = 0.006, size = 58, normalized size = 0.9

$$\frac{cCx^4}{4} + \frac{Bcx^3}{3} + \frac{Ax^2c}{2} + \frac{Cx^2b}{2} + bBx - \frac{Ba}{x} - \frac{Aa}{2x^2} + A \ln(x)b + C \ln(x)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^3,x)

[Out]  $1/4*c*C*x^4 + 1/3*B*c*x^3 + 1/2*A*x^2*c + 1/2*C*x^2*b + b*B*x - a*B/x - 1/2*a*A/x^2 + A*\ln(x)*b + C*\ln(x)*a$

**Maxima [A]** time = 0.945481, size = 74, normalized size = 1.17

$$\frac{1}{4} Ccx^4 + \frac{1}{3} Bcx^3 + Bbx + \frac{1}{2} (Cb + Ac)x^2 + (Ca + Ab) \log(x) - \frac{2Bax + Aa}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^3,x, algorithm="maxima")

[Out]  $1/4*C*c*x^4 + 1/3*B*c*x^3 + B*b*x + 1/2*(C*b + A*c)*x^2 + (C*a + A*b)*\log(x) - 1/2*(2*B*a*x + A*a)/x^2$

**Fricas [A]** time = 1.21064, size = 154, normalized size = 2.44

$$\frac{3 Ccx^6 + 4 Bcx^5 + 12 Bbx^3 + 6 (Cb + Ac)x^4 + 12 (Ca + Ab)x^2 \log(x) - 12 Bax - 6 Aa}{12 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(c*x^4+b*x^2+a)/x^3,x, algorithm="fricas")
```

```
[Out] 1/12*(3*C*c*x^6 + 4*B*c*x^5 + 12*B*b*x^3 + 6*(C*b + A*c)*x^4 + 12*(C*a + A*
b)*x^2*log(x) - 12*B*a*x - 6*A*a)/x^2
```

**Sympy [A]** time = 0.670233, size = 60, normalized size = 0.95

$$Bbx + \frac{Bcx^3}{3} + \frac{Ccx^4}{4} + x^2 \left( \frac{Ac}{2} + \frac{Cb}{2} \right) + (Ab + Ca) \log(x) - \frac{Aa + 2Bax}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)*(c*x**4+b*x**2+a)/x**3,x)
```

```
[Out] B*b*x + B*c*x**3/3 + C*c*x**4/4 + x**2*(A*c/2 + C*b/2) + (A*b + C*a)*log(x)
- (A*a + 2*B*a*x)/(2*x**2)
```

**Giac [A]** time = 1.08334, size = 78, normalized size = 1.24

$$\frac{1}{4} Ccx^4 + \frac{1}{3} Bcx^3 + \frac{1}{2} Cbx^2 + \frac{1}{2} Acx^2 + Bbx + (Ca + Ab) \log(|x|) - \frac{2Bax + Aa}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(c*x^4+b*x^2+a)/x^3,x, algorithm="giac")
```

```
[Out] 1/4*C*c*x^4 + 1/3*B*c*x^3 + 1/2*C*b*x^2 + 1/2*A*c*x^2 + B*b*x + (C*a + A*b)
*log(abs(x)) - 1/2*(2*B*a*x + A*a)/x^2
```

$$3.7 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^4} dx$$

**Optimal.** Leaf size=63

$$-\frac{aC + Ab}{x} - \frac{aA}{3x^3} - \frac{aB}{2x^2} + x(Ac + bC) + bB \log(x) + \frac{1}{2}Bcx^2 + \frac{1}{3}cCx^3$$

[Out]  $-(a*A)/(3*x^3) - (a*B)/(2*x^2) - (A*b + a*C)/x + (A*c + b*C)*x + (B*c*x^2)/2 + (c*C*x^3)/3 + b*B*Log[x]$

**Rubi [A]** time = 0.0509742, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$-\frac{aC + Ab}{x} - \frac{aA}{3x^3} - \frac{aB}{2x^2} + x(Ac + bC) + bB \log(x) + \frac{1}{2}Bcx^2 + \frac{1}{3}cCx^3$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)/x^4, x]$

[Out]  $-(a*A)/(3*x^3) - (a*B)/(2*x^2) - (A*b + a*C)/x + (A*c + b*C)*x + (B*c*x^2)/2 + (c*C*x^3)/3 + b*B*Log[x]$

**Rule 1628**

$\text{Int}[(Pq_*)((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(p_.), x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^(m)*Pq*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

**Rubi steps**

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^4} dx &= \int \left( Ac \left( 1 + \frac{bC}{Ac} \right) + \frac{aA}{x^4} + \frac{aB}{x^3} + \frac{Ab + aC}{x^2} + \frac{bB}{x} + Bcx + cCx^2 \right) dx \\ &= -\frac{aA}{3x^3} - \frac{aB}{2x^2} - \frac{Ab + aC}{x} + (Ac + bC)x + \frac{1}{2}Bcx^2 + \frac{1}{3}cCx^3 + bB \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.0466659, size = 60, normalized size = 0.95

$$-\frac{a(2A + 3x(B + 2Cx))}{6x^3} - \frac{Ab}{x} + Acx + bB \log(x) + bCx + \frac{1}{2}Bcx^2 + \frac{1}{3}cCx^3$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^4,x]

[Out] -((A\*b)/x) + A\*c\*x + b\*C\*x + (B\*c\*x^2)/2 + (c\*C\*x^3)/3 - (a\*(2\*A + 3\*x\*(B + 2\*C\*x)))/(6\*x^3) + b\*B\*Log[x]

**Maple [A]** time = 0.006, size = 57, normalized size = 0.9

$$\frac{cCx^3}{3} + \frac{Bcx^2}{2} + Acx + bCx - \frac{Ab}{x} - \frac{aC}{x} - \frac{Ba}{2x^2} - \frac{Aa}{3x^3} + bB \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^4,x)

[Out] 1/3\*c\*C\*x^3+1/2\*B\*c\*x^2+A\*c\*x+b\*C\*x-1/x\*A\*b-1/x\*a\*C-1/2\*a\*B/x^2-1/3\*a\*A/x^3+b\*B\*ln(x)

**Maxima [A]** time = 0.959429, size = 76, normalized size = 1.21

$$\frac{1}{3} Ccx^3 + \frac{1}{2} Bcx^2 + Bb \log(x) + (Cb + Ac)x - \frac{3Bax + 6(Ca + Ab)x^2 + 2Aa}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^4,x, algorithm="maxima")

[Out] 1/3\*C\*c\*x^3 + 1/2\*B\*c\*x^2 + B\*b\*log(x) + (C\*b + A\*c)\*x - 1/6\*(3\*B\*a\*x + 6\*(C\*a + A\*b)\*x^2 + 2\*A\*a)/x^3

**Fricas [A]** time = 1.26255, size = 149, normalized size = 2.37

$$\frac{2 Ccx^6 + 3 Bcx^5 + 6 Bbx^3 \log(x) + 6 (Cb + Ac)x^4 - 3 Bax - 6 (Ca + Ab)x^2 - 2 Aa}{6 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^4,x, algorithm="fricas")

[Out] 1/6\*(2\*C\*c\*x^6 + 3\*B\*c\*x^5 + 6\*B\*b\*x^3\*log(x) + 6\*(C\*b + A\*c)\*x^4 - 3\*B\*a\*x - 6\*(C\*a + A\*b)\*x^2 - 2\*A\*a)/x^3

**Sympy [A]** time = 1.01312, size = 61, normalized size = 0.97

$$Bb \log(x) + \frac{Bcx^2}{2} + \frac{Ccx^3}{3} + x(Ac + Cb) - \frac{2Aa + 3Bax + x^2(6Ab + 6Ca)}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)/x\*\*4,x)

[Out] B\*b\*log(x) + B\*c\*x\*\*2/2 + C\*c\*x\*\*3/3 + x\*(A\*c + C\*b) - (2\*A\*a + 3\*B\*a\*x + x\*\*2\*(6\*A\*b + 6\*C\*a))/(6\*x\*\*3)

**Giac [A]** time = 1.10642, size = 76, normalized size = 1.21

$$\frac{1}{3} Ccx^3 + \frac{1}{2} Bcx^2 + Cbx + Acx + Bb \log(|x|) - \frac{3Bax + 6(Ca + Ab)x^2 + 2Aa}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^4,x, algorithm="giac")

[Out] 1/3\*C\*c\*x^3 + 1/2\*B\*c\*x^2 + C\*b\*x + A\*c\*x + B\*b\*log(abs(x)) - 1/6\*(3\*B\*a\*x + 6\*(C\*a + A\*b)\*x^2 + 2\*A\*a)/x^3

$$3.8 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^5} dx$$

**Optimal.** Leaf size=63

$$-\frac{aC + Ab}{2x^2} - \frac{aA}{4x^4} - \frac{aB}{3x^3} + \log(x)(Ac + bC) - \frac{bB}{x} + Bcx + \frac{1}{2}cCx^2$$

[Out]  $-(a*A)/(4*x^4) - (a*B)/(3*x^3) - (A*b + a*C)/(2*x^2) - (b*B)/x + B*c*x + (c*C*x^2)/2 + (A*c + b*C)*\text{Log}[x]$

**Rubi [A]** time = 0.0510479, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$-\frac{aC + Ab}{2x^2} - \frac{aA}{4x^4} - \frac{aB}{3x^3} + \log(x)(Ac + bC) - \frac{bB}{x} + Bcx + \frac{1}{2}cCx^2$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)}{x^5}, x]$

[Out]  $-(a*A)/(4*x^4) - (a*B)/(3*x^3) - (A*b + a*C)/(2*x^2) - (b*B)/x + B*c*x + (c*C*x^2)/2 + (A*c + b*C)*\text{Log}[x]$

### Rule 1628

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_)) + (c_.)*(x_)^2]^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^5} dx &= \int \left( Bc + \frac{aA}{x^5} + \frac{aB}{x^4} + \frac{Ab + aC}{x^3} + \frac{bB}{x^2} + \frac{Ac + bC}{x} + cCx \right) dx \\ &= -\frac{aA}{4x^4} - \frac{aB}{3x^3} - \frac{Ab + aC}{2x^2} - \frac{bB}{x} + Bcx + \frac{1}{2}cCx^2 + (Ac + bC)\log(x) \end{aligned}$$

**Mathematica [A]** time = 0.0296124, size = 62, normalized size = 0.98

$$-\frac{a(3A + 4Bx + 6Cx^2)}{12x^4} + \frac{-Ab - 2bBx + cx^3(2B + Cx)}{2x^2} + \log(x)(Ac + bC)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^5,x]

[Out] -(a\*(3\*A + 4\*B\*x + 6\*C\*x^2))/(12\*x^4) + (-(A\*b) - 2\*b\*B\*x + c\*x^3\*(2\*B + C\*x))/(2\*x^2) + (A\*c + b\*C)\*Log[x]

**Maple [A]** time = 0.007, size = 58, normalized size = 0.9

$$\frac{cCx^2}{2} + Bcx - \frac{Bb}{x} - \frac{Aa}{4x^4} - \frac{Ab}{2x^2} - \frac{aC}{2x^2} - \frac{Ba}{3x^3} + A \ln(x)c + C \ln(x)b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^5,x)

[Out] 1/2\*c\*C\*x^2+B\*c\*x-b\*B/x-1/4\*a\*A/x^4-1/2/x^2\*A\*b-1/2/x^2\*a\*C-1/3\*a\*B/x^3+A\*ln(x)\*c+C\*ln(x)\*b

**Maxima [A]** time = 0.969201, size = 76, normalized size = 1.21

$$\frac{1}{2} Ccx^2 + Bcx + (Cb + Ac) \log(x) - \frac{12 Bbx^3 + 4 Bax + 6 (Ca + Ab)x^2 + 3 Aa}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^5,x, algorithm="maxima")

[Out] 1/2\*C\*c\*x^2 + B\*c\*x + (C\*b + A\*c)\*log(x) - 1/12\*(12\*B\*b\*x^3 + 4\*B\*a\*x + 6\*(C\*a + A\*b)\*x^2 + 3\*A\*a)/x^4

**Fricas [A]** time = 1.29137, size = 154, normalized size = 2.44

$$\frac{6 Ccx^6 + 12 Bcx^5 + 12 (Cb + Ac)x^4 \log(x) - 12 Bbx^3 - 4 Bax - 6 (Ca + Ab)x^2 - 3 Aa}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^5,x, algorithm="fricas")

[Out] 1/12\*(6\*C\*c\*x^6 + 12\*B\*c\*x^5 + 12\*(C\*b + A\*c)\*x^4\*log(x) - 12\*B\*b\*x^3 - 4\*B\*a\*x - 6\*(C\*a + A\*b)\*x^2 - 3\*A\*a)/x^4

**Sympy [A]** time = 2.98161, size = 61, normalized size = 0.97

$$Bcx + \frac{Ccx^2}{2} + (Ac + Cb)\log(x) - \frac{3Aa + 4Bax + 12Bbx^3 + x^2(6Ab + 6Ca)}{12x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)/x\*\*5,x)

[Out] B\*c\*x + C\*c\*x\*\*2/2 + (A\*c + C\*b)\*log(x) - (3\*A\*a + 4\*B\*a\*x + 12\*B\*b\*x\*\*3 + x\*\*2\*(6\*A\*b + 6\*C\*a))/(12\*x\*\*4)

**Giac [A]** time = 1.09652, size = 77, normalized size = 1.22

$$\frac{1}{2} Ccx^2 + Bcx + (Cb + Ac)\log(|x|) - \frac{12 Bbx^3 + 4 Bax + 6 (Ca + Ab)x^2 + 3 Aa}{12 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^5,x, algorithm="giac")

[Out] 1/2\*C\*c\*x^2 + B\*c\*x + (C\*b + A\*c)\*log(abs(x)) - 1/12\*(12\*B\*b\*x^3 + 4\*B\*a\*x + 6\*(C\*a + A\*b)\*x^2 + 3\*A\*a)/x^4

$$3.9 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^6} dx$$

**Optimal.** Leaf size=63

$$-\frac{aC + Ab}{3x^3} - \frac{aA}{5x^5} - \frac{aB}{4x^4} - \frac{Ac + bC}{x} - \frac{bB}{2x^2} + Bc \log(x) + cCx$$

[Out]  $-(a*A)/(5*x^5) - (a*B)/(4*x^4) - (A*b + a*C)/(3*x^3) - (b*B)/(2*x^2) - (A*c + b*C)/x + c*C*x + B*c*\text{Log}[x]$

**Rubi [A]** time = 0.0516926, antiderivative size = 63, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$-\frac{aC + Ab}{3x^3} - \frac{aA}{5x^5} - \frac{aB}{4x^4} - \frac{Ac + bC}{x} - \frac{bB}{2x^2} + Bc \log(x) + cCx$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)/x^6, x]$

[Out]  $-(a*A)/(5*x^5) - (a*B)/(4*x^4) - (A*b + a*C)/(3*x^3) - (b*B)/(2*x^2) - (A*c + b*C)/x + c*C*x + B*c*\text{Log}[x]$

### Rule 1628

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^6} dx &= \int \left( cC + \frac{aA}{x^6} + \frac{aB}{x^5} + \frac{Ab + aC}{x^4} + \frac{bB}{x^3} + \frac{Ac + bC}{x^2} + \frac{Bc}{x} \right) dx \\ &= -\frac{aA}{5x^5} - \frac{aB}{4x^4} - \frac{Ab + aC}{3x^3} - \frac{bB}{2x^2} - \frac{Ac + bC}{x} + cCx + Bc \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.0584929, size = 63, normalized size = 1.

$$Bc \log(x) - \frac{12aA + 5ax(3B + 4Cx) + 20Ax^2(b + 3cx^2) + 30bx^3(B + 2Cx) - 60cCx^6}{60x^5}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^6,x]

[Out]  $-(12*a*A - 60*c*C*x^6 + 30*b*x^3*(B + 2*C*x) + 5*a*x*(3*B + 4*C*x) + 20*A*x^2*(b + 3*c*x^2))/(60*x^5) + B*c*\text{Log}[x]$

**Maple [A]** time = 0.007, size = 60, normalized size = 1.

$$cCx - \frac{Ac}{x} - \frac{bC}{x} - \frac{Bb}{2x^2} - \frac{Aa}{5x^5} - \frac{Ba}{4x^4} - \frac{Ab}{3x^3} - \frac{aC}{3x^3} + Bc \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^6,x)

[Out]  $cCx - 1/x * A * c - 1/x * b * C - 1/2 * b * B / x^2 - 1/5 * a * A / x^5 - 1/4 * a * B / x^4 - 1/3 * x^3 * A * b - 1/3 * x^3 * a * C + B * c * \ln(x)$

**Maxima [A]** time = 0.952459, size = 76, normalized size = 1.21

$$Ccx + Bc \log(x) - \frac{30 Bbx^3 + 60 (Cb + Ac)x^4 + 15 Bax + 20 (Ca + Ab)x^2 + 12 Aa}{60 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^6,x, algorithm="maxima")

[Out]  $C*c*x + B*c*\log(x) - 1/60*(30*B*b*x^3 + 60*(C*b + A*c)*x^4 + 15*B*a*x + 20*(C*a + A*b)*x^2 + 12*A*a)/x^5$

**Fricas [A]** time = 1.20798, size = 159, normalized size = 2.52

$$\frac{60 Ccx^6 + 60 Bcx^5 \log(x) - 30 Bbx^3 - 60 (Cb + Ac)x^4 - 15 Bax - 20 (Ca + Ab)x^2 - 12 Aa}{60 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^6,x, algorithm="fricas")

[Out] 1/60\*(60\*C\*c\*x^6 + 60\*B\*c\*x^5\*log(x) - 30\*B\*b\*x^3 - 60\*(C\*b + A\*c)\*x^4 - 15\*B\*a\*x - 20\*(C\*a + A\*b)\*x^2 - 12\*A\*a)/x^5

**Sympy [A]** time = 8.34503, size = 63, normalized size = 1.

$$Bc \log(x) + Ccx - \frac{12Aa + 15Bax + 30Bbx^3 + x^4(60Ac + 60Cb) + x^2(20Ab + 20Ca)}{60x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)/x\*\*6,x)

[Out] B\*c\*log(x) + C\*c\*x - (12\*A\*a + 15\*B\*a\*x + 30\*B\*b\*x\*\*3 + x\*\*4\*(60\*A\*c + 60\*C\*b) + x\*\*2\*(20\*A\*b + 20\*C\*a))/(60\*x\*\*5)

**Giac [A]** time = 1.09146, size = 77, normalized size = 1.22

$$Ccx + Bc \log(|x|) - \frac{30 Bbx^3 + 60 (Cb + Ac)x^4 + 15 Bax + 20 (Ca + Ab)x^2 + 12 Aa}{60 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^6,x, algorithm="giac")

[Out] C\*c\*x + B\*c\*log(abs(x)) - 1/60\*(30\*B\*b\*x^3 + 60\*(C\*b + A\*c)\*x^4 + 15\*B\*a\*x + 20\*(C\*a + A\*b)\*x^2 + 12\*A\*a)/x^5

$$3.10 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)}{x^7} dx$$

**Optimal.** Leaf size=68

$$-\frac{aC + Ab}{4x^4} - \frac{aA}{6x^6} - \frac{aB}{5x^5} - \frac{Ac + bC}{2x^2} - \frac{bB}{3x^3} - \frac{Bc}{x} + cC \log(x)$$

[Out]  $-(a*A)/(6*x^6) - (a*B)/(5*x^5) - (A*b + a*C)/(4*x^4) - (b*B)/(3*x^3) - (A*c + b*C)/(2*x^2) - (B*c)/x + c*C*Log[x]$

**Rubi [A]** time = 0.0482934, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$-\frac{aC + Ab}{4x^4} - \frac{aA}{6x^6} - \frac{aB}{5x^5} - \frac{Ac + bC}{2x^2} - \frac{bB}{3x^3} - \frac{Bc}{x} + cC \log(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)/x^7, x]$

[Out]  $-(a*A)/(6*x^6) - (a*B)/(5*x^5) - (A*b + a*C)/(4*x^4) - (b*B)/(3*x^3) - (A*c + b*C)/(2*x^2) - (B*c)/x + c*C*Log[x]$

### Rule 1628

$\text{Int}[(Pq_*)*((d_*) + (e_*)*(x_*)^{(m_*)})*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{(p_*)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)}{x^7} dx &= \int \left( \frac{aA}{x^7} + \frac{aB}{x^6} + \frac{Ab + aC}{x^5} + \frac{bB}{x^4} + \frac{Ac + bC}{x^3} + \frac{Bc}{x^2} + \frac{cC}{x} \right) dx \\ &= -\frac{aA}{6x^6} - \frac{aB}{5x^5} - \frac{Ab + aC}{4x^4} - \frac{bB}{3x^3} - \frac{Ac + bC}{2x^2} - \frac{Bc}{x} + cC \log(x) \end{aligned}$$

**Mathematica [A]** time = 0.0475365, size = 68, normalized size = 1.

$$cC \log(x) - \frac{a(10A + 3x(4B + 5Cx)) + 5x^2(3A(b + 2cx^2) + 2x(2bB + 3bCx + 6Bcx^2))}{60x^6}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4))/x^7, x]

[Out] -(a\*(10\*A + 3\*x\*(4\*B + 5\*C\*x)) + 5\*x^2\*(3\*A\*(b + 2\*c\*x^2) + 2\*x\*(2\*b\*B + 3\*b\*C\*x + 6\*B\*c\*x^2)))/(60\*x^6) + c\*C\*Log[x]

**Maple [A]** time = 0.006, size = 63, normalized size = 0.9

$$-\frac{Bc}{x} - \frac{Ac}{2x^2} - \frac{bC}{2x^2} - \frac{Ba}{5x^5} - \frac{Ab}{4x^4} - \frac{aC}{4x^4} - \frac{Aa}{6x^6} - \frac{Bb}{3x^3} + cC \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^7, x)

[Out] -B\*c/x-1/2/x^2\*A\*c-1/2/x^2\*b\*C-1/5\*a\*B/x^5-1/4/x^4\*A\*b-1/4/x^4\*a\*C-1/6\*a\*A/x^6-1/3\*b\*B/x^3+c\*C\*ln(x)

**Maxima [A]** time = 0.967971, size = 80, normalized size = 1.18

$$Cc \log(x) - \frac{60 Bcx^5 + 20 Bbx^3 + 30 (Cb + Ac)x^4 + 12 Bax + 15 (Ca + Ab)x^2 + 10 Aa}{60 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^7, x, algorithm="maxima")

[Out] C\*c\*log(x) - 1/60\*(60\*B\*c\*x^5 + 20\*B\*b\*x^3 + 30\*(C\*b + A\*c)\*x^4 + 12\*B\*a\*x + 15\*(C\*a + A\*b)\*x^2 + 10\*A\*a)/x^6

**Fricas [A]** time = 1.27163, size = 159, normalized size = 2.34

$$\frac{60 Ccx^6 \log(x) - 60 Bcx^5 - 20 Bbx^3 - 30 (Cb + Ac)x^4 - 12 Bax - 15 (Ca + Ab)x^2 - 10 Aa}{60 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^7,x, algorithm="fricas")

[Out] 1/60\*(60\*C\*c\*x^6\*log(x) - 60\*B\*c\*x^5 - 20\*B\*b\*x^3 - 30\*(C\*b + A\*c)\*x^4 - 12\*B\*a\*x - 15\*(C\*a + A\*b)\*x^2 - 10\*A\*a)/x^6

**Sympy [A]** time = 16.138, size = 66, normalized size = 0.97

$$C c \log(x) - \frac{10 A a + 12 B a x + 20 B b x^3 + 60 B c x^5 + x^4 (30 A c + 30 C b) + x^2 (15 A b + 15 C a)}{60 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)/x\*\*7,x)

[Out] C\*c\*log(x) - (10\*A\*a + 12\*B\*a\*x + 20\*B\*b\*x\*\*3 + 60\*B\*c\*x\*\*5 + x\*\*4\*(30\*A\*c + 30\*C\*b) + x\*\*2\*(15\*A\*b + 15\*C\*a))/(60\*x\*\*6)

**Giac [A]** time = 1.09615, size = 81, normalized size = 1.19

$$C c \log(|x|) - \frac{60 B c x^5 + 20 B b x^3 + 30 (C b + A c) x^4 + 12 B a x + 15 (C a + A b) x^2 + 10 A a}{60 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)/x^7,x, algorithm="giac")

[Out] C\*c\*log(abs(x)) - 1/60\*(60\*B\*c\*x^5 + 20\*B\*b\*x^3 + 30\*(C\*b + A\*c)\*x^4 + 12\*B\*a\*x + 15\*(C\*a + A\*b)\*x^2 + 10\*A\*a)/x^6

### 3.11 $\int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx$

**Optimal.** Leaf size=159

$$\frac{1}{3}a^2Ax^3 + \frac{1}{4}a^2Bx^4 + \frac{1}{9}x^9(C(2ac + b^2) + 2Abc) + \frac{1}{7}x^7(A(2ac + b^2) + 2abC) + \frac{1}{5}ax^5(aC + 2Ab) + \frac{1}{8}Bx^8(2ac + b^2) + \frac{1}{3}$$

[Out] (a^2\*A\*x^3)/3 + (a^2\*B\*x^4)/4 + (a\*(2\*A\*b + a\*C)\*x^5)/5 + (a\*b\*B\*x^6)/3 + (A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*x^7)/7 + (B\*(b^2 + 2\*a\*c)\*x^8)/8 + ((2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*x^9)/9 + (b\*B\*c\*x^10)/5 + (c\*(A\*c + 2\*b\*C)\*x^11)/11 + (B\*c^2\*x^12)/12 + (c^2\*C\*x^13)/13

**Rubi [A]** time = 0.21447, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$\frac{1}{3}a^2Ax^3 + \frac{1}{4}a^2Bx^4 + \frac{1}{9}x^9(C(2ac + b^2) + 2Abc) + \frac{1}{7}x^7(A(2ac + b^2) + 2abC) + \frac{1}{5}ax^5(aC + 2Ab) + \frac{1}{8}Bx^8(2ac + b^2) + \frac{1}{3}$$

Antiderivative was successfully verified.

[In] Int[x^2\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] (a^2\*A\*x^3)/3 + (a^2\*B\*x^4)/4 + (a\*(2\*A\*b + a\*C)\*x^5)/5 + (a\*b\*B\*x^6)/3 + (A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*x^7)/7 + (B\*(b^2 + 2\*a\*c)\*x^8)/8 + ((2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*x^9)/9 + (b\*B\*c\*x^10)/5 + (c\*(A\*c + 2\*b\*C)\*x^11)/11 + (B\*c^2\*x^12)/12 + (c^2\*C\*x^13)/13

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int x^2 (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx &= \int (a^2Ax^2 + a^2Bx^3 + a(2Ab + aC)x^4 + 2abBx^5 + (A(b^2 + 2ac) + 2abC)x^6 \\ &+ \frac{1}{3}a^2Ax^3 + \frac{1}{4}a^2Bx^4 + \frac{1}{5}a(2Ab + aC)x^5 + \frac{1}{3}abBx^6 + \frac{1}{7}(A(b^2 + 2ac) + 2abC) \end{aligned}$$



**Mathematica [A]** time = 0.0472205, size = 159, normalized size = 1.

$$\frac{1}{3}a^2Ax^3 + \frac{1}{4}a^2Bx^4 + \frac{1}{9}x^9(2acC + 2Abc + b^2C) + \frac{1}{7}x^7(2aAc + 2abC + Ab^2) + \frac{1}{5}ax^5(aC + 2Ab) + \frac{1}{8}Bx^8(2ac + b^2) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] (a^2\*A\*x^3)/3 + (a^2\*B\*x^4)/4 + (a\*(2\*A\*b + a\*C)\*x^5)/5 + (a\*b\*B\*x^6)/3 + ((A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)\*x^7)/7 + (B\*(b^2 + 2\*a\*c)\*x^8)/8 + ((2\*A\*b\*c + b^2\*C + 2\*a\*c\*C)\*x^9)/9 + (b\*B\*c\*x^10)/5 + (c\*(A\*c + 2\*b\*C)\*x^11)/11 + (B\*c^2\*x^12)/12 + (c^2\*C\*x^13)/13

**Maple [A]** time = 0.002, size = 142, normalized size = 0.9

$$\frac{c^2Cx^{13}}{13} + \frac{Bc^2x^{12}}{12} + \frac{(Ac^2 + 2Cbc)x^{11}}{11} + \frac{bBcx^{10}}{5} + \frac{(2Abc + (2ac + b^2)C)x^9}{9} + \frac{B(2ac + b^2)x^8}{8} + \frac{(A(2ac + b^2) + 2a^2c)x^7}{7} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x)

[Out] 1/13\*c^2\*C\*x^13+1/12\*B\*c^2\*x^12+1/11\*(A\*c^2+2\*C\*b\*c)\*x^11+1/5\*b\*B\*c\*x^10+1/9\*(2\*A\*b\*c+(2\*a\*c+b^2)\*C)\*x^9+1/8\*B\*(2\*a\*c+b^2)\*x^8+1/7\*(A\*(2\*a\*c+b^2)+2\*a\*b\*C)\*x^7+1/3\*a\*b\*B\*x^6+1/5\*(2\*A\*a\*b+C\*a^2)\*x^5+1/4\*a^2\*B\*x^4+1/3\*a^2\*A\*x^3

**Maxima [A]** time = 0.942833, size = 193, normalized size = 1.21

$$\frac{1}{13}Cc^2x^{13} + \frac{1}{12}Bc^2x^{12} + \frac{1}{5}Bbcx^{10} + \frac{1}{11}(2Cbc + Ac^2)x^{11} + \frac{1}{9}(Cb^2 + 2(Ca + Ab)c)x^9 + \frac{1}{3}Babx^6 + \frac{1}{8}(Bb^2 + 2Bac)x^8 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/13\*C\*c^2\*x^13 + 1/12\*B\*c^2\*x^12 + 1/5\*B\*b\*c\*x^10 + 1/11\*(2\*C\*b\*c + A\*c^2)\*x^11 + 1/9\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^9 + 1/3\*B\*a\*b\*x^6 + 1/8\*(B\*b^2 + 2\*B\*a\*c)\*x^8 + 1/7\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^7 + 1/4\*B\*a^2\*x^4 + 1/3\*A\*a^2\*x^3

$$2x^3 + 1/5*(C*a^2 + 2*A*a*b)*x^5$$

**Fricas [A]** time = 1.11294, size = 400, normalized size = 2.52

$$\frac{1}{13}x^{13}c^2C + \frac{1}{12}x^{12}c^2B + \frac{2}{11}x^{11}cbC + \frac{1}{11}x^{11}c^2A + \frac{1}{5}x^{10}cbB + \frac{1}{9}x^9b^2C + \frac{2}{9}x^9caC + \frac{2}{9}x^9cbA + \frac{1}{8}x^8b^2B + \frac{1}{4}x^8caB + \frac{2}{7}x^7ba$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 1/13\*x^13\*c^2\*C + 1/12\*x^12\*c^2\*B + 2/11\*x^11\*c\*b\*C + 1/11\*x^11\*c^2\*A + 1/5\*x^10\*c\*b\*B + 1/9\*x^9\*b^2\*C + 2/9\*x^9\*c\*a\*C + 2/9\*x^9\*c\*b\*A + 1/8\*x^8\*b^2\*B + 1/4\*x^8\*c\*a\*B + 2/7\*x^7\*b\*a\*C + 1/7\*x^7\*b^2\*A + 2/7\*x^7\*c\*a\*A + 1/3\*x^6\*b\*a\*B + 1/5\*x^5\*a^2\*C + 2/5\*x^5\*b\*a\*A + 1/4\*x^4\*a^2\*B + 1/3\*x^3\*a^2\*A

**Sympy [A]** time = 0.09443, size = 168, normalized size = 1.06

$$\frac{Aa^2x^3}{3} + \frac{Ba^2x^4}{4} + \frac{Babx^6}{3} + \frac{Bbcx^{10}}{5} + \frac{Bc^2x^{12}}{12} + \frac{Cc^2x^{13}}{13} + x^{11} \left( \frac{Ac^2}{11} + \frac{2Cbc}{11} \right) + x^9 \left( \frac{2Abc}{9} + \frac{2Cac}{9} + \frac{Cb^2}{9} \right) + x^8 \left( \frac{Bac}{4} + \frac{1}{7} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] A\*a\*\*2\*x\*\*3/3 + B\*a\*\*2\*x\*\*4/4 + B\*a\*b\*x\*\*6/3 + B\*b\*c\*x\*\*10/5 + B\*c\*\*2\*x\*\*12/12 + C\*c\*\*2\*x\*\*13/13 + x\*\*11\*(A\*c\*\*2/11 + 2\*C\*b\*c/11) + x\*\*9\*(2\*A\*b\*c/9 + 2\*C\*a\*c/9 + C\*b\*\*2/9) + x\*\*8\*(B\*a\*c/4 + B\*b\*\*2/8) + x\*\*7\*(2\*A\*a\*c/7 + A\*b\*\*2/7 + 2\*C\*a\*b/7) + x\*\*5\*(2\*A\*a\*b/5 + C\*a\*\*2/5)

**Giac [A]** time = 1.11528, size = 208, normalized size = 1.31

$$\frac{1}{13}Cc^2x^{13} + \frac{1}{12}Bc^2x^{12} + \frac{2}{11}Cbcx^{11} + \frac{1}{11}Ac^2x^{11} + \frac{1}{5}Bbcx^{10} + \frac{1}{9}Cb^2x^9 + \frac{2}{9}Cacx^9 + \frac{2}{9}Abcx^9 + \frac{1}{8}Bb^2x^8 + \frac{1}{4}Bacx^8 + \frac{2}{7}x^7$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out]  $\frac{1}{13}C^2x^{13} + \frac{1}{12}B^2c^2x^{12} + \frac{2}{11}C^2b^2c^2x^{11} + \frac{1}{11}A^2c^2x^{11} + \frac{1}{5}$   
 $\frac{1}{5}B^2b^2c^2x^{10} + \frac{1}{9}C^2b^2x^9 + \frac{2}{9}C^2a^2c^2x^9 + \frac{2}{9}A^2b^2c^2x^9 + \frac{1}{8}B^2b^2x^8$   
 $+ \frac{1}{4}B^2a^2c^2x^8 + \frac{2}{7}C^2a^2b^2x^7 + \frac{1}{7}A^2b^2x^7 + \frac{2}{7}A^2a^2c^2x^7 + \frac{1}{3}B^2a^2$   
 $b^2x^6 + \frac{1}{5}C^2a^2x^5 + \frac{2}{5}A^2a^2b^2x^5 + \frac{1}{4}B^2a^2x^4 + \frac{1}{3}A^2a^2x^3$

### 3.12 $\int x(A + Bx + Cx^2)(a + bx^2 + cx^4)^2 dx$

**Optimal.** Leaf size=159

$$\frac{1}{2}a^2Ax^2 + \frac{1}{3}a^2Bx^3 + \frac{1}{8}x^8(C(2ac + b^2) + 2Abc) + \frac{1}{6}x^6(A(2ac + b^2) + 2abC) + \frac{1}{4}ax^4(aC + 2Ab) + \frac{1}{7}Bx^7(2ac + b^2) + \frac{1}{11}Bc^2x^{11} + \frac{1}{12}c^2Cx^{12}$$

[Out] (a^2\*A\*x^2)/2 + (a^2\*B\*x^3)/3 + (a\*(2\*A\*b + a\*C)\*x^4)/4 + (2\*a\*b\*B\*x^5)/5 + ((A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*x^6)/6 + (B\*(b^2 + 2\*a\*c)\*x^7)/7 + ((2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*x^8)/8 + (2\*b\*B\*c\*x^9)/9 + (c\*(A\*c + 2\*b\*C)\*x^10)/10 + (B\*c^2\*x^11)/11 + (c^2\*C\*x^12)/12

**Rubi [A]** time = 0.143461, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {1628}

$$\frac{1}{2}a^2Ax^2 + \frac{1}{3}a^2Bx^3 + \frac{1}{8}x^8(C(2ac + b^2) + 2Abc) + \frac{1}{6}x^6(A(2ac + b^2) + 2abC) + \frac{1}{4}ax^4(aC + 2Ab) + \frac{1}{7}Bx^7(2ac + b^2) + \frac{1}{11}Bc^2x^{11} + \frac{1}{12}c^2Cx^{12}$$

Antiderivative was successfully verified.

[In] Int[x\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] (a^2\*A\*x^2)/2 + (a^2\*B\*x^3)/3 + (a\*(2\*A\*b + a\*C)\*x^4)/4 + (2\*a\*b\*B\*x^5)/5 + ((A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*x^6)/6 + (B\*(b^2 + 2\*a\*c)\*x^7)/7 + ((2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*x^8)/8 + (2\*b\*B\*c\*x^9)/9 + (c\*(A\*c + 2\*b\*C)\*x^10)/10 + (B\*c^2\*x^11)/11 + (c^2\*C\*x^12)/12

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int x(A + Bx + Cx^2)(a + bx^2 + cx^4)^2 dx &= \int (a^2Ax + a^2Bx^2 + a(2Ab + aC)x^3 + 2abBx^4 + (A(b^2 + 2ac) + 2abC)x^5 + \\ &= \frac{1}{2}a^2Ax^2 + \frac{1}{3}a^2Bx^3 + \frac{1}{4}a(2Ab + aC)x^4 + \frac{2}{5}abBx^5 + \frac{1}{6}(A(b^2 + 2ac) + 2abC)x^6 \end{aligned}$$

**Mathematica [A]** time = 0.035737, size = 159, normalized size = 1.

$$\frac{1}{2}a^2Ax^2 + \frac{1}{3}a^2Bx^3 + \frac{1}{8}x^8(2acC + 2Abc + b^2C) + \frac{1}{6}x^6(2aAc + 2abC + Ab^2) + \frac{1}{4}ax^4(aC + 2Ab) + \frac{1}{7}Bx^7(2ac + b^2) + \dots$$

Antiderivative was successfully verified.

[In] Integrate[x\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] (a^2\*A\*x^2)/2 + (a^2\*B\*x^3)/3 + (a\*(2\*A\*b + a\*C)\*x^4)/4 + (2\*a\*b\*B\*x^5)/5 + ((A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)\*x^6)/6 + (B\*(b^2 + 2\*a\*c)\*x^7)/7 + ((2\*A\*b\*c + b^2\*C + 2\*a\*c\*C)\*x^8)/8 + (2\*b\*B\*c\*x^9)/9 + (c\*(A\*c + 2\*b\*C)\*x^10)/10 + (B\*c^2\*x^11)/11 + (c^2\*C\*x^12)/12

**Maple [A]** time = 0.001, size = 142, normalized size = 0.9

$$\frac{c^2Cx^{12}}{12} + \frac{Bc^2x^{11}}{11} + \frac{(Ac^2 + 2Cbc)x^{10}}{10} + \frac{2bBcx^9}{9} + \frac{(2Abc + (2ac + b^2)C)x^8}{8} + \frac{B(2ac + b^2)x^7}{7} + \frac{(A(2ac + b^2) + 2a^2C)x^6}{6} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x)

[Out] 1/12\*c^2\*C\*x^12+1/11\*B\*c^2\*x^11+1/10\*(A\*c^2+2\*C\*b\*c)\*x^10+2/9\*b\*B\*c\*x^9+1/8\*(2\*A\*b\*c+(2\*a\*c+b^2)\*C)\*x^8+1/7\*B\*(2\*a\*c+b^2)\*x^7+1/6\*(A\*(2\*a\*c+b^2)+2\*a\*b\*c)\*x^6+2/5\*a\*b\*B\*x^5+1/4\*(2\*A\*a\*b+C\*a^2)\*x^4+1/3\*a^2\*B\*x^3+1/2\*a^2\*A\*x^2

**Maxima [A]** time = 0.949302, size = 193, normalized size = 1.21

$$\frac{1}{12}Cc^2x^{12} + \frac{1}{11}Bc^2x^{11} + \frac{2}{9}Bbcx^9 + \frac{1}{10}(2Cbc + Ac^2)x^{10} + \frac{1}{8}(Cb^2 + 2(Ca + Ab)c)x^8 + \frac{2}{5}Babx^5 + \frac{1}{7}(Bb^2 + 2Bac)x^7 + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/12\*C\*c^2\*x^12 + 1/11\*B\*c^2\*x^11 + 2/9\*B\*b\*c\*x^9 + 1/10\*(2\*C\*b\*c + A\*c^2)\*x^10 + 1/8\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^8 + 2/5\*B\*a\*b\*x^5 + 1/7\*(B\*b^2 + 2\*B\*a\*c)\*x^7 + 1/6\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^6 + 1/3\*B\*a^2\*x^3 + 1/2\*A\*a^2

$$*x^2 + 1/4*(C*a^2 + 2*A*a*b)*x^4$$

**Fricas [A]** time = 1.12957, size = 397, normalized size = 2.5

$$\frac{1}{12}x^{12}c^2C + \frac{1}{11}x^{11}c^2B + \frac{1}{5}x^{10}cbC + \frac{1}{10}x^{10}c^2A + \frac{2}{9}x^9cbB + \frac{1}{8}x^8b^2C + \frac{1}{4}x^8caC + \frac{1}{4}x^8cbA + \frac{1}{7}x^7b^2B + \frac{2}{7}x^7caB + \frac{1}{3}x^6baC$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 1/12\*x^12\*c^2\*C + 1/11\*x^11\*c^2\*B + 1/5\*x^10\*c\*b\*C + 1/10\*x^10\*c^2\*A + 2/9\*x^9\*c\*b\*B + 1/8\*x^8\*b^2\*C + 1/4\*x^8\*c\*a\*C + 1/4\*x^8\*c\*b\*A + 1/7\*x^7\*b^2\*B + 2/7\*x^7\*c\*a\*B + 1/3\*x^6\*b\*a\*C + 1/6\*x^6\*b^2\*A + 1/3\*x^6\*c\*a\*A + 2/5\*x^5\*b\*a\*B + 1/4\*x^4\*a^2\*C + 1/2\*x^4\*b\*a\*A + 1/3\*x^3\*a^2\*B + 1/2\*x^2\*a^2\*A

**Sympy [A]** time = 0.095328, size = 163, normalized size = 1.03

$$\frac{Aa^2x^2}{2} + \frac{Ba^2x^3}{3} + \frac{2Babx^5}{5} + \frac{2Bbcx^9}{9} + \frac{Bc^2x^{11}}{11} + \frac{Cc^2x^{12}}{12} + x^{10} \left( \frac{Ac^2}{10} + \frac{Cbc}{5} \right) + x^8 \left( \frac{Abc}{4} + \frac{Cac}{4} + \frac{Cb^2}{8} \right) + x^7 \left( \frac{2Bac}{7} + \frac{B}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] A\*a\*\*2\*x\*\*2/2 + B\*a\*\*2\*x\*\*3/3 + 2\*B\*a\*b\*x\*\*5/5 + 2\*B\*b\*c\*x\*\*9/9 + B\*c\*\*2\*x\*\*11/11 + C\*c\*\*2\*x\*\*12/12 + x\*\*10\*(A\*c\*\*2/10 + C\*b\*c/5) + x\*\*8\*(A\*b\*c/4 + C\*a\*c/4 + C\*b\*\*2/8) + x\*\*7\*(2\*B\*a\*c/7 + B\*b\*\*2/7) + x\*\*6\*(A\*a\*c/3 + A\*b\*\*2/6 + C\*a\*b/3) + x\*\*4\*(A\*a\*b/2 + C\*a\*\*2/4)

**Giac [A]** time = 1.10008, size = 208, normalized size = 1.31

$$\frac{1}{12}Cc^2x^{12} + \frac{1}{11}Bc^2x^{11} + \frac{1}{5}Cbcx^{10} + \frac{1}{10}Ac^2x^{10} + \frac{2}{9}Bbcx^9 + \frac{1}{8}Cb^2x^8 + \frac{1}{4}Cacx^8 + \frac{1}{4}Abcx^8 + \frac{1}{7}Bb^2x^7 + \frac{2}{7}Bacx^7 + \frac{1}{3}C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out]  $\frac{1}{12}C^2x^{12} + \frac{1}{11}B^2c^2x^{11} + \frac{1}{5}C^2bcx^{10} + \frac{1}{10}A^2c^2x^{10} + \frac{2}{9}B^2bcx^9 + \frac{1}{8}C^2b^2x^8 + \frac{1}{4}C^2acx^8 + \frac{1}{4}A^2b^2cx^8 + \frac{1}{7}B^2b^2x^7 + \frac{2}{7}B^2acx^7 + \frac{1}{3}C^2abx^6 + \frac{1}{6}A^2b^2x^6 + \frac{1}{3}A^2acx^6 + \frac{2}{5}B^2abx^5 + \frac{1}{4}C^2a^2x^4 + \frac{1}{2}A^2abx^4 + \frac{1}{3}B^2a^2x^3 + \frac{1}{2}A^2a^2x^2$

### 3.13 $\int (A + Bx + Cx^2)(a + bx^2 + cx^4)^2 dx$

**Optimal.** Leaf size=154

$$a^2Ax + \frac{1}{2}a^2Bx^2 + \frac{1}{7}x^7(C(2ac + b^2) + 2Abc) + \frac{1}{5}x^5(A(2ac + b^2) + 2abC) + \frac{1}{3}ax^3(aC + 2Ab) + \frac{1}{6}Bx^6(2ac + b^2) + \frac{1}{2}ab$$

[Out]  $a^2Ax + (a^2Bx^2)/2 + (a(2Ab + a^2C)x^3)/3 + (abBx^4)/2 + ((A(b^2 + 2ac) + 2abC)x^5)/5 + (B(b^2 + 2ac)x^6)/6 + ((2Abc + (b^2 + 2ac)C)x^7)/7 + (bBcx^8)/4 + (c(Ac + 2bC)x^9)/9 + (Bc^2x^{10})/10 + (c^2Cx^{11})/11$

**Rubi [A]** time = 0.110979, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$ , Rules used = {1657}

$$a^2Ax + \frac{1}{2}a^2Bx^2 + \frac{1}{7}x^7(C(2ac + b^2) + 2Abc) + \frac{1}{5}x^5(A(2ac + b^2) + 2abC) + \frac{1}{3}ax^3(aC + 2Ab) + \frac{1}{6}Bx^6(2ac + b^2) + \frac{1}{2}ab$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $a^2Ax + (a^2Bx^2)/2 + (a(2Ab + a^2C)x^3)/3 + (abBx^4)/2 + ((A(b^2 + 2ac) + 2abC)x^5)/5 + (B(b^2 + 2ac)x^6)/6 + ((2Abc + (b^2 + 2ac)C)x^7)/7 + (bBcx^8)/4 + (c(Ac + 2bC)x^9)/9 + (Bc^2x^{10})/10 + (c^2Cx^{11})/11$

#### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[Expand Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int (A + Bx + Cx^2)(a + bx^2 + cx^4)^2 dx &= \int (a^2A + a^2Bx + a(2Ab + aC)x^2 + 2abBx^3 + (A(b^2 + 2ac) + 2abC)x^4 + B(b^2 + 2ac)x^5 + \\ &= a^2Ax + \frac{1}{2}a^2Bx^2 + \frac{1}{3}a(2Ab + aC)x^3 + \frac{1}{2}abBx^4 + \frac{1}{5}(A(b^2 + 2ac) + 2abC)x^5 + \end{aligned}$$



**Mathematica [A]** time = 0.0305159, size = 154, normalized size = 1.

$$a^2Ax + \frac{1}{2}a^2Bx^2 + \frac{1}{7}x^7(2acC + 2Abc + b^2C) + \frac{1}{5}x^5(2aAc + 2abC + Ab^2) + \frac{1}{3}ax^3(aC + 2Ab) + \frac{1}{6}Bx^6(2ac + b^2) + \frac{1}{2}a$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] a^2\*A\*x + (a^2\*B\*x^2)/2 + (a\*(2\*A\*b + a\*C)\*x^3)/3 + (a\*b\*B\*x^4)/2 + ((A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)\*x^5)/5 + (B\*(b^2 + 2\*a\*c)\*x^6)/6 + ((2\*A\*b\*c + b^2\*C + 2\*a\*c\*C)\*x^7)/7 + (b\*B\*c\*x^8)/4 + (c\*(A\*c + 2\*b\*C)\*x^9)/9 + (B\*c^2\*x^10)/10 + (c^2\*C\*x^11)/11

**Maple [A]** time = 0.001, size = 139, normalized size = 0.9

$$\frac{c^2Cx^{11}}{11} + \frac{Bc^2x^{10}}{10} + \frac{(Ac^2 + 2Cbc)x^9}{9} + \frac{bBcx^8}{4} + \frac{(2Abc + (2ac + b^2)C)x^7}{7} + \frac{B(2ac + b^2)x^6}{6} + \frac{(A(2ac + b^2) + 2abC)x^5}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x)

[Out] 1/11\*c^2\*C\*x^11+1/10\*B\*c^2\*x^10+1/9\*(A\*c^2+2\*C\*b\*c)\*x^9+1/4\*b\*B\*c\*x^8+1/7\*(2\*A\*b\*c+(2\*a\*c+b^2)\*C)\*x^7+1/6\*B\*(2\*a\*c+b^2)\*x^6+1/5\*(A\*(2\*a\*c+b^2)+2\*a\*b\*C)\*x^5+1/2\*a\*b\*B\*x^4+1/3\*(2\*A\*a\*b+C\*a^2)\*x^3+1/2\*a^2\*B\*x^2+a^2\*A\*x

**Maxima [A]** time = 0.972651, size = 189, normalized size = 1.23

$$\frac{1}{11}Cc^2x^{11} + \frac{1}{10}Bc^2x^{10} + \frac{1}{4}Bbcx^8 + \frac{1}{9}(2Cbc + Ac^2)x^9 + \frac{1}{7}(Cb^2 + 2(Ca + Ab)c)x^7 + \frac{1}{2}Babx^4 + \frac{1}{6}(Bb^2 + 2Bac)x^6 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/11\*C\*c^2\*x^11 + 1/10\*B\*c^2\*x^10 + 1/4\*B\*b\*c\*x^8 + 1/9\*(2\*C\*b\*c + A\*c^2)\*x^9 + 1/7\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^7 + 1/2\*B\*a\*b\*x^4 + 1/6\*(B\*b^2 + 2\*B\*a\*c)\*x^6 + 1/5\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^5 + 1/2\*B\*a^2\*x^2 + A\*a^2\*x + 1

$$/3*(C*a^2 + 2*A*a*b)*x^3$$

**Fricas [A]** time = 1.10337, size = 385, normalized size = 2.5

$$\frac{1}{11}x^{11}c^2C + \frac{1}{10}x^{10}c^2B + \frac{2}{9}x^9cbC + \frac{1}{9}x^9c^2A + \frac{1}{4}x^8cbB + \frac{1}{7}x^7b^2C + \frac{2}{7}x^7caC + \frac{2}{7}x^7cbA + \frac{1}{6}x^6b^2B + \frac{1}{3}x^6caB + \frac{2}{5}x^5baC +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 1/11\*x^11\*c^2\*C + 1/10\*x^10\*c^2\*B + 2/9\*x^9\*c\*b\*C + 1/9\*x^9\*c^2\*A + 1/4\*x^8\*c\*b\*B + 1/7\*x^7\*b^2\*C + 2/7\*x^7\*c\*a\*C + 2/7\*x^7\*c\*b\*A + 1/6\*x^6\*b^2\*B + 1/3\*x^6\*c\*a\*B + 2/5\*x^5\*b\*a\*C + 1/5\*x^5\*b^2\*A + 2/5\*x^5\*c\*a\*A + 1/2\*x^4\*b\*a\*B + 1/3\*x^3\*a^2\*C + 2/3\*x^3\*b\*a\*A + 1/2\*x^2\*a^2\*B + x\*a^2\*A

**Sympy [A]** time = 0.095202, size = 165, normalized size = 1.07

$$Aa^2x + \frac{Ba^2x^2}{2} + \frac{Babx^4}{2} + \frac{Bbcx^8}{4} + \frac{Bc^2x^{10}}{10} + \frac{Cc^2x^{11}}{11} + x^9\left(\frac{Ac^2}{9} + \frac{2Cbc}{9}\right) + x^7\left(\frac{2Abc}{7} + \frac{2Cac}{7} + \frac{Cb^2}{7}\right) + x^6\left(\frac{Bac}{3} + \frac{Bb^2}{6}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] A\*a\*\*2\*x + B\*a\*\*2\*x\*\*2/2 + B\*a\*b\*x\*\*4/2 + B\*b\*c\*x\*\*8/4 + B\*c\*\*2\*x\*\*10/10 + C\*c\*\*2\*x\*\*11/11 + x\*\*9\*(A\*c\*\*2/9 + 2\*C\*b\*c/9) + x\*\*7\*(2\*A\*b\*c/7 + 2\*C\*a\*c/7 + C\*b\*\*2/7) + x\*\*6\*(B\*a\*c/3 + B\*b\*\*2/6) + x\*\*5\*(2\*A\*a\*c/5 + A\*b\*\*2/5 + 2\*C\*a\*b/5) + x\*\*3\*(2\*A\*a\*b/3 + C\*a\*\*2/3)

**Giac [A]** time = 1.09106, size = 204, normalized size = 1.32

$$\frac{1}{11}Cc^2x^{11} + \frac{1}{10}Bc^2x^{10} + \frac{2}{9}Cbcx^9 + \frac{1}{9}Ac^2x^9 + \frac{1}{4}Bbcx^8 + \frac{1}{7}Cb^2x^7 + \frac{2}{7}Cacx^7 + \frac{2}{7}Abcx^7 + \frac{1}{6}Bb^2x^6 + \frac{1}{3}Bacx^6 + \frac{2}{5}Cabx^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

```
[Out] 1/11*C*c^2*x^11 + 1/10*B*c^2*x^10 + 2/9*C*b*c*x^9 + 1/9*A*c^2*x^9 + 1/4*B*b
*c*x^8 + 1/7*C*b^2*x^7 + 2/7*C*a*c*x^7 + 2/7*A*b*c*x^7 + 1/6*B*b^2*x^6 + 1/
3*B*a*c*x^6 + 2/5*C*a*b*x^5 + 1/5*A*b^2*x^5 + 2/5*A*a*c*x^5 + 1/2*B*a*b*x^4
+ 1/3*C*a^2*x^3 + 2/3*A*a*b*x^3 + 1/2*B*a^2*x^2 + A*a^2*x
```

$$3.14 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x} dx$$

**Optimal.** Leaf size=150

$$a^2 A \log(x) + a^2 Bx + \frac{1}{6} x^6 (C(2ac + b^2) + 2Abc) + \frac{1}{4} x^4 (A(2ac + b^2) + 2abC) + \frac{1}{2} ax^2 (aC + 2Ab) + \frac{1}{5} Bx^5 (2ac + b^2) + \frac{2}{3}$$

[Out]  $a^2 B x + (a(2 A b + a C) x^2) / 2 + (2 a b B x^3) / 3 + ((A(b^2 + 2 a c) + 2 a b C) x^4) / 4 + (B(b^2 + 2 a c) x^5) / 5 + ((2 A b c + (b^2 + 2 a c) C) x^6) / 6 + (2 b B c x^7) / 7 + (c(A c + 2 b C) x^8) / 8 + (B c^2 x^9) / 9 + (c^2 C x^{10}) / 10 + a^2 A \operatorname{Log}[x]$

**Rubi [A]** time = 0.106612, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$a^2 A \log(x) + a^2 Bx + \frac{1}{6} x^6 (C(2ac + b^2) + 2Abc) + \frac{1}{4} x^4 (A(2ac + b^2) + 2abC) + \frac{1}{2} ax^2 (aC + 2Ab) + \frac{1}{5} Bx^5 (2ac + b^2) + \frac{2}{3}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + Bx + Cx^2)(a + bx^2 + cx^4)^2/x, x]$

[Out]  $a^2 B x + (a(2 A b + a C) x^2) / 2 + (2 a b B x^3) / 3 + ((A(b^2 + 2 a c) + 2 a b C) x^4) / 4 + (B(b^2 + 2 a c) x^5) / 5 + ((2 A b c + (b^2 + 2 a c) C) x^6) / 6 + (2 b B c x^7) / 7 + (c(A c + 2 b C) x^8) / 8 + (B c^2 x^9) / 9 + (c^2 C x^{10}) / 10 + a^2 A \operatorname{Log}[x]$

### Rule 1628

$\operatorname{Int}[(Pq_*)((d_) + (e_)*(x_))^{(m_)}*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}], x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(d + e*x)^m * Pq * (a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)^2}{x} dx &= \int \left( a^2 B + \frac{a^2 A}{x} + a(2Ab + aC)x + 2abBx^2 + (A(b^2 + 2ac) + 2abC)x^3 + B(b^2 + 2ac)x^4 + \frac{1}{2}a(2Ab + aC)x^2 + \frac{2}{3}abBx^3 + \frac{1}{4}(A(b^2 + 2ac) + 2abC)x^4 + \frac{1}{5}B(b^2 + 2ac)x^5 + \frac{2}{3}a^2 A \log(x) \right) dx \end{aligned}$$

**Mathematica [A]** time = 0.039684, size = 150, normalized size = 1.

$$a^2 A \log(x) + a^2 Bx + \frac{1}{6}x^6 (2acC + 2Abc + b^2C) + \frac{1}{4}x^4 (2aAc + 2abC + Ab^2) + \frac{1}{2}ax^2(aC + 2Ab) + \frac{1}{5}Bx^5 (2ac + b^2) + \frac{1}{3}Cx^3 (2aC + Ab)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x,x]

[Out] a^2\*B\*x + (a\*(2\*A\*b + a\*C)\*x^2)/2 + (2\*a\*b\*B\*x^3)/3 + ((A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)\*x^4)/4 + (B\*(b^2 + 2\*a\*c)\*x^5)/5 + ((2\*A\*b\*c + b^2\*C + 2\*a\*c\*C)\*x^6)/6 + (2\*b\*B\*c\*x^7)/7 + (c\*(A\*c + 2\*b\*C)\*x^8)/8 + (B\*c^2\*x^9)/9 + (c^2\*C\*x^10)/10 + a^2\*A\*Log[x]

**Maple [A]** time = 0.003, size = 149, normalized size = 1.

$$\frac{c^2 C x^{10}}{10} + \frac{B c^2 x^9}{9} + \frac{A x^8 c^2}{8} + \frac{C x^8 b c}{4} + \frac{2 b B c x^7}{7} + \frac{A x^6 b c}{3} + \frac{C x^6 a c}{3} + \frac{C x^6 b^2}{6} + \frac{2 B x^5 a c}{5} + \frac{B x^5 b^2}{5} + \frac{A x^4 a c}{2} + \frac{A x^4 b^2}{4} + \frac{C x^3 a^2}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x,x)

[Out] 1/10\*c^2\*C\*x^10+1/9\*B\*c^2\*x^9+1/8\*A\*x^8\*c^2+1/4\*C\*x^8\*b\*c+2/7\*b\*B\*c\*x^7+1/3\*A\*x^6\*b\*c+1/3\*C\*x^6\*a\*c+1/6\*C\*x^6\*b^2+2/5\*B\*x^5\*a\*c+1/5\*B\*x^5\*b^2+1/2\*A\*x^4\*a\*c+1/4\*A\*x^4\*b^2+1/2\*C\*x^4\*a\*b+2/3\*a\*b\*B\*x^3+A\*x^2\*a\*b+1/2\*C\*x^2\*a^2+a^2\*B\*x+a^2\*A\*ln(x)

**Maxima [A]** time = 0.955496, size = 186, normalized size = 1.24

$$\frac{1}{10} C c^2 x^{10} + \frac{1}{9} B c^2 x^9 + \frac{2}{7} B b c x^7 + \frac{1}{8} (2 C b c + A c^2) x^8 + \frac{1}{6} (C b^2 + 2 (C a + A b) c) x^6 + \frac{2}{3} B a b x^3 + \frac{1}{5} (B b^2 + 2 B a c) x^5 + \frac{1}{4} (2 C a b + A b^2 + 2 A a c) x^4 + B a^2 x + A a^2 \log(x) + \frac{1}{2} C a^2 x^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x,x, algorithm="maxima")

[Out] 1/10\*C\*c^2\*x^10 + 1/9\*B\*c^2\*x^9 + 2/7\*B\*b\*c\*x^7 + 1/8\*(2\*C\*b\*c + A\*c^2)\*x^8 + 1/6\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^6 + 2/3\*B\*a\*b\*x^3 + 1/5\*(B\*b^2 + 2\*B\*a\*c)\*x^5 + 1/4\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 + B\*a^2\*x + A\*a^2\*log(x) + 1/2\*C\*a^2\*x^2

$$(C*a^2 + 2*A*a*b)*x^2$$

**Fricas [A]** time = 1.24675, size = 335, normalized size = 2.23

$$\frac{1}{10} Cc^2x^{10} + \frac{1}{9} Bc^2x^9 + \frac{2}{7} Bbcx^7 + \frac{1}{8} (2Cbc + Ac^2)x^8 + \frac{1}{6} (Cb^2 + 2(Ca + Ab)c)x^6 + \frac{2}{3} Babx^3 + \frac{1}{5} (Bb^2 + 2Bac)x^5 + \frac{1}{4} (2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x,x, algorithm="fricas")

[Out] 1/10\*C\*c^2\*x^10 + 1/9\*B\*c^2\*x^9 + 2/7\*B\*b\*c\*x^7 + 1/8\*(2\*C\*b\*c + A\*c^2)\*x^8 + 1/6\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^6 + 2/3\*B\*a\*b\*x^3 + 1/5\*(B\*b^2 + 2\*B\*a\*c)\*x^5 + 1/4\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 + B\*a^2\*x + A\*a^2\*log(x) + 1/2\*(C\*a^2 + 2\*A\*a\*b)\*x^2

**Sympy [A]** time = 0.499565, size = 156, normalized size = 1.04

$$Aa^2 \log(x) + Ba^2x + \frac{2Babx^3}{3} + \frac{2Bbcx^7}{7} + \frac{Bc^2x^9}{9} + \frac{Cc^2x^{10}}{10} + x^8 \left( \frac{Ac^2}{8} + \frac{Cbc}{4} \right) + x^6 \left( \frac{Abc}{3} + \frac{Cac}{3} + \frac{Cb^2}{6} \right) + x^5 \left( \frac{2Bac}{5} + \frac{1}{5} (2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x,x)

[Out] A\*a\*\*2\*log(x) + B\*a\*\*2\*x + 2\*B\*a\*b\*x\*\*3/3 + 2\*B\*b\*c\*x\*\*7/7 + B\*c\*\*2\*x\*\*9/9 + C\*c\*\*2\*x\*\*10/10 + x\*\*8\*(A\*c\*\*2/8 + C\*b\*c/4) + x\*\*6\*(A\*b\*c/3 + C\*a\*c/3 + C\*b\*\*2/6) + x\*\*5\*(2\*B\*a\*c/5 + B\*b\*\*2/5) + x\*\*4\*(A\*a\*c/2 + A\*b\*\*2/4 + C\*a\*b/2) + x\*\*2\*(A\*a\*b + C\*a\*\*2/2)

**Giac [A]** time = 1.09492, size = 201, normalized size = 1.34

$$\frac{1}{10} Cc^2x^{10} + \frac{1}{9} Bc^2x^9 + \frac{1}{4} Cbcx^8 + \frac{1}{8} Ac^2x^8 + \frac{2}{7} Bbcx^7 + \frac{1}{6} Cb^2x^6 + \frac{1}{3} Cacx^6 + \frac{1}{3} Abcx^6 + \frac{1}{5} Bb^2x^5 + \frac{2}{5} Bacx^5 + \frac{1}{2} Cabx^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x,x, algorithm="giac")

```
[Out] 1/10*C*c^2*x^10 + 1/9*B*c^2*x^9 + 1/4*C*b*c*x^8 + 1/8*A*c^2*x^8 + 2/7*B*b*c
*x^7 + 1/6*C*b^2*x^6 + 1/3*C*a*c*x^6 + 1/3*A*b*c*x^6 + 1/5*B*b^2*x^5 + 2/5*
B*a*c*x^5 + 1/2*C*a*b*x^4 + 1/4*A*b^2*x^4 + 1/2*A*a*c*x^4 + 2/3*B*a*b*x^3 +
1/2*C*a^2*x^2 + A*a*b*x^2 + B*a^2*x + A*a^2*log(abs(x))
```

$$3.15 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^2} dx$$

**Optimal.** Leaf size=145

$$-\frac{a^2A}{x} + a^2B \log(x) + \frac{1}{5}x^5 (C(2ac + b^2) + 2Abc) + \frac{1}{3}x^3 (A(2ac + b^2) + 2abC) + ax(aC + 2Ab) + \frac{1}{4}Bx^4(2ac + b^2) + abC$$

[Out]  $-\frac{a^2A}{x} + a(2Ab + a^2C)x + abBx^2 + \frac{1}{3}(A(b^2 + 2ac) + 2abC)x^3 + \frac{1}{4}(B(b^2 + 2ac) + 4Abc)x^4 + \frac{1}{5}(2Abc + (b^2 + 2ac)C)x^5 + \frac{1}{3}bBcx^6 + \frac{1}{7}c(Ac + 2bC)x^7 + \frac{1}{8}Bc^2x^8 + \frac{1}{9}c^2Cx^9 + a^2B \log(x)$

**Rubi [A]** time = 0.121105, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{x} + a^2B \log(x) + \frac{1}{5}x^5 (C(2ac + b^2) + 2Abc) + \frac{1}{3}x^3 (A(2ac + b^2) + 2abC) + ax(aC + 2Ab) + \frac{1}{4}Bx^4(2ac + b^2) + abC$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^2,x]

[Out]  $-\frac{a^2A}{x} + a(2Ab + a^2C)x + abBx^2 + \frac{1}{3}(A(b^2 + 2ac) + 2abC)x^3 + \frac{1}{4}(B(b^2 + 2ac) + 4Abc)x^4 + \frac{1}{5}(2Abc + (b^2 + 2ac)C)x^5 + \frac{1}{3}bBcx^6 + \frac{1}{7}c(Ac + 2bC)x^7 + \frac{1}{8}Bc^2x^8 + \frac{1}{9}c^2Cx^9 + a^2B \log(x)$

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^(m)\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)^2}{x^2} dx &= \int \left( a(2Ab + aC) + \frac{a^2A}{x^2} + \frac{a^2B}{x} + 2abBx + (A(b^2 + 2ac) + 2abC)x^2 + B(b^2 + 2ac)x^3 \right. \\ &\quad \left. - \frac{a^2A}{x} + a(2Ab + aC)x + abBx^2 + \frac{1}{3}(A(b^2 + 2ac) + 2abC)x^3 + \frac{1}{4}B(b^2 + 2ac)x^4 \right) dx \end{aligned}$$



**Mathematica [A]** time = 0.0969736, size = 145, normalized size = 1.

$$-\frac{a^2A}{x} + a^2B \log(x) + \frac{1}{5}x^5(2acC + 2Abc + b^2C) + \frac{1}{3}x^3(2aAc + 2abC + Ab^2) + ax(aC + 2Ab) + \frac{1}{4}Bx^4(2ac + b^2) + ab$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^2,x]

[Out] -((a^2\*A)/x) + a\*(2\*A\*b + a\*C)\*x + a\*b\*B\*x^2 + ((A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)\*x^3)/3 + (B\*(b^2 + 2\*a\*c)\*x^4)/4 + ((2\*A\*b\*c + b^2\*C + 2\*a\*c\*C)\*x^5)/5 + (b\*B\*c\*x^6)/3 + (c\*(A\*c + 2\*b\*C)\*x^7)/7 + (B\*c^2\*x^8)/8 + (c^2\*C\*x^9)/9 + a^2\*B\*Log[x]

**Maple [A]** time = 0.007, size = 147, normalized size = 1.

$$\frac{c^2Cx^9}{9} + \frac{Bc^2x^8}{8} + \frac{Ax^7c^2}{7} + \frac{2Cx^7bc}{7} + \frac{bBcx^6}{3} + \frac{2Ax^5bc}{5} + \frac{2Cx^5ac}{5} + \frac{Cx^5b^2}{5} + \frac{Bx^4ac}{2} + \frac{Bx^4b^2}{4} + \frac{2Ax^3ac}{3} + \frac{Ax^3b^2}{3} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^2,x)

[Out] 1/9\*c^2\*C\*x^9+1/8\*B\*c^2\*x^8+1/7\*A\*x^7\*c^2+2/7\*C\*x^7\*b\*c+1/3\*b\*B\*c\*x^6+2/5\*A\*x^5\*b\*c+2/5\*C\*x^5\*a\*c+1/5\*C\*x^5\*b^2+1/2\*B\*x^4\*a\*c+1/4\*B\*x^4\*b^2+2/3\*A\*x^3\*a\*c+1/3\*A\*x^3\*b^2+2/3\*C\*x^3\*a\*b+a\*b\*B\*x^2+2\*A\*a\*b\*x+C\*a^2\*x-a^2\*A/x+a^2\*B\*ln(x)

**Maxima [A]** time = 0.930936, size = 185, normalized size = 1.28

$$\frac{1}{9}C^2x^9 + \frac{1}{8}Bc^2x^8 + \frac{1}{3}Bbcx^6 + \frac{1}{7}(2Cbc + Ac^2)x^7 + \frac{1}{5}(Cb^2 + 2(Ca + Ab)c)x^5 + Babx^2 + \frac{1}{4}(Bb^2 + 2Bac)x^4 + \frac{1}{3}(2C$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^2,x, algorithm="maxima")

[Out] 1/9\*C\*c^2\*x^9 + 1/8\*B\*c^2\*x^8 + 1/3\*B\*b\*c\*x^6 + 1/7\*(2\*C\*b\*c + A\*c^2)\*x^7 + 1/5\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^5 + B\*a\*b\*x^2 + 1/4\*(B\*b^2 + 2\*B\*a\*c)\*x^4 + 1/3\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^3 + B\*a^2\*log(x) - A\*a^2/x + (C\*a^2 + 2

$*A*a*b)*x$

**Fricas [A]** time = 1.25102, size = 365, normalized size = 2.52

$$\frac{280 Cc^2x^{10} + 315 Bc^2x^9 + 840 Bbcx^7 + 360 (2 Cbc + Ac^2)x^8 + 504 (Cb^2 + 2 (Ca + Ab)c)x^6 + 2520 Babx^3 + 630 (Bb^2 + 2520x)}{2520x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^2,x, algorithm="fricas")

[Out]  $\frac{1}{2520} * (280 * C * c^2 * x^{10} + 315 * B * c^2 * x^9 + 840 * B * b * c * x^7 + 360 * (2 * C * b * c + A * c^2) * x^8 + 504 * (C * b^2 + 2 * (C * a + A * b) * c) * x^6 + 2520 * B * a * b * x^3 + 630 * (B * b^2 + 2 * B * a * c) * x^5 + 840 * (2 * C * a * b + A * b^2 + 2 * A * a * c) * x^4 + 2520 * B * a^2 * x * \log(x) - 2520 * A * a^2 + 2520 * (C * a^2 + 2 * A * a * b) * x^2) / x$

**Sympy [A]** time = 0.503331, size = 156, normalized size = 1.08

$$-\frac{Aa^2}{x} + Ba^2 \log(x) + Babx^2 + \frac{Bbcx^6}{3} + \frac{Bc^2x^8}{8} + \frac{Cc^2x^9}{9} + x^7 \left( \frac{Ac^2}{7} + \frac{2Cbc}{7} \right) + x^5 \left( \frac{2Abc}{5} + \frac{2Cac}{5} + \frac{Cb^2}{5} \right) + x^4 \left( \frac{Bac}{2} + \frac{E}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*2,x)

[Out]  $-A*a**2/x + B*a**2*\log(x) + B*a*b*x**2 + B*b*c*x**6/3 + B*c**2*x**8/8 + C*c**2*x**9/9 + x**7*(A*c**2/7 + 2*C*b*c/7) + x**5*(2*A*b*c/5 + 2*C*a*c/5 + C*b**2/5) + x**4*(B*a*c/2 + B*b**2/4) + x**3*(2*A*a*c/3 + A*b**2/3 + 2*C*a*b/3) + x*(2*A*a*b + C*a**2)$

**Giac [A]** time = 1.08822, size = 198, normalized size = 1.37

$$\frac{1}{9} Cc^2x^9 + \frac{1}{8} Bc^2x^8 + \frac{2}{7} Cbcx^7 + \frac{1}{7} Ac^2x^7 + \frac{1}{3} Bbcx^6 + \frac{1}{5} Cb^2x^5 + \frac{2}{5} Ccax^5 + \frac{2}{5} Abcx^5 + \frac{1}{4} Bb^2x^4 + \frac{1}{2} Bacx^4 + \frac{2}{3} Cabx^3 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^2,x, algorithm="giac")

```
[Out] 1/9*C*c^2*x^9 + 1/8*B*c^2*x^8 + 2/7*C*b*c*x^7 + 1/7*A*c^2*x^7 + 1/3*B*b*c*x^6 + 1/5*C*b^2*x^5 + 2/5*C*a*c*x^5 + 2/5*A*b*c*x^5 + 1/4*B*b^2*x^4 + 1/2*B*a*c*x^4 + 2/3*C*a*b*x^3 + 1/3*A*b^2*x^3 + 2/3*A*a*c*x^3 + B*a*b*x^2 + C*a^2*x + 2*A*a*b*x + B*a^2*log(abs(x)) - A*a^2/x
```

$$3.16 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^3} dx$$

**Optimal.** Leaf size=149

$$-\frac{a^2A}{2x^2} - \frac{a^2B}{x} + \frac{1}{4}x^4(C(2ac+b^2)+2Abc) + \frac{1}{2}x^2(A(2ac+b^2)+2abC) + a \log(x)(aC+2Ab) + \frac{1}{3}Bx^3(2ac+b^2) + 2ab$$

[Out]  $-(a^2A)/(2*x^2) - (a^2B)/x + 2*a*b*B*x + ((A*(b^2 + 2*a*c) + 2*a*b*C)*x^2)/2 + (B*(b^2 + 2*a*c)*x^3)/3 + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^4)/4 + (2*b*B*c*x^5)/5 + (c*(A*c + 2*b*C)*x^6)/6 + (B*c^2*x^7)/7 + (c^2*C*x^8)/8 + a*(2*A*b + a*C)*Log[x]$

**Rubi [A]** time = 0.122592, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{2x^2} - \frac{a^2B}{x} + \frac{1}{4}x^4(C(2ac+b^2)+2Abc) + \frac{1}{2}x^2(A(2ac+b^2)+2abC) + a \log(x)(aC+2Ab) + \frac{1}{3}Bx^3(2ac+b^2) + 2ab$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^3, x]

[Out]  $-(a^2A)/(2*x^2) - (a^2B)/x + 2*a*b*B*x + ((A*(b^2 + 2*a*c) + 2*a*b*C)*x^2)/2 + (B*(b^2 + 2*a*c)*x^3)/3 + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^4)/4 + (2*b*B*c*x^5)/5 + (c*(A*c + 2*b*C)*x^6)/6 + (B*c^2*x^7)/7 + (c^2*C*x^8)/8 + a*(2*A*b + a*C)*Log[x]$

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^3} dx &= \int \left( 2abB + \frac{a^2A}{x^3} + \frac{a^2B}{x^2} + \frac{a(2Ab+aC)}{x} + (A(b^2+2ac)+2abC)x + B(b^2+2ac)x^2 + \frac{1}{3}B(b^2+2ac)x^3 + \frac{1}{4}B(b^2+2ac)x^4 \right) dx \\ &= -\frac{a^2A}{2x^2} - \frac{a^2B}{x} + 2abBx + \frac{1}{2}(A(b^2+2ac)+2abC)x^2 + \frac{1}{3}B(b^2+2ac)x^3 + \frac{1}{4}B(b^2+2ac)x^4 \end{aligned}$$

**Mathematica [A]** time = 0.108635, size = 139, normalized size = 0.93

$$-\frac{a^2(A+2Bx)}{2x^2} + \frac{1}{6}ax \left( cx(6A+4Bx+3Cx^2) + 6b(2B+Cx) \right) + a \log(x)(aC+2Ab) + \frac{1}{840}x^2 \left( 140A(3b^2+3bcx^2+c^2x^4) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^3,x]

[Out]  $-(a^2(A+2Bx))/(2x^2) + (ax(cx(6A+4Bx+3Cx^2) + 6b(2B+Cx)) + a \log(x)(aC+2Ab) + \frac{1}{840}x^2(140A(3b^2+3bcx^2+c^2x^4) + \dots))/6 + \dots$

**Maple [A]** time = 0.008, size = 148, normalized size = 1.

$$\frac{c^2Cx^8}{8} + \frac{Bc^2x^7}{7} + \frac{Ax^6c^2}{6} + \frac{Cx^6bc}{3} + \frac{2bBcx^5}{5} + \frac{Ax^4bc}{2} + \frac{Cx^4ac}{2} + \frac{Cx^4b^2}{4} + \frac{2Bx^3ac}{3} + \frac{Bx^3b^2}{3} + Ax^2ac + \frac{Ax^2b^2}{2} + Cx^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^3,x)

[Out]  $1/8*c^2*C*x^8 + 1/7*B*c^2*x^7 + 1/6*A*x^6*c^2 + 1/3*C*x^6*b*c + 2/5*b*B*c*x^5 + 1/2*A*x^4*b*c + 1/2*C*x^4*a*c + 1/4*C*x^4*b^2 + 2/3*B*x^3*a*c + 1/3*B*x^3*b^2 + A*x^2*a*c + 1/2*A*x^2*b^2 + C*x^2*a*b + 2*a*b*B*x - a^2*B/x - 1/2*a^2*A/x^2 + 2*A*ln(x)*a*b + C*ln(x)*a^2$

**Maxima [A]** time = 0.943822, size = 188, normalized size = 1.26

$$\frac{1}{8}C^2x^8 + \frac{1}{7}Bc^2x^7 + \frac{2}{5}Bbcx^5 + \frac{1}{6}(2Cbc + Ac^2)x^6 + \frac{1}{4}(Cb^2 + 2(Ca + Ab)c)x^4 + 2Babx + \frac{1}{3}(Bb^2 + 2Bac)x^3 + \frac{1}{2}(2C^2a^2x^8 + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^3,x, algorithm="maxima")

[Out]  $1/8*C*c^2*x^8 + 1/7*B*c^2*x^7 + 2/5*B*b*c*x^5 + 1/6*(2*C*b*c + A*c^2)*x^6 + 1/4*(C*b^2 + 2*(C*a + A*b)*c)*x^4 + 2*B*a*b*x + 1/3*(B*b^2 + 2*B*a*c)*x^3 + 1/2*(2*C*a*b + A*b^2 + 2*A*a*c)*x^2 + (C*a^2 + 2*A*a*b)*log(x) - 1/2*(2*B$

$$*a^2*x + A*a^2)/x^2$$

**Fricas [A]** time = 1.30031, size = 362, normalized size = 2.43

$$\frac{105 Cc^2x^{10} + 120 Bc^2x^9 + 336 Bbcx^7 + 140 (2 Cbc + Ac^2)x^8 + 210 (Cb^2 + 2 (Ca + Ab)c)x^6 + 1680 Babx^3 + 280 (Bb^2 + 2 A^2c^2)}{840x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^3,x, algorithm="fricas")

[Out] 1/840\*(105\*C\*c^2\*x^10 + 120\*B\*c^2\*x^9 + 336\*B\*b\*c\*x^7 + 140\*(2\*C\*b\*c + A\*c^2)\*x^8 + 210\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^6 + 1680\*B\*a\*b\*x^3 + 280\*(B\*b^2 + 2\*B\*a\*c)\*x^5 + 420\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 - 840\*B\*a^2\*x + 840\*(C\*a^2 + 2\*A\*a\*b)\*x^2\*log(x) - 420\*A\*a^2)/x^2

**Sympy [A]** time = 0.641083, size = 151, normalized size = 1.01

$$2Babx + \frac{2Bbcx^5}{5} + \frac{Bc^2x^7}{7} + \frac{Cc^2x^8}{8} + a(2Ab + Ca) \log(x) + x^6 \left( \frac{Ac^2}{6} + \frac{Cbc}{3} \right) + x^4 \left( \frac{Abc}{2} + \frac{Cac}{2} + \frac{Cb^2}{4} \right) + x^3 \left( \frac{2Bac}{3} + \frac{Bb^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*3,x)

[Out] 2\*B\*a\*b\*x + 2\*B\*b\*c\*x\*\*5/5 + B\*c\*\*2\*x\*\*7/7 + C\*c\*\*2\*x\*\*8/8 + a\*(2\*A\*b + C\*a)\*log(x) + x\*\*6\*(A\*c\*\*2/6 + C\*b\*c/3) + x\*\*4\*(A\*b\*c/2 + C\*a\*c/2 + C\*b\*\*2/4) + x\*\*3\*(2\*B\*a\*c/3 + B\*b\*\*2/3) + x\*\*2\*(A\*a\*c + A\*b\*\*2/2 + C\*a\*b) - (A\*a\*\*2 + 2\*B\*a\*\*2\*x)/(2\*x\*\*2)

**Giac [A]** time = 1.13592, size = 200, normalized size = 1.34

$$\frac{1}{8} Cc^2x^8 + \frac{1}{7} Bc^2x^7 + \frac{1}{3} Cbcx^6 + \frac{1}{6} Ac^2x^6 + \frac{2}{5} Bbcx^5 + \frac{1}{4} Cb^2x^4 + \frac{1}{2} Ccacx^4 + \frac{1}{2} Abcx^4 + \frac{1}{3} Bb^2x^3 + \frac{2}{3} Bacx^3 + Cabx^2 + \frac{1}{2} A^2c^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^3,x, algorithm="giac")

```
[Out] 1/8*C*c^2*x^8 + 1/7*B*c^2*x^7 + 1/3*C*b*c*x^6 + 1/6*A*c^2*x^6 + 2/5*B*b*c*x^5 + 1/4*C*b^2*x^4 + 1/2*C*a*c*x^4 + 1/2*A*b*c*x^4 + 1/3*B*b^2*x^3 + 2/3*B*a*c*x^3 + C*a*b*x^2 + 1/2*A*b^2*x^2 + A*a*c*x^2 + 2*B*a*b*x + (C*a^2 + 2*A*a*b)*log(abs(x)) - 1/2*(2*B*a^2*x + A*a^2)/x^2
```

$$3.17 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^4} dx$$

**Optimal.** Leaf size=149

$$-\frac{a^2A}{3x^3} - \frac{a^2B}{2x^2} + \frac{1}{3}x^3(C(2ac+b^2)+2Abc) + x(A(2ac+b^2)+2abC) - \frac{a(aC+2Ab)}{x} + \frac{1}{2}Bx^2(2ac+b^2) + 2abB \log(x) -$$

[Out]  $-(a^2A)/(3*x^3) - (a^2B)/(2*x^2) - (a*(2*A*b + a*C))/x + (A*(b^2 + 2*a*c) + 2*a*b*C)*x + (B*(b^2 + 2*a*c)*x^2)/2 + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^3)/3 + (b*B*c*x^4)/2 + (c*(A*c + 2*b*C)*x^5)/5 + (B*c^2*x^6)/6 + (c^2*C*x^7)/7 + 2*a*b*B*Log[x]$

**Rubi [A]** time = 0.137291, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{3x^3} - \frac{a^2B}{2x^2} + \frac{1}{3}x^3(C(2ac+b^2)+2Abc) + x(A(2ac+b^2)+2abC) - \frac{a(aC+2Ab)}{x} + \frac{1}{2}Bx^2(2ac+b^2) + 2abB \log(x) -$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^4,x]

[Out]  $-(a^2A)/(3*x^3) - (a^2B)/(2*x^2) - (a*(2*A*b + a*C))/x + (A*(b^2 + 2*a*c) + 2*a*b*C)*x + (B*(b^2 + 2*a*c)*x^2)/2 + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^3)/3 + (b*B*c*x^4)/2 + (c*(A*c + 2*b*C)*x^5)/5 + (B*c^2*x^6)/6 + (c^2*C*x^7)/7 + 2*a*b*B*Log[x]$

**Rule 1628**

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_.) + (c\_.)\*(x\_.)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^(m)\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

**Rubi steps**

$$\begin{aligned} \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^4} dx &= \int \left( Ab^2 \left( 1 + \frac{2a(Ac+bC)}{Ab^2} \right) + \frac{a^2A}{x^4} + \frac{a^2B}{x^3} + \frac{a(2Ab+aC)}{x^2} + \frac{2abB}{x} + B(b^2+2ac) \right) dx \\ &= -\frac{a^2A}{3x^3} - \frac{a^2B}{2x^2} - \frac{a(2Ab+aC)}{x} + (A(b^2+2ac)+2abC)x + \frac{1}{2}B(b^2+2ac)x^2 + \end{aligned}$$



**Mathematica [A]** time = 0.0817475, size = 151, normalized size = 1.01

$$\frac{a^2(-C) - 2aAb}{x} - \frac{a^2A}{3x^3} - \frac{a^2B}{2x^2} + \frac{1}{3}x^3(2acC + 2Abc + b^2C) + x(2aAc + 2abC + Ab^2) + \frac{1}{2}Bx^2(2ac + b^2) + 2abB \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^4, x]

[Out]  $-(a^2A)/(3x^3) - (a^2B)/(2x^2) + (-2aAb - a^2C)/x + (Ab^2 + 2aAc + 2aAbC)x + (B(b^2 + 2aAc)x^2)/2 + ((2Abc + b^2C + 2aAcC)x^3)/3 + (bBc + cAb)x^4/2 + (c(Ac + 2bC)x^5)/5 + (Bc^2x^6)/6 + (c^2Cx^7)/7 + 2aAbB \text{Log}[x]$

**Maple [A]** time = 0.006, size = 146, normalized size = 1.

$$\frac{c^2Cx^7}{7} + \frac{Bc^2x^6}{6} + \frac{Ax^5c^2}{5} + \frac{2Cx^5bc}{5} + \frac{bBcx^4}{2} + \frac{2Ax^3bc}{3} + \frac{2Cx^3ac}{3} + \frac{Cx^3b^2}{3} + Bx^2ac + \frac{Bx^2b^2}{2} + 2aAcx + Ab^2x + 2abB \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^4, x)

[Out]  $1/7*c^2*C*x^7 + 1/6*B*c^2*x^6 + 1/5*A*x^5*c^2 + 2/5*C*x^5*b*c + 1/2*b*B*c*x^4 + 2/3*A*x^3*b*c + 2/3*C*x^3*a*c + 1/3*C*x^3*b^2 + B*x^2*a*c + 1/2*B*x^2*b^2 + 2*a*A*c*x + A*b^2*x + 2*a*b*B*\ln(x)$

**Maxima [A]** time = 0.956365, size = 189, normalized size = 1.27

$$\frac{1}{7}C^2x^7 + \frac{1}{6}Bc^2x^6 + \frac{1}{2}Bbcx^4 + \frac{1}{5}(2Cbc + Ac^2)x^5 + \frac{1}{3}(Cb^2 + 2(Ca + Ab)c)x^3 + 2Bab \log(x) + \frac{1}{2}(Bb^2 + 2Bac)x^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^4, x, algorithm="maxima")

[Out]  $1/7*C^2*x^7 + 1/6*B*c^2*x^6 + 1/2*B*b*c*x^4 + 1/5*(2*C*b*c + A*c^2)*x^5 + 1/3*(C*b^2 + 2*(C*a + A*b)*c)*x^3 + 2*B*a*b*\log(x) + 1/2*(B*b^2 + 2*B*a*c)*x^2 + (2*C*a*b + A*b^2 + 2*A*a*c)*x - 1/6*(3*B*a^2*x + 2*A*a^2 + 6*(C*a^2$

$$+ 2*A*a*b)*x^2)/x^3$$

**Fricas [A]** time = 1.28773, size = 354, normalized size = 2.38

$$\frac{30 Cc^2x^{10} + 35 Bc^2x^9 + 105 Bbcx^7 + 42 (2 Cbc + Ac^2)x^8 + 70 (Cb^2 + 2 (Ca + Ab)c)x^6 + 420 Babx^3 \log(x) + 105 (Bb^2 + 2 B^2a^2)}{210 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^4,x, algorithm="fricas")

[Out] 1/210\*(30\*C\*c^2\*x^10 + 35\*B\*c^2\*x^9 + 105\*B\*b\*c\*x^7 + 42\*(2\*C\*b\*c + A\*c^2)\*x^8 + 70\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*x^6 + 420\*B\*a\*b\*x^3\*log(x) + 105\*(B\*b^2 + 2\*B\*a\*c)\*x^5 + 210\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 - 105\*B\*a^2\*x^3 - 70\*A\*a^2 - 210\*(C\*a^2 + 2\*A\*a\*b)\*x^2)/x^3

**Sympy [A]** time = 0.886277, size = 158, normalized size = 1.06

$$2Bab \log(x) + \frac{Bbcx^4}{2} + \frac{Bc^2x^6}{6} + \frac{Cc^2x^7}{7} + x^5 \left( \frac{Ac^2}{5} + \frac{2Cbc}{5} \right) + x^3 \left( \frac{2Abc}{3} + \frac{2Cac}{3} + \frac{Cb^2}{3} \right) + x^2 \left( Bac + \frac{Bb^2}{2} \right) + x(2Aac + Ab^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*4,x)

[Out] 2\*B\*a\*b\*log(x) + B\*b\*c\*x\*\*4/2 + B\*c\*\*2\*x\*\*6/6 + C\*c\*\*2\*x\*\*7/7 + x\*\*5\*(A\*c\*\*2/5 + 2\*C\*b\*c/5) + x\*\*3\*(2\*A\*b\*c/3 + 2\*C\*a\*c/3 + C\*b\*\*2/3) + x\*\*2\*(B\*a\*c + B\*b\*\*2/2) + x\*(2\*A\*a\*c + A\*b\*\*2 + 2\*C\*a\*b) - (2\*A\*a\*\*2 + 3\*B\*a\*\*2\*x + x\*\*2\*(12\*A\*a\*b + 6\*C\*a\*\*2))/(6\*x\*\*3)

**Giac [A]** time = 1.08759, size = 197, normalized size = 1.32

$$\frac{1}{7} Cc^2x^7 + \frac{1}{6} Bc^2x^6 + \frac{2}{5} Cbcx^5 + \frac{1}{5} Ac^2x^5 + \frac{1}{2} Bbcx^4 + \frac{1}{3} Cb^2x^3 + \frac{2}{3} Ccacx^3 + \frac{2}{3} Abcx^3 + \frac{1}{2} Bb^2x^2 + Bacx^2 + 2 Cabx + Ab^2$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)*(c*x^4+b*x^2+a)^2/x^4,x, algorithm="giac")
```

```
[Out] 1/7*C*c^2*x^7 + 1/6*B*c^2*x^6 + 2/5*C*b*c*x^5 + 1/5*A*c^2*x^5 + 1/2*B*b*c*x^4 + 1/3*C*b^2*x^3 + 2/3*C*a*c*x^3 + 2/3*A*b*c*x^3 + 1/2*B*b^2*x^2 + B*a*c*x^2 + 2*C*a*b*x + A*b^2*x + 2*A*a*c*x + 2*B*a*b*log(abs(x)) - 1/6*(3*B*a^2*x + 2*A*a^2 + 6*(C*a^2 + 2*A*a*b)*x^2)/x^3
```

$$3.18 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^5} dx$$

**Optimal.** Leaf size=148

$$-\frac{a^2A}{4x^4} - \frac{a^2B}{3x^3} + \frac{1}{2}x^2(C(2ac+b^2)+2Abc) + \log(x)(A(2ac+b^2)+2abC) - \frac{a(aC+2Ab)}{2x^2} + Bx(2ac+b^2) - \frac{2abB}{x} + \frac{1}{4}C$$

[Out]  $-(a^2A)/(4*x^4) - (a^2B)/(3*x^3) - (a*(2*A*b + a*C))/(2*x^2) - (2*a*b*B)/x + B*(b^2 + 2*a*c)*x + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^2)/2 + (2*b*B*c*x^3)/3 + (c*(A*c + 2*b*C)*x^4)/4 + (B*c^2*x^5)/5 + (c^2*C*x^6)/6 + (A*(b^2 + 2*a*c) + 2*a*b*C)*\text{Log}[x]$

**Rubi [A]** time = 0.141568, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{4x^4} - \frac{a^2B}{3x^3} + \frac{1}{2}x^2(C(2ac+b^2)+2Abc) + \log(x)(A(2ac+b^2)+2abC) - \frac{a(aC+2Ab)}{2x^2} + Bx(2ac+b^2) - \frac{2abB}{x} + \frac{1}{4}C$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)^2/x^5, x]$

[Out]  $-(a^2A)/(4*x^4) - (a^2B)/(3*x^3) - (a*(2*A*b + a*C))/(2*x^2) - (2*a*b*B)/x + B*(b^2 + 2*a*c)*x + ((2*A*b*c + (b^2 + 2*a*c)*C)*x^2)/2 + (2*b*B*c*x^3)/3 + (c*(A*c + 2*b*C)*x^4)/4 + (B*c^2*x^5)/5 + (c^2*C*x^6)/6 + (A*(b^2 + 2*a*c) + 2*a*b*C)*\text{Log}[x]$

### Rule 1628

$\text{Int}[(Pq_*)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^{(p_.)}, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /;$  FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)^2}{x^5} dx = \int \left( B(b^2 + 2ac) + \frac{a^2A}{x^5} + \frac{a^2B}{x^4} + \frac{a(2Ab + aC)}{x^3} + \frac{2abB}{x^2} + \frac{A(b^2 + 2ac) + 2abC}{x} \right. \\ \left. = -\frac{a^2A}{4x^4} - \frac{a^2B}{3x^3} - \frac{a(2Ab + aC)}{2x^2} - \frac{2abB}{x} + B(b^2 + 2ac)x + \frac{1}{2}(2Abc + (b^2 + 2ac)A) \right) dx$$

**Mathematica [A]** time = 0.0826919, size = 130, normalized size = 0.88

$$-\frac{a^2(3A + 4Bx + 6Cx^2)}{12x^4} + \log(x)(A(2ac + b^2) + 2abC) + \frac{a(-Ab - 2bBx + cx^3(2B + Cx))}{x^2} + \frac{1}{60}x(10bcx(6A + x(4B + 3Cx)) + 6A^2 + 4AbC)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^5, x]

[Out] -(a^2\*(3\*A + 4\*B\*x + 6\*C\*x^2))/(12\*x^4) + (a\*(-(A\*b) - 2\*b\*B\*x + c\*x^3\*(2\*B + C\*x)))/x^2 + (x\*(30\*b^2\*(2\*B + C\*x) + 10\*b\*c\*x\*(6\*A + x\*(4\*B + 3\*C\*x)) + c^2\*x^3\*(15\*A + 2\*x\*(6\*B + 5\*C\*x))))/60 + (A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*Log[x]

**Maple [A]** time = 0.008, size = 144, normalized size = 1.

$$\frac{c^2Cx^6}{6} + \frac{Bc^2x^5}{5} + \frac{Ax^4c^2}{4} + \frac{Cx^4bc}{2} + \frac{2bBcx^3}{3} + Ax^2bc + Cx^2ac + \frac{Cx^2b^2}{2} + 2Bacx + Bb^2x - 2\frac{Bab}{x} - \frac{Aab}{x^2} - \frac{Ca^2}{2x^2} - \frac{Aa^2}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^5, x)

[Out] 1/6\*c^2\*C\*x^6+1/5\*B\*c^2\*x^5+1/4\*A\*x^4\*c^2+1/2\*C\*x^4\*b\*c+2/3\*b\*B\*c\*x^3+A\*x^2\*b\*c+C\*x^2\*a\*c+1/2\*C\*x^2\*b^2+2\*B\*a\*c\*x+B\*b^2\*x-2\*a\*b\*B/x-a/x^2\*A\*b-1/2\*a^2/x^2\*C-1/4\*a^2\*A/x^4-1/3\*a^2\*B/x^3+2\*A\*ln(x)\*a\*c+A\*ln(x)\*b^2+2\*C\*ln(x)\*a\*b

**Maxima [A]** time = 0.983737, size = 188, normalized size = 1.27

$$\frac{1}{6}C^2x^6 + \frac{1}{5}Bc^2x^5 + \frac{2}{3}Bbcx^3 + \frac{1}{4}(2Cbc + Ac^2)x^4 + \frac{1}{2}(Cb^2 + 2(Ca + Ab)c)x^2 + (Bb^2 + 2Bac)x + (2Cab + Ab^2 + 2A^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^5,x, algorithm="maxima")

[Out]  $\frac{1}{6}C^2c^2x^6 + \frac{1}{5}B^2c^2x^5 + \frac{2}{3}B^2bcx^3 + \frac{1}{4}(2C^2bc + A^2c^2)x^4 + \frac{1}{2}(C^2b^2 + 2(C^2a + A^2b)c)x^2 + (B^2b^2 + 2B^2ac)x + (2C^2ab + A^2b^2 + 2A^2ac)\log(x) - \frac{1}{12}(24B^2abx^3 + 4B^2a^2x + 3A^2a^2 + 6(C^2a^2 + 2A^2ab)x^2)/x^4$

**Fricas [A]** time = 1.23705, size = 346, normalized size = 2.34

$$\frac{10Cc^2x^{10} + 12Bc^2x^9 + 40Bbcx^7 + 15(2Cbc + Ac^2)x^8 + 30(Cb^2 + 2(Ca + Ab)c)x^6 - 120Babx^3 + 60(Bb^2 + 2Bac)x^5 + 60x^4}{60x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^5,x, algorithm="fricas")

[Out]  $\frac{1}{60}(10C^2c^2x^{10} + 12B^2c^2x^9 + 40B^2bcx^7 + 15(2C^2bc + A^2c^2)x^8 + 30(C^2b^2 + 2(C^2a + A^2b)c)x^6 - 120B^2abx^3 + 60(B^2b^2 + 2B^2ac)x^5 + 60(2C^2ab + A^2b^2 + 2A^2ac)x^4)\log(x) - 20B^2a^2x - 15A^2a^2 - 30(C^2a^2 + 2A^2ab)x^2)/x^4$

**Sympy [A]** time = 2.62166, size = 151, normalized size = 1.02

$$\frac{2Bbcx^3}{3} + \frac{Bc^2x^5}{5} + \frac{Cc^2x^6}{6} + x^4\left(\frac{Ac^2}{4} + \frac{Cbc}{2}\right) + x^2\left(ABC + Cac + \frac{Cb^2}{2}\right) + x(2Bac + Bb^2) + (2Aac + Ab^2 + 2Cab)\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*5,x)

[Out]  $\frac{2B^2bcx^3}{3} + \frac{B^2c^2x^5}{5} + \frac{C^2c^2x^6}{6} + x^4(A^2c^2/4 + C^2bc/2) + x^2(A^2b^2c + C^2ac + C^2b^2/2) + x(2B^2ac + B^2b^2) + (2A^2ac + A^2b^2 + 2C^2ab)\log(x) - (3A^2a^2 + 4B^2a^2x + 24B^2abx^3 + x^2(12A^2ab + 6C^2a^2))/(12x^4)$

**Giac [A]** time = 1.11442, size = 192, normalized size = 1.3

$$\frac{1}{6} Cc^2x^6 + \frac{1}{5} Bc^2x^5 + \frac{1}{2} Cbcx^4 + \frac{1}{4} Ac^2x^4 + \frac{2}{3} Bbcx^3 + \frac{1}{2} Cb^2x^2 + Cacx^2 + Abcx^2 + Bb^2x + 2Bacx + (2Cab + Ab^2 + 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^5,x, algorithm="giac")

[Out] 1/6\*C\*c^2\*x^6 + 1/5\*B\*c^2\*x^5 + 1/2\*C\*b\*c\*x^4 + 1/4\*A\*c^2\*x^4 + 2/3\*B\*b\*c\*x^3 + 1/2\*C\*b^2\*x^2 + C\*a\*c\*x^2 + A\*b\*c\*x^2 + B\*b^2\*x + 2\*B\*a\*c\*x + (2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*log(abs(x)) - 1/12\*(24\*B\*a\*b\*x^3 + 4\*B\*a^2\*x + 3\*A\*a^2 + 6\*(C\*a^2 + 2\*A\*a\*b)\*x^2)/x^4

$$3.19 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^6} dx$$

**Optimal.** Leaf size=143

$$-\frac{a^2A}{5x^5} - \frac{a^2B}{4x^4} + x(C(2ac+b^2) + 2Abc) - \frac{A(2ac+b^2) + 2abC}{x} - \frac{a(aC+2Ab)}{3x^3} + B \log(x)(2ac+b^2) - \frac{abB}{x^2} + \frac{1}{3}cx^3(Ac$$

[Out]  $-(a^2A)/(5x^5) - (a^2B)/(4x^4) - (a(2Ab + aC))/(3x^3) - (abB)/x^2 - (A(b^2 + 2ac) + 2abc)/x + (2Abc + (b^2 + 2ac)C)x + bBcx^2 + (c(Ac + 2bC)x^3)/3 + (Bc^2x^4)/4 + (c^2Cx^5)/5 + B(b^2 + 2ac) \log(x)$

**Rubi [A]** time = 0.146662, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{5x^5} - \frac{a^2B}{4x^4} + x(C(2ac+b^2) + 2Abc) - \frac{A(2ac+b^2) + 2abC}{x} - \frac{a(aC+2Ab)}{3x^3} + B \log(x)(2ac+b^2) - \frac{abB}{x^2} + \frac{1}{3}cx^3(Ac$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^6, x]

[Out]  $-(a^2A)/(5x^5) - (a^2B)/(4x^4) - (a(2Ab + aC))/(3x^3) - (abB)/x^2 - (A(b^2 + 2ac) + 2abc)/x + (2Abc + (b^2 + 2ac)C)x + bBcx^2 + (c(Ac + 2bC)x^3)/3 + (Bc^2x^4)/4 + (c^2Cx^5)/5 + B(b^2 + 2ac) \log(x)$

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps



$$\int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)^2}{x^6} dx = \int \left( 2Abc \left( 1 + \frac{b \left( 1 + \frac{2ac}{b^2} \right) C}{2Ac} \right) + \frac{a^2 A}{x^6} + \frac{a^2 B}{x^5} + \frac{a(2Ab + aC)}{x^4} + \frac{2abB}{x^3} + \frac{A(b^2 + 2ac)}{x^2} + \frac{2abcC}{x} + (2Abc + (b^2 + 2ac)C) \log(x) \right) dx$$

**Mathematica [A]** time = 0.0823089, size = 142, normalized size = 0.99

$$-\frac{a^2 A}{5x^5} - \frac{a^2 B}{4x^4} - \frac{2aAc + 2abC + Ab^2}{x} - \frac{a(aC + 2Ab)}{3x^3} + B \log(x) (2ac + b^2) + Cx (2ac + b^2) - \frac{abB}{x^2} + \frac{1}{3} cx^3 (Ac + 2bC) + (2Abc + (b^2 + 2ac)C) \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^6, x]

[Out] -(a^2\*A)/(5\*x^5) - (a^2\*B)/(4\*x^4) - (a\*(2\*A\*b + a\*C))/(3\*x^3) - (a\*b\*B)/x^2 - (A\*b^2 + 2\*a\*A\*c + 2\*a\*b\*C)/x + 2\*A\*b\*c\*x + (b^2 + 2\*a\*c)\*C\*x + b\*B\*c\*x^2 + (c\*(A\*c + 2\*b\*C)\*x^3)/3 + (B\*c^2\*x^4)/4 + (c^2\*C\*x^5)/5 + B\*(b^2 + 2\*a\*c)\*Log[x]

**Maple [A]** time = 0.007, size = 144, normalized size = 1.

$$\frac{c^2 C x^5}{5} + \frac{B c^2 x^4}{4} + \frac{A x^3 c^2}{3} + \frac{2 C x^3 b c}{3} + b B c x^2 + 2 A b c x + 2 a c C x + b^2 C x - 2 \frac{a A c}{x} - \frac{A b^2}{x} - 2 \frac{a b C}{x} - \frac{A a^2}{5 x^5} - \frac{B a b}{x^2} - \frac{B a^2}{4 x^4} + (2 a c + b^2) C \log(x) + C x (2 a c + b^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^6, x)

[Out] 1/5\*c^2\*C\*x^5+1/4\*B\*c^2\*x^4+1/3\*A\*x^3\*c^2+2/3\*C\*x^3\*b\*c+b\*B\*c\*x^2+2\*A\*b\*c\*x+2\*a\*c\*C\*x+b^2\*C\*x-2/x\*a\*A\*c-1/x\*A\*b^2-2/x\*a\*b\*C-1/5\*a^2\*A/x^5-a\*b\*B/x^2-1/4\*a^2\*B/x^4-2/3\*a/x^3\*A\*b-1/3\*a^2/x^3\*C+2\*B\*ln(x)\*a\*c+B\*ln(x)\*b^2

**Maxima [A]** time = 0.970014, size = 186, normalized size = 1.3

$$\frac{1}{5} C c^2 x^5 + \frac{1}{4} B c^2 x^4 + B b c x^2 + \frac{1}{3} (2 C b c + A c^2) x^3 + (C b^2 + 2 (C a + A b) c) x + (B b^2 + 2 B a c) \log(x) - \frac{60 B a b x^3 + 60 (2 a^2 A + 2 a b C) \log(x)}{10}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^6,x, algorithm="maxima")

[Out]  $\frac{1}{5}C*c^2*x^5 + \frac{1}{4}B*c^2*x^4 + B*b*c*x^2 + \frac{1}{3}(2*C*b*c + A*c^2)*x^3 + (C*b^2 + 2*(C*a + A*b)*c)*x + (B*b^2 + 2*B*a*c)*\log(x) - \frac{1}{60}(60*B*a*b*x^3 + 60*(2*C*a*b + A*b^2 + 2*A*a*c)*x^4 + 15*B*a^2*x + 12*A*a^2 + 20*(C*a^2 + 2*A*a*b)*x^2)/x^5$

**Fricas [A]** time = 1.20422, size = 344, normalized size = 2.41

$$\frac{12 C c^2 x^{10} + 15 B c^2 x^9 + 60 B b c x^7 + 20 (2 C b c + A c^2) x^8 + 60 (C b^2 + 2 (C a + A b) c) x^6 + 60 (B b^2 + 2 B a c) x^5 \log(x) - 60 B a^2 x^3 - 60 (2 C a b + A b^2 + 2 A a c) x^4 - 15 B a^2 x - 12 A a^2 - 20 (C a^2 + 2 A a b) x^2}{60 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^6,x, algorithm="fricas")

[Out]  $\frac{1}{60}(12*C*c^2*x^{10} + 15*B*c^2*x^9 + 60*B*b*c*x^7 + 20*(2*C*b*c + A*c^2)*x^8 + 60*(C*b^2 + 2*(C*a + A*b)*c)*x^6 + 60*(B*b^2 + 2*B*a*c)*x^5*\log(x) - 60*B*a*b*x^3 - 60*(2*C*a*b + A*b^2 + 2*A*a*c)*x^4 - 15*B*a^2*x - 12*A*a^2 - 20*(C*a^2 + 2*A*a*b)*x^2)/x^5$

**Sympy [A]** time = 8.27827, size = 151, normalized size = 1.06

$$B b c x^2 + \frac{B c^2 x^4}{4} + B (2 a c + b^2) \log(x) + \frac{C c^2 x^5}{5} + x^3 \left( \frac{A c^2}{3} + \frac{2 C b c}{3} \right) + x (2 A b c + 2 C a c + C b^2) - \frac{12 A a^2 + 15 B a^2 x + 60 B a^2}{60 x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*6,x)

[Out]  $B*b*c*x**2 + B*c**2*x**4/4 + B*(2*a*c + b**2)*\log(x) + C*c**2*x**5/5 + x**3*(A*c**2/3 + 2*C*b*c/3) + x*(2*A*b*c + 2*C*a*c + C*b**2) - (12*A*a**2 + 15*B*a**2*x + 60*B*a*b*x**3 + x**4*(120*A*a*c + 60*A*b**2 + 120*C*a*b) + x**2*(40*A*a*b + 20*C*a**2))/(60*x**5)$

**Giac [A]** time = 1.12074, size = 189, normalized size = 1.32

$$\frac{1}{5} Cc^2x^5 + \frac{1}{4} Bc^2x^4 + \frac{2}{3} Cbcx^3 + \frac{1}{3} Ac^2x^3 + Bbcx^2 + Cb^2x + 2Cacx + 2Abcx + (Bb^2 + 2Bac) \log(|x|) - \frac{60 Babx^3 + 60}{60}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^6,x, algorithm="giac")

[Out] 1/5\*C\*c^2\*x^5 + 1/4\*B\*c^2\*x^4 + 2/3\*C\*b\*c\*x^3 + 1/3\*A\*c^2\*x^3 + B\*b\*c\*x^2 + C\*b^2\*x + 2\*C\*a\*c\*x + 2\*A\*b\*c\*x + (B\*b^2 + 2\*B\*a\*c)\*log(abs(x)) - 1/60\*(60\*B\*a\*b\*x^3 + 60\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 + 15\*B\*a^2\*x + 12\*A\*a^2 + 20\*(C\*a^2 + 2\*A\*a\*b)\*x^2)/x^5

$$3.20 \quad \int \frac{(A+Bx+Cx^2)(a+bx^2+cx^4)^2}{x^7} dx$$

**Optimal.** Leaf size=149

$$-\frac{a^2A}{6x^6} - \frac{a^2B}{5x^5} - \frac{A(2ac+b^2)+2abC}{2x^2} + \log(x)(C(2ac+b^2)+2Abc) - \frac{a(aC+2Ab)}{4x^4} - \frac{B(2ac+b^2)}{x} - \frac{2abB}{3x^3} + \frac{1}{2}cx^2(Ac$$

[Out]  $-(a^2A)/(6*x^6) - (a^2B)/(5*x^5) - (a*(2*A*b + a*C))/(4*x^4) - (2*a*b*B)/(3*x^3) - (A*(b^2 + 2*a*c) + 2*a*b*C)/(2*x^2) - (B*(b^2 + 2*a*c))/x + 2*b*B*c*x + (c*(A*c + 2*b*C)*x^2)/2 + (B*c^2*x^3)/3 + (c^2*C*x^4)/4 + (2*A*b*c + (b^2 + 2*a*c)*C)*\text{Log}[x]$

**Rubi [A]** time = 0.143141, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$-\frac{a^2A}{6x^6} - \frac{a^2B}{5x^5} - \frac{A(2ac+b^2)+2abC}{2x^2} + \log(x)(C(2ac+b^2)+2Abc) - \frac{a(aC+2Ab)}{4x^4} - \frac{B(2ac+b^2)}{x} - \frac{2abB}{3x^3} + \frac{1}{2}cx^2(Ac$$

Antiderivative was successfully verified.

[In] Int[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^7, x]

[Out]  $-(a^2A)/(6*x^6) - (a^2B)/(5*x^5) - (a*(2*A*b + a*C))/(4*x^4) - (2*a*b*B)/(3*x^3) - (A*(b^2 + 2*a*c) + 2*a*b*C)/(2*x^2) - (B*(b^2 + 2*a*c))/x + 2*b*B*c*x + (c*(A*c + 2*b*C)*x^2)/2 + (B*c^2*x^3)/3 + (c^2*C*x^4)/4 + (2*A*b*c + (b^2 + 2*a*c)*C)*\text{Log}[x]$

**Rule 1628**

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rubi steps

$$\int \frac{(A + Bx + Cx^2)(a + bx^2 + cx^4)^2}{x^7} dx = \int \left( 2bBc + \frac{a^2A}{x^7} + \frac{a^2B}{x^6} + \frac{a(2Ab + aC)}{x^5} + \frac{2abB}{x^4} + \frac{A(b^2 + 2ac) + 2abC}{x^3} + \frac{B(b^2 + 2ac)}{x^2} + \frac{2abc}{x} \right) dx$$

$$= -\frac{a^2A}{6x^6} - \frac{a^2B}{5x^5} - \frac{a(2Ab + aC)}{4x^4} - \frac{2abB}{3x^3} - \frac{A(b^2 + 2ac) + 2abC}{2x^2} - \frac{B(b^2 + 2ac)}{x} + \frac{2abc}{x}$$

**Mathematica [A]** time = 0.10065, size = 144, normalized size = 0.97

$$-\frac{a^2(10A + 3x(4B + 5Cx))}{60x^6} + \log(x)(C(2ac + b^2) + 2Abc) - \frac{a(3A(b + 2cx^2) + 2x(2bB + 3bCx + 6Bcx^2))}{6x^4} + \frac{A(c^2x^4)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2)/x^7, x]

[Out] -((b^2\*B)/x) + b\*c\*x\*(2\*B + C\*x) + (c^2\*x^3\*(4\*B + 3\*C\*x))/12 + (A\*(-b^2 + c^2\*x^4))/(2\*x^2) - (a^2\*(10\*A + 3\*x\*(4\*B + 5\*C\*x)))/(60\*x^6) - (a\*(3\*A\*(b + 2\*c\*x^2) + 2\*x\*(2\*b\*B + 3\*b\*C\*x + 6\*B\*c\*x^2)))/(6\*x^4) + (2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*Log[x]

**Maple [A]** time = 0.009, size = 148, normalized size = 1.

$$\frac{c^2Cx^4}{4} + \frac{Bc^2x^3}{3} + \frac{Ax^2c^2}{2} + Cx^2bc + 2bBcx - \frac{Aab}{2x^4} - \frac{Ca^2}{4x^4} - 2\frac{Bac}{x} - \frac{Bb^2}{x} - \frac{aAc}{x^2} - \frac{Ab^2}{2x^2} - \frac{abC}{x^2} - \frac{Aa^2}{6x^6} - \frac{Ba^2}{5x^5} - \frac{2Bab}{3x^3} + \frac{2abc}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^7, x)

[Out] 1/4\*c^2\*C\*x^4+1/3\*B\*c^2\*x^3+1/2\*A\*x^2\*c^2+C\*x^2\*b\*c+2\*b\*B\*c\*x-1/2\*a/x^4\*A\*b-1/4\*a^2/x^4\*C-2\*B/x\*a\*c-B/x\*b^2-1/x^2\*a\*A\*c-1/2/x^2\*A\*b^2-1/x^2\*a\*b\*C-1/6\*a^2\*A/x^6-1/5\*a^2\*B/x^5-2/3\*a\*b\*B/x^3+2\*A\*ln(x)\*b\*c+2\*C\*ln(x)\*a\*c+C\*ln(x)\*b^2

**Maxima [A]** time = 0.952514, size = 189, normalized size = 1.27

$$\frac{1}{4} Cc^2x^4 + \frac{1}{3} Bc^2x^3 + 2Bbcx + \frac{1}{2} (2Cbc + Ac^2)x^2 + (Cb^2 + 2(Ca + Ab)c) \log(x) - \frac{40Babx^3 + 60(Bb^2 + 2Bac)x^5 + 30a^2Cx^6}{60x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^7,x, algorithm="maxima")

[Out]  $\frac{1}{4}C*c^2*x^4 + \frac{1}{3}B*c^2*x^3 + 2*B*b*c*x + \frac{1}{2}(2*C*b*c + A*c^2)*x^2 + (C*b^2 + 2*(C*a + A*b)*c)*\log(x) - \frac{1}{60}(40*B*a*b*x^3 + 60*(B*b^2 + 2*B*a*c)*x^5 + 30*(2*C*a*b + A*b^2 + 2*A*a*c)*x^4 + 12*B*a^2*x + 10*A*a^2 + 15*(C*a^2 + 2*A*a*b)*x^2)/x^6$

**Fricas [A]** time = 1.21679, size = 346, normalized size = 2.32

$$\frac{15 C c^2 x^{10} + 20 B c^2 x^9 + 120 B b c x^7 + 30 (2 C b c + A c^2) x^8 + 60 (C b^2 + 2 (C a + A b) c) x^6 \log(x) - 40 B a b x^3 - 60 (B b^2 + 2 B a c) x^5 - 30 (2 C a b + A b^2 + 2 A a c) x^4 - 12 B a^2 x - 10 A a^2 - 15 (C a^2 + 2 A a b) x^2}{60 x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^7,x, algorithm="fricas")

[Out]  $\frac{1}{60}(15*C*c^2*x^{10} + 20*B*c^2*x^9 + 120*B*b*c*x^7 + 30*(2*C*b*c + A*c^2)*x^8 + 60*(C*b^2 + 2*(C*a + A*b)*c)*x^6*\log(x) - 40*B*a*b*x^3 - 60*(B*b^2 + 2*B*a*c)*x^5 - 30*(2*C*a*b + A*b^2 + 2*A*a*c)*x^4 - 12*B*a^2*x - 10*A*a^2 - 15*(C*a^2 + 2*A*a*b)*x^2)/x^6$

**Sympy [A]** time = 29.7179, size = 153, normalized size = 1.03

$$2Bbcx + \frac{Bc^2x^3}{3} + \frac{Cc^2x^4}{4} + x^2 \left( \frac{Ac^2}{2} + Cbc \right) + (2Abc + 2Cac + Cb^2) \log(x) - \frac{10Aa^2 + 12Ba^2x + 40Babx^3 + x^5 (120Bac - 10Aa^2 - 12Ba^2x - 40Babx^3 - x^5 (120Bac - 10Aa^2 - 12Ba^2x - 40Babx^3))}{60x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2/x\*\*7,x)

[Out]  $2*B*b*c*x + B*c**2*x**3/3 + C*c**2*x**4/4 + x**2*(A*c**2/2 + C*b*c) + (2*A*b*c + 2*C*a*c + C*b**2)*\log(x) - (10*A*a**2 + 12*B*a**2*x + 40*B*a*b*x**3 + x**5*(120*B*a*c + 60*B*b**2) + x**4*(60*A*a*c + 30*A*b**2 + 60*C*a*b) + x**2*(30*A*a*b + 15*C*a**2))/(60*x**6)$

**Giac [A]** time = 1.12944, size = 190, normalized size = 1.28

$$\frac{1}{4} Cc^2x^4 + \frac{1}{3} Bc^2x^3 + Cbcx^2 + \frac{1}{2} Ac^2x^2 + 2Bbcx + (Cb^2 + 2Cac + 2Abc) \log(|x|) - \frac{40 Babx^3 + 60 (Bb^2 + 2Bac)x^5 + 30 (2Ca^2b + Ab^2 + 2Aa^2c)x^4 + 12Ba^2x + 10Aa^2 + 15 (Ca^2 + 2Aa^2b)x^2}{x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2/x^7,x, algorithm="giac")

[Out] 1/4\*C\*c^2\*x^4 + 1/3\*B\*c^2\*x^3 + C\*b\*c\*x^2 + 1/2\*A\*c^2\*x^2 + 2\*B\*b\*c\*x + (C\*b^2 + 2\*C\*a\*c + 2\*A\*b\*c)\*log(abs(x)) - 1/60\*(40\*B\*a\*b\*x^3 + 60\*(B\*b^2 + 2\*B\*a\*c)\*x^5 + 30\*(2\*C\*a\*b + A\*b^2 + 2\*A\*a\*c)\*x^4 + 12\*B\*a^2\*x + 10\*A\*a^2 + 15\*(C\*a^2 + 2\*A\*a\*b)\*x^2)/x^6

$$3.21 \quad \int \frac{x^4(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=339

$$\frac{\left(-\frac{Ac(b^2-2ac)-bC(b^2-3ac)}{\sqrt{b^2-4ac}} + acC + Abc + b^2(-C)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\left(\frac{Ac(b^2-2ac)-bC(b^2-3ac)}{\sqrt{b^2-4ac}} + acC + Abc + b^2(-C)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b^2-4ac+b}}$$

[Out] ((A\*c - b\*C)\*x)/c^2 + (B\*x^2)/(2\*c) + (C\*x^3)/(3\*c) - ((A\*b\*c - b^2\*C + a\*c\*C - (A\*c\*(b^2 - 2\*a\*c) - b\*(b^2 - 3\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((A\*b\*c - b^2\*C + a\*c\*C + (A\*c\*(b^2 - 2\*a\*c) - b\*(b^2 - 3\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (B\*(b^2 - 2\*a\*c)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) - (b\*B\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Rubi [A]** time = 1.85593, antiderivative size = 339, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$ , Rules used = {1662, 1279, 1166, 205, 12, 1114, 703, 634, 618, 206, 628}

$$\frac{\left(-\frac{Ac(b^2-2ac)-bC(b^2-3ac)}{\sqrt{b^2-4ac}} + acC + Abc + b^2(-C)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\left(\frac{Ac(b^2-2ac)-bC(b^2-3ac)}{\sqrt{b^2-4ac}} + acC + Abc + b^2(-C)\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{5/2}\sqrt{b^2-4ac+b}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] ((A\*c - b\*C)\*x)/c^2 + (B\*x^2)/(2\*c) + (C\*x^3)/(3\*c) - ((A\*b\*c - b^2\*C + a\*c\*C - (A\*c\*(b^2 - 2\*a\*c) - b\*(b^2 - 3\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((A\*b\*c - b^2\*C + a\*c\*C + (A\*c\*(b^2 - 2\*a\*c) - b\*(b^2 - 3\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (B\*(b^2 - 2\*a\*c)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) - (b\*B\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Rule 1662**



```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

### Rule 1279

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(e*f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1))/(c*(m + 4*p + 3)), x] - Dist[f^2/(c*(m + 4*p + 3)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^p*Simp[a*e*(m - 1) + (b*e*(m + 2*p + 1) - c*d*(m + 4*p + 3))*x^2, x], x]] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && GtQ[m, 1] && NeQ[m + 4*p + 3, 0] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1114

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 703

```
Int[((d_) + (e_)*(x_))^(m_)/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(e*(d + e*x)^(m - 1))/(c*(m - 1)), x] + Dist[1/c, Int[((d + e*x)^
```

```
(m - 2)*Simp[c*d^2 - a*e^2 + e*(2*c*d - b*e)*x, x]/(a + b*x + c*x^2), x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && NeQ[2*c*d - b*e, 0] && GtQ[m, 1]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(A+Bx+Cx^2)}{a+bx^2+cx^4} dx &= \int \frac{Bx^5}{a+bx^2+cx^4} dx + \int \frac{x^4(A+Cx^2)}{a+bx^2+cx^4} dx \\
&= \frac{Cx^3}{3c} + B \int \frac{x^5}{a+bx^2+cx^4} dx - \frac{\int \frac{x^2(3aC-3(Ac-bC)x^2)}{a+bx^2+cx^4} dx}{3c} \\
&= \frac{(Ac-bC)x}{c^2} + \frac{Cx^3}{3c} + \frac{1}{2}B \text{Subst} \left( \int \frac{x^2}{a+bx+cx^2} dx, x, x^2 \right) + \frac{\int \frac{-3a(Ac-bC)-3(Abc-b^2C+acC)x^2}{a+bx^2+cx^4} dx}{3c^2} \\
&= \frac{(Ac-bC)x}{c^2} + \frac{Bx^2}{2c} + \frac{Cx^3}{3c} + \frac{B \text{Subst} \left( \int \frac{-a-bx}{a+bx+cx^2} dx, x, x^2 \right)}{2c} - \frac{\left( Abc-b^2C+acC - \frac{Ac(b^2-2ac)}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{b-\sqrt{b^2-4ac}}} \\
&= \frac{(Ac-bC)x}{c^2} + \frac{Bx^2}{2c} + \frac{Cx^3}{3c} - \frac{\left( Abc-b^2C+acC - \frac{Ac(b^2-2ac)-b(b^2-3ac)C}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2c^{5/2}}\sqrt{b-\sqrt{b^2-4ac}}} \\
&= \frac{(Ac-bC)x}{c^2} + \frac{Bx^2}{2c} + \frac{Cx^3}{3c} - \frac{\left( Abc-b^2C+acC - \frac{Ac(b^2-2ac)-b(b^2-3ac)C}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2c^{5/2}}\sqrt{b-\sqrt{b^2-4ac}}} \\
&= \frac{(Ac-bC)x}{c^2} + \frac{Bx^2}{2c} + \frac{Cx^3}{3c} - \frac{\left( Abc-b^2C+acC - \frac{Ac(b^2-2ac)-b(b^2-3ac)C}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2c^{5/2}}\sqrt{b-\sqrt{b^2-4ac}}}
\end{aligned}$$

**Mathematica [A]** time = 0.643908, size = 460, normalized size = 1.36

$$\frac{6\sqrt{2}\left(Ac\left(-b\sqrt{b^2-4ac}-2ac+b^2\right)+C\left(b^2\sqrt{b^2-4ac}-ac\sqrt{b^2-4ac}+3abc-b^3\right)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{6\sqrt{2}\left(C\left(b^2\sqrt{b^2-4ac}-ac\sqrt{b^2-4ac}-3abc+b^3\right)-Ac\left(b\sqrt{b^2-4ac}-2ac\right)\right)}{\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (12\*sqrt[c]\*(A\*c - b\*C)\*x + 6\*B\*c^(3/2)\*x^2 + 4\*c^(3/2)\*C\*x^3 + (6\*sqrt[2]\*  
(A\*c\*(b^2 - 2\*a\*c - b\*sqrt[b^2 - 4\*a\*c]) + (-b^3 + 3\*a\*b\*c + b^2\*sqrt[b^2 -  
4\*a\*c] - a\*c\*sqrt[b^2 - 4\*a\*c]))\*C)\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt  
t[b^2 - 4\*a\*c]])]/(sqrt[b^2 - 4\*a\*c]\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) + (6\*sqrt  
[2]\*(-(A\*c\*(b^2 - 2\*a\*c + b\*sqrt[b^2 - 4\*a\*c])) + (b^3 - 3\*a\*b\*c + b^2\*sqrt

$$\begin{aligned} & [b^2 - 4ac] - a\sqrt{b^2 - 4ac})C) \operatorname{ArcTan}[\sqrt{2}\sqrt{c}x/\sqrt{b} \\ & + \sqrt{b^2 - 4ac}}]/(\sqrt{b^2 - 4ac})\sqrt{b + \sqrt{b^2 - 4ac}}) - ( \\ & 3B\sqrt{c}(-b^2 + 2ac + b\sqrt{b^2 - 4ac}))\operatorname{Log}[-b + \sqrt{b^2 - 4ac} \\ & - 2cx^2]/\sqrt{b^2 - 4ac} - (3B\sqrt{c}(b^2 - 2ac + b\sqrt{b^2 - 4 \\ & ac}))\operatorname{Log}[b + \sqrt{b^2 - 4ac} + 2cx^2]/\sqrt{b^2 - 4ac})/(12c^{5/2} \\ & ) \end{aligned}$$

**Maple [B]** time = 0.046, size = 1622, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}(x^4(Cx^2+Bx+A)/(cx^4+bx^2+a), x)$

[Out]  $\frac{3}{2} \frac{c}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) C + (-4ac+b^2)^{1/2} ab + \frac{3}{2} \frac{c}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) C + (-4ac+b^2)^{1/2} a - \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} B \ln(-2cx^2+(-4ac+b^2)^{1/2}-b) ab + \frac{2}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) C a^2 - \frac{2}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) C a^2 - \frac{1}{2} \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) (-4ac+b^2)^{1/2} a + \frac{1}{4} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) (-4ac+b^2)^{1/2} b^2 - \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) ab + \frac{1}{2} \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} B \ln(-2cx^2+(-4ac+b^2)^{1/2}-b) (-4ac+b^2)^{1/2} a - \frac{1}{4} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} B \ln(-2cx^2+(-4ac+b^2)^{1/2}-b) (-4ac+b^2)^{1/2} b^2 + \frac{2}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) A ab - \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) A (-4ac+b^2)^{1/2} a - \frac{2}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) A ab - \frac{1}{2} \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) A b^3 + \frac{1}{2} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) b^4 C + \frac{1}{2} \frac{1}{c} \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) A b^3 - \frac{1}{2} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{((b+(-4ac+b^2)^{1/2})c)^{1/2}} \operatorname{arctan}(cx^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2}) b^4 C - \frac{1}{(4ac-b^2)^{3/2}} \frac{1}{(((-4ac+b^2)^{1/2}-b)c)^{1/2}} \operatorname{arctanh}(cx^2)^{1/2} / ((((-4ac+b^2)^{1/2}-b)c)^{1/2}) A (-4ac+b^2)^{1/2} a + \frac{1}{4} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} B \ln(-2cx^2+(-4ac+b^2)^{1/2}-b) b^3 + \frac{1}{4} \frac{1}{c^2} \frac{1}{(4ac-b^2)^{3/2}} B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) b^3 + \frac{1}{c} A x - \frac{1}{c^2} B$

$$\begin{aligned}
& *C*x^{-1/2}/c^2/(4*a*c-b^2)*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c \\
& *x*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2))}*C*(-4*a*c+b^2)^{(1/2)}*b^3-5/2/c \\
& /((4*a*c-b^2)*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)/(( \\
& ((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2))}*b^2*C*a+1/2/c/(4*a*c-b^2)*2^{(1/2)/((b+(-4* \\
& a*c+b^2)^{(1/2))*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2) \\
& ))}*A*(-4*a*c+b^2)^{(1/2)}*b^2-1/2/c^2/(4*a*c-b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1 \\
& /2))*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2))}*C*(-4*a* \\
& c+b^2)^{(1/2)}*b^3+5/2/c/(4*a*c-b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2) \\
& }*\operatorname{arctan}(c*x*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2))}*b^2*C*a+1/2*B*x^2/c+1 \\
& /3*C*x^3/c+1/2/c/(4*a*c-b^2)*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arcta} \\
& \operatorname{nh}(c*x*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2))}*A*(-4*a*c+b^2)^{(1/2)}*b^2
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.22 \quad \int \frac{x^3(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=278

$$\frac{(2acC + Abc + b^2(-C)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}} + \frac{(Ac - bC) \log(a + bx^2 + cx^4)}{4c^2} - \frac{B\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{B\left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out] (B\*x)/c + (C\*x^2)/(2\*c) - (B\*(b - (b^2 - 2\*a\*c)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (B\*(b + (b^2 - 2\*a\*c)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + ((A\*b\*c - b^2\*C + 2\*a\*c\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) + ((A\*c - b\*C)\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Rubi [A]** time = 0.465966, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$ , Rules used = {1662, 1251, 773, 634, 618, 206, 628, 12, 1122, 1166, 205}

$$\frac{(2acC + Abc + b^2(-C)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c^2\sqrt{b^2-4ac}} + \frac{(Ac - bC) \log(a + bx^2 + cx^4)}{4c^2} - \frac{B\left(b - \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{B\left(b + \frac{b^2-2ac}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (B\*x)/c + (C\*x^2)/(2\*c) - (B\*(b - (b^2 - 2\*a\*c)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (B\*(b + (b^2 - 2\*a\*c)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + ((A\*b\*c - b^2\*C + 2\*a\*c\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) + ((A\*c - b\*C)\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

### Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

### Rule 773

```
Int[(((d_) + (e_)*(x_))*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (c*e*f + c*d*g - b*e*g)*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol]
:> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]
```



e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1122

Int[((d\_.)\*(x\_))^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(d^3\*(d\*x)^(m - 3)\*(a + b\*x^2 + c\*x^4)^(p + 1))/(c\*(m + 4\*p + 1)), x] - Dist[d^4/(c\*(m + 4\*p + 1)), Int[(d\*x)^(m - 4)\*Simp[a\*(m - 3) + b\*(m + 2\*p - 1)\*x^2, x]\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[m, 3] && NeQ[m + 4\*p + 1, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (A + Bx + Cx^2)}{a + bx^2 + cx^4} dx &= \int \frac{Bx^4}{a + bx^2 + cx^4} dx + \int \frac{x^3 (A + Cx^2)}{a + bx^2 + cx^4} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{x(A + Cx)}{a + bx + cx^2} dx, x, x^2 \right) + B \int \frac{x^4}{a + bx^2 + cx^4} dx \\
&= \frac{Bx}{c} + \frac{Cx^2}{2c} + \frac{\text{Subst} \left( \int \frac{-aC + (Ac - bC)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c} - \frac{B \int \frac{a + bx^2}{a + bx^2 + cx^4} dx}{c} \\
&= \frac{Bx}{c} + \frac{Cx^2}{2c} - \frac{\left( B \left( b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2c} - \frac{\left( B \left( b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2 - 4ac} + cx^2} dx}{2c} \\
&= \frac{Bx}{c} + \frac{Cx^2}{2c} - \frac{B \left( b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{B \left( b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{(Ac)}{c} \\
&= \frac{Bx}{c} + \frac{Cx^2}{2c} - \frac{B \left( b - \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{B \left( b + \frac{b^2 - 2ac}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{(Ac)}{c}
\end{aligned}$$

**Mathematica [A]** time = 0.45116, size = 377, normalized size = 1.36

$$\frac{\left( Ac \left( \sqrt{b^2 - 4ac} - b \right) + C \left( -b \sqrt{b^2 - 4ac} - 2ac + b^2 \right) \right) \log \left( \sqrt{b^2 - 4ac} - b - 2cx^2 \right)}{\sqrt{b^2 - 4ac}} - \frac{\left( C \left( b \sqrt{b^2 - 4ac} - 2ac + b^2 \right) - Ac \left( \sqrt{b^2 - 4ac} + b \right) \right) \log \left( \sqrt{b^2 - 4ac} + b + 2cx^2 \right)}{\sqrt{b^2 - 4ac}} - \frac{2\sqrt{2}B\sqrt{c} \left( b \sqrt{b^2 - 4ac} - Ac \right)}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (4\*B\*c\*x + 2\*c\*C\*x^2 - (2\*Sqrt[2]\*B\*Sqrt[c]\*(-b^2 + 2\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (2\*Sqrt[2]\*B\*Sqrt[c]\*(b^2 - 2\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + ((A\*c\*(-b + Sqrt[b^2 - 4\*a\*c]) + (b^2 - 2\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*C)\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c] - ((-A\*c\*(b + Sqrt[b^2 - 4\*a\*c])) + (b^2 - 2\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*C)\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c])/(4\*c^2)

---

**Maple [B]** time = 0.033, size = 1171, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (x^3(Cx^2+Bx+A)/(cx^4+bx^2+a), x)$

[Out]  $\frac{1}{2}Cx^2/c+Bx/c+1/4/c/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)A(-4ac+b^2)^{1/2}b+1/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)Aa-1/4/c/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)Ab^2+1/2/c/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)C(-4ac+b^2)^{1/2}a-1/4/c^2/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)C(-4ac+b^2)^{1/2}b^2-1/c/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)Ca*b+1/4/c^2/(4ac-b^2)\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)Cb^3-1/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2})*B(-4ac+b^2)^{1/2}a+1/2/c/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2})*B(-4ac+b^2)^{1/2}b^2+2/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2})*Bab-1/2/c/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)c)^{1/2})*Bb^3-1/4/c/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)A(-4ac+b^2)^{1/2}b+1/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)Aa-1/4/c/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)Ab^2-1/2/c/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)C(-4ac+b^2)^{1/2}a+1/4/c^2/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)C(-4ac+b^2)^{1/2}b^2-1/c/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)Ca*b+1/4/c^2/(4ac-b^2)\ln(2cx^2+(-4ac+b^2)^{1/2}+b)Cb^3-1/(4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}*\operatorname{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})*B(-4ac+b^2)^{1/2}a+1/2/c/(4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}*\operatorname{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})*B(-4ac+b^2)^{1/2}b^2-2/(4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}*\operatorname{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})*Bab+1/2/c/(4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}*\operatorname{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2})*Bb^3$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Cx^2 + 2Bx}{2c} + \frac{-\int \frac{Bbx^2+(Cb-Ac)x^3+Cax+Ba}{cx^4+bx^2+a} dx}{c}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] 1/2*(C*x^2 + 2*B*x)/c + integrate(-(B*b*x^2 + (C*b - A*c)*x^3 + C*a*x + B*a) / (c*x^4 + b*x^2 + a), x)/c
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.23 \quad \int \frac{x^2(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=270

$$\frac{\left(-\frac{Abc-C(b^2-2ac)}{\sqrt{b^2-4ac}} + Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{2acC+Abc+b^2(-C)}{\sqrt{b^2-4ac}} + Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2-4ac+b}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac+b}} + \frac{bB \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}}$$

[Out] (C\*x)/c + ((A\*c - b\*C - (A\*b\*c - (b^2 - 2\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((A\*c - b\*C + (A\*b\*c - b^2\*C + 2\*a\*c\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c\*Sqrt[b^2 - 4\*a\*c]) + (B\*Log[a + b\*x^2 + c\*x^4])/(4\*c)

**Rubi [A]** time = 0.834809, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {1662, 1279, 1166, 205, 12, 1114, 634, 618, 206, 628}

$$\frac{\left(-\frac{Abc-C(b^2-2ac)}{\sqrt{b^2-4ac}} + Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{2acC+Abc+b^2(-C)}{\sqrt{b^2-4ac}} + Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2-4ac+b}}\right)}{\sqrt{2}c^{3/2}\sqrt{b^2-4ac+b}} + \frac{bB \tanh^{-1}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (C\*x)/c + ((A\*c - b\*C - (A\*b\*c - (b^2 - 2\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((A\*c - b\*C + (A\*b\*c - b^2\*C + 2\*a\*c\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c\*Sqrt[b^2 - 4\*a\*c]) + (B\*Log[a + b\*x^2 + c\*x^4])/(4\*c)

### Rule 1662

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Module[{q = Expon[Pq, x], k}, Int[(d\*x)^(m)\*Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p), x] + Dist[1/d, Int[(d\*x)^(m

+ 1)\*Sum[Coeff[Pq, x, 2\*k + 1]\*x^(2\*k), {k, 0, (q - 1)/2 + 1}\*(a + b\*x^2 + c\*x^4)^p, x] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]

### Rule 1279

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(e\*f\*(f\*x)^(m - 1)\*(a + b\*x^2 + c\*x^4)^(p + 1))/(c\*(m + 4\*p + 3)), x] - Dist[f^2/(c\*(m + 4\*p + 3)), Int[(f\*x)^(m - 2)\*(a + b\*x^2 + c\*x^4)^p\*Simp[a\*e\*(m - 1) + (b\*e\*(m + 2\*p + 1) - c\*d\*(m + 4\*p + 3))\*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && GtQ[m, 1] && NeQ[m + 4\*p + 3, 0] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1114

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 628

Int[((d\_) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^2(A + Bx + Cx^2)}{a + bx^2 + cx^4} dx &= \int \frac{Bx^3}{a + bx^2 + cx^4} dx + \int \frac{x^2(A + Cx^2)}{a + bx^2 + cx^4} dx \\
 &= \frac{Cx}{c} + B \int \frac{x^3}{a + bx^2 + cx^4} dx - \frac{\int \frac{aC + (-Ac + bC)x^2}{a + bx^2 + cx^4} dx}{c} \\
 &= \frac{Cx}{c} + \frac{1}{2}B \operatorname{Subst}\left(\int \frac{x}{a + bx + cx^2} dx, x, x^2\right) - \frac{\left(-Ac + bC + \frac{Abc - b^2C + 2acC}{\sqrt{b^2 - 4ac}}\right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2}}{2c} \\
 &= \frac{Cx}{c} + \frac{\left(Ac - bC - \frac{Abc - b^2C + 2acC}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(Ac - bC + \frac{Abc - (b^2 - 2ac)C}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}} \\
 &= \frac{Cx}{c} + \frac{\left(Ac - bC - \frac{Abc - b^2C + 2acC}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(Ac - bC + \frac{Abc - (b^2 - 2ac)C}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}} \\
 &= \frac{Cx}{c} + \frac{\left(Ac - bC - \frac{Abc - b^2C + 2acC}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left(Ac - bC + \frac{Abc - (b^2 - 2ac)C}{\sqrt{b^2 - 4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}}
 \end{aligned}$$

**Mathematica [A]** time = 0.396241, size = 360, normalized size = 1.33

$$\frac{2\sqrt{2}\left(Ac\left(b-\sqrt{b^2-4ac}\right)+C\left(b\sqrt{b^2-4ac}+2ac-b^2\right)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}}-\frac{2\sqrt{2}\left(C\left(b\sqrt{b^2-4ac}-2ac+b^2\right)-Ac\left(\sqrt{b^2-4ac}+b\right)\right)\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}+\frac{B\sqrt{c}\left(\sqrt{b^2-4ac}\right)}{4c^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (4\*Sqrt[c]\*C\*x - (2\*Sqrt[2]\*(A\*c\*(b - Sqrt[b^2 - 4\*a\*c]) + (-b^2 + 2\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (2\*Sqrt[2]\*(-A\*c\*(b + Sqrt[b^2 - 4\*a\*c])) + (b^2 - 2\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + (B\*Sqrt[c]\*(-b + Sqrt[b^2 - 4\*a\*c])\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c] + (B\*Sqrt[c]\*(b + Sqrt[b^2 - 4\*a\*c])\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c])/(4\*c^(3/2))

**Maple [B]** time = 0.036, size = 1327, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a), x)

[Out] C\*x/c+1/4/c/(4\*a\*c-b^2)\*B\*ln(-2\*c\*x^2+(-4\*a\*c+b^2)^(1/2)-b)\*b\*(-4\*a\*c+b^2)^(1/2)+1/(4\*a\*c-b^2)\*B\*ln(-2\*c\*x^2+(-4\*a\*c+b^2)^(1/2)-b)\*a-1/4/c/(4\*a\*c-b^2)\*B\*ln(-2\*c\*x^2+(-4\*a\*c+b^2)^(1/2)-b)\*b^2-1/2/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*A\*b\*(-4\*a\*c+b^2)^(1/2)-2\*c/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*A\*a+1/2/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*A\*b^2-1/4/c/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*C\*(-4\*a\*c+b^2)\*b-1/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*C\*(-4\*a\*c+b^2)^(1/2)\*a+1/2/c/(4\*a\*c-b^2)\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*C\*(-4\*a\*c+b^2)^(1/2)\*b^2+1/(4\*a\*c-b^2)\*2^(1/2)



$$\begin{aligned} & /2)/((( -4ac+b^2)^{1/2}-b)c)^{1/2} \operatorname{arctanh}(cx^2)^{1/2}/((( -4ac+b^2)^{1/2}-b)c)^{1/2} \\ & -b)c)^{1/2}) * b^3 C - 1/4/c/(4ac-b^2)^2)^{1/2}/((( -4ac+b^2)^{1/2}-b)c)^{1/2} \\ & \operatorname{arctanh}(cx^2)^{1/2}/((( -4ac+b^2)^{1/2}-b)c)^{1/2}) * b^3 C - 1/4/c/(4ac-b^2)^2)^{1/2} \\ & * B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) * b * (-4ac+b^2)^{1/2} + 1/(4ac-b^2)^2)^{1/2} \\ & * B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) * a - 1/4/c/(4ac-b^2)^2)^{1/2} \\ & * B \ln(2cx^2+(-4ac+b^2)^{1/2}+b) * b^2 - 1/2/(4ac-b^2)^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * A * b * (-4ac+b^2)^{1/2} \\ & + 2c/(4ac-b^2)^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2} \\ & /((b+(-4ac+b^2)^{1/2})c)^{1/2}) * A * a - 1/2/(4ac-b^2)^2)^{1/2} / ((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * A * b^2 + 1/4/c/(4ac-b^2)^2)^{1/2} \\ & / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * C * (-4ac+b^2) * b - 1/(4ac-b^2)^2)^{1/2} \\ & / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * C * (-4ac+b^2) * a + 1/2/c/(4ac-b^2)^2)^{1/2} \\ & / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * C * (-4ac+b^2) * b^2 - 1/(4ac-b^2)^2)^{1/2} \\ & / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * b^3 C + 1/4/c/(4ac-b^2)^2)^{1/2} \\ & / ((b+(-4ac+b^2)^{1/2})c)^{1/2} * \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2} \\ & \operatorname{arctan}(cx^2)^{1/2}/((b+(-4ac+b^2)^{1/2})c)^{1/2}) * b^3 C \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.24 \quad \int \frac{x(A+Bx+Cx^2)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=223

$$\frac{(2Ac - bC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}} - \frac{B\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{B\sqrt{\sqrt{b^2-4ac}+b} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{C \log[a + bx^2 + cx^4]}{4c}$$

[Out] -((B\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b^2 - 4\*a\*c])) + (B\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b^2 - 4\*a\*c]) - ((2\*A\*c - b\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c\*Sqrt[b^2 - 4\*a\*c]) + (C\*Log[a + b\*x^2 + c\*x^4])/(4\*c)

**Rubi [A]** time = 0.212854, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$ , Rules used = {1662, 1247, 634, 618, 206, 628, 12, 1130, 205}

$$\frac{(2Ac - bC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2c\sqrt{b^2-4ac}} - \frac{B\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{B\sqrt{\sqrt{b^2-4ac}+b} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{C \log[a + bx^2 + cx^4]}{4c}$$

Antiderivative was successfully verified.

[In] Int[(x\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] -((B\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b^2 - 4\*a\*c])) + (B\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b^2 - 4\*a\*c]) - ((2\*A\*c - b\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c\*Sqrt[b^2 - 4\*a\*c]) + (C\*Log[a + b\*x^2 + c\*x^4])/(4\*c)

### Rule 1662

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Module[{q = Expon[Pq, x], k}, Int[(d\*x)^(m)\*Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p), x] + Dist[1/d, Int[(d\*x)^(m+1)\*Sum[Coeff[Pq, x, 2\*k+1]\*x^(2\*k), {k, 0, (q-1)/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p), x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !Po

lyQ[Pq, x^2]

### Rule 1247

Int[(x\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1130

Int[((d\_)\*(x\_))^(m\_)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(d^2\*(b/q + 1))/2, Int[(d\*x)^(m - 2)/(b/2 + q/2 + c\*x^2), x], x] - Dist[(d^2\*(b/q - 1))/2, Int[(d\*x)^(m - 2)/(b/2 - q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4\*a\*c, 0] && G

eQ[m, 2]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{x(A+Bx+Cx^2)}{a+bx^2+cx^4} dx &= \int \frac{Bx^2}{a+bx^2+cx^4} dx + \int \frac{x(A+Cx^2)}{a+bx^2+cx^4} dx \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{A+Cx}{a+bx+cx^2} dx, x, x^2 \right) + B \int \frac{x^2}{a+bx^2+cx^4} dx \\
 &= \frac{1}{2} \left( B \left( 1 - \frac{b}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx + \frac{1}{2} \left( B \left( 1 + \frac{b}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2-4ac} + cx^2} dx \\
 &= -\frac{B\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{B\sqrt{b+\sqrt{b^2-4ac}} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{C \log(a+bx^2+cx^4)}{2c} \\
 &= -\frac{B\sqrt{b-\sqrt{b^2-4ac}} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} + \frac{B\sqrt{b+\sqrt{b^2-4ac}} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b^2-4ac}} - \frac{(2Ac-b^2) \log(a+bx^2+cx^4)}{4c\sqrt{b^2-4ac}}
 \end{aligned}$$

**Mathematica [A]** time = 0.396297, size = 240, normalized size = 1.08

$$\frac{\left( C \left( \sqrt{b^2-4ac} - b \right) + 2Ac \right) \log \left( \sqrt{b^2-4ac} - b - 2cx^2 \right) - \left( 2Ac - C \left( \sqrt{b^2-4ac} + b \right) \right) \log \left( \sqrt{b^2-4ac} + b + 2cx^2 \right) - 2\sqrt{b^2-4ac} \log \left( \frac{a+bx^2+cx^4}{\sqrt{b^2-4ac}} \right)}{4c\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (-2\*Sqrt[2]\*B\*Sqrt[c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]] + 2\*Sqrt[2]\*B\*Sqrt[c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]] + (2\*A\*c + (-b + Sqrt[b^2 - 4\*a\*c])\*C)\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2] - (2\*A\*c - (b + Sqrt[b^2 - 4\*a\*c])\*C)\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2]/(4\*c\*Sqrt[

$b^2 - 4ac$ )

**Maple [B]** time = 0.023, size = 728, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(C*x^2+B*x+A)/(c*x^4+b*x^2+a), x)$

[Out] 
$$\begin{aligned} & -1/2/(4ac-b^2)*\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)*A*(-4ac+b^2)^{1/2}+1/4 \\ & /c/(4ac-b^2)*\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)*C*(-4ac+b^2)^{1/2}*b+1/( \\ & 4ac-b^2)*\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)*aC-1/4/c/(4ac-b^2)*\ln(-2cx \\ & x^2+(-4ac+b^2)^{1/2}-b)*b^2C-1/2/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2} \\ & )-b)*c)^{1/2}*\text{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}))*B*(-4a \\ & *c+b^2)^{1/2}*b-2c/(4ac-b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}*\text{ar} \\ & \text{ctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}))*B*a+1/2/(4ac-b^2)*2^{1/2} \\ & /(((4ac+b^2)^{1/2}-b)*c)^{1/2}*\text{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b) \\ & )-b)*c)^{1/2}))*B*b^2+1/2/(4ac-b^2)*\ln(2cx^2+(-4ac+b^2)^{1/2}+b)*A* \\ & (-4ac+b^2)^{1/2}-1/4/c/(4ac-b^2)*\ln(2cx^2+(-4ac+b^2)^{1/2}+b)*C*(-4a \\ & *c+b^2)^{1/2}*b+1/(4ac-b^2)*\ln(2cx^2+(-4ac+b^2)^{1/2}+b)*aC-1/4/c/( \\ & 4ac-b^2)*\ln(2cx^2+(-4ac+b^2)^{1/2}+b)*b^2C-1/2/(4ac-b^2)*2^{1/2}/( \\ & (b+(-4ac+b^2)^{1/2})*c)^{1/2}*\text{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})* \\ & c)^{1/2}))*B*(-4ac+b^2)^{1/2}*b+2c/(4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2} \\ & )-b)*c)^{1/2}*\text{arctan}(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})*c)^{1/2}))*B*a-1/2 \\ & /((4ac-b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})*c)^{1/2})*\text{arctan}(cx^2^{1/2}/(( \\ & b+(-4ac+b^2)^{1/2})*c)^{1/2}))*B*b^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Cx^2 + Bx + A)x}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(C*x^2+B*x+A)/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((C*x^2 + B*x + A)*x/(c*x^4 + b*x^2 + a), x)$

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)`

[Out] Timed out

---

**Giac [C]** time = 3.23748, size = 7461, normalized size = 33.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] 
$$2*(3*(a*c^3)^{(3/4)}*B*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^3*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) - (a*c^3)^{(3/4)}*B*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^3*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^3 - 9*(a*c^3)^{(3/4)}*B*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) + 3*(a*c^3)^{(3/4)}*B*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2$$





$$\begin{aligned}
& c) * b / (a * \text{abs}(c)))))^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) \\
& ) * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \\
& \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 - 3 * (a * c^3)^{(3/4)} * B * \cosh(1 \\
& / 2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(1/4 * \pi + 1/2 * \text{real\_par} \\
& \text{t}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c))))))^2 - 3 * (a * c^3)^{(3/4)} * B * \cos(1/4 * \pi + 1/2 * \text{real\_part}(\arcs \\
& \text{in}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c))))))^3 + (a * c^3)^{(3/4)} * B * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / \\
& (a * \text{abs}(c))))))^3 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 - \\
& \sqrt{a * c} * C * b * c * \cos(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& )))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(1/4 * \pi \\
& + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) - 2 * \sqrt{a * c} * A * c^2 * \cos \\
& (1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \cosh(1/2 * \text{imag} \\
& \_part(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcs \\
& \text{in}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) - 2 * \sqrt{a * c} * C * b * c * \cos(1/4 * \pi + 1/2 * \text{real} \\
& \_part(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c)))))) * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / ( \\
& a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) - 4 * \sqrt{ \\
& \text{rt}(a * c) * A * c^2 * \cos(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& )))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(1/4 * \pi + 1/2 \\
& * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1 \\
& / 2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + \sqrt{a * c} * C * b * c * \cos(1/4 * \pi + 1/2 * \text{real\_part}(a \\
& \text{rcsin}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& ))))))^2 + 2 * \sqrt{a * c} * A * c^2 * \cos(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c)))))) * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& )))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \arctan(-(( \\
& a / c)^{(1/4)} * \cos(1/4 * \pi + 1/2 * \arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) - x) / ((a / c) \\
& ^{(1/4)} * \sin(1/4 * \pi + 1/2 * \arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) / (\sqrt{b^2 - 4 \\
& * a * c} * b * c * \text{abs}(c) - (b^2 - 4 * a * c) * c^2) - 1/2 * (2 * (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + \\
& 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \cosh(1/2 * \text{imag\_part}(\ar \\
& \text{csin}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 - 6 * (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + 1/2 * \text{rea} \\
& \text{al\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \\
& \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} \\
& (a * c) * b / (a * \text{abs}(c))))))^2 - 6 * (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1 \\
& / 2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a \\
& * \text{abs}(c))))))^2 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + 18 * \\
& (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& )))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(5/4 * \pi + \\
& 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sinh(1/2 * \text{imag\_part}(\ar \\
& \text{csin}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + 6 * (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + 1/2 * \text{rea} \\
& \text{l\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \\
& \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs} \\
& (c))))))^2 - 18 * (a * c^3)^{(3/4)} * B * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a
\end{aligned}$$

```

*c)*b/(a*abs(c))))*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))
*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2
*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2 - 2*(a*c^3)^(3/4)*B*cos(5
/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3*sinh(1/2*imag_
part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3 + 6*(a*c^3)^(3/4)*B*cos(5/4*pi
+ 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))*sin(5/4*pi + 1/2*real_
part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_part(arcsin(1/2*s
qrt(a*c)*b/(a*abs(c))))))^3 + sqrt(a*c)*C*b*c*cos(5/4*pi + 1/2*real_part(arc
sin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)
*b/(a*abs(c))))))^2 + 2*sqrt(a*c)*A*c^2*cos(5/4*pi + 1/2*real_part(arcsin(1/
2*sqrt(a*c)*b/(a*abs(c))))))^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a
abs(c))))))^2 - sqrt(a*c)*C*b*c*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a
*abs(c))))))^2*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))
))^2 - 2*sqrt(a*c)*A*c^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c
))))))^2*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2 +
2*sqrt(a*c)*C*b*c*cos(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs
(c))))))^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))*sinh(1/2*
imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) - 4*sqrt(a*c)*A*c^2*cos(5/4*
pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*cosh(1/2*imag_par
t(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))*sinh(1/2*imag_part(arcsin(1/2*sqrt(a
*c)*b/(a*abs(c)))))) + 2*sqrt(a*c)*C*b*c*cosh(1/2*imag_part(arcsin(1/2*sqrt(
a*c)*b/(a*abs(c))))))*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*
abs(c))))))^2*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) + 4*sq
rt(a*c)*A*c^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))*sin(5/
4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_p
art(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) + sqrt(a*c)*C*b*c*cos(5/4*pi + 1/2
*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_part(arcsin
(1/2*sqrt(a*c)*b/(a*abs(c))))))^2 - 2*sqrt(a*c)*A*c^2*cos(5/4*pi + 1/2*real_
part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_part(arcsin(1/2*s
qrt(a*c)*b/(a*abs(c))))))^2 - sqrt(a*c)*C*b*c*sin(5/4*pi + 1/2*real_part(arc
sin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*c)
*b/(a*abs(c))))))^2 + 2*sqrt(a*c)*A*c^2*sin(5/4*pi + 1/2*real_part(arcsin(1/
2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a
abs(c))))))^2*log(-2*x*(a/c)^(1/4)*cos(5/4*pi + 1/2*arcsin(1/2*sqrt(a*c)*b/
(a*abs(c)))) + x^2 + sqrt(a/c))/(sqrt(b^2 - 4*a*c)*b*c*abs(c) - (b^2 - 4*a*
c)*c^2) - 1/2*(2*(a*c^3)^(3/4)*B*cos(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt
(a*c)*b/(a*abs(c))))))^3*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)
))))))^3 - 6*(a*c^3)^(3/4)*B*cos(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*
b/(a*abs(c))))))*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3*s
in(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2 - 6*(a*c^3
)^(3/4)*B*cos(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3
*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sinh(1/2*imag_pa
rt(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) + 18*(a*c^3)^(3/4)*B*cos(1/4*pi + 1
/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))*cosh(1/2*imag_part(arcsin
(1/2*sqrt(a*c)*b/(a*abs(c))))))^2*sin(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt

```

$$\begin{aligned}
& ((a*c)*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) \\
& + 6*(a*c^3)^{(3/4)}*B*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) \\
& ^3*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sin \\
& h(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 - 18*(a*c^3)^{(3/4)}*B \\
& *\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\cosh(1/2*i \\
& mag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sin(1/4*\pi + 1/2*real\_part(ar \\
& csin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*abs(c))))))^2 - 2*(a*c^3)^{(3/4)}*B*\cos(1/4*\pi + 1/2*real\_part(arcsin(1 \\
& /2*\sqrt{a*c}*b/(a*abs(c))))))^3*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c))))))^3 + 6*(a*c^3)^{(3/4)}*B*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2*sqr \\
& t(a*c)*b/(a*abs(c))))))*\sin(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c))))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^3 + s \\
& qrt(a*c)*C*b*c*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)) \\
& )))^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 + 2*\sqrt{a* \\
& c}*A*c^2*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2* \\
& \cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 - \sqrt{a*c}*C*b*c \\
& *\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sin(1/4*\pi + 1/2 \\
& *real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 - 2*\sqrt{a*c}*A*c^2*\cosh( \\
& 1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sin(1/4*\pi + 1/2*real\_ \\
& part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 + 2*\sqrt{a*c}*C*b*c*\cos(1/4*\pi \\
& + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\cosh(1/2*imag\_part(a \\
& rcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*abs(c)))))) - 4*\sqrt{a*c}*A*c^2*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2* \\
& sqrt{a*c}*b/(a*abs(c))))))^2*\cosh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*ab \\
& s(c))))))*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) + 2*\sqrt{a \\
& *c}*C*b*c*\cosh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sin(1/4*\pi \\
& + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sinh(1/2*imag\_part \\
& (arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) - 4*\sqrt{a*c}*A*c^2*\cosh(1/2*imag\_par \\
& t(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))*\sin(1/4*\pi + 1/2*real\_part(arcsin(1/ \\
& 2*\sqrt{a*c}*b/(a*abs(c))))))^2*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a* \\
& abs(c)))))) - \sqrt{a*c}*C*b*c*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*abs(c))))))^2*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))) \\
& ^2 - 2*\sqrt{a*c}*A*c^2*\cos(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c))))))^2*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 - s \\
& qrt(a*c)*C*b*c*\sin(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)) \\
& )))^2*\sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2 + 2*\sqrt{a* \\
& c}*A*c^2*\sin(1/4*\pi + 1/2*real\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2* \\
& \sinh(1/2*imag\_part(arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))))^2*\log(-2*x*(a/c)^( \\
& 1/4)*\cos(1/4*\pi + 1/2*\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + x^2 + \sqrt{a/c} \\
& )/(\sqrt{b^2 - 4*a*c}*b*c*abs(c) - (b^2 - 4*a*c)*c^2) + 1/4*C*\log(abs(c*x^4 \\
& + b*x^2 + a))/c
\end{aligned}$$

### 3.25 $\int \frac{A+Bx+Cx^2}{a+bx^2+cx^4} dx$

**Optimal.** Leaf size=211

$$\frac{\left(\frac{2Ac-bC}{\sqrt{b^2-4ac}} + C\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(C - \frac{2Ac-bC}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}} - \frac{B \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac}}$$

[Out] ((C + (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((C - (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/Sqrt[b^2 - 4\*a\*c]

**Rubi [A]** time = 0.266254, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.28$ , Rules used = {1673, 1166, 205, 12, 1107, 618, 206}

$$\frac{\left(\frac{2Ac-bC}{\sqrt{b^2-4ac}} + C\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{2}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(C - \frac{2Ac-bC}{\sqrt{b^2-4ac}}\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)}{\sqrt{2}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}} - \frac{B \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(a + b\*x^2 + c\*x^4), x]

[Out] ((C + (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((C - (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*Sqrt[c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/Sqrt[b^2 - 4\*a\*c]

#### Rule 1673

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Module[{q = Expon[Pq, x], k}, Int[Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2}]\*(a + b\*x^2 + c\*x^4)^p, x] + Int[x\*Sum[Coeff[Pq, x, 2\*k + 1]\*x^(2\*k), {k, 0, (q - 1)/2}]\*(a + b\*x^2 + c\*x^4)^p, x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x]

&& !PolyQ[Pq, x^2]

### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :  
 > With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2  
 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2  
 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ  
 Q[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/  
 /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match  
 Q[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 1107

Int[(x\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2,  
 Subst[Int[(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int  
 [1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c},  
 x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/  
 Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt  
 Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{a + bx^2 + cx^4} dx &= \int \frac{Bx}{a + bx^2 + cx^4} dx + \int \frac{A + Cx^2}{a + bx^2 + cx^4} dx \\
&= B \int \frac{x}{a + bx^2 + cx^4} dx + \frac{1}{2} \left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx + \frac{1}{2} \left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx \\
&= \frac{\left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{1}{2} B \operatorname{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, \frac{b + \sqrt{b^2 - 4ac} + 2cx}{2} \right) \\
&= \frac{\left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}} - B \operatorname{Subst} \left( \int \frac{1}{b^2 - 4ac - cx^2} dx, \frac{b + \sqrt{b^2 - 4ac} + 2cx}{2} \right) \\
&= \frac{\left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}} - \frac{B \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{b^2 - 4ac}}
\end{aligned}$$

**Mathematica [A]** time = 0.222659, size = 234, normalized size = 1.11

$$\frac{\sqrt{2} \left( C \left( \sqrt{b^2 - 4ac} - b \right) + 2Ac \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2} \left( C \left( \sqrt{b^2 - 4ac} + b \right) - 2Ac \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}} + B \log \left( \sqrt{b^2 - 4ac} - b - 2cx^2 \right) - B \log \left( \sqrt{b^2 - 4ac} + b + 2cx^2 \right)}{2\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(a + b\*x^2 + c\*x^4), x]

[Out] ((Sqrt[2]\*(2\*A\*c + (-b + Sqrt[b^2 - 4\*a\*c]))\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(-2\*A\*c + (b + Sqrt[b^2 - 4\*a\*c]))\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + B\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2] - B\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/(2\*Sqrt[b^2 - 4\*a\*c])

**Maple [B]** time = 0.017, size = 616, normalized size = 2.9

$$-\frac{B}{8ac-2b^2}\sqrt{-4ac+b^2}\ln\left(-2cx^2+\sqrt{-4ac+b^2}-b\right)+\frac{c\sqrt{2}A}{4ac-b^2}\sqrt{-4ac+b^2}\operatorname{Artanh}\left(cx\sqrt{2}\frac{1}{\sqrt{\left(\sqrt{-4ac+b^2}-b\right)c}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x)

[Out] 
$$-1/2*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*B*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)+c*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A-2*c/(4*a*c-b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*a+1/2/(4*a*c-b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*b^2-1/2*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*B*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)+c*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A+2*c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*a-1/2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*b^2-1/2*(-4*a*c+b^2)^{(1/2)}/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b*C$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Cx^2 + Bx + A}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)/(c\*x^4 + b\*x^2 + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

**Giac [C]** time = 2.94584, size = 9080, normalized size = 43.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/2*(3*((a*c^3)^(3/4)*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*sqrt(b^2 -
4*a*c)*b)*C*cos(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))
^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3*sin(5/4*pi + 1
/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) - ((a*c^3)^(3/4)*b^2 - 4*
(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*sqrt(b^2 - 4*a*c)*b)*C*cosh(1/2*imag_part
(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))))^3*sin(5/4*pi + 1/2*real_part(arcsin(1
/2*sqrt(a*c)*b/(a*abs(c))))))^3 - 9*((a*c^3)^(3/4)*b^2 - 4*(a*c^3)^(3/4)*a*c
+ (a*c^3)^(3/4)*sqrt(b^2 - 4*a*c)*b)*C*cos(5/4*pi + 1/2*real_part(arcsin(1
/2*sqrt(a*c)*b/(a*abs(c))))))^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a
*abs(c))))))^2*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))
))*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) + 3*((a*c^3)^(3/
```





$$\begin{aligned}
& 2*\sqrt{a*c}*b/(a*abs(c))))^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a* \\
& abs(c))))^2*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) \\
& )*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 3*((a*c^3)^(3/4) \\
& )*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*\sqrt{b^2 - 4*a*c})*b)*C*\cosh(1/2 \\
& *imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sin(1/4*\pi + 1/2*real\_par \\
& t(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{ \\
& a*c}*b/(a*abs(c)))) + 9*((a*c^3)^(3/4)*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3 \\
& )^(3/4)*\sqrt{b^2 - 4*a*c})*b)*C*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a \\
& *c}*b/(a*abs(c))))^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)) \\
& ))*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2 \\
& *imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 3*((a*c^3)^(3/4)*b^2 - \\
& 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*\sqrt{b^2 - 4*a*c})*b)*C*\cosh(1/2*imag\_pa \\
& rt(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1 \\
& /2*\sqrt{a*c}*b/(a*abs(c))))^3*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c))))^2 - 3*((a*c^3)^(3/4)*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)* \\
& \sqrt{b^2 - 4*a*c})*b)*C*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c))))^2*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)) \\
& ))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 + ((a*c^3)^(3/ \\
& 4)*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*\sqrt{b^2 - 4*a*c})*b)*C*\sin(1/4 \\
& *\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\sinh(1/2*imag\_pa \\
& rt(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 + 2*(\sqrt{a*c}*b^2*c^2 - 4*\sqrt{a \\
& *c}*a*c^3 - \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*\cos(1/4*\pi + 1/2*real\_part \\
& (\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a* \\
& c}*b/(a*abs(c))))^2*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*a \\
& bs(c)))) + 4*(\sqrt{a*c}*b^2*c^2 - 4*\sqrt{a*c}*a*c^3 - \sqrt{b^2 - 4*a*c})*\sq \\
& rt(a*c)*b*c^2)*B*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c \\
& )))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sin(1/4*\pi + \\
& 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsi \\
& n(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 2*(\sqrt{a*c}*b^2*c^2 + 4*\sqrt{a*c}*a*c^3 \\
& + \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/ \\
& 2*\sqrt{a*c}*b/(a*abs(c))))*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c} \\
& *b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 \\
& + ((a*c^3)^(1/4)*b^2*c^2 - 4*(a*c^3)^(1/4)*a*c^3 + (a*c^3)^(1/4)*\sqrt{b^2 - \\
& 4*a*c})*b*c^2)*A*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))*\si \\
& n(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) - ((a*c^3)^(1 \\
& /4)*b^2*c^2 - 4*(a*c^3)^(1/4)*a*c^3 + (a*c^3)^(1/4)*\sqrt{b^2 - 4*a*c})*b*c^2 \\
& )*A*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/ \\
& 2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))*\arctan(-((a/c)^(1/4)*\cos( \\
& 1/4*\pi + 1/2*\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) - x)/((a/c)^(1/4)*\sin(1/4* \\
& \pi + 1/2*\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))))/(a*b^2*c^3 - 4*a^2*c^4) - 1/ \\
& 4*((a*c^3)^(3/4)*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*\sqrt{b^2 - 4*a* \\
& c})*b)*C*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*c \\
& osh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 - 3*((a*c^3)^(3/4) \\
& )*b^2 - 4*(a*c^3)^(3/4)*a*c + (a*c^3)^(3/4)*\sqrt{b^2 - 4*a*c})*b)*C*\cos(5/4*\pi \\
& + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(a
\end{aligned}$$

$$\begin{aligned}
& \text{rcsin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2 \\
& *\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - 3*((a*c^3)^{(3/4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + \\
& (a*c^3)^{(3/4)}*\sqrt{b^2 - 4*a*c})*b)*C*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2 \\
& *\sqrt{a*c}*b/(a*\text{abs}(c))))^3*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*a \\
& \text{bs}(c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))) + 9*((a \\
& *c^3)^{(3/4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + (a*c^3)^{(3/4)}*\sqrt{b^2 - 4*a*c})*b)* \\
& C*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\cosh(1/2* \\
& \text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sin(5/4*\pi + 1/2*\text{real\_part} \\
& (\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*\text{abs}(c)))) + 3*((a*c^3)^{(3/4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + (a*c^3)^{(3/4)} \\
& *\sqrt{b^2 - 4*a*c})*b)*C*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*\text{abs}(c))))^3*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) \\
& )*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - 9*((a*c^3)^{(3 \\
& /4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + (a*c^3)^{(3/4)}*\sqrt{b^2 - 4*a*c})*b)*C*\cos(5/ \\
& 4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\cosh(1/2*\text{imag\_par} \\
& \text{t}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/ \\
& 2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a* \\
& \text{abs}(c))))^2 - ((a*c^3)^{(3/4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + (a*c^3)^{(3/4)}*\sqrt{ \\
& \text{t}(b^2 - 4*a*c)*b)*C*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*ab \\
& \text{s}(c))))^3*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3 + 3*(( \\
& a*c^3)^{(3/4)}*b^2 - 4*(a*c^3)^{(3/4)}*a*c + (a*c^3)^{(3/4)}*\sqrt{b^2 - 4*a*c})*b) \\
& *C*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\sin(5/4* \\
& \pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2*\text{imag\_par} \\
& \text{t}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3 - (\sqrt{a*c}*b^2*c^2 + 4*\sqrt{a*c} \\
& *a*c^3 + \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*\cos(5/4*\pi + 1/2*\text{real\_part}(ar \\
& \text{csin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c} \\
& )*b/(a*\text{abs}(c))))^2 - (\sqrt{a*c}*b^2*c^2 - 4*\sqrt{a*c}*a*c^3 - \sqrt{b^2 - 4 \\
& *a*c})*\sqrt{a*c}*b*c^2)*B*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c \\
& ))))^2*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - \\
& 2*(\sqrt{a*c}*b^2*c^2 - 4*\sqrt{a*c}*a*c^3 - \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c \\
& ^2)*B*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\cos \\
& \text{h}(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\sinh(1/2*\text{imag\_part}(arc \\
& \text{sin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + 2*(\sqrt{a*c}*b^2*c^2 - 4*\sqrt{a*c}*a*c^ \\
& 3 - \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{ \\
& a*c}*b/(a*\text{abs}(c))))*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a* \\
& \text{abs}(c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + (\sqrt{ \\
& \text{t}(a*c}*b^2*c^2 - 4*\sqrt{a*c}*a*c^3 + \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*c \\
& \text{os}(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2*i \\
& \text{mag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 + (\sqrt{a*c}*b^2*c^2 + 4*\sqrt{ \\
& \text{rt}(a*c)*a*c^3 - \sqrt{b^2 - 4*a*c})*\sqrt{a*c}*b*c^2)*B*\sin(5/4*\pi + 1/2*\text{real\_} \\
& \text{part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*s \\
& \text{qrt}(a*c}*b/(a*\text{abs}(c))))^2 + ((a*c^3)^{(1/4)}*b^2*c^2 - 4*(a*c^3)^{(1/4)}*a*c^3 \\
& + (a*c^3)^{(1/4)}*\sqrt{b^2 - 4*a*c})*b*c^2)*A*\cos(5/4*\pi + 1/2*\text{real\_part}(arcs \\
& \text{in}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/ \\
& (a*\text{abs}(c)))) - ((a*c^3)^{(1/4)}*b^2*c^2 - 4*(a*c^3)^{(1/4)}*a*c^3 + (a*c^3)^{(1
\end{aligned}$$

$$\begin{aligned} & /4) * \sqrt{b^2 - 4ac} * b * c^2) * A * \cos(5/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) \\ & ) * \log(-2 * x * (a/c)^{1/4} * \cos(5/4\pi + 1/2 \arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))) \\ & + x^2 + \sqrt{a/c}) / (a * b^2 * c^3 - 4 * a^2 * c^4) - 1/4 * (((a * c^3)^{3/4} * b^2 - 4 * ( \\ & a * c^3)^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{re} \\ & \operatorname{al\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{3/4} * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/ \\ & 2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{3/4} - 3 * ((a * c^3)^{3/4} * b^2 - 4 * (a * c^3)^{3/4} * a * c \\ & + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/ \\ & 2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{ab} \\ & \operatorname{s}(c))))))^{3/4} * \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{ \\ & 2/4} - 3 * ((a * c^3)^{3/4} * b^2 - 4 * (a * c^3)^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4 \\ & ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{ \\ & 3/4} * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} * \sinh(1/2 \operatorname{imag\_p} \\ & \operatorname{art}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) + 9 * ((a * c^3)^{3/4} * b^2 - 4 * (a * c^3) \\ & ^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{real\_par} \\ & \operatorname{t}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} \\ & * b / (a \operatorname{abs}(c))))))^{2/4} * \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{ab} \\ & \operatorname{s}(c))))))^{2/4} * \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) + 3 * ( \\ & (a * c^3)^{3/4} * b^2 - 4 * (a * c^3)^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b \\ & ) * C * \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{3/4} * \cosh(1 \\ & /2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \sinh(1/2 \operatorname{imag\_part}(\arcsin \\ & (1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} - 9 * ((a * c^3)^{3/4} * b^2 - 4 * (a * c^3)^{3/4} * a \\ & * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin \\ & (1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \\ & * \operatorname{abs}(c)))))) * \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) \\ & ^{2/4} * \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} - ((a * c^3)^{3/ \\ & 4} * b^2 - 4 * (a * c^3)^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4 \\ & \pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{3/4} * \sinh(1/2 \operatorname{imag\_pa} \\ & \operatorname{rt}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{3/4} + 3 * ((a * c^3)^{3/4} * b^2 - 4 * (a * c^3 \\ & )^{3/4} * a * c + (a * c^3)^{3/4} * \sqrt{b^2 - 4ac}) * b) * C * \cos(1/4\pi + 1/2 \operatorname{real\_pa} \\ & \operatorname{rt}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1 \\ & /2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} * \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \\ & * \operatorname{abs}(c))))))^{3/4} - (\sqrt{ac} * b^2 * c^2 - 4 * \sqrt{ac} * a * c^3 - \sqrt{b^2 - 4ac} * \\ & \sqrt{ac} * b * c^2) * B * \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs} \\ & (c))))))^{2/4} * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} - (\sqrt{ \\ & ac} * b^2 * c^2 - 4 * \sqrt{ac} * a * c^3 - \sqrt{b^2 - 4ac}) * \sqrt{ac} * b * c^2) * B * \co \\ & \operatorname{sh}(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} * \sin(1/4\pi + 1/2 \operatorname{re} \\ & \operatorname{al\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} - 2 * (\sqrt{ac} * b^2 * c^2 - 4 * \sqrt{ \\ & ac} * a * c^3 - \sqrt{b^2 - 4ac}) * \sqrt{ac} * b * c^2) * B * \cos(1/4\pi + 1/2 \operatorname{real} \\ & \operatorname{part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 * \\ & \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}( \\ & c)))))) - 2 * (\sqrt{ac} * b^2 * c^2 + 4 * \sqrt{ac} * a * c^3 - \sqrt{b^2 - 4ac}) * \sqrt{ac} \\ & * b * c^2) * B * \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) * \sin(1 \\ & /4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c))))))^{2/4} * \sinh(1/2 \operatorname{imag\_ \\ & part}(\arcsin(1/2 \sqrt{ac} * b / (a \operatorname{abs}(c)))))) - (\sqrt{ac} * b^2 * c^2 - 4 * \sqrt{ac} * \end{aligned}$$

```

)*a*c^3 + sqrt(b^2 - 4*a*c)*sqrt(a*c)*b*c^2)*B*cos(1/4*pi + 1/2*real_part(a
rcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*
c)*b/(a*abs(c))))^2 - (sqrt(a*c)*b^2*c^2 + 4*sqrt(a*c)*a*c^3 + sqrt(b^2 -
4*a*c)*sqrt(a*c)*b*c^2)*B*sin(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b
/(a*abs(c))))^2*sinh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2
+ ((a*c^3)^(1/4)*b^2*c^2 - 4*(a*c^3)^(1/4)*a*c^3 + (a*c^3)^(1/4)*sqrt(b^2 -
4*a*c)*b*c^2)*A*cos(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c
)))))*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) - ((a*c^3)^(1
/4)*b^2*c^2 - 4*(a*c^3)^(1/4)*a*c^3 + (a*c^3)^(1/4)*sqrt(b^2 - 4*a*c)*b*c^2
)*A*cos(1/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/
2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*log(-2*x*(a/c)^(1/4)*cos(
1/4*pi + 1/2*arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + x^2 + sqrt(a/c))/(a*b^2*
c^3 - 4*a^2*c^4)

```

### 3.26 $\int \frac{A+Bx+Cx^2}{x(a+bx^2+cx^4)} dx$

**Optimal.** Leaf size=229

$$\frac{(Ab - 2aC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac}} - \frac{A \log(a + bx^2 + cx^4)}{4a} + \frac{A \log(x)}{a} + \frac{\sqrt{2B}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}}$$

```
[Out] (Sqrt[2]*B*Sqrt[c]*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])
/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2]*B*Sqrt[c]*ArcTan
n[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/(Sqrt[b^2 - 4*a*c]*Sqrt
[b + Sqrt[b^2 - 4*a*c]]) + ((A*b - 2*a*C)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 -
4*a*c]])/(2*a*Sqrt[b^2 - 4*a*c]) + (A*Log[x])/a - (A*Log[a + b*x^2 + c*x^4]
)/(4*a)
```

**Rubi [A]** time = 0.259478, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {1662, 1251, 800, 634, 618, 206, 628, 12, 1093, 205}

$$\frac{(Ab - 2aC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a\sqrt{b^2-4ac}} - \frac{A \log(a + bx^2 + cx^4)}{4a} + \frac{A \log(x)}{a} + \frac{\sqrt{2B}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*x + C*x^2)/(x*(a + b*x^2 + c*x^4)), x]
```

```
[Out] (Sqrt[2]*B*Sqrt[c]*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])
/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2]*B*Sqrt[c]*ArcTan
n[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]])/(Sqrt[b^2 - 4*a*c]*Sqrt
[b + Sqrt[b^2 - 4*a*c]]) + ((A*b - 2*a*C)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 -
4*a*c]])/(2*a*Sqrt[b^2 - 4*a*c]) + (A*Log[x])/a - (A*Log[a + b*x^2 + c*x^4]
)/(4*a)
```

#### Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_S
ymbol] :> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x
```

$^{(2*k)}, \{k, 0, q/2 + 1\}*(a + b*x^2 + c*x^4)^p, x] + \text{Dist}[1/d, \text{Int}[(d*x)^{(m+1)}*\text{Sum}[\text{Coeff}[\text{Pq}, x, 2*k + 1]*x^{(2*k)}, \{k, 0, (q - 1)/2 + 1\}*(a + b*x^2 + c*x^4)^p, x], x]] /;$  FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]

### Rule 1251

$\text{Int}[(x_)^{(m_*)}*((d_) + (e_)*(x_)^2)^{(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] := \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p}, x], x, x^2], x] /;$  FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

### Rule 800

$\text{Int}[(((d_) + (e_)*(x_))^{(m_)*((f_) + (g_)*(x_))}/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] := \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(f + g*x)/(a + b*x + c*x^2), x], x] /;$  FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[m]

### Rule 634

$\text{Int}[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] := \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /;$  FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

$\text{Int}[((a_) + (b_)*(x_) + (c_)*(x_)^2)^{-1}, x\_Symbol] := \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /;$  FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

$\text{Int}[((a_) + (b_)*(x_)^2)^{-1}, x\_Symbol] := \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

$\text{Int}[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] := \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /;$  FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1093

```
Int[((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(-1), x_Symbol] :=> With[{q = Rt[b^
2 - 4*a*c, 2]}, Dist[c/q, Int[1/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int
[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c,
0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps



$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{x(a + bx^2 + cx^4)} dx &= \int \frac{B}{a + bx^2 + cx^4} dx + \int \frac{A + Cx^2}{x(a + bx^2 + cx^4)} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{A + Cx}{x(a + bx + cx^2)} dx, x, x^2 \right) + B \int \frac{1}{a + bx^2 + cx^4} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{A}{ax} + \frac{-Ab + aC - Acx}{a(a + bx + cx^2)} \right) dx, x, x^2 \right) + \frac{(Bc) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{\sqrt{b^2 - 4ac}} - \frac{(Bc) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{\sqrt{b^2 - 4ac}} \\
&= \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{A \log(x)}{a} + \frac{\text{Subst} \left( \int \frac{-Ab + aC - Acx}{a + bx + cx^2} dx, x, x^2 \right)}{2a} \\
&= \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{A \log(x)}{a} - \frac{A \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a} \\
&= \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{A \log(x)}{a} - \frac{A \log(a + bx^2 + cx^4)}{4a} \\
&= \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2B}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{b^2 - 4ac}\sqrt{b + \sqrt{b^2 - 4ac}}} + \frac{(Ab - 2aC) \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2a\sqrt{b^2 - 4ac}} + \frac{A \log(a + bx^2 + cx^4)}{4a}
\end{aligned}$$

**Mathematica [A]** time = 0.468039, size = 285, normalized size = 1.24

$$\frac{\left( A \left( \sqrt{b^2 - 4ac} + b \right) - 2aC \right) \log \left( \sqrt{b^2 - 4ac} - b - 2cx^2 \right)}{4a\sqrt{b^2 - 4ac}} - \frac{\left( A \left( \sqrt{b^2 - 4ac} - b \right) + 2aC \right) \log \left( \sqrt{b^2 - 4ac} + b + 2cx^2 \right)}{4a\sqrt{b^2 - 4ac}} + \frac{A \log(a + bx^2 + cx^4)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x\*(a + b\*x^2 + c\*x^4)), x]

[Out] (Sqrt[2]\*B\*Sqrt[c]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]) / (Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (Sqrt[2]\*B\*Sqrt[c]\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]) / (Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + A\*log(a + b\*x^2 + c\*x^4)/4a

$[b + \text{Sqrt}[b^2 - 4*a*c]] + (A*\text{Log}[x])/a - ((A*(b + \text{Sqrt}[b^2 - 4*a*c]) - 2*a*C)*\text{Log}[-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2])/(4*a*\text{Sqrt}[b^2 - 4*a*c]) - ((A*(-b + \text{Sqrt}[b^2 - 4*a*c]) + 2*a*C)*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/(4*a*\text{Sqrt}[b^2 - 4*a*c])$

**Maple [B]** time = 0.027, size = 488, normalized size = 2.1

$$\frac{A \ln(x)}{a} - 4 \frac{c \ln\left(-2cx^2 + \sqrt{-4ac + b^2} - b\right) A}{16ac - 4b^2} + \frac{Ab^2}{a(16ac - 4b^2)} \ln\left(-2cx^2 + \sqrt{-4ac + b^2} - b\right) + \frac{Ab}{a(16ac - 4b^2)} \sqrt{-4ac + b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/x/(c\*x^4+b\*x^2+a), x)

[Out]  $A*\ln(x)/a - 4*c/(16*a*c - 4*b^2)*\ln(-2*c*x^2 + (-4*a*c + b^2)^{(1/2)} - b)*A + 1/a/(16*a*c - 4*b^2)*\ln(-2*c*x^2 + (-4*a*c + b^2)^{(1/2)} - b)*A*b^2 + 1/a*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*\ln(-2*c*x^2 + (-4*a*c + b^2)^{(1/2)} - b)*A*b - 2*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*\ln(-2*c*x^2 + (-4*a*c + b^2)^{(1/2)} - b)*C + 4*c*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*B*2^{(1/2)}/((( -4*a*c + b^2)^{(1/2)} - b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)})/((( -4*a*c + b^2)^{(1/2)} - b)*c)^{(1/2)} - 4*c/(16*a*c - 4*b^2)*\ln(2*c*x^2 + (-4*a*c + b^2)^{(1/2)} + b)*A + 1/a/(16*a*c - 4*b^2)*\ln(2*c*x^2 + (-4*a*c + b^2)^{(1/2)} + b)*A*b^2 - 1/a*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*\ln(2*c*x^2 + (-4*a*c + b^2)^{(1/2)} + b)*A*b + 2*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*\ln(2*c*x^2 + (-4*a*c + b^2)^{(1/2)} + b)*C + 4*c*(-4*a*c + b^2)^{(1/2)}/(16*a*c - 4*b^2)*B*2^{(1/2)}/((b + (-4*a*c + b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)})/((b + (-4*a*c + b^2)^{(1/2)})*c)^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x/(c\*x^4+b\*x^2+a), x, algorithm="maxima")

[Out]  $A*\log(x)/a - \text{integrate}((A*c*x^3 - B*a - (C*a - A*b)*x)/(c*x^4 + b*x^2 + a), x)/a$

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/x/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/x/(c*x**4+b*x**2+a),x)`

[Out] Timed out

---

**Giac [C]** time = 2.44713, size = 4740, normalized size = 20.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/x/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] 
$$2*(2*\sqrt{a*c}*C*a*c^2*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))))^2*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + \sqrt{a*c}*A*b*c^2*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))))^2*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + 4*\sqrt{a*c}*C*a*c^2*\cos(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\sin(5/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))))*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))))$$



$$\begin{aligned}
& *b/(a*abs(c))))^2*\sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - sqrt(a*c)*A*b*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*\sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 + 4*sqrt(a*c)*C*a*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) - 2*sqrt(a*c)*A*b*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + 4*sqrt(a*c)*C*a*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + 2*sqrt(a*c)*A*b*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + 2*sqrt(a*c)*C*a*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - sqrt(a*c)*A*b*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - 2*sqrt(a*c)*C*a*c^2*sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 + sqrt(a*c)*A*b*c^2*sin(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - 2*(a*c^3)^(1/4)*B*a*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + 2*(a*c^3)^(1/4)*B*a*c^2*cos(5/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*log(-2*x*(a/c)^(1/4)*cos(5/4*pi + 1/2*arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + x^2 + sqrt(a/c))/(sqrt(b^2 - 4*a*c))*a*b*c*abs(c) - (a*b^2 - 4*a^2*c)*c^2 + 1/2*(2*sqrt(a*c)*C*a*c^2*cos(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 + sqrt(a*c)*A*b*c^2*cos(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - 2*sqrt(a*c)*C*a*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sin(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 - sqrt(a*c)*A*b*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sin(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2 + 4*sqrt(a*c)*C*a*c^2*cos(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) - 2*sqrt(a*c)*A*b*c^2*cos(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) + 4*sqrt(a*c)*C*a*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sin(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))^2*sinh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))) - 2*sqrt(a*c)*A*b*c^2*cosh(1/2*imag\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))*sin(1/4*pi + 1/2*real\_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c))))
\end{aligned}$$

$$\begin{aligned}
& ))^2 \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right) - 2 \sqrt{a*c} \\
& * C * a * c^2 * \cos\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 * \\
& \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 - \sqrt{a*c} * A * b * c \\
& ^2 * \cos\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 * \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 - 2 \sqrt{a*c} * C * a * c^2 * \sin\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 * \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 + \sqrt{a*c} * A * b * c^2 * \sin\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 * \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right)^2 - 2 * (a * c^3)^{(1/4)} * B * a * c^2 * \cos\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right) * \cosh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right) + 2 * (a * c^3)^{(1/4)} * B * a * c^2 * \cos\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{real\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right) * \sinh\left(\frac{1}{2} \operatorname{imag\_part}\left(\arcsin\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right)\right) * \log(-2 * x * (a/c)^{(1/4)} * \cos\left(\frac{1}{4} \pi + \frac{1}{2} \operatorname{arcsin}\left(\frac{1}{2} \sqrt{a*c} * b / (a * \operatorname{abs}(c))\right)\right) + x^2 + \sqrt{a/c}) / (\sqrt{b^2 - 4 * a * c}) * a * b * c * \operatorname{abs}(c) - (a * b^2 - 4 * a^2 * c) * c^2) - 1/4 * A * \log(\operatorname{abs}(c * x^4 + b * x^2 + a)) / a + A * \log(\operatorname{abs}(x)) / a
\end{aligned}$$

$$3.27 \quad \int \frac{A+Bx+Cx^2}{x^2(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=260

$$\frac{\sqrt{c} \left( \frac{Ab-2aC}{\sqrt{b^2-4ac}} + A \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2a}\sqrt{\sqrt{b^2-4ac}+b}} - \frac{A}{ax} + \frac{bB \tanh^{-1} \left( \frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2a\sqrt{b^2-4ac}} - \frac{B \log(a)}{a}$$

[Out]  $-(A/(a*x)) - (\text{Sqrt}[c]*(A + (A*b - 2*a*C)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(A - (A*b - 2*a*C)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (b*B*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a*\text{Sqrt}[b^2 - 4*a*c]) + (B*\text{Log}[x])/a - (B*\text{Log}[a + b*x^2 + c*x^4])/(4*a)$

**Rubi [A]** time = 0.471352, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 12, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1662, 1281, 1166, 205, 12, 1114, 705, 29, 634, 618, 206, 628}

$$\frac{\sqrt{c} \left( \frac{Ab-2aC}{\sqrt{b^2-4ac}} + A \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}} \right)}{\sqrt{2a}\sqrt{\sqrt{b^2-4ac}+b}} - \frac{A}{ax} + \frac{bB \tanh^{-1} \left( \frac{b+2cx^2}{\sqrt{b^2-4ac}} \right)}{2a\sqrt{b^2-4ac}} - \frac{B \log(a)}{a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)/(x^2*(a + b*x^2 + c*x^4)), x]$

[Out]  $-(A/(a*x)) - (\text{Sqrt}[c]*(A + (A*b - 2*a*C)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(A - (A*b - 2*a*C)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (b*B*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a*\text{Sqrt}[b^2 - 4*a*c]) + (B*\text{Log}[x])/a - (B*\text{Log}[a + b*x^2 + c*x^4])/(4*a)$

**Rule 1662**

$\text{Int}[(Pq_)*((d_)*(x_))^{(m_)}*((a_)+(b_)*(x_)^2+(c_)*(x_)^4)^{(p_)}, x\_Symbol] \rightarrow \text{Module}\{q = \text{Expon}[Pq, x], k\}, \text{Int}[(d*x)^m*\text{Sum}[\text{Coeff}[Pq, x, 2*k]*x$

```
^(2*k), {k, 0, q/2 + 1})*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m
+ 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1})*(a + b*x^2
+ c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !Po
lyQ[Pq, x^2]
```

### Rule 1281

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)
)/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1114

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dis
t[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; Free
Q[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 705

```
Int[1/(((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)), x_Symbol]
:= Dist[e^2/(c*d^2 - b*d*e + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d
^2 - b*d*e + a*e^2), Int[(c*d - b*e - c*e*x)/(a + b*x + c*x^2), x], x] /; F
reeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^
```



2, 0] && NeQ[2\*c\*d - b\*e, 0]

### Rule 29

Int[(x\_)^(-1), x\_Symbol] :> Simp[Log[x], x]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{A+Bx+Cx^2}{x^2(a+bx^2+cx^4)} dx &= \int \frac{B}{x(a+bx^2+cx^4)} dx + \int \frac{A+Cx^2}{x^2(a+bx^2+cx^4)} dx \\
&= \frac{A}{ax} - \frac{\int \frac{Ab-aC+Acx^2}{a+bx^2+cx^4} dx}{a} + B \int \frac{1}{x(a+bx^2+cx^4)} dx \\
&= \frac{A}{ax} + \frac{1}{2} B \text{Subst} \left( \int \frac{1}{x(a+bx+cx^2)} dx, x, x^2 \right) - \frac{\left( c \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2} \sqrt{b^2-4ac} + cx^2} dx}{2a} - \frac{\left( c \left( A + \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2} \sqrt{b^2-4ac} + cx^2} dx}{2a} \\
&= \frac{A}{ax} - \frac{\sqrt{c} \left( A + \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} + \frac{B \text{Subst} \left( \int \frac{1}{x(a+bx+cx^2)} dx, x, x^2 \right)}{a} \\
&= \frac{A}{ax} - \frac{\sqrt{c} \left( A + \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} + \frac{B \log \left( \frac{b+\sqrt{b^2-4ac}+cx^2}{b-\sqrt{b^2-4ac}+cx^2} \right)}{a} \\
&= \frac{A}{ax} - \frac{\sqrt{c} \left( A + \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} + \frac{B \log \left( \frac{b+\sqrt{b^2-4ac}+cx^2}{b-\sqrt{b^2-4ac}+cx^2} \right)}{a} \\
&= \frac{A}{ax} - \frac{\sqrt{c} \left( A + \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \left( A - \frac{Ab-2aC}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} + \frac{bB \tan^{-1} \left( \frac{b+\sqrt{b^2-4ac}+cx^2}{b-\sqrt{b^2-4ac}+cx^2} \right)}{2a}
\end{aligned}$$

**Mathematica [A]** time = 1.1354, size = 315, normalized size = 1.21

$$\frac{2\sqrt{2}\sqrt{c} \left( A \left( \sqrt{b^2-4ac} + b \right) - 2aC \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{b^2-4ac}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{2\sqrt{2}\sqrt{c} \left( A \left( \sqrt{b^2-4ac} - b \right) + 2aC \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{b^2-4ac}\sqrt{b+\sqrt{b^2-4ac}}} + \frac{B \left( \sqrt{b^2-4ac} + b \right) \log \left( \frac{\sqrt{b^2-4ac} - b - 2cx^2}{\sqrt{b^2-4ac} + b + 2cx^2} \right)}{\sqrt{b^2-4ac}} + \frac{B \left( \sqrt{b^2-4ac} - b \right) \log \left( \frac{\sqrt{b^2-4ac} + b - 2cx^2}{\sqrt{b^2-4ac} - b + 2cx^2} \right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x^2\*(a + b\*x^2 + c\*x^4)), x]

[Out] -((4\*A)/x + (2\*Sqrt[2]\*Sqrt[c]\*(A\*(b + Sqrt[b^2 - 4\*a\*c]) - 2\*a\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (2\*Sqrt[2]\*Sqrt[c]\*(A\*(-b + Sqrt[b^2 - 4\*a\*c]) + 2\*a\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + (B\*(Sqrt[b^2 - 4\*a\*c] + b)\*Log[(Sqrt[b^2 - 4\*a\*c] - b - 2\*c\*x^2)/(Sqrt[b^2 - 4\*a\*c] + b + 2\*c\*x^2)])/(Sqrt[b^2 - 4\*a\*c]) + (B\*(Sqrt[b^2 - 4\*a\*c] - b)\*Log[(Sqrt[b^2 - 4\*a\*c] + b - 2\*c\*x^2)/(Sqrt[b^2 - 4\*a\*c] - b + 2\*c\*x^2)])/(Sqrt[b^2 - 4\*a\*c])

$$a * C * \text{ArcTan}[\frac{\sqrt{2} * \sqrt{c} * x}{\sqrt{b + \sqrt{b^2 - 4 * a * c}}}] / (\sqrt{b^2 - 4 * a * c} * \sqrt{b + \sqrt{b^2 - 4 * a * c}}) - 4 * B * \text{Log}[x] + (B * (b + \sqrt{b^2 - 4 * a * c}) * \text{Log}[-b + \sqrt{b^2 - 4 * a * c} - 2 * c * x^2]) / \sqrt{b^2 - 4 * a * c} + (B * (-b + \sqrt{b^2 - 4 * a * c}) * \text{Log}[b + \sqrt{b^2 - 4 * a * c} + 2 * c * x^2]) / \sqrt{b^2 - 4 * a * c}) / (4 * a)$$

**Maple [B]** time = 0.027, size = 811, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C * x^2 + B * x + A) / x^2 / (c * x^4 + b * x^2 + a), x)$

[Out]  $-A/a/x + B * \ln(x)/a + 1/a / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B * (-4 * a * c + b^2)^{(1/2)} * b - 4 * c / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B + 1/a / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B * b^2 - 2/a * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A * (-4 * a * c + b^2)^{(1/2)} * b + 8 * c^2 / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A - 2/a * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A * b^2 + 4 * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)} - 1/a / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) * B * (-4 * a * c + b^2)^{(1/2)} * b - 4 * c / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) * B + 1/a / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) * B * b^2 - 2/a * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * A * (-4 * a * c + b^2)^{(1/2)} * b - 8 * c^2 / (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * A + 2/a * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * A * b^2 + 4 * c / (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^2/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] B*log(x)/a - integrate((B*c*x^3 + A*c*x^2 + B*b*x - C*a + A*b)/(c*x^4 + b*x^2 + a), x)/a - A/(a*x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^2/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/x**2/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

**Giac [C]** time = 3.03701, size = 7089, normalized size = 27.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^2/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] -2*(3*(a*c^3)^(3/4)*A*c*cos(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))^2*cosh(1/2*imag_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))^3*sin(5/4*pi + 1/2*real_part(arcsin(1/2*sqrt(a*c)*b/(a*abs(c)))))) - (a*c^3)^(3/4)
```

$$\begin{aligned}
& 4) * A * c * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \sin(5/4 * \pi \\
& + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 - 9 * (a * c^3)^{(3/4)} * A \\
& * c * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \cosh(1 \\
& / 2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(5/4 * \pi + 1/2 * \text{real\_p} \\
& \text{art}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{ \\
& a * c} * b / (a * \text{abs}(c)))))) + 3 * (a * c^3)^{(3/4)} * A * c * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{ \\
& a * c} * b / (a * \text{abs}(c))))))^2 * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * \\
& b / (a * \text{abs}(c))))))^3 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + \\
& 9 * (a * c^3)^{(3/4)} * A * c * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \\
& \text{abs}(c))))))^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(5/4 \\
& * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part} \\
& (\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 - 3 * (a * c^3)^{(3/4)} * A * c * \cosh(1/2 * \text{imag} \\
& \_ \text{part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsi \\
& n(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b \\
& / (a * \text{abs}(c))))))^2 - 3 * (a * c^3)^{(3/4)} * A * c * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/ \\
& 2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * \\
& c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^ \\
& 3 + (a * c^3)^{(3/4)} * A * c * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \\
& \text{abs}(c))))))^3 * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^3 + \text{sq} \\
& \text{rt}(a * c) * B * b * c^2 * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& )))) * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \sin(5/4 * \pi + \\
& 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + 2 * \sqrt{a * c} * B * b * c^2 * c \\
& \text{os}(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \cosh(1/2 * \text{ima} \\
& \text{g\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcs \\
& \text{in}(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / \\
& (a * \text{abs}(c)))))) - \sqrt{a * c} * B * b * c^2 * \cos(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{ \\
& a * c} * b / (a * \text{abs}(c)))))) * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a \\
& * \text{abs}(c)))))) * \sinh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 - (a * \\
& c^3)^{(1/4)} * C * a * c^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \\
& \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + (a * c^3)^{( \\
& 1/4)} * A * b * c^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sin(5/ \\
& 4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) + (a * c^3)^{(1/4)} * C \\
& * a * c^2 * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh \\
& (1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) - (a * c^3)^{(1/4)} * A * b * c^2 \\
& * \sin(5/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \sinh(1/2 * i \\
& \text{mag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) * \arctan(-((a / c)^{(1/4)} * \cos(5/4 \\
& * \pi + 1/2 * \arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))) - x) / ((a / c)^{(1/4)} * \sin(5/4 * \pi \\
& + 1/2 * \arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c)))))) / (\sqrt{b^2 - 4 * a * c} * a * b * c * \text{abs}(c) \\
& - (a * b^2 - 4 * a^2 * c) * c^2) - 2 * (3 * (a * c^3)^{(3/4)} * A * c * \cos(1/4 * \pi + 1/2 * \text{real\_pa} \\
& \text{rt}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{ \\
& a * c} * b / (a * \text{abs}(c))))))^3 * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / \\
& (a * \text{abs}(c)))))) - (a * c^3)^{(3/4)} * A * c * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b \\
& / (a * \text{abs}(c))))))^3 * \sin(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c) \\
& ))))))^3 - 9 * (a * c^3)^{(3/4)} * A * c * \cos(1/4 * \pi + 1/2 * \text{real\_part}(\arcsin(1/2 * \sqrt{a * \\
& c} * b / (a * \text{abs}(c))))))^2 * \cosh(1/2 * \text{imag\_part}(\arcsin(1/2 * \sqrt{a * c} * b / (a * \text{abs}(c))))))
\end{aligned}$$

$$\begin{aligned}
& )^2 \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sinh(1/2 \\
& 2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) + 3*(a*c^3)^{(3/4)} A*c \cosh \\
& (1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 \sin(1/4\pi + 1/2 \operatorname{real} \\
& \_part(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2* \\
& \sqrt{a*c})b/(a*\operatorname{abs}(c)))) + 9*(a*c^3)^{(3/4)} A*c \cos(1/4\pi + 1/2 \operatorname{real\_part}( \\
& \arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a} \\
& *c)b/(a*\operatorname{abs}(c)))) \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*ab \\
& s(c)))) \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 - 3*(a*c \\
& ^3)^{(3/4)} A*c \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sin(1 \\
& /4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \sinh(1/2 \operatorname{imag\_} \\
& part(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 - 3*(a*c^3)^{(3/4)} A*c \cos(1/4\pi \\
& + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 \sin(1/4\pi + 1/2 \operatorname{r} \\
& eal\_part(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \\
& *sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 + (a*c^3)^{(3/4)} A*c \sin(1/4\pi + 1/2 \operatorname{real\_part} \\
& (\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a} \\
& *c)b/(a*\operatorname{abs}(c))))^3 - \sqrt{a*c} B*b*c^2 \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsi \\
& n(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/( \\
& a*\operatorname{abs}(c))))^2 \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c) \\
& ))) - 2\sqrt{a*c} B*b*c^2 \cos(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b \\
& /(a*\operatorname{abs}(c)))) \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sin( \\
& 1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sinh(1/2 \operatorname{imag\_p} \\
& art(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) + \sqrt{a*c} B*b*c^2 \cos(1/4\pi + 1 \\
& /2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sin(1/4\pi + 1/2 \operatorname{real\_par} \\
& t(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a} \\
& *c)b/(a*\operatorname{abs}(c))))^2 - (a*c^3)^{(1/4)} C*a*c^2 \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2 \\
& *sqrt{a*c})b/(a*\operatorname{abs}(c)))) \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c}) \\
& b/(a*\operatorname{abs}(c)))) + (a*c^3)^{(1/4)} A*b*c^2 \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a} \\
& *c)b/(a*\operatorname{abs}(c)))) \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a* \\
& bs(c)))) + (a*c^3)^{(1/4)} C*a*c^2 \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a} \\
& *c)b/(a*\operatorname{abs}(c)))) \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c) \\
& ))) - (a*c^3)^{(1/4)} A*b*c^2 \sin(1/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c}) \\
& *b/(a*\operatorname{abs}(c)))) \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) a \\
& rctan(-((a/c)^{(1/4)} \cos(1/4\pi + 1/2 \arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) - \\
& x)/((a/c)^{(1/4)} \sin(1/4\pi + 1/2 \arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))/(sqr \\
& t(b^2 - 4*a*c)*a*b*c*\operatorname{abs}(c) - (a*b^2 - 4*a^2*c)*c^2) + 1/2*(2*(a*c^3)^{(3/4)} \\
& *A*c \cos(5/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \cosh \\
& (1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 - 6*(a*c^3)^{(3/4)} A*c \\
& \cos(5/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \cosh(1/2 \operatorname{i} \\
& mag\_part(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \sin(5/4\pi + 1/2 \operatorname{real\_part}( \\
& \arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 - 6*(a*c^3)^{(3/4)} A*c \cos(5/4\pi + 1 \\
& /2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^3 \cosh(1/2 \operatorname{imag\_part}(\arcs \\
& in(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2 \sinh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c}) \\
& b/(a*\operatorname{abs}(c)))) + 18*(a*c^3)^{(3/4)} A*c \cos(5/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/ \\
& 2\sqrt{a*c})b/(a*\operatorname{abs}(c)))) \cosh(1/2 \operatorname{imag\_part}(\arcsin(1/2\sqrt{a*c})b/(a*ab \\
& s(c))))^2 \sin(5/4\pi + 1/2 \operatorname{real\_part}(\arcsin(1/2\sqrt{a*c})b/(a*\operatorname{abs}(c))))^2
\end{aligned}$$

$$\begin{aligned}
& 2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 6*(a*c^3)^{(3/4)} \\
& *A*c*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\cosh \\
& (1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 18*(a*c^3)^{(3/4)}*A*c*\cos(5/4*\pi + 1/2* \\
& real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sin(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 2*(a*c^3)^{(3/4)}*A*c*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 + 6*(a*c^3)^{(3/4)}*A*c*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sin(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 - \sqrt{a*c}*B*b*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 + \sqrt{a*c}*B*b*c^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sin(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 2*\sqrt{a*c}*B*b*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) - 2*\sqrt{a*c}*B*b*c^2*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sin(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + \sqrt{a*c}*B*b*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 + \sqrt{a*c}*B*b*c^2*\sin(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 2*(a*c^3)^{(1/4)}*C*a*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 2*(a*c^3)^{(1/4)}*A*b*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 2*(a*c^3)^{(1/4)}*C*a*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) - 2*(a*c^3)^{(1/4)}*A*b*c^2*\cos(5/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\log(-2*x*(a/c)^{(1/4)}*\cos(5/4*\pi + 1/2*\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + x^2 + \sqrt{a/c})/(\sqrt{b^2 - 4*a*c})*a*b*c*abs(c) - (a*b^2 - 4*a^2*c)*c^2) + 1/2*(2*(a*c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3 - 6*(a*c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2 - 6*(a*c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^3*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c)))) + 18*(a*c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))*\cosh(1/2*imag\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sin(1/4*\pi + 1/2*real\_part(\arcsin(1/2*\sqrt{a*c}*b/(a*abs(c))))^2*\sinh(1/
\end{aligned}$$

$$\begin{aligned}
& 2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + 6*(a*c^3)^{(3/4)}*A*c*\cos( \\
& 1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3*\cosh(1/2*\text{imag\_} \\
& \text{part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c} \\
& \text{rt}(a*c)*b/(a*\text{abs}(c))))^2 - 18*(a*c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*\text{real\_part} \\
& (\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c} \\
& c)*b/(a*\text{abs}(c))))*\sin(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs} \\
& (c))))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - 2*(a \\
& c^3)^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c) \\
& )))^3*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3 + 6*(a*c^3) \\
& ^{(3/4)}*A*c*\cos(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))* \\
& \sin(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2* \\
& \text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^3 + \sqrt{a*c}*B*b*c^2*\cos(1/ \\
& 4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\cosh(1/2*\text{imag\_p} \\
& \text{art}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - \sqrt{a*c}*B*b*c^2*\cosh(1/2*\text{ima} \\
& \text{g\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sin(1/4*\pi + 1/2*\text{real\_part}(\ar \\
& \text{csin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 + 2*\sqrt{a*c}*B*b*c^2*\cos(1/4*\pi + 1/2 \\
& *\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\cosh(1/2*\text{imag\_part}(\arcsin \\
& (1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a \\
& *abs(c)))) + 2*\sqrt{a*c}*B*b*c^2*\cosh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b \\
& /(a*\text{abs}(c))))*\sin(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c) \\
& )))^2*\sinh(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) - \sqrt{a*c}*B \\
& *b*c^2*\cos(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\text{si} \\
& \text{nh}(1/2*\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 + \sqrt{a*c}*B*b*c^2 \\
& *\sin(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2*\sinh(1/2 \\
& *\text{imag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))^2 - 2*(a*c^3)^{(1/4)}*C*a*c^2 \\
& *\cos(1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\cosh(1/2*i \\
& \text{mag\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + 2*(a*c^3)^{(1/4)}*A*b*c^2*\cos \\
& (1/4*\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\cosh(1/2*\text{imag\_} \\
& \text{part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + 2*(a*c^3)^{(1/4)}*C*a*c^2*\cos(1/4 \\
& *\pi + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\sinh(1/2*\text{imag\_part} \\
& (\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) - 2*(a*c^3)^{(1/4)}*A*b*c^2*\cos(1/4*\pi \\
& + 1/2*\text{real\_part}(\arcsin(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\sinh(1/2*\text{imag\_part}(\ar \\
& \text{csin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c))))*\log(-2*x*(a/c)^{(1/4)}*\cos(1/4*\pi + 1/2*\ar \\
& \text{csin}(1/2*\sqrt{a*c}*b/(a*\text{abs}(c)))) + x^2 + \sqrt{a/c})/(\sqrt{b^2 - 4*a*c})*a*b \\
& *c*\text{abs}(c) - (a*b^2 - 4*a^2*c)*c^2) - 1/4*B*\log(\text{abs}(c*x^4 + b*x^2 + a))/a + \\
& B*\log(\text{abs}(x))/a - A/(a*x)
\end{aligned}$$



$$3.28 \quad \int \frac{A+Bx+Cx^2}{x^3(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=288

$$\frac{(A(b^2 - 2ac) - abC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2\sqrt{b^2-4ac}} + \frac{(Ab - aC) \log(a + bx^2 + cx^4)}{4a^2} - \frac{\log(x)(Ab - aC)}{a^2} - \frac{A}{2ax^2} - \frac{B\sqrt{c}\left(\frac{b}{\sqrt{b^2-4ac}} + \sqrt{2a}\sqrt{\dots}\right)}{\sqrt{2a}\sqrt{\dots}}$$

[Out]  $-A/(2*a*x^2) - B/(a*x) - (B*\text{Sqrt}[c]*(1 + b/\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (B*\text{Sqrt}[c]*(1 - b/\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) - ((A*(b^2 - 2*a*c) - a*b*C)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a^2*\text{Sqrt}[b^2 - 4*a*c]) - ((A*b - a*C)*\text{Log}[x])/a^2 + ((A*b - a*C)*\text{Log}[a + b*x^2 + c*x^4])/(4*a^2)$

**Rubi [A]** time = 0.473922, antiderivative size = 288, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 11, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$ , Rules used = {1662, 1251, 800, 634, 618, 206, 628, 12, 1123, 1166, 205}

$$\frac{(A(b^2 - 2ac) - abC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2\sqrt{b^2-4ac}} + \frac{(Ab - aC) \log(a + bx^2 + cx^4)}{4a^2} - \frac{\log(x)(Ab - aC)}{a^2} - \frac{A}{2ax^2} - \frac{B\sqrt{c}\left(\frac{b}{\sqrt{b^2-4ac}} + \sqrt{2a}\sqrt{\dots}\right)}{\sqrt{2a}\sqrt{\dots}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(x^3\*(a + b\*x^2 + c\*x^4)), x]

[Out]  $-A/(2*a*x^2) - B/(a*x) - (B*\text{Sqrt}[c]*(1 + b/\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]]/(\text{Sqrt}[2]*a*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (B*\text{Sqrt}[c]*(1 - b/\text{Sqrt}[b^2 - 4*a*c]))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(\text{Sqrt}[2]*a*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) - ((A*(b^2 - 2*a*c) - a*b*C)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a^2*\text{Sqrt}[b^2 - 4*a*c]) - ((A*b - a*C)*\text{Log}[x])/a^2 + ((A*b - a*C)*\text{Log}[a + b*x^2 + c*x^4])/(4*a^2)$

**Rule 1662**

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

### Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

### Rule 800

```
Int[(((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_)))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol]
:> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol]
:> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d}, x]
```

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 1123

Int[((d\_.)\*(x\_)^(m\_))\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[((d\*x)^(m + 1)\*(a + b\*x^2 + c\*x^4)^(p + 1))/(a\*d\*(m + 1)), x] - Dist[1/(a\*d^2\*(m + 1)), Int[(d\*x)^(m + 2)\*(b\*(m + 2\*p + 3) + c\*(m + 4\*p + 5)\*x^2)\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, p}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[m, -1] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{A+Bx+Cx^2}{x^3(a+bx^2+cx^4)} dx &= \int \frac{B}{x^2(a+bx^2+cx^4)} dx + \int \frac{A+Cx^2}{x^3(a+bx^2+cx^4)} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{A+Cx}{x^2(a+bx+cx^2)} dx, x, x^2 \right) + B \int \frac{1}{x^2(a+bx^2+cx^4)} dx \\
&= -\frac{B}{ax} + \frac{1}{2} \text{Subst} \left( \int \left( \frac{A}{ax^2} + \frac{-Ab+aC}{a^2x} + \frac{A(b^2-ac) - abC + c(Ab-aC)x}{a^2(a+bx+cx^2)} \right) dx, x, x^2 \right) + \frac{B}{2} \int \frac{1}{x^2(a+bx^2+cx^4)} dx \\
&= -\frac{A}{2ax^2} - \frac{B}{ax} - \frac{(Ab-aC)\log(x)}{a^2} + \frac{\text{Subst} \left( \int \frac{A(b^2-ac) - abC + c(Ab-aC)x}{a+bx+cx^2} dx, x, x^2 \right)}{2a^2} - \frac{Bc \left( 1 - \frac{b}{\sqrt{b^2-4ac}} \right)}{2a^2} \\
&= -\frac{A}{2ax^2} - \frac{B}{ax} - \frac{B\sqrt{c} \left( 1 + \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{B\sqrt{c} \left( 1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} \\
&= -\frac{A}{2ax^2} - \frac{B}{ax} - \frac{B\sqrt{c} \left( 1 + \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{B\sqrt{c} \left( 1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}} \\
&= -\frac{A}{2ax^2} - \frac{B}{ax} - \frac{B\sqrt{c} \left( 1 + \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{B\sqrt{c} \left( 1 - \frac{b}{\sqrt{b^2-4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}} \right)}{\sqrt{2a}\sqrt{b+\sqrt{b^2-4ac}}}
\end{aligned}$$

**Mathematica [A]** time = 0.983659, size = 377, normalized size = 1.31

$$\frac{(A(b\sqrt{b^2-4ac}-2ac+b^2)-aC(\sqrt{b^2-4ac}+b))\log(\sqrt{b^2-4ac}-b-2cx^2)}{\sqrt{b^2-4ac}} + \frac{(A(b\sqrt{b^2-4ac}+2ac-b^2)+aC(b-\sqrt{b^2-4ac}))\log(\sqrt{b^2-4ac}+b+2cx^2)}{\sqrt{b^2-4ac}} + 4\log(x)(aC - \dots)$$

---

$4a^2$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x^3\*(a + b\*x^2 + c\*x^4)), x]

[Out]  $((-2*a*A)/x^2 - (4*a*B)/x - (2*\text{Sqrt}[2]*a*B*\text{Sqrt}[c]*(b + \text{Sqrt}[b^2 - 4*a*c]))* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (2*\text{Sqrt}[2]*a*B*\text{Sqrt}[c]*(-b + \text{Sqrt}[b^2 - 4*a*c]))* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[b^2 - 4*a*c] * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + 4*(-(A*b) + a*C)*\text{Log}[x] + ((A*(b^2 - 2$

$$\frac{a^2c + b\sqrt{b^2 - 4ac} - a(b + \sqrt{b^2 - 4ac})C \cdot \text{Log}[-b + \sqrt{b^2 - 4ac} - 2cx^2] / \sqrt{b^2 - 4ac} + ((A(-b^2 + 2ac + b\sqrt{b^2 - 4ac}) + a(b - \sqrt{b^2 - 4ac})C) \cdot \text{Log}[b + \sqrt{b^2 - 4ac} + 2cx^2]) / \sqrt{b^2 - 4ac}}{4a^2}$$

**Maple [B]** time = 0.037, size = 1054, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((Cx^2+Bx+A)/x^3/(cx^4+bx^2+a), x)$

[Out] 
$$\begin{aligned} & -1/2A/a/x^2 - B/a/x - 1/a^2 \ln(x) \cdot A^2b + 1/a \ln(x) \cdot C + 8/a^2c / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot A^2b - 2/a^2 / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot (-4ac + b^2)^{1/2} \cdot A - 2/a^2 / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot (-4ac + b^2)^{1/2} \cdot A^2b^2 + 2/a / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot C \cdot b \cdot (-4ac + b^2)^{1/2} - 8c / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot C + 2/a / (32ac - 8b^2) \cdot \ln(-2cx^2 + (-4ac + b^2)^{1/2} - b) \cdot C \cdot b^2 - 4/a^2c / (32ac - 8b^2) \cdot B^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \text{arctanh}(cx^2^{1/2}) / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot b \cdot (-4ac + b^2)^{1/2} + 16c^2 / (32ac - 8b^2) \cdot B^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \text{arctanh}(cx^2^{1/2}) / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} - 4/a^2c / (32ac - 8b^2) \cdot B^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \text{arctanh}(cx^2^{1/2}) / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot b^2 + 8/a^2c / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot A^2b - 2/a^2 / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot A^2b^3 - 4/a^2c / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot (-4ac + b^2)^{1/2} \cdot A + 2/a^2 / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot (-4ac + b^2)^{1/2} \cdot A^2b^2 - 2/a / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot C \cdot b \cdot (-4ac + b^2)^{1/2} - 8c / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot C + 2/a / (32ac - 8b^2) \cdot \ln(2cx^2 + (-4ac + b^2)^{1/2} + b) \cdot C \cdot b^2 - 4/a^2c / (32ac - 8b^2) \cdot B^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \text{arctan}(cx^2^{1/2}) / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot b \cdot (-4ac + b^2)^{1/2} - 16c^2 / (32ac - 8b^2) \cdot B^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \text{arctan}(cx^2^{1/2}) / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} + 4/a^2c / (32ac - 8b^2) \cdot B^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \text{arctan}(cx^2^{1/2}) / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot b^2 \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(Ca - Ab) \log(x)}{a^2} + \frac{- \int \frac{Bacx^2 + (Ca - Ab)cx^3 + Bab + (Cab - Ab^2 + Aac)x}{cx^4 + bx^2 + a} dx}{a^2} - \frac{2Bx + A}{2ax^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x^3/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] (C\*a - A\*b)\*log(x)/a^2 + integrate(-(B\*a\*c\*x^2 + (C\*a - A\*b)\*c\*x^3 + B\*a\*b + (C\*a\*b - A\*b^2 + A\*a\*c)\*x)/(c\*x^4 + b\*x^2 + a), x)/a^2 - 1/2\*(2\*B\*x + A)/(a\*x^2)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x^3/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/x\*\*3/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^3/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.29 \quad \int \frac{x^4(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=412

$$\frac{\left(-\frac{Ac(4ac+b^2)+bC(b^2-8ac)}{\sqrt{b^2-4ac}} + C(b^2-6ac) + Abc\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{Ac(4ac+b^2)+bC(b^2-8ac)}{\sqrt{b^2-4ac}} + C(b^2-6ac) + Abc\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out]  $((2Ac - bC)x)/(2c(b^2 - 4ac)) + (Bx^2(2a + bx^2))/(2(b^2 - 4ac)(a + bx^2 + cx^4)) - (x^3(Ab - 2aC + (2Ac - bC)x^2))/(2(b^2 - 4ac)(a + bx^2 + cx^4)) + ((Abc + (b^2 - 6ac)C - (Ac(b^2 + 4ac) + b(b^2 - 8ac)C)/\sqrt{b^2 - 4ac})*\text{ArcTan}[(\sqrt{2}\sqrt{cx})/\sqrt{b - \sqrt{b^2 - 4ac}}])/(2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}) + ((Abc + (b^2 - 6ac)C + (Ac(b^2 + 4ac) + b(b^2 - 8ac)C)/\sqrt{b^2 - 4ac})*\text{ArcTan}[(\sqrt{2}\sqrt{cx})/\sqrt{b + \sqrt{b^2 - 4ac}}])/(2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}) + (2aB\text{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])/(b^2 - 4ac)^{3/2}$

**Rubi [A]** time = 1.33379, antiderivative size = 412, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {1662, 1275, 1279, 1166, 205, 12, 1114, 722, 618, 206}

$$\frac{\left(-\frac{Ac(4ac+b^2)+bC(b^2-8ac)}{\sqrt{b^2-4ac}} + C(b^2-6ac) + Abc\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\left(\frac{Ac(4ac+b^2)+bC(b^2-8ac)}{\sqrt{b^2-4ac}} + C(b^2-6ac) + Abc\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b+\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}c^{3/2}(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $((2Ac - bC)x)/(2c(b^2 - 4ac)) + (Bx^2(2a + bx^2))/(2(b^2 - 4ac)(a + bx^2 + cx^4)) - (x^3(Ab - 2aC + (2Ac - bC)x^2))/(2(b^2 - 4ac)(a + bx^2 + cx^4)) + ((Abc + (b^2 - 6ac)C - (Ac(b^2 + 4ac) + b(b^2 - 8ac)C)/\sqrt{b^2 - 4ac})*\text{ArcTan}[(\sqrt{2}\sqrt{cx})/\sqrt{b - \sqrt{b^2 - 4ac}}])/(2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}) + ((Abc + (b^2 - 6ac)C + (Ac(b^2 + 4ac) + b(b^2 - 8ac)C)/\sqrt{b^2 - 4ac})*\text{ArcTan}[(\sqrt{2}\sqrt{cx})/\sqrt{b + \sqrt{b^2 - 4ac}}])/(2\sqrt{2}c^{3/2}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}) + (2aB\text{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])/(b^2 - 4ac)^{3/2}$



$*a*B*ArcTanh[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]]/(b^2 - 4*a*c)^{(3/2)}$

### Rule 1662

$\text{Int}[(Pq\_)*((d\_)*(x\_))^{(m\_)}*((a\_)+(b\_)*(x\_)^2+(c\_)*(x\_)^4)^{(p\_)}, x\_Symbol] := \text{Module}\{q = \text{Expon}[Pq, x], k\}, \text{Int}[(d*x)^m*\text{Sum}[\text{Coeff}[Pq, x, 2*k]*x^{(2*k)}, \{k, 0, q/2 + 1\}*(a + b*x^2 + c*x^4)^p, x] + \text{Dist}[1/d, \text{Int}[(d*x)^{(m+1)}*\text{Sum}[\text{Coeff}[Pq, x, 2*k+1]*x^{(2*k)}, \{k, 0, (q-1)/2 + 1\}*(a + b*x^2 + c*x^4)^p, x], x]] /; \text{FreeQ}\{a, b, c, d, m, p\}, x\} \&\& \text{PolyQ}[Pq, x] \&\& !\text{PolyQ}[Pq, x^2]$

### Rule 1275

$\text{Int}[(f\_)*(x\_))^{(m\_)}*((d\_)+(e\_)*(x\_)^2)*((a\_)+(b\_)*(x\_)^2+(c\_)*(x\_)^4)^{(p\_)}, x\_Symbol] := \text{Simp}[(f*(f*x)^{(m-1)}*(a + b*x^2 + c*x^4)^{(p+1)}*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p+1)*(b^2 - 4*a*c)), x] - \text{Dist}[f^2/(2*(p+1)*(b^2 - 4*a*c)), \text{Int}[(f*x)^{(m-2)}*(a + b*x^2 + c*x^4)^{(p+1)}*\text{Simp}[(m-1)*(b*d - 2*a*e) - (4*p+4+m+1)*(b*e - 2*c*d)*x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{LtQ}[p, -1] \&\& \text{GtQ}[m, 1] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] || \text{IntegerQ}[m])$

### Rule 1279

$\text{Int}[(f\_)*(x\_))^{(m\_)}*((d\_)+(e\_)*(x\_)^2)*((a\_)+(b\_)*(x\_)^2+(c\_)*(x\_)^4)^{(p\_)}, x\_Symbol] := \text{Simp}[(e*f*(f*x)^{(m-1)}*(a + b*x^2 + c*x^4)^{(p+1)})/(c*(m+4*p+3)), x] - \text{Dist}[f^2/(c*(m+4*p+3)), \text{Int}[(f*x)^{(m-2)}*(a + b*x^2 + c*x^4)^p*\text{Simp}[a*e*(m-1) + (b*e*(m+2*p+1) - c*d*(m+4*p+3))*x^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, p\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m+4*p+3, 0] \&\& \text{IntegerQ}[2*p] \&\& (\text{IntegerQ}[p] || \text{IntegerQ}[m])$

### Rule 1166

$\text{Int}[(d + (e)*(x)^2)/(a + (b)*(x)^2 + (c)*(x)^4), x\_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x\} \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

### Rule 205

$\text{Int}[(a + (b)*(x)^2)^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1114

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

Rule 722

```
Int[((d_) + (e_)*(x_)^(m_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m - 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*(2*p + 3)*(c*d^2 - b*d*e + a*e^2))/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NeQ[2*c*d - b*e, 0] && EqQ[m + 2*p + 2, 0] && LtQ[p, -1]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^4(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx &= \int \frac{Bx^5}{(a+bx^2+cx^4)^2} dx + \int \frac{x^4(A+Cx^2)}{(a+bx^2+cx^4)^2} dx \\
&= -\frac{x^3(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + B \int \frac{x^5}{(a+bx^2+cx^4)^2} dx + \frac{\int \frac{x^2(3(Ab-2aC)+(2Ac-bC)x^2)}{a+bx^2+cx^4} dx}{2(b^2-4ac)} \\
&= \frac{(2Ac-bC)x}{2c(b^2-4ac)} - \frac{x^3(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{1}{2}B \text{Subst} \left( \int \frac{x^2}{(a+bx+cx^2)^2} dx, x, x^2 \right) \\
&= \frac{(2Ac-bC)x}{2c(b^2-4ac)} + \frac{Bx^2(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x^3(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{(aB) \text{Subst}}{2c(b^2-4ac)} \\
&= \frac{(2Ac-bC)x}{2c(b^2-4ac)} + \frac{Bx^2(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x^3(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{(Abc+(b^2-4ac)B)}{2c(b^2-4ac)} \\
&= \frac{(2Ac-bC)x}{2c(b^2-4ac)} + \frac{Bx^2(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x^3(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{(Abc+(b^2-4ac)B)}{2c(b^2-4ac)}
\end{aligned}$$

**Mathematica [A]** time = 1.56148, size = 444, normalized size = 1.08

$$\frac{1}{4} \left( \frac{2(a(b(B+Cx) - 2cx(A+x(B+Cx))) + bx^2(b(B+Cx) - Acx))}{c(4ac-b^2)(a+bx^2+cx^4)} + \frac{\sqrt{2} \left( C(b^2\sqrt{b^2-4ac} - 6ac\sqrt{b^2-4ac} + 8abc - b^3) \right)}{c^{3/2}(b^2-4ac)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((2\*(b\*x^2\*(-(A\*c\*x) + b\*(B + C\*x)) + a\*(b\*(B + C\*x) - 2\*c\*x\*(A + x\*(B + C\*x))))/(c\*(-b^2 + 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-(A\*c\*(b^2 + 4\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])) + (-b^3 + 8\*a\*b\*c + b^2\*Sqrt[b^2 - 4\*a\*c] - 6\*a\*c\*Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(c^(3/2)\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(A\*c\*(b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]) + (b^3 - 8\*a\*b\*c + b^2\*Sqrt[b^2 - 4

$$*a*c] - 6*a*c*\text{Sqrt}[b^2 - 4*a*c]) * C) * \text{ArcTan}[(\text{Sqrt}[2] * \text{Sqrt}[c] * x) / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])] / (c^{3/2} * (b^2 - 4*a*c)^{3/2} * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) - (4*a*B * \text{Log}[-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2]) / (b^2 - 4*a*c)^{3/2} + (4*a*B * \text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2]) / (b^2 - 4*a*c)^{3/2}) / 4$$

**Maple [B]** time = 0.042, size = 1429, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4 * (C*x^2 + B*x + A) / (c*x^4 + b*x^2 + a)^2, x)$

[Out] 
$$\begin{aligned} & (-1/2 * (A*b*c + 2*C*a*c - C*b^2) / (4*a*c - b^2) / c * x^3 - 1/2 * B * (2*a*c - b^2) / (4*a*c - b^2) / c * x^2 - 1/2 * a * (2*A*c - C*b) / (4*a*c - b^2) / c * x + 1/2 * B * a * b / c / (4*a*c - b^2) / (c * x^4 + b * x^2 + a) - 1 / (4*a*c - b^2)^2 * B * (-4*a*c + b^2)^{1/2} * a * \ln(-2*c*x^2 + (-4*a*c + b^2)^{1/2} - b) + 1 / (4*a*c - b^2)^2 * c * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * A * (-4*a*c + b^2)^{1/2} * a + 1/4 / (4*a*c - b^2)^2 * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * A * (-4*a*c + b^2)^{1/2} * b^2 + 1 / (4*a*c - b^2)^2 * c * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * A * b^3 - 2 / (4*a*c - b^2)^2 * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * C * (-4*a*c + b^2)^{1/2} * a * b + 1/4 / (4*a*c - b^2)^2 / c * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * C * (-4*a*c + b^2)^{1/2} * b^3 - 6 / (4*a*c - b^2)^2 * c * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * C * a^2 + 5/2 / (4*a*c - b^2)^2 * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * C * a * b^2 - 1/4 / (4*a*c - b^2)^2 / c * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c*x * 2^{1/2} / (((-4*a*c + b^2)^{1/2} - b) * c)^{1/2}) * C * b^4 + 1 / (4*a*c - b^2)^2 * B * (-4*a*c + b^2)^{1/2} * a * \ln(2*c*x^2 + (-4*a*c + b^2)^{1/2} + b) + 1 / (4*a*c - b^2)^2 * c * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * A * (-4*a*c + b^2)^{1/2} * a + 1/4 / (4*a*c - b^2)^2 * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * A * (-4*a*c + b^2)^{1/2} * b^2 - 1 / (4*a*c - b^2)^2 * c * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * A * a * b + 1/4 / (4*a*c - b^2)^2 * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * A * b^3 - 2 / (4*a*c - b^2)^2 * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * C * (-4*a*c + b^2)^{1/2} * a * b + 1/4 / (4*a*c - b^2)^2 / c * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c*x * 2^{1/2} / ((b + (-4*a*c + b^2)^{1/2}) * c)^{1/2}) * \end{aligned}$$

$$\frac{(b+(-4ac+b^2)^{1/2})c^{1/2}C(-4ac+b^2)^{1/2}b^3+6/(4ac-b^2)^2c^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2})\arctan(cx^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2}))C^2-5/2/(4ac-b^2)^2c^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2})\arctan(cx^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2}))C^2+1/4/(4ac-b^2)^2c^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2})\arctan(cx^{1/2}/((b+(-4ac+b^2)^{1/2})c^{1/2}))C^2b^4}{2((b^2c^2-4ac^3)x^4+ab^2c-4a^2c^2+(b^3c-4abc^2)x^2)} + \frac{-\int \frac{4Bacx-Cab+2Aac-(Cb^2-(6Ca-Ab)c)x^2}{cx^4+bx^2+a} dx}{2(b^2c-4ac^2)}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(Cb^2 - (2Ca + Ab)c)x^3 + Bab + (Bb^2 - 2Bac)x^2 + (Cab - 2Aac)x}{2((b^2c^2 - 4ac^3)x^4 + ab^2c - 4a^2c^2 + (b^3c - 4abc^2)x^2)} + \frac{-\int \frac{4Bacx-Cab+2Aac-(Cb^2-(6Ca-Ab)c)x^2}{cx^4+bx^2+a} dx}{2(b^2c-4ac^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out]  $-\frac{1}{2} \frac{((C*b^2 - (2*C*a + A*b)*c)*x^3 + B*a*b + (B*b^2 - 2*B*a*c)*x^2 + (C*a*b - 2*A*a*c)*x)}{(b^2*c^2 - 4*a*c^3)*x^4 + a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2} + \frac{1}{2} \frac{\text{integrate}(-4*B*a*c*x - C*a*b + 2*A*a*c - (C*b^2 - (6*C*a - A*b)*c)*x^2)}{(c*x^4 + b*x^2 + a), x} / (b^2*c - 4*a*c^2)$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(C*x**2+B*x+A)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.30 \quad \int \frac{x^3(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=347

$$\frac{x^2(2acC + Abc + b^2(-C)) + a(2Ac - bC)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(Ab - 2aC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} + \frac{Bx(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\left(b - \frac{4ac}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)^{3/2}}$$

[Out] (B\*x\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (a\*(2\*A\*c - b\*C) + (A\*b\*c - b^2\*C + 2\*a\*c\*C)\*x^2)/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (B\*(b - (b^2 + 4\*a\*c)/Sqrt[b^2 - 4\*a\*c])/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (B\*(b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2))\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - ((A\*b - 2\*a\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.617503, antiderivative size = 347, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$ , Rules used = {1662, 1251, 777, 618, 206, 12, 1120, 1166, 205}

$$\frac{x^2(2acC + Abc + b^2(-C)) + a(2Ac - bC)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(Ab - 2aC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} + \frac{Bx(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\left(b - \frac{4ac}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (B\*x\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (a\*(2\*A\*c - b\*C) + (A\*b\*c - b^2\*C + 2\*a\*c\*C)\*x^2)/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (B\*(b - (b^2 + 4\*a\*c)/Sqrt[b^2 - 4\*a\*c])/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (B\*(b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2))\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - ((A\*b - 2\*a\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

Rule 777

```
Int[((d_) + (e_)*(x_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := -Simp[((2*a*c*(e*f + d*g) - b*(c*d*f + a*e*g) - (b^2*e*g - b*c*(e*f + d*g) + 2*c*(c*d*f - a*e*g))*x)*(a + b*x + c*x^2)^(p + 1))/(c*(p + 1)*(b^2 - 4*a*c)), x] - Dist[(b^2*e*g*(p + 2) - 2*a*c*e*g + c*(2*c*d*f - b*(e*f + d*g))*(2*p + 3))/(c*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1120



```
Int[((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
  :> -Simp[(d^3*(d*x)^(m-3)*(2*a + b*x^2)*(a + b*x^2 + c*x^4)^(p+1))/(2*
  (p+1)*(b^2 - 4*a*c)), x] + Dist[d^4/(2*(p+1)*(b^2 - 4*a*c)), Int[(d*x)^(
  m-4)*(2*a*(m-3) + b*(m+4*p+3)*x^2)*(a + b*x^2 + c*x^4)^(p+1), x]
  , x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[
  m, 3] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx &= \int \frac{Bx^4}{(a+bx^2+cx^4)^2} dx + \int \frac{x^3(A+Cx^2)}{(a+bx^2+cx^4)^2} dx \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{x(A+Cx)}{(a+bx+cx^2)^2} dx, x, x^2 \right) + B \int \frac{x^4}{(a+bx^2+cx^4)^2} dx \\
 &= \frac{Bx(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{a(2Ac-bC) + (Abc-b^2C+2acC)x^2}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{B \int \frac{2a-bx^2}{a+bx^2+cx^4} dx}{2(b^2-4ac)} + \\
 &= \frac{Bx(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{a(2Ac-bC) + (Abc-b^2C+2acC)x^2}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{B \left( b^2+4ac-b\sqrt{b^2-4ac} \right)}{2(b^2-4ac)} \\
 &= \frac{Bx(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{a(2Ac-bC) + (Abc-b^2C+2acC)x^2}{2c(b^2-4ac)(a+bx^2+cx^4)} - \frac{B \left( b^2+4ac-b\sqrt{b^2-4ac} \right)}{2\sqrt{2}\sqrt{c}(b^2-4ac)}
 \end{aligned}$$

**Mathematica [A]** time = 0.995371, size = 358, normalized size = 1.03

$$\frac{1}{4} \left( \frac{2(a(2Ac - bC + 2cx(B + Cx)) + bx^2(Ac - bC + Bcx))}{c(4ac - b^2)(a + bx^2 + cx^4)} + \frac{2(Ab - 2aC) \log(\sqrt{b^2 - 4ac} - b - 2cx^2)}{(b^2 - 4ac)^{3/2}} - \frac{2(Ab - 2aC) \log(\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((-2\*(b\*x^2\*(A\*c - b\*C + B\*c\*x) + a\*(2\*A\*c - b\*C + 2\*c\*x\*(B + C\*x)))/(c\*(-b^2 + 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*B\*(-b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*B\*(b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + (2\*(A\*b - 2\*a\*C)\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2])/(b^2 - 4\*a\*c)^(3/2) - (2\*(A\*b - 2\*a\*C)\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/(b^2 - 4\*a\*c)^(3/2))/4

**Maple [F]** time = 180., size = 0, normalized size = 0.

hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x)

[Out] int(x^3\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(C*x**2+B*x+A)/(c*x**4+b*x**2+a)**2,x)`

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.31 \quad \int \frac{x^2(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.901846, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$ , Rules used = {1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1662

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d\*x)^m\*Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p, x) + Dist[1/d, Int[(d\*x)^(m + 1)\*Sum[Coeff[Pq, x, 2\*k + 1]\*x^(2\*k), {k, 0, (q - 1)/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p, x), x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]

Rule 1275

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*((a + b\*x^2 + c\*x^4)^(p + 1))\*(b\*d - 2\*a\*e - (b\*e - 2\*c\*d)\*x^2))/(2\*(p + 1)\*(b^2 - 4\*a\*c)), x] - Dist[f^2/(2\*(p + 1)\*(b^2 - 4\*a\*c)), Int[(f\*x)^(m - 2)\*((a + b\*x^2 + c\*x^4)^(p + 1))\*Simp[(m - 1)\*(b\*d - 2\*a\*e) - (4\*p + 4 + m + 1)\*(b\*e - 2\*c\*d)\*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 1114

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*((a + b\*x + c\*x^2)^p, x), x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx &= \int \frac{Bx^3}{(a+bx^2+cx^4)^2} dx + \int \frac{x^2(A+Cx^2)}{(a+bx^2+cx^4)^2} dx \\
&= -\frac{x(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + B \int \frac{x^3}{(a+bx^2+cx^4)^2} dx + \frac{\int \frac{Ab-2aC+(-2Ac+bC)x^2}{a+bx^2+cx^4} dx}{2(b^2-4ac)} \\
&= -\frac{x(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{1}{2} B \text{Subst} \left( \int \frac{x}{(a+bx+cx^2)^2} dx, x, x^2 \right) - \frac{(2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}})}{2\sqrt{2}\sqrt{c}(b^2-4ac)} \sqrt{\frac{2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}}}{b^2-4ac}} \\
&= \frac{B(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}})}{2\sqrt{2}\sqrt{c}(b^2-4ac)} \sqrt{\frac{2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}}}{b^2-4ac}} \\
&= \frac{B(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}})}{2\sqrt{2}\sqrt{c}(b^2-4ac)} \sqrt{\frac{2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}}}{b^2-4ac}} \\
&= \frac{B(2a+bx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{x(Ab-2aC+(2Ac-bC)x^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{(2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}})}{2\sqrt{2}\sqrt{c}(b^2-4ac)} \sqrt{\frac{2Ac-bC - \frac{4Abc-(b^2+4ac)C}{\sqrt{b^2-4ac}}}{b^2-4ac}}
\end{aligned}$$

**Mathematica [A]** time = 1.16127, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B+Cx) + 2x(bx(B+Cx) - A(b+2cx^2))}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2-4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2-4ac} - 2b) \right) \tan^{-1} \left( \frac{\sqrt{b^2-4ac}}{\sqrt{b^2-4ac}} \right)}{\sqrt{c}(b^2-4ac)^{3/2} \sqrt{b - \sqrt{b^2-4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(-2\*A\*c\*(2\*b + Sqrt[b^2 - 4\*a\*c]) + (b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])

$$c]) * C) * \text{ArcTan}[\frac{\sqrt{2} * \sqrt{c} * x}{\sqrt{b + \sqrt{b^2 - 4ac}}}] / (\sqrt{c} * (b^2 - 4ac)^{3/2} * \sqrt{b + \sqrt{b^2 - 4ac}}) + (2 * b * B * \text{Log}[-b + \sqrt{b^2 - 4ac}] - 2 * c * x^2) / (b^2 - 4ac)^{3/2} - (2 * b * B * \text{Log}[b + \sqrt{b^2 - 4ac}] + 2 * c * x^2) / (b^2 - 4ac)^{3/2}) / 4$$

**Maple [B]** time = 0.036, size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2 * (C * x^2 + B * x + A) / (c * x^4 + b * x^2 + a)^2, x)$

[Out] 
$$\frac{1}{2} * \frac{(2 * A * c - C * b)}{(4 * a * c - b^2)} * x^3 - \frac{1}{2} * \frac{B * b}{(4 * a * c - b^2)} * x^2 + \frac{1}{2} * \frac{(A * b - 2 * C * a)}{(4 * a * c - b^2)} * x - \frac{B * a}{(4 * a * c - b^2)} / (c * x^4 + b * x^2 + a) + \frac{1}{2} / (4 * a * c - b^2)^2 * B * (-4 * a * c + b^2)^{1/2} * b * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{1/2} - b) - c / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * A * (-4 * a * c + b^2)^{1/2} * b - 2 * c^2 / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * A * a + 1 / 2 * c / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * A * b^2 + c / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * C * (-4 * a * c + b^2)^{1/2} * a + 1 / 4 / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * C * (-4 * a * c + b^2)^{1/2} * b^2 + c / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * C * a * b - 1 / 4 / (4 * a * c - b^2)^2 * 2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2} * \text{arctanh}(c * x^2^{1/2} / (((-4 * a * c + b^2)^{1/2} - b) * c)^{1/2}) * C * b^3 - 1 / 2 / (4 * a * c - b^2)^2 * B * (-4 * a * c + b^2)^{1/2} * b * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{1/2} + b) - c / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * A * (-4 * a * c + b^2)^{1/2} * b + 2 * c^2 / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * A * a - 1 / 2 * c / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * A * b^2 + c / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * C * (-4 * a * c + b^2)^{1/2} * a + 1 / 4 / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * C * (-4 * a * c + b^2)^{1/2} * b^2 - c / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * C * a * b + 1 / 4 / (4 * a * c - b^2)^2 * 2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2} * \text{arctan}(c * x^2^{1/2} / ((b + (-4 * a * c + b^2)^{1/2}) * c)^{1/2}) * C * b^3$$



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(C\*x\*\*2+B\*x+A)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.32 \quad \int \frac{x(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=317

$$\frac{-2aC + x^2(2Ac - bC) + Ab}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(2Ac - bC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} - \frac{Bx(b + 2cx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(2b - \sqrt{b^2 - 4ac})}{\sqrt{2}(b^2 - 4ac)^{3/2} \sqrt{a}}$$

[Out]  $-(B*x*(b + 2*c*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (A*b - 2*a*C + (2*A*c - b*C)*x^2)/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (B*\text{Sqrt}[c]*(2*b - \text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (B*\text{Sqrt}[c]*(2*b + \text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + ((2*A*c - b*C)* \text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(3/2)}$

**Rubi [A]** time = 0.41535, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$ , Rules used = {1662, 1247, 638, 618, 206, 12, 1119, 1166, 205}

$$\frac{-2aC + x^2(2Ac - bC) + Ab}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(2Ac - bC) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}} - \frac{Bx(b + 2cx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(2b - \sqrt{b^2 - 4ac})}{\sqrt{2}(b^2 - 4ac)^{3/2} \sqrt{a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x*(A + B*x + C*x^2))/(a + b*x^2 + c*x^4)^2, x]$

[Out]  $-(B*x*(b + 2*c*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (A*b - 2*a*C + (2*A*c - b*C)*x^2)/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (B*\text{Sqrt}[c]*(2*b - \text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (B*\text{Sqrt}[c]*(2*b + \text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]])/(\text{Sqrt}[2]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + ((2*A*c - b*C)* \text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(b^2 - 4*a*c)^{(3/2)}$

Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

### Rule 1247

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

### Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol]
:> Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol]
:> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol]
:> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol]
:> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1119

```
Int[((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(d*(d*x)^(m - 1)*(b + 2*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[d^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(d*x)^(m - 2)*(b*(m - 1) + 2*c*(m + 4*p + 5)*x^2)*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m,
```

1] && LeQ[m, 3] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

### Rule 1166

Int[((d\_) + (e\_.)\*(x\_)^2)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] :  
 > With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2  
 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2  
 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && Ne  
 Q[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a  
 /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{x(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx &= \int \frac{Bx^2}{(a+bx^2+cx^4)^2} dx + \int \frac{x(A+Cx^2)}{(a+bx^2+cx^4)^2} dx \\
 &= \frac{1}{2} \text{Subst} \left( \int \frac{A+Cx}{(a+bx+cx^2)^2} dx, x, x^2 \right) + B \int \frac{x^2}{(a+bx^2+cx^4)^2} dx \\
 &= -\frac{Bx(b+2cx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{Ab-2aC+(2Ac-bC)x^2}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{B \int \frac{b-2cx^2}{a+bx^2+cx^4} dx}{2(b^2-4ac)} - \frac{(2Ac-bC)}{2(b^2-4ac)} \\
 &= -\frac{Bx(b+2cx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{Ab-2aC+(2Ac-bC)x^2}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{(Bc(2b-\sqrt{b^2-4ac})) \int \frac{\frac{b-1}{2}-\frac{1}{2}}{\frac{b-1}{2}-\frac{1}{2}}}{2(b^2-4ac)^{3/2}} \\
 &= -\frac{Bx(b+2cx^2)}{2(b^2-4ac)(a+bx^2+cx^4)} - \frac{Ab-2aC+(2Ac-bC)x^2}{2(b^2-4ac)(a+bx^2+cx^4)} + \frac{B\sqrt{c}(2b-\sqrt{b^2-4ac}) \tan^{-1}}{\sqrt{2}(b^2-4ac)^{3/2} \sqrt{b-\sqrt{b^2-4ac}}}
 \end{aligned}$$

**Mathematica [A]** time = 1.41088, size = 335, normalized size = 1.06

$$\frac{1}{2} \left( \frac{2aC - A(b+2cx^2) + x(-bB + bCx - 2Bcx^2)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{(bC-2Ac) \log(\sqrt{b^2-4ac}-b-2cx^2)}{(b^2-4ac)^{3/2}} + \frac{(2Ac-bC) \log(\sqrt{b^2-4ac}+b+2cx^2)}{(b^2-4ac)^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] 
$$\frac{((2*a*C - A*(b + 2*c*x^2) + x*(-(b*B) + b*C*x - 2*B*c*x^2))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (\sqrt{2}*B*\sqrt{c}*(-2*b + \sqrt{b^2 - 4*a*c})*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b - \sqrt{b^2 - 4*a*c}}]))/((b^2 - 4*a*c)^{(3/2)}*\sqrt{b - \sqrt{b^2 - 4*a*c}}) - (\sqrt{2}*B*\sqrt{c}*(2*b + \sqrt{b^2 - 4*a*c})*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b + \sqrt{b^2 - 4*a*c}}]))/((b^2 - 4*a*c)^{(3/2)}*\sqrt{b + \sqrt{b^2 - 4*a*c}}) + ((-2*A*c + b*C)*\text{Log}[-b + \sqrt{b^2 - 4*a*c} - 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)} + ((2*A*c - b*C)*\text{Log}[b + \sqrt{b^2 - 4*a*c} + 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)}/2}$$

**Maple [B]** time = 0.117, size = 1344, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x)

[Out] 
$$\begin{aligned} & -1/2/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*A*b^2-1/2/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*A*b^2+2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *B*a-2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *B*a+1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *B*b^2-1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *B*b^2+2*c/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*B*a*x+1/4/c/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*C*(-4*a*c+b^2)^{(1/2)}*b^2+2*c/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*B*a*x-1/4/c/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*C*(-4*a*c+b^2)^{(1/2)}*b^2-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *(-4*a*c+b^2)^{(1/2)}*B*b-c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *(-4*a*c+b^2)^{(1/2)}*B*b-1/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*C*(-4*a*c+b^2)^{(1/2)}*a-1/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*C*a*b-1/2/(4*a*c-b^2)^2*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)+b}) \\ & *C*(-4*a*c+b^2)^{(1/2)}*b-1/2/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*B*x*b^2+1/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*C*(-4*a*c+b^2)^{(1/2)}*a-1/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c \end{aligned}$$

$$) * C * a * b + 1/2 / (4 * a * c - b^2)^2 * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{1/2} - b) * C * (-4 * a * c + b^2)^{1/2} * b + 2 * c / (4 * a * c - b^2)^2 / (x^2 + 1/2 * (-4 * a * c + b^2)^{1/2} / c + 1/2 * b / c) * A * a + 1/4 / c / (4 * a * c - b^2)^2 / (x^2 + 1/2 * (-4 * a * c + b^2)^{1/2} / c + 1/2 * b / c) * C * b^3 + c / (4 * a * c - b^2)^2 * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{1/2} + b) * A * (-4 * a * c + b^2)^{1/2} + 2 * c / (4 * a * c - b^2)^2 / (x^2 + 1/2 * b / c - 1/2 * (-4 * a * c + b^2)^{1/2} / c) * A * a + 1/4 / c / (4 * a * c - b^2)^2 / (x^2 + 1/2 * b / c - 1/2 * (-4 * a * c + b^2)^{1/2} / c) * C * b^3 - c / (4 * a * c - b^2)^2 * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{1/2} - b) * A * (-4 * a * c + b^2)^{1/2} - 1/2 / (4 * a * c - b^2)^2 / (x^2 + 1/2 * (-4 * a * c + b^2)^{1/2} / c + 1/2 * b / c) * B * x * b^2$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x\*\*2+B\*x+A)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Timed out



$$3.33 \quad \int \frac{A+Bx+Cx^2}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=368

$$\frac{x(cx^2(Ab-2aC)-2aAc-abC+Ab^2)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c}\left(\frac{A(b^2-12ac)+4abC}{\sqrt{b^2-4ac}} - 2aC + Ab\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c}\left(-\frac{12aAc+4abC+Ab^2}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out]  $-(B*(b + 2*c*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (x*(A*b^2 - 2*a*A*c - a*b*C + c*(A*b - 2*a*C)*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4))$   
 $+ (Sqrt[c]*(A*b - 2*a*C + (A*(b^2 - 12*a*c) + 4*a*b*C)/Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[c]*(A*b - 2*a*C - (A*b^2 - 12*a*A*c + 4*a*b*C)/Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2 - 4*a*c]])$   
 $+ (2*B*c*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2)$

**Rubi [A]** time = 0.866742, antiderivative size = 368, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.36$ , Rules used = {1673, 1178, 1166, 205, 12, 1107, 614, 618, 206}

$$\frac{x(cx^2(Ab-2aC)-2aAc-abC+Ab^2)}{2a(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{c}\left(\frac{A(b^2-12ac)+4abC}{\sqrt{b^2-4ac}} - 2aC + Ab\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{c}\left(-\frac{12aAc+4abC+Ab^2}{\sqrt{b^2-4ac}}\right)}{2\sqrt{2}a(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(a + b\*x^2 + c\*x^4)^2, x]

[Out]  $-(B*(b + 2*c*x^2))/(2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (x*(A*b^2 - 2*a*A*c - a*b*C + c*(A*b - 2*a*C)*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4))$   
 $+ (Sqrt[c]*(A*b - 2*a*C + (A*(b^2 - 12*a*c) + 4*a*b*C)/Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[c]*(A*b - 2*a*C - (A*b^2 - 12*a*A*c + 4*a*b*C)/Sqrt[b^2 - 4*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2 - 4*a*c]])$   
 $+ (2*B*c*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2)$

Rule 1673

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{q
= Expon[Pq, x], k}, Int[Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2}]*(a + b
*x^2 + c*x^4)^p, x] + Int[x*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q -
1)/2}]*(a + b*x^2 + c*x^4)^p, x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x]
&& !PolyQ[Pq, x^2]
```

Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symb
ol] := Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1107

```
Int[(x_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2,
Subst[Int[(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x]
```

Rule 614

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((b + 2*c*x
)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[(2*c*(2*p +
```

3))/((p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1] && NeQ[p, -3/2] && IntegerQ[4\*p]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{A + Bx + Cx^2}{(a + bx^2 + cx^4)^2} dx &= \int \frac{Bx}{(a + bx^2 + cx^4)^2} dx + \int \frac{A + Cx^2}{(a + bx^2 + cx^4)^2} dx \\
 &= \frac{x(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x}{(a + bx^2 + cx^4)^2} dx - \frac{\int \frac{-Ab^2 + 6aAc - abC - c(Ab - 2aC)x^2}{a + bx^2 + cx^4}}{2a(b^2 - 4ac)} \\
 &= \frac{x(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left( \int \frac{1}{(a + bx + cx^2)^2} dx, x, x^2 \right) + \frac{c(A(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2))}{2a(b^2 - 4ac)} \\
 &= -\frac{B(b + 2cx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{x(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c}(A(b^2 - 12ac))}{2a(b^2 - 4ac)} \\
 &= -\frac{B(b + 2cx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{x(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c}(A(b^2 - 12ac))}{2a(b^2 - 4ac)} \\
 &= -\frac{B(b + 2cx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{x(Ab^2 - 2aAc - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{c}(A(b^2 - 12ac))}{2a(b^2 - 4ac)}
 \end{aligned}$$

**Mathematica [A]** time = 1.45573, size = 393, normalized size = 1.07

$$\frac{1}{4} \left( \frac{4acx(A + x(B + Cx)) + 2ab(B + Cx) - 2Abx(b + cx^2)}{a(4ac - b^2)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c} \left( A \left( b\sqrt{b^2 - 4ac} - 12ac + b^2 \right) - 2aC \left( \sqrt{b^2 - 4ac} - 2b \right) \right)}{a(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(a + b\*x^2 + c\*x^4)^2, x]

[Out] ((2\*a\*b\*(B + C\*x) - 2\*A\*b\*x\*(b + c\*x^2) + 4\*a\*c\*x\*(A + x\*(B + C\*x)))/(a\*(-b^2 + 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*Sqrt[c]\*(A\*(b^2 - 12\*a\*c + b\*Sqrt[b^2 - 4\*a\*c]) - 2\*a\*(-2\*b + Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (Sqrt[2]\*Sqrt[c]\*(A\*(b^2 - 12\*a\*c - b\*Sqrt[b^2 - 4\*a\*c]) + 2\*a\*(2\*b + Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (4\*B\*c\*Log[-b + Sqrt[b^2 - 4\*a\*c] - 2\*c\*x^2])/(b^2 - 4\*a\*c)^(3/2) + (4\*B\*c\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/(b^2 - 4\*a\*c)^(3/2))/4

**Maple [B]** time = 0.105, size = 1813, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2, x)

[Out] 1/4/(4\*a\*c-b^2)^2/(x^2+1/2\*b/c-1/2\*(-4\*a\*c+b^2)^(1/2)/c)/a\*x\*A\*b^3+1/4/(4\*a\*c-b^2)^2/(x^2+1/2\*(-4\*a\*c+b^2)^(1/2)/c+1/2\*b/c)/a\*x\*A\*b^3+2\*c/(4\*a\*c-b^2)^2/(x^2+1/2\*(-4\*a\*c+b^2)^(1/2)/c+1/2\*b/c)\*a\*C\*x+c/(4\*a\*c-b^2)^2/(x^2+1/2\*(-4\*a\*c+b^2)^(1/2)/c+1/2\*b/c)\*x\*A\*(-4\*a\*c+b^2)^(1/2)-c/(4\*a\*c-b^2)^2/(x^2+1/2\*(-4\*a\*c+b^2)^(1/2)/c+1/2\*b/c)\*A\*b\*x-c/(4\*a\*c-b^2)^2/(x^2+1/2\*b/c-1/2\*(-4\*a\*c+b^2)^(1/2)/c)\*x\*A\*(-4\*a\*c+b^2)^(1/2)-c/(4\*a\*c-b^2)^2/(x^2+1/2\*b/c-1/2\*(-4\*a\*c+b^2)^(1/2)/c)\*A\*b\*x+2\*c/(4\*a\*c-b^2)^2/(x^2+1/2\*b/c-1/2\*(-4\*a\*c+b^2)^(1/2)/c)\*a\*C\*x-1/4\*c/(4\*a\*c-b^2)^2/a^2^(1/2)/((b+(-4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x^2^(1/2)/((b+(-4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*A\*(-4\*a\*c+b^2)^(1/2)\*b^2-1/4\*c/(4\*a\*c-b^2)^2/a^2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x^2^(1/2)/(((4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*A\*(-4\*a\*c+b^2)^(1/2)\*b^2-1/2/(4\*a\*c-b^2)^2/(x^2+1/2\*(-4\*a\*c+b^2)^(1/2)/c+1/2\*b/c)\*x\*C\*b^2-1/2/(4\*a\*c-b^2

$$\begin{aligned}
&)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*x*C*b^2+2*c/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*B*a+c/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)*1} \\
&n(2*c*x^2+(-4*a*c+b^2)^{(1/2)+b)+2*c/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*B*a-c/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)*1} \\
&n(-2*c*x^2+(-4*a*c+b^2)^{(1/2)-b)-1/2/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)*B*b^2-1/2/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)*B*b^2+3*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&A*(-4*a*c+b^2)^{(1/2)-c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&A*b+2*c^2/(4*a*c-b^2)^2*a*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&C-1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&C*b^2+1/4/(4*a*c-b^2)^2/(x^2+1/2*b/c-1/2*(-4*a*c+b^2)^{(1/2)}/c)/a*x*A*(-4*a*c+b^2)^{(1/2)*b^2-1/4/(4*a*c-b^2)^2/(x^2+1/2*(-4*a*c+b^2)^{(1/2)}/c+1/2*b/c)/a*x*A*(-4*a*c+b^2)^{(1/2)*b^2+3*c^2/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&A*(-4*a*c+b^2)^{(1/2)+c^2/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&A*b-2*c^2/(4*a*c-b^2)^2*a*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&C+1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&C*b^2-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&C*(-4*a*c+b^2)^{(1/2)*b-1/4*c/(4*a*c-b^2)^2/a*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&A*b^3-c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)*arctanh(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)-b)*c)^{(1/2)})} \\
&C*(-4*a*c+b^2)^{(1/2)*b+1/4*c/(4*a*c-b^2)^2/a*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})} \\
&A*b^3
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{2Bacx^2 + (2Ca - Ab)cx^3 + Bab + (Cab - Ab^2 + 2Aac)x}{2((ab^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2bc)x^2)} + \frac{-\int \frac{4Bacx + (2Ca - Ab)cx^2 - Cab - Ab^2 + 6Aac}{cx^4 + bx^2 + a} dx}{2(ab^2 - 4a^2c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] -1/2\*(2\*B\*a\*c\*x^2 + (2\*C\*a - A\*b)\*c\*x^3 + B\*a\*b + (C\*a\*b - A\*b^2 + 2\*A\*a\*c)\*x)/((a\*b^2\*c - 4\*a^2\*c^2)\*x^4 + a^2\*b^2 - 4\*a^3\*c + (a\*b^3 - 4\*a^2\*b\*c)\*x^2) + 1/2\*integrate(-4\*B\*a\*c\*x + (2\*C\*a - A\*b)\*c\*x^2 - C\*a\*b - A\*b^2 + 6\*A

$$a*c)/(c*x^4 + b*x^2 + a), x)/(a*b^2 - 4*a^2*c)$$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*2+B\*x+A)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.34 \quad \int \frac{A+Bx+Cx^2}{x(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=403

$$\frac{(4a^2cC + A(b^3 - 6abc)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2(b^2 - 4ac)^{3/2}} - \frac{A \log(a + bx^2 + cx^4)}{4a^2} + \frac{A \log(x)}{a^2} + \frac{A(b^2 - 2ac) + cx^2(Ab - 2aC) - abc}{2a(b^2 - 4ac)(a + bx^2 + cx^4)}$$

[Out] (B\*x\*(b^2 - 2\*a\*c + b\*c\*x^2))/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (A\*(b^2 - 2\*a\*c) - a\*b\*C + c\*(A\*b - 2\*a\*C)\*x^2)/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (B\*Sqrt[c]\*(b^2 - 12\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(2\*Sqrt[2]\*a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (B\*Sqrt[c]\*(b^2 - 12\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(2\*Sqrt[2]\*a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + ((A\*(b^3 - 6\*a\*b\*c) + 4\*a^2\*c\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*(b^2 - 4\*a\*c)^(3/2)) + (A\*Log[x])/a^2 - (A\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

**Rubi [A]** time = 0.931997, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 12, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {1662, 1251, 822, 800, 634, 618, 206, 628, 12, 1092, 1166, 205}

$$\frac{(4a^2cC + A(b^3 - 6abc)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^2(b^2 - 4ac)^{3/2}} - \frac{A \log(a + bx^2 + cx^4)}{4a^2} + \frac{A \log(x)}{a^2} + \frac{A(b^2 - 2ac) + cx^2(Ab - 2aC) - abc}{2a(b^2 - 4ac)(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(x\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] (B\*x\*(b^2 - 2\*a\*c + b\*c\*x^2))/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (A\*(b^2 - 2\*a\*c) - a\*b\*C + c\*(A\*b - 2\*a\*C)\*x^2)/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (B\*Sqrt[c]\*(b^2 - 12\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(2\*Sqrt[2]\*a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - (B\*Sqrt[c]\*(b^2 - 12\*a\*c - b\*Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(2\*Sqrt[2]\*a\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) + ((A\*(b^3 - 6\*a\*b\*c) + 4\*a^2\*c\*C)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*(b^2 - 4\*a\*c)^(3/2))

) + (A\*Log[x])/a^2 - (A\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

### Rule 1662

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d\*x)^m\*Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2 + 1}]\*a + b\*x^2 + c\*x^4)^p, x] + Dist[1/d, Int[(d\*x)^(m + 1)\*Sum[Coeff[Pq, x, 2\*k + 1]\*x^(2\*k), {k, 0, (q - 1)/2 + 1}]\*a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]

### Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

### Rule 822

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(f\*(b\*c\*d - b^2\*e + 2\*a\*c\*e) - a\*g\*(2\*c\*d - b\*e) + c\*(f\*(2\*c\*d - b\*e) - g\*(b\*d - 2\*a\*e))\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1)\*Simp[f\*(b\*c\*d\*e\*(2\*p - m + 2) + b^2\*e^2\*(p + m + 2) - 2\*c^2\*d^2\*(2\*p + 3) - 2\*a\*c\*e^2\*(m + 2\*p + 3)) - g\*(a\*e\*(b\*e - 2\*c\*d\*m + b\*e\*m) - b\*d\*(3\*c\*d - b\*e + 2\*c\*d\*p - b\*e\*p)) + c\*e\*(g\*(b\*d - 2\*a\*e) - f\*(2\*c\*d - b\*e))\*(m + 2\*p + 4)\*x, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2\*m, 2\*p])

### Rule 800

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_)))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[m]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ



$[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

### Rule 618

$\text{Int}[(a_.) + (b_.)*(x_) + (c_.)*(x_)^2]^{-1}, x\_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 206

$\text{Int}[(a_) + (b_.)*(x_)^2]^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 628

$\text{Int}[(d_) + (e_.)*(x_)]/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{EqQ}[2*c*d - b*e, 0]$

### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

### Rule 1092

$\text{Int}[(a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4]^{(p_)}, x\_Symbol] \rightarrow -\text{Simp}[(x*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^{(p+1)})/(2*a*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 - 4*a*c)), \text{Int}[(b^2 - 2*a*c + 2*(p+1)*(b^2 - 4*a*c) + b*c*(4*p+7)*x^2)*(a + b*x^2 + c*x^4)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*p]$

### Rule 1166

$\text{Int}[(d_) + (e_.)*(x_)^2]/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x\_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$

### Rule 205

$\text{Int}[(a_) + (b_.)*(x_)^2]^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{x(a + bx^2 + cx^4)^2} dx &= \int \frac{B}{(a + bx^2 + cx^4)^2} dx + \int \frac{A + Cx^2}{x(a + bx^2 + cx^4)^2} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{A + Cx}{x(a + bx + cx^2)^2} dx, x, x^2 \right) + B \int \frac{1}{(a + bx^2 + cx^4)^2} dx \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{-A(b^2 - 4ac) - C}{x(a + bx + cx^2)} dx, x, x^2 \right)}{2a(b^2 - 4ac)} \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{A(-b^2 + 4ac)}{ax} dx, x, x^2 \right)}{2a(b^2 - 4ac)} \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(b^2 - 12ac + b^2)}{2\sqrt{2}a(b^2 - 4ac)} \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(b^2 - 12ac + b^2)}{2\sqrt{2}a(b^2 - 4ac)} \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(b^2 - 12ac + b^2)}{2\sqrt{2}a(b^2 - 4ac)} \\
&= \frac{Bx(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{B\sqrt{c}(b^2 - 12ac + b^2)}{2\sqrt{2}a(b^2 - 4ac)}
\end{aligned}$$

**Mathematica [A]** time = 1.67619, size = 458, normalized size = 1.14

$$\frac{(4a^2cC + A(b^2\sqrt{b^2 - 4ac} - 4ac\sqrt{b^2 - 4ac} - 6abc + b^3)) \log(\sqrt{b^2 - 4ac} - b - 2cx^2)}{(b^2 - 4ac)^{3/2}} - \frac{(A(b^2\sqrt{b^2 - 4ac} - 4ac\sqrt{b^2 - 4ac} + 6abc - b^3) - 4a^2cC) \log(\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)^{3/2}} - \frac{2a(-A)}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x\*(a + b\*x^2 + c\*x^4)^2),x]

[Out] 
$$\frac{((-2*a*(a*b*C + 2*a*c*x*(B + C*x) - b*B*x*(b + c*x^2) - A*(b^2 - 2*a*c + b*c*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[2]*a*B*\text{Sqrt}[c]*(b^2 - 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*a*B*\text{Sqrt}[c]*(-b^2 + 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + 4*A*\text{Log}[x] - ((A*(b^3 - 6*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] - 4*a*c*\text{Sqrt}[b^2 - 4*a*c]) + 4*a^2*c*C)*\text{Log}[-b + \text{Sqrt}[b^2 - 4*a*c] - 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)} - ((A*(-b^3 + 6*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] - 4*a*c*\text{Sqrt}[b^2 - 4*a*c]) - 4*a^2*c*C)*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)))/(4*a^2)}$$

**Maple [B]** time = 0.042, size = 1603, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/x/(c\*x^4+b\*x^2+a)^2,x)

[Out] 
$$\frac{1/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*a \text{rctan}(c*x^2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*B*b^3-1/a*c/(4*a*c-b^2) / (16*a*c-4*b^2)*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x^2^{(1/2) / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*B*b^3-1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2) *A*b^2-16*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)* A-1/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \text{arctanh}(c*x^2^{(1/2)/(((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*B*(-4*a*c+b^2)^{(1/2) *b^2-1/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1 /2)*\text{arctan}(c*x^2^{(1/2)/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*B*(-4*a*c+b^2)^{(1 /2)*b^2-6/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A* (-4*a*c+b^2)^{(1/2)}*b-16*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b ^2)^{(1/2)}+b)*A+1/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*C+1/(c*x^4+b*x^2+a)*B/(4 *a*c-b^2)*x*c-1/a^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1 /2)}-b)*A*(-4*a*c+b^2)^{(1/2)*b^3+8/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2 +(-4*a*c+b^2)^{(1/2)}-b)*A*b^2+1/a^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(- 4*a*c+b^2)^{(1/2)}+b)*A*(-4*a*c+b^2)^{(1/2)*b^3+8/a*c/(4*a*c-b^2)/(16*a*c-4*b^ 2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A*b^2-1/2/a/(c*x^4+b*x^2+a)*B*b*c/(4*a* c-b^2)*x^3-1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*A*b+4*c/(4*a*c-b^2)/(16* a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*C*(-4*a*c+b^2)^{(1/2)}-1/a^2/(4*a *c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*b^4-1/a^2/(4*a*c$$

$$\begin{aligned}
& -b^2)/(16ac-4b^2)*\ln(2cx^2+(-4ac+b^2)^{1/2}+b)*Ab^4-1/2/a/(cx^4+bx^2+a)*B/(4ac-b^2)*x*b^2-4c/(4ac-b^2)/(16ac-4b^2)*\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)*C*(-4ac+b^2)^{1/2}+1/(cx^4+bx^2+a)/(4ac-b^2)*A*c+1/2 \\
& / (cx^4+bx^2+a)/(4ac-b^2)*b*C+12c^2/(4ac-b^2)/(16ac-4b^2)*2^{1/2}/ \\
& ((b+(-4ac+b^2)^{1/2})*c)^{1/2}*\arctan(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})*c)^{1/2}))*B*(-4ac+b^2)^{1/2}-4c^2/(4ac-b^2)/(16ac-4b^2)*2^{1/2}/((b+(-4ac+b^2)^{1/2})*c)^{1/2}*\arctan(cx^2^{1/2}/((b+(-4ac+b^2)^{1/2})*c)^{1/2}))*B*b+12c^2/(4ac-b^2)/(16ac-4b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}))*B*(-4ac+b^2)^{1/2}+4c^2/(4ac-b^2)/(16ac-4b^2)*2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}*\operatorname{arctanh}(cx^2^{1/2}/(((4ac+b^2)^{1/2}-b)*c)^{1/2}))*B*b+6/a*c \\
& / (4ac-b^2)/(16ac-4b^2)*\ln(-2cx^2+(-4ac+b^2)^{1/2}-b)*A*(-4ac+b^2)^{1/2}*b+A*\ln(x)/a^2
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/x/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.35 \quad \int \frac{A+Bx+Cx^2}{x^2(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=514

$$\frac{-10aAc - abC + 3Ab^2}{2a^2x(b^2 - 4ac)} - \frac{\sqrt{c} \left( A \left( 3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc + 3b^3 \right) - aC \left( b\sqrt{b^2 - 4ac} - 12ac + b^2 \right) \right) \tan^{-1}}{2\sqrt{2}a^2(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out]  $-(3A*b^2 - 10*a*A*c - a*b*C)/(2*a^2*(b^2 - 4*a*c)*x) + (B*(b^2 - 2*a*c + b*c*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (A*(b^2 - 2*a*c) - a*b*C + c*(A*b - 2*a*C)*x^2)/(2*a*(b^2 - 4*a*c)*x*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*(A*(3*b^3 - 16*a*b*c + 3*b^2*\text{Sqrt}[b^2 - 4*a*c] - 10*a*c*\text{Sqrt}[b^2 - 4*a*c]) - a*(b^2 - 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(3*A*b^2 - 10*a*A*c - a*b*C - (A*(3*b^3 - 16*a*b*c) - a*(b^2 - 12*a*c)*C)/\text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (b*B*(b^2 - 6*a*c)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a^2*(b^2 - 4*a*c)^{(3/2)}) + (B*\text{Log}[x])/a^2 - (B*\text{Log}[a + b*x^2 + c*x^4])/(4*a^2)$

**Rubi [A]** time = 1.48571, antiderivative size = 514, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$ , Rules used = {1662, 1277, 1281, 1166, 205, 12, 1114, 740, 800, 634, 618, 206, 628}

$$\frac{-10aAc - abC + 3Ab^2}{2a^2x(b^2 - 4ac)} - \frac{\sqrt{c} \left( A \left( 3b^2\sqrt{b^2 - 4ac} - 10ac\sqrt{b^2 - 4ac} - 16abc + 3b^3 \right) - aC \left( b\sqrt{b^2 - 4ac} - 12ac + b^2 \right) \right) \tan^{-1}}{2\sqrt{2}a^2(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*x + C*x^2)/(x^2*(a + b*x^2 + c*x^4)^2), x]$

[Out]  $-(3A*b^2 - 10*a*A*c - a*b*C)/(2*a^2*(b^2 - 4*a*c)*x) + (B*(b^2 - 2*a*c + b*c*x^2))/(2*a*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (A*(b^2 - 2*a*c) - a*b*C + c*(A*b - 2*a*C)*x^2)/(2*a*(b^2 - 4*a*c)*x*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*(A*(3*b^3 - 16*a*b*c + 3*b^2*\text{Sqrt}[b^2 - 4*a*c] - 10*a*c*\text{Sqrt}[b^2 - 4*a*c]) - a*(b^2 - 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(3*A*b^2 - 10*a*A*c - a*b*C - (A*(3*b^3 - 16*a*b*c) - a*(b^2 - 12*a*c)*C)/\text{Sqrt}[b^2 - 4*a*c])* \text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (b*B*(b^2 - 6*a*c)*\text{ArcTanh}[(b + 2*c*x^2)/\text{Sqrt}[b^2 - 4*a*c]])/(2*a^2*(b^2 - 4*a*c)^{(3/2)}) + (B*\text{Log}[x])/a^2 - (B*\text{Log}[a + b*x^2 + c*x^4])/(4*a^2)$

```

rt[b - Sqrt[b^2 - 4*a*c]]/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqr
t[b^2 - 4*a*c]]) - (Sqrt[c]*(3*A*b^2 - 10*a*A*c - a*b*C - (A*(3*b^3 - 16*a*
b*c) - a*(b^2 - 12*a*c)*C)/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sq
rt[b + Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2
- 4*a*c]]) + (b*B*(b^2 - 6*a*c)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(
2*a^2*(b^2 - 4*a*c)^(3/2)) + (B*Log[x])/a^2 - (B*Log[a + b*x^2 + c*x^4])/(4
*a^2)

```

### Rule 1662

```

Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_S
ymbol] :> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x
^(2*k), {k, 0, q/2 + 1}*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m
+ 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}*(a + b*x^2
+ c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !Po
lyQ[Pq, x^2]

```

### Rule 1277

```

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] :> -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*
(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*
c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^
4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a
*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x], x] /; Fre
eQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && Intege
rQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

### Rule 1281

```

Int[((f_)*(x_)^(m_))*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(
x_)^4)^(p_), x_Symbol] :> Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)
)/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])

```

### Rule 1166

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 1114

Int[(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]

Rule 740

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Simp[((d + e\*x)^(m + 1)\*(b\*c\*d - b^2\*e + 2\*a\*c\*e + c\*(2\*c\*d - b\*e)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)\*(c\*d^2 - b\*d\*e + a\*e^2)), Int[(d + e\*x)^m\*Simp[b\*c\*d\*e\*(2\*p - m + 2) + b^2\*e^2\*(m + p + 2) - 2\*c^2\*d^2\*(2\*p + 3) - 2\*a\*c\*e^2\*(m + 2\*p + 3) - c\*e\*(2\*c\*d - b\*e)\*(m + 2\*p + 4)\*x, x]\*(a + b\*x + c\*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NeQ[2\*c\*d - b\*e, 0] && LtQ[p, -1] && IntQuadraticQ[a, b, c, d, e, m, p, x]

Rule 800

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[m]

Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[I



```
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{x^2(a + bx^2 + cx^4)^2} dx &= \int \frac{B}{x(a + bx^2 + cx^4)^2} dx + \int \frac{A + Cx^2}{x^2(a + bx^2 + cx^4)^2} dx \\
&= \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + B \int \frac{1}{x(a + bx^2 + cx^4)^2} dx - \frac{\int \frac{-3Ab^2 + 10aAc + abC - 3c(Ab - 2aC)x^2}{x^2(a + bx^2 + cx^4)} dx}{2a(b^2 - 4ac)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left( \int \frac{1}{x(a + bx + cx^2)^2} dx \right) \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} \\
&= -\frac{3Ab^2 - 10aAc - abC}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.27809, size = 559, normalized size = 1.09

$$\frac{-4a^2c(B+Cx)+2a(bcX(3A+x(B+Cx))+2Ac^2x^3+b^2(B+Cx))-2Ab^2x(b+cx^2)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2}\sqrt{c}\left(A\left(-3b^2\sqrt{b^2-4ac}+10ac\sqrt{b^2-4ac}+16abc-3b^3\right)+aC\left(b\sqrt{b^2-4ac}-12ac+b^2\right)\right)}{(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x^2\*(a + b\*x^2 + c\*x^4)^2),x]

[Out] 
$$\begin{aligned} &((-4A)/x + (-4a^2c*(B + C*x) - 2A*b^2*x*(b + c*x^2) + 2a*(2A*c^2*x^3 \\ &+ b^2*(B + C*x) + b*c*x*(3A + x*(B + C*x))))/((b^2 - 4a*c)*(a + b*x^2 + c \\ &*x^4)) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(A*(-3*b^3 + 16*a*b*c - 3*b^2*\text{Sqrt}[b^2 - 4*a*c] + \\ &10*a*c*\text{Sqrt}[b^2 - 4*a*c]) + a*(b^2 - 12*a*c + b*\text{Sqrt}[b^2 - 4*a*c])*C)*\text{ArcT} \\ &\text{an}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(3/2)}*\text{S} \\ &\text{qrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*\text{Sqrt}[c]*(A*(3*b^3 - 16*a*b*c - 3*b^2 \\ &*\text{Sqrt}[b^2 - 4*a*c] + 10*a*c*\text{Sqrt}[b^2 - 4*a*c]) + a*(-b^2 + 12*a*c + b*\text{Sqrt}[ \\ &b^2 - 4*a*c])*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/( \\ &(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + 4*B*\text{Log}[x] - (B*(b^3 - 6 \\ &*a*b*c + b^2*\text{Sqrt}[b^2 - 4*a*c] - 4*a*c*\text{Sqrt}[b^2 - 4*a*c])* \text{Log}[-b + \text{Sqrt}[b^2 \\ &- 4*a*c] - 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)} - (B*(-b^3 + 6*a*b*c + b^2*\text{Sqrt}[b \\ &^2 - 4*a*c] - 4*a*c*\text{Sqrt}[b^2 - 4*a*c])* \text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2] \\ &)/(b^2 - 4*a*c)^{(3/2)})/(4*a^2) \end{aligned}$$

**Maple [B]** time = 0.057, size = 2398, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((C\*x^2+B\*x+A)/x^2/(c\*x^4+b\*x^2+a)^2,x)

[Out] 
$$\begin{aligned} &-1/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}* \\ &\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b \\ &^2+3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1 \\ &/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/ \\ &2)}*b^3+3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c \\ &)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*(-4*a*c+b^2 \\ &)^{(1/2)}*b^3-16/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)} \\ &-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*(-4*a \\ &*c+b^2)^{(1/2)}*b-16/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2 \\ &)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(- \\ &4*a*c+b^2)^{(1/2)}*b-1/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/(((4*a*c+b^2)^{( \\ &1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*( \\ &-4*a*c+b^2)^{(1/2)}*b^2+40*c^3/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/(((4*a*c+b \\ &^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &*A-40*c^3/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/ \\ &2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A-1/2/a/(c*x^4+b*x^ \end{aligned}$$

$$\begin{aligned}
& 2+a) * c / (4 * a * c - b^2) * x^3 * b * C - 1/2 / a / (c * x^4 + b * x^2 + a) * B * b * c / (4 * a * c - b^2) * x^2 - 3/2 / \\
& a / (c * x^4 + b * x^2 + a) / (4 * a * c - b^2) * x * A * b * c + 1/2 / a^2 / (c * x^4 + b * x^2 + a) * c / (4 * a * c - b^2) \\
& * x^3 * A * b^2 + 8 / a * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - \\
& b) * B * b^2 + 8 / a * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) * \\
& B * b^2 - 1 / a^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B * \\
& (-4 * a * c + b^2)^{(1/2)} * b^3 + 1 / a^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + \\
& b^2)^{(1/2)} + b) * B * (-4 * a * c + b^2)^{(1/2)} * b^3 + 3 / a^2 * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2 \\
& ^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - \\
& (1/2) - b) * c)^{(1/2)} * A * b^4 - 1 / a * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c \\
& + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} \\
& )) * C * b^3 + 1 / a * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c \\
& )^{(1/2)} * \arctan(c * x^2)^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * C * b^3 - 22 / a * c^2 \\
& / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \arctan \\
& h(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * A * b^2 + 22 / a * c^2 / (4 * a * c - b^2) / \\
& (16 * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x^2)^{(1/2)} / \\
& ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * A * b^2 - 3 / a^2 * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \\
& 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x^2)^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) \\
& )^{(1/2)} * c)^{(1/2)} * A * b^4 - 16 * c^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a \\
& * c + b^2)^{(1/2)} + b) * B + 1 / (c * x^4 + b * x^2 + a) / (4 * a * c - b^2) * x * c * C - 1/2 / a / (c * x^4 + b * x^2 + a \\
& ) * B / (4 * a * c - b^2) * b^2 - 16 * c^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(-2 * c * x^2 + (-4 * a * c + b \\
& ^2)^{(1/2)} - b) * B - A / a^2 / x + 1 / (c * x^4 + b * x^2 + a) * B / (4 * a * c - b^2) * c + 1/2 / a^2 / (c * x^4 + b * x \\
& ^2 + a) / (4 * a * c - b^2) * x * A * b^3 - 1 / a / (c * x^4 + b * x^2 + a) * c^2 / (4 * a * c - b^2) * x^3 * A - 1/2 / a / ( \\
& c * x^4 + b * x^2 + a) / (4 * a * c - b^2) * x * C * b^2 - 1 / a^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(-2 * c \\
& * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B * b^4 - 1 / a^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \ln(2 * c * x^ \\
& 2 + (-4 * a * c + b^2)^{(1/2)} + b) * B * b^4 + B * \ln(x) / a^2 + 6 / a * c / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * \\
& \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) * B * (-4 * a * c + b^2)^{(1/2)} * b - 6 / a * c / (4 * a * c - b^2) / \\
& (16 * a * c - 4 * b^2) * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) * B * (-4 * a * c + b^2)^{(1/2)} * b + 12 * c \\
& ^2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arct} \\
& \operatorname{anh}(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * C * (-4 * a * c + b^2)^{(1/2)} + 4 * c^ \\
& 2 / (4 * a * c - b^2) / (16 * a * c - 4 * b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arcta} \\
& \operatorname{nh}(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * C * b + 12 * c^2 / (4 * a * c - b^2) / (16 \\
& * a * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x^2)^{(1/2)} / ((b \\
& + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * C * (-4 * a * c + b^2)^{(1/2)} - 4 * c^2 / (4 * a * c - b^2) / (16 * a \\
& * c - 4 * b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x^2)^{(1/2)} / ((b + ( \\
& -4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * C * b
\end{aligned}$$


---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x**2+B*x+A)/x**2/(c*x**4+b*x**2+a)**2,x)`

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((C*x^2+B*x+A)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.36 \quad \int \frac{A+Bx+Cx^2}{x^3(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=534

$$\frac{(2A(6a^2c^2 - 6ab^2c + b^4) - abC(b^2 - 6ac)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^3(b^2 - 4ac)^{3/2}} - \frac{-6aAc - abC + 2Ab^2}{2a^2x^2(b^2 - 4ac)} + \frac{(2Ab - aC) \log(a + bx^2 + cx^4)}{4a^3}$$

[Out]  $-(2A*b^2 - 6a*A*c - a*b*C)/(2*a^2*(b^2 - 4*a*c)*x^2) - (B*(3*b^2 - 10*a*c))/(2*a^2*(b^2 - 4*a*c)*x) + (B*(b^2 - 2*a*c + b*c*x^2))/(2*a*(b^2 - 4*a*c)*x*(a + b*x^2 + c*x^4)) + (A*(b^2 - 2*a*c) - a*b*C + c*(A*b - 2*a*C)*x^2)/(2*a*(b^2 - 4*a*c)*x^2*(a + b*x^2 + c*x^4)) - (B*Sqrt[c]*(3*b^3 - 16*a*b*c + (3*b^2 - 10*a*c)*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (B*Sqrt[c]*(3*b^3 - 16*a*b*c - (3*b^2 - 10*a*c)*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]) - ((2*A*(b^4 - 6*a*b^2*c + 6*a^2*c^2) - a*b*(b^2 - 6*a*c)*C)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^3*(b^2 - 4*a*c)^(3/2)) - ((2*A*b - a*C)*Log[x])/a^3 + ((2*A*b - a*C)*Log[a + b*x^2 + c*x^4])/(4*a^3)$

**Rubi [A]** time = 1.99236, antiderivative size = 534, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 13, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$ , Rules used = {1662, 1251, 822, 800, 634, 618, 206, 628, 12, 1121, 1281, 1166, 205}

$$\frac{(2A(6a^2c^2 - 6ab^2c + b^4) - abC(b^2 - 6ac)) \tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)}{2a^3(b^2 - 4ac)^{3/2}} - \frac{-6aAc - abC + 2Ab^2}{2a^2x^2(b^2 - 4ac)} + \frac{(2Ab - aC) \log(a + bx^2 + cx^4)}{4a^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*x + C\*x^2)/(x^3\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $-(2A*b^2 - 6a*A*c - a*b*C)/(2*a^2*(b^2 - 4*a*c)*x^2) - (B*(3*b^2 - 10*a*c))/(2*a^2*(b^2 - 4*a*c)*x) + (B*(b^2 - 2*a*c + b*c*x^2))/(2*a*(b^2 - 4*a*c)*x*(a + b*x^2 + c*x^4)) + (A*(b^2 - 2*a*c) - a*b*C + c*(A*b - 2*a*C)*x^2)/(2*a*(b^2 - 4*a*c)*x^2*(a + b*x^2 + c*x^4)) - (B*Sqrt[c]*(3*b^3 - 16*a*b*c + (3*b^2 - 10*a*c)*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (B*Sqrt[c]*(3*b^3 - 16*a*b*c - (3*b^2 - 10*a*c)*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]) - ((2*A*(b^4 - 6*a*b^2*c + 6*a^2*c^2) - a*b*(b^2 - 6*a*c)*C)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^3*(b^2 - 4*a*c)^(3/2)) - ((2*A*b - a*C)*Log[x])/a^3 + ((2*A*b - a*C)*Log[a + b*x^2 + c*x^4])/(4*a^3)$

```

rt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4
*a*c]]) + (B*Sqrt[c]*(3*b^3 - 16*a*b*c - (3*b^2 - 10*a*c)*Sqrt[b^2 - 4*a*c]
)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^2*(
b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]) - ((2*A*(b^4 - 6*a*b^2*c +
6*a^2*c^2) - a*b*(b^2 - 6*a*c)*C)*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])
/(2*a^3*(b^2 - 4*a*c)^(3/2)) - ((2*A*b - a*C)*Log[x])/a^3 + ((2*A*b - a*C)*
Log[a + b*x^2 + c*x^4])/(4*a^3)

```

### Rule 1662

```

Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_S
ymbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x
^(2*k), {k, 0, q/2 + 1}*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m
+ 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}*(a + b*x^2
+ c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !Po
lyQ[Pq, x^2]

```

### Rule 1251

```

Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_
)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a +
b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
gerQ[(m - 1)/2]

```

### Rule 822

```

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c
_)*(x_)^2)^(p_), x_Symbol] := Simp[((d + e*x)^(m + 1)*(f*(b*c*d - b^2*e +
2*a*c*e) - a*g*(2*c*d - b*e) + c*(f*(2*c*d - b*e) - g*(b*d - 2*a*e))*x)*(a
+ b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)*(c*d^2 - b*d*e + a*e^2)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*Simp[f*(b*c*d*e*(2*p - m + 2) + b^2*e^2*(p + m +
2) - 2*c^2*d^2*(2*p + 3) - 2*a*c*e^2*(m + 2*p + 3)) - g*(a*e*(b*e - 2*c*d*m
+ b*e*m) - b*d*(3*c*d - b*e + 2*c*d*p - b*e*p)) + c*e*(g*(b*d - 2*a*e) - f
*(2*c*d - b*e))*(m + 2*p + 4)*x, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1
] && (IntegerQ[m] || IntegerQ[p] || IntegersQ[2*m, 2*p])

```

### Rule 800

```

Int[((d_) + (e_)*(x_)^(m_))*((f_) + (g_)*(x_))/((a_) + (b_)*(x_) +
(c_)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1121

```
Int[((d_.)*(x_)^(m_.))*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := -Simp[((d*x)^(m + 1)*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1))/(2*a*d*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(d*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[b^2*(m + 2*p + 3) - 2*a*c*(m + 4*p + 5) + b*c*(m + 4*p + 7)*x^2, x], x], x] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1281

```
Int[((f_.)*(x_)^(m_.))*((d_.) + (e_.)*(x_)^2)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Simp[(d*(f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1))/(a*f*(m + 1)), x] + Dist[1/(a*f^2*(m + 1)), Int[(f*x)^(m + 2)*(a + b*x^2
```



```
+ c*x^4)^p*Simp[a*e*(m + 1) - b*d*(m + 2*p + 3) - c*d*(m + 4*p + 5)*x^2, x]
, x], x] /; FreeQ[{a, b, c, d, e, f, p}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[m
, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{A + Bx + Cx^2}{x^3(a + bx^2 + cx^4)^2} dx &= \int \frac{B}{x^2(a + bx^2 + cx^4)^2} dx + \int \frac{A + Cx^2}{x^3(a + bx^2 + cx^4)^2} dx \\
&= \frac{1}{2} \text{Subst} \left( \int \frac{A + Cx}{x^2(a + bx + cx^2)^2} dx, x, x^2 \right) + B \int \frac{1}{x^2(a + bx^2 + cx^4)^2} dx \\
&= \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{-2Ab^2 + 6a}{x} \right)}{2a} \\
&= -\frac{B(3b^2 - 10ac)}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} \\
&= -\frac{2Ab^2 - 6aAc - abC}{2a^2(b^2 - 4ac)x^2} - \frac{B(3b^2 - 10ac)}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} \\
&= -\frac{2Ab^2 - 6aAc - abC}{2a^2(b^2 - 4ac)x^2} - \frac{B(3b^2 - 10ac)}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)} \\
&= -\frac{2Ab^2 - 6aAc - abC}{2a^2(b^2 - 4ac)x^2} - \frac{B(3b^2 - 10ac)}{2a^2(b^2 - 4ac)x} + \frac{B(b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)x(a + bx^2 + cx^4)} + \frac{A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2}{2a(b^2 - 4ac)x^2(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.76088, size = 655, normalized size = 1.23

$$\frac{2a(2a^2cC + A(-3abc - 2ac^2x^2 + b^2cx^2 + b^3) - a(b^2C + bcx(3B + Cx) + 2Bc^2x^3) + b^2Bx(b + cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(2A(6a^2c^2 + b^3\sqrt{b^2 - 4ac} - 6ab^2c - 4abc\sqrt{b^2 - 4ac} + b^4) + aC(-b^2\sqrt{b^2 - 4ac} - b^3))}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*x + C\*x^2)/(x^3\*(a + b\*x^2 + c\*x^4)^2), x]

```
[Out] ((-2*a*A)/x^2 - (4*a*B)/x - (2*a*(2*a^2*c*C + b^2*B*x*(b + c*x^2) + A*(b^3 - 3*a*b*c + b^2*c*x^2 - 2*a*c^2*x^2) - a*(b^2*C + 2*B*c^2*x^3 + b*c*x*(3*B + C*x))))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (Sqrt[2]*a*B*Sqrt[c]*(-3*b^3 + 16*a*b*c - 3*b^2*Sqrt[b^2 - 4*a*c] + 10*a*c*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (Sqrt[2]*a*B*Sqrt[c]*(3*b^3 - 16*a*b*c - 3*b^2*Sqrt[b^2 - 4*a*c] + 10*a*c*Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/((b^2 - 4*a*c)^(3/2)*Sqrt[b + Sqrt[b^2 - 4*a*c]]) + 4*(-2*A*b + a*C)*Log[x] + ((2*A*(b^4 - 6*a*b^2*c + 6*a^2*c^2 + b^3*Sqrt[b^2 - 4*a*c] - 4*a*b*c*Sqrt[b^2 - 4*a*c]) + a*(-b^3 + 6*a*b*c - b^2*Sqrt[b^2 - 4*a*c] + 4*a*c*Sqrt[b^2 - 4*a*c])*C)*Log[-b + Sqrt[b^2 - 4*a*c] - 2*c*x^2])/((b^2 - 4*a*c)^(3/2)) + ((2*A*(-b^4 + 6*a*b^2*c - 6*a^2*c^2 + b^3*Sqrt[b^2 - 4*a*c] - 4*a*b*c*Sqrt[b^2 - 4*a*c]) + a*(b^3 - 6*a*b*c - b^2*Sqrt[b^2 - 4*a*c] + 4*a*c*Sqrt[b^2 - 4*a*c])*C)*Log[b + Sqrt[b^2 - 4*a*c] + 2*c*x^2])/((b^2 - 4*a*c)^(3/2))/(4*a^3)
```

**Maple [B]** time = 0.062, size = 2512, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((C*x^2+B*x+A)/x^3/(c*x^4+b*x^2+a)^2,x)
```

```
[Out] -22/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x^2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*B*b^2+22/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*B*b^2-3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*B*b^4+3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x^2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*B*(-4*a*c+b^2)^(1/2)*b-16/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*B*(-4*a*c+b^2)^(1/2)*b+3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x^2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*B*(-4*a*c+b^2)^(1/2)*b^3+3/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x^2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*B*(-4*a*c+b^2)^(1/2)*b^3-1/a/(c*x^4+b*x^2+a)*B*c^2/(4*a*c-b^2)*x^3-1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^2*A+1/2/a^2/(c*x^4+b*x^2+a)*B*b^3/(4*a*c-b^2)*x-3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*b*c+2/a^3/(4*a*c-b^2)/(16
```

$$\begin{aligned}
& *a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*b^5+2/a^3/(4*a*c-b^2)/(16*a \\
& *c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A*b^5-1/a^2/(4*a*c-b^2)/(16*a*c- \\
& 4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*C*b^4-1/a^2/(4*a*c-b^2)/(16*a*c-4* \\
& b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*C*b^4-2/a^3*\ln(x)*A*b+1/(c*x^4+b*x^2+ \\
& a)/(4*a*c-b^2)*C*C+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*A*b^3-1/2/a/(c*x^4+b \\
& *x^2+a)/(4*a*c-b^2)*C*b^2-16*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4 \\
& *a*c+b^2)^{(1/2)}-b)*C-16*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b \\
& ^2)^{(1/2)}+b)*C-B/a^2/x+1/a^2*\ln(x)*C-1/2*A/a^2/x^2-40*c^3/(4*a*c-b^2)/(16*a \\
& *c-4*b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+ \\
& (-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*B+12/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c* \\
& x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*(-4*a*c+b^2)^{(1/2)}-3/2/a/(c*x^4+b*x^2+a)*B*b/(4 \\
& *a*c-b^2)*x*c+1/2/a^2/(c*x^4+b*x^2+a)*B*c/(4*a*c-b^2)*x^3*b^2+1/2/a^2/(c*x^ \\
& 4+b*x^2+a)*c/(4*a*c-b^2)*x^2*A*b^2-1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2* \\
& b*C-1/a^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*C*(- \\
& 4*a*c+b^2)^{(1/2)}*b^3+1/a^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^ \\
& 2)^{(1/2)}+b)*C*(-4*a*c+b^2)^{(1/2)}*b^3+8/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2* \\
& c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*C*b^2+2/a^3/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c* \\
& x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*(-4*a*c+b^2)^{(1/2)}*b^4+32/a*c^2/(4*a*c-b^2)/(16 \\
& *a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*b-12/a*c^2/(4*a*c-b^2)/(16* \\
& a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A*(-4*a*c+b^2)^{(1/2)}-2/a^3/(4*a \\
& *c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A*(-4*a*c+b^2)^{(1/2)} \\
& )*b^4+32/a*c^2/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)* \\
& A*b-16/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*A \\
& *b^3+12/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A \\
& *(-4*a*c+b^2)^{(1/2)}*b^2-6/a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c \\
& +b^2)^{(1/2)}+b)*C*(-4*a*c+b^2)^{(1/2)}*b-12/a^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln \\
& (-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*A*(-4*a*c+b^2)^{(1/2)}*b^2+6/a*c/(4*a*c-b^2) \\
& /(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*C*(-4*a*c+b^2)^{(1/2)}*b+8/ \\
& a*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)*C*b^2-16/a \\
& ^2*c/(4*a*c-b^2)/(16*a*c-4*b^2)*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)*A*b^3+40*c \\
& ^3/(4*a*c-b^2)/(16*a*c-4*b^2)*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arct \\
& \operatorname{anh}(c*x^2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*B
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^2+B\*x+A)/x^3/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x**2+B*x+A)/x**3/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^2+B*x+A)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

### 3.37 $\int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4)^3 dx$

**Optimal.** Leaf size=399

$$\frac{a^2(dx)^{m+3}(aC + 3Ab)}{d^3(m+3)} + \frac{a^3A(dx)^{m+1}}{d(m+1)} + \frac{3a^2bB(dx)^{m+4}}{d^4(m+4)} + \frac{a^3B(dx)^{m+2}}{d^2(m+2)} + \frac{3a(dx)^{m+5}(A(ac + b^2) + abC)}{d^5(m+5)} + \frac{(dx)^{m+7}(A(6$$

[Out]  $(a^3A(dx)^{(1+m)})/(d*(1+m)) + (a^3B(dx)^{(2+m)})/(d^2*(2+m)) + (a^2*(3A*b + a*C)*(dx)^{(3+m)})/(d^3*(3+m)) + (3*a^2*b*B*(dx)^{(4+m)})/(d^4*(4+m)) + (3*a*(A*(b^2 + a*c) + a*b*C)*(dx)^{(5+m)})/(d^5*(5+m)) + (3*a*B*(b^2 + a*c)*(dx)^{(6+m)})/(d^6*(6+m)) + ((A*(b^3 + 6*a*b*c) + 3*a*(b^2 + a*c)*C)*(dx)^{(7+m)})/(d^7*(7+m)) + (b*B*(b^2 + 6*a*c)*(dx)^{(8+m)})/(d^8*(8+m)) + ((3*A*c*(b^2 + a*c) + b*(b^2 + 6*a*c)*C)*(dx)^{(9+m)})/(d^9*(9+m)) + (3*B*c*(b^2 + a*c)*(dx)^{(10+m)})/(d^10*(10+m)) + (3*c*(A*b*c + (b^2 + a*c)*C)*(dx)^{(11+m)})/(d^11*(11+m)) + (3*b*B*c^2*(dx)^{(12+m)})/(d^12*(12+m)) + (c^2*(A*c + 3*b*C)*(dx)^{(13+m)})/(d^13*(13+m)) + (B*c^3*(dx)^{(14+m)})/(d^14*(14+m)) + (c^3*C*(dx)^{(15+m)})/(d^15*(15+m))$

**Rubi [A]** time = 0.424928, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$ , Rules used = {1628}

$$\frac{a^2(dx)^{m+3}(aC + 3Ab)}{d^3(m+3)} + \frac{a^3A(dx)^{m+1}}{d(m+1)} + \frac{3a^2bB(dx)^{m+4}}{d^4(m+4)} + \frac{a^3B(dx)^{m+2}}{d^2(m+2)} + \frac{3a(dx)^{m+5}(A(ac + b^2) + abC)}{d^5(m+5)} + \frac{(dx)^{m+7}(A(6$$

Antiderivative was successfully verified.

[In] Int[(dx)^m\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^3,x]

[Out]  $(a^3A(dx)^{(1+m)})/(d*(1+m)) + (a^3B(dx)^{(2+m)})/(d^2*(2+m)) + (a^2*(3A*b + a*C)*(dx)^{(3+m)})/(d^3*(3+m)) + (3*a^2*b*B*(dx)^{(4+m)})/(d^4*(4+m)) + (3*a*(A*(b^2 + a*c) + a*b*C)*(dx)^{(5+m)})/(d^5*(5+m)) + (3*a*B*(b^2 + a*c)*(dx)^{(6+m)})/(d^6*(6+m)) + ((A*(b^3 + 6*a*b*c) + 3*a*(b^2 + a*c)*C)*(dx)^{(7+m)})/(d^7*(7+m)) + (b*B*(b^2 + 6*a*c)*(dx)^{(8+m)})/(d^8*(8+m)) + ((3*A*c*(b^2 + a*c) + b*(b^2 + 6*a*c)*C)*(dx)^{(9+m)})/(d^9*(9+m)) + (3*B*c*(b^2 + a*c)*(dx)^{(10+m)})/(d^10*(10+m)) + (3*c*(A*b*c + (b^2 + a*c)*C)*(dx)^{(11+m)})/(d^11*(11+m)) + (3*b*B*c^2*(dx)^{(12+m)})/(d^12*(12+m)) + (c^2*(A*c + 3*b*C)*(dx)^{(13+m)})/(d^13*(13+m)) + (B*c^3*(dx)^{(14+m)})/(d^14*(14+m)) + (c^3*C*(dx)^{(15+m)})/(d$

$$\sim 15*(15 + m)$$

### Rule 1628

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rubi steps

$$\int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4)^3 dx = \int \left( a^3 A (dx)^m + \frac{a^3 B (dx)^{1+m}}{d} + \frac{a^2 (3Ab + aC) (dx)^{2+m}}{d^2} + \frac{3a^2 b B (dx)^{3+m}}{d^3} \right. \\ \left. = \frac{a^3 A (dx)^{1+m}}{d(1+m)} + \frac{a^3 B (dx)^{2+m}}{d^2(2+m)} + \frac{a^2 (3Ab + aC) (dx)^{3+m}}{d^3(3+m)} + \frac{3a^2 b B (dx)^{4+m}}{d^4(4+m)} + \dots \right)$$

**Mathematica [A]** time = 1.27055, size = 296, normalized size = 0.74

$$x(dx)^m \left( \frac{a^2 x^2 (aC + 3Ab)}{m+3} + \frac{a^3 A}{m+1} + \frac{3a^2 b B x^3}{m+4} + \frac{a^3 B x}{m+2} + \frac{3cx^{10} (C(ac + b^2) + Abc)}{m+11} + \frac{x^8 (3Ac(ac + b^2) + bC(6ac + b^2))}{m+9} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(d*x)^m*(A + B*x + C*x^2)*(a + b*x^2 + c*x^4)^3,x]
```

```
[Out] x*(d*x)^m*((a^3*A)/(1+m) + (a^3*B*x)/(2+m) + (a^2*(3*A*b + a*C)*x^2)/(3+m) + (3*a^2*b*B*x^3)/(4+m) + (3*a*(A*(b^2 + a*c) + a*b*C)*x^4)/(5+m) + (3*a*B*(b^2 + a*c)*x^5)/(6+m) + ((A*(b^3 + 6*a*b*c) + 3*a*(b^2 + a*c)*C)*x^6)/(7+m) + (b*B*(b^2 + 6*a*c)*x^7)/(8+m) + ((3*A*c*(b^2 + a*c) + b*(b^2 + 6*a*c)*C)*x^8)/(9+m) + (3*B*c*(b^2 + a*c)*x^9)/(10+m) + (3*c*(A*b*c + (b^2 + a*c)*C)*x^10)/(11+m) + (3*b*B*c^2*x^11)/(12+m) + (c^2*(A*c + 3*b*C)*x^12)/(13+m) + (B*c^3*x^13)/(14+m) + (c^3*C*x^14)/(15+m))
```

**Maple [B]** time = 0.016, size = 5520, normalized size = 13.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a)^3,x)
```

```
[Out] result too large to display
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a)^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.67241, size = 11187, normalized size = 28.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a)^3,x, algorithm="fricas")
```

```
[Out] ((C*c^3*m^14 + 105*C*c^3*m^13 + 5005*C*c^3*m^12 + 143325*C*c^3*m^11 + 27497
47*C*c^3*m^10 + 37312275*C*c^3*m^9 + 368411615*C*c^3*m^8 + 2681453775*C*c^3
*m^7 + 14409322928*C*c^3*m^6 + 56663366760*C*c^3*m^5 + 159721605680*C*c^3*m
^4 + 310989260400*C*c^3*m^3 + 392156797824*C*c^3*m^2 + 283465647360*C*c^3*m
+ 87178291200*C*c^3)*x^15 + (B*c^3*m^14 + 106*B*c^3*m^13 + 5096*B*c^3*m^12
+ 147056*B*c^3*m^11 + 2840838*B*c^3*m^10 + 38786748*B*c^3*m^9 + 385081268*
B*c^3*m^8 + 2816490248*B*c^3*m^7 + 15200266081*B*c^3*m^6 + 59999485546*B*c^
3*m^5 + 169679309436*B*c^3*m^4 + 331303013496*B*c^3*m^3 + 418753514880*B*c^
3*m^2 + 303268406400*B*c^3*m + 93405312000*B*c^3)*x^14 + ((3*C*b*c^2 + A*c^
3)*m^14 + 107*(3*C*b*c^2 + A*c^3)*m^13 + 5189*(3*C*b*c^2 + A*c^3)*m^12 + 15
0943*(3*C*b*c^2 + A*c^3)*m^11 + 2937363*(3*C*b*c^2 + A*c^3)*m^10 + 40372761
*(3*C*b*c^2 + A*c^3)*m^9 + 403249847*(3*C*b*c^2 + A*c^3)*m^8 + 2965379989*(
3*C*b*c^2 + A*c^3)*m^7 + 16081189696*(3*C*b*c^2 + A*c^3)*m^6 + 63747744632*
(3*C*b*c^2 + A*c^3)*m^5 + 180951426864*(3*C*b*c^2 + A*c^3)*m^4 + 3017710080
00*C*b*c^2 + 100590336000*A*c^3 + 354444796368*(3*C*b*c^2 + A*c^3)*m^3 + 44
9213351040*(3*C*b*c^2 + A*c^3)*m^2 + 326044051200*(3*C*b*c^2 + A*c^3)*m)*x^
13 + 3*(B*b*c^2*m^14 + 108*B*b*c^2*m^13 + 5284*B*b*c^2*m^12 + 154992*B*b*c^
```



$$\begin{aligned}
& 2m^{11} + 3039718B^2bc^2m^{10} + 42081864B^2bc^2m^9 + 423113372B^2bc^2m^8 \\
& + 3130267536B^2bc^2m^7 + 17067919121B^2bc^2m^6 + 67988181228B^2bc^2m^5 \\
& + 193813932344B^2bc^2m^4 + 381046157472B^2bc^2m^3 + 484441814160B^2bc^2m^2 \\
& + 352515844800B^2bc^2m + 108972864000B^2bc^2)x^{12} + 3((C^2b^2c + (Ca + Ab)c^2)m^{14} \\
& + 109(C^2b^2c + (Ca + Ab)c^2)m^{13} + 5381(C^2b^2c + (Ca + Ab)c^2)m^{12} \\
& + 159209(C^2b^2c + (Ca + Ab)c^2)m^{11} + 3148323(C^2b^2c + (Ca + Ab)c^2)m^{10} \\
& + 43926927(C^2b^2c + (Ca + Ab)c^2)m^9 + 444899543(C^2b^2c + (Ca + Ab)c^2)m^8 \\
& + 3313733027(C^2b^2c + (Ca + Ab)c^2)m^7 + 18180066256(C^2b^2c + (Ca + Ab)c^2)m^6 \\
& + 72822481864(C^2b^2c + (Ca + Ab)c^2)m^5 + 208624806576(C^2b^2c + (Ca + Ab)c^2)m^4 \\
& + 118879488000C^2b^2c + 411940473264(C^2b^2c + (Ca + Ab)c^2)m^3 \\
& + 118879488000(Ca + Ab)c^2 + 525650497920(C^2b^2c + (Ca + Ab)c^2)m^2 \\
& + 383662137600(C^2b^2c + (Ca + Ab)c^2)m)x^{11} + 3((B^2b^2c + B^2a^2c^2)m^{14} \\
& + 110(B^2b^2c + B^2a^2c^2)m^{13} + 5480(B^2b^2c + B^2a^2c^2)m^{12} \\
& + 163600(B^2b^2c + B^2a^2c^2)m^{11} + 3263622(B^2b^2c + B^2a^2c^2)m^{10} \\
& + 45922260(B^2b^2c + B^2a^2c^2)m^9 + 468873140(B^2b^2c + B^2a^2c^2)m^8 \\
& + 3518896600(B^2b^2c + B^2a^2c^2)m^7 + 19442163553(B^2b^2c + B^2a^2c^2)m^6 \\
& + 78381575150(B^2b^2c + B^2a^2c^2)m^5 + 225856355580(B^2b^2c + B^2a^2c^2)m^4 \\
& + 130767436800B^2b^2c + 130767436800B^2a^2c^2 + 448249789800(B^2b^2c + B^2a^2c^2)m^3 \\
& + 574497805824(B^2b^2c + B^2a^2c^2)m^2 + 420839556480(B^2b^2c + B^2a^2c^2)m)x^{10} \\
& + ((C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^{14} + 111(C^3b^3 + 3A^2a^2c^2 \\
& + 3(2C^2a^2b + Ab^2)c)m^{13} + 5581(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^{12} \\
& + 168171(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^{11} + 3386083(C^3b^3 + 3A^2a^2c^2 \\
& + 3(2C^2a^2b + Ab^2)c)m^{10} + 48083733(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^9 \\
& + 495342143(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^8 + 3749548713(C^3b^3 + 3A^2a^2c^2 \\
& + 3(2C^2a^2b + Ab^2)c)m^7 + 20885191136(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^6 \\
& + 84836490456(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^5 + 246143692976(C^3b^3 + 3A^2a^2c^2 \\
& + 3(2C^2a^2b + Ab^2)c)m^4 + 145297152000C^3b^3 + 435891456000A^2a^2c^2 + 491520108816(C^3b^3 + 3A^2a^2c^2 \\
& + 3(2C^2a^2b + Ab^2)c)m^3 + 633314724480(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m^2 \\
& + 435891456000(2C^2a^2b + Ab^2)c + 465985094400(C^3b^3 + 3A^2a^2c^2 + 3(2C^2a^2b + Ab^2)c)m)x^9 \\
& + ((B^3b^3 + 6B^2a^2b^2c)m^{14} + 112(B^3b^3 + 6B^2a^2b^2c)m^{13} + 5684(B^3b^3 + 6B^2a^2b^2c)m^{12} \\
& + 172928(B^3b^3 + 6B^2a^2b^2c)m^{11} + 3516198(B^3b^3 + 6B^2a^2b^2c)m^{10} + 50428896(B^3b^3 + 6B^2a^2b^2c)m^9 \\
& + 524664572(B^3b^3 + 6B^2a^2b^2c)m^8 + 4010311424(B^3b^3 + 6B^2a^2b^2c)m^7 + 22548638161(B^3b^3 + 6B^2a^2b^2c)m^6 \\
& + 92414105392(B^3b^3 + 6B^2a^2b^2c)m^5 + 270359263944(B^3b^3 + 6B^2a^2b^2c)m^4 + 163459296000B^3b^3 + 980755776000B^2a^2b^2c \\
& + 543939234048(B^3b^3 + 6B^2a^2b^2c)m^3 + 705481831440(B^3b^3 + 6B^2a^2b^2c)m^2 + 521962963200(B^3b^3 + 6B^2a^2b^2c)m)x^8 \\
& + ((3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^{14} + 113(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^{13} \\
& + 5789(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^{12} + 177877(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^{11} \\
& + 3654483(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^{10} + 52977099(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^9 \\
& + 557256047(3C^2a^2b^2 + Ab^3 + 3(C^2a^2 + 2A^2a^2b)c)m^8
\end{aligned}$$

$8 + 4306835671*(3*C*a*b^2 + A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m^7 + 2448327985$   
 $6*(3*C*a*b^2 + A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m^6 + 101420251688*(3*C*a*b^2$   
 $+ A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m^5 + 299730345264*(3*C*a*b^2 + A*b^3 + 3$   
 $*(C*a^2 + 2*A*a*b)*c)*m^4 + 560431872000*C*a*b^2 + 186810624000*A*b^3 + 608$   
 $700928752*(3*C*a*b^2 + A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m^3 + 796089202560*(3$   
 $*C*a*b^2 + A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m^2 + 560431872000*(C*a^2 + 2*A*a$   
 $*b)*c + 593193196800*(3*C*a*b^2 + A*b^3 + 3*(C*a^2 + 2*A*a*b)*c)*m)*x^7 + 3$   
 $*((B*a*b^2 + B*a^2*c)*m^14 + 114*(B*a*b^2 + B*a^2*c)*m^13 + 5896*(B*a*b^2 +$   
 $B*a^2*c)*m^12 + 183024*(B*a*b^2 + B*a^2*c)*m^11 + 3801478*(B*a*b^2 + B*a^2$   
 $*c)*m^10 + 55749612*(B*a*b^2 + B*a^2*c)*m^9 + 593598068*(B*a*b^2 + B*a^2*c)$   
 $*m^8 + 4646039592*(B*a*b^2 + B*a^2*c)*m^7 + 26754892001*(B*a*b^2 + B*a^2*c)$   
 $*m^6 + 112273858674*(B*a*b^2 + B*a^2*c)*m^5 + 336028955036*(B*a*b^2 + B*a^2$   
 $*c)*m^4 + 217945728000*B*a*b^2 + 217945728000*B*a^2*c + 690639615384*(B*a*b$   
 $^2 + B*a^2*c)*m^3 + 913158011520*(B*a*b^2 + B*a^2*c)*m^2 + 686869545600*(B*$   
 $a*b^2 + B*a^2*c)*m)*x^6 + 3*((C*a^2*b + A*a*b^2 + A*a^2*c)*m^14 + 115*(C*a^$   
 $2*b + A*a*b^2 + A*a^2*c)*m^13 + 6005*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^12 + 1$   
 $88375*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^11 + 3957747*(C*a^2*b + A*a*b^2 + A*a$   
 $^2*c)*m^10 + 58769745*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^9 + 634247015*(C*a^2*$   
 $b + A*a*b^2 + A*a^2*c)*m^8 + 5036392925*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^7 +$   
 $29449164928*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^6 + 125557386040*(C*a^2*b + A*$   
 $a*b^2 + A*a^2*c)*m^5 + 381885176880*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^4 + 261$   
 $534873600*C*a^2*b + 261534873600*A*a*b^2 + 261534873600*A*a^2*c + 797387461$   
 $200*(C*a^2*b + A*a*b^2 + A*a^2*c)*m^3 + 1070058397824*(C*a^2*b + A*a*b^2 +$   
 $A*a^2*c)*m^2 + 815525625600*(C*a^2*b + A*a*b^2 + A*a^2*c)*m)*x^5 + 3*(B*a^2$   
 $*b*m^14 + 116*B*a^2*b*m^13 + 6116*B*a^2*b*m^12 + 193936*B*a^2*b*m^11 + 4123$   
 $878*B*a^2*b*m^10 + 62062968*B*a^2*b*m^9 + 679843868*B*a^2*b*m^8 + 548825252$   
 $8*B*a^2*b*m^7 + 32678119441*B*a^2*b*m^6 + 142090732916*B*a^2*b*m^5 + 441309$   
 $175416*B*a^2*b*m^4 + 941576643936*B*a^2*b*m^3 + 1290689128080*B*a^2*b*m^2 +$   
 $1003061102400*B*a^2*b*m + 326918592000*B*a^2*b)*x^4 + ((C*a^3 + 3*A*a^2*b)$   
 $*m^14 + 117*(C*a^3 + 3*A*a^2*b)*m^13 + 6229*(C*a^3 + 3*A*a^2*b)*m^12 + 1997$   
 $13*(C*a^3 + 3*A*a^2*b)*m^11 + 4300483*(C*a^3 + 3*A*a^2*b)*m^10 + 65657031*($   
 $C*a^3 + 3*A*a^2*b)*m^9 + 731124647*(C*a^3 + 3*A*a^2*b)*m^8 + 6014254059*(C*$   
 $a^3 + 3*A*a^2*b)*m^7 + 36588367376*(C*a^3 + 3*A*a^2*b)*m^6 + 163038108552*($   
 $C*a^3 + 3*A*a^2*b)*m^5 + 520557781424*(C*a^3 + 3*A*a^2*b)*m^4 + 43589145600$   
 $0*C*a^3 + 1307674368000*A*a^2*b + 1145140001328*(C*a^3 + 3*A*a^2*b)*m^3 + 1$   
 $621575699840*(C*a^3 + 3*A*a^2*b)*m^2 + 1301090515200*(C*a^3 + 3*A*a^2*b)*m$   
 $*x^3 + (B*a^3*m^14 + 118*B*a^3*m^13 + 6344*B*a^3*m^12 + 205712*B*a^3*m^11 +$   
 $4488198*B*a^3*m^10 + 69582084*B*a^3*m^9 + 788931572*B*a^3*m^8 + 6629764856$   
 $*B*a^3*m^7 + 41371599841*B*a^3*m^6 + 190060010998*B*a^3*m^5 + 629552085084*$   
 $B*a^3*m^4 + 1447709175432*B*a^3*m^3 + 2161577352960*B*a^3*m^2 + 18426629088$   
 $00*B*a^3*m + 653837184000*B*a^3)*x^2 + (A*a^3*m^14 + 119*A*a^3*m^13 + 6461*$   
 $A*a^3*m^12 + 211939*A*a^3*m^11 + 4687683*A*a^3*m^10 + 73870797*A*a^3*m^9 +$   
 $854224943*A*a^3*m^8 + 7353403057*A*a^3*m^7 + 47277726496*A*a^3*m^6 + 225525$   
 $484184*A*a^3*m^5 + 784146622896*A*a^3*m^4 + 1922666722704*A*a^3*m^3 + 31343$   
 $28981120*A*a^3*m^2 + 3031488633600*A*a^3*m + 1307674368000*A*a^3)*x)*(d*x)^$

$$\frac{m}{(m^{15} + 120m^{14} + 6580m^{13} + 218400m^{12} + 4899622m^{11} + 78558480m^{10} + 928095740m^9 + 8207628000m^8 + 54631129553m^7 + 272803210680m^6 + 109672107080m^5 + 2706813345600m^4 + 5056995703824m^3 + 6165817614720m^2 + 4339163001600m + 1307674368000)}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*(C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.33832, size = 10541, normalized size = 26.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^3,x, algorithm="giac")

[Out]  $((d*x)^m*C*c^3*m^{14}*x^{15} + (d*x)^m*B*c^3*m^{14}*x^{14} + 105*(d*x)^m*C*c^3*m^{13}*x^{15} + 3*(d*x)^m*C*b*c^2*m^{14}*x^{13} + (d*x)^m*A*c^3*m^{14}*x^{13} + 106*(d*x)^m*B*c^3*m^{13}*x^{14} + 5005*(d*x)^m*C*c^3*m^{12}*x^{15} + 3*(d*x)^m*B*b*c^2*m^{14}*x^{12} + 321*(d*x)^m*C*b*c^2*m^{13}*x^{13} + 107*(d*x)^m*A*c^3*m^{13}*x^{13} + 5096*(d*x)^m*B*c^3*m^{12}*x^{14} + 143325*(d*x)^m*C*c^3*m^{11}*x^{15} + 3*(d*x)^m*C*b^2*c*m^{14}*x^{11} + 3*(d*x)^m*C*a*c^2*m^{14}*x^{11} + 3*(d*x)^m*A*b*c^2*m^{14}*x^{11} + 324*(d*x)^m*B*b*c^2*m^{13}*x^{12} + 15567*(d*x)^m*C*b*c^2*m^{12}*x^{13} + 5189*(d*x)^m*A*c^3*m^{12}*x^{13} + 147056*(d*x)^m*B*c^3*m^{11}*x^{14} + 2749747*(d*x)^m*C*c^3*m^{10}*x^{15} + 3*(d*x)^m*B*b^2*c*m^{14}*x^{10} + 3*(d*x)^m*B*a*c^2*m^{14}*x^{10} + 327*(d*x)^m*C*b^2*c*m^{13}*x^{11} + 327*(d*x)^m*C*a*c^2*m^{13}*x^{11} + 327*(d*x)^m*A*b*c^2*m^{13}*x^{11} + 15852*(d*x)^m*B*b*c^2*m^{12}*x^{12} + 452829*(d*x)^m*C*b*c^2*m^{11}*x^{13} + 150943*(d*x)^m*A*c^3*m^{11}*x^{13} + 2840838*(d*x)^m*B*c^3*m^{10}*x^{14} + 37312275*(d*x)^m*C*c^3*m^9*x^{15} + (d*x)^m*C*b^3*m^{14}*x^9 + 6*(d*x)^m*C*a*b*c*m^{14}*x^9 + 3*(d*x)^m*A*b^2*c*m^{14}*x^9 + 3*(d*x)^m*A*a*c^2*m^{14}*x^9 + 330*(d*x)^m*B*b^2*c*m^{13}*x^{10} + 330*(d*x)^m*B*a*c^2*m^{13}*x^{10} + 16143*(d*x)^m*C*b^2*c*m^{12}*x^{11} + 16143*(d*x)^m*C*a*c^2*m^{12}*x^{11} + 16143*(d*x)^m*A*b*c^2$

$$\begin{aligned}
& 2m^{12}x^{11} + 464976(d*x)^m B*b*c^2 m^{11}x^{12} + 8812089(d*x)^m C*b*c^2 m^{10}x^{13} + 2937363(d*x)^m A*c^3 m^{10}x^{13} + 38786748(d*x)^m B*c^3 m^9 x^{14} \\
& + 368411615(d*x)^m C*c^3 m^8 x^{15} + (d*x)^m B*b^3 m^{14}x^8 + 6(d*x)^m B* \\
& a*b*c m^{14}x^8 + 111(d*x)^m C*b^3 m^{13}x^9 + 666(d*x)^m C*a*b*c m^{13}x^9 \\
& + 333(d*x)^m A*b^2*c m^{13}x^9 + 333(d*x)^m A*a*c^2 m^{13}x^9 + 16440(d*x) \\
& ^m B*b^2*c m^{12}x^{10} + 16440(d*x)^m B*a*c^2 m^{12}x^{10} + 477627(d*x)^m C*b \\
& ^2*c m^{11}x^{11} + 477627(d*x)^m C*a*c^2 m^{11}x^{11} + 477627(d*x)^m A*b*c^2 m \\
& ^{11}x^{11} + 9119154(d*x)^m B*b*c^2 m^{10}x^{12} + 121118283(d*x)^m C*b*c^2 m \\
& ^9 x^{13} + 40372761(d*x)^m A*c^3 m^9 x^{13} + 385081268(d*x)^m B*c^3 m^8 x^{14} \\
& + 2681453775(d*x)^m C*c^3 m^7 x^{15} + 3(d*x)^m C*a*b^2 m^{14}x^7 + (d*x)^ \\
& m A*b^3 m^{14}x^7 + 3(d*x)^m C*a^2*c m^{14}x^7 + 6(d*x)^m A*a*b*c m^{14}x^7 \\
& + 112(d*x)^m B*b^3 m^{13}x^8 + 672(d*x)^m B*a*b*c m^{13}x^8 + 5581(d*x)^m C \\
& *b^3 m^{12}x^9 + 33486(d*x)^m C*a*b*c m^{12}x^9 + 16743(d*x)^m A*b^2*c m^{12} \\
& x^9 + 16743(d*x)^m A*a*c^2 m^{12}x^9 + 490800(d*x)^m B*b^2*c m^{11}x^{10} + \\
& 490800(d*x)^m B*a*c^2 m^{11}x^{10} + 9444969(d*x)^m C*b^2*c m^{10}x^{11} + 944 \\
& 4969(d*x)^m C*a*c^2 m^{10}x^{11} + 9444969(d*x)^m A*b*c^2 m^{10}x^{11} + 126245 \\
& 592(d*x)^m B*b*c^2 m^9 x^{12} + 1209749541(d*x)^m C*b*c^2 m^8 x^{13} + 403249 \\
& 847(d*x)^m A*c^3 m^8 x^{13} + 2816490248(d*x)^m B*c^3 m^7 x^{14} + 1440932292 \\
& 8(d*x)^m C*c^3 m^6 x^{15} + 3(d*x)^m B*a*b^2 m^{14}x^6 + 3(d*x)^m B*a^2*c m \\
& ^{14}x^6 + 339(d*x)^m C*a*b^2 m^{13}x^7 + 113(d*x)^m A*b^3 m^{13}x^7 + 339(d \\
& x)^m C*a^2*c m^{13}x^7 + 678(d*x)^m A*a*b*c m^{13}x^7 + 5684(d*x)^m B*b^3 \\
& m^{12}x^8 + 34104(d*x)^m B*a*b*c m^{12}x^8 + 168171(d*x)^m C*b^3 m^{11}x^9 \\
& + 1009026(d*x)^m C*a*b*c m^{11}x^9 + 504513(d*x)^m A*b^2*c m^{11}x^9 + 5045 \\
& 13(d*x)^m A*a*c^2 m^{11}x^9 + 9790866(d*x)^m B*b^2*c m^{10}x^{10} + 9790866(d \\
& x)^m B*a*c^2 m^{10}x^{10} + 131780781(d*x)^m C*b^2*c m^9 x^{11} + 131780781(d \\
& x)^m C*a*c^2 m^9 x^{11} + 131780781(d*x)^m A*b*c^2 m^9 x^{11} + 1269340116(d \\
& x)^m B*b*c^2 m^8 x^{12} + 8896139967(d*x)^m C*b*c^2 m^7 x^{13} + 2965379989* \\
& (d*x)^m A*c^3 m^7 x^{13} + 15200266081(d*x)^m B*c^3 m^6 x^{14} + 56663366760(d \\
& x)^m C*c^3 m^5 x^{15} + 3(d*x)^m C*a^2*b m^{14}x^5 + 3(d*x)^m A*a*b^2 m^{14} \\
& x^5 + 3(d*x)^m A*a^2*c m^{14}x^5 + 342(d*x)^m B*a*b^2 m^{13}x^6 + 342(d*x) \\
& ^m B*a^2*c m^{13}x^6 + 17367(d*x)^m C*a*b^2 m^{12}x^7 + 5789(d*x)^m A*b^3 m \\
& ^{12}x^7 + 17367(d*x)^m C*a^2*c m^{12}x^7 + 34734(d*x)^m A*a*b*c m^{12}x^7 \\
& + 172928(d*x)^m B*b^3 m^{11}x^8 + 1037568(d*x)^m B*a*b*c m^{11}x^8 + 338608 \\
& 3(d*x)^m C*b^3 m^{10}x^9 + 20316498(d*x)^m C*a*b*c m^{10}x^9 + 10158249(d \\
& x)^m A*b^2*c m^{10}x^9 + 10158249(d*x)^m A*a*c^2 m^{10}x^9 + 137766780(d*x) \\
& ^m B*b^2*c m^9 x^{10} + 137766780(d*x)^m B*a*c^2 m^9 x^{10} + 1334698629(d*x) \\
& ^m C*b^2*c m^8 x^{11} + 1334698629(d*x)^m C*a*c^2 m^8 x^{11} + 1334698629(d*x) \\
& ^m A*b*c^2 m^8 x^{11} + 9390802608(d*x)^m B*b*c^2 m^7 x^{12} + 48243569088(d \\
& x)^m C*b*c^2 m^6 x^{13} + 16081189696(d*x)^m A*c^3 m^6 x^{13} + 59999485546(d \\
& x)^m B*c^3 m^5 x^{14} + 159721605680(d*x)^m C*c^3 m^4 x^{15} + 3(d*x)^m B*a \\
& ^2*b m^{14}x^4 + 345(d*x)^m C*a^2*b m^{13}x^5 + 345(d*x)^m A*a*b^2 m^{13}x^5 \\
& + 345(d*x)^m A*a^2*c m^{13}x^5 + 17688(d*x)^m B*a*b^2 m^{12}x^6 + 17688(d \\
& x)^m B*a^2*c m^{12}x^6 + 533631(d*x)^m C*a*b^2 m^{11}x^7 + 177877(d*x)^m A \\
& *b^3 m^{11}x^7 + 533631(d*x)^m C*a^2*c m^{11}x^7 + 1067262(d*x)^m A*a*b*c m \\
& ^{11}x^7 + 3516198(d*x)^m B*b^3 m^{10}x^8 + 21097188(d*x)^m B*a*b*c m^{10}x^8
\end{aligned}$$

$$\begin{aligned}
& 8 + 48083733*(d*x)^m*C*b^3*m^9*x^9 + 288502398*(d*x)^m*C*a*b*c*m^9*x^9 + 14 \\
& 4251199*(d*x)^m*A*b^2*c*m^9*x^9 + 144251199*(d*x)^m*A*a*c^2*m^9*x^9 + 14066 \\
& 19420*(d*x)^m*B*b^2*c*m^8*x^10 + 1406619420*(d*x)^m*B*a*c^2*m^8*x^10 + 9941 \\
& 199081*(d*x)^m*C*b^2*c*m^7*x^11 + 9941199081*(d*x)^m*C*a*c^2*m^7*x^11 + 994 \\
& 1199081*(d*x)^m*A*b*c^2*m^7*x^11 + 51203757363*(d*x)^m*B*b*c^2*m^6*x^12 + 1 \\
& 91243233896*(d*x)^m*C*b*c^2*m^5*x^13 + 63747744632*(d*x)^m*A*c^3*m^5*x^13 + \\
& 169679309436*(d*x)^m*B*c^3*m^4*x^14 + 310989260400*(d*x)^m*C*c^3*m^3*x^15 \\
& + (d*x)^m*C*a^3*m^14*x^3 + 3*(d*x)^m*A*a^2*b*m^14*x^3 + 348*(d*x)^m*B*a^2*b \\
& *m^13*x^4 + 18015*(d*x)^m*C*a^2*b*m^12*x^5 + 18015*(d*x)^m*A*a*b^2*m^12*x^5 \\
& + 18015*(d*x)^m*A*a^2*c*m^12*x^5 + 549072*(d*x)^m*B*a*b^2*m^11*x^6 + 54907 \\
& 2*(d*x)^m*B*a^2*c*m^11*x^6 + 10963449*(d*x)^m*C*a*b^2*m^10*x^7 + 3654483*(d \\
& *x)^m*A*b^3*m^10*x^7 + 10963449*(d*x)^m*C*a^2*c*m^10*x^7 + 21926898*(d*x)^m \\
& *A*a*b*c*m^10*x^7 + 50428896*(d*x)^m*B*b^3*m^9*x^8 + 302573376*(d*x)^m*B*a* \\
& b*c*m^9*x^8 + 495342143*(d*x)^m*C*b^3*m^8*x^9 + 2972052858*(d*x)^m*C*a*b*c* \\
& m^8*x^9 + 1486026429*(d*x)^m*A*b^2*c*m^8*x^9 + 1486026429*(d*x)^m*A*a*c^2*m \\
& ^8*x^9 + 10556689800*(d*x)^m*B*b^2*c*m^7*x^10 + 10556689800*(d*x)^m*B*a*c^2 \\
& *m^7*x^10 + 54540198768*(d*x)^m*C*b^2*c*m^6*x^11 + 54540198768*(d*x)^m*C*a* \\
& c^2*m^6*x^11 + 54540198768*(d*x)^m*A*b*c^2*m^6*x^11 + 203964543684*(d*x)^m* \\
& B*b*c^2*m^5*x^12 + 542854280592*(d*x)^m*C*b*c^2*m^4*x^13 + 180951426864*(d* \\
& x)^m*A*c^3*m^4*x^13 + 331303013496*(d*x)^m*B*c^3*m^3*x^14 + 392156797824*(d \\
& *x)^m*C*c^3*m^2*x^15 + (d*x)^m*B*a^3*m^14*x^2 + 117*(d*x)^m*C*a^3*m^13*x^3 \\
& + 351*(d*x)^m*A*a^2*b*m^13*x^3 + 18348*(d*x)^m*B*a^2*b*m^12*x^4 + 565125*(d \\
& *x)^m*C*a^2*b*m^11*x^5 + 565125*(d*x)^m*A*a*b^2*m^11*x^5 + 565125*(d*x)^m*A \\
& *a^2*c*m^11*x^5 + 11404434*(d*x)^m*B*a*b^2*m^10*x^6 + 11404434*(d*x)^m*B*a^ \\
& 2*c*m^10*x^6 + 158931297*(d*x)^m*C*a*b^2*m^9*x^7 + 52977099*(d*x)^m*A*b^3*m \\
& ^9*x^7 + 158931297*(d*x)^m*C*a^2*c*m^9*x^7 + 317862594*(d*x)^m*A*a*b*c*m^9* \\
& x^7 + 524664572*(d*x)^m*B*b^3*m^8*x^8 + 3147987432*(d*x)^m*B*a*b*c*m^8*x^8 \\
& + 3749548713*(d*x)^m*C*b^3*m^7*x^9 + 22497292278*(d*x)^m*C*a*b*c*m^7*x^9 + \\
& 11248646139*(d*x)^m*A*b^2*c*m^7*x^9 + 11248646139*(d*x)^m*A*a*c^2*m^7*x^9 + \\
& 58326490659*(d*x)^m*B*b^2*c*m^6*x^10 + 58326490659*(d*x)^m*B*a*c^2*m^6*x^1 \\
& 0 + 218467445592*(d*x)^m*C*b^2*c*m^5*x^11 + 218467445592*(d*x)^m*C*a*c^2*m^ \\
& 5*x^11 + 218467445592*(d*x)^m*A*b*c^2*m^5*x^11 + 581441797032*(d*x)^m*B*b*c \\
& ^2*m^4*x^12 + 1063334389104*(d*x)^m*C*b*c^2*m^3*x^13 + 354444796368*(d*x)^m \\
& *A*c^3*m^3*x^13 + 418753514880*(d*x)^m*B*c^3*m^2*x^14 + 283465647360*(d*x)^ \\
& m*C*c^3*m*x^15 + (d*x)^m*A*a^3*m^14*x + 118*(d*x)^m*B*a^3*m^13*x^2 + 6229*( \\
& d*x)^m*C*a^3*m^12*x^3 + 18687*(d*x)^m*A*a^2*b*m^12*x^3 + 581808*(d*x)^m*B*a \\
& ^2*b*m^11*x^4 + 11873241*(d*x)^m*C*a^2*b*m^10*x^5 + 11873241*(d*x)^m*A*a*b^ \\
& 2*m^10*x^5 + 11873241*(d*x)^m*A*a^2*c*m^10*x^5 + 167248836*(d*x)^m*B*a*b^2* \\
& m^9*x^6 + 167248836*(d*x)^m*B*a^2*c*m^9*x^6 + 1671768141*(d*x)^m*C*a*b^2*m^ \\
& 8*x^7 + 557256047*(d*x)^m*A*b^3*m^8*x^7 + 1671768141*(d*x)^m*C*a^2*c*m^8*x^ \\
& 7 + 3343536282*(d*x)^m*A*a*b*c*m^8*x^7 + 4010311424*(d*x)^m*B*b^3*m^7*x^8 + \\
& 24061868544*(d*x)^m*B*a*b*c*m^7*x^8 + 20885191136*(d*x)^m*C*b^3*m^6*x^9 + \\
& 125311146816*(d*x)^m*C*a*b*c*m^6*x^9 + 62655573408*(d*x)^m*A*b^2*c*m^6*x^9 \\
& + 62655573408*(d*x)^m*A*a*c^2*m^6*x^9 + 235144725450*(d*x)^m*B*b^2*c*m^5*x^ \\
& 10 + 235144725450*(d*x)^m*B*a*c^2*m^5*x^10 + 625874419728*(d*x)^m*C*b^2*c*m
\end{aligned}$$

$$\begin{aligned}
& ^4x^{11} + 625874419728*(d*x)^m*C*a*c^2*m^4*x^{11} + 625874419728*(d*x)^m*A*b*c^2*m^4*x^{11} + 1143138472416*(d*x)^m*B*b*c^2*m^3*x^{12} + 1347640053120*(d*x)^m*C*b*c^2*m^2*x^{13} + 449213351040*(d*x)^m*A*c^3*m^2*x^{13} + 303268406400*(d*x)^m*B*c^3*m*x^{14} + 87178291200*(d*x)^m*C*c^3*x^{15} + 119*(d*x)^m*A*a^3*m^13*x + 6344*(d*x)^m*B*a^3*m^12*x^2 + 199713*(d*x)^m*C*a^3*m^11*x^3 + 599139*(d*x)^m*A*a^2*b*m^11*x^3 + 12371634*(d*x)^m*B*a^2*b*m^10*x^4 + 176309235*(d*x)^m*C*a^2*b*m^9*x^5 + 176309235*(d*x)^m*A*a*b^2*m^9*x^5 + 176309235*(d*x)^m*A*a^2*c*m^9*x^5 + 1780794204*(d*x)^m*B*a*b^2*m^8*x^6 + 1780794204*(d*x)^m*B*a^2*c*m^8*x^6 + 12920507013*(d*x)^m*C*a*b^2*m^7*x^7 + 4306835671*(d*x)^m*A*b^3*m^7*x^7 + 12920507013*(d*x)^m*C*a^2*c*m^7*x^7 + 25841014026*(d*x)^m*A*a*b*c*m^7*x^7 + 22548638161*(d*x)^m*B*b^3*m^6*x^8 + 135291828966*(d*x)^m*B*a*b*c*m^6*x^8 + 84836490456*(d*x)^m*C*b^3*m^5*x^9 + 509018942736*(d*x)^m*C*a*b*c*m^5*x^9 + 254509471368*(d*x)^m*A*b^2*c*m^5*x^9 + 254509471368*(d*x)^m*A*a*c^2*m^5*x^9 + 677569066740*(d*x)^m*B*b^2*c*m^4*x^{10} + 677569066740*(d*x)^m*B*a*c^2*m^4*x^{10} + 1235821419792*(d*x)^m*C*b^2*c*m^3*x^{11} + 1235821419792*(d*x)^m*C*a*c^2*m^3*x^{11} + 1235821419792*(d*x)^m*A*b*c^2*m^3*x^{11} + 1453325442480*(d*x)^m*B*b*c^2*m^2*x^{12} + 978132153600*(d*x)^m*C*b*c^2*m*x^{13} + 326044051200*(d*x)^m*A*c^3*m*x^{13} + 93405312000*(d*x)^m*B*c^3*x^{14} + 6461*(d*x)^m*A*a^3*m^12*x + 205712*(d*x)^m*B*a^3*m^11*x^2 + 4300483*(d*x)^m*C*a^3*m^10*x^3 + 12901449*(d*x)^m*A*a^2*b*m^10*x^3 + 186188904*(d*x)^m*B*a^2*b*m^9*x^4 + 1902741045*(d*x)^m*C*a^2*b*m^8*x^5 + 1902741045*(d*x)^m*A*a*b^2*m^8*x^5 + 1902741045*(d*x)^m*A*a^2*c*m^8*x^5 + 13938118776*(d*x)^m*B*a*b^2*m^7*x^6 + 13938118776*(d*x)^m*B*a^2*c*m^7*x^6 + 73449839568*(d*x)^m*C*a*b^2*m^6*x^7 + 24483279856*(d*x)^m*A*b^3*m^6*x^7 + 73449839568*(d*x)^m*C*a^2*c*m^6*x^7 + 146899679136*(d*x)^m*A*a*b*c*m^6*x^7 + 92414105392*(d*x)^m*B*b^3*m^5*x^8 + 554484632352*(d*x)^m*B*a*b*c*m^5*x^8 + 246143692976*(d*x)^m*C*b^3*m^4*x^9 + 1476862157856*(d*x)^m*C*a*b*c*m^4*x^9 + 738431078928*(d*x)^m*A*b^2*c*m^4*x^9 + 738431078928*(d*x)^m*A*a*c^2*m^4*x^9 + 1344749369400*(d*x)^m*B*b^2*c*m^3*x^{10} + 1344749369400*(d*x)^m*B*a*c^2*m^3*x^{10} + 1576951493760*(d*x)^m*C*b^2*c*m^2*x^{11} + 1576951493760*(d*x)^m*C*a*c^2*m^2*x^{11} + 1576951493760*(d*x)^m*A*b*c^2*m^2*x^{11} + 1057547534400*(d*x)^m*B*b*c^2*m*x^{12} + 301771008000*(d*x)^m*C*b*c^2*x^{13} + 100590336000*(d*x)^m*A*c^3*x^{13} + 211939*(d*x)^m*A*a^3*m^11*x + 4488198*(d*x)^m*B*a^3*m^10*x^2 + 65657031*(d*x)^m*C*a^3*m^9*x^3 + 196971093*(d*x)^m*A*a^2*b*m^9*x^3 + 2039531604*(d*x)^m*B*a^2*b*m^8*x^4 + 15109178775*(d*x)^m*C*a^2*b*m^7*x^5 + 15109178775*(d*x)^m*A*a*b^2*m^7*x^5 + 15109178775*(d*x)^m*A*a^2*c*m^7*x^5 + 80264676003*(d*x)^m*B*a*b^2*m^6*x^6 + 80264676003*(d*x)^m*B*a^2*c*m^6*x^6 + 304260755064*(d*x)^m*C*a*b^2*m^5*x^7 + 101420251688*(d*x)^m*A*b^3*m^5*x^7 + 304260755064*(d*x)^m*C*a^2*c*m^5*x^7 + 608521510128*(d*x)^m*A*a*b*c*m^5*x^7 + 270359263944*(d*x)^m*B*b^3*m^4*x^8 + 1622155583664*(d*x)^m*B*a*b*c*m^4*x^8 + 491520108816*(d*x)^m*C*b^3*m^3*x^9 + 2949120652896*(d*x)^m*C*a*b*c*m^3*x^9 + 1474560326448*(d*x)^m*A*b^2*c*m^3*x^9 + 1474560326448*(d*x)^m*A*a*c^2*m^3*x^9 + 1723493417472*(d*x)^m*B*b^2*c*m^2*x^{10} + 1723493417472*(d*x)^m*B*a*c^2*m^2*x^{10} + 1150986412800*(d*x)^m*C*b^2*c*m*x^{11} + 1150986412800*(d*x)^m*C*a*c^2*m*x^{11} + 1150986412800*(d*x)^m*A*b*c^2*m*x^{11} + 326918592000*(d*x)^m*B*b*c^2*x^{12}
\end{aligned}$$

$$\begin{aligned}
& + 4687683*(d*x)^m*A*a^3*m^{10}*x + 69582084*(d*x)^m*B*a^3*m^9*x^2 + 731124647 \\
& *(d*x)^m*C*a^3*m^8*x^3 + 2193373941*(d*x)^m*A*a^2*b*m^8*x^3 + 16464757584*( \\
& (d*x)^m*B*a^2*b*m^7*x^4 + 88347494784*(d*x)^m*C*a^2*b*m^6*x^5 + 88347494784* \\
& (d*x)^m*A*a*b^2*m^6*x^5 + 88347494784*(d*x)^m*A*a^2*c*m^6*x^5 + 33682157602 \\
& 2*(d*x)^m*B*a*b^2*m^5*x^6 + 336821576022*(d*x)^m*B*a^2*c*m^5*x^6 + 89919103 \\
& 5792*(d*x)^m*C*a*b^2*m^4*x^7 + 299730345264*(d*x)^m*A*b^3*m^4*x^7 + 8991910 \\
& 35792*(d*x)^m*C*a^2*c*m^4*x^7 + 1798382071584*(d*x)^m*A*a*b*c*m^4*x^7 + 543 \\
& 939234048*(d*x)^m*B*b^3*m^3*x^8 + 3263635404288*(d*x)^m*B*a*b*c*m^3*x^8 + 6 \\
& 33314724480*(d*x)^m*C*b^3*m^2*x^9 + 3799888346880*(d*x)^m*C*a*b*c*m^2*x^9 + \\
& 1899944173440*(d*x)^m*A*b^2*c*m^2*x^9 + 1899944173440*(d*x)^m*A*a*c^2*m^2* \\
& x^9 + 1262518669440*(d*x)^m*B*b^2*c*m*x^10 + 1262518669440*(d*x)^m*B*a*c^2* \\
& m*x^10 + 356638464000*(d*x)^m*C*b^2*c*x^11 + 356638464000*(d*x)^m*C*a*c^2*x \\
& ^11 + 356638464000*(d*x)^m*A*b*c^2*x^11 + 73870797*(d*x)^m*A*a^3*m^9*x + 78 \\
& 8931572*(d*x)^m*B*a^3*m^8*x^2 + 6014254059*(d*x)^m*C*a^3*m^7*x^3 + 18042762 \\
& 177*(d*x)^m*A*a^2*b*m^7*x^3 + 98034358323*(d*x)^m*B*a^2*b*m^6*x^4 + 3766721 \\
& 58120*(d*x)^m*C*a^2*b*m^5*x^5 + 376672158120*(d*x)^m*A*a*b^2*m^5*x^5 + 3766 \\
& 72158120*(d*x)^m*A*a^2*c*m^5*x^5 + 1008086865108*(d*x)^m*B*a*b^2*m^4*x^6 + \\
& 1008086865108*(d*x)^m*B*a^2*c*m^4*x^6 + 1826102786256*(d*x)^m*C*a*b^2*m^3*x \\
& ^7 + 608700928752*(d*x)^m*A*b^3*m^3*x^7 + 1826102786256*(d*x)^m*C*a^2*c*m^3 \\
& *x^7 + 3652205572512*(d*x)^m*A*a*b*c*m^3*x^7 + 705481831440*(d*x)^m*B*b^3*m \\
& ^2*x^8 + 4232890988640*(d*x)^m*B*a*b*c*m^2*x^8 + 465985094400*(d*x)^m*C*b^3 \\
& *m*x^9 + 2795910566400*(d*x)^m*C*a*b*c*m*x^9 + 1397955283200*(d*x)^m*A*b^2* \\
& c*m*x^9 + 1397955283200*(d*x)^m*A*a*c^2*m*x^9 + 392302310400*(d*x)^m*B*b^2* \\
& c*x^10 + 392302310400*(d*x)^m*B*a*c^2*x^10 + 854224943*(d*x)^m*A*a^3*m^8*x \\
& + 6629764856*(d*x)^m*B*a^3*m^7*x^2 + 36588367376*(d*x)^m*C*a^3*m^6*x^3 + 10 \\
& 9765102128*(d*x)^m*A*a^2*b*m^6*x^3 + 426272198748*(d*x)^m*B*a^2*b*m^5*x^4 + \\
& 1145655530640*(d*x)^m*C*a^2*b*m^4*x^5 + 1145655530640*(d*x)^m*A*a*b^2*m^4* \\
& x^5 + 1145655530640*(d*x)^m*A*a^2*c*m^4*x^5 + 2071918846152*(d*x)^m*B*a*b^2 \\
& *m^3*x^6 + 2071918846152*(d*x)^m*B*a^2*c*m^3*x^6 + 2388267607680*(d*x)^m*C* \\
& a*b^2*m^2*x^7 + 796089202560*(d*x)^m*A*b^3*m^2*x^7 + 2388267607680*(d*x)^m* \\
& C*a^2*c*m^2*x^7 + 4776535215360*(d*x)^m*A*a*b*c*m^2*x^7 + 521962963200*(d*x \\
& )^m*B*b^3*m*x^8 + 313177779200*(d*x)^m*B*a*b*c*m*x^8 + 145297152000*(d*x)^ \\
& m*C*b^3*x^9 + 871782912000*(d*x)^m*C*a*b*c*x^9 + 435891456000*(d*x)^m*A*b^2 \\
& *c*x^9 + 435891456000*(d*x)^m*A*a*c^2*x^9 + 7353403057*(d*x)^m*A*a^3*m^7*x \\
& + 41371599841*(d*x)^m*B*a^3*m^6*x^2 + 163038108552*(d*x)^m*C*a^3*m^5*x^3 + \\
& 489114325656*(d*x)^m*A*a^2*b*m^5*x^3 + 1323927526248*(d*x)^m*B*a^2*b*m^4*x^ \\
& 4 + 2392162383600*(d*x)^m*C*a^2*b*m^3*x^5 + 2392162383600*(d*x)^m*A*a*b^2*m \\
& ^3*x^5 + 2392162383600*(d*x)^m*A*a^2*c*m^3*x^5 + 2739474034560*(d*x)^m*B*a* \\
& b^2*m^2*x^6 + 2739474034560*(d*x)^m*B*a^2*c*m^2*x^6 + 1779579590400*(d*x)^m \\
& *C*a*b^2*m*x^7 + 593193196800*(d*x)^m*A*b^3*m*x^7 + 1779579590400*(d*x)^m*C \\
& *a^2*c*m*x^7 + 3559159180800*(d*x)^m*A*a*b*c*m*x^7 + 163459296000*(d*x)^m*B \\
& *b^3*x^8 + 980755776000*(d*x)^m*B*a*b*c*x^8 + 47277726496*(d*x)^m*A*a^3*m^6 \\
& *x + 190060010998*(d*x)^m*B*a^3*m^5*x^2 + 520557781424*(d*x)^m*C*a^3*m^4*x^ \\
& 3 + 1561673344272*(d*x)^m*A*a^2*b*m^4*x^3 + 2824729931808*(d*x)^m*B*a^2*b*m \\
& ^3*x^4 + 3210175193472*(d*x)^m*C*a^2*b*m^2*x^5 + 3210175193472*(d*x)^m*A*a*
\end{aligned}$$

$$\begin{aligned}
& b^2 m^2 x^5 + 3210175193472 (dx)^m A a^2 c m^2 x^5 + 2060608636800 (dx)^m \\
& * B a b^2 m x^6 + 2060608636800 (dx)^m B a^2 c m x^6 + 560431872000 (dx)^m \\
& * C a b^2 x^7 + 186810624000 (dx)^m A a b^3 x^7 + 560431872000 (dx)^m C a^2 * \\
& c x^7 + 1120863744000 (dx)^m A a b c x^7 + 225525484184 (dx)^m A a^3 m^5 * \\
& x + 629552085084 (dx)^m B a^3 m^4 x^2 + 1145140001328 (dx)^m C a^3 m^3 x^3 \\
& + 3435420003984 (dx)^m A a^2 b m^3 x^3 + 3872067384240 (dx)^m B a^2 b m^2 \\
& x^4 + 2446576876800 (dx)^m C a^2 b m x^5 + 2446576876800 (dx)^m A a b^2 \\
& m x^5 + 2446576876800 (dx)^m A a^2 c m x^5 + 653837184000 (dx)^m B a b^2 \\
& x^6 + 653837184000 (dx)^m B a^2 c x^6 + 784146622896 (dx)^m A a^3 m^4 x \\
& + 1447709175432 (dx)^m B a^3 m^3 x^2 + 1621575699840 (dx)^m C a^3 m^2 x^3 \\
& + 4864727099520 (dx)^m A a^2 b m^2 x^3 + 3009183307200 (dx)^m B a^2 b m \\
& x^4 + 784604620800 (dx)^m C a^2 b x^5 + 784604620800 (dx)^m A a b^2 x^5 \\
& + 784604620800 (dx)^m A a^2 c x^5 + 1922666722704 (dx)^m A a^3 m^3 x + 21 \\
& 61577352960 (dx)^m B a^3 m^2 x^2 + 1301090515200 (dx)^m C a^3 m x^3 + 390 \\
& 3271545600 (dx)^m A a^2 b m x^3 + 980755776000 (dx)^m B a^2 b x^4 + 31343 \\
& 28981120 (dx)^m A a^3 m^2 x + 1842662908800 (dx)^m B a^3 m x^2 + 43589145 \\
& 6000 (dx)^m C a^3 x^3 + 1307674368000 (dx)^m A a^2 b x^3 + 3031488633600 * \\
& (dx)^m A a^3 m x + 653837184000 (dx)^m B a^3 x^2 + 1307674368000 (dx)^m * \\
& A a^3 x) / (m^{15} + 120 m^{14} + 6580 m^{13} + 218400 m^{12} + 4899622 m^{11} + 785584 \\
& 80 m^{10} + 928095740 m^9 + 8207628000 m^8 + 54631129553 m^7 + 272803210680 m \\
& ^6 + 1009672107080 m^5 + 2706813345600 m^4 + 5056995703824 m^3 + 6165817614 \\
& 720 m^2 + 4339163001600 m + 1307674368000)
\end{aligned}$$



### 3.38 $\int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx$

**Optimal.** Leaf size=260

$$\frac{a^2 A (dx)^{m+1}}{d(m+1)} + \frac{a^2 B (dx)^{m+2}}{d^2(m+2)} + \frac{(dx)^{m+5} (A(2ac + b^2) + 2abC)}{d^5(m+5)} + \frac{(dx)^{m+7} (C(2ac + b^2) + 2Abc)}{d^7(m+7)} + \frac{a(dx)^{m+3} (aC + 2Ab)}{d^3(m+3)}$$

[Out]  $(a^2 A (d*x)^{(1+m)})/(d*(1+m)) + (a^2 B (d*x)^{(2+m)})/(d^2*(2+m)) + (a*(2*A*b + a*C)*(d*x)^{(3+m)})/(d^3*(3+m)) + (2*a*b*B*(d*x)^{(4+m)})/(d^4*(4+m)) + ((A*(b^2 + 2*a*c) + 2*a*b*C)*(d*x)^{(5+m)})/(d^5*(5+m)) + (B*(b^2 + 2*a*c)*(d*x)^{(6+m)})/(d^6*(6+m)) + ((2*A*b*c + (b^2 + 2*a*c)*C)*(d*x)^{(7+m)})/(d^7*(7+m)) + (2*b*B*c*(d*x)^{(8+m)})/(d^8*(8+m)) + (c*(A*c + 2*b*C)*(d*x)^{(9+m)})/(d^9*(9+m)) + (B*c^2*(d*x)^{(10+m)})/(d^10*(10+m)) + (c^2*C*(d*x)^{(11+m)})/(d^11*(11+m))$

**Rubi [A]** time = 0.222501, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.033$ , Rules used = {1628}

$$\frac{a^2 A (dx)^{m+1}}{d(m+1)} + \frac{a^2 B (dx)^{m+2}}{d^2(m+2)} + \frac{(dx)^{m+5} (A(2ac + b^2) + 2abC)}{d^5(m+5)} + \frac{(dx)^{m+7} (C(2ac + b^2) + 2Abc)}{d^7(m+7)} + \frac{a(dx)^{m+3} (aC + 2Ab)}{d^3(m+3)}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $(a^2 A (d*x)^{(1+m)})/(d*(1+m)) + (a^2 B (d*x)^{(2+m)})/(d^2*(2+m)) + (a*(2*A*b + a*C)*(d*x)^{(3+m)})/(d^3*(3+m)) + (2*a*b*B*(d*x)^{(4+m)})/(d^4*(4+m)) + ((A*(b^2 + 2*a*c) + 2*a*b*C)*(d*x)^{(5+m)})/(d^5*(5+m)) + (B*(b^2 + 2*a*c)*(d*x)^{(6+m)})/(d^6*(6+m)) + ((2*A*b*c + (b^2 + 2*a*c)*C)*(d*x)^{(7+m)})/(d^7*(7+m)) + (2*b*B*c*(d*x)^{(8+m)})/(d^8*(8+m)) + (c*(A*c + 2*b*C)*(d*x)^{(9+m)})/(d^9*(9+m)) + (B*c^2*(d*x)^{(10+m)})/(d^10*(10+m)) + (c^2*C*(d*x)^{(11+m)})/(d^11*(11+m))$

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4)^2 dx = \int \left( a^2 A(dx)^m + \frac{a^2 B(dx)^{1+m}}{d} + \frac{a(2Ab + aC)(dx)^{2+m}}{d^2} + \frac{2abB(dx)^{3+m}}{d^3} + \frac{a^2 A(dx)^{1+m}}{d(1+m)} + \frac{a^2 B(dx)^{2+m}}{d^2(2+m)} + \frac{a(2Ab + aC)(dx)^{3+m}}{d^3(3+m)} + \frac{2abB(dx)^{4+m}}{d^4(4+m)} + \frac{A(dx)^{m+1}}{m+1} + \frac{B(dx)^{m+2}}{m+2} + \frac{C(dx)^{m+3}}{m+3} + \frac{2B(dx)^{m+4}}{(m+4)(2d)} + \frac{C(dx)^{m+5}}{(m+5)(2d)^2} + \frac{2C(dx)^{m+6}}{(m+6)(2d)^3} + \frac{C(dx)^{m+7}}{(m+7)(2d)^4} \right) dx$$

**Mathematica [A]** time = 0.38257, size = 185, normalized size = 0.71

$$x(dx)^m \left( \frac{a^2 A}{m+1} + \frac{a^2 Bx}{m+2} + \frac{x^6 (C(2ac + b^2) + 2Abc)}{m+7} + \frac{x^4 (A(2ac + b^2) + 2abC)}{m+5} + \frac{ax^2 (aC + 2Ab)}{m+3} + \frac{Bx^5 (2ac + b^2)}{m+6} + \frac{A(dx)^{m+1}}{m+1} + \frac{B(dx)^{m+2}}{m+2} + \frac{C(dx)^{m+3}}{m+3} + \frac{2B(dx)^{m+4}}{(m+4)(2d)} + \frac{C(dx)^{m+5}}{(m+5)(2d)^2} + \frac{2C(dx)^{m+6}}{(m+6)(2d)^3} + \frac{C(dx)^{m+7}}{(m+7)(2d)^4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4)^2,x]

[Out] x\*(d\*x)^m\*((a^2\*A)/(1 + m) + (a^2\*B\*x)/(2 + m) + (a\*(2\*A\*b + a\*C)\*x^2)/(3 + m) + (2\*a\*b\*B\*x^3)/(4 + m) + ((A\*(b^2 + 2\*a\*c) + 2\*a\*b\*C)\*x^4)/(5 + m) + (B\*(b^2 + 2\*a\*c)\*x^5)/(6 + m) + ((2\*A\*b\*c + (b^2 + 2\*a\*c)\*C)\*x^6)/(7 + m) + (2\*b\*B\*c\*x^7)/(8 + m) + (c\*(A\*c + 2\*b\*C)\*x^8)/(9 + m) + (B\*c^2\*x^9)/(10 + m) + (c^2\*C\*x^10)/(11 + m))

**Maple [B]** time = 0.01, size = 2187, normalized size = 8.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x)

[Out] x\*(C\*c^2\*m^10\*x^10+B\*c^2\*m^10\*x^9+55\*C\*c^2\*m^9\*x^10+A\*c^2\*m^10\*x^8+56\*B\*c^2\*m^9\*x^9+2\*C\*b\*c\*m^10\*x^8+1320\*C\*c^2\*m^8\*x^10+57\*A\*c^2\*m^9\*x^8+2\*B\*b\*c\*m^10\*x^7+1365\*B\*c^2\*m^8\*x^9+114\*C\*b\*c\*m^9\*x^8+18150\*C\*c^2\*m^7\*x^10+2\*A\*b\*c\*m^10\*x^6+1412\*A\*c^2\*m^8\*x^8+116\*B\*b\*c\*m^9\*x^7+19020\*B\*c^2\*m^7\*x^9+2\*C\*a\*c\*m^10\*x^6+C\*b^2\*m^10\*x^6+2824\*C\*b\*c\*m^8\*x^8+157773\*C\*c^2\*m^6\*x^10+118\*A\*b\*c\*m^9\*x^6+19962\*A\*c^2\*m^7\*x^8+2\*B\*a\*c\*m^10\*x^5+B\*b^2\*m^10\*x^5+2922\*B\*b\*c\*m^8\*x^7+167223\*B\*c^2\*m^6\*x^9+118\*C\*a\*c\*m^9\*x^6+59\*C\*b^2\*m^9\*x^6+39924\*C\*b\*c\*m^7\*x^8+902055\*C\*c^2\*m^5\*x^10+2\*A\*a\*c\*m^10\*x^4+A\*b^2\*m^10\*x^4+3024\*A\*b\*c\*m^8\*x^6+177765\*A\*c^2\*m^6\*x^8+120\*B\*a\*c\*m^9\*x^5+60\*B\*b^2\*m^9\*x^5+41964\*B\*b\*c\*m^7\*x^7+9

$$\begin{aligned}
& 65328*B*c^2*m^5*x^9+2*C*a*b*m^10*x^4+3024*C*a*c*m^8*x^6+1512*C*b^2*m^8*x^6+ \\
& 355530*C*b*c*m^6*x^8+3416930*C*c^2*m^4*x^10+122*A*a*c*m^9*x^4+61*A*b^2*m^9* \\
& x^4+44172*A*b*c*m^7*x^6+1037673*A*c^2*m^5*x^8+2*B*a*b*m^10*x^3+3130*B*a*c*m \\
& ^8*x^5+1565*B*b^2*m^8*x^5+379134*B*b*c*m^6*x^7+3686255*B*c^2*m^4*x^9+122*C* \\
& a*b*m^9*x^4+44172*C*a*c*m^7*x^6+22086*C*b^2*m^7*x^6+2075346*C*b*c*m^5*x^8+8 \\
& 409500*C*c^2*m^3*x^10+2*A*a*b*m^10*x^2+3240*A*a*c*m^8*x^4+1620*A*b^2*m^8*x^ \\
& 4+405642*A*b*c*m^6*x^6+4000478*A*c^2*m^4*x^8+124*B*a*b*m^9*x^3+46560*B*a*c*m \\
& m^7*x^5+23280*B*b^2*m^7*x^5+2242044*B*b*c*m^5*x^7+9133180*B*c^2*m^3*x^9+C*a \\
& ^2*m^10*x^2+3240*C*a*b*m^8*x^4+405642*C*a*c*m^6*x^6+202821*C*b^2*m^6*x^6+80 \\
& 00956*C*b*c*m^4*x^8+12753576*C*c^2*m^2*x^10+126*A*a*b*m^9*x^2+49140*A*a*c*m \\
& ^7*x^4+24570*A*b^2*m^7*x^4+2435622*A*b*c*m^5*x^6+9991428*A*c^2*m^3*x^8+B*a^ \\
& 2*m^10*x+3354*B*a*b*m^8*x^3+435486*B*a*c*m^6*x^5+217743*B*b^2*m^6*x^5+87427 \\
& 18*B*b*c*m^4*x^7+13926276*B*c^2*m^2*x^9+63*C*a^2*m^9*x^2+49140*C*a*b*m^7*x^ \\
& 4+2435622*C*a*c*m^5*x^6+1217811*C*b^2*m^5*x^6+19982856*C*b*c*m^3*x^8+106286 \\
& 40*C*c^2*m*x^10+A*a^2*m^10+3472*A*a*b*m^8*x^2+469146*A*a*c*m^6*x^4+234573*A \\
& *b^2*m^6*x^4+9629716*A*b*c*m^4*x^6+15335224*A*c^2*m^2*x^8+64*B*a^2*m^9*x+51 \\
& 924*B*a*b*m^7*x^3+2662200*B*a*c*m^5*x^5+1331100*B*b^2*m^5*x^5+22049716*B*b* \\
& c*m^3*x^7+11655216*B*c^2*m*x^9+1736*C*a^2*m^8*x^2+469146*C*a*b*m^6*x^4+9629 \\
& 716*C*a*c*m^4*x^6+4814858*C*b^2*m^4*x^6+30670448*C*b*c*m^2*x^8+3628800*C*c^ \\
& 2*x^10+65*A*a^2*m^9+54924*A*a*b*m^7*x^2+2929386*A*a*c*m^5*x^4+1464693*A*b^2 \\
& *m^5*x^4+24583448*A*b*c*m^3*x^6+12900960*A*c^2*m*x^8+1797*B*a^2*m^8*x+50715 \\
& 0*B*a*b*m^6*x^3+10705870*B*a*c*m^4*x^5+5352935*B*b^2*m^4*x^5+34118424*B*b*c \\
& *m^2*x^7+3991680*B*c^2*x^9+27462*C*a^2*m^7*x^2+2929386*C*a*b*m^5*x^4+245834 \\
& 48*C*a*c*m^3*x^6+12291724*C*b^2*m^3*x^6+25801920*C*b*c*m*x^8+1860*A*a^2*m^8 \\
& +550074*A*a*b*m^6*x^2+12032140*A*a*c*m^4*x^4+6016070*A*b^2*m^4*x^4+38432016 \\
& *A*b*c*m^2*x^6+4435200*A*c^2*x^8+29076*B*a^2*m^7*x+3246516*B*a*b*m^5*x^3+27 \\
& 756240*B*a*c*m^3*x^5+13878120*B*b^2*m^3*x^5+28888560*B*b*c*m*x^7+275037*C*a \\
& ^2*m^6*x^2+12032140*C*a*b*m^4*x^4+38432016*C*a*c*m^2*x^6+19216008*C*b^2*m^2 \\
& *x^6+8870400*C*b*c*x^8+30810*A*a^2*m^7+3624894*A*a*b*m^5*x^2+31830760*A*a*c \\
& *m^3*x^4+15915380*A*b^2*m^3*x^4+32811840*A*b*c*m*x^6+299271*B*a^2*m^6*x+136 \\
& 93006*B*a*b*m^4*x^3+43978712*B*a*c*m^2*x^5+21989356*B*b^2*m^2*x^5+9979200*B \\
& *b*c*x^7+1812447*C*a^2*m^5*x^2+31830760*C*a*b*m^3*x^4+32811840*C*a*c*m*x^6+ \\
& 16405920*C*b^2*m*x^6+326613*A*a^2*m^6+15804388*A*a*b*m^4*x^2+51362352*A*a*c \\
& *m^2*x^4+25681176*A*b^2*m^2*x^4+11404800*A*b*c*x^6+2039016*B*a^2*m^5*x+3721 \\
& 9436*B*a*b*m^3*x^3+37963680*B*a*c*m*x^5+18981840*B*b^2*m*x^5+7902194*C*a^2* \\
& m^4*x^2+51362352*C*a*b*m^2*x^4+11404800*C*a*c*x^6+5702400*C*b^2*x^6+2310945 \\
& *A*a^2*m^5+44578296*A*a*b*m^3*x^2+45024192*A*a*c*m*x^4+22512096*A*b^2*m*x^4 \\
& +9261503*B*a^2*m^4*x+61638408*B*a*b*m^2*x^3+13305600*B*a*c*x^5+6652800*B*b^ \\
& 2*x^5+22289148*C*a^2*m^3*x^2+45024192*C*a*b*m*x^4+11028590*A*a^2*m^4+767812 \\
& 64*A*a*b*m^2*x^2+15966720*A*a*c*x^4+7983360*A*b^2*x^4+27472724*B*a^2*m^3*x+ \\
& 55282320*B*a*b*m*x^3+38390632*C*a^2*m^2*x^2+15966720*C*a*b*x^4+34967140*A*a \\
& ^2*m^3+71492160*A*a*b*m*x^2+50312628*B*a^2*m^2*x+19958400*B*a*b*x^3+3574608 \\
& 0*C*a^2*m*x^2+70290936*A*a^2*m^2+26611200*A*a*b*x^2+50292720*B*a^2*m*x+1330 \\
& 5600*C*a^2*x^2+80627040*A*a^2*m+19958400*B*a^2*x+39916800*A*a^2)*(d*x)/(1 \\
& 1+m)/(10+m)/(9+m)/(8+m)/(7+m)/(6+m)/(5+m)/(4+m)/(3+m)/(2+m)/(1+m)
\end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 1.82465, size = 4469, normalized size = 17.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] ((C\*c^2\*m^10 + 55\*C\*c^2\*m^9 + 1320\*C\*c^2\*m^8 + 18150\*C\*c^2\*m^7 + 157773\*C\*c^2\*m^6 + 902055\*C\*c^2\*m^5 + 3416930\*C\*c^2\*m^4 + 8409500\*C\*c^2\*m^3 + 12753576\*C\*c^2\*m^2 + 10628640\*C\*c^2\*m + 3628800\*C\*c^2)\*x^11 + (B\*c^2\*m^10 + 56\*B\*c^2\*m^9 + 1365\*B\*c^2\*m^8 + 19020\*B\*c^2\*m^7 + 167223\*B\*c^2\*m^6 + 965328\*B\*c^2\*m^5 + 3686255\*B\*c^2\*m^4 + 9133180\*B\*c^2\*m^3 + 13926276\*B\*c^2\*m^2 + 11655216\*B\*c^2\*m + 3991680\*B\*c^2)\*x^10 + ((2\*C\*b\*c + A\*c^2)\*m^10 + 57\*(2\*C\*b\*c + A\*c^2)\*m^9 + 1412\*(2\*C\*b\*c + A\*c^2)\*m^8 + 19962\*(2\*C\*b\*c + A\*c^2)\*m^7 + 177765\*(2\*C\*b\*c + A\*c^2)\*m^6 + 1037673\*(2\*C\*b\*c + A\*c^2)\*m^5 + 4000478\*(2\*C\*b\*c + A\*c^2)\*m^4 + 9991428\*(2\*C\*b\*c + A\*c^2)\*m^3 + 8870400\*C\*b\*c + 4435200\*A\*c^2 + 15335224\*(2\*C\*b\*c + A\*c^2)\*m^2 + 12900960\*(2\*C\*b\*c + A\*c^2)\*m)\*x^9 + 2\*(B\*b\*c\*m^10 + 58\*B\*b\*c\*m^9 + 1461\*B\*b\*c\*m^8 + 20982\*B\*b\*c\*m^7 + 189567\*B\*b\*c\*m^6 + 1121022\*B\*b\*c\*m^5 + 4371359\*B\*b\*c\*m^4 + 11024858\*B\*b\*c\*m^3 + 17059212\*B\*b\*c\*m^2 + 14444280\*B\*b\*c\*m + 4989600\*B\*b\*c)\*x^8 + ((C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^10 + 59\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^9 + 1512\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^8 + 22086\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^7 + 202821\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^6 + 1217811\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^5 + 4814858\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^4 + 12291724\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^3 + 5702400\*C\*b^2 + 19216008\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m^2 + 11404800\*(C\*a + A\*b)\*c + 16405920\*(C\*b^2 + 2\*(C\*a + A\*b)\*c)\*m)\*x^7 + ((B\*b^2 + 2\*B\*a\*c)\*m^10 + 60\*(B\*b^2 + 2\*B\*a\*c)\*m^9 + 1565\*(B\*b^2 + 2\*B\*a\*c)\*m^8 + 23280\*(B\*b^2 + 2\*B\*a\*c)\*m^7 + 217743\*(B\*b^2 + 2\*B\*a\*c)\*m^6 + 1331100\*(B\*b^2 + 2\*B\*a\*c)\*m^5 + 5352935\*(B\*b^2

$$\begin{aligned}
& + 2*B*a*c)*m^4 + 13878120*(B*b^2 + 2*B*a*c)*m^3 + 6652800*B*b^2 + 13305600 \\
& *B*a*c + 21989356*(B*b^2 + 2*B*a*c)*m^2 + 18981840*(B*b^2 + 2*B*a*c)*m*x^6 \\
& + ((2*C*a*b + A*b^2 + 2*A*a*c)*m^{10} + 61*(2*C*a*b + A*b^2 + 2*A*a*c)*m^9 + \\
& 1620*(2*C*a*b + A*b^2 + 2*A*a*c)*m^8 + 24570*(2*C*a*b + A*b^2 + 2*A*a*c)*m \\
& ^7 + 234573*(2*C*a*b + A*b^2 + 2*A*a*c)*m^6 + 1464693*(2*C*a*b + A*b^2 + 2* \\
& A*a*c)*m^5 + 6016070*(2*C*a*b + A*b^2 + 2*A*a*c)*m^4 + 15915380*(2*C*a*b + \\
& A*b^2 + 2*A*a*c)*m^3 + 15966720*C*a*b + 7983360*A*b^2 + 15966720*A*a*c + 25 \\
& 681176*(2*C*a*b + A*b^2 + 2*A*a*c)*m^2 + 22512096*(2*C*a*b + A*b^2 + 2*A*a* \\
& c)*m)*x^5 + 2*(B*a*b*m^{10} + 62*B*a*b*m^9 + 1677*B*a*b*m^8 + 25962*B*a*b*m^7 \\
& + 253575*B*a*b*m^6 + 1623258*B*a*b*m^5 + 6846503*B*a*b*m^4 + 18609718*B*a* \\
& b*m^3 + 30819204*B*a*b*m^2 + 27641160*B*a*b*m + 9979200*B*a*b)*x^4 + ((C*a^ \\
& 2 + 2*A*a*b)*m^{10} + 63*(C*a^2 + 2*A*a*b)*m^9 + 1736*(C*a^2 + 2*A*a*b)*m^8 + \\
& 27462*(C*a^2 + 2*A*a*b)*m^7 + 275037*(C*a^2 + 2*A*a*b)*m^6 + 1812447*(C*a^ \\
& 2 + 2*A*a*b)*m^5 + 7902194*(C*a^2 + 2*A*a*b)*m^4 + 22289148*(C*a^2 + 2*A*a* \\
& b)*m^3 + 13305600*C*a^2 + 26611200*A*a*b + 38390632*(C*a^2 + 2*A*a*b)*m^2 + \\
& 35746080*(C*a^2 + 2*A*a*b)*m)*x^3 + (B*a^2*m^{10} + 64*B*a^2*m^9 + 1797*B*a^ \\
& 2*m^8 + 29076*B*a^2*m^7 + 299271*B*a^2*m^6 + 2039016*B*a^2*m^5 + 9261503*B* \\
& a^2*m^4 + 27472724*B*a^2*m^3 + 50312628*B*a^2*m^2 + 50292720*B*a^2*m + 1995 \\
& 8400*B*a^2)*x^2 + (A*a^2*m^{10} + 65*A*a^2*m^9 + 1860*A*a^2*m^8 + 30810*A*a^2 \\
& *m^7 + 326613*A*a^2*m^6 + 2310945*A*a^2*m^5 + 11028590*A*a^2*m^4 + 34967140 \\
& *A*a^2*m^3 + 70290936*A*a^2*m^2 + 80627040*A*a^2*m + 39916800*A*a^2)*x)*(d* \\
& x)^m/(m^{11} + 66*m^{10} + 1925*m^9 + 32670*m^8 + 357423*m^7 + 2637558*m^6 + 13 \\
& 339535*m^5 + 45995730*m^4 + 105258076*m^3 + 150917976*m^2 + 120543840*m + 3 \\
& 9916800)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*(C\*x\*\*2+B\*x+A)\*(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.19524, size = 4324, normalized size = 16.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] ((d\*x)^m\*C\*c^2\*m^10\*x^11 + (d\*x)^m\*B\*c^2\*m^10\*x^10 + 55\*(d\*x)^m\*C\*c^2\*m^9\*x^11 + 2\*(d\*x)^m\*C\*b\*c\*m^10\*x^9 + (d\*x)^m\*A\*c^2\*m^10\*x^9 + 56\*(d\*x)^m\*B\*c^2\*m^9\*x^10 + 1320\*(d\*x)^m\*C\*c^2\*m^8\*x^11 + 2\*(d\*x)^m\*B\*b\*c\*m^10\*x^8 + 114\*(d\*x)^m\*C\*b\*c\*m^9\*x^9 + 57\*(d\*x)^m\*A\*c^2\*m^9\*x^9 + 1365\*(d\*x)^m\*B\*c^2\*m^8\*x^10 + 18150\*(d\*x)^m\*C\*c^2\*m^7\*x^11 + (d\*x)^m\*C\*b^2\*m^10\*x^7 + 2\*(d\*x)^m\*C\*a\*c\*m^10\*x^7 + 2\*(d\*x)^m\*A\*b\*c\*m^10\*x^7 + 116\*(d\*x)^m\*B\*b\*c\*m^9\*x^8 + 2824\*(d\*x)^m\*C\*b\*c\*m^8\*x^9 + 1412\*(d\*x)^m\*A\*c^2\*m^8\*x^9 + 19020\*(d\*x)^m\*B\*c^2\*m^7\*x^10 + 157773\*(d\*x)^m\*C\*c^2\*m^6\*x^11 + (d\*x)^m\*B\*b^2\*m^10\*x^6 + 2\*(d\*x)^m\*B\*a\*c\*m^10\*x^6 + 59\*(d\*x)^m\*C\*b^2\*m^9\*x^7 + 118\*(d\*x)^m\*C\*a\*c\*m^9\*x^7 + 118\*(d\*x)^m\*A\*b\*c\*m^9\*x^7 + 2922\*(d\*x)^m\*B\*b\*c\*m^8\*x^8 + 39924\*(d\*x)^m\*C\*b\*c\*m^7\*x^9 + 19962\*(d\*x)^m\*A\*c^2\*m^7\*x^9 + 167223\*(d\*x)^m\*B\*c^2\*m^6\*x^10 + 902055\*(d\*x)^m\*C\*c^2\*m^5\*x^11 + 2\*(d\*x)^m\*C\*a\*b\*m^10\*x^5 + (d\*x)^m\*A\*b^2\*m^10\*x^5 + 2\*(d\*x)^m\*A\*a\*c\*m^10\*x^5 + 60\*(d\*x)^m\*B\*b^2\*m^9\*x^6 + 120\*(d\*x)^m\*B\*a\*c\*m^9\*x^6 + 1512\*(d\*x)^m\*C\*b^2\*m^8\*x^7 + 3024\*(d\*x)^m\*C\*a\*c\*m^8\*x^7 + 3024\*(d\*x)^m\*A\*b\*c\*m^8\*x^7 + 41964\*(d\*x)^m\*B\*b\*c\*m^7\*x^8 + 355530\*(d\*x)^m\*C\*b\*c\*m^6\*x^9 + 177765\*(d\*x)^m\*A\*c^2\*m^6\*x^9 + 965328\*(d\*x)^m\*B\*c^2\*m^5\*x^10 + 3416930\*(d\*x)^m\*C\*c^2\*m^4\*x^11 + 2\*(d\*x)^m\*B\*a\*b\*m^10\*x^4 + 122\*(d\*x)^m\*C\*a\*b\*m^9\*x^5 + 61\*(d\*x)^m\*A\*b^2\*m^9\*x^5 + 122\*(d\*x)^m\*A\*a\*c\*m^9\*x^5 + 1565\*(d\*x)^m\*B\*b^2\*m^8\*x^6 + 3130\*(d\*x)^m\*B\*a\*c\*m^8\*x^6 + 22086\*(d\*x)^m\*C\*b^2\*m^7\*x^7 + 44172\*(d\*x)^m\*C\*a\*c\*m^7\*x^7 + 44172\*(d\*x)^m\*A\*b\*c\*m^7\*x^7 + 379134\*(d\*x)^m\*B\*b\*c\*m^6\*x^8 + 2075346\*(d\*x)^m\*C\*b\*c\*m^5\*x^9 + 1037673\*(d\*x)^m\*A\*c^2\*m^5\*x^9 + 3686255\*(d\*x)^m\*B\*c^2\*m^4\*x^10 + 8409500\*(d\*x)^m\*C\*c^2\*m^3\*x^11 + (d\*x)^m\*C\*a^2\*m^10\*x^3 + 2\*(d\*x)^m\*A\*a\*b\*m^10\*x^3 + 124\*(d\*x)^m\*B\*a\*b\*m^9\*x^4 + 3240\*(d\*x)^m\*C\*a\*b\*m^8\*x^5 + 1620\*(d\*x)^m\*A\*b^2\*m^8\*x^5 + 3240\*(d\*x)^m\*A\*a\*c\*m^8\*x^5 + 23280\*(d\*x)^m\*B\*b^2\*m^7\*x^6 + 46560\*(d\*x)^m\*B\*a\*c\*m^7\*x^6 + 202821\*(d\*x)^m\*C\*b^2\*m^6\*x^7 + 405642\*(d\*x)^m\*C\*a\*c\*m^6\*x^7 + 405642\*(d\*x)^m\*A\*b\*c\*m^6\*x^7 + 2242044\*(d\*x)^m\*B\*b\*c\*m^5\*x^8 + 8000956\*(d\*x)^m\*C\*b\*c\*m^4\*x^9 + 4000478\*(d\*x)^m\*A\*c^2\*m^4\*x^9 + 9133180\*(d\*x)^m\*B\*c^2\*m^3\*x^10 + 12753576\*(d\*x)^m\*C\*c^2\*m^2\*x^11 + (d\*x)^m\*B\*a^2\*m^10\*x^2 + 63\*(d\*x)^m\*C\*a^2\*m^9\*x^3 + 126\*(d\*x)^m\*A\*a\*b\*m^9\*x^3 + 3354\*(d\*x)^m\*B\*a\*b\*m^8\*x^4 + 49140\*(d\*x)^m\*C\*a\*b\*m^7\*x^5 + 24570\*(d\*x)^m\*A\*b^2\*m^7\*x^5 + 49140\*(d\*x)^m\*A\*a\*c\*m^7\*x^5 + 217743\*(d\*x)^m\*B\*b^2\*m^6\*x^6 + 435486\*(d\*x)^m\*B\*a\*c\*m^6\*x^6 + 1217811\*(d\*x)^m\*C\*b^2\*m^5\*x^7 + 2435622\*(d\*x)^m\*C\*a\*c\*m^5\*x^7 + 2435622\*(d\*x)^m\*A\*b\*c\*m^5\*x^7 + 8742718\*(d\*x)^m\*B\*b\*c\*m^4\*x^8 + 19982856\*(d\*x)^m\*C\*b\*c\*m^3\*x^9 + 9991428\*(d\*x)^m\*A\*c^2\*m^3\*x^9 + 13926276\*(d\*x)^m\*B\*c^2\*m^2\*x^10 + 10628640\*(d\*x)^m\*C\*c^2\*m\*x^11 + (d\*x)^m\*A\*a^2\*m^10\*x + 64\*(d\*x)^m\*B\*a^2\*m^9\*x^2 + 1736\*(d\*x)^m\*C\*a^2\*m^8\*x^3 + 3472\*(d\*x)^m\*A\*a\*b\*m^8\*x^3 + 51924\*(d\*x)^m\*B\*a\*b\*m^7\*x^4 + 469146\*(d\*x)^m\*C\*a\*b\*m^6\*x^5 + 234573\*(d\*x)^m\*A\*b^2\*m^6\*x^5 + 469146\*(d\*x)^m\*A\*a\*c\*m^6\*x^5 + 1331100\*(d\*x)^m\*B\*b^2\*m^5\*x^6 + 2662200\*(d\*x)^m\*B\*a\*c\*m^5\*x^6 + 4814858\*(d\*x)^m\*C\*b^2\*m^4\*x^7 + 9629716\*(d\*x)^m\*C\*a\*c\*m^4\*x^7 + 9629716\*(d\*x)^m\*A\*b\*c\*m^4\*x^7 + 22049716\*(d\*x)^m\*B\*b\*c\*m^3\*x^8 + 30670448\*(d\*x)^m\*C\*b\*c\*m^2\*x^9 + 15335224\*(d\*x)^m\*A\*c^2\*m^2\*x^9 + 11655216\*(

$$\begin{aligned}
& (d*x)^m*B*c^2*m*x^{10} + 3628800*(d*x)^m*C*c^2*x^{11} + 65*(d*x)^m*A*a^2*m^9*x + \\
& 1797*(d*x)^m*B*a^2*m^8*x^2 + 27462*(d*x)^m*C*a^2*m^7*x^3 + 54924*(d*x)^m*A \\
& *a*b*m^7*x^3 + 507150*(d*x)^m*B*a*b*m^6*x^4 + 2929386*(d*x)^m*C*a*b*m^5*x^5 \\
& + 1464693*(d*x)^m*A*b^2*m^5*x^5 + 2929386*(d*x)^m*A*a*c*m^5*x^5 + 5352935* \\
& (d*x)^m*B*b^2*m^4*x^6 + 10705870*(d*x)^m*B*a*c*m^4*x^6 + 12291724*(d*x)^m*C \\
& *b^2*m^3*x^7 + 24583448*(d*x)^m*C*a*c*m^3*x^7 + 24583448*(d*x)^m*A*b*c*m^3* \\
& x^7 + 34118424*(d*x)^m*B*b*c*m^2*x^8 + 25801920*(d*x)^m*C*b*c*m*x^9 + 12900 \\
& 960*(d*x)^m*A*c^2*m*x^9 + 3991680*(d*x)^m*B*c^2*x^{10} + 1860*(d*x)^m*A*a^2*m \\
& ^8*x + 29076*(d*x)^m*B*a^2*m^7*x^2 + 275037*(d*x)^m*C*a^2*m^6*x^3 + 550074* \\
& (d*x)^m*A*a*b*m^6*x^3 + 3246516*(d*x)^m*B*a*b*m^5*x^4 + 12032140*(d*x)^m*C \\
& a*b*m^4*x^5 + 6016070*(d*x)^m*A*b^2*m^4*x^5 + 12032140*(d*x)^m*A*a*c*m^4*x^ \\
& 5 + 13878120*(d*x)^m*B*b^2*m^3*x^6 + 27756240*(d*x)^m*B*a*c*m^3*x^6 + 19216 \\
& 008*(d*x)^m*C*b^2*m^2*x^7 + 38432016*(d*x)^m*C*a*c*m^2*x^7 + 38432016*(d*x) \\
& ^m*A*b*c*m^2*x^7 + 28888560*(d*x)^m*B*b*c*m*x^8 + 8870400*(d*x)^m*C*b*c*x^9 \\
& + 4435200*(d*x)^m*A*c^2*x^9 + 30810*(d*x)^m*A*a^2*m^7*x + 299271*(d*x)^m*B \\
& *a^2*m^6*x^2 + 1812447*(d*x)^m*C*a^2*m^5*x^3 + 3624894*(d*x)^m*A*a*b*m^5*x^ \\
& 3 + 13693006*(d*x)^m*B*a*b*m^4*x^4 + 31830760*(d*x)^m*C*a*b*m^3*x^5 + 15915 \\
& 380*(d*x)^m*A*b^2*m^3*x^5 + 31830760*(d*x)^m*A*a*c*m^3*x^5 + 21989356*(d*x) \\
& ^m*B*b^2*m^2*x^6 + 43978712*(d*x)^m*B*a*c*m^2*x^6 + 16405920*(d*x)^m*C*b^2* \\
& m*x^7 + 32811840*(d*x)^m*C*a*c*m*x^7 + 32811840*(d*x)^m*A*b*c*m*x^7 + 99792 \\
& 00*(d*x)^m*B*b*c*x^8 + 326613*(d*x)^m*A*a^2*m^6*x + 2039016*(d*x)^m*B*a^2*m \\
& ^5*x^2 + 7902194*(d*x)^m*C*a^2*m^4*x^3 + 15804388*(d*x)^m*A*a*b*m^4*x^3 + 3 \\
& 7219436*(d*x)^m*B*a*b*m^3*x^4 + 51362352*(d*x)^m*C*a*b*m^2*x^5 + 25681176*( \\
& d*x)^m*A*b^2*m^2*x^5 + 51362352*(d*x)^m*A*a*c*m^2*x^5 + 18981840*(d*x)^m*B \\
& b^2*m*x^6 + 37963680*(d*x)^m*B*a*c*m*x^6 + 5702400*(d*x)^m*C*b^2*x^7 + 1140 \\
& 4800*(d*x)^m*C*a*c*x^7 + 11404800*(d*x)^m*A*b*c*x^7 + 2310945*(d*x)^m*A*a^2 \\
& *m^5*x + 9261503*(d*x)^m*B*a^2*m^4*x^2 + 22289148*(d*x)^m*C*a^2*m^3*x^3 + 4 \\
& 4578296*(d*x)^m*A*a*b*m^3*x^3 + 61638408*(d*x)^m*B*a*b*m^2*x^4 + 45024192*( \\
& d*x)^m*C*a*b*m*x^5 + 22512096*(d*x)^m*A*b^2*m*x^5 + 45024192*(d*x)^m*A*a*c \\
& m*x^5 + 6652800*(d*x)^m*B*b^2*x^6 + 13305600*(d*x)^m*B*a*c*x^6 + 11028590*( \\
& d*x)^m*A*a^2*m^4*x + 27472724*(d*x)^m*B*a^2*m^3*x^2 + 38390632*(d*x)^m*C*a^ \\
& 2*m^2*x^3 + 76781264*(d*x)^m*A*a*b*m^2*x^3 + 55282320*(d*x)^m*B*a*b*m*x^4 + \\
& 15966720*(d*x)^m*C*a*b*x^5 + 7983360*(d*x)^m*A*b^2*x^5 + 15966720*(d*x)^m \\
& A*a*c*x^5 + 34967140*(d*x)^m*A*a^2*m^3*x + 50312628*(d*x)^m*B*a^2*m^2*x^2 + \\
& 35746080*(d*x)^m*C*a^2*m*x^3 + 71492160*(d*x)^m*A*a*b*m*x^3 + 19958400*(d \\
& x)^m*B*a*b*x^4 + 70290936*(d*x)^m*A*a^2*m^2*x + 50292720*(d*x)^m*B*a^2*m*x^ \\
& 2 + 13305600*(d*x)^m*C*a^2*x^3 + 26611200*(d*x)^m*A*a*b*x^3 + 80627040*(d*x \\
& )^m*A*a^2*m*x + 19958400*(d*x)^m*B*a^2*x^2 + 39916800*(d*x)^m*A*a^2*x)/(m^1 \\
& 1 + 66*m^{10} + 1925*m^9 + 32670*m^8 + 357423*m^7 + 2637558*m^6 + 13339535*m^ \\
& 5 + 45995730*m^4 + 105258076*m^3 + 150917976*m^2 + 120543840*m + 39916800)
\end{aligned}$$

### 3.39 $\int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4) dx$

**Optimal.** Leaf size=137

$$\frac{(dx)^{m+3}(aC + Ab)}{d^3(m+3)} + \frac{aA(dx)^{m+1}}{d(m+1)} + \frac{aB(dx)^{m+2}}{d^2(m+2)} + \frac{(dx)^{m+5}(Ac + bC)}{d^5(m+5)} + \frac{bB(dx)^{m+4}}{d^4(m+4)} + \frac{Bc(dx)^{m+6}}{d^6(m+6)} + \frac{cC(dx)^{m+7}}{d^7(m+7)}$$

[Out] (a\*A\*(d\*x)^(1 + m))/(d\*(1 + m)) + (a\*B\*(d\*x)^(2 + m))/(d^2\*(2 + m)) + ((A\*b + a\*C)\*(d\*x)^(3 + m))/(d^3\*(3 + m)) + (b\*B\*(d\*x)^(4 + m))/(d^4\*(4 + m)) + ((A\*c + b\*C)\*(d\*x)^(5 + m))/(d^5\*(5 + m)) + (B\*c\*(d\*x)^(6 + m))/(d^6\*(6 + m)) + (c\*C\*(d\*x)^(7 + m))/(d^7\*(7 + m))

**Rubi [A]** time = 0.0880793, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$ , Rules used = {1628}

$$\frac{(dx)^{m+3}(aC + Ab)}{d^3(m+3)} + \frac{aA(dx)^{m+1}}{d(m+1)} + \frac{aB(dx)^{m+2}}{d^2(m+2)} + \frac{(dx)^{m+5}(Ac + bC)}{d^5(m+5)} + \frac{bB(dx)^{m+4}}{d^4(m+4)} + \frac{Bc(dx)^{m+6}}{d^6(m+6)} + \frac{cC(dx)^{m+7}}{d^7(m+7)}$$

Antiderivative was successfully verified.

[In] Int[(d\*x)^m\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] (a\*A\*(d\*x)^(1 + m))/(d\*(1 + m)) + (a\*B\*(d\*x)^(2 + m))/(d^2\*(2 + m)) + ((A\*b + a\*C)\*(d\*x)^(3 + m))/(d^3\*(3 + m)) + (b\*B\*(d\*x)^(4 + m))/(d^4\*(4 + m)) + ((A\*c + b\*C)\*(d\*x)^(5 + m))/(d^5\*(5 + m)) + (B\*c\*(d\*x)^(6 + m))/(d^6\*(6 + m)) + (c\*C\*(d\*x)^(7 + m))/(d^7\*(7 + m))

#### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

#### Rubi steps

$$\begin{aligned} \int (dx)^m (A + Bx + Cx^2) (a + bx^2 + cx^4) dx &= \int \left( aA(dx)^m + \frac{aB(dx)^{1+m}}{d} + \frac{(Ab + aC)(dx)^{2+m}}{d^2} + \frac{bB(dx)^{3+m}}{d^3} + \frac{(Ac + bC)(dx)^{4+m}}{d^4} \right. \\ &= \frac{aA(dx)^{1+m}}{d(1+m)} + \frac{aB(dx)^{2+m}}{d^2(2+m)} + \frac{(Ab + aC)(dx)^{3+m}}{d^3(3+m)} + \frac{bB(dx)^{4+m}}{d^4(4+m)} + \frac{(Ac + bC)(dx)^{5+m}}{d^5(5+m)} \end{aligned}$$



**Mathematica [A]** time = 0.121717, size = 90, normalized size = 0.66

$$x(dx)^m \left( \frac{x^2(aC + Ab)}{m+3} + \frac{aA}{m+1} + \frac{aBx}{m+2} + \frac{x^4(Ac + bC)}{m+5} + \frac{bBx^3}{m+4} + \frac{Bcx^5}{m+6} + \frac{cCx^6}{m+7} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d\*x)^m\*(A + B\*x + C\*x^2)\*(a + b\*x^2 + c\*x^4), x]

[Out] x\*(d\*x)^m\*((a\*A)/(1 + m) + (a\*B\*x)/(2 + m) + ((A\*b + a\*C)\*x^2)/(3 + m) + (b\*B\*x^3)/(4 + m) + ((A\*c + b\*C)\*x^4)/(5 + m) + (B\*c\*x^5)/(6 + m) + (c\*C\*x^6)/(7 + m))

**Maple [B]** time = 0.004, size = 585, normalized size = 4.3

$$(Ccm^6x^6 + Bcm^6x^5 + 21Ccm^5x^6 + Acm^6x^4 + 22Bcm^5x^5 + Cbm^6x^4 + 175Ccm^4x^6 + 23Acm^5x^4 + Bbm^6x^3 + 190Bcm^4x^5 + 23Cbm^5x^4 + 735Ccm^3x^6 + Abm^6x^2 + 207Acm^4x^4 + 24Bbm^5x^3 + 820Bcm^3x^5 + Cbm^6x^2 + 207Cbm^4x^4 + 1624Ccm^2x^6 + 25Abm^5x^2 + 925Acm^3x^4 + Bbm^6x + 226Bbm^4x^3 + 1849Bcm^2x^5 + 25Cbm^5x^2 + 925Cbm^3x^4 + 1764Ccm^6x^6 + Acm^6x^4 + 247Acm^4x^2 + 2144Acm^2x^4 + 26Bbm^5x + 1056Bbm^3x^3 + 2038Bcm^5x^5 + 247Ccm^4x^2 + 2144Cbm^2x^4 + 720Ccm^6x^6 + 27Acm^5x^5 + 1219Acm^3x^2 + 2412Acm^2x^4 + 270Bbm^4x^2 + 2545Bbm^2x^3 + 840Bcm^5x^5 + 1219Ccm^3x^2 + 2412Cbm^2x^4 + 295Acm^4x^4 + 3112Acm^2x^2 + 1008Acm^3x^4 + 1420Bbm^3x^3 + 2952Bbm^2x^3 + 3112Ccm^2x^2 + 1008Cbm^2x^4 + 1665Acm^3x^3 + 3796Acm^2x^2 + 3929Bbm^2x^2 + 1260Bbm^3x^3 + 3796Ccm^2x^2 + 5104Acm^2x^2 + 1680Acm^2x^2 + 5274Bbm^2x^2 + 1680Ccm^2x^2 + 8028Acm^2x^2 + 2520Bbm^2x^2 + 5040Acm^2x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(C\*x^2+B\*x+A)\*(c\*x^4+b\*x^2+a), x)

[Out] x\*(C\*c\*m^6\*x^6+B\*c\*m^6\*x^5+21\*C\*c\*m^5\*x^6+A\*c\*m^6\*x^4+22\*B\*c\*m^5\*x^5+C\*b\*m^6\*x^4+175\*C\*c\*m^4\*x^6+23\*A\*c\*m^5\*x^4+B\*b\*m^6\*x^3+190\*B\*c\*m^4\*x^5+23\*C\*b\*m^5\*x^4+735\*C\*c\*m^3\*x^6+A\*b\*m^6\*x^2+207\*A\*c\*m^4\*x^4+24\*B\*b\*m^5\*x^3+820\*B\*c\*m^3\*x^5+C\*a\*m^6\*x^2+207\*C\*b\*m^4\*x^4+1624\*C\*c\*m^2\*x^6+25\*A\*b\*m^5\*x^2+925\*A\*c\*m^3\*x^4+B\*a\*m^6\*x+226\*B\*b\*m^4\*x^3+1849\*B\*c\*m^2\*x^5+25\*C\*a\*m^5\*x^2+925\*C\*b\*m^3\*x^4+1764\*C\*c\*m\*x^6+A\*a\*m^6+247\*A\*b\*m^4\*x^2+2144\*A\*c\*m^2\*x^4+26\*B\*a\*m^5\*x+1056\*B\*b\*m^3\*x^3+2038\*B\*c\*m\*x^5+247\*C\*a\*m^4\*x^2+2144\*C\*b\*m^2\*x^4+720\*C\*c\*x^6+27\*A\*a\*m^5+1219\*A\*b\*m^3\*x^2+2412\*A\*c\*m\*x^4+270\*B\*a\*m^4\*x+2545\*B\*b\*m^2\*x^3+840\*B\*c\*x^5+1219\*C\*a\*m^3\*x^2+2412\*C\*b\*m\*x^4+295\*A\*a\*m^4+3112\*A\*b\*m^2\*x^2+1008\*A\*c\*x^4+1420\*B\*a\*m^3\*x+2952\*B\*b\*m\*x^3+3112\*C\*a\*m^2\*x^2+1008\*C\*b\*x^4+1665\*A\*a\*m^3+3796\*A\*b\*m\*x^2+3929\*B\*a\*m^2\*x+1260\*B\*b\*x^3+3796\*C\*a\*m\*x^2+5104\*A\*a\*m^2+1680\*A\*b\*x^2+5274\*B\*a\*m\*x+1680\*C\*a\*x^2+8028\*A\*a\*m+2520\*B\*a\*x+5040\*A\*a)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 1.5775, size = 1181, normalized size = 8.62

$$\left( (Ccm^6 + 21 Ccm^5 + 175 Ccm^4 + 735 Ccm^3 + 1624 Ccm^2 + 1764 Ccm + 720 Cc)x^7 + (Bcm^6 + 22 Bcm^5 + 190 Bcm^4 + 820 Bcm^3 + 1849 Bcm^2 + 2038 Bcm + 840 Bc)x^6 + ((Cb + A*c)*m^6 + 23*(Cb + A*c)*m^5 + 207*(Cb + A*c)*m^4 + 925*(Cb + A*c)*m^3 + 2144*(Cb + A*c)*m^2 + 1008*Cb + 1008*A*c + 2412*(Cb + A*c)*m)x^5 + (B*b*m^6 + 24*B*b*m^5 + 226*B*b*m^4 + 1056*B*b*m^3 + 2545*B*b*m^2 + 2952*B*b*m + 1260*B*b)x^4 + ((C*a + A*b)*m^6 + 25*(C*a + A*b)*m^5 + 247*(C*a + A*b)*m^4 + 1219*(C*a + A*b)*m^3 + 3112*(C*a + A*b)*m^2 + 1680*C*a + 1680*A*b + 3796*(C*a + A*b)*m)x^3 + (B*a*m^6 + 26*B*a*m^5 + 270*B*a*m^4 + 1420*B*a*m^3 + 3929*B*a*m^2 + 5274*B*a*m + 2520*B*a)x^2 + (A*a*m^6 + 27*A*a*m^5 + 295*A*a*m^4 + 1665*A*a*m^3 + 5104*A*a*m^2 + 8028*A*a*m + 5040*A*a)*x \right) * (d*x)^m / (m^7 + 28*m^6 + 322*m^5 + 1960*m^4 + 6769*m^3 + 13132*m^2 + 13068*m + 5040)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] ((C*c*m^6 + 21*C*c*m^5 + 175*C*c*m^4 + 735*C*c*m^3 + 1624*C*c*m^2 + 1764*C*c*m + 720*C*c)*x^7 + (B*c*m^6 + 22*B*c*m^5 + 190*B*c*m^4 + 820*B*c*m^3 + 1849*B*c*m^2 + 2038*B*c*m + 840*B*c)*x^6 + ((C*b + A*c)*m^6 + 23*(C*b + A*c)*m^5 + 207*(C*b + A*c)*m^4 + 925*(C*b + A*c)*m^3 + 2144*(C*b + A*c)*m^2 + 1008*C*b + 1008*A*c + 2412*(C*b + A*c)*m)*x^5 + (B*b*m^6 + 24*B*b*m^5 + 226*B*b*m^4 + 1056*B*b*m^3 + 2545*B*b*m^2 + 2952*B*b*m + 1260*B*b)*x^4 + ((C*a + A*b)*m^6 + 25*(C*a + A*b)*m^5 + 247*(C*a + A*b)*m^4 + 1219*(C*a + A*b)*m^3 + 3112*(C*a + A*b)*m^2 + 1680*C*a + 1680*A*b + 3796*(C*a + A*b)*m)*x^3 + (B*a*m^6 + 26*B*a*m^5 + 270*B*a*m^4 + 1420*B*a*m^3 + 3929*B*a*m^2 + 5274*B*a*m + 2520*B*a)*x^2 + (A*a*m^6 + 27*A*a*m^5 + 295*A*a*m^4 + 1665*A*a*m^3 + 5104*A*a*m^2 + 8028*A*a*m + 5040*A*a)*x) * (d*x)^m / (m^7 + 28*m^6 + 322*m^5 + 1960*m^4 + 6769*m^3 + 13132*m^2 + 13068*m + 5040)
```

**Sympy [A]** time = 2.79044, size = 3735, normalized size = 27.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)**m*(C*x**2+B*x+A)*(c*x**4+b*x**2+a),x)
```

```
[Out] Piecewise((( -A*a/(6*x**6) - A*b/(4*x**4) - A*c/(2*x**2) - B*a/(5*x**5) - B*b/(3*x**3) - B*c/x - C*a/(4*x**4) - C*b/(2*x**2) + C*c*log(x))/d**7, Eq(m, -7)), (( -A*a/(5*x**5) - A*b/(3*x**3) - A*c/x - B*a/(4*x**4) - B*b/(2*x**2)
```

$$\begin{aligned}
& + B*c*log(x) - C*a/(3*x**3) - C*b/x + C*c*x/d**6, Eq(m, -6)), ((-A*a/(4*x**4) - A*b/(2*x**2) + A*c*log(x) - B*a/(3*x**3) - B*b/x + B*c*x - C*a/(2*x**2) + C*b*log(x) + C*c*x**2/2)/d**5, Eq(m, -5)), ((-A*a/(3*x**3) - A*b/x + A*c*x - B*a/(2*x**2) + B*b*log(x) + B*c*x**2/2 - C*a/x + C*b*x + C*c*x**3/3)/d**4, Eq(m, -4)), ((-A*a/(2*x**2) + A*b*log(x) + A*c*x**2/2 - B*a/x + B*b*x + B*c*x**3/3 + C*a*log(x) + C*b*x**2/2 + C*c*x**4/4)/d**3, Eq(m, -3)), ((-A*a/x + A*b*x + A*c*x**3/3 + B*a*log(x) + B*b*x**2/2 + B*c*x**4/4 + C*a*x + C*b*x**3/3 + C*c*x**5/5)/d**2, Eq(m, -2)), ((A*a*log(x) + A*b*x**2/2 + A*c*x**4/4 + B*a*x + B*b*x**3/3 + B*c*x**5/5 + C*a*x**2/2 + C*b*x**4/4 + C*c*x**6/6)/d, Eq(m, -1)), (A*a*d**m**6*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 27*A*a*d**m**5*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 295*A*a*d**m**4*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 1665*A*a*d**m**3*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 5104*A*a*d**m**2*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 8028*A*a*d**m*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 5040*A*a*d**m*x*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + A*b*d**m**6*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 25*A*b*d**m**5*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 247*A*b*d**m**4*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 1219*A*b*d**m**3*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 3112*A*b*d**m**2*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 3796*A*b*d**m*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 1680*A*b*d**m*x**3*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + A*c*d**m**6*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 23*A*c*d**m**5*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 207*A*c*d**m**4*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 925*A*c*d**m**3*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 2144*A*c*d**m**2*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 2412*A*c*d**m*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 1008*A*c*d**m*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + B*a*d**m**6*x**2*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 26*B*a*d**m**5*x**2*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 270*B*a*d**m**4*x**2*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + 1420*B*a*d**m**3*x**2*x**m/(m**7 + 28*m**
\end{aligned}$$

$$\begin{aligned}
& *6 + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 3929 \\
& *B*a*d^{***}m^{**2}*x^{**2}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} \\
& + 13132*m^{**2} + 13068*m + 5040) + 5274*B*a*d^{***}m^{**}x^{**2}*x^{**m}/(m^{**7} + 28*m^{**6} \\
& + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 2520*B \\
& *a*d^{***}x^{**2}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 1313 \\
& 2*m^{**2} + 13068*m + 5040) + B*b*d^{***}m^{**6}*x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{** \\
& *5 + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 24*B*b*d^{***}m^{** \\
& 5*x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} \\
& + 13068*m + 5040) + 226*B*b*d^{***}m^{**4}*x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} \\
& + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 1056*B*b*d^{***}m^{** \\
& 3*x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} \\
& + 13068*m + 5040) + 2545*B*b*d^{***}m^{**2}*x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{** \\
& 5 + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 2952*B*b*d^{***}m^{**} \\
& x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + \\
& 13068*m + 5040) + 1260*B*b*d^{***}x^{**4}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 196 \\
& 0*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + B*c*d^{***}m^{**6}*x^{**6}*x^{**m} \\
& /(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m \\
& + 5040) + 22*B*c*d^{***}m^{**5}*x^{**6}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} \\
& + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 190*B*c*d^{***}m^{**4}*x^{**6}*x^{**m}/( \\
& m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + \\
& 5040) + 820*B*c*d^{***}m^{**3}*x^{**6}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} \\
& + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 1849*B*c*d^{***}m^{**2}*x^{**6}*x^{**m}/( \\
& m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + \\
& 5040) + 2038*B*c*d^{***}m^{**}x^{**6}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + \\
& 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 840*B*c*d^{***}x^{**6}*x^{**m}/(m^{**7} + 2 \\
& 8*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + \\
& C*a*d^{***}m^{**6}*x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} \\
& + 13132*m^{**2} + 13068*m + 5040) + 25*C*a*d^{***}m^{**5}*x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} \\
& + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 247*C* \\
& a*d^{***}m^{**4}*x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + \\
& 13132*m^{**2} + 13068*m + 5040) + 1219*C*a*d^{***}m^{**3}*x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} \\
& + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 3112*C \\
& *a*d^{***}m^{**2}*x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + \\
& 13132*m^{**2} + 13068*m + 5040) + 3796*C*a*d^{***}m^{**}x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} + \\
& 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 1680*C*a \\
& *d^{***}x^{**3}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132* \\
& m^{**2} + 13068*m + 5040) + C*b*d^{***}m^{**6}*x^{**5}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} \\
& + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 23*C*b*d^{***}m^{**5}* \\
& x^{**5}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + \\
& 13068*m + 5040) + 207*C*b*d^{***}m^{**4}*x^{**5}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + \\
& 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 925*C*b*d^{***}m^{**3}*x \\
& **5*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + \\
& 13068*m + 5040) + 2144*C*b*d^{***}m^{**2}*x^{**5}*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + \\
& 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13068*m + 5040) + 2412*C*b*d^{***}m^{**}x \\
& **5*x^{**m}/(m^{**7} + 28*m^{**6} + 322*m^{**5} + 1960*m^{**4} + 6769*m^{**3} + 13132*m^{**2} + 13
\end{aligned}$$

```

068*m + 5040) + 1008*C*b*d**m*x**5*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m
**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040) + C*c*d**m*m**6*x**7*x**m/(m
**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5
040) + 21*C*c*d**m*m**5*x**7*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 +
6769*m**3 + 13132*m**2 + 13068*m + 5040) + 175*C*c*d**m*m**4*x**7*x**m/(m**
7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 504
0) + 735*C*c*d**m*m**3*x**7*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6
769*m**3 + 13132*m**2 + 13068*m + 5040) + 1624*C*c*d**m*m**2*x**7*x**m/(m**
7 + 28*m**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 504
0) + 1764*C*c*d**m*m*x**7*x**m/(m**7 + 28*m**6 + 322*m**5 + 1960*m**4 + 676
9*m**3 + 13132*m**2 + 13068*m + 5040) + 720*C*c*d**m*x**7*x**m/(m**7 + 28*m
**6 + 322*m**5 + 1960*m**4 + 6769*m**3 + 13132*m**2 + 13068*m + 5040), True
))

```

**Giac [B]** time = 1.12333, size = 1234, normalized size = 9.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)*(c*x^4+b*x^2+a),x, algorithm="giac")
```

```

[Out] ((d*x)^m*C*c*m^6*x^7 + (d*x)^m*B*c*m^6*x^6 + 21*(d*x)^m*C*c*m^5*x^7 + (d*x)
^m*C*b*m^6*x^5 + (d*x)^m*A*c*m^6*x^5 + 22*(d*x)^m*B*c*m^5*x^6 + 175*(d*x)^m
*C*c*m^4*x^7 + (d*x)^m*B*b*m^6*x^4 + 23*(d*x)^m*C*b*m^5*x^5 + 23*(d*x)^m*A*
c*m^5*x^5 + 190*(d*x)^m*B*c*m^4*x^6 + 735*(d*x)^m*C*c*m^3*x^7 + (d*x)^m*C*a
*m^6*x^3 + (d*x)^m*A*b*m^6*x^3 + 24*(d*x)^m*B*b*m^5*x^4 + 207*(d*x)^m*C*b*m
^4*x^5 + 207*(d*x)^m*A*c*m^4*x^5 + 820*(d*x)^m*B*c*m^3*x^6 + 1624*(d*x)^m*C
*c*m^2*x^7 + (d*x)^m*B*a*m^6*x^2 + 25*(d*x)^m*C*a*m^5*x^3 + 25*(d*x)^m*A*b*
m^5*x^3 + 226*(d*x)^m*B*b*m^4*x^4 + 925*(d*x)^m*C*b*m^3*x^5 + 925*(d*x)^m*A
*c*m^3*x^5 + 1849*(d*x)^m*B*c*m^2*x^6 + 1764*(d*x)^m*C*c*m*x^7 + (d*x)^m*A*
a*m^6*x + 26*(d*x)^m*B*a*m^5*x^2 + 247*(d*x)^m*C*a*m^4*x^3 + 247*(d*x)^m*A*
b*m^4*x^3 + 1056*(d*x)^m*B*b*m^3*x^4 + 2144*(d*x)^m*C*b*m^2*x^5 + 2144*(d*x)
^m*A*c*m^2*x^5 + 2038*(d*x)^m*B*c*m*x^6 + 720*(d*x)^m*C*c*x^7 + 27*(d*x)^m
*A*a*m^5*x + 270*(d*x)^m*B*a*m^4*x^2 + 1219*(d*x)^m*C*a*m^3*x^3 + 1219*(d*x)
^m*A*b*m^3*x^3 + 2545*(d*x)^m*B*b*m^2*x^4 + 2412*(d*x)^m*C*b*m*x^5 + 2412*
(d*x)^m*A*c*m*x^5 + 840*(d*x)^m*B*c*x^6 + 295*(d*x)^m*A*a*m^4*x + 1420*(d*x)
^m*B*a*m^3*x^2 + 3112*(d*x)^m*C*a*m^2*x^3 + 3112*(d*x)^m*A*b*m^2*x^3 + 295
2*(d*x)^m*B*b*m*x^4 + 1008*(d*x)^m*C*b*x^5 + 1008*(d*x)^m*A*c*x^5 + 1665*(d
*x)^m*A*a*m^3*x + 3929*(d*x)^m*B*a*m^2*x^2 + 3796*(d*x)^m*C*a*m*x^3 + 3796*
(d*x)^m*A*b*m*x^3 + 1260*(d*x)^m*B*b*x^4 + 5104*(d*x)^m*A*a*m^2*x + 5274*(d
*x)^m*B*a*m*x^2 + 1680*(d*x)^m*C*a*x^3 + 1680*(d*x)^m*A*b*x^3 + 8028*(d*x)^

```

$$\frac{m^2 A^2 a^2 m^2 x + 2520 (d^2 x)^m B^2 a^2 x^2 + 5040 (d^2 x)^m A^2 a^2 x}{(m^7 + 28m^6 + 322m^5 + 1960m^4 + 6769m^3 + 13132m^2 + 13068m + 5040)}$$

$$3.40 \quad \int \frac{(dx)^m (A+Bx+Cx^2)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=368

$$\frac{(dx)^{m+1} \left( \frac{2Ac-bC}{\sqrt{b^2-4ac}} + C \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{d(m+1) \left( b - \sqrt{b^2-4ac} \right)} + \frac{(dx)^{m+1} \left( C - \frac{2Ac-bC}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}} \right)}{d(m+1) \left( \sqrt{b^2-4ac} + b \right)} + \frac{2Bc(dx)^m}{d^2(m+1)}$$

[Out] ((C + (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*(d\*x)^(1 + m)\*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2\*c\*x^2)/(b - Sqrt[b^2 - 4\*a\*c])])/(b - Sqrt[b^2 - 4\*a\*c])\*d\*(1 + m) + ((C - (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*(d\*x)^(1 + m)\*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c])])/(b + Sqrt[b^2 - 4\*a\*c])\*d\*(1 + m) + (2\*B\*c\*(d\*x)^(2 + m)\*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, (-2\*c\*x^2)/(b - Sqrt[b^2 - 4\*a\*c])])/(Sqrt[b^2 - 4\*a\*c]\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2\*(2 + m)) - (2\*B\*c\*(d\*x)^(2 + m)\*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c])])/(Sqrt[b^2 - 4\*a\*c]\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2\*(2 + m))

**Rubi [A]** time = 0.621653, antiderivative size = 368, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {1662, 1285, 364, 12, 1131}

$$\frac{(dx)^{m+1} \left( \frac{2Ac-bC}{\sqrt{b^2-4ac}} + C \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{d(m+1) \left( b - \sqrt{b^2-4ac} \right)} + \frac{(dx)^{m+1} \left( C - \frac{2Ac-bC}{\sqrt{b^2-4ac}} \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}} \right)}{d(m+1) \left( \sqrt{b^2-4ac} + b \right)} + \frac{2Bc(dx)^m}{d^2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[((d\*x)^m\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4),x]

[Out] ((C + (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*(d\*x)^(1 + m)\*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2\*c\*x^2)/(b - Sqrt[b^2 - 4\*a\*c])])/(b - Sqrt[b^2 - 4\*a\*c])\*d\*(1 + m) + ((C - (2\*A\*c - b\*C)/Sqrt[b^2 - 4\*a\*c])\*(d\*x)^(1 + m)\*Hypergeometric2F1[1, (1 + m)/2, (3 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c])])/(b + Sqrt[b^2 - 4\*a\*c])\*d\*(1 + m) + (2\*B\*c\*(d\*x)^(2 + m)\*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, (-2\*c\*x^2)/(b - Sqrt[b^2 - 4\*a\*c])])/(Sqrt[b^2 - 4\*a\*c]\*(b - Sqrt[b^2 - 4\*a\*c])\*d^2\*(2 + m)) - (2\*B\*c\*(d\*x)^(2 + m)\*Hypergeometric2F1[1, (2 + m)/2, (4 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c])])/(Sqrt[b^2 - 4\*a\*c]\*(b + Sqrt[b^2 - 4\*a\*c])\*d^2\*(2 + m))

Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

Rule 1285

```
Int[(((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 364

```
Int[(((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)), x_Symbol] := Simp[(a^p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -(b*x^n)/a])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 1131

```
Int[(((d_)*(x_))^(m_))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[c/q, Int[(d*x)^m/(b/2 - q/2 + c*x^2), x], x] - Dist[c/q, Int[(d*x)^m/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, m}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{(dx)^m (A + Bx + Cx^2)}{a + bx^2 + cx^4} dx &= \int \frac{B(dx)^{1+m}}{a+bx^2+cx^4} dx + \int \frac{(dx)^m (A + Cx^2)}{a + bx^2 + cx^4} dx \\
&= \frac{1}{2} \left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \int \frac{(dx)^m}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx + \frac{1}{2} \left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) \int \frac{(dx)^m}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx \\
&= \frac{\left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) (dx)^{1+m} {}_2F_1 \left( 1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)}{(b - \sqrt{b^2 - 4ac}) d(1+m)} + \frac{\left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) (dx)^{1+m} {}_2F_1 \left( 1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{(b + \sqrt{b^2 - 4ac}) d(1+m)} \\
&= \frac{\left( C + \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) (dx)^{1+m} {}_2F_1 \left( 1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b - \sqrt{b^2 - 4ac}} \right)}{(b - \sqrt{b^2 - 4ac}) d(1+m)} + \frac{\left( C - \frac{2Ac - bC}{\sqrt{b^2 - 4ac}} \right) (dx)^{1+m} {}_2F_1 \left( 1, \frac{1+m}{2}; \frac{3+m}{2}; -\frac{2cx^2}{b + \sqrt{b^2 - 4ac}} \right)}{(b + \sqrt{b^2 - 4ac}) d(1+m)}
\end{aligned}$$

**Mathematica [C]** time = 0.22039, size = 168, normalized size = 0.46

$$\frac{1}{2} x (dx)^m \left( \frac{A \text{RootSum} \left[ \#1^2 b + \#1^4 c + a \&, \frac{{}_2F_1(1, m+1, m+2; \frac{x}{\#1})}{\#1^2 b + 2a} \& \right]}{m+1} + x \left( \frac{B \text{RootSum} \left[ \#1^2 b + \#1^4 c + a \&, \frac{{}_2F_1(1, m+2, m+3; \frac{x}{\#1})}{\#1^2 b + 2a} \& \right]}{m+2} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d\*x)^m\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4), x]

[Out] (x\*(d\*x)^m\*((A\*RootSum[a + b\*#1^2 + c\*#1^4 &, Hypergeometric2F1[1, 1 + m, 2 + m, x/#1]/(2\*a + b\*#1^2) & ])/(1 + m) + x\*((B\*RootSum[a + b\*#1^2 + c\*#1^4 &, Hypergeometric2F1[1, 2 + m, 3 + m, x/#1]/(2\*a + b\*#1^2) & ])/(2 + m) + (C\*x\*RootSum[a + b\*#1^2 + c\*#1^4 &, Hypergeometric2F1[1, 3 + m, 4 + m, x/#1]/(2\*a + b\*#1^2) & ])/(3 + m))))/2

**Maple [F]** time = 0.043, size = 0, normalized size = 0.

$$\int \frac{(dx)^m (Cx^2 + Bx + A)}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a), x)

[Out] `int((d*x)^m*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x)`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Cx^2 + Bx + A)(dx)^m}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] `integrate((C*x^2 + B*x + A)*(d*x)^m/(c*x^4 + b*x^2 + a), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)(dx)^m}{cx^4 + bx^2 + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^m*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] `integral((C*x^2 + B*x + A)*(d*x)^m/(c*x^4 + b*x^2 + a), x)`

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx)^m (A + Bx + Cx^2)}{a + bx^2 + cx^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**m*(C*x**2+B*x+A)/(c*x**4+b*x**2+a),x)`

[Out] `Integral((d*x)**m*(A + B*x + C*x**2)/(a + b*x**2 + c*x**4), x)`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Cx^2 + Bx + A)(dx)^m}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x)^m*(C*x^2+B*x+A)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] integrate((C*x^2 + B*x + A)*(d*x)^m/(c*x^4 + b*x^2 + a), x)
```

$$3.41 \quad \int \frac{(dx)^m (A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=685

$$\frac{c(dx)^{m+1} \left( A \left( b(1-m)\sqrt{b^2-4ac} - 4ac(3-m) + b^2(1-m) \right) + 2aC \left( 2b - (1-m)\sqrt{b^2-4ac} \right) \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{2ad(m+1)(b^2-4ac)^{3/2} \left( b - \sqrt{b^2-4ac} \right)}$$

```
[Out] (B*(d*x)^(2+m)*(b^2-2*a*c+b*c*x^2))/(2*a*(b^2-4*a*c)*d^2*(a+b*x^2+c*x^4)) + ((d*x)^(1+m)*(A*(b^2-2*a*c)-a*b*C+c*(A*b-2*a*C)*x^2))/(2*a*(b^2-4*a*c)*d*(a+b*x^2+c*x^4)) + (c*(2*a*C*(2*b-Sqrt[b^2-4*a*c]*(1-m))+A*(b^2*(1-m)+b*Sqrt[b^2-4*a*c]*(1-m)-4*a*c*(3-m)))*(d*x)^(1+m)*Hypergeometric2F1[1,(1+m)/2,(3+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^(3/2)*(b-Sqrt[b^2-4*a*c])*d*(1+m)) - (c*(2*a*C*(2*b+Sqrt[b^2-4*a*c]*(1-m))+A*(b^2*(1-m)-b*Sqrt[b^2-4*a*c]*(1-m)-4*a*c*(3-m)))*(d*x)^(1+m)*Hypergeometric2F1[1,(1+m)/2,(3+m)/2,(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^(3/2)*(b+Sqrt[b^2-4*a*c])*d*(1+m)) - (B*c*(4*a*c*(2-m)+b*(b+Sqrt[b^2-4*a*c])*m)*(d*x)^(2+m)*Hypergeometric2F1[1,(2+m)/2,(4+m)/2,(-2*c*x^2)/(b-Sqrt[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^(3/2)*(b-Sqrt[b^2-4*a*c])*d^2*(2+m)) + (B*c*(4*a*c*(2-m)+b*(b-Sqrt[b^2-4*a*c])*m)*(d*x)^(2+m)*Hypergeometric2F1[1,(2+m)/2,(4+m)/2,(-2*c*x^2)/(b+Sqrt[b^2-4*a*c])])/(2*a*(b^2-4*a*c)^(3/2)*(b+Sqrt[b^2-4*a*c])*d^2*(2+m))
```

**Rubi [A]** time = 2.37779, antiderivative size = 670, normalized size of antiderivative = 0.98, number of steps used = 10, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1662, 1277, 1285, 364, 12, 1121}

$$\frac{c(dx)^{m+1} \left( A \left( b(1-m)\sqrt{b^2-4ac} - 4ac(3-m) + b^2(1-m) \right) + 2aC \left( 2b - (1-m)\sqrt{b^2-4ac} \right) \right) {}_2F_1 \left( 1, \frac{m+1}{2}; \frac{m+3}{2}; -\frac{2cx^2}{b-\sqrt{b^2-4ac}} \right)}{2ad(m+1)(b^2-4ac)^{3/2} \left( b - \sqrt{b^2-4ac} \right)}$$

Antiderivative was successfully verified.

[In] Int[((d\*x)^m\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

```
[Out] (B*(d*x)^(2+m)*(b^2-2*a*c+b*c*x^2))/(2*a*(b^2-4*a*c)*d^2*(a+b*x^2+c*x^4)) + ((d*x)^(1+m)*(A*(b^2-2*a*c)-a*b*C+c*(A*b-2*a*C)*x^2)
```

$$\begin{aligned} &)/(2*a*(b^2 - 4*a*c)*d*(a + b*x^2 + c*x^4)) + (c*(2*a*C*(2*b - \text{Sqrt}[b^2 - 4*a*c])*(1 - m)) + A*(b^2*(1 - m) + b*\text{Sqrt}[b^2 - 4*a*c]*(1 - m) - 4*a*c*(3 - m)))*(d*x)^(1 + m)*\text{Hypergeometric2F1}[1, (1 + m)/2, (3 + m)/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]/(2*a*(b^2 - 4*a*c)^(3/2)*(b - \text{Sqrt}[b^2 - 4*a*c])*d*(1 + m)) - (c*(4*a*b*C + A*b^2*(1 - m) - \text{Sqrt}[b^2 - 4*a*c]*(A*b - 2*a*C))*(1 - m) - 4*a*A*c*(3 - m))*(d*x)^(1 + m)*\text{Hypergeometric2F1}[1, (1 + m)/2, (3 + m)/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(2*a*(b^2 - 4*a*c)^(3/2)*(b + \text{Sqrt}[b^2 - 4*a*c])*d*(1 + m)) - (B*c*(4*a*c*(2 - m) + b*(b + \text{Sqrt}[b^2 - 4*a*c]))*m)*(d*x)^(2 + m)*\text{Hypergeometric2F1}[1, (2 + m)/2, (4 + m)/2, (-2*c*x^2)/(b - \text{Sqrt}[b^2 - 4*a*c])]/(2*a*(b^2 - 4*a*c)^(3/2)*(b - \text{Sqrt}[b^2 - 4*a*c])*d^2*(2 + m)) + (B*c*(4*a*c*(2 - m) + b*(b - \text{Sqrt}[b^2 - 4*a*c]))*m)*(d*x)^(2 + m)*\text{Hypergeometric2F1}[1, (2 + m)/2, (4 + m)/2, (-2*c*x^2)/(b + \text{Sqrt}[b^2 - 4*a*c])]/(2*a*(b^2 - 4*a*c)^(3/2)*(b + \text{Sqrt}[b^2 - 4*a*c])*d^2*(2 + m)) \end{aligned}$$

### Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*(a + b*x^2 + c*x^4)^p, x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

### Rule 1277

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := -Simp[((f*x)^(m + 1)*(a + b*x^2 + c*x^4)^(p + 1)*(d*(b^2 - 2*a*c) - a*b*e + (b*d - 2*a*e)*c*x^2))/(2*a*f*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[d*(b^2*(m + 2*(p + 1) + 1) - 2*a*c*(m + 4*(p + 1) + 1)) - a*b*e*(m + 1) + c*(m + 2*(2*p + 3) + 1)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

### Rule 1285

```
Int[(((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2))/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[(f*x)^m/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 364

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[(a^
```

```
p*(c*x)^(m + 1)*Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, -((b*x^n)/a
)])/((c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILt
Q[p, 0] || GtQ[a, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 1121

```
Int[((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:= -Simp[((d*x)^(m + 1)*(b^2 - 2*a*c + b*c*x^2)*(a + b*x^2 + c*x^4)^(p + 1
))/((2*a*d*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((2*a*(p + 1)*(b^2 - 4*a*c)),
Int[(d*x)^m*(a + b*x^2 + c*x^4)^(p + 1)*Simp[b^2*(m + 2*p + 3) - 2*a*c*(m +
4*p + 5) + b*c*(m + 4*p + 7)*x^2, x], x], x] /; FreeQ[{a, b, c, d, m}, x]
&& NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && IntegerQ[2*p] && (IntegerQ[p] || In
tegerQ[m])
```

### Rubi steps

$$\int \frac{(dx)^m (A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx = \frac{\int \frac{B(dx)^{1+m}}{(a+bx^2+cx^4)^2} dx}{d} + \int \frac{(dx)^m (A + Cx^2)}{(a + bx^2 + cx^4)^2} dx$$

$$= \frac{(dx)^{1+m} (A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)d(a + bx^2 + cx^4)} - \frac{\int \frac{(dx)^m (-Ab^2(1-m) + 2aAc(3-m) - abC(1+m) - c(Ab - 2aC)x^2)}{a+bx^2+cx^4} dx}{2a(b^2 - 4ac)}$$

$$= \frac{B(dx)^{2+m} (b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)d^2(a + bx^2 + cx^4)} + \frac{(dx)^{1+m} (A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)d(a + bx^2 + cx^4)} - \frac{B \int \frac{(dx)^m}{a+bx^2+cx^4} dx}{2a(b^2 - 4ac)}$$

$$= \frac{B(dx)^{2+m} (b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)d^2(a + bx^2 + cx^4)} + \frac{(dx)^{1+m} (A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)d(a + bx^2 + cx^4)} + \frac{c \int \frac{(dx)^m}{a+bx^2+cx^4} dx}{2a(b^2 - 4ac)}$$

$$= \frac{B(dx)^{2+m} (b^2 - 2ac + bcx^2)}{2a(b^2 - 4ac)d^2(a + bx^2 + cx^4)} + \frac{(dx)^{1+m} (A(b^2 - 2ac) - abC + c(Ab - 2aC)x^2)}{2a(b^2 - 4ac)d(a + bx^2 + cx^4)} + \frac{c \int \frac{(dx)^m}{a+bx^2+cx^4} dx}{2a(b^2 - 4ac)}$$

**Mathematica [C]** time = 0.344501, size = 242, normalized size = 0.35

$$\frac{x(dx)^m \left( A \left( m^2 + 5m + 6 \right) F_1 \left( \frac{m+1}{2}; 2, 2; \frac{m+3}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) + (m+1)x \left( B(m+3) F_1 \left( \frac{m+2}{2}; 2, 2; \frac{m+4}{2}; -\frac{2cx^2}{b+\sqrt{b^2-4ac}}, \frac{2cx^2}{\sqrt{b^2-4ac}-b} \right) \right)}{a^2(m+1)(m+2)(m+3)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((d\*x)^m\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (x\*(d\*x)^m\*(A\*(6 + 5\*m + m^2)\*AppellF1[(1 + m)/2, 2, 2, (3 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^2)/(-b + Sqrt[b^2 - 4\*a\*c])] + (1 + m)\*x\*(B\*(3 + m)\*AppellF1[(2 + m)/2, 2, 2, (4 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^2)/(-b + Sqrt[b^2 - 4\*a\*c])] + C\*(2 + m)\*x\*AppellF1[(3 + m)/2, 2, 2, (5 + m)/2, (-2\*c\*x^2)/(b + Sqrt[b^2 - 4\*a\*c]), (2\*c\*x^2)/(-b + Sqrt[b^2 - 4\*a\*c])]))/(a^2\*(1 + m)\*(2 + m)\*(3 + m))

**Maple [F]** time = 0.029, size = 0, normalized size = 0.

$$\int \frac{(dx)^m (Cx^2 + Bx + A)}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x)

[Out] int((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Cx^2 + Bx + A)(dx)^m}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] integrate((C\*x^2 + B\*x + A)\*(d\*x)^m/(c\*x^4 + b\*x^2 + a)^2, x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Cx^2 + Bx + A)(dx)^m}{c^2x^8 + 2bcx^6 + (b^2 + 2ac)x^4 + 2abx^2 + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] integral((C\*x^2 + B\*x + A)\*(d\*x)^m/(c^2\*x^8 + 2\*b\*c\*x^6 + (b^2 + 2\*a\*c)\*x^4 + 2\*a\*b\*x^2 + a^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)\*\*m\*(C\*x\*\*2+B\*x+A)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Cx^2 + Bx + A)(dx)^m}{(cx^4 + bx^2 + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d\*x)^m\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] integrate((C\*x^2 + B\*x + A)\*(d\*x)^m/(c\*x^4 + b\*x^2 + a)^2, x)



$$3.42 \quad \int \frac{x^2(A+Bx+Cx^2)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.923822, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.321$ , Rules used = {1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1662

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

Rule 1275

```
Int[((f_)*(x_))^(m_)*((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1114

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2 (A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx &= \int \frac{Bx^3}{(a + bx^2 + cx^4)^2} dx + \int \frac{x^2 (A + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= -\frac{x (Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x^3}{(a + bx^2 + cx^4)^2} dx + \frac{\int \frac{Ab - 2aC + (-2Ac + bC)x^2}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{x (Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \operatorname{Subst} \left( \int \frac{x}{(a + bx + cx^2)^2} dx, x, x^2 \right) - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x (Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x (Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x (Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}}
\end{aligned}$$

**Mathematica [A]** time = 1.18665, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B + Cx) + 2x(bx(B + Cx) - A(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2 - 4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac}}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{c}(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(A + B\*x + C\*x^2))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])\*C)\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(-2\*A\*c\*(2\*b + Sqrt[b^2 - 4\*a\*c]) + (b^2 + 4\*a\*c + b\*Sqrt[b^2 - 4\*a\*c])

$$c]) * C) * \text{ArcTan}[\text{Sqrt}[2] * \text{Sqrt}[c] * x] / \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]]] / (\text{Sqrt}[c] * (b^2 - 4 * a * c)^{(3/2)} * \text{Sqrt}[b + \text{Sqrt}[b^2 - 4 * a * c]]) + (2 * b * B * \text{Log}[-b + \text{Sqrt}[b^2 - 4 * a * c] - 2 * c * x^2]) / (b^2 - 4 * a * c)^{(3/2)} - (2 * b * B * \text{Log}[b + \text{Sqrt}[b^2 - 4 * a * c] + 2 * c * x^2]) / (b^2 - 4 * a * c)^{(3/2)}) / 4$$

**Maple [B]** time = 0., size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2 * (C * x^2 + B * x + A) / (c * x^4 + b * x^2 + a)^2, x)$

[Out]  $(1/2 * (2 * A * c - C * b) / (4 * a * c - b^2) * x^3 - 1/2 * B * b / (4 * a * c - b^2) * x^2 + 1/2 * (A * b - 2 * C * a) / (4 * a * c - b^2) * x - B * a / (4 * a * c - b^2)) / (c * x^4 + b * x^2 + a) + 1/2 / (4 * a * c - b^2)^2 * B * (-4 * a * c + b^2)^{(1/2)} * b * \ln(-2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} - b) - c / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A * (-4 * a * c + b^2)^{(1/2)} * b - 2 * c^2 / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A * a + 1/2 * c / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * A * b^2 + c / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)} * a + 1/4 / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)} * b^2 + c / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * C * a * b - 1/4 / (4 * a * c - b^2)^2 * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \text{arctanh}(c * x^2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * C * b^3 - 1/2 / (4 * a * c - b^2)^2 * B * (-4 * a * c + b^2)^{(1/2)} * b * \ln(2 * c * x^2 + (-4 * a * c + b^2)^{(1/2)} + b) - c / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * A * (-4 * a * c + b^2)^{(1/2)} * b + 2 * c^2 / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * A * a - 1/2 * c / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * A * b^2 + c / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)} * a + 1/4 / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * C * (-4 * a * c + b^2)^{(1/2)} * b^2 - c / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * C * a * b + 1/4 / (4 * a * c - b^2)^2 * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \text{arctan}(c * x^2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * C * b^3$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(C\*x^2+B\*x+A)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(C\*x\*\*2+B\*x+A)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(C*x^2+B*x+A)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.43 \quad \int \frac{x(Ax+Bx^2+Cx^3)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.370935, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {1585, 1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(A\*x + B\*x^2 + C\*x^3))/(a + b\*x^2 + c\*x^4)^2, x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)



Rule 1585

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.
))^ (n_.), x_Symbol] := Int[u*x^(m + n*p)*(a + b*x^(q - p) + c*x^(r - p))^n,
x] /; FreeQ[{a, b, c, m, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && Pos
Q[r - p]
```

Rule 1662

```
Int[(Pq_)*((d_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_S
ymbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x
^(2*k), {k, 0, q/2 + 1}*(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m
+ 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}*(a + b*x^2
+ c*x^4)^p, x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !Po
lyQ[Pq, x^2]
```

Rule 1275

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(
x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1
)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f
^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)
*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] &&
GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1114

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(Ax + Bx^2 + Cx^3)}{(a + bx^2 + cx^4)^2} dx &= \int \frac{x^2(A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= \int \frac{Bx^3}{(a + bx^2 + cx^4)^2} dx + \int \frac{x^2(A + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x^3}{(a + bx^2 + cx^4)^2} dx + \frac{\int \frac{Ab - 2aC + (-2Ac + bC)x^2}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left[ \int \frac{x}{(a + bx + cx^2)^2} dx, x, x^2 \right] - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)}
\end{aligned}$$

**Mathematica [A]** time = 0.793289, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B + Cx) + 2x(bx(B + Cx) - A(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2 - 4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left( \frac{x}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{c}(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(A\*x + B\*x^2 + C\*x^3))/(a + b\*x^2 + c\*x^4)^2, x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4

$$\begin{aligned} & *a*c + b*\sqrt{b^2 - 4*a*c})*C)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b - \sqrt{b^2 - 4*a*c}}] + (\sqrt{2}*(-2*A*c*(2*b + \sqrt{b^2 - 4*a*c}) + (b^2 + 4*a*c + b*\sqrt{b^2 - 4*a*c}))*C)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b + \sqrt{b^2 - 4*a*c}}] + (2*b*B*\text{Log}[-b + \sqrt{b^2 - 4*a*c}] - 2*c*x^2)/(b^2 - 4*a*c)^{(3/2)} - (2*b*B*\text{Log}[b + \sqrt{b^2 - 4*a*c}] + 2*c*x^2))/(b^2 - 4*a*c)^{(3/2)}/4 \end{aligned}$$

**Maple [B]** time = 0.025, size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(C*x^3+B*x^2+A*x)/(c*x^4+b*x^2+a)^2, x)$

[Out]  $(1/2*(2*A*c-C*b)/(4*a*c-b^2)*x^3-1/2*B*b/(4*a*c-b^2)*x^2+1/2*(A*b-2*C*a)/(4*a*c-b^2)*x-B*a/(4*a*c-b^2))/(c*x^4+b*x^2+a)+1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)-c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b-2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*a+1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*a*b-1/4/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*b^3-1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b+2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*a-1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*a*b+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$

$$\sqrt{c} \arctan\left(\frac{c\sqrt{x^2+1}}{\sqrt{(b+(-4ac+b^2)\sqrt{c})\sqrt{x^2+1}}}\right) \sqrt{c} b^3$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^3+B\*x^2+A\*x)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x^3+B\*x^2+A\*x)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(C\*x\*\*3+B\*x\*\*2+A\*x)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(C*x^3+B*x^2+A*x)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.44 \quad \int \frac{Ax^2+Bx^3+Cx^4}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.370477, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$ , Rules used = {1594, 1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A\*x^2 + B\*x^3 + C\*x^4)/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1594

```
Int[(u_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x_Symbol]
:> Int[u*x^(n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, p, q, r}, x]
&& IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1662

```
Int[(Pq_)*((d_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol]
:> Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*
(a + b*x^2 + c*x^4)^p, x], x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

Rule 1275

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol]
:> Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1114



```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dis
t[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; Free
Q[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol
] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p +
1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a
*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] &&
NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{Ax^2 + Bx^3 + Cx^4}{(a + bx^2 + cx^4)^2} dx &= \int \frac{x^2(A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= \int \frac{Bx^3}{(a + bx^2 + cx^4)^2} dx + \int \frac{x^2(A + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x^3}{(a + bx^2 + cx^4)^2} dx + \frac{\int \frac{Ab - 2aC + (-2Ac + bC)x^2}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left( \int \frac{x}{(a + bx + cx^2)^2} dx, x, x^2 \right) - \frac{\left( 2Ac - bC - \frac{4Ab}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac} - b}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b^2 - 4ac}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left( 2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac} - b}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b^2 - 4ac}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left( 2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac} - b}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b^2 - 4ac}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left( 2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac} - b}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b^2 - 4ac}}
\end{aligned}$$

**Mathematica [A]** time = 0.17052, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B + Cx) + 2x(bx(B + Cx) - A(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2 - 4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac} - b}{\sqrt{b^2 - 4ac}} \right)}{\sqrt{c}(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A\*x^2 + B\*x^3 + C\*x^4)/(a + b\*x^2 + c\*x^4)^2, x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4

$$\begin{aligned}
& *a*c + b*\text{Sqrt}[b^2 - 4*a*c])*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 \\
& - 4*a*c]])]/(\text{Sqrt}[c]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{S} \\
& \text{qrt}[2]*(-2*A*c*(2*b + \text{Sqrt}[b^2 - 4*a*c]) + (b^2 + 4*a*c + b*\text{Sqrt}[b^2 - 4*a* \\
& c]))*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[c]*(b \\
& ^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (2*b*B*\text{Log}[-b + \text{Sqrt}[b^2 - \\
& 4*a*c] - 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)} - (2*b*B*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] \\
& + 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)})/4
\end{aligned}$$

**Maple [B]** time = 0.022, size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^4+B*x^3+A*x^2)/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\begin{aligned}
& (1/2*(2*A*c-C*b)/(4*a*c-b^2)*x^3-1/2*B*b/(4*a*c-b^2)*x^2+1/2*(A*b-2*C*a)/(4 \\
& *a*c-b^2)*x-B*a/(4*a*c-b^2))/(c*x^4+b*x^2+a)+1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^ \\
& 2)^{(1/2)}*b*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4* \\
& a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{( \\
& 1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b-2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/ \\
& 2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*a+1/ \\
& 2*c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1 \\
& /2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a \\
& *c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1 \\
& /2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}- \\
& b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c \\
& +b^2)^{(1/2)}*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{ar} \\
& \text{ctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*a*b-1/4/(4*a*c-b^2)^2 \\
& *2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2 \\
& )^{(1/2)}-b)*c)^{(1/2)})*C*b^3-1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(2*c* \\
& x^2+(-4*a*c+b^2)^{(1/2)}+b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c \\
& )^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(-4*a*c+b^2) \\
& ^{(1/2)}*b+2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arcta} \\
& \text{n}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*a-1/2*c/(4*a*c-b^2)^2*2^{( \\
& 1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{( \\
& 1/2)})*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1 \\
& /2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/ \\
& 2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x* \\
& 2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2-c/(4*a*c \\
& -b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4 \\
& *a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*a*b+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)
\end{aligned}$$

$$\sqrt{c} \arctan\left(\frac{c\sqrt{x^2+1}}{(b+(-4ac+b^2)\sqrt{c})\sqrt{x^2+1}}\right) + Cb^3$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^4+B\*x^3+A\*x^2)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^4+B\*x^3+A\*x^2)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*4+B\*x\*\*3+A\*x\*\*2)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^4+B*x^3+A*x^2)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.45 \quad \int \frac{Ax^3+Bx^4+Cx^5}{x(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{\sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.356423, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {1585, 1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{\sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A\*x^3 + B\*x^4 + C\*x^5)/(x\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1585

Int[(u\_)\*(x\_)^(m\_)\*((a\_)\*(x\_)^(p\_) + (b\_)\*(x\_)^(q\_) + (c\_)\*(x\_)^(r\_))^(n\_), x\_Symbol] := Int[u\*x^(m + n\*p)\*(a + b\*x^(q - p) + c\*x^(r - p))^n, x] /; FreeQ[{a, b, c, m, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]

Rule 1662

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d\*x)^m\*Sum[Coeff[Pq, x, 2\*k]\*x^(2\*k), {k, 0, q/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p), x] + Dist[1/d, Int[(d\*x)^(m + 1)\*Sum[Coeff[Pq, x, 2\*k + 1]\*x^(2\*k), {k, 0, (q - 1)/2 + 1}]\*((a + b\*x^2 + c\*x^4)^p), x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]

Rule 1275

Int[((f\_)\*(x\_))^(m\_)\*((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Simp[(f\*(f\*x)^(m - 1)\*(a + b\*x^2 + c\*x^4)^(p + 1)\*(b\*d - 2\*a\*e - (b\*e - 2\*c\*d)\*x^2))/(2\*(p + 1)\*(b^2 - 4\*a\*c)), x] - Dist[f^2/(2\*(p + 1)\*(b^2 - 4\*a\*c)), Int[(f\*x)^(m - 2)\*(a + b\*x^2 + c\*x^4)^(p + 1)\*Simp[(m - 1)\*(b\*d - 2\*a\*e) - (4\*p + 4 + m + 1)\*(b\*e - 2\*c\*d)\*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2\*p] && (IntegerQ[p] || IntegerQ[m])

Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 1114

```
Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 638

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps



$$\begin{aligned}
\int \frac{Ax^3 + Bx^4 + Cx^5}{x(a + bx^2 + cx^4)^2} dx &= \int \frac{x^2(A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= \int \frac{Bx^3}{(a + bx^2 + cx^4)^2} dx + \int \frac{x^2(A + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x^3}{(a + bx^2 + cx^4)^2} dx + \frac{\int \frac{Ab - 2aC + (-2Ac + bC)x^2}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left( \int \frac{x}{(a + bx + cx^2)^2} dx, x, x^2 \right) - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}
\end{aligned}$$

**Mathematica [A]** time = 0.165037, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B + Cx) + 2x(bx(B + Cx) - A(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2 - 4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left( \frac{x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c}(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A\*x^3 + B\*x^4 + C\*x^5)/(x\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4

$$\begin{aligned} & *a*c + b*\sqrt{b^2 - 4*a*c})*C)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b - \sqrt{b^2 - 4*a*c}}] + (\sqrt{2}*(-2*A*c*(2*b + \sqrt{b^2 - 4*a*c}) + (b^2 + 4*a*c + b*\sqrt{b^2 - 4*a*c}))*C)*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b + \sqrt{b^2 - 4*a*c}}] + (2*b*B*\text{Log}[-b + \sqrt{b^2 - 4*a*c}] - 2*c*x^2)/(b^2 - 4*a*c)^{(3/2)} - (2*b*B*\text{Log}[b + \sqrt{b^2 - 4*a*c}] + 2*c*x^2)/(b^2 - 4*a*c)^{(3/2)})/4 \end{aligned}$$

**Maple [B]** time = 0.021, size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^5+B*x^4+A*x^3)/x/(c*x^4+b*x^2+a)^2, x)$

[Out]  $(1/2*(2*A*c-C*b)/(4*a*c-b^2)*x^3-1/2*B*b/(4*a*c-b^2)*x^2+1/2*(A*b-2*C*a)/(4*a*c-b^2)*x-B*a/(4*a*c-b^2))/(c*x^4+b*x^2+a)+1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)-c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b-2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*a+1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*a*b-1/4/(4*a*c-b^2)^2*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/(((4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*b^3-1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b+2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*a-1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*a*b+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$

$$\sqrt{c} \arctan\left(\frac{c\sqrt{x^2+1}}{\sqrt{(b-4ac)x^2+c}}\right) + Cb^3$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^5+B\*x^4+A\*x^3)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^5+B\*x^4+A\*x^3)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*5+B\*x\*\*4+A\*x\*\*3)/x/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^5+B*x^4+A*x^3)/x/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.46 \quad \int \frac{Ax^4+Bx^5+Cx^6}{x^2(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=356

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.358759, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$ , Rules used = {1585, 1662, 1275, 1166, 205, 12, 1114, 638, 618, 206}

$$\frac{x(-2aC + x^2(2Ac - bC) + Ab)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(-\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left(\frac{4Abc - C(4ac + b^2)}{\sqrt{b^2 - 4ac}} + 2Ac - bC\right) \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(A\*x^4 + B\*x^5 + C\*x^6)/(x^2\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] (B\*(2\*a + b\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (x\*(A\*b - 2\*a\*C + (2\*A\*c - b\*C)\*x^2))/(2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*A\*c - b\*C - (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*A\*c - b\*C + (4\*A\*b\*c - (b^2 + 4\*a\*c)\*C)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(2\*Sqrt[2]\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]) - (b\*B\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

Rule 1585

```
Int[(u_.)*(x_)^(m_.)*((a_.)*(x_)^(p_.) + (b_.)*(x_)^(q_.) + (c_.)*(x_)^(r_.))^(n_.), x_Symbol] := Int[u*x^(m + n*p)*(a + b*x^(q - p) + c*x^(r - p))^n, x] /; FreeQ[{a, b, c, m, p, q, r}, x] && IntegerQ[n] && PosQ[q - p] && PosQ[r - p]
```

Rule 1662

```
Int[(Pq_)*((d_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := Module[{q = Expon[Pq, x], k}, Int[(d*x)^m*Sum[Coeff[Pq, x, 2*k]*x^(2*k), {k, 0, q/2 + 1}]*a + b*x^2 + c*x^4]^p, x] + Dist[1/d, Int[(d*x)^(m + 1)*Sum[Coeff[Pq, x, 2*k + 1]*x^(2*k), {k, 0, (q - 1)/2 + 1}]*a + b*x^2 + c*x^4]^p, x]] /; FreeQ[{a, b, c, d, m, p}, x] && PolyQ[Pq, x] && !PolyQ[Pq, x^2]
```

Rule 1275

```
Int[((f_.)*(x_)^(m_.)*((d_) + (e_.)*(x_)^2)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(f*(f*x)^(m - 1)*(a + b*x^2 + c*x^4)^(p + 1)*(b*d - 2*a*e - (b*e - 2*c*d)*x^2))/(2*(p + 1)*(b^2 - 4*a*c)), x] - Dist[f^2/(2*(p + 1)*(b^2 - 4*a*c)), Int[(f*x)^(m - 2)*(a + b*x^2 + c*x^4)^(p + 1)*Simp[(m - 1)*(b*d - 2*a*e) - (4*p + 4 + m + 1)*(b*e - 2*c*d)*x^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && GtQ[m, 1] && IntegerQ[2*p] && (IntegerQ[p] || IntegerQ[m])
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 1114

```
Int[(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && IntegerQ[(m - 1)/2]
```

### Rule 638

```
Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[((b*d - 2*a*e + (2*c*d - b*e)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] - Dist[((2*p + 3)*(2*c*d - b*e))/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && NeQ[p, -3/2]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{Ax^4 + Bx^5 + Cx^6}{x^2(a + bx^2 + cx^4)^2} dx &= \int \frac{x^2(A + Bx + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= \int \frac{Bx^3}{(a + bx^2 + cx^4)^2} dx + \int \frac{x^2(A + Cx^2)}{(a + bx^2 + cx^4)^2} dx \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + B \int \frac{x^3}{(a + bx^2 + cx^4)^2} dx + \frac{\int \frac{Ab - 2aC + (-2Ac + bC)x^2}{a + bx^2 + cx^4} dx}{2(b^2 - 4ac)} \\
&= -\frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{1}{2} B \text{Subst} \left[ \int \frac{x}{(a + bx + cx^2)^2} dx, x, x^2 \right] - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}} \\
&= \frac{B(2a + bx^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{x(Ab - 2aC + (2Ac - bC)x^2)}{2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2Ac - bC - \frac{4Abc - (b^2 + 4ac)C}{\sqrt{b^2 - 4ac}})}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b}}
\end{aligned}$$

**Mathematica [A]** time = 0.160147, size = 378, normalized size = 1.06

$$\frac{1}{4} \left( \frac{4a(B + Cx) + 2x(bx(B + Cx) - A(b + 2cx^2))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \left( C(b\sqrt{b^2 - 4ac} - 4ac - b^2) - 2Ac(\sqrt{b^2 - 4ac} - 2b) \right) \tan^{-1} \left( \frac{\sqrt{b^2 - 4ac}}{\sqrt{b^2 - 4ac} - b} \right)}{\sqrt{c}(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A\*x^4 + B\*x^5 + C\*x^6)/(x^2\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] ((4\*a\*(B + C\*x) + 2\*x\*(b\*x\*(B + C\*x) - A\*(b + 2\*c\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(-2\*A\*c\*(-2\*b + Sqrt[b^2 - 4\*a\*c]) + (-b^2 - 4



$$\begin{aligned}
& *a*c + b*\text{Sqrt}[b^2 - 4*a*c])*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - \\
& - 4*a*c]])]/(\text{Sqrt}[c]*(b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{S} \\
& \text{qrt}[2]*(-2*A*c*(2*b + \text{Sqrt}[b^2 - 4*a*c]) + (b^2 + 4*a*c + b*\text{Sqrt}[b^2 - 4*a* \\
& c]))*C)*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[c]*(b \\
& ^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]) + (2*b*B*\text{Log}[-b + \text{Sqrt}[b^2 - \\
& 4*a*c] - 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)} - (2*b*B*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] \\
& + 2*c*x^2])/(b^2 - 4*a*c)^{(3/2)})/4
\end{aligned}$$

**Maple [B]** time = 0.024, size = 1119, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((C*x^6+B*x^5+A*x^4)/x^2/(c*x^4+b*x^2+a)^2, x)$

[Out]  $(1/2*(2*A*c-C*b)/(4*a*c-b^2)*x^3-1/2*B*b/(4*a*c-b^2)*x^2+1/2*(A*b-2*C*a)/(4*a*c-b^2)*x-B*a/(4*a*c-b^2))/(c*x^4+b*x^2+a)+1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(-2*c*x^2+(-4*a*c+b^2)^{(1/2)}-b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b-2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*a+1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*a*b-1/4/(4*a*c-b^2)^2*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*C*b^3-1/2/(4*a*c-b^2)^2*B*(-4*a*c+b^2)^{(1/2)}*b*\ln(2*c*x^2+(-4*a*c+b^2)^{(1/2)}+b)-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*(-4*a*c+b^2)^{(1/2)}*b+2*c^2/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*a-1/2*c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*A*b^2+c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*a+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*(-4*a*c+b^2)^{(1/2)}*b^2-c/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*C*a*b+1/4/(4*a*c-b^2)^2*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}$

$$\sqrt{c} \arctan\left(\frac{c\sqrt{x^2+1}}{(b+(-4ac+b^2)\sqrt{c})\sqrt{x^2+1}}\right) + Cb^3$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{Bbx^2 + (Cb - 2Ac)x^3 + 2Ba + (2Ca - Ab)x}{2((b^2c - 4ac^2)x^4 + ab^2 - 4a^2c + (b^3 - 4abc)x^2)} - \int \frac{2Bbx + (Cb - 2Ac)x^2 - 2Ca + Ab}{cx^4 + bx^2 + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^6+B\*x^5+A\*x^4)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*(B\*b\*x^2 + (C\*b - 2\*A\*c)\*x^3 + 2\*B\*a + (2\*C\*a - A\*b)\*x)/((b^2\*c - 4\*a\*c^2)\*x^4 + a\*b^2 - 4\*a^2\*c + (b^3 - 4\*a\*b\*c)\*x^2) - 1/2\*integrate(-(2\*B\*b\*x + (C\*b - 2\*A\*c)\*x^2 - 2\*C\*a + A\*b)/(c\*x^4 + b\*x^2 + a), x)/(b^2 - 4\*a\*c)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x^6+B\*x^5+A\*x^4)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((C\*x\*\*6+B\*x\*\*5+A\*x\*\*4)/x\*\*2/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((C*x^6+B*x^5+A*x^4)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.47 \quad \int \frac{x^7(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=273

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2a^2c^3e - 4ab^2c^2e - b^3c(cd - 5af) + abc^2(3cd - 5af) + b^4ce + b^5(-f))}{2c^5\sqrt{b^2-4ac}} + \frac{x^4(-c(af + be) + b^2f + c^2d)}{4c^3}$$

[Out] ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f))\*x^2)/(2\*c^4) + ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^4)/(4\*c^3) + ((c\*e - b\*f)\*x^6)/(6\*c^2) + (f\*x^8)/(8\*c) - ((b^4\*c\*e - 4\*a\*b^2\*c^2\*e + 2\*a^2\*c^3\*e - b^5\*f - b^3\*c\*(c\*d - 5\*a\*f) + a\*b\*c^2\*(3\*c\*d - 5\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^5\*Sqrt[b^2 - 4\*a\*c]) - ((b^3\*c\*e - 2\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 3\*a\*f) + a\*c^2\*(c\*d - a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^5)

**Rubi [A]** time = 0.8541, antiderivative size = 273, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2a^2c^3e - 4ab^2c^2e - b^3c(cd - 5af) + abc^2(3cd - 5af) + b^4ce + b^5(-f))}{2c^5\sqrt{b^2-4ac}} + \frac{x^4(-c(af + be) + b^2f + c^2d)}{4c^3}$$

Antiderivative was successfully verified.

[In] Int[(x^7\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f))\*x^2)/(2\*c^4) + ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^4)/(4\*c^3) + ((c\*e - b\*f)\*x^6)/(6\*c^2) + (f\*x^8)/(8\*c) - ((b^4\*c\*e - 4\*a\*b^2\*c^2\*e + 2\*a^2\*c^3\*e - b^5\*f - b^3\*c\*(c\*d - 5\*a\*f) + a\*b\*c^2\*(3\*c\*d - 5\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^5\*Sqrt[b^2 - 4\*a\*c]) - ((b^3\*c\*e - 2\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 3\*a\*f) + a\*c^2\*(c\*d - a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^5)

**Rule 1663**

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

Rule 1628

```
Int[(Pq_)*((d_) + (e_)*(x_))^(m_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^3 (d + ex + fx^2)}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{b^2ce - ac^2e - b^3f - bc(cd - 2af)}{c^4} + \frac{(c^2d + b^2f - c(be + af))x}{c^3} + \frac{(ce - bf)x^2}{c^2} + \right. \right. \\
&= \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af))x^2}{2c^4} + \frac{(c^2d + b^2f - c(be + af))x^4}{4c^3} + \frac{(ce - bf)x^6}{6c^2} + \frac{fx^8}{8c} + \\
&= \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af))x^2}{2c^4} + \frac{(c^2d + b^2f - c(be + af))x^4}{4c^3} + \frac{(ce - bf)x^6}{6c^2} + \frac{fx^8}{8c} + \\
&= \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af))x^2}{2c^4} + \frac{(c^2d + b^2f - c(be + af))x^4}{4c^3} + \frac{(ce - bf)x^6}{6c^2} + \frac{fx^8}{8c} - \\
&= \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af))x^2}{2c^4} + \frac{(c^2d + b^2f - c(be + af))x^4}{4c^3} + \frac{(ce - bf)x^6}{6c^2} + \frac{fx^8}{8c} -
\end{aligned}$$

**Mathematica [A]** time = 0.208072, size = 260, normalized size = 0.95

$$\frac{12 \tan^{-1} \left( \frac{b+2cx^2}{\sqrt{4ac-b^2}} \right) (-2a^2c^3e + 4ab^2c^2e + b^3c(cd - 5af) + abc^2(5af - 3cd) - b^4ce + b^5f)}{\sqrt{4ac-b^2}} + 6c^2x^4 (-c(af + be) + b^2f + c^2d) - 12cx^2 (bc(cd - 2af) +$$

Antiderivative was successfully verified.

[In] Integrate[(x^7\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] (-12\*c\*(-(b^2\*c\*e) + a\*c^2\*e + b^3\*f + b\*c\*(c\*d - 2\*a\*f))\*x^2 + 6\*c^2\*(c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^4 + 4\*c^3\*(c\*e - b\*f)\*x^6 + 3\*c^4\*f\*x^8 - (12\*(-(b^4\*c\*e) + 4\*a\*b^2\*c^2\*e - 2\*a^2\*c^3\*e + b^5\*f + b^3\*c\*(c\*d - 5\*a\*f) + a\*b\*c^2\*(-3\*c\*d + 5\*a\*f))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]]/Sqrt[-b^2 + 4\*a\*c] + 6\*(-(b^3\*c\*e) + 2\*a\*b\*c^2\*e + b^4\*f + b^2\*c\*(c\*d - 3\*a\*f) + a\*c^2\*(-(c\*d) + a\*f))\*Log[a + b\*x^2 + c\*x^4])/(24\*c^5)

**Maple [B]** time = 0.007, size = 622, normalized size = 2.3

$$-\frac{5a^2bf}{2c^3} \arctan \left( (2cx^2 + b) \frac{1}{\sqrt{4ac - b^2}} \right) \frac{1}{\sqrt{4ac - b^2}} + \frac{5ab^3f}{2c^4} \arctan \left( (2cx^2 + b) \frac{1}{\sqrt{4ac - b^2}} \right) \frac{1}{\sqrt{4ac - b^2}} - 2 \frac{ab^2e}{c^3 \sqrt{4ac - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^7*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x)$

[Out] 
$$\begin{aligned} & -5/2/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a^2*b*f+5/ \\ & 2/c^4/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b^3*f-2/c^3 \\ & / (4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b^2*e+3/2/c^2/(4 \\ & *a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*d+1/4/c^3*\ln(c*x^ \\ & 4+b*x^2+a)*b^2*d+1/4/c^3*\ln(c*x^4+b*x^2+a)*a^2*f-1/4/c^2*\ln(c*x^4+b*x^2+a)* \\ & a*d+1/4/c^5*\ln(c*x^4+b*x^2+a)*b^4*f-1/4/c^4*\ln(c*x^4+b*x^2+a)*b^3*e+1/2/c^3 \\ & *b^2*e*x^2-1/2/c^2*b*d*x^2-1/6/c^2*x^6*b*f-1/4/c^2*x^4*a*f+1/4/c^3*x^4*b^2* \\ & f-1/4/c^2*x^4*b*e-1/2/c^2*x^2*a*e-1/2/c^4*b^3*f*x^2-3/4/c^4*\ln(c*x^4+b*x^2+ \\ & a)*a*b^2*f+1/2/c^3*\ln(c*x^4+b*x^2+a)*a*b*e+1/c^2/(4*a*c-b^2)^{(1/2)}*\arctan(( \\ & 2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a^2*e-1/2/c^5/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x \\ & ^2+b)/(4*a*c-b^2)^{(1/2)})*b^5*f+1/2/c^4/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b) \\ & / (4*a*c-b^2)^{(1/2)})*b^4*e-1/2/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a \\ & *c-b^2)^{(1/2)})*b^3*d+1/c^3*a*b*f*x^2+1/4/c*x^4*d+1/6/c*x^6*e+1/8*f*x^8/c \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^7*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 4.16819, size = 1854, normalized size = 6.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^7*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="fricas")$

[Out] 
$$\begin{aligned} & [1/24*(3*(b^2*c^4 - 4*a*c^5)*f*x^8 + 4*((b^2*c^4 - 4*a*c^5)*e - (b^3*c^3 - \\ & 4*a*b*c^4)*f)*x^6 + 6*((b^2*c^4 - 4*a*c^5)*d - (b^3*c^3 - 4*a*b*c^4)*e + (b \\ & ^4*c^2 - 5*a*b^2*c^3 + 4*a^2*c^4)*f)*x^4 - 12*((b^3*c^3 - 4*a*b*c^4)*d - (b \end{aligned}$$

$$\begin{aligned}
& ^4c^2 - 5ab^2c^3 + 4a^2c^4)e + (b^5c - 6ab^3c^2 + 8a^2bc^3)*f \\
& )x^2 + 6\sqrt{b^2 - 4ac}*((b^3c^2 - 3ab^2c^3)*d - (b^4c - 4ab^2c^2 \\
& + 2a^2c^3)*e + (b^5 - 5ab^3c + 5a^2bc^2)*f)*\log((2c^2x^4 + 2bc \\
& x^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}))/ (cx^4 + bx^2 + a)) \\
& + 6*((b^4c^2 - 5ab^2c^3 + 4a^2c^4)*d - (b^5c - 6ab^3c^2 + 8a^2b \\
& c^3)*e + (b^6 - 7ab^4c + 13a^2b^2c^2 - 4a^3c^3)*f)*\log(cx^4 + bx \\
& ^2 + a))/(b^2c^5 - 4ac^6), 1/24*(3*(b^2c^4 - 4ac^5)*fx^8 + 4*((b^2c \\
& ^4 - 4ac^5)*e - (b^3c^3 - 4ab^2c^4)*f)*x^6 + 6*((b^2c^4 - 4ac^5)*d - \\
& (b^3c^3 - 4ab^2c^4)*e + (b^4c^2 - 5ab^2c^3 + 4a^2c^4)*f)*x^4 - 12* \\
& ((b^3c^3 - 4ab^2c^4)*d - (b^4c^2 - 5ab^2c^3 + 4a^2c^4)*e + (b^5c - \\
& 6ab^3c^2 + 8a^2bc^3)*f)*x^2 + 12*\sqrt{-b^2 + 4ac}*((b^3c^2 - 3ab \\
& bc^3)*d - (b^4c - 4ab^2c^2 + 2a^2c^3)*e + (b^5 - 5ab^3c + 5a^2b \\
& c^2)*f)*\arctan(-(2cx^2 + b)\sqrt{-b^2 + 4ac}))/ (b^2 - 4ac)) + 6*((b^4c \\
& ^2 - 5ab^2c^3 + 4a^2c^4)*d - (b^5c - 6ab^3c^2 + 8a^2bc^3)*e + \\
& (b^6 - 7ab^4c + 13a^2b^2c^2 - 4a^3c^3)*f)*\log(cx^4 + bx^2 + a))/( \\
& b^2c^5 - 4ac^6)]
\end{aligned}$$

**Sympy [B]** time = 49.7414, size = 1392, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*7\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a), x)

[Out]  $(-\sqrt{-4ac + b^2}*(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d)/(4c^5(4ac - b^2)) + (a^2c^2f - 3ab^2cf + 2abc^2e - ac^3d + b^4f - b^3c^2e + b^2c^2d)/(4c^5))*\log(x^2 + (2a^3c^2f - 4a^2bc^2cf + 3a^2b^2c^2e - 2a^2c^3d + ab^4f - ab^3c^2e + ab^2c^2d - 8a^5(-\sqrt{-4ac + b^2}*(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d)/(4c^5(4ac - b^2)) + (a^2c^2f - 3ab^2cf + 2abc^2e - ac^3d + b^4f - b^3c^2e + b^2c^2d)/(4c^5)) + 2b^2c^4(-\sqrt{-4ac + b^2}*(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d)/(4c^5(4ac - b^2)) + (a^2c^2f - 3ab^2cf + 2abc^2e - ac^3d + b^4f - b^3c^2e + b^2c^2d)/(4c^5)))/(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d)) + (\sqrt{-4ac + b^2}*(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d)/(4c^5(4ac - b^2)) + (a^2c^2f - 3ab^2cf + 2abc^2e - ac^3d + b^4f - b^3c^2e + b^2c^2d)/(4c^5)))/(5a^2b^2c^2f - 2a^2c^3e - 5ab^3cf + 4ab^2c^2e - 3ab^2c^3d + b^5f - b^4c^2e + b^3c^2d))$



```

*f - b**3*c*e + b**2*c**2*d)/(4*c**5))*log(x**2 + (2*a**3*c**2*f - 4*a**2*b
**2*c*f + 3*a**2*b*c**2*e - 2*a**2*c**3*d + a*b**4*f - a*b**3*c*e + a*b**2*
c**2*d - 8*a*c**5*(sqrt(-4*a*c + b**2)*(5*a**2*b*c**2*f - 2*a**2*c**3*e - 5
*a*b**3*c*f + 4*a*b**2*c**2*e - 3*a*b*c**3*d + b**5*f - b**4*c*e + b**3*c**
2*d))/(4*c**5*(4*a*c - b**2)) + (a**2*c**2*f - 3*a*b**2*c*f + 2*a*b*c**2*e -
a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**5)) + 2*b**2*c**4*(sqrt(
-4*a*c + b**2)*(5*a**2*b*c**2*f - 2*a**2*c**3*e - 5*a*b**3*c*f + 4*a*b**2*c
**2*e - 3*a*b*c**3*d + b**5*f - b**4*c*e + b**3*c**2*d))/(4*c**5*(4*a*c - b*
**2)) + (a**2*c**2*f - 3*a*b**2*c*f + 2*a*b*c**2*e - a*c**3*d + b**4*f - b**
3*c*e + b**2*c**2*d)/(4*c**5)))/(5*a**2*b*c**2*f - 2*a**2*c**3*e - 5*a*b**3
*c*f + 4*a*b**2*c**2*e - 3*a*b*c**3*d + b**5*f - b**4*c*e + b**3*c**2*d)) +
f*x**8/(8*c) - x**6*(b*f - c*e)/(6*c**2) - x**4*(a*c*f - b**2*f + b*c*e -
c**2*d)/(4*c**3) + x**2*(2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*
d)/(2*c**4)

```

---

**Giac [A]** time = 1.15015, size = 413, normalized size = 1.51

$$\frac{3c^3fx^8 - 4bc^2fx^6 + 4c^3x^6e + 6c^3dx^4 + 6b^2cfx^4 - 6ac^2fx^4 - 6bc^2x^4e - 12bc^2dx^2 - 12b^3fx^2 + 24abcfx^2 + 12b^2cx^2e}{24c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot \frac{3c^3fx^8 - 4b^2c^2fx^6 + 4c^3x^6e + 6c^3dx^4 + 6b^2cfx^4 - 6a^2c^2fx^4 - 6b^2c^2x^4e - 12b^2c^2dx^2 - 12b^3fx^2 + 24abcfx^2 + 12b^2cx^2e}{c^4} + \frac{1}{4} \cdot \frac{(b^2c^2d - a^2c^3d + b^4f - 3ab^2cf + a^2c^2f - b^3ce + 2abc^2e) \log(cx^4 + bx^2 + a)}{c^5} - \frac{1}{2} \cdot \frac{(b^3c^2d - 3ab^2c^3d + b^5f - 5ab^3cf + 5a^2b^2c^2f - b^4ce + 4ab^2c^2e - 2a^2c^3e) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{c^5}$

$$3.48 \quad \int \frac{x^5(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=203

$$\frac{x^2(-c(af+be)+b^2f+c^2d)}{2c^3} + \frac{\log(a+bx^2+cx^4)(-bc(cd-2af)-ac^2e+b^2ce+b^3(-f))}{4c^4} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-b^2c(cd-2af)-ac^2e+b^2ce+b^3(-f))}{4c^4}$$

[Out] ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^2)/(2\*c^3) + ((c\*e - b\*f)\*x^4)/(4\*c^2) + (f\*x^6)/(6\*c) + ((b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^4\*Sqrt[b^2 - 4\*a\*c]) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^4)

**Rubi [A]** time = 0.423681, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$\frac{x^2(-c(af+be)+b^2f+c^2d)}{2c^3} + \frac{\log(a+bx^2+cx^4)(-bc(cd-2af)-ac^2e+b^2ce+b^3(-f))}{4c^4} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-b^2c(cd-2af)-ac^2e+b^2ce+b^3(-f))}{4c^4}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^2)/(2\*c^3) + ((c\*e - b\*f)\*x^4)/(4\*c^2) + (f\*x^6)/(6\*c) + ((b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^4\*Sqrt[b^2 - 4\*a\*c]) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^4)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1628

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^5 (d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^2 (d + ex + fx^2)}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{c^2 d + b^2 f - c(be + af)}{c^3} + \frac{(ce - bf)x}{c^2} + \frac{fx^2}{c} - \frac{a(c^2 d + b^2 f - c(be + af)) - (b^2 c^2 - ac^2 e - b^3 f - bc^2 d)}{c^3 (a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{(c^2 d + b^2 f - c(be + af))x^2}{2c^3} + \frac{(ce - bf)x^4}{4c^2} + \frac{fx^6}{6c} - \frac{\text{Subst} \left( \int \frac{a(c^2 d + b^2 f - c(be + af)) - (b^2 c^2 - ac^2 e - b^3 f - bc^2 d)}{a + bx + cx^2} dx, x, x^2 \right)}{2c^3} \\
&= \frac{(c^2 d + b^2 f - c(be + af))x^2}{2c^3} + \frac{(ce - bf)x^4}{4c^2} + \frac{fx^6}{6c} + \frac{(b^2 ce - ac^2 e - b^3 f - bc(cd - 2af)) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{4c^4} \\
&= \frac{(c^2 d + b^2 f - c(be + af))x^2}{2c^3} + \frac{(ce - bf)x^4}{4c^2} + \frac{fx^6}{6c} + \frac{(b^2 ce - ac^2 e - b^3 f - bc(cd - 2af)) \log(a + bx + cx^2)}{4c^4} \\
&= \frac{(c^2 d + b^2 f - c(be + af))x^2}{2c^3} + \frac{(ce - bf)x^4}{4c^2} + \frac{fx^6}{6c} + \frac{(b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2a^2 c^2) \log(a + bx + cx^2)}{2c^4 \sqrt{b^2 - 4ac}}
\end{aligned}$$

**Mathematica [A]** time = 0.143298, size = 193, normalized size = 0.95

$$\frac{6cx^2(-c(af + be) + b^2f + c^2d) - 3 \log(a + bx^2 + cx^4)(bc(cd - 2af) + ac^2e - b^2ce + b^3f) + \frac{6 \tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)(b^2c(cd-4af)+3abc^2)}{\sqrt{4ac-b^2}}}{12c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] (6\*c\*(c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x^2 + 3\*c^2\*(c\*e - b\*f)\*x^4 + 2\*c^3\*f\*x^6 + (6\*(-(b^3\*c\*e) + 3\*a\*b\*c^2\*e + b^4\*f + b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(-(c\*d) + a\*f))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]]/Sqrt[-b^2 + 4\*a\*c] - 3\*(-(b^2\*c\*e) + a\*c^2\*e + b^3\*f + b\*c\*(c\*d - 2\*a\*f))\*Log[a + b\*x^2 + c\*x^4])/(12\*c^4)

**Maple [B]** time = 0.006, size = 474, normalized size = 2.3

$$\frac{fx^6}{6c} - \frac{x^4bf}{4c^2} + \frac{x^4e}{4c} - \frac{x^2af}{2c^2} + \frac{b^2fx^2}{2c^3} - \frac{bex^2}{2c^2} + \frac{x^2d}{2c} + \frac{\ln(cx^4 + bx^2 + a)abf}{2c^3} - \frac{\ln(cx^4 + bx^2 + a)ae}{4c^2} - \frac{\ln(cx^4 + bx^2 + a)}{4c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^5*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x)$

[Out]  $\frac{1}{6}f*x^6/c - \frac{1}{4}/c^2*x^4*b*f + \frac{1}{4}/c*x^4*e - \frac{1}{2}/c^2*x^2*a*f + \frac{1}{2}/c^3*b^2*f*x^2 - \frac{1}{2}/c^2*b*e*x^2 + \frac{1}{2}/c*d*x^2 + \frac{1}{2}/c^3*\ln(c*x^4+b*x^2+a)*a*b*f - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*a*e - \frac{1}{4}/c^4*\ln(c*x^4+b*x^2+a)*b^3*f + \frac{1}{4}/c^3*\ln(c*x^4+b*x^2+a)*b^2*e - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*b*d + \frac{1}{c^2}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a^2*f - \frac{2}{c^3}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b^2*f + \frac{3}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*e - \frac{1}{c}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*d + \frac{1}{2}/c^4/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^4*f - \frac{1}{2}/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*e + \frac{1}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^2*d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^5*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.82308, size = 1404, normalized size = 6.92

$$\left[ \frac{2(b^2c^3 - 4ac^4)fx^6 + 3((b^2c^3 - 4ac^4)e - (b^3c^2 - 4abc^3)f)x^4 + 6((b^2c^3 - 4ac^4)d - (b^3c^2 - 4abc^3)e + (b^4c - 5ab^2c^2 - 4a^2b^2c^2 + 4a^2c^3)f)x^2 + 3\sqrt{b^2 - 4ac}*((b^2c^2 - 2*$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^5*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="fricas")$

[Out]  $\left[ \frac{1}{12}*(2*(b^2*c^3 - 4*a*c^4)*f*x^6 + 3*((b^2*c^3 - 4*a*c^4)*e - (b^3*c^2 - 4*a*b*c^3)*f)*x^4 + 6*((b^2*c^3 - 4*a*c^4)*d - (b^3*c^2 - 4*a*b*c^3)*e + (b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*f)*x^2 + 3*\text{sqrt}(b^2 - 4*a*c)*((b^2*c^2 - 2*$

$$\begin{aligned}
& a^3c^3*d - (b^3*c - 3*a*b*c^2)*e + (b^4 - 4*a*b^2*c + 2*a^2*c^2)*f*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c})/(c*x^4 + b*x^2 + a)) - 3*((b^3*c^2 - 4*a*b*c^3)*d - (b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*e + (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*f)*\log(c*x^4 + b*x^2 + a)/(b^2*c^4 - 4*a*c^5), \\
& 1/12*(2*(b^2*c^3 - 4*a*c^4)*f*x^6 + 3*((b^2*c^3 - 4*a*c^4)*e - (b^3*c^2 - 4*a*b*c^3)*f)*x^4 + 6*((b^2*c^3 - 4*a*c^4)*d - (b^3*c^2 - 4*a*b*c^3)*e + (b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*f)*x^2 - 6*\sqrt{-b^2 + 4*a*c}*((b^2*c^2 - 2*a*c^3)*d - (b^3*c - 3*a*b*c^2)*e + (b^4 - 4*a*b^2*c + 2*a^2*c^2)*f)*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c)) - 3*((b^3*c^2 - 4*a*b*c^3)*d - (b^4*c - 5*a*b^2*c^2 + 4*a^2*c^3)*e + (b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*f)*\log(c*x^4 + b*x^2 + a)/(b^2*c^4 - 4*a*c^5)]
\end{aligned}$$

**Sympy [B]** time = 35.7045, size = 1044, normalized size = 5.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out]  $(-\sqrt{-4*a*c + b**2}*(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4))*\log(x**2 + (-3*a**2*b*c*f + 2*a**2*c**2*e + a*b**3*f - a*b**2*c*e + a*b*c**2*d + 8*a*c**4*(-\sqrt{-4*a*c + b**2}*(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4)) - 2*b**2*c**3*(-\sqrt{-4*a*c + b**2}*(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4)))/(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4))*\log(x**2 + (-3*a**2*b*c*f + 2*a**2*c**2*e + a*b**3*f - a*b**2*c*e + a*b*c**2*d + 8*a*c**4*(\sqrt{-4*a*c + b**2}*(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4)) - 2*b**2*c**3*(\sqrt{-4*a*c + b**2}*(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4)))/(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)/(4*c**4*(4*a*c - b**2)) + (2*a*b*c*f - a*c**2*e - b**3*f + b**2*c*e - b*c**2*d)/(4*c**4)))/(2*a**2*c**2*f - 4*a*b**2*c*f + 3*a*b*c**2*e - 2*a*c**3*d + b**4*f - b**3*c*e + b**2*c**2*d)) + f*x**6/(6*c) - x**4*($

$$b*f - c*e)/(4*c**2) - x**2*(a*c*f - b**2*f + b*c*e - c**2*d)/(2*c**3)$$

**Giac [A]** time = 1.1619, size = 289, normalized size = 1.42

$$\frac{2c^2fx^6 - 3bcfx^4 + 3c^2x^4e + 6c^2dx^2 + 6b^2fx^2 - 6acfx^2 - 6bcx^2e}{12c^3} - \frac{(bc^2d + b^3f - 2abcf - b^2ce + ac^2e) \log(cx^4 + bx^2 + a)}{4c^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] 1/12\*(2\*c^2\*f\*x^6 - 3\*b\*c\*f\*x^4 + 3\*c^2\*x^4\*e + 6\*c^2\*d\*x^2 + 6\*b^2\*f\*x^2 - 6\*a\*c\*f\*x^2 - 6\*b\*c\*x^2\*e)/c^3 - 1/4\*(b\*c^2\*d + b^3\*f - 2\*a\*b\*c\*f - b^2\*c\*e + a\*c^2\*e)\*log(c\*x^4 + b\*x^2 + a)/c^4 + 1/2\*(b^2\*c^2\*d - 2\*a\*c^3\*d + b^4\*f - 4\*a\*b^2\*c\*f + 2\*a^2\*c^2\*f - b^3\*c\*e + 3\*a\*b\*c^2\*e)\*arctan((2\*c\*x^2 + b)/sqrt(-b^2 + 4\*a\*c))/(sqrt(-b^2 + 4\*a\*c)\*c^4)

$$3.49 \quad \int \frac{x^3(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=144

$$\frac{\log(a+bx^2+cx^4)(-c(af+be)+b^2f+c^2d)}{4c^3} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f))}{2c^3\sqrt{b^2-4ac}} + \frac{x^2(ce-bf)}{2c^2}$$

[Out] ((c\*e - b\*f)\*x^2)/(2\*c^2) + (f\*x^4)/(4\*c) - ((b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^3\*Sqrt[b^2 - 4\*a\*c]) + ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^3)

---

**Rubi [A]** time = 0.271637, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$\frac{\log(a+bx^2+cx^4)(-c(af+be)+b^2f+c^2d)}{4c^3} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f))}{2c^3\sqrt{b^2-4ac}} + \frac{x^2(ce-bf)}{2c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] ((c\*e - b\*f)\*x^2)/(2\*c^2) + (f\*x^4)/(4\*c) - ((b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^3\*Sqrt[b^2 - 4\*a\*c]) + ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^3)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1628

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_)^(m\_))\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x



], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x (d + ex + fx^2)}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{ce - bf}{c^2} + \frac{fx}{c} - \frac{a(ce - bf) - (c^2d - bce + b^2f - acf)x}{c^2(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{(ce - bf)x^2}{2c^2} + \frac{fx^4}{4c} - \frac{\text{Subst} \left( \int \frac{a(ce - bf) - (c^2d - bce + b^2f - acf)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c^2} \\
&= \frac{(ce - bf)x^2}{2c^2} + \frac{fx^4}{4c} - \frac{(-c^2d + bce - b^2f + acf) \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^3} + \frac{(b^2ce - 2ac^2e - b^3f - bc)}{4c^3} \\
&= \frac{(ce - bf)x^2}{2c^2} + \frac{fx^4}{4c} + \frac{(c^2d - bce + b^2f - acf) \log(a + bx^2 + cx^4)}{4c^3} - \frac{(b^2ce - 2ac^2e - b^3f - bc)}{4c^3} \\
&= \frac{(ce - bf)x^2}{2c^2} + \frac{fx^4}{4c} - \frac{(b^2ce - 2ac^2e - b^3f - bc(cd - 3af)) \tanh^{-1} \left( \frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2c^3 \sqrt{b^2 - 4ac}} + \frac{(c^2d - bce + b^2f - acf)}{4c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.106951, size = 136, normalized size = 0.94

$$\frac{\log(a + bx^2 + cx^4) (-c(af + be) + b^2f + c^2d) - \frac{2 \tan^{-1} \left( \frac{b + 2cx}{\sqrt{4ac - b^2}} \right) (bc(cd - 3af) + 2ac^2e - b^2ce + b^3f)}{\sqrt{4ac - b^2}} + 2cx^2(ce - bf) + c^2fx^4}{4c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] (2\*c\*(c\*e - b\*f)\*x^2 + c^2\*f\*x^4 - (2\*(-(b^2\*c\*e) + 2\*a\*c^2\*e + b^3\*f + b\*c\*(c\*d - 3\*a\*f))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]])/Sqrt[-b^2 + 4\*a\*c] + (c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*Log[a + b\*x^2 + c\*x^4]/(4\*c^3)

**Maple [B]** time = 0.005, size = 321, normalized size = 2.2

$$\frac{fx^4}{4c} - \frac{bfx^2}{2c^2} + \frac{ex^2}{2c} - \frac{\ln(cx^4 + bx^2 + a)af}{4c^2} + \frac{\ln(cx^4 + bx^2 + a)b^2f}{4c^3} - \frac{\ln(cx^4 + bx^2 + a)be}{4c^2} + \frac{\ln(cx^4 + bx^2 + a)d}{4c} + \frac{3a}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x)$

[Out]  $\frac{1}{4}f*x^4/c - \frac{1}{2}/c^2*b*f*x^2 + \frac{1}{2}/c*e*x^2 - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*a*f + \frac{1}{4}/c^3*\ln(c*x^4+b*x^2+a)*b^2*f - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*b*e + \frac{1}{4}/c*\ln(c*x^4+b*x^2+a)*d + \frac{3}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*f - \frac{1}{c}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*e*a - \frac{1}{2}/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*f + \frac{1}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^2*e - \frac{1}{2}/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b*d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.96605, size = 994, normalized size = 6.9

$$\frac{\left( (b^2c^2 - 4ac^3)fx^4 + 2((b^2c^2 - 4ac^3)e - (b^3c - 4abc^2)f)x^2 - (bc^2d - (b^2c - 2ac^2)e + (b^3 - 3abc)f)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^2 + b^2 - 2ac}{4(b^2c^3 - 4ac^4)}\right) \right)}{4(b^2c^3 - 4ac^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="fricas")$

[Out]  $\frac{1}{4}*((b^2*c^2 - 4*a*c^3)*f*x^4 + 2*((b^2*c^2 - 4*a*c^3)*e - (b^3*c - 4*a*b*c^2)*f)*x^2 - (b*c^2*d - (b^2*c - 2*a*c^2)*e + (b^3 - 3*a*b*c)*f)*\text{sqrt}(b^2 - 4*a*c)*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*\text{sqrt}(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) + ((b^2*c^2 - 4*a*c^3)*d - (b^3*c - 4*a*b*c^2)*e + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*f)*\log(c*x^4 + b*x^2 + a)/(b^2*c^3 - 4*a*c^4), \frac{1}{4}*((b^2*c^2 - 4*a*c^3)*f*x^4 + 2*((b^2*c^2 - 4*a*c^3)*e - (b^3*c - 4*a*b*c^2)*f)*x^2 + 2*(b*c^2*d - (b^2*c - 2*a*c^2)*e + (b^3 - 3*a*b*c)*f)*\text{sqrt}(-b^2 + 4*a*c)*\arctan(-(2*c*x^2 + b)*\text{sqrt}(-b^2 + 4*a*c)/(b^2 - 4*a*c)$

c)) + ((b<sup>2</sup>\*c<sup>2</sup> - 4\*a\*c<sup>3</sup>)\*d - (b<sup>3</sup>\*c - 4\*a\*b\*c<sup>2</sup>)\*e + (b<sup>4</sup> - 5\*a\*b<sup>2</sup>\*c + 4\*a<sup>2</sup>\*c<sup>2</sup>)\*f)\*log(c\*x<sup>4</sup> + b\*x<sup>2</sup> + a)/(b<sup>2</sup>\*c<sup>3</sup> - 4\*a\*c<sup>4</sup>)]

**Sympy [B]** time = 19.7194, size = 721, normalized size = 5.01

$$\left( -\frac{\sqrt{-4ac + b^2} (3abc f - 2ac^2 e - b^3 f + b^2 c e - bc^2 d)}{4c^3 (4ac - b^2)} - \frac{acf - b^2 f + bce - c^2 d}{4c^3} \right) \log \left( x^2 + \frac{2a^2 c f - ab^2 f + abce + 8ac^3 \left( -\frac{\sqrt{-4ac + b^2}}{4c} \right)}{4c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] (-sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3))\*log(x\*\*2 + (2\*a\*\*2\*c\*f - a\*b\*\*2\*f + a\*b\*c\*e + 8\*a\*c\*\*3\*(-sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3)) - 2\*a\*c\*\*2\*d - 2\*b\*\*2\*c\*\*2\*(-sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3)))/(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)) + (sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3))\*log(x\*\*2 + (2\*a\*\*2\*c\*f - a\*b\*\*2\*f + a\*b\*c\*e + 8\*a\*c\*\*3\*(sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3)) - 2\*a\*c\*\*2\*d - 2\*b\*\*2\*c\*\*2\*(sqrt(-4\*a\*c + b\*\*2)\*(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)/(4\*c\*\*3\*(4\*a\*c - b\*\*2)) - (a\*c\*f - b\*\*2\*f + b\*c\*e - c\*\*2\*d)/(4\*c\*\*3)))/(3\*a\*b\*c\*f - 2\*a\*c\*\*2\*e - b\*\*3\*f + b\*\*2\*c\*e - b\*c\*\*2\*d)) + f\*x\*\*4/(4\*c) - x\*\*2\*(b\*f - c\*e)/(2\*c\*\*2)

**Giac [A]** time = 1.14972, size = 190, normalized size = 1.32

$$\frac{cfx^4 - 2bfx^2 + 2cx^2e}{4c^2} + \frac{(c^2d + b^2f - acf - bce) \log(cx^4 + bx^2 + a)}{4c^3} - \frac{(bc^2d + b^3f - 3abc f - b^2ce + 2ac^2e) \arctan\left(\frac{x}{\sqrt{-b^2 + 4acc^3}}\right)}{2\sqrt{-b^2 + 4acc^3}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/4*(c*f*x^4 - 2*b*f*x^2 + 2*c*x^2*e)/c^2 + 1/4*(c^2*d + b^2*f - a*c*f - b*  
c*e)*log(c*x^4 + b*x^2 + a)/c^3 - 1/2*(b*c^2*d + b^3*f - 3*a*b*c*f - b^2*c*  
e + 2*a*c^2*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)  
*c^3)
```

$$3.50 \quad \int \frac{x(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=103

$$-\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-2acf+b^2f-bce+2c^2d)}{2c^2\sqrt{b^2-4ac}} + \frac{(ce-bf)\log(a+bx^2+cx^4)}{4c^2} + \frac{fx^2}{2c}$$

[Out] (f\*x^2)/(2\*c) - ((2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) + ((c\*e - b\*f)\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Rubi [A]** time = 0.178958, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {1663, 1657, 634, 618, 206, 628}

$$-\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-2acf+b^2f-bce+2c^2d)}{2c^2\sqrt{b^2-4ac}} + \frac{(ce-bf)\log(a+bx^2+cx^4)}{4c^2} + \frac{fx^2}{2c}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4),x]

[Out] (f\*x^2)/(2\*c) - ((2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*Sqrt[b^2 - 4\*a\*c]) + ((c\*e - b\*f)\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[Expand[Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[
(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[
(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[
2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[
Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x(d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{f}{c} + \frac{cd - af + (ce - bf)x}{c(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{fx^2}{2c} + \frac{\text{Subst} \left( \int \frac{cd - af + (ce - bf)x}{a + bx + cx^2} dx, x, x^2 \right)}{2c} \\
&= \frac{fx^2}{2c} + \frac{(ce - bf) \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^2} + \frac{(2c^2d - bce + b^2f - 2acf) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{4c^2} \\
&= \frac{fx^2}{2c} + \frac{(ce - bf) \log(a + bx^2 + cx^4)}{4c^2} - \frac{(2c^2d - bce + b^2f - 2acf) \text{Subst} \left( \int \frac{1}{b^2 - 4ac - x^2} dx, x, b + \sqrt{4ac - b^2} \right)}{2c^2} \\
&= \frac{fx^2}{2c} - \frac{(2c^2d - bce + b^2f - 2acf) \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2c^2 \sqrt{b^2 - 4ac}} + \frac{(ce - bf) \log(a + bx^2 + cx^4)}{4c^2}
\end{aligned}$$

**Mathematica [A]** time = 0.068704, size = 100, normalized size = 0.97

$$\frac{2 \tan^{-1} \left( \frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right) (-c(2af + be) + b^2f + 2c^2d)}{\sqrt{4ac - b^2}} + \frac{(ce - bf) \log(a + bx^2 + cx^4) + 2cfx^2}{4c^2}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] (2\*c\*f\*x^2 + (2\*(2\*c^2\*d + b^2\*f - c\*(b\*e + 2\*a\*f))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]])/Sqrt[-b^2 + 4\*a\*c] + (c\*e - b\*f)\*Log[a + b\*x^2 + c\*x^4]/(4\*c^2)

**Maple [B]** time = 0.005, size = 211, normalized size = 2.1

$$\frac{fx^2}{2c} - \frac{\ln(cx^4 + bx^2 + a)bf}{4c^2} + \frac{\ln(cx^4 + bx^2 + a)e}{4c} - \frac{af}{c} \arctan \left( (2cx^2 + b) \frac{1}{\sqrt{4ac - b^2}} \right) \frac{1}{\sqrt{4ac - b^2}} + d \arctan \left( (2cx^2 + b) \frac{1}{\sqrt{4ac - b^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x)`

[Out]  $\frac{1}{2}fx^2/c - 1/4/c^2 \ln(cx^4+bx^2+a) * b * f + 1/4/c \ln(cx^4+bx^2+a) * e - 1/c / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * a * f + 1 / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * d + 1/2/c^2 / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * b^2 * f - 1/2/c / (4 * a * c - b^2)^{(1/2)} * \arctan((2 * c * x^2 + b) / (4 * a * c - b^2)^{(1/2)}) * b * e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.74658, size = 691, normalized size = 6.71

$$\frac{2(b^2c - 4ac^2)fx^2 - (2c^2d - bce + (b^2 - 2ac)f)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) + ((b^2c - 4ac^2)e - 4(b^2c^2 - 4ac^3))}{4(b^2c^2 - 4ac^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out]  $\frac{1}{4} * (2 * (b^2 * c - 4 * a * c^2) * f * x^2 - (2 * c^2 * d - b * c * e + (b^2 - 2 * a * c) * f) * \sqrt{b^2 - 4 * a * c}) * \log((2 * c^2 * x^4 + 2 * b * c * x^2 + b^2 - 2 * a * c + (2 * c * x^2 + b) * \sqrt{b^2 - 4 * a * c}) / (c * x^4 + b * x^2 + a)) + ((b^2 * c - 4 * a * c^2) * e - (b^3 - 4 * a * b * c) * f) * \log(c * x^4 + b * x^2 + a) / (b^2 * c^2 - 4 * a * c^3) + 1/4 * (2 * (b^2 * c - 4 * a * c^2) * f * x^2 - 2 * (2 * c^2 * d - b * c * e + (b^2 - 2 * a * c) * f) * \sqrt{-b^2 + 4 * a * c}) * \arctan(-(2 * c * x^2 + b) * \sqrt{-b^2 + 4 * a * c} / (b^2 - 4 * a * c)) + ((b^2 * c - 4 * a * c^2) * e - (b^3 - 4 * a * b * c) * f) * \log(c * x^4 + b * x^2 + a) / (b^2 * c^2 - 4 * a * c^3]$

**Sympy [B]** time = 11.0933, size = 498, normalized size = 4.83

$$\left( -\frac{\sqrt{-4ac + b^2}(2acf - b^2f + bce - 2c^2d)}{4c^2(4ac - b^2)} - \frac{bf - ce}{4c^2} \right) \log \left( x^2 + \frac{-abf - 8ac^2 \left( -\frac{\sqrt{-4ac + b^2}(2acf - b^2f + bce - 2c^2d)}{4c^2(4ac - b^2)} - \frac{bf - ce}{4c^2} \right) + 2ace}{2acf - b^2f + bce} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] 
$$\begin{aligned} & (-\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) * \log(x^2 + (-a*b*f - 8*a*c^2*(-\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) + 2*a*c*e + 2*b^2*c*(-\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) - b*c*d)/(2ac*f - b^2*f + b*c*e - 2*c^2*d)) + (\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) * \log(x^2 + (-a*b*f - 8*a*c^2*(\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) + 2*a*c*e + 2*b^2*c*(\sqrt{-4ac + b^2}(2ac*f - b^2*f + b*c*e - 2*c^2*d)/(4*c^2*(4ac - b^2)) - (b*f - c*e)/(4*c^2)) - b*c*d)/(2ac*f - b^2*f + b*c*e - 2*c^2*d)) + f*x^2/(2*c) \end{aligned}$$

**Giac [A]** time = 1.14739, size = 134, normalized size = 1.3

$$\frac{fx^2}{2c} - \frac{(bf - ce) \log(cx^4 + bx^2 + a)}{4c^2} + \frac{(2c^2d + b^2f - 2acf - bce) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] 
$$\frac{1}{2}fx^2/c - \frac{1}{4}(b*f - c*e)*\log(c*x^4 + b*x^2 + a)/c^2 + \frac{1}{2}(2*c^2*d + b^2*f - 2*a*c*f - b*c*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/(\sqrt{-b^2 + 4*a*c})*c^2$$

$$3.51 \quad \int \frac{d+ex^2+fx^4}{x(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=97

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(abf-2ace+bcd)}{2ac\sqrt{b^2-4ac}} - \frac{(cd-af)\log(a+bx^2+cx^4)}{4ac} + \frac{d\log(x)}{a}$$

[Out] ((b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a\*c\*Sqrt[b^2 - 4\*a\*c]) + (d\*Log[x])/a - ((c\*d - a\*f)\*Log[a + b\*x^2 + c\*x^4])/(4\*a\*c)

**Rubi [A]** time = 0.200432, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(abf-2ace+bcd)}{2ac\sqrt{b^2-4ac}} - \frac{(cd-af)\log(a+bx^2+cx^4)}{4ac} + \frac{d\log(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x\*(a + b\*x^2 + c\*x^4)), x]

[Out] ((b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a\*c\*Sqrt[b^2 - 4\*a\*c]) + (d\*Log[x])/a - ((c\*d - a\*f)\*Log[a + b\*x^2 + c\*x^4])/(4\*a\*c)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x(a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x(a + bx + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{d}{ax} + \frac{-bd + ae - (cd - af)x}{a(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{d \log(x)}{a} + \frac{\text{Subst} \left( \int \frac{-bd + ae - (cd - af)x}{a + bx + cx^2} dx, x, x^2 \right)}{2a} \\
&= \frac{d \log(x)}{a} - \frac{(cd - af) \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4ac} - \frac{(bcd - 2ace + abf) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{4ac} \\
&= \frac{d \log(x)}{a} - \frac{(cd - af) \log(a + bx^2 + cx^4)}{4ac} + \frac{(bcd - 2ace + abf) \text{Subst} \left( \int \frac{1}{b^2 - 4ac - x^2} dx, x, b + 2cx^2 \right)}{2ac} \\
&= \frac{(bcd - 2ace + abf) \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2ac\sqrt{b^2 - 4ac}} + \frac{d \log(x)}{a} - \frac{(cd - af) \log(a + bx^2 + cx^4)}{4ac}
\end{aligned}$$

**Mathematica [A]** time = 0.143222, size = 178, normalized size = 1.84

$$\frac{-\log\left(-\sqrt{b^2 - 4ac} + b + 2cx^2\right)\left(cd\sqrt{b^2 - 4ac} - af\sqrt{b^2 - 4ac} + abf - 2ace + bcd\right) + \log\left(\sqrt{b^2 - 4ac} + b + 2cx^2\right)\left(-cd\sqrt{b^2 - 4ac} + af\sqrt{b^2 - 4ac} - abf + 2ace - bcd\right)}{4ac\sqrt{b^2 - 4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x\*(a + b\*x^2 + c\*x^4)),x]

[Out] (4\*c\*Sqrt[b^2 - 4\*a\*c]\*d\*Log[x] - (b\*c\*d + c\*Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*c\*e + a\*b\*f - a\*Sqrt[b^2 - 4\*a\*c]\*f)\*Log[b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2] + (b\*c\*d - c\*Sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*c\*e + a\*b\*f + a\*Sqrt[b^2 - 4\*a\*c]\*f)\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2)/(4\*a\*c\*Sqrt[b^2 - 4\*a\*c])

**Maple [A]** time = 0.008, size = 165, normalized size = 1.7

$$\frac{d \ln(x)}{a} + \frac{\ln(cx^4 + bx^2 + a)f}{4c} - \frac{\ln(cx^4 + bx^2 + a)d}{4a} + e \arctan\left((2cx^2 + b)\frac{1}{\sqrt{4ac - b^2}}\right) \frac{1}{\sqrt{4ac - b^2}} - \frac{bd}{2a} \arctan\left(2cx^2 + b\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^4+e*x^2+d)/x/(c*x^4+b*x^2+a),x)
```

```
[Out] d*ln(x)/a+1/4/c*ln(c*x^4+b*x^2+a)*f-1/4/a*ln(c*x^4+b*x^2+a)*d+1/(4*a*c-b^2)
^(1/2)*arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*e-1/2/a/(4*a*c-b^2)^(1/2)*arct
an((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*d-1/2/(4*a*c-b^2)^(1/2)*arctan((2*c*x^2
+b)/(4*a*c-b^2)^(1/2))*b/c*f
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 2.63331, size = 683, normalized size = 7.04

$$\frac{4(b^2c - 4ac^2)d \log(x) + (bcd - 2ace + abf)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - ((b^2c - 4ac^2)d - (ab^2c - 4a^2c^2))}{4(ab^2c - 4a^2c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] [1/4*(4*(b^2*c - 4*a*c^2)*d*log(x) + (b*c*d - 2*a*c*e + a*b*f)*sqrt(b^2 - 4
*a*c)*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4
*a*c))/(c*x^4 + b*x^2 + a)) - ((b^2*c - 4*a*c^2)*d - (a*b^2 - 4*a^2*c)*f)*l
og(c*x^4 + b*x^2 + a))/(a*b^2*c - 4*a^2*c^2), 1/4*(4*(b^2*c - 4*a*c^2)*d*lo
g(x) + 2*(b*c*d - 2*a*c*e + a*b*f)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)
*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - ((b^2*c - 4*a*c^2)*d - (a*b^2 - 4*a^2*
c)*f)*log(c*x^4 + b*x^2 + a))/(a*b^2*c - 4*a^2*c^2)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] Timed out

**Giac [A]** time = 1.17434, size = 131, normalized size = 1.35

$$\frac{d \log(x^2)}{2a} - \frac{(cd - af) \log(cx^4 + bx^2 + a)}{4ac} - \frac{(bcd + abf - 2ace) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] 1/2\*d\*log(x^2)/a - 1/4\*(c\*d - a\*f)\*log(c\*x^4 + b\*x^2 + a)/(a\*c) - 1/2\*(b\*c\*d + a\*b\*f - 2\*a\*c\*e)\*arctan((2\*c\*x^2 + b)/sqrt(-b^2 + 4\*a\*c))/(sqrt(-b^2 + 4\*a\*c)\*a\*c)

$$3.52 \quad \int \frac{d+ex^2+fx^4}{x^3(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=118

$$-\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-abe-2a(cd-af)+b^2d)}{2a^2\sqrt{b^2-4ac}} + \frac{(bd-ae)\log(a+bx^2+cx^4)}{4a^2} - \frac{\log(x)(bd-ae)}{a^2} - \frac{d}{2ax^2}$$

[Out] -d/(2\*a\*x^2) - ((b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*Sqrt[b^2 - 4\*a\*c]) - ((b\*d - a\*e)\*Log[x])/a^2 + ((b\*d - a\*e)\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

**Rubi [A]** time = 0.285348, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$-\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(-abe-2a(cd-af)+b^2d)}{2a^2\sqrt{b^2-4ac}} + \frac{(bd-ae)\log(a+bx^2+cx^4)}{4a^2} - \frac{\log(x)(bd-ae)}{a^2} - \frac{d}{2ax^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^3\*(a + b\*x^2 + c\*x^4)), x]

[Out] -d/(2\*a\*x^2) - ((b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*Sqrt[b^2 - 4\*a\*c]) - ((b\*d - a\*e)\*Log[x])/a^2 + ((b\*d - a\*e)\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m-1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]



Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^3(a + bx^2 + cx^2)} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x^2(a + bx + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{d}{ax^2} + \frac{-bd + ae}{a^2x} + \frac{b^2d - abe - a(cd - af) + c(bd - ae)x}{a^2(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{d}{2ax^2} - \frac{(bd - ae) \log(x)}{a^2} + \frac{\text{Subst} \left( \int \frac{b^2d - abe - a(cd - af) + c(bd - ae)x}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2} \\
&= -\frac{d}{2ax^2} - \frac{(bd - ae) \log(x)}{a^2} + \frac{(bd - ae) \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a^2} + \frac{(b^2d - abe - 2a(cd - af)) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2} \\
&= -\frac{d}{2ax^2} - \frac{(bd - ae) \log(x)}{a^2} + \frac{(bd - ae) \log(a + bx^2 + cx^4)}{4a^2} - \frac{(b^2d - abe - 2a(cd - af)) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2} \\
&= -\frac{d}{2ax^2} - \frac{(b^2d - abe - 2a(cd - af)) \tanh^{-1} \left( \frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2a^2 \sqrt{b^2 - 4ac}} - \frac{(bd - ae) \log(x)}{a^2} + \frac{(bd - ae) \log(a + bx^2 + cx^4)}{4a^2}
\end{aligned}$$

**Mathematica [A]** time = 0.161855, size = 203, normalized size = 1.72

$$\frac{\log\left(-\sqrt{b^2-4ac}+b+2cx^2\right)\left(a\left(-e\sqrt{b^2-4ac}+2af-2cd\right)+b\left(d\sqrt{b^2-4ac}-ae\right)+b^2d\right)}{\sqrt{b^2-4ac}} + \frac{\log\left(\sqrt{b^2-4ac}+b+2cx^2\right)\left(-a\left(e\sqrt{b^2-4ac}+2af-2cd\right)+b\left(d\sqrt{b^2-4ac}+ae\right)+b^2(-d)\right)}{\sqrt{b^2-4ac}}}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^3\*(a + b\*x^2 + c\*x^4)), x]

[Out] ((-2\*a\*d)/x^2 + 4\*(-(b\*d) + a\*e)\*Log[x] + ((b^2\*d + b\*(Sqrt[b^2 - 4\*a\*c]\*d - a\*e) + a\*(-2\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f))\*Log[b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c] + ((-(b^2\*d) + b\*(Sqrt[b^2 - 4\*a\*c]\*d + a\*e) - a\*(-2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f))\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c])/(4\*a^2)

**Maple [B]** time = 0.009, size = 227, normalized size = 1.9

$$-\frac{d}{2ax^2} + \frac{\ln(x)e}{a} - \frac{\ln(x)bd}{a^2} - \frac{\ln(cx^4 + bx^2 + a)e}{4a} + \frac{\ln(cx^4 + bx^2 + a)bd}{4a^2} + f \arctan\left((2cx^2 + b)\frac{1}{\sqrt{4ac - b^2}}\right) \frac{1}{\sqrt{4ac - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x^3/(c*x^4+b*x^2+a),x)`

[Out] 
$$-1/2*d/a/x^2+1/a*\ln(x)*e-1/a^2*\ln(x)*b*d-1/4/a*\ln(c*x^4+b*x^2+a)*e+1/4/a^2*\ln(c*x^4+b*x^2+a)*b*d+1/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*f-1/2/a/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b*e-1/a/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*c*d+1/2/a^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^2*d$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^3/(c*x^4+b*x^2+a),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.99112, size = 873, normalized size = 7.4

$$\left[ \frac{(abe - 2a^2f - (b^2 - 2ac)d)\sqrt{b^2 - 4ac}x^2 \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac - (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - ((b^3 - 4abc)d - (ab^2 - 4a^2c)e)x^2}{4(a^2b^2 - 4a^3c)x^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^3/(c*x^4+b*x^2+a),x, algorithm="fricas")`

[Out] 
$$\left[ -1/4*((a*b*e - 2*a^2*f - (b^2 - 2*a*c)*d)*\sqrt{b^2 - 4*a*c})*x^2*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c})/(c*x^4 + b*x^2 + a)) - ((b^3 - 4*a*b*c)*d - (a*b^2 - 4*a^2*c)*e)*x^2*\log(c*x^4 + b*x^2 + a) + 4*((b^3 - 4*a*b*c)*d - (a*b^2 - 4*a^2*c)*e)*x^2*\log(x) + 2*(a*b^2 - 4*a^2*c)*d)/((a^2*b^2 - 4*a^3*c)*x^2), 1/4*(2*(a*b*e - 2*a^2*f - (b^2 - 2*a*c)*d)*\sqrt{-b^2 + 4*a*c})*x^2*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c}/(b^2 - 4*a*c)) + ((b^3 - 4*a*b*c)*d - (a*b^2 - 4*a^2*c)*e)*x^2*\log(c*x^4 + b*x^2 + a) - 4*((b^3 - 4*a*b*c)*d - (a*b^2 - 4*a^2*c)*e)*x^2*\log(x) - 2*(a*b^2 - 4*a^2*c)*d)/((a^2*b^2 - 4*a^3*c)*x^2) \right]$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*3/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] Timed out

---

**Giac [A]** time = 1.12911, size = 182, normalized size = 1.54

$$\frac{(bd - ae) \log(cx^4 + bx^2 + a)}{4a^2} - \frac{(bd - ae) \log(x^2)}{2a^2} + \frac{(b^2d - 2acd + 2a^2f - abe) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{2\sqrt{-b^2 + 4ac}a^2} + \frac{bdx^2 - ax^2e - ad}{2a^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^3/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] 1/4\*(b\*d - a\*e)\*log(c\*x^4 + b\*x^2 + a)/a^2 - 1/2\*(b\*d - a\*e)\*log(x^2)/a^2 + 1/2\*(b^2\*d - 2\*a\*c\*d + 2\*a^2\*f - a\*b\*e)\*arctan((2\*c\*x^2 + b)/sqrt(-b^2 + 4\*a\*c))/(sqrt(-b^2 + 4\*a\*c)\*a^2) + 1/2\*(b\*d\*x^2 - a\*x^2\*e - a\*d)/(a^2\*x^2)

$$3.53 \quad \int \frac{d+ex^2+fx^4}{x^5(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=174

$$\frac{\log(a+bx^2+cx^4)(-abe-a(cd-af)+b^2d)}{4a^3} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2a^2ce-ab^2e-ab(3cd-af)+b^3d)}{2a^3\sqrt{b^2-4ac}} + \frac{\log(x)(-ab...)}{...}$$

[Out]  $-d/(4*a*x^4) + (b*d - a*e)/(2*a^2*x^2) + ((b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^3*Sqrt[b^2 - 4*a*c]) + ((b^2*d - a*b*e - a*(c*d - a*f))*Log[x])/a^3 - ((b^2*d - a*b*e - a*(c*d - a*f))*Log[a + b*x^2 + c*x^4])/(4*a^3)$

**Rubi [A]** time = 0.40734, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$\frac{\log(a+bx^2+cx^4)(-abe-a(cd-af)+b^2d)}{4a^3} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2a^2ce-ab^2e-ab(3cd-af)+b^3d)}{2a^3\sqrt{b^2-4ac}} + \frac{\log(x)(-ab...)}{...}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^5\*(a + b\*x^2 + c\*x^4)), x]

[Out]  $-d/(4*a*x^4) + (b*d - a*e)/(2*a^2*x^2) + ((b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^3*Sqrt[b^2 - 4*a*c]) + ((b^2*d - a*b*e - a*(c*d - a*f))*Log[x])/a^3 - ((b^2*d - a*b*e - a*(c*d - a*f))*Log[a + b*x^2 + c*x^4])/(4*a^3)$

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m-1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x]

], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^5(a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x^3(a + bx + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{d}{ax^3} + \frac{-bd + ae}{a^2x^2} + \frac{b^2d - abe - a(cd - af)}{a^3x} + \frac{-b^3d + ab^2e - a^2ce + ab(2cd - af)}{a^3(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= -\frac{d}{4ax^4} + \frac{bd - ae}{2a^2x^2} + \frac{(b^2d - abe - a(cd - af)) \log(x)}{a^3} + \frac{\text{Subst} \left( \int \frac{-b^3d + ab^2e - a^2ce + ab(2cd - af) - c(b^2d - abe - a(cd - af))}{a + bx + cx^2} dx, x, x^2 \right)}{2a^3} \\
&= -\frac{d}{4ax^4} + \frac{bd - ae}{2a^2x^2} + \frac{(b^2d - abe - a(cd - af)) \log(x)}{a^3} - \frac{(b^2d - abe - a(cd - af)) \text{Subst} \left( \int \frac{b}{a + bx + cx^2} dx, x, x^2 \right)}{4a^3} \\
&= -\frac{d}{4ax^4} + \frac{bd - ae}{2a^2x^2} + \frac{(b^2d - abe - a(cd - af)) \log(x)}{a^3} - \frac{(b^2d - abe - a(cd - af)) \log(a + bx^2)}{4a^3} \\
&= -\frac{d}{4ax^4} + \frac{bd - ae}{2a^2x^2} + \frac{(b^3d - ab^2e + 2a^2ce - ab(3cd - af)) \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{2a^3\sqrt{b^2 - 4ac}} + \frac{(b^2d - abe - a(cd - af)) \log(a + bx^2)}{4a^3}
\end{aligned}$$

**Mathematica [A]** time = 0.35299, size = 314, normalized size = 1.8

$$\frac{\frac{a^2d}{x^4} + \frac{\log(-\sqrt{b^2-4ac}+b+2cx^2)(ab(-e\sqrt{b^2-4ac}+af-3cd)+a(-cd\sqrt{b^2-4ac}+af\sqrt{b^2-4ac}+2ace)+b^2(d\sqrt{b^2-4ac}-ae)+b^3d)}{\sqrt{b^2-4ac}}}{4a^3} + \frac{\log(\sqrt{b^2-4ac}+b+2cx^2)(-ab(e\sqrt{b^2-4ac}-b-2cx^2)+a(-cd\sqrt{b^2-4ac}+af\sqrt{b^2-4ac}+2ace)+b^2(d\sqrt{b^2-4ac}-ae)+b^3d)}{\sqrt{b^2-4ac}}}{4a^3}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^5\*(a + b\*x^2 + c\*x^4)),x]

[Out]  $-\left(\frac{a^2d}{x^4} + (2a*(-(b*d) + a*e))/x^2 - 4*(b^2*d - a*b*e + a*(-(c*d) + a*f))*\text{Log}[x] + ((b^3*d + b^2*(\text{Sqrt}[b^2 - 4*a*c]*d - a*e) + a*b*(-3*c*d - \text{Sqrt}[b^2 - 4*a*c]*e + a*f) + a*(-(c*\text{Sqrt}[b^2 - 4*a*c]*d) + 2*a*c*e + a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{Log}[b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/\text{Sqrt}[b^2 - 4*a*c] + ((-(b^3*d) + b^2*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) - a*b*(-3*c*d + \text{Sqrt}[b^2 - 4*a*c]*e + a*f) + a*(-(c*(\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e)) + a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2])/\text{Sqrt}[b^2 - 4*a*c])/(4*a^3)$

**Maple [B]** time = 0.011, size = 356, normalized size = 2.1

$$-\frac{d}{4ax^4} - \frac{e}{2ax^2} + \frac{bd}{2a^2x^2} + \frac{\ln(x)f}{a} - \frac{\ln(x)be}{a^2} - \frac{\ln(x)cd}{a^2} + \frac{\ln(x)b^2d}{a^3} - \frac{\ln(cx^4 + bx^2 + a)f}{4a} + \frac{\ln(cx^4 + bx^2 + a)be}{4a^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f*x^4+e*x^2+d)/x^5/(c*x^4+b*x^2+a),x)$

[Out]  $-1/4*d/a/x^4-1/2/a/x^2*e+1/2/a^2/x^2*b*d+1/a*\ln(x)*f-1/a^2*\ln(x)*b*e-1/a^2*\ln(x)*c*d+1/a^3*\ln(x)*b^2*d-1/4/a*\ln(c*x^4+b*x^2+a)*f+1/4/a^2*\ln(c*x^4+b*x^2+a)*b*e+1/4/a^2*c*\ln(c*x^4+b*x^2+a)*d-1/4/a^3*\ln(c*x^4+b*x^2+a)*b^2*d-1/2/a/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b*f-1/a/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*c*e+1/2/a^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^2*e+3/2/a^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b*c*d-1/2/a^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((f*x^4+e*x^2+d)/x^5/(c*x^4+b*x^2+a),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 5.26681, size = 1283, normalized size = 7.37

$$\left[ \frac{(a^2bf + (b^3 - 3abc)d - (ab^2 - 2a^2c)e)\sqrt{b^2 - 4ac}x^4 \log\left(\frac{2c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac}}{cx^4 + bx^2 + a}\right) - ((b^4 - 5ab^2c + 4a^2c^2)d - (a^2b^2 - 4a^3c)f)x^4 \log(cx^4 + bx^2 + a) + 4((b^4 - 5ab^2c + 4a^2c^2)d - (a^2b^2 - 4a^3c)f)x^4}{(c^2x^4 + 2bcx^2 + b^2 - 2ac + (2cx^2 + b)\sqrt{b^2 - 4ac})} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((f*x^4+e*x^2+d)/x^5/(c*x^4+b*x^2+a),x, \text{algorithm}="fricas")$

[Out]  $[1/4*((a^2*b*f + (b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e)*\text{sqrt}(b^2 - 4*a*c)*x^4*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\text{sqrt}(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - ((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d - (a*b^3 - 4*a^2*b*c)*e + (a^2*b^2 - 4*a^3*c)*f)*x^4*\log(c*x^4 + b*x^2 + a) + 4*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d - (a*b^3 - 4*a^2*b*c)*e + (a^2*b^2 - 4*a^3*c)*f)*x^4]$



$$\begin{aligned} &^4 \log(x) + 2*((a*b^3 - 4*a^2*b*c)*d - (a^2*b^2 - 4*a^3*c)*e)*x^2 - (a^2*b^2 - 4*a^3*c)*d)/((a^3*b^2 - 4*a^4*c)*x^4), 1/4*(2*(a^2*b*f + (b^3 - 3*a*b*c)*d - (a*b^2 - 2*a^2*c)*e)*\sqrt{-b^2 + 4*a*c})*x^4*\arctan(-(2*c*x^2 + b)*\sqrt{-b^2 + 4*a*c})/(b^2 - 4*a*c)) - ((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d - (a*b^3 - 4*a^2*b*c)*e + (a^2*b^2 - 4*a^3*c)*f)*x^4*\log(c*x^4 + b*x^2 + a) + 4*((b^4 - 5*a*b^2*c + 4*a^2*c^2)*d - (a*b^3 - 4*a^2*b*c)*e + (a^2*b^2 - 4*a^3*c)*f)*x^4*\log(x) + 2*((a*b^3 - 4*a^2*b*c)*d - (a^2*b^2 - 4*a^3*c)*e)*x^2 - (a^2*b^2 - 4*a^3*c)*d)/((a^3*b^2 - 4*a^4*c)*x^4)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*5/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] Timed out

**Giac [A]** time = 1.13726, size = 286, normalized size = 1.64

$$-\frac{(b^2d - acd + a^2f - abe) \log(cx^4 + bx^2 + a)}{4a^3} + \frac{(b^2d - acd + a^2f - abe) \log(x^2)}{2a^3} - \frac{(b^3d - 3abcd + a^2bf - ab^2e + 2a^2c)}{2\sqrt{-b^2 + 4aca}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^5/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] 
$$-1/4*(b^2*d - a*c*d + a^2*f - a*b*e)*\log(c*x^4 + b*x^2 + a)/a^3 + 1/2*(b^2*d - a*c*d + a^2*f - a*b*e)*\log(x^2)/a^3 - 1/2*(b^3*d - 3*a*b*c*d + a^2*b*f - a*b^2*e + 2*a^2*c*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/(\sqrt{-b^2 + 4*a*c})*a^3 - 1/4*(3*b^2*d*x^4 - 3*a*c*d*x^4 + 3*a^2*f*x^4 - 3*a*b*x^4*e - 2*a*b*d*x^2 + 2*a^2*x^2*e + a^2*d)/(a^3*x^4)$$

$$3.54 \quad \int \frac{d+ex^2+fx^4}{x^7(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=244

$$-\frac{-abe - a(cd - af) + b^2d}{2a^3x^2} + \frac{\log(a + bx^2 + cx^4)(a^2ce - ab^2e - ab(2cd - af) + b^3d)}{4a^4} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(3a^2bce + 2a^2c)}{2a^4\sqrt{b^2-4ac}}$$

[Out]  $-\frac{d}{6ax^6} + \frac{(bd - ae)}{4a^2x^4} - \frac{(b^2d - a^2be - a^2(cd - af))}{2a^3x^2} - \frac{((b^4d - a^2b^3e + 3a^2b^2c^2e + 2a^2c^2(cd - af) - a^2b^2(4cd - af)) \operatorname{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])}{2a^4\sqrt{b^2 - 4ac}} - \frac{((b^3d - a^2b^2e + a^2c^2e - a^2b(2cd - af)) \operatorname{Log}[x])}{a^4} + \frac{((b^3d - a^2b^2e + a^2c^2e - a^2b(2cd - af)) \operatorname{Log}[a + bx^2 + cx^4])}{4a^4}$

**Rubi [A]** time = 0.572902, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1628, 634, 618, 206, 628}

$$-\frac{-abe - a(cd - af) + b^2d}{2a^3x^2} + \frac{\log(a + bx^2 + cx^4)(a^2ce - ab^2e - ab(2cd - af) + b^3d)}{4a^4} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(3a^2bce + 2a^2c)}{2a^4\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(d + ex^2 + fx^4)/(x^7(a + bx^2 + cx^4)), x]$

[Out]  $-\frac{d}{6ax^6} + \frac{(bd - ae)}{4a^2x^4} - \frac{(b^2d - a^2be - a^2(cd - af))}{2a^3x^2} - \frac{((b^4d - a^2b^3e + 3a^2b^2c^2e + 2a^2c^2(cd - af) - a^2b^2(4cd - af)) \operatorname{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])}{2a^4\sqrt{b^2 - 4ac}} - \frac{((b^3d - a^2b^2e + a^2c^2e - a^2b(2cd - af)) \operatorname{Log}[x])}{a^4} + \frac{((b^3d - a^2b^2e + a^2c^2e - a^2b(2cd - af)) \operatorname{Log}[a + bx^2 + cx^4])}{4a^4}$

**Rule 1663**

$\operatorname{Int}[(Pq_*)(x_*)^{(m_*)}((a_*) + (b_*)(x_*)^2 + (c_*)(x_*)^4)^{(p_*)}, x\_Symbol] :$   
 $> \operatorname{Dist}[1/2, \operatorname{Subst}[\operatorname{Int}[x^{(m-1)/2} \operatorname{SubstFor}[x^2, Pq, x](a + bx + cx^2)^p, x], x, x^2], x] /;$   $\operatorname{FreeQ}\{a, b, c, p\}, x \&\& \operatorname{PolyQ}[Pq, x^2] \&\& \operatorname{IntegerQ}[(m-1)/2]$

Rule 1628

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^7(a + bx^2 + cx^4)} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x^4(a + bx + cx^2)} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{d}{ax^4} + \frac{-bd + ae}{a^2x^3} + \frac{b^2d - abe - a(cd - af)}{a^3x^2} + \frac{-b^3d + ab^2e - a^2ce + ab(2cd - af)}{a^4x} \right) dx, x, x^2 \right) \\
&= -\frac{d}{6ax^6} + \frac{bd - ae}{4a^2x^4} - \frac{b^2d - abe - a(cd - af)}{2a^3x^2} - \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} + \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} \\
&= -\frac{d}{6ax^6} + \frac{bd - ae}{4a^2x^4} - \frac{b^2d - abe - a(cd - af)}{2a^3x^2} - \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} + \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} \\
&= -\frac{d}{6ax^6} + \frac{bd - ae}{4a^2x^4} - \frac{b^2d - abe - a(cd - af)}{2a^3x^2} - \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} + \frac{(b^3d - ab^2e + a^2ce - ab(2cd - af)) \log(x)}{a^4} \\
&= -\frac{d}{6ax^6} + \frac{bd - ae}{4a^2x^4} - \frac{b^2d - abe - a(cd - af)}{2a^3x^2} - \frac{(b^4d - ab^3e + 3a^2bce + 2a^2c(cd - af) - ab^2(4cd - ab^2)) \log(x)}{2a^4\sqrt{b^2 - 4ac}}
\end{aligned}$$

**Mathematica [A]** time = 0.351751, size = 416, normalized size = 1.7

$$\frac{3 \log\left(-\sqrt{b^2-4ac}+b+2cx^2\right)\left(a^2c\left(e^{\sqrt{b^2-4ac}-2af+2cd}\right)+ab^2\left(-e^{\sqrt{b^2-4ac}+af-4cd}\right)+ab\left(-2cd\sqrt{b^2-4ac}+af\sqrt{b^2-4ac}+3ace\right)+b^3\left(d\sqrt{b^2-4ac}-ae\right)+b^4d\right)}{\sqrt{b^2-4ac}} + \frac{3 \log\left(\sqrt{b^2-4ac}\right)}{\sqrt{b^2-4ac}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^7\*(a + b\*x^2 + c\*x^4)), x]

[Out] ((-2\*a^3\*d)/x^6 + (3\*a^2\*(b\*d - a\*e))/x^4 + (6\*a\*(-(b^2\*d) + a\*b\*e + a\*(c\*d - a\*f)))/x^2 - 12\*(b^3\*d - a\*b^2\*e + a^2\*c\*e + a\*b\*(-2\*c\*d + a\*f))\*Log[x] + (3\*(b^4\*d + b^3\*(Sqrt[b^2 - 4\*a\*c]\*d - a\*e) + a^2\*c\*(2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e - 2\*a\*f) + a\*b^2\*(-4\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e + a\*f) + a\*b\*(-2\*c\*Sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f))\*Log[b - Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c] + (3\*(-(b^4\*d) + b^3\*(Sqrt[b^2 - 4\*a\*c]\*d + a\*e) - a\*b^2\*(-4\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + a\*f) + a^2\*c\*(-2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f) + a\*b\*(-2\*c\*Sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f))\*Log[b + Sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2])/Sqrt[b^2 - 4\*a\*c])/(12\*a^4)

**Maple [B]** time = 0.014, size = 523, normalized size = 2.1

$$-\frac{d}{6ax^6} - \frac{e}{4ax^4} + \frac{bd}{4a^2x^4} - \frac{f}{2ax^2} + \frac{be}{2a^2x^2} + \frac{cd}{2a^2x^2} - \frac{b^2d}{2a^3x^2} - \frac{\ln(x)bf}{a^2} - \frac{\ln(x)ce}{a^2} + \frac{\ln(x)b^2e}{a^3} + 2\frac{\ln(x)bcd}{a^3} - \frac{\ln(x)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x^7/(c*x^4+b*x^2+a), x)`

[Out] 
$$-1/6*d/a/x^6 - 1/4/a/x^4*e + 1/4/a^2/x^4*b*d - 1/2/a/x^2*f + 1/2/a^2/x^2*b*e + 1/2/a^2/x^2*c*d - 1/2/a^3/x^2*b^2*d - 1/a^2*\ln(x)*b*f - 1/a^2*\ln(x)*c*e + 1/a^3*\ln(x)*b^2*e + 2/a^3*\ln(x)*b*c*d - 1/a^4*\ln(x)*b^3*d + 1/4/a^2*\ln(c*x^4+b*x^2+a)*b*f + 1/4/a^2*c*\ln(c*x^4+b*x^2+a)*e - 1/4/a^3*\ln(c*x^4+b*x^2+a)*b^2*e - 1/2/a^3*c*\ln(c*x^4+b*x^2+a)*b*d + 1/4/a^4*\ln(c*x^4+b*x^2+a)*b^3*d - 1/a/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*c*f + 1/2/a^2/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2*f + 3/2/a^2/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*c*e + 1/a^2/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*c^2*d - 1/2/a^3/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^3*e - 2/a^3/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2*c*d + 1/2/a^4/(4*a*c-b^2)^(1/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^4*d$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^7/(c*x^4+b*x^2+a), x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 13.7013, size = 1747, normalized size = 7.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^7/(c*x^4+b*x^2+a), x, algorithm="fricas")`

```
[Out] [-1/12*(3*sqrt(b^2 - 4*a*c)*((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^2*b^2 - 2*a^3*c)*f)*x^6*log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x^2 + a)) - 3*((b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*d - (a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*e + (a^2*b^3 - 4*a^3*b*c)*f)*x^6*log(c*x^4 + b*x^2 + a) + 12*((b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*d - (a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*e + (a^2*b^3 - 4*a^3*b*c)*f)*x^6*log(x) + 6*((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e + (a^3*b^2 - 4*a^4*c)*f)*x^4 - 3*((a^2*b^3 - 4*a^3*b*c)*d - (a^3*b^2 - 4*a^4*c)*e)*x^2 + 2*(a^3*b^2 - 4*a^4*c)*d)/((a^4*b^2 - 4*a^5*c)*x^6), -1/12*(6*sqrt(-b^2 + 4*a*c)*((b^4 - 4*a*b^2*c + 2*a^2*c^2)*d - (a*b^3 - 3*a^2*b*c)*e + (a^2*b^2 - 2*a^3*c)*f)*x^6*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) - 3*((b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*d - (a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*e + (a^2*b^3 - 4*a^3*b*c)*f)*x^6*log(c*x^4 + b*x^2 + a) + 12*((b^5 - 6*a*b^3*c + 8*a^2*b*c^2)*d - (a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*e + (a^2*b^3 - 4*a^3*b*c)*f)*x^6*log(x) + 6*((a*b^4 - 5*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 - 4*a^3*b*c)*e + (a^3*b^2 - 4*a^4*c)*f)*x^4 - 3*((a^2*b^3 - 4*a^3*b*c)*d - (a^3*b^2 - 4*a^4*c)*e)*x^2 + 2*(a^3*b^2 - 4*a^4*c)*d)/((a^4*b^2 - 4*a^5*c)*x^6)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**4+e*x**2+d)/x**7/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.14577, size = 423, normalized size = 1.73

$$\frac{(b^3d - 2abcd + a^2bf - ab^2e + a^2ce) \log(cx^4 + bx^2 + a)}{4a^4} - \frac{(b^3d - 2abcd + a^2bf - ab^2e + a^2ce) \log(x^2)}{2a^4} + \frac{(b^4d - 4ab^2cd)}{2a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^7/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/4*(b^3*d - 2*a*b*c*d + a^2*b*f - a*b^2*e + a^2*c*e)*log(c*x^4 + b*x^2 + a)/a^4 - 1/2*(b^3*d - 2*a*b*c*d + a^2*b*f - a*b^2*e + a^2*c*e)*log(x^2)/a^4
```

$$\begin{aligned}
& + \frac{1}{2}(b^4d - 4ab^2cd + 2a^2c^2d + a^2b^2f - 2a^3cf - ab^3e \\
& + 3a^2bce) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right) / (\sqrt{-b^2 + 4ac}) \\
& * a^4 + \frac{1}{12}(11b^3dx^6 - 22abc^2dx^6 + 11a^2b^2fx^6 - 11ab^2x^6 \\
& * e + 11a^2c^2x^6e - 6ab^2d^2x^4 + 6a^2cd^2x^4 - 6a^3f^2x^4 + 6a^2b \\
& * x^4e + 3a^2bd^2x^2 - 3a^3x^2e - 2a^3d) / (a^4x^6)
\end{aligned}$$

$$3.55 \quad \int \frac{x^4(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=369

$$\frac{x(-c(af+be)+b^2f+c^2d)}{c^3} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{-b^2c(cd-4af)-3abc^2e+2ac^2(cd-af)+b^3ce+b^4(-f)}{\sqrt{b^2-4ac}} - bc(cd-2af) - ac^2e + b^2ce\right)}{\sqrt{2}c^{7/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out] ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x)/c^3 + ((c\*e - b\*f)\*x^3)/(3\*c^2) + (f\*x^5)/(5\*c) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f) - (b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f) + (b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 4.57737, antiderivative size = 369, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1664, 1166, 205}

$$\frac{x(-c(af+be)+b^2f+c^2d)}{c^3} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{-b^2c(cd-4af)-3abc^2e+2ac^2(cd-af)+b^3ce+b^4(-f)}{\sqrt{b^2-4ac}} - bc(cd-2af) - ac^2e + b^2ce\right)}{\sqrt{2}c^{7/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x)/c^3 + ((c\*e - b\*f)\*x^3)/(3\*c^2) + (f\*x^5)/(5\*c) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f) - (b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b^2\*c\*e - a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 2\*a\*f) + (b^3\*c\*e - 3\*a\*b\*c^2\*e - b^4\*f - b^2\*c\*(c\*d - 4\*a\*f) + 2\*a\*c^2\*(c\*d - a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rule 1664**



```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] :> Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^4 (d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \int \left( \frac{c^2d + b^2f - c(be + af)}{c^3} + \frac{(ce - bf)x^2}{c^2} + \frac{fx^4}{c} - \frac{a(c^2d + b^2f - c(be + af)) - (b^2ce - ac^2e - b^3f - bc(cd - 2af))}{c^3(a + bx^2 + cx^4)} \right) dx \\ &= \frac{(c^2d + b^2f - c(be + af))x}{c^3} + \frac{(ce - bf)x^3}{3c^2} + \frac{fx^5}{5c} - \frac{\int \frac{a(c^2d + b^2f - c(be + af)) + (-b^2ce + ac^2e + b^3f + bc(cd - 2af))}{a + bx^2 + cx^4} dx}{c^3} \\ &= \frac{(c^2d + b^2f - c(be + af))x}{c^3} + \frac{(ce - bf)x^3}{3c^2} + \frac{fx^5}{5c} + \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af)) - \frac{b^3ce - ac^2e - b^3f - bc(cd - 2af)}{\sqrt{2c^{7/2}}}}{\sqrt{2c^{7/2}}} \\ &= \frac{(c^2d + b^2f - c(be + af))x}{c^3} + \frac{(ce - bf)x^3}{3c^2} + \frac{fx^5}{5c} + \frac{(b^2ce - ac^2e - b^3f - bc(cd - 2af)) - \frac{b^3ce - ac^2e - b^3f - bc(cd - 2af)}{\sqrt{2c^{7/2}}}}{\sqrt{2c^{7/2}}} \end{aligned}$$

**Mathematica [A]** time = 0.54579, size = 456, normalized size = 1.24

$$\frac{x(-c(af + be) + b^2f + c^2d)}{c^3} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right) \left( ac^2 \left( e\sqrt{b^2 - 4ac} - 2af + 2cd \right) - b^2c \left( e\sqrt{b^2 - 4ac} - 4af + cd \right) + bc \left( e\sqrt{b^2 - 4ac} - 4af + cd \right) \right)}{\sqrt{2c^{7/2}}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4),x]

[Out] ((c^2\*d + b^2\*f - c\*(b\*e + a\*f))\*x)/c^3 + ((c\*e - b\*f)\*x^3)/(3\*c^2) + (f\*x^5)/(5\*c) - (((b^4\*f) - b^2\*c\*(c\*d + Sqrt[b^2 - 4\*a\*c]\*e - 4\*a\*f) + a\*c^2\*(2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e - 2\*a\*f) + b^3\*(c\*e + Sqrt[b^2 - 4\*a\*c]\*f) + b\*c\*(c\*Sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*c\*e - 2\*a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((b^4\*f + b^2\*c\*(c\*d - Sqrt[b^2 - 4\*a\*c]\*e - 4\*a\*f) + a\*c^2\*(-2\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f) + b^3\*(-(c\*e) + Sqrt[b^2 - 4\*a\*c]\*f) + b\*c\*(c\*Sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*c\*e - 2\*a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(7/2)\*Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Maple [B]** time = 0.036, size = 1450, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x)

[Out]  $\frac{1}{2}c^{-2}2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * b^2e - 1/2c^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * b^2d + 1/(-4ac + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * ad + 1/2c^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)} \operatorname{arctanh}(cx^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)}) * ae + 1/2c^3 * 2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)} \operatorname{arctanh}(cx^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)}) * b^3f - 1/2c^2 * 2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)} \operatorname{arctanh}(cx^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)}) * b^2e + 1/2c^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)} \operatorname{arctanh}(cx^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)}) * b^2d + 1/(-4ac + b^2)^{(1/2)} * 2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)} \operatorname{arctanh}(cx^2^{(1/2)} / (((-4ac + b^2)^{(1/2)} - b)c)^{(1/2)}) * ad - 1/2c^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * ae - 1/2c^3 * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * b^3f - 1/3c^2 * x^3 * bf - 1/c^2 * a * f * x + 1/c^3 * b^2 * f * x - 1/c^2 * b * e * x + 1/c^2 * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * a * b * f - 1/c / (-4ac + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * a^2 * f - 1/2c^3 / (-4ac + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan(cx^2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)}) * b^4 * f + 1/2c^2 / (-4ac + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4ac + b^2)^{(1/2)})c)^{(1/2)} \arctan$

$$\begin{aligned} & (c*x^2)^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * b^3 * e^{-1/2/c} / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c*x^2)^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * b^2 * d - 1/c^2 * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * a * b * f - 1/c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * a^2 * f - 1/2/c^3 / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * b^4 * f + 1/2/c^2 / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * b^3 * e^{-1/2/c} / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * b^2 * d + 1/3/c * x^3 * e + 1/c * d * x + 1/5 * f * x^5 / c + 2/c^2 / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * a * b^2 * f - 3/2/c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2)^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * a * b * e + 2/c^2 / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c*x^2)^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * a * b^2 * f - 3/2/c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c*x^2)^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * a * b * e \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{3c^2fx^5 + 5(c^2e - bcf)x^3 + 15(c^2d - bce + (b^2 - ac)f)x}{15c^3} + \frac{-\int \frac{ac^2d - abce + (bc^2d - (b^2c - ac^2)e + (b^3 - 2abc)f)x^2 + (ab^2 - a^2c)f}{cx^4 + bx^2 + a} dx}{c^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] 1/15\*(3\*c^2\*f\*x^5 + 5\*(c^2\*e - b\*c\*f)\*x^3 + 15\*(c^2\*d - b\*c\*e + (b^2 - a\*c)\*f)\*x)/c^3 + integrate(-(a\*c^2\*d - a\*b\*c\*e + (b\*c^2\*d - (b^2\*c - a\*c^2)\*e + (b^3 - 2\*a\*b\*c)\*f)\*x^2 + (a\*b^2 - a^2\*c)\*f)/(c\*x^4 + b\*x^2 + a), x)/c^3

**Fricas [B]** time = 100.239, size = 31190, normalized size = 84.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out]  $\frac{1}{30} * (6 * c^2 * f * x^5 - 15 * \text{sqrt}(1/2) * c^3 * \text{sqrt}(-((b^3 * c^4 - 3 * a * b * c^5) * d^2 - 2 * (b^4 * c^3 - 4 * a * b^2 * c^4 + 2 * a^2 * c^5) * d * e + (b^5 * c^2 - 5 * a * b^3 * c^3 + 5 * a^2 * b * c^4) * e^2 + (b^7 - 7 * a * b^5 * c + 14 * a^2 * b^3 * c^2 - 7 * a^3 * b * c^3) * f^2 + 2 * ((b^5 * c^2 - 5 * a * b^3 * c^3 + 5 * a^2 * b * c^4) * d - (b^6 * c - 6 * a * b^4 * c^2 + 9 * a^2 * b^2 * c^3 - 2 * a^3 * c^4) * e)) * f + (b^2 * c^7 - 4 * a * c^8) * \text{sqrt}(((b^4 * c^8 - 2 * a * b^2 * c^9 + a^2 * c^{10}) * d^4 - 4 * (b^5 * c^7 - 3 * a * b^3 * c^8 + 2 * a^2 * b * c^9) * d^3 * e + 2 * (3 * b^6 * c^6 - 12 * a * b^4 * c^7 + 12 * a^2 * b^2 * c^8 - a^3 * c^9) * d^2 * e^2 - 4 * (b^7 * c^5 - 5 * a * b^5 * c^6 + 7 * a^2 * b^3 * c^7 - 2 * a^3 * b * c^8) * d * e^3 + (b^8 * c^4 - 6 * a * b^6 * c^5 + 11 * a^2 * b^4 * c^6 - 6 * a^3 * b^2 * c^7 + a^4 * c^8) * e^4 + (b^{12} - 10 * a * b^{10} * c + 37 * a^2 * b^8 * c^2 - 6 * 2 * a^3 * b^6 * c^3 + 46 * a^4 * b^4 * c^4 - 12 * a^5 * b^2 * c^5 + a^6 * c^6) * f^4 + 4 * ((b^{10} * c^2 - 8 * a * b^8 * c^3 + 22 * a^2 * b^6 * c^4 - 24 * a^3 * b^4 * c^5 + 9 * a^4 * b^2 * c^6 - a^5 * c^7) * d - (b^{11} * c - 9 * a * b^9 * c^2 + 29 * a^2 * b^7 * c^3 - 40 * a^3 * b^5 * c^4 + 22 * a^4 * b^3 * c^5 - 3 * a^5 * b * c^6) * e) * f^3 + 2 * ((3 * b^8 * c^4 - 18 * a * b^6 * c^5 + 33 * a^2 * b^4 * c^6 - 19 * a^3 * b^2 * c^7 + 3 * a^4 * c^8) * d^2 - 2 * (3 * b^9 * c^3 - 21 * a * b^7 * c^4 + 48 * a^2 * b^5 * c^5 - 39 * a^3 * b^3 * c^6 + 8 * a^4 * b * c^7) * d * e + (3 * b^{10} * c^2 - 24 * a * b^8 * c^3 + 66 * a^2 * b^6 * c^4 - 72 * a^3 * b^4 * c^5 + 27 * a^4 * b^2 * c^6 - a^5 * c^7) * e^2) * f^2 + 4 * ((b^6 * c^6 - 4 * a * b^4 * c^7 + 4 * a^2 * b^2 * c^8 - a^3 * c^9) * d^3 - (3 * b^7 * c^5 - 15 * a * b^5 * c^6 + 21 * a^2 * b^3 * c^7 - 7 * a^3 * b * c^8) * d^2 * e + (3 * b^8 * c^4 - 18 * a * b^6 * c^5 + 33 * a^2 * b^4 * c^6 - 18 * a^3 * b^2 * c^7 + a^4 * c^8) * d * e^2 - (b^9 * c^3 - 7 * a * b^7 * c^4 + 16 * a^2 * b^5 * c^5 - 13 * a^3 * b^3 * c^6 + 3 * a^4 * b * c^7) * e^3) * f) / (b^2 * c^{14} - 4 * a * c^{15})) / (b^2 * c^7 - 4 * a * c^8)) * \text{log}(-2 * ((a * b^2 * c^6 - a^2 * c^7) * d^4 - (3 * a * b^3 * c^5 - 5 * a^2 * b * c^6) * d^3 * e + 3 * (a * b^4 * c^4 - 2 * a^2 * b^2 * c^5) * d^2 * e^2 - (a * b^5 * c^3 - a^2 * b^3 * c^4 - 3 * a^3 * b * c^5) * d * e^3 + (a^2 * b^4 * c^3 - 3 * a^3 * b^2 * c^4 + a^4 * c^5) * e^4 + (a^3 * b^6 - 5 * a^4 * b^4 * c + 6 * a^5 * b^2 * c^2 - a^6 * c^3) * f^4 + ((a * b^8 - 7 * a^2 * b^6 * c + 18 * a^3 * b^4 * c^2 - 19 * a^4 * b^2 * c^3 + 4 * a^5 * c^4) * d - (a^2 * b^7 - 3 * a^3 * b^5 * c - 2 * a^4 * b^3 * c^2 + 5 * a^5 * b * c^3) * e) * f^3 + 3 * ((a * b^6 * c^2 - 5 * a^2 * b^4 * c^3 + 7 * a^3 * b^2 * c^4 - 2 * a^4 * c^5) * d^2 - (a * b^7 * c - 5 * a^2 * b^5 * c^2 + 8 * a^3 * b^3 * c^3 - 5 * a^4 * b * c^4) * d * e + (a^2 * b^6 * c - 4 * a^3 * b^4 * c^2 + 3 * a^4 * b^2 * c^3) * e^2) * f^2 + ((3 * a * b^4 * c^4 - 9 * a^2 * b^2 * c^5 + 4 * a^3 * c^6) * d^3 - 3 * (2 * a * b^5 * c^3 - 7 * a^2 * b^3 * c^4 + 5 * a^3 * b * c^5) * d^2 * e + 3 * (a * b^6 * c^2 - 3 * a^2 * b^4 * c^3 + a^3 * b^2 * c^4) * d * e^2 - (3 * a^2 * b^5 * c^2 - 11 * a^3 * b^3 * c^3 + 7 * a^4 * b * c^4) * e^3) * f) * x + \text{sqrt}(1/2) * ((b^4 * c^6 - 5 * a * b^2 * c^7 + 4 * a^2 * c^8) * d^3 - (3 * b^5 * c^5 - 17 * a * b^3 * c^6 + 20 * a^2 * b * c^7) * d^2 * e + (3 * b^6 * c^4 - 19 * a * b^4 * c^5 + 29 * a^2 * b^2 * c^6 - 4 * a^3 * c^7) * d * e^2 - (b^7 * c^3 - 7 * a * b^5 * c^4 + 13 * a^2 * b^3 * c^5 - 4 * a^3 * b * c^6) * e^3 + (b^{10} - 10 * a * b^8 * c + 35 * a^2 * b^6 * c^2 - 51 * a^3 * b^4 * c^3 + 29 * a^4 * b^2 * c^4 - 4 * a^5 * c^5) * f^3 + ((3 * b^8 * c^2 - 25 * a * b^6 * c^3 + 66 * a^2 * b^4 * c^4 - 59 * a^3 * b^2 * c^5 + 12 * a^4 * c^6) * d - (3 * b^9 * c - 27 * a * b^7 * c^2 + 80 * a^2 * b^5 * c^3 - 87 * a^3 * b^3 * c^4 + 28 * a^4 * b * c^5) * e) * f^2 + ((3 * b^6 * c^4 - 20 * a * b^4 * c^5 + 35 * a^2 * b^2 * c^6 - 12 * a^3 * c^7) * d^2 - 2 * (3 * b^7 * c^3 - 22 * a * b^5 * c^4 + 46 * a^2 * b^3 * c^5 - 24 * a^3 * b * c^6) * d * e + (3 * b^8 * c^2 - 24 * a * b^6 * c^3 + 58 * a^2 * b^4 * c^4 - 41 * a^3 * b^2 * c^5 + 4 * a^4 * c^6) * e^2) * f - ((b^3 * c^9 - 4 * a * b * c^{10}) * d - (b^4 * c^8 - 6 * a * b^2 * c^9 + 8 * a^2 * c^{10}) * e + (b^5 * c^7 - 7 * a * b^3 * c^8 + 12 * a^2 * b * c^9) * f) * \text{sqrt}(((b^4 * c^8 - 2 * a * b^2 * c^9 + a^2 * c^{10}) * d^4 - 4 * (b^5 * c^7 - 3 * a * b^3 * c^8 + 2 * a^2 * b * c^9) * d^3 * e + 2 * (3 * b^6 * c^6 - 12 * a * b^4 * c^7 + 12 * a^2 * b^2 * c^8 - a^3 * c^9) * d^2 * e^2 - 4 * (b^7 * c^5 - 5 * a * b^5 * c^6 + 7 * a^2 * b^3 * c^7 - 2 * a^3 * b * c^8) * d * e^3 + (b^8 * c^4 - 6 * a * b^6 * c^5 + 11 * a^$

$$\begin{aligned}
& 2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4* \\
& ((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22* \\
& a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 4 \\
& 8*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^{10}*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 \\
& + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^{14} - 4*a*c^{15})))*sqrt(-((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e + (b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f + (b^2*c^7 - 4*a*c^8)*sqrt(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^{10})*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^{10}*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^{14} - 4*a*c^{15}))/((b^2*c^7 - 4*a*c^8))) + 15*sqrt(1/2)*c^3*sqrt(-((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e + (b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f + (b^2*c^7 - 4*a*c^8)*sqrt(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^{10})*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^{10}*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^{11}*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*
\end{aligned}$$

$$\begin{aligned}
& a^4c^8)d^2 - 2*(3*b^9c^3 - 21*a*b^7c^4 + 48*a^2*b^5c^5 - 39*a^3*b^3c^6 \\
& + 8*a^4*b*c^7)*d*e + (3*b^10c^2 - 24*a*b^8c^3 + 66*a^2*b^6c^4 - 72*a^3 \\
& *b^4c^5 + 27*a^4*b^2c^6 - a^5c^7)*e^2)*f^2 + 4*((b^6c^6 - 4*a*b^4c^7 + \\
& 4*a^2*b^2c^8 - a^3c^9)*d^3 - (3*b^7c^5 - 15*a*b^5c^6 + 21*a^2*b^3c^7 \\
& - 7*a^3*b*c^8)*d^2*e + (3*b^8c^4 - 18*a*b^6c^5 + 33*a^2*b^4c^6 - 18*a^3* \\
& b^2c^7 + a^4c^8)*d*e^2 - (b^9c^3 - 7*a*b^7c^4 + 16*a^2*b^5c^5 - 13*a^3 \\
& *b^3c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2c^14 - 4*a*c^15)))/(b^2c^7 - 4*a*c^8) \\
& )*\log(-2*((a*b^2c^6 - a^2c^7)*d^4 - (3*a*b^3c^5 - 5*a^2*b*c^6)*d^3*e + 3 \\
& *(a*b^4c^4 - 2*a^2*b^2c^5)*d^2*e^2 - (a*b^5c^3 - a^2*b^3c^4 - 3*a^3*b*c^5) \\
& *d*e^3 + (a^2*b^4c^3 - 3*a^3*b^2c^4 + a^4c^5)*e^4 + (a^3*b^6 - 5*a^4* \\
& b^4c + 6*a^5*b^2c^2 - a^6c^3)*f^4 + ((a*b^8 - 7*a^2*b^6c + 18*a^3*b^4c^2 \\
& - 19*a^4*b^2c^3 + 4*a^5c^4)*d - (a^2*b^7 - 3*a^3*b^5c - 2*a^4*b^3c^2 \\
& + 5*a^5*b*c^3)*e)*f^3 + 3*((a*b^6c^2 - 5*a^2*b^4c^3 + 7*a^3*b^2c^4 - 2* \\
& a^4c^5)*d^2 - (a*b^7c - 5*a^2*b^5c^2 + 8*a^3*b^3c^3 - 5*a^4*b*c^4)*d*e \\
& + (a^2*b^6c - 4*a^3*b^4c^2 + 3*a^4*b^2c^3)*e^2)*f^2 + (((3*a*b^4c^4 - 9* \\
& a^2*b^2c^5 + 4*a^3c^6)*d^3 - 3*(2*a*b^5c^3 - 7*a^2*b^3c^4 + 5*a^3*b*c^5) \\
& )*d^2*e + 3*(a*b^6c^2 - 3*a^2*b^4c^3 + a^3*b^2c^4)*d*e^2 - (3*a^2*b^5c^2 \\
& - 11*a^3*b^3c^3 + 7*a^4*b*c^4)*e^3)*f)*x - \sqrt{1/2}*((b^4c^6 - 5*a*b^2 \\
& *c^7 + 4*a^2c^8)*d^3 - (3*b^5c^5 - 17*a*b^3c^6 + 20*a^2*b*c^7)*d^2*e + ( \\
& 3*b^6c^4 - 19*a*b^4c^5 + 29*a^2*b^2c^6 - 4*a^3c^7)*d*e^2 - (b^7c^3 - 7 \\
& *a*b^5c^4 + 13*a^2*b^3c^5 - 4*a^3*b*c^6)*e^3 + (b^10 - 10*a*b^8c + 35*a^2 \\
& *b^6c^2 - 51*a^3*b^4c^3 + 29*a^4*b^2c^4 - 4*a^5c^5)*f^3 + ((3*b^8c^2 \\
& - 25*a*b^6c^3 + 66*a^2*b^4c^4 - 59*a^3*b^2c^5 + 12*a^4c^6)*d - (3*b^9c \\
& - 27*a*b^7c^2 + 80*a^2*b^5c^3 - 87*a^3*b^3c^4 + 28*a^4*b*c^5)*e)*f^2 + \\
& ((3*b^6c^4 - 20*a*b^4c^5 + 35*a^2*b^2c^6 - 12*a^3c^7)*d^2 - 2*(3*b^7c^3 \\
& - 22*a*b^5c^4 + 46*a^2*b^3c^5 - 24*a^3*b*c^6)*d*e + (3*b^8c^2 - 24*a*b^6 \\
& *c^3 + 58*a^2*b^4c^4 - 41*a^3*b^2c^5 + 4*a^4c^6)*e^2)*f - ((b^3c^9 - \\
& 4*a*b*c^10)*d - (b^4c^8 - 6*a*b^2c^9 + 8*a^2c^10)*e + (b^5c^7 - 7*a*b^3 \\
& *c^8 + 12*a^2*b*c^9)*f)*\sqrt{((b^4c^8 - 2*a*b^2c^9 + a^2c^10)*d^4 - 4*(b^5 \\
& *c^7 - 3*a*b^3c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6c^6 - 12*a*b^4c^7 + 1 \\
& 2*a^2*b^2c^8 - a^3c^9)*d^2*e^2 - 4*(b^7c^5 - 5*a*b^5c^6 + 7*a^2*b^3c^7 \\
& - 2*a^3*b*c^8)*d*e^3 + (b^8c^4 - 6*a*b^6c^5 + 11*a^2*b^4c^6 - 6*a^3*b^2 \\
& *c^7 + a^4c^8)*e^4 + (b^12 - 10*a*b^10c + 37*a^2*b^8c^2 - 62*a^3*b^6c^3 \\
& + 46*a^4*b^4c^4 - 12*a^5*b^2c^5 + a^6c^6)*f^4 + 4*((b^10c^2 - 8*a*b^8c^3 \\
& + 22*a^2*b^6c^4 - 24*a^3*b^4c^5 + 9*a^4*b^2c^6 - a^5c^7)*d - (b^11c \\
& - 9*a*b^9c^2 + 29*a^2*b^7c^3 - 40*a^3*b^5c^4 + 22*a^4*b^3c^5 - 3*a^5* \\
& b*c^6)*e)*f^3 + 2*((3*b^8c^4 - 18*a*b^6c^5 + 33*a^2*b^4c^6 - 19*a^3*b^2c^7 \\
& + 3*a^4c^8)*d^2 - 2*(3*b^9c^3 - 21*a*b^7c^4 + 48*a^2*b^5c^5 - 39*a^3 \\
& *b^3c^6 + 8*a^4*b*c^7)*d*e + (3*b^10c^2 - 24*a*b^8c^3 + 66*a^2*b^6c^4 \\
& - 72*a^3*b^4c^5 + 27*a^4*b^2c^6 - a^5c^7)*e^2)*f^2 + 4*((b^6c^6 - 4*a*b^4 \\
& *c^7 + 4*a^2*b^2c^8 - a^3c^9)*d^3 - (3*b^7c^5 - 15*a*b^5c^6 + 21*a^2* \\
& b^3c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8c^4 - 18*a*b^6c^5 + 33*a^2*b^4c^6 - \\
& 18*a^3*b^2c^7 + a^4c^8)*d*e^2 - (b^9c^3 - 7*a*b^7c^4 + 16*a^2*b^5c^5 \\
& - 13*a^3*b^3c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2c^14 - 4*a*c^15))*\sqrt{-((b^3 \\
& *c^4 - 3*a*b*c^5)*d^2 - 2*(b^4c^3 - 4*a*b^2c^4 + 2*a^2c^5)*d*e + (b^5c^4
\end{aligned}$$

$$\begin{aligned}
& 2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7* \\
& a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a* \\
& b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f + (b^2*c^7 - 4*a*c^8)*\sqrt{((b^4* \\
& c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9) \\
& *d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - \\
& 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - \\
& 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - 10*a* \\
& b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 \\
& + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^ \\
& ^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - \\
& 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18* \\
& a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 \\
& - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b \\
& ^10*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - \\
& a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d \\
& ^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b \\
& ^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 - \\
& (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3 \\
& )*f)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8))) - 15*\sqrt{1/2}*c^3*\sqrt{ \\
& -((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e + ( \\
& b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^ \\
& 2 - 7*a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c \\
& - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f - (b^2*c^7 - 4*a*c^8)*\sqrt{ \\
& ((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2* \\
& b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2* \\
& e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8* \\
& c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - \\
& 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^ \\
& 2*c^5 + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3 \\
& *b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7* \\
& c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 \\
& - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b \\
& ^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e \\
& + (3*b^10*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2 \\
& *c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3* \\
& c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e \\
& + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d* \\
& e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^ \\
& 7)*e^3)*f)/(b^2*c^14 - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8))*\log(-2*((a*b^2*c^6 \\
& - a^2*c^7)*d^4 - (3*a*b^3*c^5 - 5*a^2*b*c^6)*d^3*e + 3*(a*b^4*c^4 - 2*a^2*b \\
& ^2*c^5)*d^2*e^2 - (a*b^5*c^3 - a^2*b^3*c^4 - 3*a^3*b*c^5)*d*e^3 + (a^2*b^4* \\
& c^3 - 3*a^3*b^2*c^4 + a^4*c^5)*e^4 + (a^3*b^6 - 5*a^4*b^4*c + 6*a^5*b^2*c^2 \\
& - a^6*c^3)*f^4 + ((a*b^8 - 7*a^2*b^6*c + 18*a^3*b^4*c^2 - 19*a^4*b^2*c^3 + \\
& 4*a^5*c^4)*d - (a^2*b^7 - 3*a^3*b^5*c - 2*a^4*b^3*c^2 + 5*a^5*b*c^3)*e)*f^ \\
& 3 + 3*((a*b^6*c^2 - 5*a^2*b^4*c^3 + 7*a^3*b^2*c^4 - 2*a^4*c^5)*d^2 - (a*b^7
\end{aligned}$$

$$\begin{aligned}
& *c - 5*a^2*b^5*c^2 + 8*a^3*b^3*c^3 - 5*a^4*b*c^4)*d*e + (a^2*b^6*c - 4*a^3* \\
& b^4*c^2 + 3*a^4*b^2*c^3)*e^2)*f^2 + ((3*a*b^4*c^4 - 9*a^2*b^2*c^5 + 4*a^3*c^6)*d^3 - 3*(2*a*b^5*c^3 - 7*a^2*b^3*c^4 + 5*a^3*b*c^5)*d^2*e + 3*(a*b^6*c^2 \\
& - 3*a^2*b^4*c^3 + a^3*b^2*c^4)*d*e^2 - (3*a^2*b^5*c^2 - 11*a^3*b^3*c^3 + 7*a^4*b*c^4)*e^3)*f)*x + \text{sqrt}(1/2)*((b^4*c^6 - 5*a*b^2*c^7 + 4*a^2*c^8)*d^3 \\
& - (3*b^5*c^5 - 17*a*b^3*c^6 + 20*a^2*b*c^7)*d^2*e + (3*b^6*c^4 - 19*a*b^4*c^5 + 29*a^2*b^2*c^6 - 4*a^3*c^7)*d*e^2 - (b^7*c^3 - 7*a*b^5*c^4 + 13*a^2*b^3*c^5 - 4*a^3*b*c^6)*e^3 + (b^10 - 10*a*b^8*c + 35*a^2*b^6*c^2 - 51*a^3*b^4*c^3 + 29*a^4*b^2*c^4 - 4*a^5*c^5)*f^3 + ((3*b^8*c^2 - 25*a*b^6*c^3 + 66*a^2*b^4*c^4 - 59*a^3*b^2*c^5 + 12*a^4*c^6)*d - (3*b^9*c - 27*a*b^7*c^2 + 80*a^2*b^5*c^3 - 87*a^3*b^3*c^4 + 28*a^4*b*c^5)*e)*f^2 + ((3*b^6*c^4 - 20*a*b^4*c^5 + 35*a^2*b^2*c^6 - 12*a^3*c^7)*d^2 - 2*(3*b^7*c^3 - 22*a*b^5*c^4 + 46*a^2*b^3*c^5 - 24*a^3*b*c^6)*d*e + (3*b^8*c^2 - 24*a*b^6*c^3 + 58*a^2*b^4*c^4 - 41*a^3*b^2*c^5 + 4*a^4*c^6)*e^2)*f + ((b^3*c^9 - 4*a*b*c^10)*d - (b^4*c^8 - 6*a*b^2*c^9 + 8*a^2*c^10)*e + (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*f)*\text{sqrt}(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^10*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^14 - 4*a*c^15))*\text{sqrt}(-((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e + (b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f - (b^2*c^7 - 4*a*c^8)*\text{sqrt}(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^10*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^14 - 4*a*c^15))*\text{sqrt}(-((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e + (b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*f^2 + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f - (b^2*c^7 - 4*a*c^8)*\text{sqrt}(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^10*c^2 - 24*a*b^8*c^
\end{aligned}$$



$$\begin{aligned}
& 3 + 66a^2b^6c^4 - 72a^3b^4c^5 + 27a^4b^2c^6 - a^5c^7)e^2) * f^2 + \\
& 4*((b^6c^6 - 4a*b^4c^7 + 4a^2b^2c^8 - a^3c^9)*d^3 - (3b^7c^5 - 15* \\
& a*b^5c^6 + 21a^2b^3c^7 - 7a^3b*c^8)*d^2*e + (3b^8c^4 - 18a*b^6c^5 \\
& + 33a^2b^4c^6 - 18a^3b^2c^7 + a^4c^8)*d*e^2 - (b^9c^3 - 7a*b^7c^4 \\
& + 16a^2b^5c^5 - 13a^3b^3c^6 + 3a^4b*c^7)*e^3)*f)/(b^2c^14 - 4a*a \\
& c^15)))/(b^2c^7 - 4a*c^8)) + 15*sqrt(1/2)*c^3*sqrt(-((b^3c^4 - 3a*b*c^5 \\
& 5)*d^2 - 2*(b^4c^3 - 4a*b^2c^4 + 2a^2c^5)*d*e + (b^5c^2 - 5a*b^3c^3 \\
& + 5a^2b*c^4)*e^2 + (b^7 - 7a*b^5c + 14a^2b^3c^2 - 7a^3b*c^3)*f^2 \\
& + 2*((b^5c^2 - 5a*b^3c^3 + 5a^2b*c^4)*d - (b^6c - 6a*b^4c^2 + 9a^2 \\
& *b^2c^3 - 2a^3c^4)*e)*f - (b^2c^7 - 4a*c^8)*sqrt(((b^4c^8 - 2a*b^2c^9 \\
& + a^2c^10)*d^4 - 4*(b^5c^7 - 3a*b^3c^8 + 2a^2b*c^9)*d^3*e + 2*(3b^6 \\
& c^6 - 12a*b^4c^7 + 12a^2b^2c^8 - a^3c^9)*d^2*e^2 - 4*(b^7c^5 - 5a \\
& *b^5c^6 + 7a^2b^3c^7 - 2a^3b*c^8)*d*e^3 + (b^8c^4 - 6a*b^6c^5 + 1 \\
& 1a^2b^4c^6 - 6a^3b^2c^7 + a^4c^8)*e^4 + (b^12 - 10a*b^10c + 37a^2 \\
& *b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)*f^4 \\
& + 4*((b^10c^2 - 8a*b^8c^3 + 22a^2b^6c^4 - 24a^3b^4c^5 + 9a^4b^2c^6 \\
& - a^5c^7)*d - (b^11c - 9a*b^9c^2 + 29a^2b^7c^3 - 40a^3b^5c^4 \\
& + 22a^4b^3c^5 - 3a^5b*c^6)*e)*f^3 + 2*((3b^8c^4 - 18a*b^6c^5 + 33* \\
& a^2b^4c^6 - 19a^3b^2c^7 + 3a^4c^8)*d^2 - 2*(3b^9c^3 - 21a*b^7c^4 \\
& + 48a^2b^5c^5 - 39a^3b^3c^6 + 8a^4b*c^7)*d*e + (3b^10c^2 - 24a*a \\
& b^8c^3 + 66a^2b^6c^4 - 72a^3b^4c^5 + 27a^4b^2c^6 - a^5c^7)*e^2)* \\
& f^2 + 4*((b^6c^6 - 4a*b^4c^7 + 4a^2b^2c^8 - a^3c^9)*d^3 - (3b^7c^5 \\
& - 15a*b^5c^6 + 21a^2b^3c^7 - 7a^3b*c^8)*d^2*e + (3b^8c^4 - 18a*b \\
& ^6c^5 + 33a^2b^4c^6 - 18a^3b^2c^7 + a^4c^8)*d*e^2 - (b^9c^3 - 7a*a \\
& b^7c^4 + 16a^2b^5c^5 - 13a^3b^3c^6 + 3a^4b*c^7)*e^3)*f)/(b^2c^14 \\
& - 4a*c^15)))/(b^2c^7 - 4a*c^8))*log(-2*((a*b^2c^6 - a^2c^7)*d^4 - (3a \\
& *b^3c^5 - 5a^2b*c^6)*d^3*e + 3*(a*b^4c^4 - 2a^2b^2c^5)*d^2*e^2 - (a \\
& b^5c^3 - a^2b^3c^4 - 3a^3b*c^5)*d*e^3 + (a^2b^4c^3 - 3a^3b^2c^4 + \\
& a^4c^5)*e^4 + (a^3b^6 - 5a^4b^4c + 6a^5b^2c^2 - a^6c^3)*f^4 + ((a \\
& *b^8 - 7a^2b^6c + 18a^3b^4c^2 - 19a^4b^2c^3 + 4a^5c^4)*d - (a^2* \\
& b^7 - 3a^3b^5c - 2a^4b^3c^2 + 5a^5b*c^3)*e)*f^3 + 3*((a*b^6c^2 - 5 \\
& *a^2b^4c^3 + 7a^3b^2c^4 - 2a^4c^5)*d^2 - (a*b^7c - 5a^2b^5c^2 + \\
& 8a^3b^3c^3 - 5a^4b*c^4)*d*e + (a^2b^6c - 4a^3b^4c^2 + 3a^4b^2c^ \\
& ^3)*e^2)*f^2 + ((3a*b^4c^4 - 9a^2b^2c^5 + 4a^3c^6)*d^3 - 3*(2a*b^5c^ \\
& c^3 - 7a^2b^3c^4 + 5a^3b*c^5)*d^2*e + 3*(a*b^6c^2 - 3a^2b^4c^3 + a \\
& ^3b^2c^4)*d*e^2 - (3a^2b^5c^2 - 11a^3b^3c^3 + 7a^4b*c^4)*e^3)*f)* \\
& x - sqrt(1/2)*((b^4c^6 - 5a*b^2c^7 + 4a^2c^8)*d^3 - (3b^5c^5 - 17a*a \\
& b^3c^6 + 20a^2b*c^7)*d^2*e + (3b^6c^4 - 19a*b^4c^5 + 29a^2b^2c^6 \\
& - 4a^3c^7)*d*e^2 - (b^7c^3 - 7a*b^5c^4 + 13a^2b^3c^5 - 4a^3b*c^6) \\
& *e^3 + (b^10 - 10a*b^8c + 35a^2b^6c^2 - 51a^3b^4c^3 + 29a^4b^2c^ \\
& 4 - 4a^5c^5)*f^3 + ((3b^8c^2 - 25a*b^6c^3 + 66a^2b^4c^4 - 59a^3b^ \\
& ^2c^5 + 12a^4c^6)*d - (3b^9c - 27a*b^7c^2 + 80a^2b^5c^3 - 87a^3* \\
& b^3c^4 + 28a^4b*c^5)*e)*f^2 + ((3b^6c^4 - 20a*b^4c^5 + 35a^2b^2c^ \\
& 6 - 12a^3c^7)*d^2 - 2*(3b^7c^3 - 22a*b^5c^4 + 46a^2b^3c^5 - 24a^3 \\
& *b*c^6)*d*e + (3b^8c^2 - 24a*b^6c^3 + 58a^2b^4c^4 - 41a^3b^2c^5 +
\end{aligned}$$

$$\begin{aligned}
& 4*a^4*c^6)*e^2)*f + ((b^3*c^9 - 4*a*b*c^10)*d - (b^4*c^8 - 6*a*b^2*c^9 + 8 \\
& *a^2*c^10)*e + (b^5*c^7 - 7*a*b^3*c^8 + 12*a^2*b*c^9)*f)*\text{sqrt}(((b^4*c^8 - 2 \\
& *a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 + 2*a^2*b*c^9)*d^3*e \\
& + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 \\
& - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 \\
& + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 + a^4*c^8)*e^4 + (b^12 - 10*a*b^10*c \\
& + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*f^4 + 4*((b^10*c^2 \\
& - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d - (b^11*c \\
& - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 \\
& - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a \\
& *b^7*c^4 + 48*a^2*b^5*c^5 - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^10*c^2 \\
& - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 \\
& - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 \\
& - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 + a^4*c^8)*d*e^2 \\
& - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^14 \\
& - 4*a*c^15))*\text{sqrt}(-((b^3*c^4 - 3*a*b*c^5)*d^2 - 2*(b^4*c^3 - 4*a*b^2*c^4 + 2*a^2*c^5)*d*e \\
& + (b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*e^2 + (b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*f^2 \\
& + 2*((b^5*c^2 - 5*a*b^3*c^3 + 5*a^2*b*c^4)*d - (b^6*c - 6*a*b^4*c^2 + 9*a^2*b^2*c^3 - 2*a^3*c^4)*e)*f \\
& - (b^2*c^7 - 4*a*c^8)*\text{sqrt}(((b^4*c^8 - 2*a*b^2*c^9 + a^2*c^10)*d^4 - 4*(b^5*c^7 - 3*a*b^3*c^8 \\
& + 2*a^2*b*c^9)*d^3*e + 2*(3*b^6*c^6 - 12*a*b^4*c^7 + 12*a^2*b^2*c^8 - a^3*c^9)*d^2*e^2 - 4*(b^7*c^5 \\
& - 5*a*b^5*c^6 + 7*a^2*b^3*c^7 - 2*a^3*b*c^8)*d*e^3 + (b^8*c^4 - 6*a*b^6*c^5 + 11*a^2*b^4*c^6 - 6*a^3*b^2*c^7 \\
& + a^4*c^8)*e^4 + (b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 \\
& + a^6*c^6)*f^4 + 4*((b^10*c^2 - 8*a*b^8*c^3 + 22*a^2*b^6*c^4 - 24*a^3*b^4*c^5 + 9*a^4*b^2*c^6 - a^5*c^7)*d \\
& - (b^11*c - 9*a*b^9*c^2 + 29*a^2*b^7*c^3 - 40*a^3*b^5*c^4 + 22*a^4*b^3*c^5 - 3*a^5*b*c^6)*e)*f^3 + 2*((3*b^8*c^4 \\
& - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 19*a^3*b^2*c^7 + 3*a^4*c^8)*d^2 - 2*(3*b^9*c^3 - 21*a*b^7*c^4 + 48*a^2*b^5*c^5 \\
& - 39*a^3*b^3*c^6 + 8*a^4*b*c^7)*d*e + (3*b^10*c^2 - 24*a*b^8*c^3 + 66*a^2*b^6*c^4 - 72*a^3*b^4*c^5 \\
& + 27*a^4*b^2*c^6 - a^5*c^7)*e^2)*f^2 + 4*((b^6*c^6 - 4*a*b^4*c^7 + 4*a^2*b^2*c^8 - a^3*c^9)*d^3 - (3*b^7*c^5 \\
& - 15*a*b^5*c^6 + 21*a^2*b^3*c^7 - 7*a^3*b*c^8)*d^2*e + (3*b^8*c^4 - 18*a*b^6*c^5 + 33*a^2*b^4*c^6 - 18*a^3*b^2*c^7 \\
& + a^4*c^8)*d*e^2 - (b^9*c^3 - 7*a*b^7*c^4 + 16*a^2*b^5*c^5 - 13*a^3*b^3*c^6 + 3*a^4*b*c^7)*e^3)*f)/(b^2*c^14 \\
& - 4*a*c^15)))/(b^2*c^7 - 4*a*c^8))) + 10*(c^2*e - b*c*f)*x^3 + 30*(c^2*d - b*c*e + (b^2 - a*c)*f)*x)/c^3
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**4+e*x**2+d)/(c*x**4+b*x**2+a),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.56 \quad \int \frac{x^2(d+ex^2+fx^4)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=282

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f)}{\sqrt{b^2-4ac}} - acf + b^2f - bce + c^2d\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2-4ac+b}}\right)\left(\frac{-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f)}{\sqrt{b^2-4ac}}\right)}{\sqrt{2}c^{5/2}\sqrt{\sqrt{b^2-4ac}}}$$

[Out] ((c\*e - b\*f)\*x)/c^2 + (f\*x^3)/(3\*c) + ((c^2\*d - b\*c\*e + b^2\*f - a\*c\*f + (b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((c^2\*d - b\*c\*e + b^2\*f - a\*c\*f - (b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 3.58969, antiderivative size = 282, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1664, 1166, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f)}{\sqrt{b^2-4ac}} - acf + b^2f - bce + c^2d\right)}{\sqrt{2}c^{5/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2-4ac+b}}\right)\left(\frac{-bc(cd-3af)-2ac^2e+b^2ce+b^3(-f)}{\sqrt{b^2-4ac}}\right)}{\sqrt{2}c^{5/2}\sqrt{\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out] ((c\*e - b\*f)\*x)/c^2 + (f\*x^3)/(3\*c) + ((c^2\*d - b\*c\*e + b^2\*f - a\*c\*f + (b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((c^2\*d - b\*c\*e + b^2\*f - a\*c\*f - (b^2\*c\*e - 2\*a\*c^2\*e - b^3\*f - b\*c\*(c\*d - 3\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(5/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] :> Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^2(d + ex^2 + fx^4)}{a + bx^2 + cx^4} dx &= \int \left( \frac{ce - bf}{c^2} + \frac{fx^2}{c} - \frac{a(ce - bf) - (c^2d - bce + b^2f - acf)x^2}{c^2(a + bx^2 + cx^4)} \right) dx \\ &= \frac{(ce - bf)x}{c^2} + \frac{fx^3}{3c} - \frac{\int \frac{a(ce - bf) + (-c^2d + bce - b^2f + acf)x^2}{a + bx^2 + cx^4} dx}{c^2} \\ &= \frac{(ce - bf)x}{c^2} + \frac{fx^3}{3c} + \frac{\left( c^2d - bce + b^2f - acf - \frac{b^2ce - 2ac^2e - b^3f - bc(cd - 3af)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c^2} + \\ &= \frac{(ce - bf)x}{c^2} + \frac{fx^3}{3c} + \frac{\left( c^2d - bce + b^2f - acf + \frac{b^2ce - 2ac^2e - b^3f - bc(cd - 3af)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{5/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \end{aligned}$$

**Mathematica [A]** time = 0.537855, size = 365, normalized size = 1.29

$$\frac{3\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( -bc \left( e\sqrt{b^2 - 4ac} - 3af + cd \right) + c \left( cd\sqrt{b^2 - 4ac} - af\sqrt{b^2 - 4ac} - 2ace \right) + b^2 \left( f\sqrt{b^2 - 4ac} + ce \right) + b^3(-f) \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{3\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2 - 4ac} + b} \right) \left( bc \left( -e\sqrt{b^2 - 4ac} \right) \right)}{6c^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4), x]

[Out]  $(6\sqrt{c}(c e - b f)x + 2c^{3/2}f x^3 + (3\sqrt{2}(-(b^3 f) - b c(c d + \sqrt{b^2 - 4ac})e - 3a f) + b^2(c e + \sqrt{b^2 - 4ac})f) + c(c \sqrt{b^2 - 4ac}d - 2a c e - a \sqrt{b^2 - 4ac}f)) \operatorname{ArcTan}[(\sqrt{2}\sqrt{c}x)/\sqrt{b - \sqrt{b^2 - 4ac}}]) / (\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}) + (3\sqrt{2}(b^3 f + b c(c d - \sqrt{b^2 - 4ac})e - 3a f) + b^2(-(c e) + \sqrt{b^2 - 4ac})f) + c(c \sqrt{b^2 - 4ac}d + 2a c e - a \sqrt{b^2 - 4ac}f) \operatorname{ArcTan}[(\sqrt{2}\sqrt{c}x)/\sqrt{b + \sqrt{b^2 - 4ac}}]) / (\sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}})) / (6c^{5/2})$

**Maple [B]** time = 0.031, size = 1035, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a), x)

[Out]  $\frac{1}{3}f x^3/c - 1/c^2 b f x + 1/c e x + 1/2 c^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * a f - 1/2 c^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * b^2 f + 1/2 c^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * b e - 1/2 d^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * a b f + 1/(-4ac + b^2)^{1/2} * 2^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * a e + 1/2 c^2 / (-4ac + b^2)^{1/2} * 2^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * b^3 f - 1/2 c / (-4ac + b^2)^{1/2} * 2^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * b^2 e + 1/2 / (-4ac + b^2)^{1/2} * 2^{1/2} / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)} \operatorname{arctanh}(c x^2 / (((-4ac + b^2)^{1/2} - b) c)^{(1/2)}) * b d - 1/2 c^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)} \operatorname{arctan}(c x^2 / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)}) * a f + 1/2 c^{1/2} * 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)} \operatorname{arctan}(c x^2 / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)}) * b e + 1/2 d^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)} \operatorname{arctan}(c x^2 / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)}) - 3/2 c / (-4ac + b^2)^{1/2} * 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)} \operatorname{arctan}(c x^2 / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)}) * a b f + 1/(-4ac + b^2)^{1/2} * 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)} \operatorname{arctan}(c x^2 / ((b + (-4ac + b^2)^{1/2}) c)^{(1/2)})$

$$\begin{aligned} & /2)) * a * e^{1/2} / c^2 / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} \\ & ) * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^3 * f - 1/2 / c / (-4 * a * c + \\ & b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + \\ & (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^2 * e^{1/2} / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * \\ & a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} \\ & )) * b * d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 22.0875, size = 18515, normalized size = 65.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/6 * (2 * c * f * x^3 + 3 * \sqrt{1/2} * c^2 * \sqrt{-(b * c^4 * d^2 - 2 * (b^2 * c^3 - 2 * a * c^4) * d} \\ & * e + (b^3 * c^2 - 3 * a * b * c^3) * e^2 + (b^5 - 5 * a * b^3 * c + 5 * a^2 * b * c^2) * f^2 + 2 * (( \\ & b^3 * c^2 - 3 * a * b * c^3) * d - (b^4 * c - 4 * a * b^2 * c^2 + 2 * a^2 * c^3) * e) * f + (b^2 * c^5 \\ & - 4 * a * c^6) * \sqrt{(c^8 * d^4 - 4 * b * c^7 * d^3 * e + 2 * (3 * b^2 * c^6 - a * c^7) * d^2 * e^2 - \\ & 4 * (b^3 * c^5 - a * b * c^6) * d * e^3 + (b^4 * c^4 - 2 * a * b^2 * c^5 + a^2 * c^6) * e^4 + (b^8 \\ & - 6 * a * b^6 * c + 11 * a^2 * b^4 * c^2 - 6 * a^3 * b^2 * c^3 + a^4 * c^4) * f^4 + 4 * ((b^6 * c^2 - \\ & 4 * a * b^4 * c^3 + 4 * a^2 * b^2 * c^4 - a^3 * c^5) * d - (b^7 * c - 5 * a * b^5 * c^2 + 7 * a^2 * b^3 \\ & 3 * c^3 - 2 * a^3 * b * c^4) * e) * f^3 + 2 * ((3 * b^4 * c^4 - 7 * a * b^2 * c^5 + 3 * a^2 * c^6) * d^2 \\ & - 2 * (3 * b^5 * c^3 - 9 * a * b^3 * c^4 + 5 * a^2 * b * c^5) * d * e + (3 * b^6 * c^2 - 12 * a * b^4 * c^3 \\ & + 12 * a^2 * b^2 * c^4 - a^3 * c^5) * e^2) * f^2 + 4 * ((b^2 * c^6 - a * c^7) * d^3 - (3 * b^3 * c \\ & ^5 - 4 * a * b * c^6) * d^2 * e + (3 * b^4 * c^4 - 6 * a * b^2 * c^5 + a^2 * c^6) * d * e^2 - (b^5 * c^ \\ & 3 - 3 * a * b^3 * c^4 + 2 * a^2 * b * c^5) * e^3) * f) / (b^2 * c^{10} - 4 * a * c^{11})) / (b^2 * c^5 - 4 \\ & * a * c^6) * \log(2 * (c^6 * d^4 - 3 * b * c^5 * d^3 * e + 3 * b^2 * c^4 * d^2 * e^2 - (b^3 * c^3 + a * \\ & b * c^4) * d * e^3 + (a * b^2 * c^3 - a^2 * c^4) * e^4 + (a^2 * b^4 - 3 * a^3 * b^2 * c + a^4 * c^2 \\ & ) * f^4 + ((b^6 - 5 * a * b^4 * c + 9 * a^2 * b^2 * c^2 - 4 * a^3 * c^3) * d - (a * b^5 - a^2 * b^3 \end{aligned}$$

$$\begin{aligned}
& *c - 3*a^3*b*c^2)*e)*f^3 + 3*((b^4*c^2 - 3*a*b^2*c^3 + 2*a^2*c^4)*d^2 - (b^5*c - 3*a*b^3*c^2 + 3*a^2*b*c^3)*d*e + (a*b^4*c - 2*a^2*b^2*c^2)*e^2)*f^2 + \\
& ((3*b^2*c^4 - 4*a*c^5)*d^3 - 3*(2*b^3*c^3 - 3*a*b*c^4)*d^2*e + 3*(b^4*c^2 - a*b^2*c^3)*d*e^2 - (3*a*b^3*c^2 - 5*a^2*b*c^3)*e^3)*f)*x + \text{sqrt}(1/2)*((b^2*c^5 - 4*a*c^6)*d^2*e - 2*(b^3*c^4 - 4*a*b*c^5)*d*e^2 + (b^4*c^3 - 5*a*b^2*c^4 + 4*a^2*c^5)*e^3 - (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*f^3 - (2*(b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d - (3*b^6*c - 19*a*b^4*c^2 + 29*a^2*b^2*c^3 - 4*a^3*c^4)*e)*f^2 - ((b^3*c^4 - 4*a*b*c^5)*d^2 - 2*(2*b^4*c^3 - 9*a*b^2*c^4 + 4*a^2*c^5)*d*e + (3*b^5*c^2 - 17*a*b^3*c^3 + 20*a^2*b*c^4)*e^2)*f + (2*(b^2*c^7 - 4*a*c^8)*d - (b^3*c^6 - 4*a*b*c^7)*e + (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*f)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11))*\text{sqrt}(-(b*c^4*d^2 - 2*(b^2*c^3 - 2*a*c^4)*d*e + (b^3*c^2 - 3*a*b*c^3)*e^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*f^2 + 2*((b^3*c^2 - 3*a*b*c^3)*d - (b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*e)*f + (b^2*c^5 - 4*a*c^6)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))) - 3*\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b*c^4*d^2 - 2*(b^2*c^3 - 2*a*c^4)*d*e + (b^3*c^2 - 3*a*b*c^3)*e^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*f^2 + 2*((b^3*c^2 - 3*a*b*c^3)*d - (b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*e)*f + (b^2*c^5 - 4*a*c^6)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))*\log(2*(c^6*d^4 - 3*b*c^5*d^3*e + 3*b^2*c^4*d^2*e^2 - (b^3*c^3 + a*b*c^4)*d*e^3 + (a*b^2*c^3 - a^2*c^4)*e^4 + (a^2*b^4 - 3*a^3*b^2*c + a^4*c^2)*f^4 + ((b^6 - 5*a*b^4*c + 9*a
\end{aligned}$$



$$\begin{aligned}
&^2b^2c^2 - 4a^3c^3)*d - (ab^5 - a^2b^3c - 3a^3b^2c^2)*e)*f^3 + 3*(( \\
&b^4c^2 - 3a*b^2c^3 + 2a^2c^4)*d^2 - (b^5c - 3a*b^3c^2 + 3a^2b^2c^3 \\
&)*d*e + (ab^4c - 2a^2b^2c^2)*e^2)*f^2 + ((3b^2c^4 - 4a*c^5)*d^3 - 3 \\
&*(2b^3c^3 - 3a*b^2c^4)*d^2*e + 3*(b^4c^2 - a*b^2c^3)*d*e^2 - (3a*b^3c \\
&^2 - 5a^2b^2c^3)*e^3)*f)*x - \text{sqrt}(1/2)*((b^2c^5 - 4a*c^6)*d^2*e - 2*(b^3 \\
&c^4 - 4a*b^2c^5)*d*e^2 + (b^4c^3 - 5a*b^2c^4 + 4a^2c^5)*e^3 - (b^7 - \\
&7a*b^5c + 13a^2b^3c^2 - 4a^3b^2c^3)*f^3 - (2*(b^5c^2 - 5a*b^3c^3 + \\
&4a^2b^2c^4)*d - (3b^6c - 19a*b^4c^2 + 29a^2b^2c^3 - 4a^3c^4)*e)* \\
&f^2 - ((b^3c^4 - 4a*b^2c^5)*d^2 - 2*(2b^4c^3 - 9a*b^2c^4 + 4a^2c^5)* \\
&d*e + (3b^5c^2 - 17a*b^3c^3 + 20a^2b^2c^4)*e^2)*f + (2*(b^2c^7 - 4a*a \\
&c^8)*d - (b^3c^6 - 4a*b^2c^7)*e + (b^4c^5 - 6a*b^2c^6 + 8a^2c^7)*f)*s \\
&\text{qrt}((c^8*d^4 - 4b^2c^7*d^3*e + 2*(3b^2c^6 - a*c^7)*d^2*e^2 - 4*(b^3c^5 - \\
&a*b^2c^6)*d*e^3 + (b^4c^4 - 2a*b^2c^5 + a^2c^6)*e^4 + (b^8 - 6a*b^6c \\
&+ 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*f^4 + 4*((b^6c^2 - 4a*b^4c^3 \\
&+ 4a^2b^2c^4 - a^3c^5)*d - (b^7c - 5a*b^5c^2 + 7a^2b^3c^3 - 2a^ \\
&3b^2c^4)*e)*f^3 + 2*((3b^4c^4 - 7a*b^2c^5 + 3a^2c^6)*d^2 - 2*(3b^5c \\
&^3 - 9a*b^3c^4 + 5a^2b^2c^5)*d*e + (3b^6c^2 - 12a*b^4c^3 + 12a^2b^ \\
&2c^4 - a^3c^5)*e^2)*f^2 + 4*((b^2c^6 - a*c^7)*d^3 - (3b^3c^5 - 4a*b^2c \\
&^6)*d^2*e + (3b^4c^4 - 6a*b^2c^5 + a^2c^6)*d*e^2 - (b^5c^3 - 3a*b^3c \\
&^4 + 2a^2b^2c^5)*e^3)*f)/(b^2c^10 - 4a*c^11))*\text{sqrt}(-(b^2c^4*d^2 - 2*(b^ \\
&2c^3 - 2a*c^4)*d*e + (b^3c^2 - 3a*b^2c^3)*e^2 + (b^5 - 5a*b^3c + 5a^2 \\
&*b^2c^2)*f^2 + 2*((b^3c^2 - 3a*b^2c^3)*d - (b^4c - 4a*b^2c^2 + 2a^2c^3 \\
&)*e)*f + (b^2c^5 - 4a*c^6)*\text{sqrt}((c^8*d^4 - 4b^2c^7*d^3*e + 2*(3b^2c^6 - \\
&a*c^7)*d^2*e^2 - 4*(b^3c^5 - a*b^2c^6)*d*e^3 + (b^4c^4 - 2a*b^2c^5 + a^ \\
&2c^6)*e^4 + (b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*f \\
&^4 + 4*((b^6c^2 - 4a*b^4c^3 + 4a^2b^2c^4 - a^3c^5)*d - (b^7c - 5a*b^ \\
&5c^2 + 7a^2b^3c^3 - 2a^3b^2c^4)*e)*f^3 + 2*((3b^4c^4 - 7a*b^2c^5 \\
&+ 3a^2c^6)*d^2 - 2*(3b^5c^3 - 9a*b^3c^4 + 5a^2b^2c^5)*d*e + (3b^6c \\
&^2 - 12a*b^4c^3 + 12a^2b^2c^4 - a^3c^5)*e^2)*f^2 + 4*((b^2c^6 - a*c \\
&^7)*d^3 - (3b^3c^5 - 4a*b^2c^6)*d^2*e + (3b^4c^4 - 6a*b^2c^5 + a^2c^ \\
&6)*d*e^2 - (b^5c^3 - 3a*b^3c^4 + 2a^2b^2c^5)*e^3)*f)/(b^2c^10 - 4a*c^ \\
&11)))/(b^2c^5 - 4a*c^6))) + 3*\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b^2c^4*d^2 - 2*(b^2c^3 \\
&- 2a*c^4)*d*e + (b^3c^2 - 3a*b^2c^3)*e^2 + (b^5 - 5a*b^3c + 5a^2b^2c^ \\
&2)*f^2 + 2*((b^3c^2 - 3a*b^2c^3)*d - (b^4c - 4a*b^2c^2 + 2a^2c^3)*e)* \\
&f - (b^2c^5 - 4a*c^6)*\text{sqrt}((c^8*d^4 - 4b^2c^7*d^3*e + 2*(3b^2c^6 - a*c^ \\
&7)*d^2*e^2 - 4*(b^3c^5 - a*b^2c^6)*d*e^3 + (b^4c^4 - 2a*b^2c^5 + a^2c^6 \\
&)*e^4 + (b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*f^4 + \\
&4*((b^6c^2 - 4a*b^4c^3 + 4a^2b^2c^4 - a^3c^5)*d - (b^7c - 5a*b^5c \\
&^2 + 7a^2b^3c^3 - 2a^3b^2c^4)*e)*f^3 + 2*((3b^4c^4 - 7a*b^2c^5 + 3a \\
&^2c^6)*d^2 - 2*(3b^5c^3 - 9a*b^3c^4 + 5a^2b^2c^5)*d*e + (3b^6c^2 - \\
&12a*b^4c^3 + 12a^2b^2c^4 - a^3c^5)*e^2)*f^2 + 4*((b^2c^6 - a*c^7)*d \\
&^3 - (3b^3c^5 - 4a*b^2c^6)*d^2*e + (3b^4c^4 - 6a*b^2c^5 + a^2c^6)*d* \\
&e^2 - (b^5c^3 - 3a*b^3c^4 + 2a^2b^2c^5)*e^3)*f)/(b^2c^10 - 4a*c^11))) \\
&/ (b^2c^5 - 4a*c^6))*\log(2*(c^6*d^4 - 3b^2c^5*d^3*e + 3b^2c^4*d^2*e^2 - \\
&(b^3c^3 + a*b^2c^4)*d*e^3 + (a*b^2c^3 - a^2c^4)*e^4 + (a^2b^4 - 3a^3b^
\end{aligned}$$

$$\begin{aligned}
& 2*c + a^4*c^2)*f^4 + ((b^6 - 5*a*b^4*c + 9*a^2*b^2*c^2 - 4*a^3*c^3)*d - (a* \\
& b^5 - a^2*b^3*c - 3*a^3*b*c^2)*e)*f^3 + 3*((b^4*c^2 - 3*a*b^2*c^3 + 2*a^2*c^4) \\
& *d^2 - (b^5*c - 3*a*b^3*c^2 + 3*a^2*b*c^3)*d*e + (a*b^4*c - 2*a^2*b^2*c^2) \\
& *e^2)*f^2 + ((3*b^2*c^4 - 4*a*c^5)*d^3 - 3*(2*b^3*c^3 - 3*a*b*c^4)*d^2*e \\
& + 3*(b^4*c^2 - a*b^2*c^3)*d*e^2 - (3*a*b^3*c^2 - 5*a^2*b*c^3)*e^3)*f)*x + s \\
& \text{qrt}(1/2)*((b^2*c^5 - 4*a*c^6)*d^2*e - 2*(b^3*c^4 - 4*a*b*c^5)*d*e^2 + (b^4* \\
& c^3 - 5*a*b^2*c^4 + 4*a^2*c^5)*e^3 - (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4* \\
& a^3*b*c^3)*f^3 - (2*(b^5*c^2 - 5*a*b^3*c^3 + 4*a^2*b*c^4)*d - (3*b^6*c - 19 \\
& *a*b^4*c^2 + 29*a^2*b^2*c^3 - 4*a^3*c^4)*e)*f^2 - ((b^3*c^4 - 4*a*b*c^5)*d^2 \\
& - 2*(2*b^4*c^3 - 9*a*b^2*c^4 + 4*a^2*c^5)*d*e + (3*b^5*c^2 - 17*a*b^3*c^3 \\
& + 20*a^2*b*c^4)*e^2)*f - (2*(b^2*c^7 - 4*a*c^8)*d - (b^3*c^6 - 4*a*b*c^7)* \\
& e + (b^4*c^5 - 6*a*b^2*c^6 + 8*a^2*c^7)*f)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + \\
& 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2* \\
& a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 \\
& + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - \\
& (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 \\
& - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5) \\
& *d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*( \\
& (b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2* \\
& c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2 \\
& *c^10 - 4*a*c^11))*\text{sqrt}(-(b*c^4*d^2 - 2*(b^2*c^3 - 2*a*c^4)*d*e + (b^3*c^2 \\
& - 3*a*b*c^3)*e^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*f^2 + 2*((b^3*c^2 - 3*a \\
& *b*c^3)*d - (b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*e)*f - (b^2*c^5 - 4*a*c^6)*\text{sq} \\
& \text{rt}((c^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - \\
& a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + \\
& 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 \\
& + 4*a^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3 \\
& *b*c^4)*e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 \\
& - 9*a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2* \\
& c^4 - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6) \\
& *d^2*e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 \\
& + 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))) - 3 \\
& *\text{sqrt}(1/2)*c^2*\text{sqrt}(-(b*c^4*d^2 - 2*(b^2*c^3 - 2*a*c^4)*d*e + (b^3*c^2 - 3* \\
& a*b*c^3)*e^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*f^2 + 2*((b^3*c^2 - 3*a*b*c^3) \\
& *d - (b^4*c - 4*a*b^2*c^2 + 2*a^2*c^3)*e)*f - (b^2*c^5 - 4*a*c^6)*\text{sqrt}((c \\
& ^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6) \\
& *d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a \\
& ^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a \\
& ^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4) \\
& *e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9 \\
& *a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 \\
& - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2 \\
& *e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + \\
& 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11)))/(b^2*c^5 - 4*a*c^6))*\log(2*(c^6 \\
& *d^4 - 3*b*c^5*d^3*e + 3*b^2*c^4*d^2*e^2 - (b^3*c^3 + a*b*c^4)*d*e^3 + (a*
\end{aligned}$$

$$\begin{aligned}
& b^2c^3 - a^2c^4)e^4 + (a^2b^4 - 3a^3b^2c + a^4c^2)*f^4 + ((b^6 - 5* \\
& a*b^4*c + 9*a^2*b^2*c^2 - 4*a^3*c^3)*d - (a*b^5 - a^2*b^3*c - 3*a^3*b*c^2)* \\
& e)*f^3 + 3*((b^4*c^2 - 3*a*b^2*c^3 + 2*a^2*c^4)*d^2 - (b^5*c - 3*a*b^3*c^2 \\
& + 3*a^2*b*c^3)*d*e + (a*b^4*c - 2*a^2*b^2*c^2)*e^2)*f^2 + ((3*b^2*c^4 - 4*a \\
& *c^5)*d^3 - 3*(2*b^3*c^3 - 3*a*b*c^4)*d^2*e + 3*(b^4*c^2 - a*b^2*c^3)*d*e^2 \\
& - (3*a*b^3*c^2 - 5*a^2*b*c^3)*e^3)*f)*x - \text{sqrt}(1/2)*((b^2*c^5 - 4*a*c^6)*d \\
& ^2*e - 2*(b^3*c^4 - 4*a*b*c^5)*d*e^2 + (b^4*c^3 - 5*a*b^2*c^4 + 4*a^2*c^5)* \\
& e^3 - (b^7 - 7*a*b^5*c + 13*a^2*b^3*c^2 - 4*a^3*b*c^3)*f^3 - (2*(b^5*c^2 - \\
& 5*a*b^3*c^3 + 4*a^2*b*c^4)*d - (3*b^6*c - 19*a*b^4*c^2 + 29*a^2*b^2*c^3 - 4 \\
& *a^3*c^4)*e)*f^2 - ((b^3*c^4 - 4*a*b*c^5)*d^2 - 2*(2*b^4*c^3 - 9*a*b^2*c^4 \\
& + 4*a^2*c^5)*d*e + (3*b^5*c^2 - 17*a*b^3*c^3 + 20*a^2*b*c^4)*e^2)*f - (2*(b \\
& ^2*c^7 - 4*a*c^8)*d - (b^3*c^6 - 4*a*b*c^7)*e + (b^4*c^5 - 6*a*b^2*c^6 + 8* \\
& a^2*c^7)*f)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + 2*(3*b^2*c^6 - a*c^7)*d^2*e^2 - \\
& 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a*b^2*c^5 + a^2*c^6)*e^4 + (b^8 \\
& - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*f^4 + 4*((b^6*c^2 \\
& - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - (b^7*c - 5*a*b^5*c^2 + 7*a^2*b \\
& ^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 \\
& - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5)*d*e + (3*b^6*c^2 - 12*a*b^4*c^ \\
& 3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*((b^2*c^6 - a*c^7)*d^3 - (3*b^3* \\
& c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2*c^5 + a^2*c^6)*d*e^2 - (b^5*c \\
& ^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2*c^10 - 4*a*c^11))*\text{sqrt}(-(b*c^ \\
& 4*d^2 - 2*(b^2*c^3 - 2*a*c^4)*d*e + (b^3*c^2 - 3*a*b*c^3)*e^2 + (b^5 - 5*a* \\
& b^3*c + 5*a^2*b*c^2)*f^2 + 2*((b^3*c^2 - 3*a*b*c^3)*d - (b^4*c - 4*a*b^2*c^ \\
& 2 + 2*a^2*c^3)*e)*f - (b^2*c^5 - 4*a*c^6)*\text{sqrt}((c^8*d^4 - 4*b*c^7*d^3*e + 2 \\
& *(3*b^2*c^6 - a*c^7)*d^2*e^2 - 4*(b^3*c^5 - a*b*c^6)*d*e^3 + (b^4*c^4 - 2*a \\
& *b^2*c^5 + a^2*c^6)*e^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 \\
& + a^4*c^4)*f^4 + 4*((b^6*c^2 - 4*a*b^4*c^3 + 4*a^2*b^2*c^4 - a^3*c^5)*d - \\
& (b^7*c - 5*a*b^5*c^2 + 7*a^2*b^3*c^3 - 2*a^3*b*c^4)*e)*f^3 + 2*((3*b^4*c^4 \\
& - 7*a*b^2*c^5 + 3*a^2*c^6)*d^2 - 2*(3*b^5*c^3 - 9*a*b^3*c^4 + 5*a^2*b*c^5)* \\
& d*e + (3*b^6*c^2 - 12*a*b^4*c^3 + 12*a^2*b^2*c^4 - a^3*c^5)*e^2)*f^2 + 4*(( \\
& b^2*c^6 - a*c^7)*d^3 - (3*b^3*c^5 - 4*a*b*c^6)*d^2*e + (3*b^4*c^4 - 6*a*b^2 \\
& *c^5 + a^2*c^6)*d*e^2 - (b^5*c^3 - 3*a*b^3*c^4 + 2*a^2*b*c^5)*e^3)*f)/(b^2* \\
& c^10 - 4*a*c^11))/(b^2*c^5 - 4*a*c^6))) + 6*(c*e - b*f)*x)/c^2
\end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a), x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.57 \quad \int \frac{d+ex^2+fx^4}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=219

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-c(2af+be)+b^2f+2c^2d}{\sqrt{b^2-4ac}}-bf+ce\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(\frac{-2acf+b^2f-bce+2c^2d}{\sqrt{b^2-4ac}}-bf+ce\right)}{\sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}} + \frac{fx}{c}$$

[Out] (f\*x)/c + ((c\*e - b\*f + (2\*c^2\*d + b^2\*f - c\*(b\*e + 2\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((c\*e - b\*f - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 0.637272, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {1676, 1166, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-c(2af+be)+b^2f+2c^2d}{\sqrt{b^2-4ac}}-bf+ce\right)}{\sqrt{2}c^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(\frac{-2acf+b^2f-bce+2c^2d}{\sqrt{b^2-4ac}}-bf+ce\right)}{\sqrt{2}c^{3/2}\sqrt{\sqrt{b^2-4ac}+b}} + \frac{fx}{c}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(a + b\*x^2 + c\*x^4), x]

[Out] (f\*x)/c + ((c\*e - b\*f + (2\*c^2\*d + b^2\*f - c\*(b\*e + 2\*a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((c\*e - b\*f - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(Sqrt[2]\*c^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

### Rule 1676

Int[(Pq\_)/((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^2 + fx^4}{a + bx^2 + cx^4} dx &= \int \left( \frac{f}{c} + \frac{cd - af + (ce - bf)x^2}{c(a + bx^2 + cx^4)} \right) dx \\ &= \frac{fx}{c} + \frac{\int \frac{cd - af + (ce - bf)x^2}{a + bx^2 + cx^4} dx}{c} \\ &= \frac{fx}{c} + \frac{\left( ce - bf - \frac{2c^2d - bce + b^2f - 2acf}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c} + \frac{\left( ce - bf + \frac{2c^2d + b^2f - c(be + 2af)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2c} \\ &= \frac{fx}{c} + \frac{\left( ce - bf + \frac{2c^2d + b^2f - c(be + 2af)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\left( ce - bf - \frac{2c^2d - bce + b^2f - 2acf}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}c^{3/2}\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.346859, size = 258, normalized size = 1.18

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( c \left( e\sqrt{b^2 - 4ac} - 2af - be \right) + bf \left( b - \sqrt{b^2 - 4ac} \right) + 2c^2d \right)}{\sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2 - 4ac} + b} \right) \left( -c \left( e\sqrt{b^2 - 4ac} + 2af + be \right) + bf \left( \sqrt{b^2 - 4ac} + b \right) + 2c^2d \right)}{\sqrt{b^2 - 4ac} \sqrt{b^2 - 4ac} + b} + 2\sqrt{c}f}{2c^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2 + f*x^4)/(a + b*x^2 + c*x^4), x]
```

```
[Out] (2*Sqrt[c]*f*x + (Sqrt[2]*(2*c^2*d + b*(b - Sqrt[b^2 - 4*a*c]))*f + c*(-(b*e
) + Sqrt[b^2 - 4*a*c]*e - 2*a*f))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[
b^2 - 4*a*c]]]/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[2]*
(2*c^2*d + b*(b + Sqrt[b^2 - 4*a*c]))*f - c*(b*e + Sqrt[b^2 - 4*a*c]*e + 2*a
```

\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]]/(Sqrt[b^2 - 4\*a\*c]\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]))/(2\*c^(3/2))

**Maple [B]** time = 0.025, size = 676, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a), x)

[Out] f\*x/c+1/2/c\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*b\*f−1/2\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*e+1/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*a\*f−1/2/c/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*b^2\*f+1/2/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*b\*e−c/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/(((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((−4\*a\*c+b^2)^(1/2)−b)\*c)^(1/2))\*d−1/2/c\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*b\*f+1/2\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*e+1/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*a\*f−1/2/c/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*b^2\*f+1/2/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*b\*e−c/(−4\*a\*c+b^2)^(1/2)\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(−4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{fx}{c} - \int \frac{(ce-bf)x^2+cd-af}{cx^4+bx^2+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a), x, algorithm="maxima")

[Out]  $f*x/c - \text{integrate}(-((c*e - b*f)*x^2 + c*d - a*f)/(c*x^4 + b*x^2 + a), x)/c$

**Fricas [B]** time = 11.1798, size = 11135, normalized size = 50.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, \text{algorithm}="fricas")$

[Out] 
$$-1/2*(\text{sqrt}(1/2)*c*\text{sqrt}(-(b*c^3*d^2 - 4*a*c^3*d*e + a*b*c^2*e^2 + (a*b^3 - 3*a^2*b*c)*f^2 + 2*(a*b*c^2*d - (a*b^2*c - 2*a^2*c^2)*e)*f + (a*b^2*c^3 - 4*a^2*c^4)*\text{sqrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/(a*b^2*c^3 - 4*a^2*c^4))*\log(2*(c^5*d^4 - b*c^4*d^3*e + a*b*c^3*d*e^3 - a^2*c^3*e^4 - (a^3*b^2 - a^4*c)*f^4 - ((a*b^4 - 3*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 + a^3*b*c)*e)*f^3 - 3*(a^2*b^2*c*e^2 + (a*b^2*c^2 - 2*a^2*c^3)*d^2 - (a*b^3*c - a^2*b*c^2)*d*e)*f^2 + (3*a*b*c^3*d^2*e - 3*a*b^2*c^2*d*e^2 + 3*a^2*b*c^2*e^3 + (b^2*c^3 - 4*a*c^4)*d^3)*f)*x + \text{sqrt}(1/2)*((b^2*c^4 - 4*a*c^5)*d^3 - (a*b^2*c^3 - 4*a^2*c^4)*d*e^2 + (a^2*b^4 - 5*a^3*b^2*c + 4*a^4*c^2)*f^3 - ((a*b^4*c - 7*a^2*b^2*c^2 + 12*a^3*c^3)*d + 2*(a^2*b^3*c - 4*a^3*b*c^2)*e)*f^2 - (3*(a*b^2*c^3 - 4*a^2*c^4)*d^2 - 2*(a*b^3*c^2 - 4*a^2*b*c^3)*d*e - (a^2*b^2*c^2 - 4*a^3*c^3)*e^2)*f - ((a*b^3*c^4 - 4*a^2*b*c^5)*d - 2*(a^2*b^2*c^4 - 4*a^3*c^5)*e + (a^2*b^3*c^3 - 4*a^3*b*c^4)*f)*\text{sqrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))*\text{sqrt}(-(b*c^3*d^2 - 4*a*c^3*d*e + a*b*c^2*e^2 + (a*b^3 - 3*a^2*b*c)*f^2 + 2*(a*b*c^2*d - (a*b^2*c - 2*a^2*c^2)*e)*f + (a*b^2*c^3 - 4*a^2*c^4)*\text{sqrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/((a*b^2*c^3 - 4*a^2*c^4)) - \text{sqrt}(1/2)*c*\text{sqrt}(-(b*c^3*d^2 - 4*a*c^3*d*e + a*b*c^2*e^2 + (a*b^3 - 3*a^2*b*c)*f^2 + 2*(a*b*c^2*d - (a*b^2*c - 2*a^2*c^2)*e)*f + (a*b^2*c^3 - 4*a^2*c^4)*\text{sqrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/((a*b^2*c^3 - 4*a^2*c^4))$$



$$\begin{aligned}
& - 3a^2c^4d^2 - (3a^2b^2c^2 - a^3c^3)e^2) f^2 - 4(a^5d^3 - a^b \\
& c^4d^2e - a^2c^4d^2e^2 + a^2b^3c^3e^3) f) / (a^2b^2c^6 - 4a^3c^7)) / \\
& (a^b^2c^3 - 4a^2c^4) * \log(2(c^5d^4 - b^c^4d^3e + a^b^3c^3d^2e^3 - a^2 \\
& c^3e^4 - (a^3b^2 - a^4c) f^4 - ((a^b^4 - 3a^2b^2c + 4a^3c^2) d - ( \\
& a^2b^3 + a^3b^c) e) f^3 - 3(a^2b^2c^2e^2 + (a^b^2c^2 - 2a^2c^3) d^2 \\
& - (a^b^3c - a^2b^c^2) d^2) f^2 + (3a^b^3c^3d^2e - 3a^b^2c^2d^2e^2 + 3 \\
& a^2b^3c^2e^3 + (b^2c^3 - 4a^4c) d^3) f) * x - \sqrt{1/2} * ((b^2c^4 - 4a^a \\
& c^5) d^3 - (a^b^2c^3 - 4a^2c^4) d^2e^2 + (a^2b^4 - 5a^3b^2c + 4a^4c^2 \\
& ^2) f^3 - ((a^b^4c - 7a^2b^2c^2 + 12a^3c^3) d + 2(a^2b^3c - 4a^3b^c \\
& ^2) e) f^2 - (3(a^b^2c^3 - 4a^2c^4) d^2 - 2(a^b^3c^2 - 4a^2b^c^3) \\
& ) d^2e - (a^2b^2c^2 - 4a^3c^3) e^2) f - ((a^b^3c^4 - 4a^2b^c^5) d - 2 \\
& * (a^2b^2c^4 - 4a^3c^5) e + (a^2b^3c^3 - 4a^3b^c^4) f) * \sqrt{(c^6d^4 \\
& - 2a^c^5d^2e^2 + a^2c^4e^4 + (a^2b^4 - 2a^3b^2c + a^4c^2) f^4 + \\
& 4((a^2b^2c^2 - a^3c^3) d - (a^2b^3c - a^3b^c^2) e) f^3 - 2(4a^2b^b \\
& c^3d^2e + (a^b^2c^3 - 3a^2c^4) d^2 - (3a^2b^2c^2 - a^3c^3) e^2) f^2 \\
& - 4(a^c^5d^3 - a^b^c^4d^2e - a^2c^4d^2e^2 + a^2b^c^3e^3) f) / (a^2b^2 \\
& c^6 - 4a^3c^7)) * \sqrt{-(b^c^3d^2 - 4a^c^3d^2e + a^b^c^2e^2 + (a^b^3 - \\
& 3a^2b^c) f^2 + 2(a^b^c^2d - (a^b^2c - 2a^2c^2) e) f + (a^b^2c^3 - \\
& 4a^2c^4) * \sqrt{(c^6d^4 - 2a^c^5d^2e^2 + a^2c^4e^4 + (a^2b^4 - 2a^3 \\
& b^2c + a^4c^2) f^4 + 4((a^2b^2c^2 - a^3c^3) d - (a^2b^3c - a^3b^c^2) \\
& ^2) e) f^3 - 2(4a^2b^b^c^3d^2e + (a^b^2c^3 - 3a^2c^4) d^2 - (3a^2b^2c^2 \\
& - a^3c^3) e^2) f^2 - 4(a^c^5d^3 - a^b^c^4d^2e - a^2c^4d^2e^2 + a^2 \\
& b^c^3e^3) f) / (a^2b^2c^6 - 4a^3c^7)) / (a^b^2c^3 - 4a^2c^4)) + \sqrt{ \\
& 1/2} * c * \sqrt{-(b^c^3d^2 - 4a^c^3d^2e + a^b^c^2e^2 + (a^b^3 - 3a^2b^c) \\
& ) f^2 + 2(a^b^c^2d - (a^b^2c - 2a^2c^2) e) f - (a^b^2c^3 - 4a^2c^4) * \\
& \sqrt{(c^6d^4 - 2a^c^5d^2e^2 + a^2c^4e^4 + (a^2b^4 - 2a^3b^2c + a^4 \\
& c^2) f^4 + 4((a^2b^2c^2 - a^3c^3) d - (a^2b^3c - a^3b^c^2) e) f^3 \\
& - 2(4a^2b^b^c^3d^2e + (a^b^2c^3 - 3a^2c^4) d^2 - (3a^2b^2c^2 - a^3c^3) \\
& ^2) e^2) f^2 - 4(a^c^5d^3 - a^b^c^4d^2e - a^2c^4d^2e^2 + a^2b^c^3e^3) \\
& ) f) / (a^2b^2c^6 - 4a^3c^7)) / (a^b^2c^3 - 4a^2c^4) * \log(2(c^5d^4 - \\
& b^c^4d^3e + a^b^c^3d^2e^3 - a^2c^3e^4 - (a^3b^2 - a^4c) f^4 - ((a^b^4 \\
& - 3a^2b^2c + 4a^3c^2) d - (a^2b^3 + a^3b^c) e) f^3 - 3(a^2b^2c^2e^2 \\
& + (a^b^2c^2 - 2a^2c^3) d^2 - (a^b^3c - a^2b^c^2) d^2) f^2 + (3a^b^b^c^3 \\
& d^2e - 3a^b^2c^2d^2e^2 + 3a^2b^b^c^2e^3 + (b^2c^3 - 4a^4c) d^3) f) * x + \\
& \sqrt{1/2} * ((b^2c^4 - 4a^c^5) d^3 - (a^b^2c^3 - 4a^2c^4) d^2e^2 + \\
& (a^2b^4 - 5a^3b^2c + 4a^4c^2) f^3 - ((a^b^4c - 7a^2b^2c^2 + 12a^3 \\
& c^3) d + 2(a^2b^3c - 4a^3b^c^2) e) f^2 - (3(a^b^2c^3 - 4a^2c^4) \\
& ) d^2 - 2(a^b^3c^2 - 4a^2b^c^3) d^2e - (a^2b^2c^2 - 4a^3c^3) e^2) f + \\
& ((a^b^3c^4 - 4a^2b^c^5) d - 2(a^2b^2c^4 - 4a^3c^5) e + (a^2b^3c^3 \\
& - 4a^3b^c^4) f) * \sqrt{(c^6d^4 - 2a^c^5d^2e^2 + a^2c^4e^4 + (a^2b^4 \\
& - 2a^3b^2c + a^4c^2) f^4 + 4((a^2b^2c^2 - a^3c^3) d - (a^2b^3c \\
& - a^3b^c^2) e) f^3 - 2(4a^2b^b^c^3d^2e + (a^b^2c^3 - 3a^2c^4) d^2 - (3 \\
& a^2b^2c^2 - a^3c^3) e^2) f^2 - 4(a^c^5d^3 - a^b^c^4d^2e - a^2c^4d^2 \\
& e^2 + a^2b^c^3e^3) f) / (a^2b^2c^6 - 4a^3c^7)) * \sqrt{-(b^c^3d^2 - 4a^c^3 \\
& d^2e + a^b^c^2e^2 + (a^b^3 - 3a^2b^c) f^2 + 2(a^b^c^2d - (a^b^2c}
\end{aligned}$$

$$\begin{aligned}
& - 2*a^2*c^2)*e)*f - (a*b^2*c^3 - 4*a^2*c^4)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/(a*b^2*c^3 - 4*a^2*c^4)) - \sqrt{1/2}*c*\sqrt{-(b*c^3*d^2 - 4*a*c^3*d*e + a*b*c^2*e^2 + (a*b^3 - 3*a^2*b*c)*f^2 + 2*(a*b*c^2*d - (a*b^2*c - 2*a^2*c^2)*e)*f - (a*b^2*c^3 - 4*a^2*c^4)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/(a*b^2*c^3 - 4*a^2*c^4))*\log(2*(c^5*d^4 - b*c^4*d^3*e + a*b*c^3*d*e^3 - a^2*c^3*e^4 - (a^3*b^2 - a^4*c)*f^4 - ((a*b^4 - 3*a^2*b^2*c + 4*a^3*c^2)*d - (a^2*b^3 + a^3*b*c)*e)*f^3 - 3*(a^2*b^2*c*e^2 + (a*b^2*c^2 - 2*a^2*c^3)*d^2 - (a*b^3*c - a^2*b*c^2)*d*e)*f^2 + (3*a*b*c^3*d^2*e - 3*a*b^2*c^2*d*e^2 + 3*a^2*b*c^2*e^3 + (b^2*c^3 - 4*a*c^4)*d^3)*f)*x - \sqrt{1/2}*((b^2*c^4 - 4*a*c^5)*d^3 - (a*b^2*c^3 - 4*a^2*c^4)*d*e^2 + (a^2*b^4 - 5*a^3*b^2*c + 4*a^4*c^2)*f^3 - ((a*b^4*c - 7*a^2*b^2*c^2 + 12*a^3*c^3)*d + 2*(a^2*b^3*c - 4*a^3*b*c^2)*e)*f^2 - (3*(a*b^2*c^3 - 4*a^2*c^4)*d^2 - 2*(a*b^3*c^2 - 4*a^2*b*c^3)*d*e - (a^2*b^2*c^2 - 4*a^3*c^3)*e^2)*f + ((a*b^3*c^4 - 4*a^2*b*c^5)*d - 2*(a^2*b^2*c^4 - 4*a^3*c^5)*e + (a^2*b^3*c^3 - 4*a^3*b*c^4)*f)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))*\sqrt{-(b*c^3*d^2 - 4*a*c^3*d*e + a*b*c^2*e^2 + (a*b^3 - 3*a^2*b*c)*f^2 + 2*(a*b*c^2*d - (a*b^2*c - 2*a^2*c^2)*e)*f - (a*b^2*c^3 - 4*a^2*c^4)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 2*a^3*b^2*c + a^4*c^2)*f^4 + 4*((a^2*b^2*c^2 - a^3*c^3)*d - (a^2*b^3*c - a^3*b*c^2)*e)*f^3 - 2*(4*a^2*b*c^3*d*e + (a*b^2*c^3 - 3*a^2*c^4)*d^2 - (3*a^2*b^2*c^2 - a^3*c^3)*e^2)*f^2 - 4*(a*c^5*d^3 - a*b*c^4*d^2*e - a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^2*c^6 - 4*a^3*c^7)))/(a*b^2*c^3 - 4*a^2*c^4)) - 2*f*x)/c
\end{aligned}$$

---

**Sympy [B]** time = 90.1555, size = 1151, normalized size = 5.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a), x)

```
[Out] RootSum(_t**4*(256*a**3*c**5 - 128*a**2*b**2*c**4 + 16*a*b**4*c**3) + _t**2
*(48*a**3*b*c**2*f**2 - 64*a**3*c**3*e*f - 28*a**2*b**3*c*f**2 + 48*a**2*b*
**2*c**2*e*f - 32*a**2*b*c**3*d*f - 16*a**2*b*c**3*e**2 + 64*a**2*c**4*d*e +
4*a*b**5*f**2 - 8*a*b**4*c*e*f + 8*a*b**3*c**2*d*f + 4*a*b**3*c**2*e**2 -
16*a*b**2*c**3*d*e - 16*a*b*c**4*d**2 + 4*b**3*c**3*d**2) + a**4*f**4 - 2*a
**3*b*e*f**3 - 4*a**3*c*d*f**3 + 2*a**3*c*e**2*f**2 + 2*a**2*b**2*d*f**3 +
a**2*b**2*e**2*f**2 + 2*a**2*b*c*d*e*f**2 - 2*a**2*b*c*e**3*f + 6*a**2*c**2
*d**2*f**2 - 4*a**2*c**2*d*e**2*f + a**2*c**2*e**4 - 2*a*b**3*d*e*f**2 - 4*
a*b**2*c*d**2*f**2 + 4*a*b**2*c*d*e**2*f + 2*a*b*c**2*d**2*e*f - 2*a*b*c**2
*d*e**3 - 4*a*c**3*d**3*f + 2*a*c**3*d**2*e**2 + b**4*d**2*f**2 - 2*b**3*c*
d**2*e*f + 2*b**2*c**2*d**3*f + b**2*c**2*d**2*e**2 - 2*b*c**3*d**3*e + c**
4*d**4, Lambda(_t, _t*log(x + (32*_t**3*a**3*b*c**4*f - 64*_t**3*a**3*c**5*
e - 8*_t**3*a**2*b**3*c**3*f + 16*_t**3*a**2*b**2*c**4*e + 32*_t**3*a**2*b*
c**5*d - 8*_t**3*a*b**3*c**4*d - 4*_t*a**4*c**2*f**3 + 8*_t*a**3*b**2*c*f**
3 - 18*_t*a**3*b*c**2*e*f**2 + 12*_t*a**3*c**3*d*f**2 + 12*_t*a**3*c**3*e**
2*f - 2*_t*a**2*b**4*f**3 + 6*_t*a**2*b**3*c*e*f**2 - 6*_t*a**2*b**2*c**2*d
*f**2 - 6*_t*a**2*b**2*c**2*e**2*f + 12*_t*a**2*b*c**3*d*e*f + 2*_t*a**2*b*
c**3*e**3 - 12*_t*a**2*c**4*d**2*f - 12*_t*a**2*c**4*d*e**2 + 6*_t*a*b*c**4
*d**2*e + 4*_t*a*c**5*d**3 - 2*_t*b**2*c**4*d**3))/(a**4*c*f**4 - a**3*b**2*
f**4 + a**3*b*c*e*f**3 - 4*a**3*c**2*d*f**3 + a**2*b**3*e*f**3 + 3*a**2*b**
2*c*d*f**3 - 3*a**2*b**2*c*e**2*f**2 - 3*a**2*b*c**2*d*e*f**2 + 3*a**2*b*c*
**2*e**3*f + 6*a**2*c**3*d**2*f**2 - a**2*c**3*e**4 - a*b**4*d*f**3 + 3*a*b*
**3*c*d*e*f**2 - 3*a*b**2*c**2*d**2*f**2 - 3*a*b**2*c**2*d*e**2*f + 3*a*b*c*
**3*d**2*e*f + a*b*c**3*d*e**3 - 4*a*c**4*d**3*f + b**2*c**3*d**3*f - b*c**4
*d**3*e + c**5*d**4)))) + f*x/c
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.58 \quad \int \frac{d+ex^2+fx^4}{x^2(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=213

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{abf-2ace+bcd}{\sqrt{b^2-4ac}}-af+cd\right)}{\sqrt{2a}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}}-\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-\frac{abf-2ace+bcd}{\sqrt{b^2-4ac}}-af+cd\right)}{\sqrt{2a}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}-\frac{d}{ax}$$

[Out]  $-(d/(a*x)) - ((c*d - a*f + (b*c*d - 2*a*c*e + a*b*f)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((c*d - a*f - (b*c*d - 2*a*c*e + a*b*f)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rubi [A]** time = 0.839172, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1664, 1166, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{abf-2ace+bcd}{\sqrt{b^2-4ac}}-af+cd\right)}{\sqrt{2a}\sqrt{c}\sqrt{b-\sqrt{b^2-4ac}}}-\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-\frac{abf-2ace+bcd}{\sqrt{b^2-4ac}}-af+cd\right)}{\sqrt{2a}\sqrt{c}\sqrt{\sqrt{b^2-4ac}+b}}-\frac{d}{ax}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + e*x^2 + f*x^4)/(x^2*(a + b*x^2 + c*x^4)), x]$

[Out]  $-(d/(a*x)) - ((c*d - a*f + (b*c*d - 2*a*c*e + a*b*f)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((c*d - a*f - (b*c*d - 2*a*c*e + a*b*f)/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a*\text{Sqrt}[c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rule 1664**

$\text{Int}[(\text{Pq}_*)*((d_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*)^2 + (c_*)*(x_*)^4)^{(p_*)}, x_*$   
 Symbol]  $\rightarrow \text{Int}[\text{ExpandIntegrand}[(d*x)^m*\text{Pq}*(a + b*x^2 + c*x^4)^p, x], x] /;$   
 FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned} \int \frac{d + ex^2 + fx^4}{x^2(a + bx^2 + cx^4)} dx &= \int \left( \frac{d}{ax^2} + \frac{-bd + ae - (cd - af)x^2}{a(a + bx^2 + cx^4)} \right) dx \\ &= -\frac{d}{ax} + \frac{\int \frac{-bd + ae - (cd - af)x^2}{a + bx^2 + cx^4} dx}{a} \\ &= -\frac{d}{ax} - \frac{\left( cd - af - \frac{bcd - 2ace + abf}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a} + \frac{\left( -cd + af + \frac{2ace - b(cd + af)}{\sqrt{b^2 - 4ac}} \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a} \\ &= -\frac{d}{ax} - \frac{\left( cd - af - \frac{2ace - b(cd + af)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2a}\sqrt{c}\sqrt{b - \sqrt{b^2 - 4ac}}} - \frac{\left( -cd + af - \frac{bcd - 2ace + abf}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2a}\sqrt{c}\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.327722, size = 253, normalized size = 1.19

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( cd\sqrt{b^2 - 4ac} - af\sqrt{b^2 - 4ac} + abf - 2ace + bcd \right)}{\sqrt{c}\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2 - 4ac} + b}} \right) \left( -cd\sqrt{b^2 - 4ac} + af\sqrt{b^2 - 4ac} + abf - 2ace + bcd \right)}{\sqrt{c}\sqrt{b^2 - 4ac}\sqrt{\sqrt{b^2 - 4ac} + b}} - \frac{2d}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2 + f*x^4)/(x^2*(a + b*x^2 + c*x^4)), x]
```

```
[Out] ((-2*d)/x - (Sqrt[2]*(b*c*d + c*Sqrt[b^2 - 4*a*c]*d - 2*a*c*e + a*b*f - a*S
qrt[b^2 - 4*a*c]*f)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]])
```

$$\frac{(\sqrt{c} \sqrt{b^2 - 4ac} \sqrt{b - \sqrt{b^2 - 4ac}}) + (\sqrt{2} (b^2cd - c \sqrt{b^2 - 4ac} d - 2ac^2e + ab^2f + a \sqrt{b^2 - 4ac} f) \operatorname{ArcTan}[\frac{\sqrt{2} \sqrt{c} x}{\sqrt{b + \sqrt{b^2 - 4ac}}])}{(\sqrt{c} \sqrt{b^2 - 4ac} \sqrt{b + \sqrt{b^2 - 4ac}})} \frac{1}{2a}$$

**Maple [B]** time = 0.025, size = 563, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a),x)`

[Out] 
$$-d/a/x-1/2*2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)})*f+1/2/a*c*2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)})*d+1/2/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*f-c/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)})*e+1/2/a*c/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4ac+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*d+1/2*2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)})*f-1/2/a*c*2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)})*d+1/2/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)})*b*f-c/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)})*e+1/2/a*c/(-4ac+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4ac+b^2)^{(1/2)})*c)^{(1/2)})*b*d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\int \frac{(cd-af)x^2+bd-ae}{cx^4+bx^2+a} dx - \frac{d}{ax}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a),x, algorithm="maxima")`

```
[Out] integrate(-((c*d - a*f)*x^2 + b*d - a*e)/(c*x^4 + b*x^2 + a), x)/a - d/(a*x)
```

---

**Fricas [B]** time = 5.20909, size = 11429, normalized size = 53.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] -1/2*(sqrt(1/2)*a*x*sqrt(-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f + (a^3*b^2*c - 4*a^4*c^2)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3)))/(a^3*b^2*c - 4*a^4*c^2))*log(-2*(3*a*b^2*c^2*d^2*e^2 - 3*a^2*b*c^2*d*e^3 + a^3*c^2*e^4 - a^5*f^4 + (b^2*c^3 - a*c^4)*d^4 - (b^3*c^2 + a*b*c^3)*d^3*e + (a^4*b*e - (a^3*b^2 - 4*a^4*c)*d)*f^3 - 3*(a^3*b*c*d*e - (a^2*b^2*c - 2*a^3*c^2)*d^2)*f^2 + (3*a^2*b^2*c*d*e^2 - a^3*b*c*e^3 + (b^4*c - 3*a*b^2*c^2 + 4*a^2*c^3)*d^3 - 3*(a*b^3*c - a^2*b*c^2)*d^2*e)*f)*x + sqrt(1/2)*((b^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d^3 - (3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3*c^3)*d^2*e + 3*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^2 - (a^3*b^2*c - 4*a^4*c^2)*e^3 - ((a^3*b^3 - 4*a^4*b*c)*d - (a^4*b^2 - 4*a^5*c)*e)*f^2 + 2*((a^2*b^3*c - 4*a^3*b*c^2)*d^2 - (a^3*b^2*c - 4*a^4*c^2)*d*e)*f - ((a^3*b^4*c - 6*a^4*b^2*c^2 + 8*a^5*c^3)*d - (a^4*b^3*c - 4*a^5*b*c^2)*e + 2*(a^5*b^2*c - 4*a^6*c^2)*f)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))*sqrt(-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f + (a^3*b^2*c - 4*a^4*c^2)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3)) - sqrt(1/2)*a*x*sqrt(-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f + (a^3*b^2*c - 4*a^4*c^2)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))
```

$$\begin{aligned}
& *f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2 \\
& *b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5 \\
& *c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2 \\
& *d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))/(a^3*b \\
& ^2*c - 4*a^4*c^2))*log(-2*(3*a*b^2*c^2*d^2*e^2 - 3*a^2*b*c^2*d*e^3 + a^3*c^ \\
& 2*e^4 - a^5*f^4 + (b^2*c^3 - a*c^4)*d^4 - (b^3*c^2 + a*b*c^3)*d^3*e + (a^4* \\
& b*e - (a^3*b^2 - 4*a^4*c)*d)*f^3 - 3*(a^3*b*c*d*e - (a^2*b^2*c - 2*a^3*c^2) \\
& *d^2)*f^2 + (3*a^2*b^2*c*d*e^2 - a^3*b*c*e^3 + (b^4*c - 3*a*b^2*c^2 + 4*a^2 \\
& *c^3)*d^3 - 3*(a*b^3*c - a^2*b*c^2)*d^2*e)*f)*x - sqrt(1/2)*((b^5*c - 5*a*b \\
& ^3*c^2 + 4*a^2*b*c^3)*d^3 - (3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3*c^3)*d^2*e \\
& + 3*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^2 - (a^3*b^2*c - 4*a^4*c^2)*e^3 - ((a^3*b \\
& ^3 - 4*a^4*b*c)*d - (a^4*b^2 - 4*a^5*c)*e)*f^2 + 2*((a^2*b^3*c - 4*a^3*b*c^ \\
& 2)*d^2 - (a^3*b^2*c - 4*a^4*c^2)*d*e)*f - ((a^3*b^4*c - 6*a^4*b^2*c^2 + 8*a \\
& ^5*c^3)*d - (a^4*b^3*c - 4*a^5*b*c^2)*e + 2*(a^5*b^2*c - 4*a^6*c^2)*f)*sqrt \\
& (-4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2 \\
& *a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2* \\
& c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4* \\
& c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c \\
& ^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))*sqrt(-(a^2*b*c*e^2 + a^3*b*f^2 + (b \\
& ^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3* \\
& c*e)*f + (a^3*b^2*c - 4*a^4*c^2)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4 \\
& *a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b \\
& ^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4* \\
& b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2 \\
& *e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c \\
& ^3)))/(a^3*b^2*c - 4*a^4*c^2))) + sqrt(1/2)*a*x*sqrt(-(a^2*b*c*e^2 + a^3*b*f^2 \\
& + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2* \\
& a^3*c*e)*f - (a^3*b^2*c - 4*a^4*c^2)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 \\
& + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b \\
& ^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4* \\
& b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2 \\
& *e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c \\
& ^3)))/(a^3*b^2*c - 4*a^4*c^2))*log(-2*(3*a*b^2*c^2*d^2*e^2 - 3*a^2*b*c^2*d* \\
& e^3 + a^3*c^2*e^4 - a^5*f^4 + (b^2*c^3 - a*c^4)*d^4 - (b^3*c^2 + a*b*c^3)*d \\
& ^3*e + (a^4*b*e - (a^3*b^2 - 4*a^4*c)*d)*f^3 - 3*(a^3*b*c*d*e - (a^2*b^2*c \\
& - 2*a^3*c^2)*d^2)*f^2 + (3*a^2*b^2*c*d*e^2 - a^3*b*c*e^3 + (b^4*c - 3*a*b^2 \\
& *c^2 + 4*a^2*c^3)*d^3 - 3*(a*b^3*c - a^2*b*c^2)*d^2*e)*f)*x + sqrt(1/2)*((b \\
& ^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d^3 - (3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3 \\
& *c^3)*d^2*e + 3*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^2 - (a^3*b^2*c - 4*a^4*c^2)*e \\
& ^3 - ((a^3*b^3 - 4*a^4*b*c)*d - (a^4*b^2 - 4*a^5*c)*e)*f^2 + 2*((a^2*b^3*c \\
& - 4*a^3*b*c^2)*d^2 - (a^3*b^2*c - 4*a^4*c^2)*d*e)*f + ((a^3*b^4*c - 6*a^4*b \\
& ^2*c^2 + 8*a^5*c^3)*d - (a^4*b^3*c - 4*a^5*b*c^2)*e + 2*(a^5*b^2*c - 4*a^6* \\
& c^2)*f)*sqrt(-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - \\
& (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2 \\
& *(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^
\end{aligned}$$



$$\begin{aligned}
& 2*c - 3*a^4*c^2*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))*\sqrt{-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f - (a^3*b^2*c - 4*a^4*c^2)*\sqrt{-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3)))/(a^3*b^2*c - 4*a^4*c^2)) - \sqrt{1/2}*a*x*\sqrt{-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f - (a^3*b^2*c - 4*a^4*c^2)*\sqrt{-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3)))/(a^3*b^2*c - 4*a^4*c^2))*\log(-2*(3*a*b^2*c^2*d^2*e^2 - 3*a^2*b*c^2*d*e^3 + a^3*c^2*e^4 - a^5*f^4 + (b^2*c^3 - a*c^4)*d^4 - (b^3*c^2 + a*b*c^3)*d^3*e + (a^4*b*e - (a^3*b^2 - 4*a^4*c)*d)*f^3 - 3*(a^3*b*c*d*e - (a^2*b^2*c - 2*a^3*c^2)*d^2)*f^2 + (3*a^2*b^2*c*d*e^2 - a^3*b*c*e^3 + (b^4*c - 3*a*b^2*c^2 + 4*a^2*c^3)*d^3 - 3*(a*b^3*c - a^2*b*c^2)*d^2*e)*f)*x - \sqrt{1/2}*((b^5*c - 5*a*b^3*c^2 + 4*a^2*b*c^3)*d^3 - (3*a*b^4*c - 13*a^2*b^2*c^2 + 4*a^3*c^3)*d^2*e + 3*(a^2*b^3*c - 4*a^3*b*c^2)*d*e^2 - (a^3*b^2*c - 4*a^4*c^2)*e^3 - ((a^3*b^3 - 4*a^4*b*c)*d - (a^4*b^2 - 4*a^5*c)*e)*f^2 + 2*((a^2*b^3*c - 4*a^3*b*c^2)*d^2 - (a^3*b^2*c - 4*a^4*c^2)*d*e)*f + ((a^3*b^4*c - 6*a^4*b^2*c^2 + 8*a^5*c^3)*d - (a^4*b^3*c - 4*a^5*b*c^2)*e + 2*(a^5*b^2*c - 4*a^6*c^2)*f)*\sqrt{-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3))*\sqrt{-(a^2*b*c*e^2 + a^3*b*f^2 + (b^3*c - 3*a*b*c^2)*d^2 - 2*(a*b^2*c - 2*a^2*c^2)*d*e + 2*(a^2*b*c*d - 2*a^3*c*e)*f - (a^3*b^2*c - 4*a^4*c^2)*\sqrt{-(4*a^3*b*c^2*d*e^3 - a^4*c^2*e^4 + 4*a^5*c*d*f^3 - a^6*f^4 - (b^4*c^2 - 2*a*b^2*c^3 + a^2*c^4)*d^4 + 4*(a*b^3*c^2 - a^2*b*c^3)*d^3*e - 2*(3*a^2*b^2*c^2 - a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e - a^5*c*e^2 - (a^3*b^2*c - 3*a^4*c^2)*d^2)*f^2 + 4*(2*a^3*b*c^2*d^2*e - a^4*c^2*d*e^2 - (a^2*b^2*c^2 - a^3*c^3)*d^3)*f)/(a^6*b^2*c^2 - 4*a^7*c^3)))/(a^3*b^2*c - 4*a^4*c^2)) + 2*d)/(a*x)
\end{aligned}$$


---

**Sympy [B]** time = 96.5926, size = 1192, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*2/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] RootSum(\_t\*\*4\*(256\*a\*\*5\*c\*\*3 - 128\*a\*\*4\*b\*\*2\*c\*\*2 + 16\*a\*\*3\*b\*\*4\*c) + \_t\*\*2\*(-16\*a\*\*4\*b\*c\*f\*\*2 + 64\*a\*\*4\*c\*\*2\*e\*f + 4\*a\*\*3\*b\*\*3\*f\*\*2 - 16\*a\*\*3\*b\*\*2\*c\*e\*f - 32\*a\*\*3\*b\*c\*\*2\*d\*f - 16\*a\*\*3\*b\*c\*\*2\*e\*\*2 - 64\*a\*\*3\*c\*\*3\*d\*e + 8\*a\*\*2\*b\*\*3\*c\*d\*f + 4\*a\*\*2\*b\*\*3\*c\*e\*\*2 + 48\*a\*\*2\*b\*\*2\*c\*\*2\*d\*e + 48\*a\*\*2\*b\*c\*\*3\*d\*\*2 - 8\*a\*b\*\*4\*c\*d\*e - 28\*a\*b\*\*3\*c\*\*2\*d\*\*2 + 4\*b\*\*5\*c\*d\*\*2) + a\*\*4\*f\*\*4 - 2\*a\*\*3\*b\*e\*f\*\*3 - 4\*a\*\*3\*c\*d\*f\*\*3 + 2\*a\*\*3\*c\*e\*\*2\*f\*\*2 + 2\*a\*\*2\*b\*\*2\*d\*f\*\*3 + a\*\*2\*b\*\*2\*e\*\*2\*f\*\*2 + 2\*a\*\*2\*b\*c\*d\*e\*f\*\*2 - 2\*a\*\*2\*b\*c\*e\*\*3\*f + 6\*a\*\*2\*c\*\*2\*d\*\*2\*f\*\*2 - 4\*a\*\*2\*c\*\*2\*d\*e\*\*2\*f + a\*\*2\*c\*\*2\*e\*\*4 - 2\*a\*b\*\*3\*d\*e\*f\*\*2 - 4\*a\*b\*\*2\*c\*d\*\*2\*f\*\*2 + 4\*a\*b\*\*2\*c\*d\*e\*\*2\*f + 2\*a\*b\*c\*\*2\*d\*\*2\*e\*f - 2\*a\*b\*c\*\*2\*d\*e\*\*3 - 4\*a\*c\*\*3\*d\*\*3\*f + 2\*a\*c\*\*3\*d\*\*2\*e\*\*2 + b\*\*4\*d\*\*2\*f\*\*2 - 2\*b\*\*3\*c\*d\*\*2\*e\*f + 2\*b\*\*2\*c\*\*2\*d\*\*3\*f + b\*\*2\*c\*\*2\*d\*\*2\*e\*\*2 - 2\*b\*c\*\*3\*d\*\*3\*e + c\*\*4\*d\*\*4, Lambda(\_t, \_t\*log(x + (64\*\_t\*\*3\*a\*\*6\*c\*\*2\*f - 16\*\_t\*\*3\*a\*\*5\*b\*\*2\*c\*f - 32\*\_t\*\*3\*a\*\*5\*b\*c\*\*2\*e - 64\*\_t\*\*3\*a\*\*5\*c\*\*3\*d + 8\*\_t\*\*3\*a\*\*4\*b\*\*3\*c\*e + 48\*\_t\*\*3\*a\*\*4\*b\*\*2\*c\*\*2\*d - 8\*\_t\*\*3\*a\*\*3\*b\*\*4\*c\*d - 2\*\_t\*a\*\*5\*b\*f\*\*3 + 12\*\_t\*a\*\*5\*c\*e\*f\*\*2 - 6\*\_t\*a\*\*4\*b\*c\*d\*f\*\*2 - 6\*\_t\*a\*\*4\*b\*c\*e\*\*2\*f - 24\*\_t\*a\*\*4\*c\*\*2\*d\*e\*f - 4\*\_t\*a\*\*4\*c\*\*2\*e\*\*3 + 12\*\_t\*a\*\*3\*b\*\*2\*c\*d\*e\*f + 2\*\_t\*a\*\*3\*b\*\*2\*c\*e\*\*3 + 18\*\_t\*a\*\*3\*b\*c\*\*2\*d\*\*2\*f + 18\*\_t\*a\*\*3\*b\*c\*\*2\*d\*e\*\*2 + 12\*\_t\*a\*\*3\*c\*\*3\*d\*\*2\*e - 6\*\_t\*a\*\*2\*b\*\*3\*c\*d\*\*2\*f - 6\*\_t\*a\*\*2\*b\*\*3\*c\*d\*e\*\*2 - 24\*\_t\*a\*\*2\*b\*\*2\*c\*\*2\*d\*\*2\*e - 10\*\_t\*a\*\*2\*b\*c\*\*3\*d\*\*3 + 6\*\_t\*a\*b\*\*4\*c\*d\*\*2\*e + 10\*\_t\*a\*b\*\*3\*c\*\*2\*d\*\*3 - 2\*\_t\*b\*\*5\*c\*d\*\*3)/(a\*\*5\*f\*\*4 - a\*\*4\*b\*e\*f\*\*3 - 4\*a\*\*4\*c\*d\*f\*\*3 + a\*\*3\*b\*\*2\*d\*f\*\*3 + 3\*a\*\*3\*b\*c\*d\*e\*f\*\*2 + a\*\*3\*b\*c\*e\*\*3\*f + 6\*a\*\*3\*c\*\*2\*d\*\*2\*f\*\*2 - a\*\*3\*c\*\*2\*e\*\*4 - 3\*a\*\*2\*b\*\*2\*c\*d\*\*2\*f\*\*2 - 3\*a\*\*2\*b\*\*2\*c\*d\*e\*\*2\*f - 3\*a\*\*2\*b\*c\*\*2\*d\*\*2\*e\*f + 3\*a\*\*2\*b\*c\*\*2\*d\*e\*\*3 - 4\*a\*\*2\*c\*\*3\*d\*\*3\*f + 3\*a\*b\*\*3\*c\*d\*\*2\*e\*f + 3\*a\*b\*\*2\*c\*\*2\*d\*\*3\*f - 3\*a\*b\*\*2\*c\*\*2\*d\*\*2\*e\*\*2 + a\*b\*c\*\*3\*d\*\*3\*e + a\*c\*\*4\*d\*\*4 - b\*\*4\*c\*d\*\*3\*f + b\*\*3\*c\*\*2\*d\*\*3\*e - b\*\*2\*c\*\*3\*d\*\*4)))) - d/(a\*x)

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^2/(c\*x^4+b\*x^2+a),x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.59 \quad \int \frac{d+ex^2+fx^4}{x^4(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=267

$$\frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-abe-2a(cd-af)+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right)}{\sqrt{2a^2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-a\left(-e\sqrt{b^2-4ac}-2af+2cd\right)-b\left(d\sqrt{b}\right)\right)}{\sqrt{2a^2}\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}$$

[Out]  $-d/(3*a*x^3) + (b*d - a*e)/(a^2*x) + (\text{Sqrt}[c]*(b*d - a*e + (b^2*d - a*b*e - 2*a*(c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(b^2*d - b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) - a*(2*c*d - \text{Sqrt}[b^2 - 4*a*c]*e - 2*a*f))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rubi [A]** time = 1.0651, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1664, 1166, 205}

$$\frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-abe-2a(cd-af)+b^2d}{\sqrt{b^2-4ac}} - ae + bd\right)}{\sqrt{2a^2}\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-a\left(-e\sqrt{b^2-4ac}-2af+2cd\right)-b\left(d\sqrt{b}\right)\right)}{\sqrt{2a^2}\sqrt{b^2-4ac}\sqrt{\sqrt{b^2-4ac}+b}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^4\*(a + b\*x^2 + c\*x^4)), x]

[Out]  $-d/(3*a*x^3) + (b*d - a*e)/(a^2*x) + (\text{Sqrt}[c]*(b*d - a*e + (b^2*d - a*b*e - 2*a*(c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(b^2*d - b*(\text{Sqrt}[b^2 - 4*a*c]*d + a*e) - a*(2*c*d - \text{Sqrt}[b^2 - 4*a*c]*e - 2*a*f))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(\text{Sqrt}[2]*a^2*\text{Sqrt}[b^2 - 4*a*c]*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rule 1664**

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_ Symbol] :> Int[ExpandIntegrand[(d\*x)^m\*Pq\*(a + b\*x^2 + c\*x^4)^p, x], x] /;

FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^2 + fx^4}{x^4(a + bx^2 + cx^4)} dx &= \int \left( \frac{d}{ax^4} + \frac{-bd + ae}{a^2x^2} + \frac{b^2d - abe - a(cd - af) + c(bd - ae)x^2}{a^2(a + bx^2 + cx^4)} \right) dx \\ &= -\frac{d}{3ax^3} + \frac{bd - ae}{a^2x} + \frac{\int \frac{b^2d - abe - a(cd - af) + c(bd - ae)x^2}{a + bx^2 + cx^4} dx}{a^2} \\ &= -\frac{d}{3ax^3} + \frac{bd - ae}{a^2x} + \frac{\left( c \left( bd - ae - \frac{b^2d - abe - 2a(cd - af)}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} + \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a^2} + \frac{\left( c \left( bd - ae + \frac{b^2d - abe - 2a(cd - af)}{\sqrt{b^2 - 4ac}} \right) \right) \int \frac{1}{\frac{b}{2} - \frac{1}{2}\sqrt{b^2 - 4ac} + cx^2} dx}{2a^2} \\ &= -\frac{d}{3ax^3} + \frac{bd - ae}{a^2x} + \frac{\sqrt{c} \left( bd - ae + \frac{b^2d - abe - 2a(cd - af)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}a^2\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{\sqrt{c} \left( bd - ae - \frac{b^2d - abe - 2a(cd - af)}{\sqrt{b^2 - 4ac}} \right) \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b + \sqrt{b^2 - 4ac}}} \right)}{\sqrt{2}a^2\sqrt{b + \sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.372637, size = 284, normalized size = 1.06

$$\frac{3\sqrt{2}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( -e\sqrt{b^2 - 4ac} + 2af - 2cd \right) + b \left( d\sqrt{b^2 - 4ac} - ae \right) + b^2d}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}} + \frac{3\sqrt{2}\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b^2 - 4ac} + b} \right) \left( -a \left( e\sqrt{b^2 - 4ac} + 2af - 2cd \right) + b \left( d\sqrt{b^2 - 4ac} + ae \right) + b^2 \right)}{\sqrt{b^2 - 4ac}\sqrt{b^2 - 4ac} + b}}{6a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(d + e*x^2 + f*x^4)/(x^4*(a + b*x^2 + c*x^4)), x]
```

```
[Out] ((-2*a*d)/x^3 + (6*b*d - 6*a*e)/x + (3*Sqrt[2]*Sqrt[c]*(b^2*d + b*(Sqrt[b^2 - 4*a*c]*d - a*e) + a*(-2*c*d - Sqrt[b^2 - 4*a*c]*e + 2*a*f))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + (3*Sqrt[2]*Sqrt[c]*(-(b^2*d) + b*(Sqrt[b^2 - 4*a*c]*d + a*e) - a*(-2*c*d + Sqrt[b^2 - 4*a*c]*e + 2*a*f))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(Sqrt[b^2 - 4*a*c]*Sqrt[b + Sqrt[b^2 - 4*a*c]])))/(6*a^2)
```

**Maple [B]** time = 0.029, size = 727, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a), x)
```

```
[Out] -1/3*d/a/x^3-1/a/x*e+1/a^2/x*b*d+1/2/a*c*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*e-1/2/a^2*c*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*b*d-c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*f+1/2/a*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*b*e+1/a*c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*d-1/2/a^2*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2)*arctanh(c*x*2^(1/2)/((( -4*a*c+b^2)^(1/2)-b)*c)^(1/2))*b^2*d-1/2/a*c*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*e+1/2/a^2*c*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b*d-c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*f+1/2/a*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b*e+1/a*c^2/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*d-1/2/a^2*c/(-4*a*c+b^2)^(1/2)*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2)*arctan(c*x*2^(1/2)/((b+(-4*a*c+b^2)^(1/2))*c)^(1/2))*b^2*d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [B]** time = 27.6739, size = 19478, normalized size = 72.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a),x, algorithm="fricas")
```

```
[Out] -1/6*(3*sqrt(1/2)*a^2*x^3*sqrt(-(a^4*b*f^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*d^2 - 2*(a*b^4 - 4*a^2*b^2*c + 2*a^3*c^2)*d*e + (a^2*b^3 - 3*a^3*b*c)*e^2 + 2*((a^2*b^3 - 3*a^3*b*c)*d - (a^3*b^2 - 2*a^4*c)*e))*f + (a^5*b^2 - 4*a^6*c)*sqrt((a^8*f^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^4 - 4*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^3*e + 2*(3*a^2*b^6 - 12*a^3*b^4*c + 12*a^4*b^2*c^2 - a^5*c^3)*d^2*e^2 - 4*(a^3*b^5 - 3*a^4*b^3*c + 2*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 2*a^5*b^2*c + a^6*c^2)*e^4 - 4*(a^7*b*e - (a^6*b^2 - a^7*c)*d)*f^3 + 2*((3*a^4*b^4 - 7*a^5*b^2*c + 3*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (3*a^6*b^2 - a^7*c)*e^2)*f^2 + 4*((a^2*b^6 - 4*a^3*b^4*c + 4*a^4*b^2*c^2 - a^5*c^3)*d^3 - (3*a^3*b^5 - 9*a^4*b^3*c + 5*a^5*b*c^2)*d^2*e + (3*a^4*b^4 - 6*a^5*b^2*c + a^6*c^2)*d*e^2 - (a^5*b^3 - a^6*b*c)*e^3)*f)/(a^10*b^2 - 4*a^11*c))/((a^5*b^2 - 4*a^6*c)*log(2*(a^6*c*f^4 + (b^4*c^3 - 3*a*b^2*c^4 + a^2*c^5)*d^4 - (b^5*c^2 - a*b^3*c^3 - 3*a^2*b*c^4)*d^3*e + 3*(a*b^4*c^2 - 2*a^2*b^2*c^3)*d^2*e^2 - (3*a^2*b^3*c^2 - 5*a^3*b*c^3)*d*e^3 + (a^3*b^2*c^2 - a^4*c^3)*e^4 - (3*a^5*b*c*e - (3*a^4*b^2*c - 4*a^5*c^2)*d)*f^3 + 3*(a^4*b^2*c*e^2 + (a^2*b^4*c - 3*a^3*b^2*c^2 + 2*a^4*c^3)*d^2 - (2*a^3*b^3*c - 3*a^4*b*c^2)*d*e)*f^2 + ((b^6*c - 5*a*b^4*c^2 + 9*a^2*b^2*c^3 - 4*a^3*c^4)*d^3 - 3*(a*b^5*c - 3*a^2*b^3*c^2 + 3*a^3*b*c^3)*d^2*e + 3*(a^2*b^4*c - a^3*b^2*c^2)*d*e^2 - (a^3*b^3*c + a^4*b*c^2)*e^3)*f)*x + sqrt(1/2)*((b^8 - 8*a*b^6*c + 20*a^2*b^4*c^2 - 17*a^3*b^2*c^3 + 4*a^4*c^4)*d^3 - (3*a*b^7 - 21*a^2*b^5*c + 41*a^3*b^3*c^2 - 20*a^4*b*c^3)*d^2*e + (3*a^2*b^6 - 18*a^3*b^4*c + 25*a^4*b^2*c^2 - 4*a^5*c^3)*d*e^2 - (a^3*b^5 - 5*a^4*b^3*c + 4*a^5*b*c^2)*e^3 + (a^6*b^2 - 4*a^7*c)*f^3 + 3*((a^4*b^4 - 5*a^5*b^2*c + 4*a^6*c^2)*d - (a^5*b^3 - 4*a^6*b*c)*e)*f^2 + ((3*a^2*b^6 - 19*a^3*b^4*c + 31*a^4*b^2*c^2 - 12*a^5*c^3)*d^2 - 2*(3*a^3*b^5 - 16*a^4*b^3*c + 16*a^5*b*c^2)*d*e + (3*a^4*b^4 - 13*a^5*b^2*c + 4*a^6*c^2)*e^2)*f - ((a^5*b^5 - 7*a^6*b^3*c + 12*a^7*b*c^2)*d - (a^6*b^4 - 6*a^7*b^2*c + 8*a^8*c^2)*e + (a^7*b^3 - 4*a^8*b*c)*f)*sqrt((a^8*f^4 + (b^8 - 6*a*b
```

$$\begin{aligned}
& 6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^4 - 4*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^3*e + 2*(3*a^2*b^6 - 12*a^3*b^4*c + 12*a^4*b^2*c^2 - a^5*c^3)*d^2*e^2 - 4*(a^3*b^5 - 3*a^4*b^3*c + 2*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 2*a^5*b^2*c + a^6*c^2)*e^4 - 4*(a^7*b*e - (a^6*b^2 - a^7*c)*d)*f^3 + 2*((3*a^4*b^4 - 7*a^5*b^2*c + 3*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (3*a^6*b^2 - a^7*c)*e^2)*f^2 + 4*((a^2*b^6 - 4*a^3*b^4*c + 4*a^4*b^2*c^2 - a^5*c^3)*d^3 - (3*a^3*b^5 - 9*a^4*b^3*c + 5*a^5*b*c^2)*d^2*e + (3*a^4*b^4 - 6*a^5*b^2*c + a^6*c^2)*d*e^2 - (a^5*b^3 - a^6*b*c)*e^3)*f)/(a^10*b^2 - 4*a^11*c))*sqrt(-(a^4*b*f^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*d^2 - 2*(a*b^4 - 4*a^2*b^2*c + 2*a^3*c^2)*d*e + (a^2*b^3 - 3*a^3*b*c)*e^2 + 2*((a^2*b^3 - 3*a^3*b*c)*d - (a^3*b^2 - 2*a^4*c)*e)*f + (a^5*b^2 - 4*a^6*c)*sqrt((a^8*f^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^4 - 4*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^3*e + 2*(3*a^2*b^6 - 12*a^3*b^4*c + 12*a^4*b^2*c^2 - a^5*c^3)*d^2*e^2 - 4*(a^3*b^5 - 3*a^4*b^3*c + 2*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 2*a^5*b^2*c + a^6*c^2)*e^4 - 4*(a^7*b*e - (a^6*b^2 - a^7*c)*d)*f^3 + 2*((3*a^4*b^4 - 7*a^5*b^2*c + 3*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (3*a^6*b^2 - a^7*c)*e^2)*f^2 + 4*((a^2*b^6 - 4*a^3*b^4*c + 4*a^4*b^2*c^2 - a^5*c^3)*d^3 - (3*a^3*b^5 - 9*a^4*b^3*c + 5*a^5*b*c^2)*d^2*e + (3*a^4*b^4 - 6*a^5*b^2*c + a^6*c^2)*d*e^2 - (a^5*b^3 - a^6*b*c)*e^3)*f)/(a^10*b^2 - 4*a^11*c)))/(a^5*b^2 - 4*a^6*c)) - 3*sqrt(1/2)*a^2*x^3*sqrt(-(a^4*b*f^2 + (b^5 - 5*a*b^3*c + 5*a^2*b*c^2)*d^2 - 2*(a*b^4 - 4*a^2*b^2*c + 2*a^3*c^2)*d*e + (a^2*b^3 - 3*a^3*b*c)*e^2 + 2*((a^2*b^3 - 3*a^3*b*c)*d - (a^3*b^2 - 2*a^4*c)*e)*f + (a^5*b^2 - 4*a^6*c)*sqrt((a^8*f^4 + (b^8 - 6*a*b^6*c + 11*a^2*b^4*c^2 - 6*a^3*b^2*c^3 + a^4*c^4)*d^4 - 4*(a*b^7 - 5*a^2*b^5*c + 7*a^3*b^3*c^2 - 2*a^4*b*c^3)*d^3*e + 2*(3*a^2*b^6 - 12*a^3*b^4*c + 12*a^4*b^2*c^2 - a^5*c^3)*d^2*e^2 - 4*(a^3*b^5 - 3*a^4*b^3*c + 2*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 2*a^5*b^2*c + a^6*c^2)*e^4 - 4*(a^7*b*e - (a^6*b^2 - a^7*c)*d)*f^3 + 2*((3*a^4*b^4 - 7*a^5*b^2*c + 3*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (3*a^6*b^2 - a^7*c)*e^2)*f^2 + 4*((a^2*b^6 - 4*a^3*b^4*c + 4*a^4*b^2*c^2 - a^5*c^3)*d^3 - (3*a^3*b^5 - 9*a^4*b^3*c + 5*a^5*b*c^2)*d^2*e + (3*a^4*b^4 - 6*a^5*b^2*c + a^6*c^2)*d*e^2 - (a^5*b^3 - a^6*b*c)*e^3)*f)/(a^10*b^2 - 4*a^11*c)))/(a^5*b^2 - 4*a^6*c))*log(2*(a^6*c*f^4 + (b^4*c^3 - 3*a*b^2*c^4 + a^2*c^5)*d^4 - (b^5*c^2 - a*b^3*c^3 - 3*a^2*b*c^4)*d^3*e + 3*(a*b^4*c^2 - 2*a^2*b^2*c^3)*d^2*e^2 - (3*a^2*b^3*c^2 - 5*a^3*b*c^3)*d*e^3 + (a^3*b^2*c^2 - a^4*c^3)*e^4 - (3*a^5*b*c*e - (3*a^4*b^2*c - 4*a^5*c^2)*d)*f^3 + 3*(a^4*b^2*c*e^2 + (a^2*b^4*c - 3*a^3*b^2*c^2 + 2*a^4*c^3)*d^2 - (2*a^3*b^3*c - 3*a^4*b*c^2)*d*e)*f^2 + ((b^6*c - 5*a*b^4*c^2 + 9*a^2*b^2*c^3 - 4*a^3*c^4)*d^3 - 3*(a*b^5*c - 3*a^2*b^3*c^2 + 3*a^3*b*c^3)*d^2*e + 3*(a^2*b^4*c - a^3*b^2*c^2)*d*e^2 - (a^3*b^3*c + a^4*b*c^2)*e^3)*f)*x - sqrt(1/2)*((b^8 - 8*a*b^6*c + 20*a^2*b^4*c^2 - 17*a^3*b^2*c^3 + 4*a^4*c^4)*d^3 - (3*a*b^7 - 21*a^2*b^5*c + 41*a^3*b^3*c^2 - 20*a^4*b*c^3)*d^2*e + (3*a^2*b^6 - 18*a^3*b^4*c + 25*a^4*b^2*c^2 - 4*a^5*c^3)*d*e^2 - (a^3*b^5 - 5*a^4*b^3*c + 4*a^5*b*c^2)*e^3 + (a^6*b^2 - 4*a^7*c)*f^3 + 3*(a^4*b^4 - 5*a^5*b^2*c + 4*a^6*c^2)*d - (a^5*b^3 - 4*a^6*b*c)*e)*f^2 + ((3*a^2*b^6 - 19*a^3*b^4*c + 31*a^4*b^2*c^2 - 12*a^5*c^3)*d^2 - 2*(3*a^3*b^5 -
\end{aligned}$$

$$\begin{aligned}
& 16a^4b^3c + 16a^5b^2c^2) * d * e + (3a^4b^4 - 13a^5b^2c + 4a^6c^2) * e \\
& ^2) * f - ((a^5b^5 - 7a^6b^3c + 12a^7b^2c^2) * d - (a^6b^4 - 6a^7b^2c \\
& + 8a^8c^2) * e + (a^7b^3 - 4a^8b^2c) * f) * \sqrt{(a^8f^4 + (b^8 - 6a^2b^6c \\
& + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4) * d^4 - 4(a^2b^7 - 5a^2b^5c + \\
& 7a^3b^3c^2 - 2a^4b^2c^3) * d^3 * e + 2(3a^2b^6 - 12a^3b^4c + 12a^4b^2c^2 \\
& - a^5c^3) * d^2 * e^2 - 4(a^3b^5 - 3a^4b^3c + 2a^5b^2c^2) * d * e^3 + \\
& (a^4b^4 - 2a^5b^2c + a^6c^2) * e^4 - 4(a^7b^2e - (a^6b^2 - a^7c) * d) * \\
& f^3 + 2(((3a^4b^4 - 7a^5b^2c + 3a^6c^2) * d^2 - 2(3a^5b^3 - 4a^6b^2c \\
& * c) * d * e + (3a^6b^2 - a^7c) * e^2) * f^2 + 4((a^2b^6 - 4a^3b^4c + 4a^4b^2c^2 \\
& - a^5c^3) * d^3 - (3a^3b^5 - 9a^4b^3c + 5a^5b^2c^2) * d^2 * e + (3 \\
& a^4b^4 - 6a^5b^2c + a^6c^2) * d * e^2 - (a^5b^3 - a^6b^2c) * e^3) * f) / (a^{10} \\
& * b^2 - 4a^{11}c)) * \sqrt{-(a^4b^2f^2 + (b^5 - 5a^2b^3c + 5a^2b^2c^2) * d^2 - \\
& 2(a^2b^4 - 4a^2b^2c + 2a^3c^2) * d * e + (a^2b^3 - 3a^3b^2c) * e^2 + 2(( \\
& a^2b^3 - 3a^3b^2c) * d - (a^3b^2 - 2a^4c) * e) * f + (a^5b^2 - 4a^6c) * \sqrt{ \\
& ((a^8f^4 + (b^8 - 6a^2b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4) * d^4 \\
& - 4(a^2b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3) * d^3 * e + 2(3a^2b^6 \\
& - 12a^3b^4c + 12a^4b^2c^2 - a^5c^3) * d^2 * e^2 - 4(a^3b^5 - 3a^4b^3c \\
& + 2a^5b^2c^2) * d * e^3 + (a^4b^4 - 2a^5b^2c + a^6c^2) * e^4 - 4(a^7b^2e \\
& - (a^6b^2 - a^7c) * d) * f^3 + 2(((3a^4b^4 - 7a^5b^2c + 3a^6c^2) * d^2 \\
& - 2(3a^5b^3 - 4a^6b^2c) * d * e + (3a^6b^2 - a^7c) * e^2) * f^2 + 4(( \\
& a^2b^6 - 4a^3b^4c + 4a^4b^2c^2 - a^5c^3) * d^3 - (3a^3b^5 - 9a^4b^3c \\
& + 5a^5b^2c^2) * d^2 * e + (3a^4b^4 - 6a^5b^2c + a^6c^2) * d * e^2 - (a^5 \\
& b^3 - a^6b^2c) * e^3) * f) / (a^{10} * b^2 - 4a^{11}c)) / (a^5 * b^2 - 4a^6 * c)) + 3 * \\
& \sqrt{1/2} * a^2 * x^3 * \sqrt{-(a^4b^2f^2 + (b^5 - 5a^2b^3c + 5a^2b^2c^2) * d^2 - \\
& 2(a^2b^4 - 4a^2b^2c + 2a^3c^2) * d * e + (a^2b^3 - 3a^3b^2c) * e^2 + 2((a^2b^3 \\
& - 3a^3b^2c) * d - (a^3b^2 - 2a^4c) * e) * f - (a^5b^2 - 4a^6c) * \sqrt{ \\
& ((a^8f^4 + (b^8 - 6a^2b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4) * d^4 \\
& - 4(a^2b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3) * d^3 * e + 2(3a^2b^6 \\
& - 12a^3b^4c + 12a^4b^2c^2 - a^5c^3) * d^2 * e^2 - 4(a^3b^5 - 3a^4b^3c \\
& + 2a^5b^2c^2) * d * e^3 + (a^4b^4 - 2a^5b^2c + a^6c^2) * e^4 - 4(a^7b^2e \\
& - (a^6b^2 - a^7c) * d) * f^3 + 2(((3a^4b^4 - 7a^5b^2c + 3a^6c^2) * d^2 \\
& - 2(3a^5b^3 - 4a^6b^2c) * d * e + (3a^6b^2 - a^7c) * e^2) * f^2 + 4((a^2b^6 \\
& - 4a^3b^4c + 4a^4b^2c^2 - a^5c^3) * d^3 - (3a^3b^5 - 9a^4b^3c + 5a^5b^2c^2) * d^2 * e \\
& + (3a^4b^4 - 6a^5b^2c + a^6c^2) * d * e^2 - (a^5b^3 - a^6b^2c) * e^3) * f) / (a^{10} * b^2 - 4a^{11}c)) / (a^5 * b^2 - 4a^6 * c)) * \log(2 * \\
& (a^6 * c * f^4 + (b^4 * c^3 - 3a * b^2 * c^4 + a^2 * c^5) * d^4 - (b^5 * c^2 - a * b^3 * c^3 - \\
& 3a^2 * b^3 * c^4) * d^3 * e + 3(a * b^4 * c^2 - 2a^2 * b^2 * c^3) * d^2 * e^2 - (3a^2 * b^3 * c^2 \\
& - 5a^3 * b^3 * c^3) * d * e^3 + (a^3 * b^2 * c^2 - a^4 * c^3) * e^4 - (3a^5 * b * c * e - (3a^4 * b^2 * c \\
& - 4a^5 * c^2) * d) * f^3 + 3(a^4 * b^2 * c * e^2 + (a^2 * b^4 * c - 3a^3 * b^2 * c^2 \\
& + 2a^4 * c^3) * d^2 - (2a^3 * b^3 * c - 3a^4 * b * c^2) * d * e) * f^2 + ((b^6 * c - 5a * b^4 * c^2 \\
& + 9a^2 * b^2 * c^3 - 4a^3 * c^4) * d^3 - 3(a * b^5 * c - 3a^2 * b^3 * c^2 + 3a^3 * b * c^3) * d^2 * e \\
& + 3(a^2 * b^4 * c - a^3 * b^2 * c^2) * d * e^2 - (a^3 * b^3 * c + a^4 * b * c^2) * e^3) * f) * x + \sqrt{1/2} * ((b^8 - 8a * b^6 * c + 20a^2 * b^4 * c^2 - 17a^3 * b^2 * c^3 \\
& + 4a^4 * c^4) * d^3 - (3a * b^7 - 21a^2 * b^5 * c + 41a^3 * b^3 * c^2 - 20a^4 * b * c^3) * d^2 * e \\
& + (3a^2 * b^6 - 18a^3 * b^4 * c + 25a^4 * b^2 * c^2 - 4a^5 * c^3) * d * e^2 - (a
\end{aligned}$$



$$\begin{aligned}
&^3b^5 - 5a^4b^3c + 4a^5b^2c^2)e^3 + (a^6b^2 - 4a^7c) * f^3 + 3((a^4 \\
&*b^4 - 5a^5b^2c + 4a^6c^2)*d - (a^5b^3 - 4a^6b^2c)*e) * f^2 + ((3a^2* \\
&b^6 - 19a^3b^4c + 31a^4b^2c^2 - 12a^5c^3)*d^2 - 2*(3a^3b^5 - 16a \\
&^4b^3c + 16a^5b^2c^2)*d*e + (3a^4b^4 - 13a^5b^2c + 4a^6c^2)*e^2)* \\
&f + ((a^5b^5 - 7a^6b^3c + 12a^7b^2c^2)*d - (a^6b^4 - 6a^7b^2c + 8* \\
&a^8c^2)*e + (a^7b^3 - 4a^8b^2c)*f) * \text{sqrt}((a^8f^4 + (b^8 - 6a*b^6c + 11 \\
&*a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^4 - 4*(a*b^7 - 5a^2b^5c + 7a^ \\
&3b^3c^2 - 2a^4b^2c^3)*d^3e + 2*(3a^2b^6 - 12a^3b^4c + 12a^4b^2c \\
&^2 - a^5c^3)*d^2e^2 - 4*(a^3b^5 - 3a^4b^3c + 2a^5b^2c^2)*d*e^3 + (a^ \\
&4b^4 - 2a^5b^2c + a^6c^2)*e^4 - 4*(a^7b^2e - (a^6b^2 - a^7c)*d)*f^3 \\
&+ 2*((3a^4b^4 - 7a^5b^2c + 3a^6c^2)*d^2 - 2*(3a^5b^3 - 4a^6b^2c)* \\
&d*e + (3a^6b^2 - a^7c)*e^2)*f^2 + 4*((a^2b^6 - 4a^3b^4c + 4a^4b^2* \\
&c^2 - a^5c^3)*d^3 - (3a^3b^5 - 9a^4b^3c + 5a^5b^2c^2)*d^2e + (3a^4 \\
&*b^4 - 6a^5b^2c + a^6c^2)*d*e^2 - (a^5b^3 - a^6b^2c)*e^3)*f)/(a^10b^2 \\
&- 4a^11c)) * \text{sqrt}(-(a^4b^2f^2 + (b^5 - 5a*b^3c + 5a^2b^2c^2)*d^2 - 2*( \\
&a*b^4 - 4a^2b^2c + 2a^3c^2)*d*e + (a^2b^3 - 3a^3b^2c)*e^2 + 2*((a^2* \\
&b^3 - 3a^3b^2c)*d - (a^3b^2 - 2a^4c)*e)*f - (a^5b^2 - 4a^6c)*\text{sqrt}((a \\
&^8f^4 + (b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^4 - \\
&4*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d^3e + 2*(3a^2b^6 \\
&- 12a^3b^4c + 12a^4b^2c^2 - a^5c^3)*d^2e^2 - 4*(a^3b^5 - 3a^4b^ \\
&3c + 2a^5b^2c^2)*d*e^3 + (a^4b^4 - 2a^5b^2c + a^6c^2)*e^4 - 4*(a^7b \\
&*e - (a^6b^2 - a^7c)*d)*f^3 + 2*((3a^4b^4 - 7a^5b^2c + 3a^6c^2)*d^ \\
&2 - 2*(3a^5b^3 - 4a^6b^2c)*d*e + (3a^6b^2 - a^7c)*e^2)*f^2 + 4*((a^2* \\
&b^6 - 4a^3b^4c + 4a^4b^2c^2 - a^5c^3)*d^3 - (3a^3b^5 - 9a^4b^3c \\
&+ 5a^5b^2c^2)*d^2e + (3a^4b^4 - 6a^5b^2c + a^6c^2)*d*e^2 - (a^5b^ \\
&3 - a^6b^2c)*e^3)*f)/(a^10b^2 - 4a^11c)))/(a^5b^2 - 4a^6c)) - 3*\text{sqrt} \\
&(1/2)*a^2*x^3*\text{sqrt}(-(a^4b^2f^2 + (b^5 - 5a*b^3c + 5a^2b^2c^2)*d^2 - 2*(a \\
&*b^4 - 4a^2b^2c + 2a^3c^2)*d*e + (a^2b^3 - 3a^3b^2c)*e^2 + 2*((a^2b \\
&^3 - 3a^3b^2c)*d - (a^3b^2 - 2a^4c)*e)*f - (a^5b^2 - 4a^6c)*\text{sqrt}((a^ \\
&8f^4 + (b^8 - 6a*b^6c + 11a^2b^4c^2 - 6a^3b^2c^3 + a^4c^4)*d^4 - \\
&4*(a*b^7 - 5a^2b^5c + 7a^3b^3c^2 - 2a^4b^2c^3)*d^3e + 2*(3a^2b^6 \\
&- 12a^3b^4c + 12a^4b^2c^2 - a^5c^3)*d^2e^2 - 4*(a^3b^5 - 3a^4b^3 \\
&*c + 2a^5b^2c^2)*d*e^3 + (a^4b^4 - 2a^5b^2c + a^6c^2)*e^4 - 4*(a^7b* \\
&e - (a^6b^2 - a^7c)*d)*f^3 + 2*((3a^4b^4 - 7a^5b^2c + 3a^6c^2)*d^2 \\
&- 2*(3a^5b^3 - 4a^6b^2c)*d*e + (3a^6b^2 - a^7c)*e^2)*f^2 + 4*((a^2*b \\
&^6 - 4a^3b^4c + 4a^4b^2c^2 - a^5c^3)*d^3 - (3a^3b^5 - 9a^4b^3c \\
&+ 5a^5b^2c^2)*d^2e + (3a^4b^4 - 6a^5b^2c + a^6c^2)*d*e^2 - (a^5b^3 \\
&- a^6b^2c)*e^3)*f)/(a^10b^2 - 4a^11c)))/(a^5b^2 - 4a^6c))*\text{log}(2*(a^6 \\
&*c*f^4 + (b^4c^3 - 3a*b^2c^4 + a^2c^5)*d^4 - (b^5c^2 - a*b^3c^3 - 3a \\
&^2b^2c^4)*d^3e + 3*(a*b^4c^2 - 2a^2b^2c^3)*d^2e^2 - (3a^2b^3c^2 - \\
&5a^3b^2c^3)*d*e^3 + (a^3b^2c^2 - a^4c^3)*e^4 - (3a^5b^2c^2 - (3a^4b^ \\
&2c - 4a^5c^2)*d)*f^3 + 3*(a^4b^2c^2*e^2 + (a^2b^4c - 3a^3b^2c^2 + 2 \\
&*a^4c^3)*d^2 - (2a^3b^3c - 3a^4b^2c^2)*d*e)*f^2 + ((b^6c - 5a*b^4c^ \\
&2 + 9a^2b^2c^3 - 4a^3c^4)*d^3 - 3*(a*b^5c - 3a^2b^3c^2 + 3a^3b^2c \\
&^3)*d^2e + 3*(a^2b^4c - a^3b^2c^2)*d*e^2 - (a^3b^3c + a^4b^2c^2)*e^3
\end{aligned}$$

$$\begin{aligned}
& ) * f) * x - \sqrt{1/2} * ((b^8 - 8 * a * b^6 * c + 20 * a^2 * b^4 * c^2 - 17 * a^3 * b^2 * c^3 + 4 * \\
& a^4 * c^4) * d^3 - (3 * a * b^7 - 21 * a^2 * b^5 * c + 41 * a^3 * b^3 * c^2 - 20 * a^4 * b * c^3) * d^2 \\
& * e + (3 * a^2 * b^6 - 18 * a^3 * b^4 * c + 25 * a^4 * b^2 * c^2 - 4 * a^5 * c^3) * d * e^2 - (a^3 * b \\
& ^5 - 5 * a^4 * b^3 * c + 4 * a^5 * b * c^2) * e^3 + (a^6 * b^2 - 4 * a^7 * c) * f^3 + 3 * ((a^4 * b^4 \\
& - 5 * a^5 * b^2 * c + 4 * a^6 * c^2) * d - (a^5 * b^3 - 4 * a^6 * b * c) * e) * f^2 + ((3 * a^2 * b^6 \\
& - 19 * a^3 * b^4 * c + 31 * a^4 * b^2 * c^2 - 12 * a^5 * c^3) * d^2 - 2 * (3 * a^3 * b^5 - 16 * a^4 * b \\
& ^3 * c + 16 * a^5 * b * c^2) * d * e + (3 * a^4 * b^4 - 13 * a^5 * b^2 * c + 4 * a^6 * c^2) * e^2) * f + \\
& ((a^5 * b^5 - 7 * a^6 * b^3 * c + 12 * a^7 * b * c^2) * d - (a^6 * b^4 - 6 * a^7 * b^2 * c + 8 * a^8 * \\
& c^2) * e + (a^7 * b^3 - 4 * a^8 * b * c) * f) * \sqrt{(a^8 * f^4 + (b^8 - 6 * a * b^6 * c + 11 * a^2 \\
& * b^4 * c^2 - 6 * a^3 * b^2 * c^3 + a^4 * c^4) * d^4 - 4 * (a * b^7 - 5 * a^2 * b^5 * c + 7 * a^3 * b^ \\
& 3 * c^2 - 2 * a^4 * b * c^3) * d^3 * e + 2 * (3 * a^2 * b^6 - 12 * a^3 * b^4 * c + 12 * a^4 * b^2 * c^2 - \\
& a^5 * c^3) * d^2 * e^2 - 4 * (a^3 * b^5 - 3 * a^4 * b^3 * c + 2 * a^5 * b * c^2) * d * e^3 + (a^4 * b^ \\
& 4 - 2 * a^5 * b^2 * c + a^6 * c^2) * e^4 - 4 * (a^7 * b * e - (a^6 * b^2 - a^7 * c) * d) * f^3 + 2 * \\
& ((3 * a^4 * b^4 - 7 * a^5 * b^2 * c + 3 * a^6 * c^2) * d^2 - 2 * (3 * a^5 * b^3 - 4 * a^6 * b * c) * d * e \\
& + (3 * a^6 * b^2 - a^7 * c) * e^2) * f^2 + 4 * ((a^2 * b^6 - 4 * a^3 * b^4 * c + 4 * a^4 * b^2 * c^2 \\
& - a^5 * c^3) * d^3 - (3 * a^3 * b^5 - 9 * a^4 * b^3 * c + 5 * a^5 * b * c^2) * d^2 * e + (3 * a^4 * b^4 \\
& - 6 * a^5 * b^2 * c + a^6 * c^2) * d * e^2 - (a^5 * b^3 - a^6 * b * c) * e^3) * f) / (a^{10} * b^2 - 4 \\
& * a^{11} * c)) * \sqrt{-(a^4 * b * f^2 + (b^5 - 5 * a * b^3 * c + 5 * a^2 * b * c^2) * d^2 - 2 * (a * b^ \\
& 4 - 4 * a^2 * b^2 * c + 2 * a^3 * c^2) * d * e + (a^2 * b^3 - 3 * a^3 * b * c) * e^2 + 2 * ((a^2 * b^3 \\
& - 3 * a^3 * b * c) * d - (a^3 * b^2 - 2 * a^4 * c) * e) * f - (a^5 * b^2 - 4 * a^6 * c) * \sqrt{(a^8 * f \\
& ^4 + (b^8 - 6 * a * b^6 * c + 11 * a^2 * b^4 * c^2 - 6 * a^3 * b^2 * c^3 + a^4 * c^4) * d^4 - 4 * ( \\
& a * b^7 - 5 * a^2 * b^5 * c + 7 * a^3 * b^3 * c^2 - 2 * a^4 * b * c^3) * d^3 * e + 2 * (3 * a^2 * b^6 - 1 \\
& 2 * a^3 * b^4 * c + 12 * a^4 * b^2 * c^2 - a^5 * c^3) * d^2 * e^2 - 4 * (a^3 * b^5 - 3 * a^4 * b^3 * c \\
& + 2 * a^5 * b * c^2) * d * e^3 + (a^4 * b^4 - 2 * a^5 * b^2 * c + a^6 * c^2) * e^4 - 4 * (a^7 * b * e - \\
& (a^6 * b^2 - a^7 * c) * d) * f^3 + 2 * ((3 * a^4 * b^4 - 7 * a^5 * b^2 * c + 3 * a^6 * c^2) * d^2 - \\
& 2 * (3 * a^5 * b^3 - 4 * a^6 * b * c) * d * e + (3 * a^6 * b^2 - a^7 * c) * e^2) * f^2 + 4 * ((a^2 * b^6 \\
& - 4 * a^3 * b^4 * c + 4 * a^4 * b^2 * c^2 - a^5 * c^3) * d^3 - (3 * a^3 * b^5 - 9 * a^4 * b^3 * c + 5 \\
& * a^5 * b * c^2) * d^2 * e + (3 * a^4 * b^4 - 6 * a^5 * b^2 * c + a^6 * c^2) * d * e^2 - (a^5 * b^3 - \\
& a^6 * b * c) * e^3) * f) / (a^{10} * b^2 - 4 * a^{11} * c)) / (a^5 * b^2 - 4 * a^6 * c)) - 6 * (b * d - a \\
& * e) * x^2 + 2 * a * d) / (a^2 * x^3)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*4/(c\*x\*\*4+b\*x\*\*2+a), x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.60 \quad \int \frac{d+ex^2+fx^4}{x^6(a+bx^2+cx^4)} dx$$

**Optimal.** Leaf size=329

$$\frac{-abe - a(cd - af) + b^2d}{a^3x} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left(\frac{2a^2ce-ab^2e-ab(3cd-af)+b^3d}{\sqrt{b^2-4ac}} - abe - a(cd - af) + b^2d\right)}{\sqrt{2}a^3\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out]  $-d/(5*a*x^5) + (b*d - a*e)/(3*a^2*x^3) - (b^2*d - a*b*e - a*(c*d - a*f))/(a^3*x) - (\text{Sqrt}[c]*(b^2*d - a*b*e - a*(c*d - a*f)) + (b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a^3*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(b^2*d - a*b*e - a*(c*d - a*f)) - (b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a^3*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

**Rubi [A]** time = 1.94197, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1664, 1166, 205}

$$\frac{-abe - a(cd - af) + b^2d}{a^3x} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left(\frac{2a^2ce-ab^2e-ab(3cd-af)+b^3d}{\sqrt{b^2-4ac}} - abe - a(cd - af) + b^2d\right)}{\sqrt{2}a^3\sqrt{b-\sqrt{b^2-4ac}}} - \frac{\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(d + e*x^2 + f*x^4)/(x^6*(a + b*x^2 + c*x^4)), x]$

[Out]  $-d/(5*a*x^5) + (b*d - a*e)/(3*a^2*x^3) - (b^2*d - a*b*e - a*(c*d - a*f))/(a^3*x) - (\text{Sqrt}[c]*(b^2*d - a*b*e - a*(c*d - a*f)) + (b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a^3*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(b^2*d - a*b*e - a*(c*d - a*f)) - (b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(\text{Sqrt}[2]*a^3*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

**Rule 1664**

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] :> Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{d + ex^2 + fx^4}{x^6(a + bx^2 + cx^4)} dx &= \int \left( \frac{d}{ax^6} + \frac{-bd + ae}{a^2x^4} + \frac{b^2d - abe - a(cd - af)}{a^3x^2} + \frac{-b^3d + ab^2e - a^2ce + ab(2cd - af) - c(b^2d - abe - a(cd - af))x^2}{a^3(a + bx^2 + cx^4)} \right) dx \\ &= -\frac{d}{5ax^5} + \frac{bd - ae}{3a^2x^3} - \frac{b^2d - abe - a(cd - af)}{a^3x} + \frac{\int \frac{-b^3d + ab^2e - a^2ce + ab(2cd - af) - c(b^2d - abe - a(cd - af))x^2}{a + bx^2 + cx^4} dx}{a^3} \\ &= -\frac{d}{5ax^5} + \frac{bd - ae}{3a^2x^3} - \frac{b^2d - abe - a(cd - af)}{a^3x} - \frac{\left( c(b^2d - abe - a(cd - af)) - \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af)}{\sqrt{b^2 - 4ac}} \right)}{2a^3} \\ &= -\frac{d}{5ax^5} + \frac{bd - ae}{3a^2x^3} - \frac{b^2d - abe - a(cd - af)}{a^3x} - \frac{\sqrt{c} \left( b^2d - abe - a(cd - af) \right) + \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af)}{\sqrt{b^2 - 4ac}}}{\sqrt{2}a^3\sqrt{b - \sqrt{b^2 - 4ac}}} \end{aligned}$$

**Mathematica [A]** time = 0.604115, size = 394, normalized size = 1.2

$$-\frac{6a^2d}{x^5} + \frac{30(abe + a(cd - af) + b^2(-d))}{x} - \frac{15\sqrt{2}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right) \left( ab(-e\sqrt{b^2 - 4ac} + af - 3cd) + a(-cd\sqrt{b^2 - 4ac} + af\sqrt{b^2 - 4ac} + 2ace) + b^2(d\sqrt{b^2 - 4ac} - ae) + b^3d \right)}{\sqrt{b^2 - 4ac}\sqrt{b - \sqrt{b^2 - 4ac}}}$$

30a<sup>3</sup>

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^6\*(a + b\*x^2 + c\*x^4)),x]

[Out] 
$$\begin{aligned} &((-6*a^2*d)/x^5 + (10*a*(b*d - a*e))/x^3 + (30*(-(b^2*d) + a*b*e + a*(c*d - \\ &a*f)))/x - (15*\sqrt{2}*\sqrt{c}*(b^3*d + b^2*(\sqrt{b^2 - 4*a*c}*d - a*e) + \\ &a*b*(-3*c*d - \sqrt{b^2 - 4*a*c}*e + a*f) + a*(-(c*\sqrt{b^2 - 4*a*c}*d) + 2* \\ &a*c*e + a*\sqrt{b^2 - 4*a*c}*f))*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b - \sqrt{b^2 - 4*a*c}}]) \\ &+ (15*\sqrt{2}*\sqrt{c}*(b^3*d - b^2*(\sqrt{b^2 - 4*a*c}*d + a*e) + a*b*(-3*c*d + \sqrt{b^2 - 4*a*c}*e + a*f) + \\ &a*(c*\sqrt{b^2 - 4*a*c}*d + 2*a*c*e - a*\sqrt{b^2 - 4*a*c}*f))*\text{ArcTan}[(\sqrt{2}*\sqrt{c}*x)/\sqrt{b + \sqrt{b^2 - 4*a*c}}]) \\ &)/(30*a^3) \end{aligned}$$

**Maple [B]** time = 0.036, size = 1121, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x^4+e\*x^2+d)/x^6/(c\*x^4+b\*x^2+a),x)

[Out] 
$$\begin{aligned} &-1/2/a^3*c^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+ \\ &(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^2*d+1/a*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+ \\ &(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*e-1/2/a^2*c^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/ \\ &((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*e+1/2/a^3*c^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^2*d+1/a*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*e+1/2/a^2*c^2^{(1/2)}/((b+ \\ &(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b*e-1/a^3/x*b^2*d+1/3/a^2/x^3*b*d+1/a^2/x*b*e+1/a^2/x*c*d-3/2/a^2*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*d+1/2/a^3*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^3*d+1/2/a*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b*f-1/2/a^2*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\operatorname{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^2*e-3/2/a^2*c^2/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b*d+1/2/a^3*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^3*d+1/2/a*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\operatorname{arctanh}(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*f-1/3/a/x^3*e- \end{aligned}$$

$$\frac{1}{a} \frac{f + \frac{1}{2} a c^2}{x} \frac{1}{\sqrt{(-4ac + b^2) - b} c} \operatorname{arctanh}\left(\frac{c x}{\sqrt{(-4ac + b^2) - b} c}\right) - \frac{1}{2} \frac{f - \frac{1}{2} a^2 c^2}{a} \frac{1}{\sqrt{(-4ac + b^2) - b} c} \operatorname{arctanh}\left(\frac{c x}{\sqrt{(-4ac + b^2) - b} c}\right) + \frac{d - \frac{1}{2} a c^2}{a} \frac{1}{\sqrt{(b + (-4ac + b^2)) c}} \operatorname{arctan}\left(\frac{c x}{\sqrt{(b + (-4ac + b^2)) c}}\right) + \frac{f + \frac{1}{2} a^2 c^2}{a} \frac{1}{\sqrt{(b + (-4ac + b^2)) c}} \operatorname{arctan}\left(\frac{c x}{\sqrt{(b + (-4ac + b^2)) c}}\right) + \frac{d - \frac{1}{5} d/a}{x^5} \frac{1}{a^2 c} \frac{1}{\sqrt{(-4ac + b^2)}} \frac{1}{\sqrt{(-4ac + b^2) - b} c} \operatorname{arctanh}\left(\frac{c x}{\sqrt{(-4ac + b^2) - b} c}\right) + b^2 e$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^6/(c\*x^4+b\*x^2+a),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 102.526, size = 31905, normalized size = 96.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^6/(c\*x^4+b\*x^2+a),x, algorithm="fricas")

[Out] 
$$-\frac{1}{30} (15 \sqrt{1/2} a^3 x^5 \sqrt{-(b^7 - 7 a b^5 c + 14 a^2 b^3 c^2 - 7 a^3 b c^3)} d^2 - 2 (a b^6 - 6 a^2 b^4 c + 9 a^3 b^2 c^2 - 2 a^4 c^3) d e + (a^2 b^5 - 5 a^3 b^3 c + 5 a^4 b c^2) e^2 + (a^4 b^3 - 3 a^5 b c) f^2 + 2 ((a^2 b^5 - 5 a^3 b^3 c + 5 a^4 b c^2) d - (a^3 b^4 - 4 a^4 b^2 c + 2 a^5 c^2) e) f + (a^7 b^2 - 4 a^8 c) \sqrt{((b^{12} - 10 a b^{10} c + 37 a^2 b^8 c^2 - 62 a^3 b^6 c^3 + 46 a^4 b^4 c^4 - 12 a^5 b^2 c^5 + a^6 c^6) d^4 - 4 (a b^{11} - 9 a^2 b^9 c + 29 a^3 b^7 c^2 - 40 a^4 b^5 c^3 + 22 a^5 b^3 c^4 - 3 a^6 b c^5) d^3 e + 2 (3 a^2 b^{10} - 24 a^3 b^8 c + 66 a^4 b^6 c^2 - 72 a^5 b^4 c^3 + 27 a^6 b^2 c^4 - a^7 c^5) d^2 e^2 - 4 (a^3 b^9 - 7 a^4 b^7 c + 16 a^5 b^5 c^2 - 13 a^6 b^3 c^3 + 3 a^7 b c^4) d e^3 + (a^4 b^8 - 6 a^5 b^6 c + 11 a^6 b^4 c^2 - 6 a^7 b^2 c^3 + a^8 c^4) e^4 + (a^8 b^4 - 2 a^9 b^2 c + a^{10} c^2) f^4 + 4 ((a^6 b^6 - 4 a^7 b^4 c + 4 a^8 b^2 c^2 - a^9 c^3) d - (a^7 b^5 - 3 a^8 b^3 c + 2 a^9 b c^2) e) f^3 + 2 ((3 a^4 b^8 - 18 a^5 b^6 c + 33 a^6$$

$$\begin{aligned}
& *b^4c^2 - 19a^7b^2c^3 + 3a^8c^4)d^2 - 2*(3a^5b^7 - 15a^6b^5c + \\
& 21a^7b^3c^2 - 7a^8bc^3)*d*e + (3a^6b^6 - 12a^7b^4c + 12a^8b^2c^2 - a^9c^3)*e^2)*f^2 + 4*((a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4 - a^7c^5)*d^3 - (3a^3b^9 - 21a^4b^7c + 48a^5b^5c^2 - 39a^6b^3c^3 + 8a^7b^2c^4)*d^2*e + (3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 18a^7b^2c^3 + a^8c^4)*d*e^2 - (a^5b^7 - 5a^6b^5c + 7a^7b^3c^2 - 2a^8bc^3)*e^3)*f)/(a^{14}b^2 - 4a^{15}c))/(a^7b^2 - 4a^8c))*\log(-2*((b^6c^4 - 5a*b^4c^5 + 6a^2b^2c^6 - a^3c^7)*d^4 - (b^7c^3 - 3a*b^5c^4 - 2a^2b^3c^5 + 5a^3b^2c^6)*d^3*e + 3*(a*b^6c^3 - 4a^2b^4c^4 + 3a^3b^2c^5)*d^2*e^2 - (3a^2b^5c^3 - 11a^3b^3c^4 + 7a^4b^2c^5)*d*e^3 + (a^3b^4c^3 - 3a^4b^2c^4 + a^5c^5)*e^4 + (a^6b^2c^2 - a^7c^3)*f^4 + ((3a^4b^4c^2 - 9a^5b^2c^3 + 4a^6c^4)*d - (3a^5b^3c^2 - 5a^6b^2c^3)*e)*f^3 + 3*((a^2b^6c^2 - 5a^3b^4c^3 + 7a^4b^2c^4 - 2a^5c^5)*d^2 - (2a^3b^5c^2 - 7a^4b^3c^3 + 5a^5b^2c^4)*d*e + (a^4b^4c^2 - 2a^5b^2c^3)*e^2)*f^2 + ((b^8c^2 - 7a*b^6c^3 + 18a^2b^4c^4 - 19a^3b^2c^5 + 4a^4c^6)*d^3 - 3*(a*b^7c^2 - 5a^2b^5c^3 + 8a^3b^3c^4 - 5a^4b^2c^5)*d^2*e + 3*(a^2b^6c^2 - 3a^3b^4c^3 + a^4b^2c^4)*d*e^2 - (a^3b^5c^2 - a^4b^3c^3 - 3a^5b^2c^4)*e^3)*f)*x + \sqrt{1/2}*((b^{11} - 11a*b^9c + 44a^2b^7c^2 - 77a^3b^5c^3 + 54a^4b^3c^4 - 8a^5b^2c^5)*d^3 - (3a*b^{10} - 30a^2b^8c + 105a^3b^6c^2 - 151a^4b^4c^3 + 77a^5b^2c^4 - 4a^6c^5)*d^2*e + (3a^2b^9 - 27a^3b^7c + 81a^4b^5c^2 - 92a^5b^3c^3 + 32a^6b^2c^4)*d*e^2 - (a^3b^8 - 8a^4b^6c + 20a^5b^4c^2 - 17a^6b^2c^3 + 4a^7c^4)*e^3 + (a^6b^5 - 5a^7b^3c + 4a^8b^2c^2)*f^3 + ((3a^4b^7 - 21a^5b^5c + 40a^6b^3c^2 - 16a^7b^2c^3)*d - (3a^5b^6 - 18a^6b^4c + 25a^7b^2c^2 - 4a^8c^3)*e)*f^2 + ((3a^2b^9 - 27a^3b^7c + 80a^4b^5c^2 - 85a^5b^3c^3 + 20a^6b^2c^4)*d^2 - 2*(3a^3b^8 - 24a^4b^6c + 59a^5b^4c^2 - 45a^6b^2c^3 + 4a^7c^4)*d*e + (3a^4b^7 - 21a^5b^5c + 41a^6b^3c^2 - 20a^7b^2c^3)*e^2)*f - ((a^7b^6 - 8a^8b^4c + 18a^9b^2c^2 - 8a^{10}c^3)*d - (a^8b^5 - 7a^9b^3c + 12a^{10}b^2c^2)*e + (a^9b^4 - 6a^{10}b^2c + 8a^{11}c^2)*f)*\sqrt{((b^{12} - 10a*b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)*d^4 - 4*(a*b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)*d^3*e + 2*(3a^2b^{10} - 24a^3b^8c + 66a^4b^6c^2 - 72a^5b^4c^3 + 27a^6b^2c^4 - a^7c^5)*d^2*e^2 - 4*(a^3b^9 - 7a^4b^7c + 16a^5b^5c^2 - 13a^6b^3c^3 + 3a^7b^2c^4)*d*e^3 + (a^4b^8 - 6a^5b^6c + 11a^6b^4c^2 - 6a^7b^2c^3 + a^8c^4)*e^4 + (a^8b^4 - 2a^9b^2c + a^{10}c^2)*f^4 + 4*((a^6b^6 - 4a^7b^4c + 4a^8b^2c^2 - a^9c^3)*d - (a^7b^5 - 3a^8b^3c + 2a^9b^2c^2)*e)*f^3 + 2*((3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 19a^7b^2c^3 + 3a^8c^4)*d^2 - 2*(3a^5b^7 - 15a^6b^5c + 21a^7b^3c^2 - 7a^8b^2c^3)*d*e + (3a^6b^6 - 12a^7b^4c + 12a^8b^2c^2 - a^9c^3)*e^2)*f^2 + 4*((a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4 - a^7c^5)*d^3 - (3a^3b^9 - 21a^4b^7c + 48a^5b^5c^2 - 39a^6b^3c^3 + 8a^7b^2c^4)*d^2*e + (3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 18a^7b^2c^3 + a^8c^4)*d*e^2 - (a^5b^7 - 5a^6b^5c + 7a^7b^
\end{aligned}$$



$$\begin{aligned}
& 3c^2 - 2a^8b^3c^3)e^3) * f) / (a^{14}b^2 - 4a^{15}c)) * \sqrt{-((b^7 - 7a^8b^5c + 14a^2b^3c^2 - 7a^3b^3c^3) * d^2 - 2(a^8b^6 - 6a^2b^4c + 9a^3b^2c^2 - 2a^4c^3) * d * e + (a^2b^5 - 5a^3b^3c + 5a^4b^3c^2) * e^2 + (a^4b^3 - 3a^5b^3c) * f^2 + 2((a^2b^5 - 5a^3b^3c + 5a^4b^3c^2) * d - (a^3b^4 - 4a^4b^2c + 2a^5c^2) * e) * f + (a^7b^2 - 4a^8c) * \sqrt{((b^{12} - 10a^8b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6) * d^4 - 4(a^8b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^3c^5) * d^3 * e + 2(3a^2b^{10} - 24a^3b^8c + 66a^4b^6c^2 - 72a^5b^4c^3 + 27a^6b^2c^4 - a^7c^5) * d^2 * e^2 - 4(a^3b^9 - 7a^4b^7c + 16a^5b^5c^2 - 13a^6b^3c^3 + 3a^7b^3c^4) * d * e^3 + (a^4b^8 - 6a^5b^6c + 11a^6b^4c^2 - 6a^7b^2c^3 + a^8c^4) * e^4 + (a^8b^4 - 2a^9b^2c + a^{10}c^2) * f^4 + 4((a^6b^6 - 4a^7b^4c + 4a^8b^2c^2 - a^9c^3) * d - (a^7b^5 - 3a^8b^3c + 2a^9b^3c^2) * e) * f^3 + 2((3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 19a^7b^2c^3 + 3a^8c^4) * d^2 - 2(3a^5b^7 - 15a^6b^5c + 21a^7b^3c^2 - 7a^8b^3c^3) * d * e + (3a^6b^6 - 12a^7b^4c + 12a^8b^2c^2 - a^9c^3) * e^2) * f^2 + 4((a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4 - a^7c^5) * d^3 - (3a^3b^9 - 21a^4b^7c + 48a^5b^5c^2 - 39a^6b^3c^3 + 8a^7b^3c^4) * d^2 * e + (3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 18a^7b^2c^3 + a^8c^4) * d * e^2 - (a^5b^7 - 5a^6b^5c + 7a^7b^3c^2 - 2a^8b^3c^3) * e^3) * f) / (a^{14}b^2 - 4a^{15}c)) / (a^7b^2 - 4a^8c)) - 15 * \sqrt{1/2} * a^3 * x^5 * \sqrt{-((b^7 - 7a^8b^5c + 14a^2b^3c^2 - 7a^3b^3c^3) * d^2 - 2(a^8b^6 - 6a^2b^4c + 9a^3b^2c^2 - 2a^4c^3) * d * e + (a^2b^5 - 5a^3b^3c + 5a^4b^3c^2) * e^2 + (a^4b^3 - 3a^5b^3c) * f^2 + 2((a^2b^5 - 5a^3b^3c + 5a^4b^3c^2) * d - (a^3b^4 - 4a^4b^2c + 2a^5c^2) * e) * f + (a^7b^2 - 4a^8c) * \sqrt{((b^{12} - 10a^8b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6) * d^4 - 4(a^8b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^3c^5) * d^3 * e + 2(3a^2b^{10} - 24a^3b^8c + 66a^4b^6c^2 - 72a^5b^4c^3 + 27a^6b^2c^4 - a^7c^5) * d^2 * e^2 - 4(a^3b^9 - 7a^4b^7c + 16a^5b^5c^2 - 13a^6b^3c^3 + 3a^7b^3c^4) * d * e^3 + (a^4b^8 - 6a^5b^6c + 11a^6b^4c^2 - 6a^7b^2c^3 + a^8c^4) * e^4 + (a^8b^4 - 2a^9b^2c + a^{10}c^2) * f^4 + 4((a^6b^6 - 4a^7b^4c + 4a^8b^2c^2 - a^9c^3) * d - (a^7b^5 - 3a^8b^3c + 2a^9b^3c^2) * e) * f^3 + 2((3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 19a^7b^2c^3 + 3a^8c^4) * d^2 - 2(3a^5b^7 - 15a^6b^5c + 21a^7b^3c^2 - 7a^8b^3c^3) * d * e + (3a^6b^6 - 12a^7b^4c + 12a^8b^2c^2 - a^9c^3) * e^2) * f^2 + 4((a^2b^{10} - 8a^3b^8c + 22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4 - a^7c^5) * d^3 - (3a^3b^9 - 21a^4b^7c + 48a^5b^5c^2 - 39a^6b^3c^3 + 8a^7b^3c^4) * d^2 * e + (3a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 18a^7b^2c^3 + a^8c^4) * d * e^2 - (a^5b^7 - 5a^6b^5c + 7a^7b^3c^2 - 2a^8b^3c^3) * e^3) * f) / (a^{14}b^2 - 4a^{15}c)) / (a^7b^2 - 4a^8c)) * \log(-2 * ((b^6c^4 - 5a^8b^4c^5 + 6a^2b^2c^6 - a^3c^7) * d^4 - (b^7c^3 - 3a^8b^5c^4 - 2a^2b^3c^5 + 5a^3b^3c^6) * d^3 * e + 3(a^8b^6c^3 - 4a^2b^4c^4 + 3a^3b^2c^5) * d^2 * e^2 - (3a^2b^5c^3 - 11a^3b^3c^4 + 7a^4b^3c^5) * d * e^3 + (a^3b^4c^3 - 3a^4b^2c^4 + a^5c^5) * e^4 + (a^6b^2c^2 - a^7c^3) * f^4 + ((3a^4b^4c
\end{aligned}$$

$$\begin{aligned}
&^2 - 9a^5b^2c^3 + 4a^6c^4)d - (3a^5b^3c^2 - 5a^6b^2c^3)e) * f^3 + \\
&3*((a^2b^6c^2 - 5a^3b^4c^3 + 7a^4b^2c^4 - 2a^5c^5)d^2 - (2a^3b^5c^2 - 7a^4b^3c^3 + 5a^5b^2c^4)d * e + (a^4b^4c^2 - 2a^5b^2c^3)e \\
&^2) * f^2 + ((b^8c^2 - 7a^2b^6c^3 + 18a^2b^4c^4 - 19a^3b^2c^5 + 4a^4 \\
&c^6)d^3 - 3(a^2b^7c^2 - 5a^2b^5c^3 + 8a^3b^3c^4 - 5a^4b^2c^5)d^2 \\
&* e + 3(a^2b^6c^2 - 3a^3b^4c^3 + a^4b^2c^4)d * e^2 - (a^3b^5c^2 - a \\
&^4b^3c^3 - 3a^5b^2c^4)e^3) * f) * x - \text{sqrt}(1/2) * ((b^{11} - 11a^2b^9c + 44a^2 \\
&2b^7c^2 - 77a^3b^5c^3 + 54a^4b^3c^4 - 8a^5b^2c^5)d^3 - (3a^2b^{10} \\
&- 30a^2b^8c + 105a^3b^6c^2 - 151a^4b^4c^3 + 77a^5b^2c^4 - 4a^6 \\
&c^5)d^2 * e + (3a^2b^9 - 27a^3b^7c + 81a^4b^5c^2 - 92a^5b^3c^3 + \\
&32a^6b^2c^4)d * e^2 - (a^3b^8 - 8a^4b^6c + 20a^5b^4c^2 - 17a^6b^2 \\
&c^3 + 4a^7c^4)e^3 + (a^6b^5 - 5a^7b^3c + 4a^8b^2c^2) * f^3 + ((3a^4 \\
&b^7 - 21a^5b^5c + 40a^6b^3c^2 - 16a^7b^2c^3) * d - (3a^5b^6 - 18a^6 \\
&b^4c + 25a^7b^2c^2 - 4a^8c^3)e) * f^2 + ((3a^2b^9 - 27a^3b^7c + \\
&80a^4b^5c^2 - 85a^5b^3c^3 + 20a^6b^2c^4)d^2 - 2*(3a^3b^8 - 24a^4 \\
&b^6c + 59a^5b^4c^2 - 45a^6b^2c^3 + 4a^7c^4)d * e + (3a^4b^7 - 2 \\
&1a^5b^5c + 41a^6b^3c^2 - 20a^7b^2c^3)e^2) * f - ((a^7b^6 - 8a^8b^4 \\
&c + 18a^9b^2c^2 - 8a^{10}c^3) * d - (a^8b^5 - 7a^9b^3c + 12a^{10}b^2c^2) * e + (a^9b^4 - 6a^{10}b^2c + 8a^{11}c^2) * f) * \text{sqrt}(((b^{12} - 10a^2b^{10}c + \\
&37a^2b^8c^2 - 62a^3b^6c^3 + 46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6) \\
&d^4 - 4*(a^2b^{11} - 9a^2b^9c + 29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5 \\
&b^3c^4 - 3a^6b^2c^5)d^3 * e + 2*(3a^2b^{10} - 24a^3b^8c + 66a^4b^6c \\
&^2 - 72a^5b^4c^3 + 27a^6b^2c^4 - a^7c^5)d^2 * e^2 - 4*(a^3b^9 - 7a^4 \\
&b^7c + 16a^5b^5c^2 - 13a^6b^3c^3 + 3a^7b^2c^4)d * e^3 + (a^4b^8 - \\
&6a^5b^6c + 11a^6b^4c^2 - 6a^7b^2c^3 + a^8c^4)e^4 + (a^8b^4 - 2 \\
&a^9b^2c + a^{10}c^2) * f^4 + 4*((a^6b^6 - 4a^7b^4c + 4a^8b^2c^2 - a^9 \\
&c^3) * d - (a^7b^5 - 3a^8b^3c + 2a^9b^2c^2)e) * f^3 + 2*((3a^4b^8 - 1 \\
&8a^5b^6c + 33a^6b^4c^2 - 19a^7b^2c^3 + 3a^8c^4)d^2 - 2*(3a^5b^7 \\
&- 15a^6b^5c + 21a^7b^3c^2 - 7a^8b^2c^3) * d * e + (3a^6b^6 - 12a^7 \\
&b^4c + 12a^8b^2c^2 - a^9c^3)e^2) * f^2 + 4*((a^2b^{10} - 8a^3b^8c + \\
&22a^4b^6c^2 - 24a^5b^4c^3 + 9a^6b^2c^4 - a^7c^5)d^3 - (3a^3b^9 \\
&- 21a^4b^7c + 48a^5b^5c^2 - 39a^6b^3c^3 + 8a^7b^2c^4)d^2 * e + (3 \\
&a^4b^8 - 18a^5b^6c + 33a^6b^4c^2 - 18a^7b^2c^3 + a^8c^4)d * e^2 \\
&- (a^5b^7 - 5a^6b^5c + 7a^7b^3c^2 - 2a^8b^2c^3)e^3) * f) / (a^{14}b^2 - \\
&4a^{15}c)) * \text{sqrt}(-((b^7 - 7a^2b^5c + 14a^2b^3c^2 - 7a^3b^2c^3)d^2 - \\
&2*(a^2b^6 - 6a^2b^4c + 9a^3b^2c^2 - 2a^4c^3)d * e + (a^2b^5 - 5a^3b^3 \\
&c + 5a^4b^2c^2)e^2 + (a^4b^3 - 3a^5b^2c) * f^2 + 2*((a^2b^5 - 5a^3b^3 \\
&b^3c + 5a^4b^2c^2) * d - (a^3b^4 - 4a^4b^2c + 2a^5c^2)e) * f + (a^7b^2 \\
&- 4a^8c) * \text{sqrt}(((b^{12} - 10a^2b^{10}c + 37a^2b^8c^2 - 62a^3b^6c^3 + \\
&46a^4b^4c^4 - 12a^5b^2c^5 + a^6c^6)d^4 - 4*(a^2b^{11} - 9a^2b^9c + \\
&29a^3b^7c^2 - 40a^4b^5c^3 + 22a^5b^3c^4 - 3a^6b^2c^5)d^3 * e + 2*( \\
&3a^2b^{10} - 24a^3b^8c + 66a^4b^6c^2 - 72a^5b^4c^3 + 27a^6b^2c^4 \\
&- a^7c^5)d^2 * e^2 - 4*(a^3b^9 - 7a^4b^7c + 16a^5b^5c^2 - 13a^6b^3 \\
&>c^3 + 3a^7b^2c^4)d * e^3 + (a^4b^8 - 6a^5b^6c + 11a^6b^4c^2 - 6a^7 \\
&>b^2c^3 + a^8c^4)e^4 + (a^8b^4 - 2a^9b^2c + a^{10}c^2) * f^4 + 4*((a^
\end{aligned}$$

$$\begin{aligned}
& 6*b^6 - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^9*c^3)*d - (a^7*b^5 - 3*a^8*b^3*c + \\
& 2*a^9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 19*a \\
& ^7*b^2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b^7 - 15*a^6*b^5*c + 21*a^7*b^3*c^2 \\
& - 7*a^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7*b^4*c + 12*a^8*b^2*c^2 - a^9*c^3)* \\
& e^2)*f^2 + 4*((a^2*b^10 - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9 \\
& *a^6*b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 - 21*a^4*b^7*c + 48*a^5*b^5*c^2 - \\
& 39*a^6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^ \\
& 4*c^2 - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 - (a^5*b^7 - 5*a^6*b^5*c + 7*a^7*b^ \\
& 3*c^2 - 2*a^8*b*c^3)*e^3)*f)/(a^14*b^2 - 4*a^15*c))/(a^7*b^2 - 4*a^8*c)) \\
& + 15*sqrt(1/2)*a^3*x^5*sqrt(-(b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c \\
& ^3)*d^2 - 2*(a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - 2*a^4*c^3)*d*e + (a^2*b^ \\
& 5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*e^2 + (a^4*b^3 - 3*a^5*b*c)*f^2 + 2*((a^2*b^ \\
& 5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*d - (a^3*b^4 - 4*a^4*b^2*c + 2*a^5*c^2)*e)*f \\
& - (a^7*b^2 - 4*a^8*c)*sqrt(((b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b \\
& ^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^4 - 4*(a*b^11 - 9*a^ \\
& 2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d \\
& ^3*e + 2*(3*a^2*b^10 - 24*a^3*b^8*c + 66*a^4*b^6*c^2 - 72*a^5*b^4*c^3 + 27* \\
& a^6*b^2*c^4 - a^7*c^5)*d^2*e^2 - 4*(a^3*b^9 - 7*a^4*b^7*c + 16*a^5*b^5*c^2 \\
& - 13*a^6*b^3*c^3 + 3*a^7*b*c^4)*d*e^3 + (a^4*b^8 - 6*a^5*b^6*c + 11*a^6*b^4 \\
& *c^2 - 6*a^7*b^2*c^3 + a^8*c^4)*e^4 + (a^8*b^4 - 2*a^9*b^2*c + a^10*c^2)*f^ \\
& 4 + 4*((a^6*b^6 - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^9*c^3)*d - (a^7*b^5 - 3*a \\
& ^8*b^3*c + 2*a^9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4* \\
& c^2 - 19*a^7*b^2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b^7 - 15*a^6*b^5*c + 21*a^ \\
& 7*b^3*c^2 - 7*a^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7*b^4*c + 12*a^8*b^2*c^2 - \\
& a^9*c^3)*e^2)*f^2 + 4*((a^2*b^10 - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b \\
& ^4*c^3 + 9*a^6*b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 - 21*a^4*b^7*c + 48*a^5* \\
& b^5*c^2 - 39*a^6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3*a^4*b^8 - 18*a^5*b^6*c + \\
& 33*a^6*b^4*c^2 - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 - (a^5*b^7 - 5*a^6*b^5*c \\
& + 7*a^7*b^3*c^2 - 2*a^8*b*c^3)*e^3)*f)/(a^14*b^2 - 4*a^15*c))/(a^7*b^2 - 4 \\
& *a^8*c))*log(-2*((b^6*c^4 - 5*a*b^4*c^5 + 6*a^2*b^2*c^6 - a^3*c^7)*d^4 - (b \\
& ^7*c^3 - 3*a*b^5*c^4 - 2*a^2*b^3*c^5 + 5*a^3*b*c^6)*d^3*e + 3*(a*b^6*c^3 - \\
& 4*a^2*b^4*c^4 + 3*a^3*b^2*c^5)*d^2*e^2 - (3*a^2*b^5*c^3 - 11*a^3*b^3*c^4 + \\
& 7*a^4*b*c^5)*d*e^3 + (a^3*b^4*c^3 - 3*a^4*b^2*c^4 + a^5*c^5)*e^4 + (a^6*b^2 \\
& *c^2 - a^7*c^3)*f^4 + ((3*a^4*b^4*c^2 - 9*a^5*b^2*c^3 + 4*a^6*c^4)*d - (3*a \\
& ^5*b^3*c^2 - 5*a^6*b*c^3)*e)*f^3 + 3*((a^2*b^6*c^2 - 5*a^3*b^4*c^3 + 7*a^4* \\
& b^2*c^4 - 2*a^5*c^5)*d^2 - (2*a^3*b^5*c^2 - 7*a^4*b^3*c^3 + 5*a^5*b*c^4)*d* \\
& e + (a^4*b^4*c^2 - 2*a^5*b^2*c^3)*e^2)*f^2 + ((b^8*c^2 - 7*a*b^6*c^3 + 18*a \\
& ^2*b^4*c^4 - 19*a^3*b^2*c^5 + 4*a^4*c^6)*d^3 - 3*(a*b^7*c^2 - 5*a^2*b^5*c^3 \\
& + 8*a^3*b^3*c^4 - 5*a^4*b*c^5)*d^2*e + 3*(a^2*b^6*c^2 - 3*a^3*b^4*c^3 + a^ \\
& 4*b^2*c^4)*d*e^2 - (a^3*b^5*c^2 - a^4*b^3*c^3 - 3*a^5*b*c^4)*e^3)*f)*x + sq \\
& rt(1/2)*((b^11 - 11*a*b^9*c + 44*a^2*b^7*c^2 - 77*a^3*b^5*c^3 + 54*a^4*b^3* \\
& c^4 - 8*a^5*b*c^5)*d^3 - (3*a*b^10 - 30*a^2*b^8*c + 105*a^3*b^6*c^2 - 151*a \\
& ^4*b^4*c^3 + 77*a^5*b^2*c^4 - 4*a^6*c^5)*d^2*e + (3*a^2*b^9 - 27*a^3*b^7*c \\
& + 81*a^4*b^5*c^2 - 92*a^5*b^3*c^3 + 32*a^6*b*c^4)*d*e^2 - (a^3*b^8 - 8*a^4* \\
& b^6*c + 20*a^5*b^4*c^2 - 17*a^6*b^2*c^3 + 4*a^7*c^4)*e^3 + (a^6*b^5 - 5*a^7
\end{aligned}$$

$$\begin{aligned}
& *b^3*c + 4*a^8*b*c^2)*f^3 + ((3*a^4*b^7 - 21*a^5*b^5*c + 40*a^6*b^3*c^2 - 1 \\
& 6*a^7*b*c^3)*d - (3*a^5*b^6 - 18*a^6*b^4*c + 25*a^7*b^2*c^2 - 4*a^8*c^3)*e) \\
& *f^2 + ((3*a^2*b^9 - 27*a^3*b^7*c + 80*a^4*b^5*c^2 - 85*a^5*b^3*c^3 + 20*a^ \\
& 6*b*c^4)*d^2 - 2*(3*a^3*b^8 - 24*a^4*b^6*c + 59*a^5*b^4*c^2 - 45*a^6*b^2*c^ \\
& 3 + 4*a^7*c^4)*d*e + (3*a^4*b^7 - 21*a^5*b^5*c + 41*a^6*b^3*c^2 - 20*a^7*b* \\
& c^3)*e^2)*f + ((a^7*b^6 - 8*a^8*b^4*c + 18*a^9*b^2*c^2 - 8*a^10*c^3)*d - (a \\
& ^8*b^5 - 7*a^9*b^3*c + 12*a^10*b*c^2)*e + (a^9*b^4 - 6*a^10*b^2*c + 8*a^11* \\
& c^2)*f)*sqrt(((b^12 - 10*a*b^10*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^ \\
& 4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^4 - 4*(a*b^11 - 9*a^2*b^9*c + 29*a^ \\
& 3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d^3*e + 2*(3*a^2 \\
& *b^10 - 24*a^3*b^8*c + 66*a^4*b^6*c^2 - 72*a^5*b^4*c^3 + 27*a^6*b^2*c^4 - a \\
& ^7*c^5)*d^2*e^2 - 4*(a^3*b^9 - 7*a^4*b^7*c + 16*a^5*b^5*c^2 - 13*a^6*b^3*c^ \\
& 3 + 3*a^7*b*c^4)*d*e^3 + (a^4*b^8 - 6*a^5*b^6*c + 11*a^6*b^4*c^2 - 6*a^7*b^ \\
& 2*c^3 + a^8*c^4)*e^4 + (a^8*b^4 - 2*a^9*b^2*c + a^10*c^2)*f^4 + 4*((a^6*b^6 \\
& - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^9*c^3)*d - (a^7*b^5 - 3*a^8*b^3*c + 2*a^ \\
& 9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 19*a^7*b^ \\
& 2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b^7 - 15*a^6*b^5*c + 21*a^7*b^3*c^2 - 7*a \\
& ^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7*b^4*c + 12*a^8*b^2*c^2 - a^9*c^3)*e^2)* \\
& f^2 + 4*((a^2*b^10 - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6* \\
& b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 - 21*a^4*b^7*c + 48*a^5*b^5*c^2 - 39*a^ \\
& 6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 \\
& - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 - (a^5*b^7 - 5*a^6*b^5*c + 7*a^7*b^3*c^2 \\
& - 2*a^8*b*c^3)*e^3)*f)/(a^14*b^2 - 4*a^15*c))*sqrt(-((b^7 - 7*a*b^5*c + 1 \\
& 4*a^2*b^3*c^2 - 7*a^3*b*c^3)*d^2 - 2*(a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - \\
& 2*a^4*c^3)*d*e + (a^2*b^5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*e^2 + (a^4*b^3 - 3* \\
& a^5*b*c)*f^2 + 2*((a^2*b^5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*d - (a^3*b^4 - 4*a^ \\
& 4*b^2*c + 2*a^5*c^2)*e)*f - (a^7*b^2 - 4*a^8*c)*sqrt(((b^12 - 10*a*b^10*c + \\
& 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^ \\
& 6)*d^4 - 4*(a*b^11 - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5 \\
& *b^3*c^4 - 3*a^6*b*c^5)*d^3*e + 2*(3*a^2*b^10 - 24*a^3*b^8*c + 66*a^4*b^6*c \\
& ^2 - 72*a^5*b^4*c^3 + 27*a^6*b^2*c^4 - a^7*c^5)*d^2*e^2 - 4*(a^3*b^9 - 7*a^ \\
& 4*b^7*c + 16*a^5*b^5*c^2 - 13*a^6*b^3*c^3 + 3*a^7*b*c^4)*d*e^3 + (a^4*b^8 - \\
& 6*a^5*b^6*c + 11*a^6*b^4*c^2 - 6*a^7*b^2*c^3 + a^8*c^4)*e^4 + (a^8*b^4 - 2 \\
& *a^9*b^2*c + a^10*c^2)*f^4 + 4*((a^6*b^6 - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^ \\
& 9*c^3)*d - (a^7*b^5 - 3*a^8*b^3*c + 2*a^9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 1 \\
& 8*a^5*b^6*c + 33*a^6*b^4*c^2 - 19*a^7*b^2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b \\
& ^7 - 15*a^6*b^5*c + 21*a^7*b^3*c^2 - 7*a^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7 \\
& *b^4*c + 12*a^8*b^2*c^2 - a^9*c^3)*e^2)*f^2 + 4*((a^2*b^10 - 8*a^3*b^8*c + \\
& 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 \\
& - 21*a^4*b^7*c + 48*a^5*b^5*c^2 - 39*a^6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3 \\
& *a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 \\
& - (a^5*b^7 - 5*a^6*b^5*c + 7*a^7*b^3*c^2 - 2*a^8*b*c^3)*e^3)*f)/(a^14*b^2 - \\
& 4*a^15*c)))/(a^7*b^2 - 4*a^8*c)) - 15*sqrt(1/2)*a^3*x^5*sqrt(-((b^7 - 7*a \\
& *b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*d^2 - 2*(a*b^6 - 6*a^2*b^4*c + 9*a^3 \\
& *b^2*c^2 - 2*a^4*c^3)*d*e + (a^2*b^5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*e^2 + (a^
\end{aligned}$$



$$\begin{aligned}
& *c + 16*a^5*b^5*c^2 - 13*a^6*b^3*c^3 + 3*a^7*b*c^4)*d*e^3 + (a^4*b^8 - 6*a^5*b^6*c + 11*a^6*b^4*c^2 - 6*a^7*b^2*c^3 + a^8*c^4)*e^4 + (a^8*b^4 - 2*a^9*b^2*c + a^{10}*c^2)*f^4 + 4*((a^6*b^6 - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^9*c^3) \\
& )*d - (a^7*b^5 - 3*a^8*b^3*c + 2*a^9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 19*a^7*b^2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b^7 - 15*a^6*b^5*c + 21*a^7*b^3*c^2 - 7*a^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7*b^4*c + 12*a^8*b^2*c^2 - a^9*c^3)*e^2)*f^2 + 4*((a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 - 21*a^4*b^7*c + 48*a^5*b^5*c^2 - 39*a^6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 - (a^5*b^7 - 5*a^6*b^5*c + 7*a^7*b^3*c^2 - 2*a^8*b*c^3)*e^3)*f)/(a^{14}*b^2 - 4*a^{15}*c)))*sqrt(-((b^7 - 7*a*b^5*c + 14*a^2*b^3*c^2 - 7*a^3*b*c^3)*d^2 - 2*(a*b^6 - 6*a^2*b^4*c + 9*a^3*b^2*c^2 - 2*a^4*c^3)*d*e + (a^2*b^5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*e^2 + (a^4*b^3 - 3*a^5*b*c)*f^2 + 2*((a^2*b^5 - 5*a^3*b^3*c + 5*a^4*b*c^2)*d - (a^3*b^4 - 4*a^4*b^2*c + 2*a^5*c^2)*e)*f - (a^7*b^2 - 4*a^8*c)*sqrt(((b^{12} - 10*a*b^{10}*c + 37*a^2*b^8*c^2 - 62*a^3*b^6*c^3 + 46*a^4*b^4*c^4 - 12*a^5*b^2*c^5 + a^6*c^6)*d^4 - 4*(a*b^{11} - 9*a^2*b^9*c + 29*a^3*b^7*c^2 - 40*a^4*b^5*c^3 + 22*a^5*b^3*c^4 - 3*a^6*b*c^5)*d^3*e + 2*(3*a^2*b^{10} - 24*a^3*b^8*c + 66*a^4*b^6*c^2 - 72*a^5*b^4*c^3 + 27*a^6*b^2*c^4 - a^7*c^5)*d^2*e^2 - 4*(a^3*b^9 - 7*a^4*b^7*c + 16*a^5*b^5*c^2 - 13*a^6*b^3*c^3 + 3*a^7*b*c^4)*d*e^3 + (a^4*b^8 - 6*a^5*b^6*c + 11*a^6*b^4*c^2 - 6*a^7*b^2*c^3 + a^8*c^4)*e^4 + (a^8*b^4 - 2*a^9*b^2*c + a^{10}*c^2)*f^4 + 4*((a^6*b^6 - 4*a^7*b^4*c + 4*a^8*b^2*c^2 - a^9*c^3)*d - (a^7*b^5 - 3*a^8*b^3*c + 2*a^9*b*c^2)*e)*f^3 + 2*((3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 19*a^7*b^2*c^3 + 3*a^8*c^4)*d^2 - 2*(3*a^5*b^7 - 15*a^6*b^5*c + 21*a^7*b^3*c^2 - 7*a^8*b*c^3)*d*e + (3*a^6*b^6 - 12*a^7*b^4*c + 12*a^8*b^2*c^2 - a^9*c^3)*e^2)*f^2 + 4*((a^2*b^{10} - 8*a^3*b^8*c + 22*a^4*b^6*c^2 - 24*a^5*b^4*c^3 + 9*a^6*b^2*c^4 - a^7*c^5)*d^3 - (3*a^3*b^9 - 21*a^4*b^7*c + 48*a^5*b^5*c^2 - 39*a^6*b^3*c^3 + 8*a^7*b*c^4)*d^2*e + (3*a^4*b^8 - 18*a^5*b^6*c + 33*a^6*b^4*c^2 - 18*a^7*b^2*c^3 + a^8*c^4)*d*e^2 - (a^5*b^7 - 5*a^6*b^5*c + 7*a^7*b^3*c^2 - 2*a^8*b*c^3)*e^3)*f)/(a^{14}*b^2 - 4*a^{15}*c)))/(a^7*b^2 - 4*a^8*c))) - 30*(a*b*e - a^2*f - (b^2 - a*c)*d)*x^4 + 6*a^2*d - 10*(a*b*d - a^2*e)*x^2)/(a^3*x^5)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*6/(c\*x\*\*4+b\*x\*\*2+a), x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^6/(c*x^4+b*x^2+a),x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.61 \quad \int \frac{x^7(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=320

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(12a^2c^3e - 12ab^2c^2e - b^3c(cd - 20af) + 6abc^2(cd - 5af) + 2b^4ce - 3b^5f)}{2c^4(b^2 - 4ac)^{3/2}} + \frac{x^6(x^2(-(-2acf + b^2f - 2c^2d + 3b^2f - 2c*(b*e + a*f)))}{2c(b^2 - 4ac)}$$

[Out] ((2\*b^2\*c\*e - 6\*a\*c^2\*e - 3\*b^3\*f - b\*c\*(c\*d - 11\*a\*f))\*x^2)/(2\*c^3\*(b^2 - 4\*a\*c)) + ((4\*c^2\*d + 3\*b^2\*f - 2\*c\*(b\*e + 4\*a\*f))\*x^4)/(4\*c^2\*(b^2 - 4\*a\*c)) + (x^6\*(2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2))/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*b^4\*c\*e - 12\*a\*b^2\*c^2\*e + 12\*a^2\*c^3\*e - 3\*b^5\*f - b^3\*c\*(c\*d - 20\*a\*f) + 6\*a\*b\*c^2\*(c\*d - 5\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^4\*(b^2 - 4\*a\*c)^(3/2)) + ((c^2\*d + 3\*b^2\*f - 2\*c\*(b\*e + a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^4)

**Rubi [A]** time = 1.23253, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {1663, 1644, 800, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(12a^2c^3e - 12ab^2c^2e - b^3c(cd - 20af) + 6abc^2(cd - 5af) + 2b^4ce - 3b^5f)}{2c^4(b^2 - 4ac)^{3/2}} + \frac{x^6(x^2(-(-2acf + b^2f - 2c^2d + 3b^2f - 2c*(b*e + a*f)))}{2c(b^2 - 4ac)}$$

Antiderivative was successfully verified.

[In] Int[(x^7\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((2\*b^2\*c\*e - 6\*a\*c^2\*e - 3\*b^3\*f - b\*c\*(c\*d - 11\*a\*f))\*x^2)/(2\*c^3\*(b^2 - 4\*a\*c)) + ((4\*c^2\*d + 3\*b^2\*f - 2\*c\*(b\*e + 4\*a\*f))\*x^4)/(4\*c^2\*(b^2 - 4\*a\*c)) + (x^6\*(2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2))/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*b^4\*c\*e - 12\*a\*b^2\*c^2\*e + 12\*a^2\*c^3\*e - 3\*b^5\*f - b^3\*c\*(c\*d - 20\*a\*f) + 6\*a\*b\*c^2\*(c\*d - 5\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^4\*(b^2 - 4\*a\*c)^(3/2)) + ((c^2\*d + 3\*b^2\*f - 2\*c\*(b\*e + a\*f))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^4)

**Rule 1663**

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :  
> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^(p\_)



$p, x], x, x^2], x] /;$  FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1644

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :=> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((d + e\*x)^m\*(a + b\*x + c\*x^2)^(p + 1)\*(f\*b - 2\*a\*g + (2\*c\*f - b\*g)\*x))/((p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)), Int[(d + e\*x)^(m - 1)\*(a + b\*x + c\*x^2)^(p + 1)\*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*(d + e\*x)\*Q + g\*(2\*a\*e\*m + b\*d\*(2\*p + 3)) - f\*(b\*e\*m + 2\*c\*d\*(2\*p + 3)) - e\*(2\*c\*f - b\*g)\*(m + 2\*p + 3)\*x, x], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && GtQ[m, 0] && (IntegerQ[p] || !IntegerQ[m] || !RationalQ[a, b, c, d, e]) && !(IGtQ[m, 0] && RationalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

### Rule 800

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[m]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :=> Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :=> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^7 (d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^3 (d + ex + fx^2)}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{x^2 \left( 3 \left( 2ae - \frac{b(cd+af)}{c} \right) - \frac{(4c^2d - 2bce + 3b^2f - 2acf)}{c} \right)}{a + bx + cx^2} dx, x, x^2 \right)}{2 (b^2 - 4ac)} \\
&= \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \left( -\frac{2b^2ce - 6ac^2e - 3b^3f - bc(cd - 11af)}{c^3} \right) dx, x, x^2 \right)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(2b^2ce - 6ac^2e - 3b^3f - bc(cd - 11af)) x^2}{2c^3 (b^2 - 4ac)} + \frac{(4c^2d + 3b^2f - 2c(be + 4af)) x^4}{4c^2 (b^2 - 4ac)} + \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(2b^2ce - 6ac^2e - 3b^3f - bc(cd - 11af)) x^2}{2c^3 (b^2 - 4ac)} + \frac{(4c^2d + 3b^2f - 2c(be + 4af)) x^4}{4c^2 (b^2 - 4ac)} + \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(2b^2ce - 6ac^2e - 3b^3f - bc(cd - 11af)) x^2}{2c^3 (b^2 - 4ac)} + \frac{(4c^2d + 3b^2f - 2c(be + 4af)) x^4}{4c^2 (b^2 - 4ac)} + \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(2b^2ce - 6ac^2e - 3b^3f - bc(cd - 11af)) x^2}{2c^3 (b^2 - 4ac)} + \frac{(4c^2d + 3b^2f - 2c(be + 4af)) x^4}{4c^2 (b^2 - 4ac)} + \frac{x^6 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 0.551008, size = 309, normalized size = 0.97

$$\frac{2(a^2c(-4b^2f + bc(3e + 5fx^2) - 2c^2(d + ex^2)) + 2a^3c^2f + ab(-b^2c(e + 5fx^2) + b^3f + bc^2(d + 4ex^2) - 3c^3dx^2) + b^3x^2(b^2f - bce + c^2d))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{2 \tan^{-1} \left( \frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right) (-12a^2c^3e + 12ab^2c^2d)}{4c^4}$$

Antiderivative was successfully verified.

[In] Integrate[(x^7\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $(2*c*(c*e - 2*b*f)*x^2 + c^2*f*x^4 + (2*(2*a^3*c^2*f + b^3*(c^2*d - b*c*e + b^2*f)*x^2 + a*b*(b^3*f - 3*c^3*d*x^2 + b*c^2*(d + 4*e*x^2) - b^2*c*(e + 5*f*x^2)) + a^2*c*(-4*b^2*f - 2*c^2*(d + e*x^2) + b*c*(3*e + 5*f*x^2))))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (2*(-2*b^4*c*e + 12*a*b^2*c^2*e - 12*a^2*c^3*e + 3*b^5*f + b^3*c*(c*d - 20*a*f) + 6*a*b*c^2*(-(c*d) + 5*a*f))*\text{ArcTan}[(b + 2*c*x^2)/\text{Sqrt}[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^{(3/2)} + (c^2*d + 3*b^2*f - 2*c*(b*e + a*f))*\text{Log}[a + b*x^2 + c*x^4]/(4*c^4)$

**Maple [B]** time = 0.018, size = 1167, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x)

[Out]  $-1/c^3*b*f*x^2+5/2/c^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*a*b^3*f-5/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*a^2*b*f-2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*a*b^2*e+3/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*a*b*d-1/c^2/(c*x^4+b*x^2+a)*a^3/(4*a*c-b^2)*f+1/c/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*d+1/2/c^3/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^3*e-1/c^3/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^4*e-2/c^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*a^2*f+1/c/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*a*d-3/4/c^4/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^4*f-1/4/c^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^2*d-6/c/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a^2*e+3/2/c^4/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^5*f+1/2/c^2/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*d+1/4/c^2*f*x^4+1/2/c^2*e*x^2+1/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*a^2*e-1/2/c^4/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*b^5*f+1/2/c^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*b^4*e+2/c^3/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*b^2*f+1/2/c^3/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*b^3*e-1/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^2*b^3*d-3/2/c^2/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*b*e-1/2/c^4/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*b^4*f-1/2/c^2/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*b^2*d+15/c^2/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a^2*b*f+6/c^2/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b^2*e-3/c/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*d-2/c^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*a*b*e+7/2/c^3/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*a*b^2*f-10/c^3/(4*a*c-b^2)^{(3/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b^3*f$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 3.46226, size = 4393, normalized size = 13.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] [1/4\*((b^4\*c^3 - 8\*a\*b^2\*c^4 + 16\*a^2\*c^5)\*f\*x^8 + (2\*(b^4\*c^3 - 8\*a\*b^2\*c^4 + 16\*a^2\*c^5)\*e - 3\*(b^5\*c^2 - 8\*a\*b^3\*c^3 + 16\*a^2\*b\*c^4)\*f)\*x^6 + (2\*(b^5\*c^2 - 8\*a\*b^3\*c^3 + 16\*a^2\*b\*c^4)\*e - (4\*b^6\*c - 33\*a\*b^4\*c^2 + 72\*a^2\*b^2\*c^3 - 16\*a^3\*c^4)\*f)\*x^4 + 2\*((b^5\*c^2 - 7\*a\*b^3\*c^3 + 12\*a^2\*b\*c^4)\*d - (b^6\*c - 9\*a\*b^4\*c^2 + 26\*a^2\*b^2\*c^3 - 24\*a^3\*c^4)\*e + (b^7 - 11\*a\*b^5\*c + 41\*a^2\*b^3\*c^2 - 52\*a^3\*b\*c^3)\*f)\*x^2 - (((b^3\*c^3 - 6\*a\*b\*c^4)\*d - 2\*(b^4\*c^2 - 6\*a\*b^2\*c^3 + 6\*a^2\*c^4)\*e + (3\*b^5\*c - 20\*a\*b^3\*c^2 + 30\*a^2\*b\*c^3)\*f)\*x^4 + ((b^4\*c^2 - 6\*a\*b^2\*c^3)\*d - 2\*(b^5\*c - 6\*a\*b^3\*c^2 + 6\*a^2\*b\*c^3)\*e + (3\*b^6 - 20\*a\*b^4\*c + 30\*a^2\*b^2\*c^2)\*f)\*x^2 + (a\*b^3\*c^2 - 6\*a^2\*b\*c^3)\*d - 2\*(a\*b^4\*c - 6\*a^2\*b^2\*c^2 + 6\*a^3\*c^3)\*e + (3\*a\*b^5 - 20\*a^2\*b^3\*c + 30\*a^3\*b\*c^2)\*f)\*sqrt(b^2 - 4\*a\*c)\*log((2\*c^2\*x^4 + 2\*b\*c\*x^2 + b^2 - 2\*a\*c - (2\*c\*x^2 + b)\*sqrt(b^2 - 4\*a\*c))/(c\*x^4 + b\*x^2 + a)) + 2\*(a\*b^4\*c^2 - 6\*a^2\*b^2\*c^3 + 8\*a^3\*c^4)\*d - 2\*(a\*b^5\*c - 7\*a^2\*b^3\*c^2 + 12\*a^3\*b\*c^3)\*e + 2\*(a\*b^6 - 8\*a^2\*b^4\*c + 18\*a^3\*b^2\*c^2 - 8\*a^4\*c^3)\*f + (((b^4\*c^3 - 8\*a\*b^2\*c^4 + 16\*a^2\*c^5)\*d - 2\*(b^5\*c^2 - 8\*a\*b^3\*c^3 + 16\*a^2\*b\*c^4)\*e + (3\*b^6\*c - 26\*a\*b^4\*c^2 + 64\*a^2\*b^2\*c^3 - 32\*a^3\*c^4)\*f)\*x^4 + ((b^5\*c^2 - 8\*a\*b^3\*c^3 + 16\*a^2\*b\*c^4)\*d - 2\*(b^6\*c - 8\*a\*b^4\*c^2 + 16\*a^2\*b^2\*c^3)\*e + (3\*b^7 - 26\*a\*b^5\*c + 64\*a^2\*b^3\*c^2 - 32\*a^3\*b\*c^3)\*f)\*x^2 + (a\*b^4\*c^2 - 8\*a^2\*b^2\*c^3 + 16\*a^3\*c^4)\*d - 2\*(a\*b^5\*c - 8\*a^2\*b^3\*c^2 + 16\*a^3\*b\*c^3)\*e + (3\*a\*b^6 - 26\*a^2\*b^4\*c + 64\*a^3\*b^2\*c^2 - 32\*a^4\*c^3)\*f)\*log(c\*x^4 + b\*x^2 + a))/(a\*b^4\*c^4 - 8\*a^2\*b^2\*c^5 + 16\*a^3\*c^6 + (b^4\*c^5 - 8\*a\*b^2\*c^6 + 16\*a^2\*c^7)\*x^4 + (b^5\*c^4 - 8\*a\*b^3\*c^5 + 16\*a^2\*b\*c^6)\*x^2), 1/4\*((b^4\*c^3 - 8\*a\*b^2\*c^4 + 16\*a^2\*c^5)\*f\*x^8 + (2\*(b^4\*c^3 - 8\*a\*b^2\*c^4 + 16\*a^2\*c^5)\*e - 3\*(b^5\*c^2 - 8\*a\*b^3\*c^3 + 16\*a^2\*b\*c^4)\*f)\*x^6 + (2\*(b^5\*c^2

$$\begin{aligned}
& - 8a^3b^3c^3 + 16a^2b^4c^4)e - (4b^6c - 33a^2b^4c^2 + 72a^2b^2c^3 \\
& - 16a^3c^4)f)x^4 + 2*((b^5c^2 - 7a^2b^3c^3 + 12a^2b^2c^4)d - (b^6c \\
& - 9a^2b^4c^2 + 26a^2b^2c^3 - 24a^3c^4)e + (b^7 - 11a^2b^5c + 41a^2 \\
& b^3c^2 - 52a^3b^2c^3)f)x^2 + 2*((b^3c^3 - 6a^2b^2c^4)d - 2*(b^4c^2 \\
& - 6a^2b^2c^3 + 6a^2c^4)e + (3b^5c - 20a^2b^3c^2 + 30a^2b^2c^3)f) \\
& x^4 + ((b^4c^2 - 6a^2b^2c^3)d - 2*(b^5c - 6a^2b^3c^2 + 6a^2b^2c^3)e \\
& + (3b^6 - 20a^2b^4c + 30a^2b^2c^2)f)x^2 + (a^2b^3c^2 - 6a^2b^2c^3) \\
& d - 2*(a^2b^4c - 6a^2b^2c^2 + 6a^3c^3)e + (3a^2b^5 - 20a^2b^3c + \\
& 30a^3b^2c^2)f)\sqrt{-b^2 + 4ac}\arctan(-(2cx^2 + b)\sqrt{-b^2 + 4ac} \\
& )/(b^2 - 4ac)) + 2*(a^2b^4c^2 - 6a^2b^2c^3 + 8a^3c^4)d - 2*(a^2b^5c \\
& - 7a^2b^3c^2 + 12a^3b^2c^3)e + 2*(a^2b^6 - 8a^2b^4c + 18a^3b^2c^2 \\
& - 8a^4c^3)f + ((b^4c^3 - 8a^2b^2c^4 + 16a^2c^5)d - 2*(b^5c^2 - \\
& 8a^2b^3c^3 + 16a^2b^2c^4)e + (3b^6c - 26a^2b^4c^2 + 64a^2b^2c^3 - \\
& 32a^3c^4)f)x^4 + ((b^5c^2 - 8a^2b^3c^3 + 16a^2b^2c^4)d - 2*(b^6c - \\
& 8a^2b^4c^2 + 16a^2b^2c^3)e + (3b^7 - 26a^2b^5c + 64a^2b^3c^2 - 3 \\
& 2a^3b^2c^3)f)x^2 + (a^2b^4c^2 - 8a^2b^2c^3 + 16a^3c^4)d - 2*(a^2b^5c \\
& - 8a^2b^3c^2 + 16a^3b^2c^3)e + (3a^2b^6 - 26a^2b^4c + 64a^3b^2 \\
& c^2 - 32a^4c^3)f)\log(cx^4 + bx^2 + a)/(a^2b^4c^4 - 8a^2b^2c^5 + \\
& 16a^3c^6 + (b^4c^5 - 8a^2b^2c^6 + 16a^2c^7)x^4 + (b^5c^4 - 8a^2b^3c^5 \\
& + 16a^2b^2c^6)x^2)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*7\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 19.8252, size = 572, normalized size = 1.79

$$\frac{(b^3c^2d - 6abc^3d + 3b^5f - 20ab^3cf + 30a^2bc^2f - 2b^4ce + 12ab^2c^2e - 12a^2c^3e) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - b^2c^3dx^4 - 4ac^4}{2(b^2c^4 - 4ac^5)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

```
[Out] -1/2*(b^3*c^2*d - 6*a*b*c^3*d + 3*b^5*f - 20*a*b^3*c*f + 30*a^2*b*c^2*f - 2
*b^4*c*e + 12*a*b^2*c^2*e - 12*a^2*c^3*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 +
4*a*c))/((b^2*c^4 - 4*a*c^5)*sqrt(-b^2 + 4*a*c)) - 1/4*(b^2*c^3*d*x^4 - 4*a
*c^4*d*x^4 + 3*b^4*c*f*x^4 - 14*a*b^2*c^2*f*x^4 + 8*a^2*c^3*f*x^4 - 2*b^3*c
^2*x^4*e + 8*a*b*c^3*x^4*e - b^3*c^2*d*x^2 + 2*a*b*c^3*d*x^2 + b^5*f*x^2 -
4*a*b^3*c*f*x^2 - 2*a^2*b*c^2*f*x^2 + 4*a^2*c^3*x^2*e - a*b^2*c^2*d + a*b^4
*f - 6*a^2*b^2*c*f + 4*a^3*c^2*f + 2*a^2*b*c^2*e)/((b^2*c^4 - 4*a*c^5)*(c*x
^4 + b*x^2 + a)) + 1/4*(c^2*d + 3*b^2*f - 2*a*c*f - 2*b*c*e)*log(c*x^4 + b*
x^2 + a)/c^4 + 1/4*(c^2*f*x^4 - 4*b*c*f*x^2 + 2*c^2*x^2*e)/c^4
```

$$3.62 \quad \int \frac{x^5(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=236

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)\left(12a^2c^2f - 2ac(6b^2f - 3bce + 2c^2d) + b^3(-ce - 2bf)\right)}{2c^3(b^2 - 4ac)^{3/2}} + \frac{x^4\left(x^2\left(-(-2acf + b^2f - bce + 2c^2d)\right) - \dots\right)}{2c(b^2 - 4ac)(a + bx^2 + c\dots)}$$

```
[Out] ((2*c^2*d + 2*b^2*f - c*(b*e + 6*a*f))*x^2)/(2*c^2*(b^2 - 4*a*c)) + (x^4*(2
*a*c*e - b*(c*d + a*f) - (2*c^2*d - b*c*e + b^2*f - 2*a*c*f)*x^2))/(2*c*(b^
2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((12*a^2*c^2*f - b^3*(c*e - 2*b*f) - 2*a*
c*(2*c^2*d - 3*b*c*e + 6*b^2*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/
(2*c^3*(b^2 - 4*a*c)^(3/2)) + ((c*e - 2*b*f)*Log[a + b*x^2 + c*x^4])/(4*c^3
)
```

**Rubi [A]** time = 0.440226, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {1663, 1644, 773, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)\left(12a^2c^2f - 2ac(6b^2f - 3bce + 2c^2d) + b^3(-ce - 2bf)\right)}{2c^3(b^2 - 4ac)^{3/2}} + \frac{x^4\left(x^2\left(-(-2acf + b^2f - bce + 2c^2d)\right) - \dots\right)}{2c(b^2 - 4ac)(a + bx^2 + c\dots)}$$

Antiderivative was successfully verified.

```
[In] Int[(x^5*(d + e*x^2 + f*x^4))/(a + b*x^2 + c*x^4)^2, x]
```

```
[Out] ((2*c^2*d + 2*b^2*f - c*(b*e + 6*a*f))*x^2)/(2*c^2*(b^2 - 4*a*c)) + (x^4*(2
*a*c*e - b*(c*d + a*f) - (2*c^2*d - b*c*e + b^2*f - 2*a*c*f)*x^2))/(2*c*(b^
2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((12*a^2*c^2*f - b^3*(c*e - 2*b*f) - 2*a*
c*(2*c^2*d - 3*b*c*e + 6*b^2*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/
(2*c^3*(b^2 - 4*a*c)^(3/2)) + ((c*e - 2*b*f)*Log[a + b*x^2 + c*x^4])/(4*c^3
)
```

### Rule 1663

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :
> Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x + c*x^2)^
p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[
```

$(m - 1)/2]$

### Rule 1644

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f =
Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[Polynom
ialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[((d + e*x)^m*(a + b*x +
c*x^2)^(p + 1)*(f*b - 2*a*g + (2*c*f - b*g)*x))/((p + 1)*(b^2 - 4*a*c)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^
(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*(d + e*x)*Q + g*(2*a*e*m + b*d*(2
*p + 3)) - f*(b*e*m + 2*c*d*(2*p + 3)) - e*(2*c*f - b*g)*(m + 2*p + 3)*x, x
], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 0] && (Integer
Q[p] || !IntegerQ[m] || !RationalQ[a, b, c, d, e]) && !(IGtQ[m, 0] && Ra
tionalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))
```

### Rule 773

```
Int[(((d_.) + (e_.)*(x_))*((f_) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) + (c_.)*
(x_)^2), x_Symbol] := Simp[(e*g*x)/c, x] + Dist[1/c, Int[(c*d*f - a*e*g + (
c*e*f + c*d*g - b*e*g)*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e
, f, g}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 634

```
Int[(((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[(((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[(((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rule 628



```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{x^5 (d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^2 (d + ex + fx^2)}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\ &= \frac{x^4 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{x \left( 2 \left( 2ae - \frac{b(cd + af)}{c} \right) - \frac{(2c^2d - bce + 2bf)}{c} \right)}{a + bx + cx^2} dx \right)}{2 (b^2 - 4ac)} \\ &= \frac{(2c^2d + 2b^2f - c(be + 6af)) x^2}{2c^2 (b^2 - 4ac)} + \frac{x^4 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \dots \\ &= \frac{(2c^2d + 2b^2f - c(be + 6af)) x^2}{2c^2 (b^2 - 4ac)} + \frac{x^4 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \dots \\ &= \frac{(2c^2d + 2b^2f - c(be + 6af)) x^2}{2c^2 (b^2 - 4ac)} + \frac{x^4 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \dots \\ &= \frac{(2c^2d + 2b^2f - c(be + 6af)) x^2}{2c^2 (b^2 - 4ac)} + \frac{x^4 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \dots \end{aligned}$$

**Mathematica [A]** time = 0.385163, size = 236, normalized size = 1.

$$\frac{2(a^2c(2c(e+fx^2)-3bf)+a(-b^2c(e+4fx^2)+b^3f+bc^2(d+3ex^2)-2c^3dx^2)+b^2x^2(b^2f-bce+c^2d))}{(b^2-4ac)(a+bx^2+cx^4)} - \frac{2 \tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)(12a^2c^2f-2ac(6b^2f-3bce+2c^2d)+b^3(2bf-3c^2d))}{(4ac-b^2)^{3/2}}$$


---


$$4c^3$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^5*(d + e*x^2 + f*x^4))/(a + b*x^2 + c*x^4)^2, x]
```

```
[Out] (2*c*f*x^2 - (2*(b^2*(c^2*d - b*c*e + b^2*f))*x^2 + a^2*c*(-3*b*f + 2*c*(e +
f*x^2)) + a*(b^3*f - 2*c^3*d*x^2 + b*c^2*(d + 3*e*x^2) - b^2*c*(e + 4*f*x^2))
```

$$\frac{2)))/((b^2 - 4ac)(a + bx^2 + cx^4) - (2(12a^2c^2f + b^3(-c)e + 2b^2f) - 2ac(2c^2d - 3bce + 6b^2f))\text{ArcTan}[(b + 2cx^2)/\sqrt{-b^2 + 4ac}])/(-b^2 + 4ac)^{3/2} + (ce - 2b^2f)\text{Log}[a + bx^2 + cx^4])/(4c^3)$$

**Maple [B]** time = 0.017, size = 832, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x)`

[Out]  $\frac{1}{2}fx^2/c^2 + 1/c/(cx^4+bx^2+a)/(4ac-b^2)x^2a^2f - 2/c^2/(cx^4+bx^2+a)/(4ac-b^2)x^2ab^2f + 3/2/c/(cx^4+bx^2+a)/(4ac-b^2)x^2abe - 1/(cx^4+bx^2+a)/(4ac-b^2)x^2ad + 1/2/c^3/(cx^4+bx^2+a)/(4ac-b^2)x^2b^4f - 1/2/c^2/(cx^4+bx^2+a)/(4ac-b^2)x^2b^3e + 1/2/c/(cx^4+bx^2+a)/(4ac-b^2)x^2bd - 3/2/c^2/(cx^4+bx^2+a)a^2/(4ac-b^2)bf + 1/c/(cx^4+bx^2+a)a^2/(4ac-b^2)e + 1/2/c^3/(cx^4+bx^2+a)a/(4ac-b^2)b^3f - 1/2/c^2/(cx^4+bx^2+a)a/(4ac-b^2)b^2e + 1/2/c/(cx^4+bx^2+a)a/(4ac-b^2)bd - 2/c^2/(4ac-b^2)\ln(cx^4+bx^2+a)abf + 1/c/(4ac-b^2)\ln(cx^4+bx^2+a)ae + 1/2/c^3/(4ac-b^2)\ln(cx^4+bx^2+a)b^3f - 1/4/c^2/(4ac-b^2)\ln(cx^4+bx^2+a)b^2e - 6/c/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})a^2f + 6/c^2/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})ab^2f - 3/c/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})abe + 2/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})ad - 1/c^3/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})b^4f + 1/2/c^2/(4ac-b^2)^{3/2}\arctan((2cx^2+b)/(4ac-b^2)^{1/2})b^3e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.30547, size = 3043, normalized size = 12.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x<sup>5</sup>\*(f\*x<sup>4</sup>+e\*x<sup>2</sup>+d)/(c\*x<sup>4</sup>+b\*x<sup>2</sup>+a)<sup>2</sup>,x, algorithm="fricas")

[Out] [1/4\*(2\*(b<sup>4</sup>\*c<sup>2</sup> - 8\*a\*b<sup>2</sup>\*c<sup>3</sup> + 16\*a<sup>2</sup>\*c<sup>4</sup>)\*f\*x<sup>6</sup> + 2\*(b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*f\*x<sup>4</sup> - 2\*((b<sup>4</sup>\*c<sup>2</sup> - 6\*a\*b<sup>2</sup>\*c<sup>3</sup> + 8\*a<sup>2</sup>\*c<sup>4</sup>)\*d - (b<sup>5</sup>\*c - 7\*a\*b<sup>3</sup>\*c<sup>2</sup> + 12\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*e + (b<sup>6</sup> - 9\*a\*b<sup>4</sup>\*c + 26\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> - 24\*a<sup>3</sup>\*c<sup>3</sup>)\*f)\*x<sup>2</sup> + (4\*a<sup>2</sup>\*c<sup>3</sup>\*d + (4\*a\*c<sup>4</sup>\*d + (b<sup>3</sup>\*c<sup>2</sup> - 6\*a\*b\*c<sup>3</sup>)\*e - 2\*(b<sup>4</sup>\*c - 6\*a\*b<sup>2</sup>\*c<sup>2</sup> + 6\*a<sup>2</sup>\*c<sup>3</sup>)\*f)\*x<sup>4</sup> + (4\*a\*b\*c<sup>3</sup>\*d + (b<sup>4</sup>\*c - 6\*a\*b<sup>2</sup>\*c<sup>2</sup>)\*e - 2\*(b<sup>5</sup> - 6\*a\*b<sup>3</sup>\*c + 6\*a<sup>2</sup>\*b\*c<sup>2</sup>)\*f)\*x<sup>2</sup> + (a\*b<sup>3</sup>\*c - 6\*a<sup>2</sup>\*b\*c<sup>2</sup>)\*e - 2\*(a\*b<sup>4</sup> - 6\*a<sup>2</sup>\*b<sup>2</sup>\*c + 6\*a<sup>3</sup>\*c<sup>2</sup>)\*f)\*sqrt(b<sup>2</sup> - 4\*a\*c)\*log((2\*c<sup>2</sup>\*x<sup>4</sup> + 2\*b\*c\*x<sup>2</sup> + b<sup>2</sup> - 2\*a\*c + (2\*c\*x<sup>2</sup> + b)\*sqrt(b<sup>2</sup> - 4\*a\*c))/(c\*x<sup>4</sup> + b\*x<sup>2</sup> + a)) - 2\*(a\*b<sup>3</sup>\*c<sup>2</sup> - 4\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*d + 2\*(a\*b<sup>4</sup>\*c - 6\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> + 8\*a<sup>3</sup>\*c<sup>3</sup>)\*e - 2\*(a\*b<sup>5</sup> - 7\*a<sup>2</sup>\*b<sup>3</sup>\*c + 12\*a<sup>3</sup>\*b\*c<sup>2</sup>)\*f + (((b<sup>4</sup>\*c<sup>2</sup> - 8\*a\*b<sup>2</sup>\*c<sup>3</sup> + 16\*a<sup>2</sup>\*c<sup>4</sup>)\*e - 2\*(b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*f)\*x<sup>4</sup> + ((b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*e - 2\*(b<sup>6</sup> - 8\*a\*b<sup>4</sup>\*c + 16\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup>)\*f)\*x<sup>2</sup> + (a\*b<sup>4</sup>\*c - 8\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> + 16\*a<sup>3</sup>\*c<sup>3</sup>)\*e - 2\*(a\*b<sup>5</sup> - 8\*a<sup>2</sup>\*b<sup>3</sup>\*c + 16\*a<sup>3</sup>\*b\*c<sup>2</sup>)\*f)\*log(c\*x<sup>4</sup> + b\*x<sup>2</sup> + a))/(a\*b<sup>4</sup>\*c<sup>3</sup> - 8\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>4</sup> + 16\*a<sup>3</sup>\*c<sup>5</sup> + (b<sup>4</sup>\*c<sup>4</sup> - 8\*a\*b<sup>2</sup>\*c<sup>5</sup> + 16\*a<sup>2</sup>\*c<sup>6</sup>)\*x<sup>4</sup> + (b<sup>5</sup>\*c<sup>3</sup> - 8\*a\*b<sup>3</sup>\*c<sup>4</sup> + 16\*a<sup>2</sup>\*b\*c<sup>5</sup>)\*x<sup>2</sup>), 1/4\*(2\*(b<sup>4</sup>\*c<sup>2</sup> - 8\*a\*b<sup>2</sup>\*c<sup>3</sup> + 16\*a<sup>2</sup>\*c<sup>4</sup>)\*f\*x<sup>6</sup> + 2\*(b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*f\*x<sup>4</sup> - 2\*((b<sup>4</sup>\*c<sup>2</sup> - 6\*a\*b<sup>2</sup>\*c<sup>3</sup> + 8\*a<sup>2</sup>\*c<sup>4</sup>)\*d - (b<sup>5</sup>\*c - 7\*a\*b<sup>3</sup>\*c<sup>2</sup> + 12\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*e + (b<sup>6</sup> - 9\*a\*b<sup>4</sup>\*c + 26\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> - 24\*a<sup>3</sup>\*c<sup>3</sup>)\*f)\*x<sup>2</sup> + 2\*(4\*a<sup>2</sup>\*c<sup>3</sup>\*d + (4\*a\*c<sup>4</sup>\*d + (b<sup>3</sup>\*c<sup>2</sup> - 6\*a\*b\*c<sup>3</sup>)\*e - 2\*(b<sup>4</sup>\*c - 6\*a\*b<sup>2</sup>\*c<sup>2</sup> + 6\*a<sup>2</sup>\*c<sup>3</sup>)\*f)\*x<sup>4</sup> + (4\*a\*b\*c<sup>3</sup>\*d + (b<sup>4</sup>\*c - 6\*a\*b<sup>2</sup>\*c<sup>2</sup>)\*e - 2\*(b<sup>5</sup> - 6\*a\*b<sup>3</sup>\*c + 6\*a<sup>2</sup>\*b\*c<sup>2</sup>)\*f)\*x<sup>2</sup> + (a\*b<sup>3</sup>\*c - 6\*a<sup>2</sup>\*b\*c<sup>2</sup>)\*e - 2\*(a\*b<sup>4</sup> - 6\*a<sup>2</sup>\*b<sup>2</sup>\*c + 6\*a<sup>3</sup>\*c<sup>2</sup>)\*f)\*sqrt(-b<sup>2</sup> + 4\*a\*c)\*arctan(-(2\*c\*x<sup>2</sup> + b)\*sqrt(-b<sup>2</sup> + 4\*a\*c)/(b<sup>2</sup> - 4\*a\*c)) - 2\*(a\*b<sup>3</sup>\*c<sup>2</sup> - 4\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*d + 2\*(a\*b<sup>4</sup>\*c - 6\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> + 8\*a<sup>3</sup>\*c<sup>3</sup>)\*e - 2\*(a\*b<sup>5</sup> - 7\*a<sup>2</sup>\*b<sup>3</sup>\*c + 12\*a<sup>3</sup>\*b\*c<sup>2</sup>)\*f + (((b<sup>4</sup>\*c<sup>2</sup> - 8\*a\*b<sup>2</sup>\*c<sup>3</sup> + 16\*a<sup>2</sup>\*c<sup>4</sup>)\*e - 2\*(b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*f)\*x<sup>4</sup> + ((b<sup>5</sup>\*c - 8\*a\*b<sup>3</sup>\*c<sup>2</sup> + 16\*a<sup>2</sup>\*b\*c<sup>3</sup>)\*e - 2\*(b<sup>6</sup> - 8\*a\*b<sup>4</sup>\*c + 16\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup>)\*f)\*x<sup>2</sup> + (a\*b<sup>4</sup>\*c - 8\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>2</sup> + 16\*a<sup>3</sup>\*c<sup>3</sup>)\*e - 2\*(a\*b<sup>5</sup> - 8\*a<sup>2</sup>\*b<sup>3</sup>\*c + 16\*a<sup>3</sup>\*b\*c<sup>2</sup>)\*f)\*log(c\*x<sup>4</sup> + b\*x<sup>2</sup> + a))/(a\*b<sup>4</sup>\*c<sup>3</sup> - 8\*a<sup>2</sup>\*b<sup>2</sup>\*c<sup>4</sup> + 16\*a<sup>3</sup>\*c<sup>5</sup> + (b<sup>4</sup>\*c<sup>4</sup> - 8\*a\*b<sup>2</sup>\*c<sup>5</sup> + 16\*a<sup>2</sup>\*c<sup>6</sup>)\*x<sup>4</sup> + (b<sup>5</sup>\*c<sup>3</sup> - 8\*a\*b<sup>3</sup>\*c<sup>4</sup> + 16\*a<sup>2</sup>\*b\*c<sup>5</sup>)\*x<sup>2</sup>)]

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 19.2062, size = 377, normalized size = 1.6

$$\frac{fx^2}{2c^2} - \frac{(4ac^3d - 2b^4f + 12ab^2cf - 12a^2c^2f + b^3ce - 6abc^2e) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right)}{2(b^2c^3 - 4ac^4)\sqrt{-b^2+4ac}} + \frac{2b^3fx^4 - 8abcfx^4 - b^2cx^4e + 4ac^2x^4e}{2(b^2c^3 - 4ac^4)\sqrt{-b^2+4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] 1/2\*f\*x^2/c^2 - 1/2\*(4\*a\*c^3\*d - 2\*b^4\*f + 12\*a\*b^2\*c\*f - 12\*a^2\*c^2\*f + b^3\*c\*e - 6\*a\*b\*c^2\*e)\*arctan((2\*c\*x^2 + b)/sqrt(-b^2 + 4\*a\*c))/((b^2\*c^3 - 4\*a\*c^4)\*sqrt(-b^2 + 4\*a\*c)) + 1/4\*(2\*b^3\*f\*x^4 - 8\*a\*b\*c\*f\*x^4 - b^2\*c\*x^4\*e + 4\*a\*c^2\*x^4\*e - 2\*b^2\*c\*d\*x^2 + 4\*a\*c^2\*d\*x^2 - 4\*a^2\*c\*f\*x^2 + b^3\*x^2\*e - 2\*a\*b\*c\*x^2\*e - 2\*a\*b\*c\*d - 2\*a^2\*b\*f + a\*b^2\*e)/((c\*x^4 + b\*x^2 + a)\*(b^2\*c^2 - 4\*a\*c^3)) - 1/4\*(2\*b\*f - c\*e)\*log(c\*x^4 + b\*x^2 + a)/c^3

$$3.63 \quad \int \frac{x^3(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=165

$$\frac{x^2 \left( x^2 \left( -(-2acf + b^2f - bce + 2c^2d) \right) - b(af + cd) + 2ace \right)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tanh^{-1} \left( \frac{b+2cx^2}{\sqrt{b^2-4ac}} \right) \left( -2bc(3af + cd) + 4ac^2e + b^3f \right)}{2c^2(b^2 - 4ac)^{3/2}} + \frac{f \log[a + bx^2 + cx^4]}{4c^2}$$

[Out] (x^2\*(2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2))/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((4\*a\*c^2\*e + b^3\*f - 2\*b\*c\*(c\*d + 3\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*(b^2 - 4\*a\*c)^(3/2)) + (f\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Rubi [A]** time = 0.286901, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {1663, 1644, 634, 618, 206, 628}

$$\frac{x^2 \left( x^2 \left( -(-2acf + b^2f - bce + 2c^2d) \right) - b(af + cd) + 2ace \right)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tanh^{-1} \left( \frac{b+2cx^2}{\sqrt{b^2-4ac}} \right) \left( -2bc(3af + cd) + 4ac^2e + b^3f \right)}{2c^2(b^2 - 4ac)^{3/2}} + \frac{f \log[a + bx^2 + cx^4]}{4c^2}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (x^2\*(2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2))/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((4\*a\*c^2\*e + b^3\*f - 2\*b\*c\*(c\*d + 3\*a\*f))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^2\*(b^2 - 4\*a\*c)^(3/2)) + (f\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1644

```

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f =
Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[Polynom
ialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[((d + e*x)^m*(a + b*x +
c*x^2)^(p + 1)*(f*b - 2*a*g + (2*c*f - b*g)*x))/((p + 1)*(b^2 - 4*a*c)), x]
+ Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(
p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*(d + e*x)*Q + g*(2*a*e*m + b*d*(2
*p + 3)) - f*(b*e*m + 2*c*d*(2*p + 3)) - e*(2*c*f - b*g)*(m + 2*p + 3)*x, x
], x], x] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c,
0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && LtQ[p, -1] && GtQ[m, 0] && (Integer
Q[p] || !IntegerQ[m] || !RationalQ[a, b, c, d, e]) && !(IGtQ[m, 0] && Ra
tionalQ[a, b, c, d, e] && (IntegerQ[p] || ILtQ[p + 1/2, 0]))

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 206

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^3 (d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x (d + ex + fx^2)}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= \frac{x^2 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{2ae - \frac{b(cd+af)}{c} - \frac{(b^2-4ac)fx}{c}}{a+bx+cx^2} dx, x \right)}{2 (b^2 - 4ac)} \\
&= \frac{x^2 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{f \text{Subst} \left( \int \frac{b+2cx}{a+bx+cx^2} dx, x, x^2 \right)}{4c^2} \\
&= \frac{x^2 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{f \log (a + bx^2 + cx^4)}{4c^2} + \frac{(4ac^2e + b^3f - 2bc(cd + 3af)) \tan^{-1} \left( \frac{b+2cx}{\sqrt{4ac-b^2}} \right)}{2c (b^2 - 4ac)^{3/2}} \\
&= \frac{x^2 (2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf) x^2)}{2c (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{(4ac^2e + b^3f - 2bc(cd + 3af)) \tan^{-1} \left( \frac{b+2cx}{\sqrt{4ac-b^2}} \right)}{2c (b^2 - 4ac)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.287673, size = 175, normalized size = 1.06

$$\frac{2(-2a^2cf + a(b^2f - bc(e + 3fx^2) + 2c^2(d + ex^2)) + bx^2(b^2f - bce + c^2d))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{2 \tan^{-1} \left( \frac{b+2cx}{\sqrt{4ac-b^2}} \right) (-2bc(3af + cd) + 4ac^2e + b^3f)}{(4ac - b^2)^{3/2}} + f \log (a + bx^2 + cx^4)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((2\*(-2\*a^2\*c\*f + b\*(c^2\*d - b\*c\*e + b^2\*f)\*x^2 + a\*(b^2\*f + 2\*c^2\*(d + e\*x^2) - b\*c\*(e + 3\*f\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (2\*(4\*a\*c^2\*e + b^3\*f - 2\*b\*c\*(c\*d + 3\*a\*f))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]])/(-b^2 + 4\*a\*c)^(3/2) + f\*Log[a + b\*x^2 + c\*x^4])/(4\*c^2)

**Maple [B]** time = 0.013, size = 336, normalized size = 2.

$$\frac{1}{2cx^4 + 2bx^2 + 2a} \left( \frac{(3abcf - 2ac^2e - b^3f + b^2ce - bc^2d)x^2}{(4ac - b^2)c^2} + \frac{a(2acf - b^2f + bce - 2c^2d)}{(4ac - b^2)c^2} \right) + \frac{\ln(cx^4 + bx^2 + a)af}{(4ac - b^2)c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x)$

[Out]  $\frac{1}{2} * \left( \frac{(3*a*b*c*f - 2*a*c^2*e - b^3*f + b^2*c*e - b*c^2*d)}{(4*a*c - b^2)/c^2*x^2 + a} * (2*a*c*f - b^2*f + b*c*e - 2*c^2*d) / (4*a*c - b^2)/c^2 / (c*x^4 + b*x^2 + a) + 1/c / (4*a*c - b^2) * \ln(c*x^4 + b*x^2 + a) * a*f - 1/4/c^2 / (4*a*c - b^2) * \ln(c*x^4 + b*x^2 + a) * b^2*f - 3/c / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * a*b*f + 2 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * e*a - 1 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * b*d + 1/2/c^2 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * b^3*f \right)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.69974, size = 2033, normalized size = 12.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^3*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, \text{algorithm}="fricas")$

[Out]  $\left[ \frac{1}{4} * (2 * ((b^3*c^2 - 4*a*b*c^3)*d - (b^4*c - 6*a*b^2*c^2 + 8*a^2*c^3)*e + (b^5 - 7*a*b^3*c + 12*a^2*b*c^2)*f) * x^2 - (2*a*b*c^2*d - 4*a^2*c^2*e + (2*b*c^3*d - 4*a*c^3*e - (b^3*c - 6*a*b*c^2)*f) * x^4 + (2*b^2*c^2*d - 4*a*b*c^2*e - (b^4 - 6*a*b^2*c)*f) * x^2 - (a*b^3 - 6*a^2*b*c)*f) * \sqrt{b^2 - 4*a*c} * \log\left(\frac{2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b) * \sqrt{b^2 - 4*a*c}}{(c*x^4 + b*x^2 + a)}\right) + 4 * (a*b^2*c^2 - 4*a^2*c^3)*d - 2 * (a*b^3*c - 4*a^2*b*c^2)*e + 2 * (a*b^4 - 6*a^2*b^2*c + 8*a^3*c^2)*f + ((b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*f*x^4 + (b^5 - 8*a*b^3*c + 16*a^2*b*c^2)*f*x^2 + (a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2)*f) * \log(c*x^4 + b*x^2 + a) / (a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^2) \right]$



```

3*c^4 + (b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*x^4 + (b^5*c^2 - 8*a*b^3*c^3 +
  16*a^2*b*c^4)*x^2), 1/4*(2*((b^3*c^2 - 4*a*b*c^3)*d - (b^4*c - 6*a*b^2*c^2
  + 8*a^2*c^3)*e + (b^5 - 7*a*b^3*c + 12*a^2*b*c^2)*f)*x^2 - 2*(2*a*b*c^2*d
  - 4*a^2*c^2*e + (2*b*c^3*d - 4*a*c^3*e - (b^3*c - 6*a*b*c^2)*f)*x^4 + (2*b^
  2*c^2*d - 4*a*b*c^2*e - (b^4 - 6*a*b^2*c)*f)*x^2 - (a*b^3 - 6*a^2*b*c)*f)*s
  qrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) +
  4*(a*b^2*c^2 - 4*a^2*c^3)*d - 2*(a*b^3*c - 4*a^2*b*c^2)*e + 2*(a*b^4 - 6*a
  ^2*b^2*c + 8*a^3*c^2)*f + ((b^4*c - 8*a*b^2*c^2 + 16*a^2*c^3)*f*x^4 + (b^5
  - 8*a*b^3*c + 16*a^2*b*c^2)*f*x^2 + (a*b^4 - 8*a^2*b^2*c + 16*a^3*c^2)*f)*l
  og(c*x^4 + b*x^2 + a))/(a*b^4*c^2 - 8*a^2*b^2*c^3 + 16*a^3*c^4 + (b^4*c^3 -
  8*a*b^2*c^4 + 16*a^2*c^5)*x^4 + (b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4)*x^2
  )]

```

---

**Sympy [B]** time = 145.522, size = 1030, normalized size = 6.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

```

[Out] (f/(4*c**2) - sqrt(-(4*a*c - b**2)**3)*(6*a*b*c*f - 4*a*c**2*e - b**3*f + 2
*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b**2*c**2 + 12*a*b**4*c - b**6))
)*log(x**2 + (-32*a**2*c**3*(f/(4*c**2) - sqrt(-(4*a*c - b**2)**3)*(6*a*b*c
*f - 4*a*c**2*e - b**3*f + 2*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b**2
*c**2 + 12*a*b**4*c - b**6))) + 8*a**2*c*f + 16*a*b**2*c**2*(f/(4*c**2) - s
qrt(-(4*a*c - b**2)**3)*(6*a*b*c*f - 4*a*c**2*e - b**3*f + 2*b*c**2*d)/(4*c
**2*(64*a**3*c**3 - 48*a**2*b**2*c**2 + 12*a*b**4*c - b**6))) - a*b**2*f -
2*a*b*c*e - 2*b**4*c*(f/(4*c**2) - sqrt(-(4*a*c - b**2)**3)*(6*a*b*c*f - 4
a*c**2*e - b**3*f + 2*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b**2*c**2 +
  12*a*b**4*c - b**6))) + b**2*c*d)/(6*a*b*c*f - 4*a*c**2*e - b**3*f + 2*b*c
**2*d)) + (f/(4*c**2) + sqrt(-(4*a*c - b**2)**3)*(6*a*b*c*f - 4*a*c**2*e -
b**3*f + 2*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b**2*c**2 + 12*a*b**4*
c - b**6)))*log(x**2 + (-32*a**2*c**3*(f/(4*c**2) + sqrt(-(4*a*c - b**2)**3
)*(6*a*b*c*f - 4*a*c**2*e - b**3*f + 2*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48
*a**2*b**2*c**2 + 12*a*b**4*c - b**6))) + 8*a**2*c*f + 16*a*b**2*c**2*(f/(4
*c**2) + sqrt(-(4*a*c - b**2)**3)*(6*a*b*c*f - 4*a*c**2*e - b**3*f + 2*b*c*
**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b**2*c**2 + 12*a*b**4*c - b**6))) - a
*b**2*f - 2*a*b*c*e - 2*b**4*c*(f/(4*c**2) + sqrt(-(4*a*c - b**2)**3)*(6*a
*b*c*f - 4*a*c**2*e - b**3*f + 2*b*c**2*d)/(4*c**2*(64*a**3*c**3 - 48*a**2*b
**2*c**2 + 12*a*b**4*c - b**6))) + b**2*c*d)/(6*a*b*c*f - 4*a*c**2*e - b**3
*f + 2*b*c**2*d)) + (2*a**2*c*f - a*b**2*f + a*b*c*e - 2*a*c**2*d + x**2*(3

```

$(a^2bc^2f - 2abc^2e - b^3f + b^2c^2e - bc^2d)/(8a^2c^3 - 2abc^2 + x^4(8ac^4 - 2b^2c^3) + x^2(8abc^3 - 2b^3c^2))$

**Giac [A]** time = 19.6017, size = 263, normalized size = 1.59

$$\frac{(2bc^2d - b^3f + 6abcf - 4ac^2e) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + \frac{f \log(cx^4 + bx^2 + a)}{4c^2} + \frac{2ac^2d + ab^2f - 2a^2cf - abce + (bc^2d + b^3f - 3abc^2e + 2ac^2d)}{2(cx^4 + bx^2 + a)(b^2 - 4ac^2)}}{2(b^2c^2 - 4ac^3)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] 1/2\*(2\*b\*c^2\*d - b^3\*f + 6\*a\*b\*c\*f - 4\*a\*c^2\*e)\*arctan((2\*c\*x^2 + b)/sqrt(-b^2 + 4\*a\*c))/((b^2\*c^2 - 4\*a\*c^3)\*sqrt(-b^2 + 4\*a\*c)) + 1/4\*f\*log(c\*x^4 + b\*x^2 + a)/c^2 + 1/2\*(2\*a\*c^2\*d + a\*b^2\*f - 2\*a^2\*c\*f - a\*b\*c\*e + (b\*c^2\*d + b^3\*f - 3\*a\*b\*c\*f - b^2\*c\*e + 2\*a\*c^2\*e)\*x^2)/((c\*x^4 + b\*x^2 + a)\*(b^2 - 4\*a\*c)\*c^2)

$$3.64 \quad \int \frac{x(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=123

$$\frac{x^2(-(-2acf + b^2f - bce + 2c^2d)) - b(af + cd) + 2ace}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2af - be + 2cd)}{(b^2 - 4ac)^{3/2}}$$

[Out] (2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2)/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((2\*c\*d - b\*e + 2\*a\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

**Rubi [A]** time = 0.183795, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$ , Rules used = {1663, 1660, 12, 618, 206}

$$\frac{x^2(-(-2acf + b^2f - bce + 2c^2d)) - b(af + cd) + 2ace}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(2af - be + 2cd)}{(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (2\*a\*c\*e - b\*(c\*d + a\*f) - (2\*c^2\*d - b\*c\*e + b^2\*f - 2\*a\*c\*f)\*x^2)/(2\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((2\*c\*d - b\*e + 2\*a\*f)\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1660

Int[(Pq\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x +

```
c*x^2, x], x, 1]], Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] :=> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :=> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{x(d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{(a + bx + cx^2)^2} dx, x, x^2 \right) \\ &= \frac{2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{2cd - be + 2af}{a + bx + cx^2} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\ &= \frac{2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2cd - be + 2af) \text{Subst} \left( \int \frac{1}{a + bx + cx^2} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\ &= \frac{2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(2cd - be + 2af) \text{Subst} \left( \int \frac{1}{b^2 - 4ac - x^2} dx, x, x^2 \right)}{b^2 - 4ac} \\ &= \frac{2ace - b(cd + af) - (2c^2d - bce + b^2f - 2acf)x^2}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(2cd - be + 2af) \tanh^{-1} \left( \frac{b + 2cx^2}{\sqrt{b^2 - 4ac}} \right)}{(b^2 - 4ac)^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.122431, size = 130, normalized size = 1.06

$$\frac{abf - 2ac(e + fx^2) + b^2fx^2 + bc(d - ex^2) + 2c^2dx^2}{2c(4ac - b^2)(a + bx^2 + cx^4)} - \frac{\tan^{-1}\left(\frac{b+2cx^2}{\sqrt{4ac-b^2}}\right)(-2af + be - 2cd)}{(4ac - b^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (a\*b\*f + 2\*c^2\*d\*x^2 + b^2\*f\*x^2 + b\*c\*(d - e\*x^2) - 2\*a\*c\*(e + f\*x^2))/(2\*c\*(-b^2 + 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((-2\*c\*d + b\*e - 2\*a\*f)\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]])/(-b^2 + 4\*a\*c)^(3/2)

**Maple [A]** time = 0.011, size = 205, normalized size = 1.7

$$\frac{1}{2cx^4 + 2bx^2 + 2a} \left( -\frac{(2acf - b^2f + bce - 2c^2d)x^2}{(4ac - b^2)c} + \frac{abf - 2cea + bcd}{(4ac - b^2)c} \right) + 2 \frac{af}{(4ac - b^2)^{3/2}} \arctan\left(\frac{2cx^2 + b}{\sqrt{4ac - b^2}}\right) - be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x)

[Out] 1/2\*(-(2\*a\*c\*f-b^2\*f+b\*c\*e-2\*c^2\*d)/(4\*a\*c-b^2)/c\*x^2+1/c\*(a\*b\*f-2\*a\*c\*e+b\*c\*d)/(4\*a\*c-b^2))/(c\*x^4+b\*x^2+a)+2/(4\*a\*c-b^2)^(3/2)\*arctan((2\*c\*x^2+b)/(4\*a\*c-b^2)^(1/2))\*a\*f-1/(4\*a\*c-b^2)^(3/2)\*arctan((2\*c\*x^2+b)/(4\*a\*c-b^2)^(1/2))\*b\*e+2/(4\*a\*c-b^2)^(3/2)\*arctan((2\*c\*x^2+b)/(4\*a\*c-b^2)^(1/2))\*c\*d

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.44558, size = 1374, normalized size = 11.17

$$\left[ \frac{(2(b^2c^2 - 4ac^3)d - (b^3c - 4abc^2)e + (b^4 - 6ab^2c + 8a^2c^2)f)x^2 + ((2c^3d - bc^2e + 2ac^2f)x^4 + 2ac^2d - abce + 2a^2cf)}{2(ab^4c - 8a^2b^2c^2 + 16a^3c^3 + (b^4c^2 - 8a^2b^2c^3 + 16a^2b^2c^4))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] [-1/2\*((2\*(b^2\*c^2 - 4\*a\*c^3)\*d - (b^3\*c - 4\*a\*b\*c^2)\*e + (b^4 - 6\*a\*b^2\*c + 8\*a^2\*c^2)\*f)\*x^2 + ((2\*c^3\*d - b\*c^2\*e + 2\*a\*c^2\*f)\*x^4 + 2\*a\*c^2\*d - a\*b\*c\*e + 2\*a^2\*c\*f + (2\*b\*c^2\*d - b^2\*c\*e + 2\*a\*b\*c\*f)\*x^2)\*sqrt(b^2 - 4\*a\*c)\*log((2\*c^2\*x^4 + 2\*b\*c\*x^2 + b^2 - 2\*a\*c - (2\*c\*x^2 + b)\*sqrt(b^2 - 4\*a\*c)))/(c\*x^4 + b\*x^2 + a)) + (b^3\*c - 4\*a\*b\*c^2)\*d - 2\*(a\*b^2\*c - 4\*a^2\*c^2)\*e + (a\*b^3 - 4\*a^2\*b\*c)\*f)/(a\*b^4\*c - 8\*a^2\*b^2\*c^2 + 16\*a^3\*c^3 + (b^4\*c^2 - 8\*a\*b^2\*c^3 + 16\*a^2\*c^4)\*x^4 + (b^5\*c - 8\*a\*b^3\*c^2 + 16\*a^2\*b\*c^3)\*x^2), -1/2\*((2\*(b^2\*c^2 - 4\*a\*c^3)\*d - (b^3\*c - 4\*a\*b\*c^2)\*e + (b^4 - 6\*a\*b^2\*c + 8\*a^2\*c^2)\*f)\*x^2 - 2\*((2\*c^3\*d - b\*c^2\*e + 2\*a\*c^2\*f)\*x^4 + 2\*a\*c^2\*d - a\*b\*c\*e + 2\*a^2\*c\*f + (2\*b\*c^2\*d - b^2\*c\*e + 2\*a\*b\*c\*f)\*x^2)\*sqrt(-b^2 + 4\*a\*c)\*arctan(-(2\*c\*x^2 + b)\*sqrt(-b^2 + 4\*a\*c)/(b^2 - 4\*a\*c)) + (b^3\*c - 4\*a\*b\*c^2)\*d - 2\*(a\*b^2\*c - 4\*a^2\*c^2)\*e + (a\*b^3 - 4\*a^2\*b\*c)\*f)/(a\*b^4\*c - 8\*a^2\*b^2\*c^2 + 16\*a^3\*c^3 + (b^4\*c^2 - 8\*a\*b^2\*c^3 + 16\*a^2\*c^4)\*x^4 + (b^5\*c - 8\*a\*b^3\*c^2 + 16\*a^2\*b\*c^3)\*x^2)]

**Sympy [B]** time = 40.1526, size = 474, normalized size = 3.85

$$\sqrt{-\frac{1}{(4ac-b^2)^3}}(2af-be+2cd) \log \left( x^2 + \frac{-16a^2c^2 \sqrt{-\frac{1}{(4ac-b^2)^3}}(2af-be+2cd) + 8ab^2c \sqrt{-\frac{1}{(4ac-b^2)^3}}(2af-be+2cd) + 2abf-b^4 \sqrt{-\frac{1}{(4ac-b^2)^3}}(2af-be+2cd)}{4acf-2bce+4c^2d} \right)$$

2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] -sqrt(-1/(4\*a\*c - b\*\*2)\*\*3)\*(2\*a\*f - b\*e + 2\*c\*d)\*log(x\*\*2 + (-16\*a\*\*2\*c\*\*2\*sqrt(-1/(4\*a\*c - b\*\*2)\*\*3)\*(2\*a\*f - b\*e + 2\*c\*d) + 8\*a\*b\*\*2\*c\*sqrt(-1/(4\*a

```
*c - b**2)**3)*(2*a*f - b*e + 2*c*d) + 2*a*b*f - b**4*sqrt(-1/(4*a*c - b**2)
)**3)*(2*a*f - b*e + 2*c*d) - b**2*e + 2*b*c*d)/(4*a*c*f - 2*b*c*e + 4*c**2
*d))/2 + sqrt(-1/(4*a*c - b**2)**3)*(2*a*f - b*e + 2*c*d)*log(x**2 + (16*a
*2*c**2*sqrt(-1/(4*a*c - b**2)**3)*(2*a*f - b*e + 2*c*d) - 8*a*b**2*c*sqrt(
-1/(4*a*c - b**2)**3)*(2*a*f - b*e + 2*c*d) + 2*a*b*f + b**4*sqrt(-1/(4*a*c
- b**2)**3)*(2*a*f - b*e + 2*c*d) - b**2*e + 2*b*c*d)/(4*a*c*f - 2*b*c*e +
4*c**2*d))/2 - (-a*b*f + 2*a*c*e - b*c*d + x**2*(2*a*c*f - b**2*f + b*c*e
- 2*c**2*d))/(8*a**2*c**2 - 2*a*b**2*c + x**4*(8*a*c**3 - 2*b**2*c**2) + x
*2*(8*a*b*c**2 - 2*b**3*c))
```

**Giac [A]** time = 19.2514, size = 189, normalized size = 1.54

$$-\frac{(2cd + 2af - be) \arctan\left(\frac{2cx^2 + b}{\sqrt{-b^2 + 4ac}}\right)}{(b^2 - 4ac)\sqrt{-b^2 + 4ac}} - \frac{2c^2dx^2 + b^2fx^2 - 2acfx^2 - bcx^2e + bcd + abf - 2ace}{2(cx^4 + bx^2 + a)(b^2c - 4ac^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out]  $-(2*c*d + 2*a*f - b*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((b^2 - 4*a*c)*\sqrt{-b^2 + 4*a*c}) - 1/2*(2*c^2*d*x^2 + b^2*f*x^2 - 2*a*c*f*x^2 - b*c*x^2*e + b*c*d + a*b*f - 2*a*c*e)/((c*x^4 + b*x^2 + a)*(b^2*c - 4*a*c^2))$

$$3.65 \quad \int \frac{d+ex^2+fx^4}{x(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=166

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(4a^2ce-2ab(af+3cd)+b^3d)}{2a^2(b^2-4ac)^{3/2}} - \frac{d \log(a+bx^2+cx^4)}{4a^2} + \frac{d \log(x)}{a^2} + \frac{x^2(abf-2ace+bcd)-abe-2a(cd+bf)}{2a(b^2-4ac)(a+bx^2+cx^4)}$$

[Out] (b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f) + (b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*x^2)/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((b^3\*d + 4\*a^2\*c\*e - 2\*a\*b\*(3\*c\*d + a\*f)) \*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*(b^2 - 4\*a\*c)^(3/2)) + (d \*Log[x])/a^2 - (d\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

**Rubi [A]** time = 0.393699, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {1663, 1646, 800, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(4a^2ce-2ab(af+3cd)+b^3d)}{2a^2(b^2-4ac)^{3/2}} - \frac{d \log(a+bx^2+cx^4)}{4a^2} + \frac{d \log(x)}{a^2} + \frac{x^2(abf-2ace+bcd)-abe-2a(cd+bf)}{2a(b^2-4ac)(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] (b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f) + (b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*x^2)/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((b^3\*d + 4\*a^2\*c\*e - 2\*a\*b\*(3\*c\*d + a\*f)) \*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*a^2\*(b^2 - 4\*a\*c)^(3/2)) + (d \*Log[x])/a^2 - (d\*Log[a + b\*x^2 + c\*x^4])/(4\*a^2)

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m-1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1646

Int[(Pq\_)\*((d\_) + (e\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x]}]



```

^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x],
x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x
, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p
+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rule 800

```

Int[(((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 206

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= \frac{b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{-\left(\frac{b^2}{a} - 4c\right)d - \frac{(bcd - 2ace + abf)x}{a}}{x(a + bx + cx^2)} dx, x, x^2 \right)}{2(b^2 - 4ac)} \\
&= \frac{b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \left( \frac{(-b^2 + 4ac)d}{a^2x} + \frac{b^3d + 2a^2ce - ab(5cd + af) + c(b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2)}{a^2(a + bx + cx^2)} \right) dx, x, x^2 \right)}{2(b^2 - 4ac)} \\
&= \frac{b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{d \log(x)}{a^2} - \frac{\text{Subst} \left( \int \frac{b^3d + 2a^2ce - ab(5cd + af) + c(b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2)}{a + bx + cx^2} dx, x, x^2 \right)}{2a^2(b^2 - 4ac)} \\
&= \frac{b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{d \log(x)}{a^2} - \frac{d \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4a^2} \\
&= \frac{b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{d \log(x)}{a^2} - \frac{d \log(a + bx^2 + cx^4)}{4a^2} + \frac{(b^3d + 4a^2ce - 2ab(3cd + af)) \tanh^{-1} \left( \frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2a^2(b^2 - 4ac)^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.469313, size = 268, normalized size = 1.61

$$\frac{-\frac{2a(b(-ae + afx^2 + cdx^2) + 2a(af - c(d + ex^2)) + b^2d)}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\log(-\sqrt{b^2 - 4ac} + b + 2cx^2)(4ac(ae - d\sqrt{b^2 - 4ac}) + b^2d\sqrt{b^2 - 4ac} - 2ab(af + 3cd) + b^3d)}{(b^2 - 4ac)^{3/2}} + \frac{\log(\sqrt{b^2 - 4ac} + b + 2cx^2)}{4a^2}}{4a^2}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] -((-2\*a\*(b^2\*d + b\*(-(a\*e) + c\*d\*x^2 + a\*f\*x^2) + 2\*a\*(a\*f - c\*(d + e\*x^2))) / ((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - 4\*d\*Log[x] + ((b^3\*d + b^2\*sqrt[b^2 - 4\*a\*c])\*d + 4\*a\*c\*(-(sqrt[b^2 - 4\*a\*c]\*d) + a\*e) - 2\*a\*b\*(3\*c\*d + a\*f)) \* Log[b - sqrt[b^2 - 4\*a\*c] + 2\*c\*x^2]) / (b^2 - 4\*a\*c)^(3/2) + ((-(b^3\*d) + b^2\*sqrt[b^2 - 4\*a\*c])\*d - 4\*a\*c\*(sqrt[b^2 - 4\*a\*c]\*d + a\*e) + 2\*a\*b\*(3\*c\*d +

$a*f)) * \text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2]) / (b^2 - 4*a*c)^{(3/2)} / (4*a^2)$

**Maple [B]** time = 0.018, size = 462, normalized size = 2.8

$$\frac{d \ln(x)}{a^2} - \frac{bx^2 f}{(2cx^4 + 2bx^2 + 2a)(4ac - b^2)} + \frac{cx^2 e}{(cx^4 + bx^2 + a)(4ac - b^2)} - \frac{bx^2 cd}{2a(cx^4 + bx^2 + a)(4ac - b^2)} - \frac{1}{(cx^4 + bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x/(c*x^4+b*x^2+a)^2,x)`

[Out]  $d \ln(x) / a^2 - 1/2 / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x^2 * b * f + c / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x^2 * e - 1/2 / a / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x^2 * b * c * d - a / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * f + 1/2 / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * b * e + 1 / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * c * d - 1/2 / a / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * b^2 * d - 1/a / (4*a*c - b^2) * c * \ln(c*x^4 + b*x^2 + a) * d + 1/4 / a^2 / (4*a*c - b^2) * \ln(c*x^4 + b*x^2 + a) * b^2 * d - 1 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * b * f + 2 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * c * e - 3/a / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * b * c * d + 1/2 / a^2 / (4*a*c - b^2)^{(3/2)} * \arctan((2*c*x^2 + b) / (4*a*c - b^2)^{(1/2)}) * b^3 * d$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 7.60329, size = 2333, normalized size = 14.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] [1/4\*(2\*((a\*b^3\*c - 4\*a^2\*b\*c^2)\*d - 2\*(a^2\*b^2\*c - 4\*a^3\*c^2)\*e + (a^2\*b^3 - 4\*a^3\*b\*c)\*f)\*x^2 + (4\*a^3\*c\*e - 2\*a^3\*b\*f + (4\*a^2\*c^2\*e - 2\*a^2\*b\*c\*f + (b^3\*c - 6\*a\*b\*c^2)\*d)\*x^4 + (4\*a^2\*b\*c\*e - 2\*a^2\*b^2\*f + (b^4 - 6\*a\*b^2\*c)\*d)\*x^2 + (a\*b^3 - 6\*a^2\*b\*c)\*d)\*sqrt(b^2 - 4\*a\*c)\*log((2\*c^2\*x^4 + 2\*b\*c\*x^2 + b^2 - 2\*a\*c + (2\*c\*x^2 + b)\*sqrt(b^2 - 4\*a\*c))/(c\*x^4 + b\*x^2 + a)) + 2\*(a\*b^4 - 6\*a^2\*b^2\*c + 8\*a^3\*c^2)\*d - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*e + 4\*(a^3\*b^2 - 4\*a^4\*c)\*f - ((b^4\*c - 8\*a\*b^2\*c^2 + 16\*a^2\*c^3)\*d\*x^4 + (b^5 - 8\*a\*b^3\*c + 16\*a^2\*b\*c^2)\*d\*x^2 + (a\*b^4 - 8\*a^2\*b^2\*c + 16\*a^3\*c^2)\*d)\*log(c\*x^4 + b\*x^2 + a) + 4\*((b^4\*c - 8\*a\*b^2\*c^2 + 16\*a^2\*c^3)\*d\*x^4 + (b^5 - 8\*a\*b^3\*c + 16\*a^2\*b\*c^2)\*d\*x^2 + (a\*b^4 - 8\*a^2\*b^2\*c + 16\*a^3\*c^2)\*d)\*log(x)]/(a^3\*b^4 - 8\*a^4\*b^2\*c + 16\*a^5\*c^2 + (a^2\*b^4\*c - 8\*a^3\*b^2\*c^2 + 16\*a^4\*c^3)\*x^4 + (a^2\*b^5 - 8\*a^3\*b^3\*c + 16\*a^4\*b\*c^2)\*x^2), 1/4\*(2\*((a\*b^3\*c - 4\*a^2\*b\*c^2)\*d - 2\*(a^2\*b^2\*c - 4\*a^3\*c^2)\*e + (a^2\*b^3 - 4\*a^3\*b\*c)\*f)\*x^2 + 2\*(4\*a^3\*c\*e - 2\*a^3\*b\*f + (4\*a^2\*c^2\*e - 2\*a^2\*b\*c\*f + (b^3\*c - 6\*a\*b\*c^2)\*d)\*x^4 + (4\*a^2\*b\*c\*e - 2\*a^2\*b^2\*f + (b^4 - 6\*a\*b^2\*c)\*d)\*x^2 + (a\*b^3 - 6\*a^2\*b\*c)\*d)\*sqrt(-b^2 + 4\*a\*c)\*arctan(-(2\*c\*x^2 + b)\*sqrt(-b^2 + 4\*a\*c)/(b^2 - 4\*a\*c)) + 2\*(a\*b^4 - 6\*a^2\*b^2\*c + 8\*a^3\*c^2)\*d - 2\*(a^2\*b^3 - 4\*a^3\*b\*c)\*e + 4\*(a^3\*b^2 - 4\*a^4\*c)\*f - ((b^4\*c - 8\*a\*b^2\*c^2 + 16\*a^2\*c^3)\*d\*x^4 + (b^5 - 8\*a\*b^3\*c + 16\*a^2\*b\*c^2)\*d\*x^2 + (a\*b^4 - 8\*a^2\*b^2\*c + 16\*a^3\*c^2)\*d)\*log(c\*x^4 + b\*x^2 + a) + 4\*((b^4\*c - 8\*a\*b^2\*c^2 + 16\*a^2\*c^3)\*d\*x^4 + (b^5 - 8\*a\*b^3\*c + 16\*a^2\*b\*c^2)\*d\*x^2 + (a\*b^4 - 8\*a^2\*b^2\*c + 16\*a^3\*c^2)\*d)\*log(x)]/(a^3\*b^4 - 8\*a^4\*b^2\*c + 16\*a^5\*c^2 + (a^2\*b^4\*c - 8\*a^3\*b^2\*c^2 + 16\*a^4\*c^3)\*x^4 + (a^2\*b^5 - 8\*a^3\*b^3\*c + 16\*a^4\*b\*c^2)\*x^2)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 19.5116, size = 306, normalized size = 1.84

$$\frac{(b^3d - 6abcd - 2a^2bf + 4a^2ce) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - \frac{d \log(cx^4 + bx^2 + a)}{4a^2} + \frac{d \log(x^2)}{2a^2} + \frac{b^2cdx^4 - 4ac^2dx^4 + b^3dx^2 - \dots}{2(a^2b^2 - 4a^3c)\sqrt{-b^2 + 4ac}}}{2(a^2b^2 - 4a^3c)\sqrt{-b^2 + 4ac}} - \frac{d \log(cx^4 + bx^2 + a)}{4a^2} + \frac{d \log(x^2)}{2a^2} + \frac{b^2cdx^4 - 4ac^2dx^4 + b^3dx^2 - \dots}{2(a^2b^2 - 4a^3c)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] 
$$\frac{-1/2*(b^3*d - 6*a*b*c*d - 2*a^2*b*f + 4*a^2*c*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})}{(a^2*b^2 - 4*a^3*c)*\sqrt{-b^2 + 4*a*c}} - \frac{1/4*d*\log(c*x^4 + b*x^2 + a)}{a^2} + \frac{1/2*d*\log(x^2)}{a^2} + \frac{1/4*(b^2*c*d*x^4 - 4*a*c^2*d*x^4 + b^3*d*x^2 - 2*a*b*c*d*x^2 + 2*a^2*b*f*x^2 - 4*a^2*c*x^2*e + 3*a*b^2*d - 8*a^2*c*d + 4*a^3*f - 2*a^2*b*e)}{(c*x^4 + b*x^2 + a)*(a^2*b^2 - 4*a^3*c)}$$

$$3.66 \quad \int \frac{d+ex^2+fx^4}{x^3(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=234

$$\frac{2a^2ce + cx^2(-abe - 2a(cd - af) + b^2d) - ab^2e - ab(3cd - af) + b^3d}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(6a^2bce + 4a^2c(3cd - af) - 12a^2d)}{2a^3(b^2 - 4ac)^{3/2}}$$

[Out]  $-\frac{d}{2a^2x^2} - \frac{(b^3d - ab^2e + 2a^2c^2e - ab(3cd - af) + c(b^2d - ab^2e - 2a^2(c^2d - af))x^2)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{((2b^4d - 12ab^2cd - ab^3e + 6a^2b^2c^2e + 4a^2c^2(3cd - af))\text{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])}{2a^3(b^2 - 4ac)^{3/2}} - \frac{(2b^2d - a^2e)\text{Log}[x]}{a^3} + \frac{(2b^2d - a^2e)\text{Log}[a + bx^2 + cx^4]}{4a^3}$

**Rubi [A]** time = 0.725096, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {1663, 1646, 1628, 634, 618, 206, 628}

$$\frac{2a^2ce + cx^2(-abe - 2a(cd - af) + b^2d) - ab^2e - ab(3cd - af) + b^3d}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(6a^2bce + 4a^2c(3cd - af) - 12a^2d)}{2a^3(b^2 - 4ac)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^3\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $-\frac{d}{2a^2x^2} - \frac{(b^3d - ab^2e + 2a^2c^2e - ab(3cd - af) + c(b^2d - ab^2e - 2a^2(c^2d - af))x^2)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{((2b^4d - 12ab^2cd - ab^3e + 6a^2b^2c^2e + 4a^2c^2(3cd - af))\text{ArcTanh}[(b + 2cx^2)/\sqrt{b^2 - 4ac}])}{2a^3(b^2 - 4ac)^{3/2}} - \frac{(2b^2d - a^2e)\text{Log}[x]}{a^3} + \frac{(2b^2d - a^2e)\text{Log}[a + bx^2 + cx^4]}{4a^3}$

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1646

```

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] :> With[{Q = PolynomialQuotient[(d + e*x)^m*Pq, a + b*x + c*x
^2, x], f = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x],
x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x
, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p
+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rule 1628

```

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 206

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^3(a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x^2(a + bx + cx^2)^2} dx, x, x^2 \right) \\
&= -\frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \frac{-\left(\frac{b^2}{a} - 4c\right)d + \dots}{\dots} \right)}{\dots} \\
&= -\frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\text{Subst} \left( \int \left( \frac{-b^2 + 4ac}{a^2x^2} \right) d \right)}{\dots} \\
&= -\frac{d}{2a^2x^2} - \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2bd - ae) \log}{a^3} \\
&= -\frac{d}{2a^2x^2} - \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2bd - ae) \log}{a^3} \\
&= -\frac{d}{2a^2x^2} - \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2bd - ae) \log}{a^3} \\
&= -\frac{d}{2a^2x^2} - \frac{b^3d - ab^2e + 2a^2ce - ab(3cd - af) + c(b^2d - abe - 2a(cd - af))x^2}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{(2b^4d - 12abd)}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 0.691677, size = 403, normalized size = 1.72

$$\frac{\log\left(-\sqrt{b^2-4ac}+b+2cx^2\right)\left(4a^2c\left(e^{\sqrt{b^2-4ac}-af+3cd}\right)+b^3\left(2d\sqrt{b^2-4ac}-ae\right)-ab^2\left(e^{\sqrt{b^2-4ac}+12cd}\right)+2abc\left(3ae-4d\sqrt{b^2-4ac}\right)+2b^4d\right)}{\left(b^2-4ac\right)^{3/2}} + \frac{\log\left(\sqrt{b^2-4ac}+b+2cx^2\right)\left(4a^2c\left(e^{\sqrt{b^2-4ac}+af-3cd}\right)+b^3\left(2d\sqrt{b^2-4ac}+ae\right)+ab^2\left(e^{\sqrt{b^2-4ac}-12cd}\right)+2abc\left(3ae+4d\sqrt{b^2-4ac}\right)+2b^4d\right)}{\left(b^2-4ac\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^3\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $\left(\frac{-2ad}{x^2} - \frac{2a(b^3d + b^2(-ae) + cd*x^2) + ab(af - c(3d + e*x^2)) + 2ac(-cd*x^2) + a(e + f*x^2)}{(b^2 - 4ac)(a + b*x^2 + c*x^4)} + 4(-2bd + ae) \log[x] + \frac{(2b^4d + b^3(2\sqrt{b^2 - 4ac})d - ae) + 2ab(-4\sqrt{b^2 - 4ac})d + 3ae - ab^2(12cd + \sqrt{b^2 - 4ac})e + 4a^2c(3cd + \sqrt{b^2 - 4ac})e - af}{b - \sqrt{b^2 - 4ac}} \log[b - \sqrt{b^2 - 4ac}]\right)$



$$\begin{aligned} & \sqrt{b^2 - 4ac} + 2cx^2 \Big/ (b^2 - 4ac)^{3/2} + \left( (-2b^4d + b^3(2\sqrt{b^2 - 4ac}d + ae) - 2ab^2c(4\sqrt{b^2 - 4ac}d + 3ae) + ab^2(12cd - \sqrt{b^2 - 4ac}e) + 4a^2c(-3cd + \sqrt{b^2 - 4ac}e + af)) \right) \text{Log} \\ & [b + \sqrt{b^2 - 4ac} + 2cx^2] \Big/ (b^2 - 4ac)^{3/2} \Big/ (4a^3) \end{aligned}$$

**Maple [B]** time = 0.023, size = 722, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x^3/(c*x^4+b*x^2+a)^2,x)`

[Out] 
$$\begin{aligned} & -1/2*d/a^2/x^2 + 1/a^2*\ln(x)*e - 2/a^3*\ln(x)*b*d + 1/(c*x^4+b*x^2+a)*c/(4*a*c-b^2) \\ & )*x^2*f - 1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b*e - 1/a/(c*x^4+b*x^2+a)*c^2 \\ & / (4*a*c-b^2)*x^2*d + 1/2/a^2/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b^2*d + 1/2/(c*x \\ & ^4+b*x^2+a)/(4*a*c-b^2)*b*f + 1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*c*e - 1/2/a/(c*x^4+ \\ & b*x^2+a)/(4*a*c-b^2)*b^2*e - 3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*b*c*d + 1/2/a^2/ \\ & (c*x^4+b*x^2+a)/(4*a*c-b^2)*b^3*d - 1/a/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*e + 1/4 \\ & /a^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^2*e + 2/a^2/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2 \\ & +a)*b*d - 1/2/a^3/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^3*d + 2/(4*a*c-b^2)^{3/2}*arc \\ & tan((2*c*x^2+b)/(4*a*c-b^2)^{1/2})*c*f - 3/a/(4*a*c-b^2)^{3/2}*arctan((2*c*x^ \\ & 2+b)/(4*a*c-b^2)^{1/2})*b*c*e - 6/a/(4*a*c-b^2)^{3/2}*arctan((2*c*x^2+b)/(4*a \\ & *c-b^2)^{1/2})*c^2*d + 1/2/a^2/(4*a*c-b^2)^{3/2}*arctan((2*c*x^2+b)/(4*a*c-b^ \\ & 2)^{1/2})*b^3*e + 6/a^2/(4*a*c-b^2)^{3/2}*arctan((2*c*x^2+b)/(4*a*c-b^2)^{1/2} \\ & ))*b^2*c*d - 1/a^3/(4*a*c-b^2)^{3/2}*arctan((2*c*x^2+b)/(4*a*c-b^2)^{1/2})*b^ \\ & 4*d \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^3/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 16.6412, size = 3637, normalized size = 15.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^3/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4*(2*(2*(a*b^4*c - 7*a^2*b^2*c^2 + 12*a^3*c^3)*d - (a^2*b^3*c - 4*a^3*b \\ & *c^2)*e + 2*(a^3*b^2*c - 4*a^4*c^2)*f)*x^4 + 2*((2*a*b^5 - 15*a^2*b^3*c + 2 \\ & 8*a^3*b*c^2)*d - (a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*e + (a^3*b^3 - 4*a^4*b \\ & *c)*f)*x^2 + ((4*a^3*c^2*f - 2*(b^4*c - 6*a*b^2*c^2 + 6*a^2*c^3)*d + (a*b^3 \\ & *c - 6*a^2*b*c^2)*e)*x^6 + (4*a^3*b*c*f - 2*(b^5 - 6*a*b^3*c + 6*a^2*b*c^2) \\ & *d + (a*b^4 - 6*a^2*b^2*c)*e)*x^4 + (4*a^4*c*f - 2*(a*b^4 - 6*a^2*b^2*c + 6 \\ & *a^3*c^2)*d + (a^2*b^3 - 6*a^3*b*c)*e)*x^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^ \\ & 4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*sqrt(b^2 - 4*a*c))/(c*x^4 + b*x \\ & ^2 + a)) + 2*(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)*d - ((2*(b^5*c - 8*a*b^3* \\ & c^2 + 16*a^2*b*c^3)*d - (a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)*e)*x^6 + (2* \\ & (b^6 - 8*a*b^4*c + 16*a^2*b^2*c^2)*d - (a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2) \\ & *e)*x^4 + (2*(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*d - (a^2*b^4 - 8*a^3*b^2* \\ & c + 16*a^4*c^2)*e)*x^2)*log(c*x^4 + b*x^2 + a) + 4*((2*(b^5*c - 8*a*b^3*c^2 \\ & + 16*a^2*b*c^3)*d - (a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)*e)*x^6 + (2*(b^ \\ & 6 - 8*a*b^4*c + 16*a^2*b^2*c^2)*d - (a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*e) \\ & *x^4 + (2*(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*d - (a^2*b^4 - 8*a^3*b^2*c + \\ & 16*a^4*c^2)*e)*x^2)*log(x))/((a^3*b^4*c - 8*a^4*b^2*c^2 + 16*a^5*c^3)*x^6 \\ & + (a^3*b^5 - 8*a^4*b^3*c + 16*a^5*b*c^2)*x^4 + (a^4*b^4 - 8*a^5*b^2*c + 16* \\ & a^6*c^2)*x^2), -1/4*(2*(2*(a*b^4*c - 7*a^2*b^2*c^2 + 12*a^3*c^3)*d - (a^2*b \\ & ^3*c - 4*a^3*b*c^2)*e + 2*(a^3*b^2*c - 4*a^4*c^2)*f)*x^4 + 2*((2*a*b^5 - 15 \\ & *a^2*b^3*c + 28*a^3*b*c^2)*d - (a^2*b^4 - 6*a^3*b^2*c + 8*a^4*c^2)*e + (a^3 \\ & *b^3 - 4*a^4*b*c)*f)*x^2 - 2*((4*a^3*c^2*f - 2*(b^4*c - 6*a*b^2*c^2 + 6*a^2 \\ & *c^3)*d + (a*b^3*c - 6*a^2*b*c^2)*e)*x^6 + (4*a^3*b*c*f - 2*(b^5 - 6*a*b^3* \\ & c + 6*a^2*b*c^2)*d + (a*b^4 - 6*a^2*b^2*c)*e)*x^4 + (4*a^4*c*f - 2*(a*b^4 - \\ & 6*a^2*b^2*c + 6*a^3*c^2)*d + (a^2*b^3 - 6*a^3*b*c)*e)*x^2)*sqrt(-b^2 + 4*a \\ & *c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2 + 4*a*c)/(b^2 - 4*a*c)) + 2*(a^2*b^4 - \\ & 8*a^3*b^2*c + 16*a^4*c^2)*d - ((2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*d - \\ & (a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)*e)*x^6 + (2*(b^6 - 8*a*b^4*c + 16*a^ \\ & 2*b^2*c^2)*d - (a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*e)*x^4 + (2*(a*b^5 - 8* \\ & a^2*b^3*c + 16*a^3*b*c^2)*d - (a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)*e)*x^2)* \\ & log(c*x^4 + b*x^2 + a) + 4*((2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*d - (a* \\ & b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3)*e)*x^6 + (2*(b^6 - 8*a*b^4*c + 16*a^2*b \\ & ^2*c^2)*d - (a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*e)*x^4 + (2*(a*b^5 - 8*a^ \\ & 2*b^3*c + 16*a^3*b*c^2)*d - (a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2)*e)*x^2)*log \\ & (x))/((a^3*b^4*c - 8*a^4*b^2*c^2 + 16*a^5*c^3)*x^6 + (a^3*b^5 - 8*a^4*b^3*c \\ & + 16*a^5*b*c^2)*x^4 + (a^4*b^4 - 8*a^5*b^2*c + 16*a^6*c^2)*x^2)] \end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*3/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 21.9743, size = 387, normalized size = 1.65

$$\frac{(2b^4d - 12ab^2cd + 12a^2c^2d - 4a^3cf - ab^3e + 6a^2bce) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) - \frac{2b^2cdx^4 - 6ac^2dx^4 + 2a^2cfx^4 - abcx^4e + \dots}{2(a^3b^2 - 4a^4c)\sqrt{-b^2+4ac}}}{2(a^3b^2 - 4a^4c)\sqrt{-b^2+4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^3/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (2b^4d - 12ab^2cd + 12a^2c^2d - 4a^3cf - ab^3e + 6a^2bce) \cdot \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) / ((a^3b^2 - 4a^4c) \cdot \sqrt{-b^2+4ac}) - \frac{1}{2} \cdot (2b^2cdx^4 - 6ac^2dx^4 + 2a^2cfx^4 - abcx^4e + 2b^3d \cdot x^2 - 7ab^2cd \cdot x^2 + a^2b^2fx^2 - ab^2x^2e + 2a^2cx^2e + ab^2d - 4a^2cd) / ((cx^6 + bx^4 + ax^2) \cdot (a^2b^2 - 4a^3c)) + \frac{1}{4} \cdot (2bd - ae) \cdot \log(cx^4 + bx^2 + a) / a^3 - \frac{1}{2} \cdot (2bd - ae) \cdot \log(x^2) / a^3$

$$3.67 \quad \int \frac{d+ex^2+fx^4}{x^5(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=329

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(12a^2b^2ce + 6a^2bc(5cd - af) - 12a^3c^2e - ab^3(20cd - af) - 2ab^4e + 3b^5d)}{2a^4(b^2 - 4ac)^{3/2}} + \frac{cx^2(2a^2ce - ab^2e - ab(3cd - af))}{(a + bx^2 + cx^4)^2}$$

[Out]  $-d/(4*a^2*x^4) + (2*b*d - a*e)/(2*a^3*x^2) + (b^4*d - a*b^3*e + 3*a^2*b*c*e + 2*a^2*c*(c*d - a*f) - a*b^2*(4*c*d - a*f) + c*(b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*x^2)/(2*a^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((3*b^5*d - 2*a*b^4*e + 12*a^2*b^2*c*e - 12*a^3*c^2*e + 6*a^2*b*c*(5*c*d - a*f) - a*b^3*(20*c*d - a*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^4*(b^2 - 4*a*c)^(3/2)) + ((3*b^2*d - 2*a*b*e - a*(2*c*d - a*f))*Log[x])/a^4 - ((3*b^2*d - 2*a*b*e - a*(2*c*d - a*f))*Log[a + b*x^2 + c*x^4])/(4*a^4)$

**Rubi [A]** time = 1.15731, antiderivative size = 329, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$ , Rules used = {1663, 1646, 1628, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)(12a^2b^2ce + 6a^2bc(5cd - af) - 12a^3c^2e - ab^3(20cd - af) - 2ab^4e + 3b^5d)}{2a^4(b^2 - 4ac)^{3/2}} + \frac{cx^2(2a^2ce - ab^2e - ab(3cd - af))}{(a + bx^2 + cx^4)^2}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^5\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $-d/(4*a^2*x^4) + (2*b*d - a*e)/(2*a^3*x^2) + (b^4*d - a*b^3*e + 3*a^2*b*c*e + 2*a^2*c*(c*d - a*f) - a*b^2*(4*c*d - a*f) + c*(b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*x^2)/(2*a^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + ((3*b^5*d - 2*a*b^4*e + 12*a^2*b^2*c*e - 12*a^3*c^2*e + 6*a^2*b*c*(5*c*d - a*f) - a*b^3*(20*c*d - a*f))*ArcTanh[(b + 2*c*x^2)/Sqrt[b^2 - 4*a*c]])/(2*a^4*(b^2 - 4*a*c)^(3/2)) + ((3*b^2*d - 2*a*b*e - a*(2*c*d - a*f))*Log[x])/a^4 - ((3*b^2*d - 2*a*b*e - a*(2*c*d - a*f))*Log[a + b*x^2 + c*x^4])/(4*a^4)$

**Rule 1663**

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :  
> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^(p\_)

$p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{IntegerQ}[(m - 1)/2]$

### Rule 1646

$\text{Int}[(Pq\_)*((d\_.) + (e\_.)*(x\_))^m*((a\_.) + (b\_.)*(x\_.) + (c\_.)*(x\_.)^2)^p, x\_Symbol] :> \text{With}\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{p+1}]/((p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/((p+1)*(b^2 - 4*a*c)), \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{p+1}*\text{ExpandToSum}[(p+1)*(b^2 - 4*a*c)*Q]/(d + e*x)^m - ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{ILtQ}[m, 0]$

### Rule 1628

$\text{Int}[(Pq\_)*((d\_.) + (e\_.)*(x\_))^m*((a\_.) + (b\_.)*(x\_.) + (c\_.)*(x\_.)^2)^p, x\_Symbol] :> \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{IGtQ}[p, -2]$

### Rule 634

$\text{Int}[(d + e*x)/(a + b*x + c*x^2), x\_Symbol] :> \text{Dist}[(2*c*d - b*e)/(2*c), \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Dist}[e/(2*c), \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[2*c*d - b*e, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{!NiceSqrtQ}[b^2 - 4*a*c]$

### Rule 618

$\text{Int}[(a + b*x + c*x^2)^{-1}, x\_Symbol] :> \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

### Rule 206

$\text{Int}[(a + b*x + c*x^2)^{-1}, x\_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rule 628

$\text{Int}[(d + e*x)/(a + b*x + c*x^2), x\_Symbol] :> \text{Simp}[(d*\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]])/b, x] /; \text{FreeQ}\{a, b, c, d,$

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{d + ex^2 + fx^4}{x^5 (a + bx^2 + cx^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2}{x^3 (a + bx + cx^2)^2} dx, x, x^2 \right) \\
 &= \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
 &= \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
 &= -\frac{d}{4a^2 x^4} + \frac{2bd - ae}{2a^3 x^2} + \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
 &= -\frac{d}{4a^2 x^4} + \frac{2bd - ae}{2a^3 x^2} + \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
 &= -\frac{d}{4a^2 x^4} + \frac{2bd - ae}{2a^3 x^2} + \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
 &= -\frac{d}{4a^2 x^4} + \frac{2bd - ae}{2a^3 x^2} + \frac{b^4 d - ab^3 e + 3a^2 bce + 2a^2 c(cd - af) - ab^2(4cd - af) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af))}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)}
 \end{aligned}$$

**Mathematica [A]** time = 1.21921, size = 592, normalized size = 1.8

$$\frac{2a(2a^2c(af - c(d + ex^2)) + ab^2(-af + 4cd + cex^2) + b^3(ae - cdx^2) - abc(3ae + afx^2 - 3cdx^2) + b^4(-d))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\log(-\sqrt{b^2 - 4ac} + b + 2cx^2)}{(b^2 - 4ac)(a + bx^2 + cx^4)} \left( 2a^2bc(4e\sqrt{b^2 - 4ac} - 3af + 15cd) - 4a^2c \right)$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^5\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] -((a^2\*d)/x^4 + (2\*a\*(-2\*b\*d + a\*e))/x^2 + (2\*a\*(-(b^4\*d) + b^3\*(a\*e - c\*d\*x^2) + a\*b^2\*(4\*c\*d - a\*f + c\*e\*x^2) - a\*b\*c\*(3\*a\*e - 3\*c\*d\*x^2 + a\*f\*x^2))

$$\begin{aligned}
& + 2*a^2*c*(a*f - c*(d + e*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4) - 4*( \\
& 3*b^2*d - 2*a*b*e + a*(-2*c*d + a*f))*\text{Log}[x] + ((3*b^5*d + b^4*(3*\text{Sqrt}[b^2 \\
& - 4*a*c]*d - 2*a*e) + 2*a^2*b*c*(15*c*d + 4*\text{Sqrt}[b^2 - 4*a*c]*e - 3*a*f) + \\
& a*b^3*(-20*c*d - 2*\text{Sqrt}[b^2 - 4*a*c]*e + a*f) - 4*a^2*c*(-2*c*\text{Sqrt}[b^2 - 4* \\
& a*c]*d + 3*a*c*e + a*\text{Sqrt}[b^2 - 4*a*c]*f) + a*b^2*(-14*c*\text{Sqrt}[b^2 - 4*a*c]* \\
& d + 12*a*c*e + a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{Log}[b - \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2] \\
& )/(b^2 - 4*a*c)^(3/2) + ((-3*b^5*d + b^4*(3*\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*e) - \\
& a*b^3*(-20*c*d + 2*\text{Sqrt}[b^2 - 4*a*c]*e + a*f) + 2*a^2*b*c*(-15*c*d + 4*\text{Sqrt} \\
& [b^2 - 4*a*c]*e + 3*a*f) + 4*a^2*c*(2*c*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*c*e - a*\text{S} \\
& \text{qrt}[b^2 - 4*a*c]*f) + a*b^2*(-2*c*(7*\text{Sqrt}[b^2 - 4*a*c]*d + 6*a*e) + a*\text{Sqrt}[ \\
& b^2 - 4*a*c]*f))*\text{Log}[b + \text{Sqrt}[b^2 - 4*a*c] + 2*c*x^2)]/(b^2 - 4*a*c)^(3/2)) \\
& / (4*a^4)
\end{aligned}$$

**Maple [B]** time = 0.028, size = 1078, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f*x^4+e*x^2+d)/x^5/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\begin{aligned}
& -1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*b^2*f-1/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*c^ \\
& 2*d+1/a^3/x^2*b*d-2/a^3*\ln(x)*b*e-2/a^3*\ln(x)*c*d+3/a^4*\ln(x)*b^2*d+1/(c*x^ \\
& 4+b*x^2+a)/(4*a*c-b^2)*c*f-1/2/a^3/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b^3*d+ \\
& 1/2/a^2/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b^2*e+3/2/a^2/(c*x^4+b*x^2+a)*c^2 \\
& / (4*a*c-b^2)*x^2*b*d+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*b^3*e-1/2/a^3/(c*x \\
& ^4+b*x^2+a)/(4*a*c-b^2)*b^4*d+3/4/a^4/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^4*d+3 \\
& /2/a^4/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^5*d-1/a/(4 \\
& *a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*f+1/4/a^2/(4*a*c-b^2)*\ln(c*x^4+b*x^2+a)*b^2*f \\
& +2/a^2/(4*a*c-b^2)*c^2*\ln(c*x^4+b*x^2+a)*d-1/2/a^3/(4*a*c-b^2)*\ln(c*x^4+b*x \\
& ^2+a)*b^3*e-6/a/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*c^2 \\
& *e+1/2/a^2/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^3*f-1/ \\
& a^3/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^4*e-1/2/a/(c* \\
& x^4+b*x^2+a)*c/(4*a*c-b^2)*x^2*b*f-1/2/a^2/x^2*e+1/a^2*\ln(x)*f-1/4*d/a^2/x^ \\
& 4+2/a^2/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*e*b-1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c- \\
& b^2)*x^2*e-3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*b*c*e+2/a^2/(c*x^4+b*x^2+a)/(4 \\
& *a*c-b^2)*b^2*c*d-3/a/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2) \\
& ))*b*c*f+6/a^2/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^2* \\
& c*e+15/a^2/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b*c^2*d- \\
& 10/a^3/(4*a*c-b^2)^(3/2)*\arctan((2*c*x^2+b)/(4*a*c-b^2)^(1/2))*b^3*c*d-7/2/ \\
& a^3/(4*a*c-b^2)*c*\ln(c*x^4+b*x^2+a)*b^2*d
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^5/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 39.111, size = 5341, normalized size = 16.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^5/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(2*((3*a*b^5*c - 23*a^2*b^3*c^2 + 44*a^3*b*c^3)*d - 2*(a^2*b^4*c - 7*a^3*b^2*c^2 + 12*a^4*c^3)*e + (a^3*b^3*c - 4*a^4*b*c^2)*f)*x^6 + ((6*a*b^6 - \\ & 49*a^2*b^4*c + 108*a^3*b^2*c^2 - 32*a^4*c^3)*d - 2*(2*a^2*b^5 - 15*a^3*b^3*c + 28*a^4*b*c^2)*e + 2*(a^3*b^4 - 6*a^4*b^2*c + 8*a^5*c^2)*f)*x^4 + (3*(a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*d - 2*(a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2)*e)*x^2 + (((3*b^5*c - 20*a*b^3*c^2 + 30*a^2*b*c^3)*d - 2*(a*b^4*c - 6*a^2*b^2*c^2 + 6*a^3*c^3)*e + (a^2*b^3*c - 6*a^3*b*c^2)*f)*x^8 + ((3*b^6 - 20*a*b^4*c + 30*a^2*b^2*c^2)*d - 2*(a*b^5 - 6*a^2*b^3*c + 6*a^3*b*c^2)*e + (a^2*b^4 - 6*a^3*b^2*c)*f)*x^6 + ((3*a*b^5 - 20*a^2*b^3*c + 30*a^3*b*c^2)*d - 2*(a^2*b^4 - 6*a^3*b^2*c + 6*a^4*c^2)*e + (a^3*b^3 - 6*a^4*b*c)*f)*x^4)* \\ & \sqrt{b^2 - 4*a*c}*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c + (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c}))/((c*x^4 + b*x^2 + a)) - (a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2)*d - (((3*b^6*c - 26*a*b^4*c^2 + 64*a^2*b^2*c^3 - 32*a^3*c^4)*d - 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*e + (a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3)*f)*x^8 + ((3*b^7 - 26*a*b^5*c + 64*a^2*b^3*c^2 - 32*a^3*b*c^3)*d - 2*(a*b^6 - 8*a^2*b^4*c + 16*a^3*b^2*c^2)*e + (a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*f)*x^6 + ((3*a*b^6 - 26*a^2*b^4*c + 64*a^3*b^2*c^2 - 32*a^4*c^3)*d - 2*(a^2*b^5 - 8*a^3*b^3*c + 16*a^4*b*c^2)*e + (a^3*b^4 - 8*a^4*b^2*c + 16*a^5*c^2)*f)*x^4)*\log(c*x^4 + b*x^2 + a) + 4*(((3*b^6*c - 26*a*b^4*c^2 + 64*a^2*b^2*c^3 - 32*a^3*c^4)*d - 2*(a*b^5*c - 8*a^2*b^3*c^2 + 16*a^3*b*c^3)*e + (a^2*b^4*c - 8*a^3*b^2*c^2 + 16*a^4*c^3)*f)*x^8 + ((3*b^7 - 26*a*b^5*c + 64*a^2*b^3*c^2 - 32*a^3*b*c^3)*d - 2*(a*b^6 - 8*a^2*b^4*c + 16*a^3*b^2*c^2)* \\ & \end{aligned}$$



$$\begin{aligned}
& e + (a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*f)*x^6 + ((3a^2b^6 - 26a^2b^4c + 64a^3b^2c^2 - 32a^4c^3)*d - 2*(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*e + (a^3b^4 - 8a^4b^2c + 16a^5c^2)*f)*x^4)*\log(x))/((a^4b^4c - 8a^5b^2c^2 + 16a^6c^3)*x^8 + (a^4b^5 - 8a^5b^3c + 16a^6b^2c^2)*x^6 + (a^5b^4 - 8a^6b^2c + 16a^7c^2)*x^4), 1/4*(2*((3a^2b^5c - 23a^2b^3c^2 + 44a^3b^2c^3)*d - 2*(a^2b^4c - 7a^3b^2c^2 + 12a^4c^3)*e + (a^3b^3c - 4a^4b^2c^2)*f)*x^6 + ((6a^2b^6 - 49a^2b^4c + 108a^3b^2c^2 - 32a^4c^3)*d - 2*(2a^2b^5 - 15a^3b^3c + 28a^4b^2c^2)*e + 2*(a^3b^4 - 6a^4b^2c + 8a^5c^2)*f)*x^4 + (3*(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*d - 2*(a^3b^4 - 8a^4b^2c + 16a^5c^2)*e)*x^2 + 2*((3b^5c - 20a^2b^3c^2 + 30a^2b^2c^3)*d - 2*(a^2b^4c - 6a^2b^2c^2 + 6a^3c^3)*e + (a^2b^3c - 6a^3b^2c^2)*f)*x^8 + ((3b^6 - 20a^2b^4c + 30a^2b^2c^2)*d - 2*(a^2b^5 - 6a^2b^3c + 6a^3b^2c^2)*e + (a^2b^4 - 6a^3b^2c)*f)*x^6 + ((3a^2b^5 - 20a^2b^3c + 30a^3b^2c^2)*d - 2*(a^2b^4 - 6a^3b^2c + 6a^4c^2)*e + (a^3b^3 - 6a^4b^2c)*f)*x^4)*\sqrt{-b^2 + 4ac}*\arctan(-(2cx^2 + b)*\sqrt{-b^2 + 4ac})/(b^2 - 4ac)) - (a^3b^4 - 8a^4b^2c + 16a^5c^2)*d - ((3b^6c - 26a^2b^4c^2 + 64a^2b^2c^3 - 32a^3c^4)*d - 2*(a^2b^5c - 8a^2b^3c^2 + 16a^3b^2c^3)*e + (a^2b^4c - 8a^3b^2c^2 + 16a^4c^3)*f)*x^8 + ((3b^7 - 26a^2b^5c + 64a^2b^3c^2 - 32a^3b^2c^3)*d - 2*(a^2b^6 - 8a^2b^4c + 16a^3b^2c^2)*e + (a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*f)*x^6 + ((3a^2b^6 - 26a^2b^4c + 64a^3b^2c^2 - 32a^4c^3)*d - 2*(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*e + (a^3b^4 - 8a^4b^2c + 16a^5c^2)*f)*x^4)*\log(cx^4 + bx^2 + a) + 4*((3b^6c - 26a^2b^4c^2 + 64a^2b^2c^3 - 32a^3c^4)*d - 2*(a^2b^5c - 8a^2b^3c^2 + 16a^3b^2c^3)*e + (a^2b^4c - 8a^3b^2c^2 + 16a^4c^3)*f)*x^8 + ((3b^7 - 26a^2b^5c + 64a^2b^3c^2 - 32a^3b^2c^3)*d - 2*(a^2b^6 - 8a^2b^4c + 16a^3b^2c^2)*e + (a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*f)*x^6 + ((3a^2b^6 - 26a^2b^4c + 64a^3b^2c^2 - 32a^4c^3)*d - 2*(a^2b^5 - 8a^3b^3c + 16a^4b^2c^2)*e + (a^3b^4 - 8a^4b^2c + 16a^5c^2)*f)*x^4)*\log(x))/((a^4b^4c - 8a^5b^2c^2 + 16a^6c^3)*x^8 + (a^4b^5 - 8a^5b^3c + 16a^6b^2c^2)*x^6 + (a^5b^4 - 8a^6b^2c + 16a^7c^2)*x^4)]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x\*\*4+e\*x\*\*2+d)/x\*\*5/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [A]** time = 19.6479, size = 722, normalized size = 2.19

$$\frac{(3b^5d - 20ab^3cd + 30a^2bc^2d + a^2b^3f - 6a^3bcf - 2ab^4e + 12a^2b^2ce - 12a^3c^2e) \arctan\left(\frac{2cx^2+b}{\sqrt{-b^2+4ac}}\right) + \frac{3b^4cdx^4 - 14ab^3cdx^3 + 12a^2b^2cdx^2 - 12a^3c^2dx - 14a^4c^2}{2(a^4b^2 - 4a^5c)\sqrt{-b^2 + 4ac}}}{2(a^4b^2 - 4a^5c)\sqrt{-b^2 + 4ac}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^5/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] 
$$-1/2*(3*b^5*d - 20*a*b^3*c*d + 30*a^2*b*c^2*d + a^2*b^3*f - 6*a^3*b*c*f - 2*a*b^4*e + 12*a^2*b^2*c*e - 12*a^3*c^2*e)*\arctan((2*c*x^2 + b)/\sqrt{-b^2 + 4*a*c})/((a^4*b^2 - 4*a^5*c)*\sqrt{-b^2 + 4*a*c}) + 1/4*(3*b^4*c*d*x^4 - 14*a*b^2*c^2*d*x^4 + 8*a^2*c^3*d*x^4 + a^2*b^2*c*f*x^4 - 4*a^3*c^2*f*x^4 - 2*a*b^3*c*x^4*e + 8*a^2*b*c^2*x^4*e + 3*b^5*d*x^2 - 12*a*b^3*c*d*x^2 + 2*a^2*b*c^2*d*x^2 + a^2*b^3*f*x^2 - 2*a^3*b*c*f*x^2 - 2*a*b^4*x^2*e + 6*a^2*b^2*c*x^2*e + 4*a^3*c^2*x^2*e + 5*a*b^4*d - 22*a^2*b^2*c*d + 12*a^3*c^2*d + 3*a^3*b^2*f - 8*a^4*c*f - 4*a^2*b^3*e + 14*a^3*b*c*e)/((a^4*b^2 - 4*a^5*c)*(c*x^4 + b*x^2 + a)) - 1/4*(3*b^2*d - 2*a*c*d + a^2*f - 2*a*b*e)*\log(c*x^4 + b*x^2 + a)/a^4 + 1/2*(3*b^2*d - 2*a*c*d + a^2*f - 2*a*b*e)*\log(x^2)/a^4 - 1/4*(9*b^2*d*x^4 - 6*a*c*d*x^4 + 3*a^2*f*x^4 - 6*a*b*x^4*e - 4*a*b*d*x^2 + 2*a^2*x^2*e + a^2*d)/(a^4*x^4)$$

$$3.68 \quad \int \frac{x^6(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=550

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{20a^2c^3e-19ab^2c^2e-b^3c(cd-34af)+4abc^2(2cd-13af)+3b^4ce-5b^5f}{\sqrt{b^2-4ac}} - b^2c(cd-24af) - 13abc^2e + 2ac^2(3cd-7af)\right)}{2\sqrt{2}c^{7/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}}$$

[Out]  $((c*e - 2*b*f)*x)/c^3 + (f*x^3)/(3*c^2) + (x*(a*(b^2*c*e - 2*a*c^2*e - b^3*f - b*c*(c*d - 3*a*f)) + (b^3*c*e - 3*a*b*c^2*e - b^4*f - b^2*c*(c*d - 4*a*f) + 2*a*c^2*(c*d - a*f))*x^2)/(2*c^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((3*b^3*c*e - 13*a*b*c^2*e - 5*b^4*f - b^2*c*(c*d - 24*a*f) + 2*a*c^2*(3*c*d - 7*a*f) - (3*b^4*c*e - 19*a*b^2*c^2*e + 20*a^2*c^3*e - 5*b^5*f - b^3*c*(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(2*\text{Sqrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((3*b^3*c*e - 13*a*b*c^2*e - 5*b^4*f - b^2*c*(c*d - 24*a*f) + 2*a*c^2*(3*c*d - 7*a*f) + (3*b^4*c*e - 19*a*b^2*c^2*e + 20*a^2*c^3*e - 5*b^5*f - b^3*c*(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(2*\text{Sqrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

**Rubi [A]** time = 13.2272, antiderivative size = 550, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1668, 1676, 1166, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{20a^2c^3e-19ab^2c^2e-b^3c(cd-34af)+4abc^2(2cd-13af)+3b^4ce-5b^5f}{\sqrt{b^2-4ac}} - b^2c(cd-24af) - 13abc^2e + 2ac^2(3cd-7af)\right)}{2\sqrt{2}c^{7/2}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^6\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $((c*e - 2*b*f)*x)/c^3 + (f*x^3)/(3*c^2) + (x*(a*(b^2*c*e - 2*a*c^2*e - b^3*f - b*c*(c*d - 3*a*f)) + (b^3*c*e - 3*a*b*c^2*e - b^4*f - b^2*c*(c*d - 4*a*f) + 2*a*c^2*(c*d - a*f))*x^2)/(2*c^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((3*b^3*c*e - 13*a*b*c^2*e - 5*b^4*f - b^2*c*(c*d - 24*a*f) + 2*a*c^2*(3*c*d - 7*a*f) - (3*b^4*c*e - 19*a*b^2*c^2*e + 20*a^2*c^3*e - 5*b^5*f - b^3*c*(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])/(2*\text{Sqrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((3*b^3*c*e - 13*a*b*c^2*e - 5*b^4*f - b^2*c*(c*d - 24*a*f) + 2*a*c^2*(3*c*d - 7*a*f) + (3*b^4*c*e - 19*a*b^2*c^2*e + 20*a^2*c^3*e - 5*b^5*f - b^3*c*(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(2*\text{Sqrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]$

$$\frac{(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f)}{\sqrt{b^2 - 4*a*c}} \operatorname{ArcTan}\left[\frac{\sqrt{2}*\sqrt{c}*x}{\sqrt{b - \sqrt{b^2 - 4*a*c}}}\right] - \frac{((3*b^3*c*e - 13*a*b*c^2*e - 5*b^4*f - b^2*c*(c*d - 24*a*f) + 2*a*c^2*(3*c*d - 7*a*f) + (3*b^4*c*e - 19*a*b^2*c^2*e + 20*a^2*c^3*e - 5*b^5*f - b^3*c*(c*d - 34*a*f) + 4*a*b*c^2*(2*c*d - 13*a*f))}{\sqrt{b^2 - 4*a*c}} \operatorname{ArcTan}\left[\frac{\sqrt{2}*\sqrt{c}*x}{\sqrt{b + \sqrt{b^2 - 4*a*c}}}\right] \right]}{(2*\sqrt{2}*c^{(7/2)}*(b^2 - 4*a*c)*\sqrt{b + \sqrt{b^2 - 4*a*c}})}$$

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
  grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
  2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^6 (d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx &= \frac{x (a (b^2 ce - 2ac^2 e - b^3 f - bc(cd - 3af)) + (b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2ac^2(cd - 4af))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{x (a (b^2 ce - 2ac^2 e - b^3 f - bc(cd - 3af)) + (b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2ac^2(cd - 4af))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(ce - 2bf)x}{c^3} + \frac{fx^3}{3c^2} + \frac{x (a (b^2 ce - 2ac^2 e - b^3 f - bc(cd - 3af)) + (b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2ac^2(cd - 4af))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(ce - 2bf)x}{c^3} + \frac{fx^3}{3c^2} + \frac{x (a (b^2 ce - 2ac^2 e - b^3 f - bc(cd - 3af)) + (b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2ac^2(cd - 4af))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(ce - 2bf)x}{c^3} + \frac{fx^3}{3c^2} + \frac{x (a (b^2 ce - 2ac^2 e - b^3 f - bc(cd - 3af)) + (b^3 ce - 3abc^2 e - b^4 f - b^2 c(cd - 4af) + 2ac^2(cd - 4af))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.3131, size = 648, normalized size = 1.18

$$\frac{6\sqrt{cx}(a^2c(2c(e+fx^2)-3bf)+a(-b^2c(e+4fx^2)+b^3f+bc^2(d+3ex^2)-2c^3dx^2)+b^2x^2(b^2f-bce+c^2d))}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{3\sqrt{2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(abc^2(13e\sqrt{b^2-4ac}-52af+8cd)\right)}{(b^2-4ac)(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^6\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (12\*sqrt[c]\*(c\*e - 2\*b\*f)\*x + 4\*c^(3/2)\*f\*x^3 - (6\*sqrt[c]\*x\*(b^2\*(c^2\*d - b\*c\*e + b^2\*f)\*x^2 + a^2\*c\*(-3\*b\*f + 2\*c\*(e + f\*x^2)) + a\*(b^3\*f - 2\*c^3\*d\*x^2 + b\*c^2\*(d + 3\*e\*x^2) - b^2\*c\*(e + 4\*f\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (3\*sqrt[2]\*(-5\*b^5\*f + a\*b\*c^2\*(8\*c\*d + 13\*sqrt[b^2 - 4\*a\*c]\*e - 52\*a\*f) - b^3\*c\*(c\*d + 3\*sqrt[b^2 - 4\*a\*c]\*e - 34\*a\*f) + b^4\*(3\*c\*e + 5\*sqrt[b^2 - 4\*a\*c]\*f) + b^2\*c\*(c\*sqrt[b^2 - 4\*a\*c]\*d - 19\*a\*c\*e - 24\*a\*sqrt[b^2 - 4\*a\*c]\*f) + 2\*a\*c^2\*(-3\*c\*sqrt[b^2 - 4\*a\*c]\*d + 10\*a\*c\*e + 7\*a\*sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]])/(b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) + (3\*sqrt[2]\*(5\*b^5\*f + b^3\*c\*(c\*d - 3\*sqrt[b^2 - 4\*a\*c]\*e - 34\*a\*f) + a\*b\*c^2\*(-8\*c\*d + 13\*sqrt[b^2

$$- 4*a*c]*e + 52*a*f) + b^4*(-3*c*e + 5*sqrt[b^2 - 4*a*c]*f) + b^2*c*(c*sqrt[b^2 - 4*a*c]*d + 19*a*c*e - 24*a*sqrt[b^2 - 4*a*c]*f) - 2*a*c^2*(3*c*sqrt[b^2 - 4*a*c]*d + 10*a*c*e - 7*a*sqrt[b^2 - 4*a*c]*f))*ArcTan[(sqrt[2]*sqrt[c]*x)/sqrt[b + sqrt[b^2 - 4*a*c]]]/((b^2 - 4*a*c)^(3/2)*sqrt[b + sqrt[b^2 - 4*a*c]])/(12*c^(7/2))$$

**Maple [B]** time = 0.053, size = 2558, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^6*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x)$

[Out] 
$$\begin{aligned} & -13/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)} \\ & *2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*a^2*b*f+17/2/c^2/(4*a*c-b^2) \\ & /(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*a*b^3*f-19/4/c/(4*a*c-b^2) \\ & )/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*a*b^2*e-13/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/ \\ & ((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}) \\ & )*a^2*b*f+17/2/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}* \\ & arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})*a*b^3*f-19/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}/ \\ & ((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}) \\ & )*a*b^2*e+1/c/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*x*e+1/c/(c*x^4+b*x^2+a) \\ & /((4*a*c-b^2)*x^3*a^2*f-1/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^3*e+1/2/c/(c*x^4+b*x^2+a) \\ & /((4*a*c-b^2)*x^3*b^2*d+1/2/c^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^4*f+3/2/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})*a*d-3/2/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}) \\ & )*a*d+1/c^2*e*x-2/c^3*b*f*x-1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*d+1/3*f*x^3/c^2+7/2/c/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*a^2*f+5/4/c^3/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*b^4*f-3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*b^3*e+1/4/c/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)}*arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)-b}*c)^{(1/2)})*b^2*d-7/2/c/(4*a*c-b^2)*2^{(1/2)}/ \\ & ((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)})*a^2*f+2/(4*a*c-b^2)/ \\ & (-4*a*c+b^2)^{(1/2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}*arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2))*c)^{(1/2)}) \\ & )*a*b*d+2/(4 \end{aligned}$$

$$\begin{aligned}
& *a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctan \\
& \operatorname{nh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b*d-5/4/c^3/(4*a*c-b^2)/ \\
& (-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^5*f+3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^4*e-1/4/c/ \\
& (4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^3*d-5/4/c^3/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^5*f+3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^4*e-1/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^3*d-6/c^2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b^2*f+13/4/c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b^2*f-13/4/c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}* \\
& \arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*a*b*e+5/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}* \\
& \arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*a^2*e+5/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}* \\
& \operatorname{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a^2*e+1/2/c^3/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b^3*f-2/c^2/(c*x^4+b*x^2+a)/ \\
& (4*a*c-b^2)*x^3*a*b^2*f+3/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*b*e-3/2/c^2/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*x*b*f-1/2/c^2/ \\
& (c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b^2*e+1/2/c/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b*d-5/4/c^3/(4*a*c-b^2)*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^4*f+3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^3*e-1/4/c/(4*a*c-b^2)*2^{(1/2)}/ \\
& ((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^2*d
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(f*x**4+e*x**2+d)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```



$$3.69 \quad \int \frac{x^4(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=436

$$\frac{x(a(-2acf + b^2f - bce + 2c^2d) - x^2(-bc(cd - 3af) - 2ac^2e + b^2ce + b^3(-f)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{b^2c(19af+cd)-8abc}{2\sqrt{2}}\right)}{2\sqrt{2}}$$

```
[Out] (f*x)/c^2 + (x*(a*(2*c^2*d - b*c*e + b^2*f - 2*a*c*f) - (b^2*c*e - 2*a*c^2*
e - b^3*f - b*c*(c*d - 3*a*f))*x^2))/(2*c^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^
4)) + ((b^2*c*e - 6*a*c^2*e - 3*b^3*f + b*c*(c*d + 13*a*f) - (b^3*c*e - 8*a
*b*c^2*e - 3*b^4*f + 4*a*c^2*(c*d - 5*a*f) + b^2*c*(c*d + 19*a*f))/Sqrt[b^2
- 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(2*Sqrt
[2]*c^(5/2)*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + ((b^2*c*e - 6*a*c^
2*e - 3*b^3*f + b*c*(c*d + 13*a*f) + (b^3*c*e - 8*a*b*c^2*e - 3*b^4*f + 4*a
*c^2*(c*d - 5*a*f) + b^2*c*(c*d + 19*a*f))/Sqrt[b^2 - 4*a*c])*ArcTan[(Sqrt[
2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*c^(5/2)*(b^2 - 4*a*c
)*Sqrt[b + Sqrt[b^2 - 4*a*c]])
```

**Rubi [A]** time = 5.54118, antiderivative size = 436, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1668, 1676, 1166, 205}

$$\frac{x(a(-2acf + b^2f - bce + 2c^2d) - x^2(-bc(cd - 3af) - 2ac^2e + b^2ce + b^3(-f)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-\frac{b^2c(19af+cd)-8abc}{2\sqrt{2}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

```
[Out] (f*x)/c^2 + (x*(a*(2*c^2*d - b*c*e + b^2*f - 2*a*c*f) - (b^2*c*e - 2*a*c^2*
e - b^3*f - b*c*(c*d - 3*a*f))*x^2))/(2*c^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^
4)) + ((b^2*c*e - 6*a*c^2*e - 3*b^3*f + b*c*(c*d + 13*a*f) - (b^3*c*e - 8*a
*b*c^2*e - 3*b^4*f + 4*a*c^2*(c*d - 5*a*f) + b^2*c*(c*d + 19*a*f))/Sqrt[b^2
- 4*a*c])*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]])/(2*Sqrt
[2]*c^(5/2)*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) + ((b^2*c*e - 6*a*c^
2*e - 3*b^3*f + b*c*(c*d + 13*a*f) + (b^3*c*e - 8*a*b*c^2*e - 3*b^4*f + 4*a
```

$$*c^2*(c*d - 5*a*f) + b^2*c*(c*d + 19*a*f))/\text{Sqrt}[b^2 - 4*a*c]]*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(5/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$$

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandInte
  grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
  2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx &= \frac{x(a(2c^2d-bce+b^2f-2acf) - (b^2ce-2ac^2e-b^3f-bc(cd-3af))x^2)}{2c^2(b^2-4ac)(a+bx^2+cx^4)} - \int \frac{\frac{a^2(2c^2d+b^2f-c(be+2ac^2))}{c^2}}{a+bx^2+cx^4} dx \\
&= \frac{x(a(2c^2d-bce+b^2f-2acf) - (b^2ce-2ac^2e-b^3f-bc(cd-3af))x^2)}{2c^2(b^2-4ac)(a+bx^2+cx^4)} - \int \left( -\frac{2a(b^2-4ac)f}{c^2} \right) \frac{1}{a+bx^2+cx^4} dx \\
&= \frac{fx}{c^2} + \frac{x(a(2c^2d-bce+b^2f-2acf) - (b^2ce-2ac^2e-b^3f-bc(cd-3af))x^2)}{2c^2(b^2-4ac)(a+bx^2+cx^4)} - \int \frac{a^2(2c^2d-b^2f-c(be+2ac^2))}{c^2(a+bx^2+cx^4)} dx \\
&= \frac{fx}{c^2} + \frac{x(a(2c^2d-bce+b^2f-2acf) - (b^2ce-2ac^2e-b^3f-bc(cd-3af))x^2)}{2c^2(b^2-4ac)(a+bx^2+cx^4)} + \frac{(b^2ce-6ac^2e-b^3f-bc(cd-3af))x^2}{2c^2(b^2-4ac)(a+bx^2+cx^4)} \\
&= \frac{fx}{c^2} + \frac{x(a(2c^2d-bce+b^2f-2acf) - (b^2ce-2ac^2e-b^3f-bc(cd-3af))x^2)}{2c^2(b^2-4ac)(a+bx^2+cx^4)} + \frac{(b^2ce-6ac^2e-b^3f-bc(cd-3af))x^2}{2c^2(b^2-4ac)(a+bx^2+cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 1.73961, size = 511, normalized size = 1.17

$$\frac{2\sqrt{cx}(-2a^2cf+a(b^2f-bc(e+3fx^2))+2c^2(d+ex^2))+bx^2(b^2f-bce+c^2d)}{(b^2-4ac)(a+bx^2+cx^4)} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(2ac^2(3e\sqrt{b^2-4ac}-10af+2cd)+b^2c(-e\sqrt{b^2-4ac}+19af+cd)-b^3f\right)}{(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (4\*sqrt[c]\*f\*x + (2\*sqrt[c]\*x\*(-2\*a^2\*c\*f + b\*(c^2\*d - b\*c\*e + b^2\*f))\*x^2 + a\*(b^2\*f + 2\*c^2\*(d + e\*x^2) - b\*c\*(e + 3\*f\*x^2)))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (sqrt[2]\*(-3\*b^4\*f + 2\*a\*c^2\*(2\*c\*d + 3\*sqrt[b^2 - 4\*a\*c]\*e - 10\*a\*f) + b^2\*c\*(c\*d - sqrt[b^2 - 4\*a\*c]\*e + 19\*a\*f) + b^3\*(c\*e + 3\*sqrt[b^2 - 4\*a\*c]\*f) - b\*c\*(c\*sqrt[b^2 - 4\*a\*c]\*d + 8\*a\*c\*e + 13\*a\*sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]]]/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) - (sqrt[2]\*(3\*b^4\*f + 2\*a\*c^2\*(-2\*c\*d + 3\*sqrt[b^2 - 4\*a\*c]\*e + 10\*a\*f) - b^2\*c\*(c\*d + sqrt[b^2 - 4\*a\*c]\*e + 19\*a\*f) + b^3\*(-(c\*e) + 3\*sqrt[b^2 - 4\*a\*c]\*f) - b\*c\*(c\*sqrt[b^2 - 4\*a\*c]\*d - 8\*a\*c\*e + 13\*a\*sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b

$$+ \text{Sqrt}[b^2 - 4*a*c]])/((b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]))/(4*c^{(5/2)})$$

**Maple [B]** time = 0.042, size = 1977, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\begin{aligned} & -3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^3*f+1/4/c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^2*e+5/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a^2*f-1/4/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^2*d+5/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*a^2*f-1/4/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*b^2*d+3/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*b*f+1/2/c/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b*e-1/2/c^2/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b^2*f+3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*b^3*f-1/4/c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*b^2*e-19/4/c/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b^2*f-19/4/c/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*a*b^2*f-1/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^3*f+1/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^2*e+1/c/(c*x^4+b*x^2+a)*a^2/(4*a*c-b^2)*x*f+1/4/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*d+3/2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*a*e-1/4/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)})*b*d-3/2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*e-1/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*d-1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*e-1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b*d+f*x/c^2+3/4/c^2/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^4*f-1/4/c/(4*a*c-b^2)/( -4*a*c+b^2)^{(1/2)}*2^{(1/2)}/$$

$$\begin{aligned} & \left( (-4ac+b^2)^{1/2} - b \right) c^{1/2} \operatorname{arctanh}\left( \frac{cx^2}{(-4ac+b^2)^{1/2} - b} \right) / \left( (-4ac+b^2)^{1/2} - b \right) c^{1/2} \\ & * b^3 e^{-13/4} / c / (4ac - b^2)^{1/2} / \left( (b + (-4ac+b^2)^{1/2}) c \right)^{1/2} \\ & * \operatorname{arctan}\left( \frac{cx^2}{(b + (-4ac+b^2)^{1/2}) c} \right) * a b f - c / (4ac - b^2)^{1/2} \\ & / (-4ac+b^2)^{1/2} * 2^{1/2} / \left( (b + (-4ac+b^2)^{1/2}) c \right)^{1/2} * \operatorname{arctan}\left( \frac{cx^2}{(b + (-4ac+b^2)^{1/2}) c} \right) \\ & * a d + 3/4 / c^2 / (4ac - b^2)^{1/2} / (-4ac+b^2)^{1/2} * 2^{1/2} / \left( (b + (-4ac+b^2)^{1/2}) c \right)^{1/2} \\ & * \operatorname{arctan}\left( \frac{cx^2}{(b + (-4ac+b^2)^{1/2}) c} \right) * b^4 f - 1/4 / c / (4ac - b^2)^{1/2} / (-4ac+b^2)^{1/2} * 2^{1/2} \\ & / \left( (b + (-4ac+b^2)^{1/2}) c \right)^{1/2} * \operatorname{arctan}\left( \frac{cx^2}{(b + (-4ac+b^2)^{1/2}) c} \right) * b^3 e + 2 / (4ac - b^2)^{1/2} \\ & / (-4ac+b^2)^{1/2} * 2^{1/2} / \left( (-4ac+b^2)^{1/2} - b \right) c^{1/2} * \operatorname{arctanh}\left( \frac{cx^2}{(-4ac+b^2)^{1/2} - b} \right) \\ & * a b e + 2 / (4ac - b^2)^{1/2} / (-4ac+b^2)^{1/2} * 2^{1/2} / \left( (b + (-4ac+b^2)^{1/2}) c \right)^{1/2} \\ & * \operatorname{arctan}\left( \frac{cx^2}{(b + (-4ac+b^2)^{1/2}) c} \right) * a b e + 13/4 / c / (4ac - b^2)^{1/2} \\ & * 2^{1/2} / \left( (-4ac+b^2)^{1/2} - b \right) c^{1/2} * \operatorname{arctanh}\left( \frac{cx^2}{(-4ac+b^2)^{1/2} - b} \right) \\ & * a b f - c / (4ac - b^2)^{1/2} / (-4ac+b^2)^{1/2} * 2^{1/2} / \left( (-4ac+b^2)^{1/2} - b \right) c^{1/2} \\ & * \operatorname{arctanh}\left( \frac{cx^2}{(-4ac+b^2)^{1/2} - b} \right) * a d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(bc^2d - (b^2c - 2ac^2)e + (b^3 - 3abc)f)x^3 + (2ac^2d - abce + (ab^2 - 2a^2c)f)x}{2(ab^2c^2 - 4a^2c^3 + (b^2c^3 - 4ac^4)x^4 + (b^3c^2 - 4abc^3)x^2)} + \frac{fx}{c^2} + \frac{-\int \frac{2ac^2d - abce - (bc^2d + (b^2c - 6ac^2)e - (3b^3 - 3abc)f)x^3 + (2ac^2d - abce + (ab^2 - 2a^2c)f)x}{cx^4 + bx^2} dx}{2(b^2c^2 - 4a^2c^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*((b\*c^2\*d - (b^2\*c - 2\*a\*c^2)\*e + (b^3 - 3\*a\*b\*c)\*f)\*x^3 + (2\*a\*c^2\*d - a\*b\*c\*e + (a\*b^2 - 2\*a^2\*c)\*f)\*x)/(a\*b^2\*c^2 - 4\*a^2\*c^3 + (b^2\*c^3 - 4\*a\*c^4)\*x^4 + (b^3\*c^2 - 4\*a\*b\*c^3)\*x^2) + f\*x/c^2 + 1/2\*integrate(-(2\*a\*c^2\*d - a\*b\*c\*e - (b\*c^2\*d + (b^2\*c - 6\*a\*c^2)\*e - (3\*b^3 - 13\*a\*b\*c)\*f)\*x^2 + (3\*a\*b^2 - 10\*a^2\*c)\*f)/(c\*x^4 + b\*x^2 + a), x)/(b^2\*c^2 - 4\*a\*c^3)

**Fricas [B]** time = 75.8106, size = 26999, normalized size = 61.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

```

[Out] 1/4*(4*(b^2*c - 4*a*c^2)*f*x^5 + 2*(b*c^2*d - (b^2*c - 2*a*c^2)*e + (3*b^3
- 11*a*b*c)*f)*x^3 + sqrt(1/2)*(a*b^2*c^2 - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)
*x^4 + (b^3*c^2 - 4*a*b*c^3)*x^2)*sqrt(-((b^3*c^4 + 12*a*b*c^5)*d^2 + 2*(b^
4*c^3 - 6*a*b^2*c^4 - 24*a^2*c^5)*d*e + (b^5*c^2 - 15*a*b^3*c^3 + 60*a^2*b*
c^4)*e^2 + (9*b^7 - 105*a*b^5*c + 385*a^2*b^3*c^2 - 420*a^3*b*c^3)*f^2 - 2*
((3*b^5*c^2 - 13*a*b^3*c^3 - 12*a^2*b*c^4)*d + (3*b^6*c - 40*a*b^4*c^2 + 15
0*a^2*b^2*c^3 - 120*a^3*c^4)*e)*f + (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^
7 - 64*a^3*c^8)*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^2*c^6 - 3*a*c^7)*d^2*e
^2 + 4*(b^3*c^5 - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*b^2*c^5 + 81*a^2*c^6)*
e^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4
*c^4)*f^4 - 4*((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*b^2*c^4 + 125*a^3*c^5)
*d + (27*b^7*c - 351*a*b^5*c^2 + 1197*a^2*b^3*c^3 - 550*a^3*b*c^4)*e)*f^3 +
6*((9*b^4*c^4 + 3*a*b^2*c^5 + 25*a^2*c^6)*d^2 + 2*(9*b^5*c^3 - 51*a*b^3*c^
4 - 65*a^2*b*c^5)*d*e + (9*b^6*c^2 - 132*a*b^4*c^3 + 484*a^2*b^2*c^4 - 75*a
^3*c^5)*e^2)*f^2 - 4*((3*b^2*c^6 + 5*a*c^7)*d^3 + 3*(3*b^3*c^5 - 4*a*b*c^6)
*d^2*e + 3*(3*b^4*c^4 - 22*a*b^2*c^5 - 15*a^2*c^6)*d*e^2 + (3*b^5*c^3 - 49*
a*b^3*c^4 + 198*a^2*b*c^5)*e^3)*f)/(b^6*c^10 - 12*a*b^4*c^11 + 48*a^2*b^2*c
^12 - 64*a^3*c^13))/((b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8)
)*log(((3*b^2*c^6 + 4*a*c^7)*d^4 + (9*b^3*c^5 - 20*a*b*c^6)*d^3*e + 3*(3*b^
4*c^4 - 28*a*b^2*c^5)*d^2*e^2 + (3*b^5*c^3 - 65*a*b^3*c^4 + 324*a^2*b*c^5)*
d*e^3 - (5*a*b^4*c^3 - 81*a^2*b^2*c^4 + 324*a^3*c^5)*e^4 - (189*a^2*b^6 - 1
971*a^3*b^4*c + 5625*a^4*b^2*c^2 - 2500*a^5*c^3)*f^4 - ((81*b^8 - 945*a*b^6
*c + 3213*a^2*b^4*c^2 - 3000*a^3*b^2*c^3 + 2000*a^4*c^4)*d - (135*a*b^7 - 1
323*a^2*b^5*c + 2727*a^3*b^3*c^2 + 2500*a^4*b*c^3)*e)*f^3 + 3*((27*b^6*c^2
- 117*a*b^4*c^3 - 150*a^2*b^2*c^4 + 200*a^3*c^5)*d^2 + (27*b^7*c - 405*a*b^
5*c^2 + 1461*a^2*b^3*c^3 - 500*a^3*b*c^4)*d*e - (45*a*b^6*c - 558*a^2*b^4*c
^2 + 1672*a^3*b^2*c^3)*e^2)*f^2 - ((27*b^4*c^4 + 80*a^2*c^6)*d^3 + 3*(18*b^
5*c^3 - 123*a*b^3*c^4 - 100*a^2*b*c^5)*d^2*e + 3*(9*b^6*c^2 - 165*a*b^4*c^3
+ 692*a^2*b^2*c^4)*d*e^2 - (45*a*b^5*c^2 - 647*a^2*b^3*c^3 + 2268*a^3*b*c^
4)*e^3)*f)*x + 1/2*sqrt(1/2)*(2*(b^4*c^6 - 8*a*b^2*c^7 + 16*a^2*c^8)*d^3 +
3*(b^5*c^5 - 8*a*b^3*c^6 + 16*a^2*b*c^7)*d^2*e - 18*(a*b^4*c^5 - 8*a^2*b^2*
c^6 + 16*a^3*c^7)*d*e^2 - (b^7*c^3 - 17*a*b^5*c^4 + 88*a^2*b^3*c^5 - 144*a^
3*b*c^6)*e^3 + (27*b^10 - 459*a*b^8*c + 2961*a^2*b^6*c^2 - 8818*a^3*b^4*c^3
+ 11360*a^4*b^2*c^4 - 4000*a^5*c^5)*f^3 - 3*(2*(12*a*b^6*c^3 - 121*a^2*b^4
*c^4 + 392*a^3*b^2*c^5 - 400*a^4*c^6)*d + (9*b^9*c - 153*a*b^7*c^2 + 947*a^
2*b^5*c^3 - 2536*a^3*b^3*c^4 + 2480*a^4*b*c^5)*e)*f^2 - 3*((3*b^6*c^4 - 14*
a*b^4*c^5 - 32*a^2*b^2*c^6 + 160*a^3*c^7)*d^2 - 26*(a*b^5*c^4 - 8*a^2*b^3*c
^5 + 16*a^3*b*c^6)*d*e - 3*(b^8*c^2 - 17*a*b^6*c^3 + 98*a^2*b^4*c^4 - 224*a
^3*b^2*c^5 + 160*a^4*c^6)*e^2)*f + (4*(b^7*c^7 - 12*a*b^5*c^8 + 48*a^2*b^3*
c^9 - 64*a^3*b*c^10)*d + (b^8*c^6 - 24*a*b^6*c^7 + 192*a^2*b^4*c^8 - 640*a^
3*b^2*c^9 + 768*a^4*c^10)*e - (3*b^9*c^5 - 52*a*b^7*c^6 + 336*a^2*b^5*c^7 -
960*a^3*b^3*c^8 + 1024*a^4*b*c^9)*f)*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^
2*c^6 - 3*a*c^7)*d^2*e^2 + 4*(b^3*c^5 - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*
b^2*c^5 + 81*a^2*c^6)*e^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550
*a^3*b^2*c^3 + 625*a^4*c^4)*f^4 - 4*((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*

```

$$\begin{aligned}
& b^2c^4 + 125a^3c^5)d + (27b^7c - 351a^2b^5c^2 + 1197a^2b^3c^3 - 550a^3b^2c^4)e) * f^3 + 6*((9b^4c^4 + 3a^2b^2c^5 + 25a^2c^6)*d^2 + 2*(9b^5c^3 - 51a^2b^3c^4 - 65a^2b^2c^5)*d*e + (9b^6c^2 - 132a^2b^4c^3 + 484a^2b^2c^4 - 75a^3c^5)*e^2)*f^2 - 4*((3b^2c^6 + 5a^2c^7)*d^3 + 3*(3b^3c^5 - 4a^2b^2c^6)*d^2*e + 3*(3b^4c^4 - 22a^2b^2c^5 - 15a^2c^6)*d*e^2 + (3b^5c^3 - 49a^2b^3c^4 + 198a^2b^2c^5)*e^3)*f)/(b^6c^10 - 12a^2b^4c^11 + 48a^2b^2c^12 - 64a^3c^13)) * sqrt(-((b^3c^4 + 12a^2b^2c^5)*d^2 + 2*(b^4c^3 - 6a^2b^2c^4 - 24a^2c^5)*d*e + (b^5c^2 - 15a^2b^3c^3 + 60a^2b^2c^4)*e^2 + (9b^7 - 105a^2b^5c + 385a^2b^3c^2 - 420a^3b^2c^3)*f^2 - 2*((3b^5c^2 - 13a^2b^3c^3 - 12a^2b^2c^4)*d + (3b^6c - 40a^2b^4c^2 + 150a^2b^2c^3 - 120a^3c^4)*e)*f + (b^6c^5 - 12a^2b^4c^6 + 48a^2b^2c^7 - 64a^3c^8)*sqrt((c^8*d^4 + 4b^2c^7*d^3*e + 6*(b^2c^6 - 3a^2c^7)*d^2*e^2 + 4*(b^3c^5 - 9a^2b^2c^6)*d*e^3 + (b^4c^4 - 18a^2b^2c^5 + 81a^2c^6)*e^4 + (81b^8 - 918a^2b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)*f^4 - 4*((27b^6c^2 - 108a^2b^4c^3 - 180a^2b^2c^4 + 125a^3c^5)*d + (27b^7c - 351a^2b^5c^2 + 1197a^2b^3c^3 - 550a^3b^2c^4)*e)*f^3 + 6*((9b^4c^4 + 3a^2b^2c^5 + 25a^2c^6)*d^2 + 2*(9b^5c^3 - 51a^2b^3c^4 - 65a^2b^2c^5)*d*e + (9b^6c^2 - 132a^2b^4c^3 + 484a^2b^2c^4 - 75a^3c^5)*e^2)*f^2 - 4*((3b^2c^6 + 5a^2c^7)*d^3 + 3*(3b^3c^5 - 4a^2b^2c^6)*d^2*e + 3*(3b^4c^4 - 22a^2b^2c^5 - 15a^2c^6)*d*e^2 + (3b^5c^3 - 49a^2b^3c^4 + 198a^2b^2c^5)*e^3)*f)/(b^6c^10 - 12a^2b^4c^11 + 48a^2b^2c^12 - 64a^3c^13)))/(b^6c^5 - 12a^2b^4c^6 + 48a^2b^2c^7 - 64a^3c^8)) - sqrt(1/2)*(a^2b^2c^2 - 4a^2c^3 + (b^2c^3 - 4a^2c^4)*x^4 + (b^3c^2 - 4a^2b^2c^3)*x^2)*sqrt(-((b^3c^4 + 12a^2b^2c^5)*d^2 + 2*(b^4c^3 - 6a^2b^2c^4 - 24a^2c^5)*d*e + (b^5c^2 - 15a^2b^3c^3 + 60a^2b^2c^4)*e^2 + (9b^7 - 105a^2b^5c + 385a^2b^3c^2 - 420a^3b^2c^3)*f^2 - 2*((3b^5c^2 - 13a^2b^3c^3 - 12a^2b^2c^4)*d + (3b^6c - 40a^2b^4c^2 + 150a^2b^2c^3 - 120a^3c^4)*e)*f + (b^6c^5 - 12a^2b^4c^6 + 48a^2b^2c^7 - 64a^3c^8)*sqrt((c^8*d^4 + 4b^2c^7*d^3*e + 6*(b^2c^6 - 3a^2c^7)*d^2*e^2 + 4*(b^3c^5 - 9a^2b^2c^6)*d*e^3 + (b^4c^4 - 18a^2b^2c^5 + 81a^2c^6)*e^4 + (81b^8 - 918a^2b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)*f^4 - 4*((27b^6c^2 - 108a^2b^4c^3 - 180a^2b^2c^4 + 125a^3c^5)*d + (27b^7c - 351a^2b^5c^2 + 1197a^2b^3c^3 - 550a^3b^2c^4)*e)*f^3 + 6*((9b^4c^4 + 3a^2b^2c^5 + 25a^2c^6)*d^2 + 2*(9b^5c^3 - 51a^2b^3c^4 - 65a^2b^2c^5)*d*e + (9b^6c^2 - 132a^2b^4c^3 + 484a^2b^2c^4 - 75a^3c^5)*e^2)*f^2 - 4*((3b^2c^6 + 5a^2c^7)*d^3 + 3*(3b^3c^5 - 4a^2b^2c^6)*d^2*e + 3*(3b^4c^4 - 22a^2b^2c^5 - 15a^2c^6)*d*e^2 + (3b^5c^3 - 49a^2b^3c^4 + 198a^2b^2c^5)*e^3)*f)/(b^6c^10 - 12a^2b^4c^11 + 48a^2b^2c^12 - 64a^3c^13)))/(b^6c^5 - 12a^2b^4c^6 + 48a^2b^2c^7 - 64a^3c^8))*log(((3b^2c^6 + 4a^2c^7)*d^4 + (9b^3c^5 - 20a^2b^2c^6)*d^3*e + 3*(3b^4c^4 - 28a^2b^2c^5)*d^2*e^2 + (3b^5c^3 - 65a^2b^3c^4 + 324a^2b^2c^5)*d*e^3 - (5a^2b^4c^3 - 81a^2b^2c^4 + 324a^3c^5)*e^4 - (189a^2b^6 - 1971a^3b^4c + 5625a^4b^2c^2 - 2500a^5c^3)*f^4 - ((81b^8 - 945a^2b^6c + 3213a^2b^4c^2 - 3000a^3b^2c^3 + 2000a^4c^4)*d - (135a^2b^7 - 1323a^2b^5c + 2727a^3b^3c^2 + 2500a^4b^2c^3)*e)*f^3 + 3*((27b^6c^2 - 117a
\end{aligned}$$

$$\begin{aligned}
& *b^4*c^3 - 150*a^2*b^2*c^4 + 200*a^3*c^5)*d^2 + (27*b^7*c - 405*a*b^5*c^2 + \\
& 1461*a^2*b^3*c^3 - 500*a^3*b*c^4)*d*e - (45*a*b^6*c - 558*a^2*b^4*c^2 + 16 \\
& 72*a^3*b^2*c^3)*e^2)*f^2 - ((27*b^4*c^4 + 80*a^2*c^6)*d^3 + 3*(18*b^5*c^3 - \\
& 123*a*b^3*c^4 - 100*a^2*b*c^5)*d^2*e + 3*(9*b^6*c^2 - 165*a*b^4*c^3 + 692* \\
& a^2*b^2*c^4)*d*e^2 - (45*a*b^5*c^2 - 647*a^2*b^3*c^3 + 2268*a^3*b*c^4)*e^3) \\
& *f)*x - 1/2*sqrt(1/2)*(2*(b^4*c^6 - 8*a*b^2*c^7 + 16*a^2*c^8)*d^3 + 3*(b^5* \\
& c^5 - 8*a*b^3*c^6 + 16*a^2*b*c^7)*d^2*e - 18*(a*b^4*c^5 - 8*a^2*b^2*c^6 + 1 \\
& 6*a^3*c^7)*d*e^2 - (b^7*c^3 - 17*a*b^5*c^4 + 88*a^2*b^3*c^5 - 144*a^3*b*c^6 \\
& )*e^3 + (27*b^10 - 459*a*b^8*c + 2961*a^2*b^6*c^2 - 8818*a^3*b^4*c^3 + 1136 \\
& 0*a^4*b^2*c^4 - 4000*a^5*c^5)*f^3 - 3*(2*(12*a*b^6*c^3 - 121*a^2*b^4*c^4 + \\
& 392*a^3*b^2*c^5 - 400*a^4*c^6)*d + (9*b^9*c - 153*a*b^7*c^2 + 947*a^2*b^5*c \\
& ^3 - 2536*a^3*b^3*c^4 + 2480*a^4*b*c^5)*e)*f^2 - 3*((3*b^6*c^4 - 14*a*b^4*c \\
& ^5 - 32*a^2*b^2*c^6 + 160*a^3*c^7)*d^2 - 26*(a*b^5*c^4 - 8*a^2*b^3*c^5 + 16 \\
& *a^3*b*c^6)*d*e - 3*(b^8*c^2 - 17*a*b^6*c^3 + 98*a^2*b^4*c^4 - 224*a^3*b^2* \\
& c^5 + 160*a^4*c^6)*e^2)*f + (4*(b^7*c^7 - 12*a*b^5*c^8 + 48*a^2*b^3*c^9 - 6 \\
& 4*a^3*b*c^10)*d + (b^8*c^6 - 24*a*b^6*c^7 + 192*a^2*b^4*c^8 - 640*a^3*b^2*c \\
& ^9 + 768*a^4*c^10)*e - (3*b^9*c^5 - 52*a*b^7*c^6 + 336*a^2*b^5*c^7 - 960*a^ \\
& 3*b^3*c^8 + 1024*a^4*b*c^9)*f)*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^2*c^6 - \\
& 3*a*c^7)*d^2*e^2 + 4*(b^3*c^5 - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*b^2*c^5 \\
& + 81*a^2*c^6)*e^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^ \\
& 2*c^3 + 625*a^4*c^4)*f^4 - 4*((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*b^2*c^4 \\
& + 125*a^3*c^5)*d + (27*b^7*c - 351*a*b^5*c^2 + 1197*a^2*b^3*c^3 - 550*a^3* \\
& b*c^4)*e)*f^3 + 6*((9*b^4*c^4 + 3*a*b^2*c^5 + 25*a^2*c^6)*d^2 + 2*(9*b^5*c^ \\
& 3 - 51*a*b^3*c^4 - 65*a^2*b*c^5)*d*e + (9*b^6*c^2 - 132*a*b^4*c^3 + 484*a^2 \\
& *b^2*c^4 - 75*a^3*c^5)*e^2)*f^2 - 4*((3*b^2*c^6 + 5*a*c^7)*d^3 + 3*(3*b^3*c^ \\
& ^5 - 4*a*b*c^6)*d^2*e + 3*(3*b^4*c^4 - 22*a*b^2*c^5 - 15*a^2*c^6)*d*e^2 + ( \\
& 3*b^5*c^3 - 49*a*b^3*c^4 + 198*a^2*b*c^5)*e^3)*f)/(b^6*c^10 - 12*a*b^4*c^11 \\
& + 48*a^2*b^2*c^12 - 64*a^3*c^13))*sqrt(-(b^3*c^4 + 12*a*b*c^5)*d^2 + 2*( \\
& b^4*c^3 - 6*a*b^2*c^4 - 24*a^2*c^5)*d*e + (b^5*c^2 - 15*a*b^3*c^3 + 60*a^2* \\
& b*c^4)*e^2 + (9*b^7 - 105*a*b^5*c + 385*a^2*b^3*c^2 - 420*a^3*b*c^3)*f^2 - \\
& 2*((3*b^5*c^2 - 13*a*b^3*c^3 - 12*a^2*b*c^4)*d + (3*b^6*c - 40*a*b^4*c^2 + \\
& 150*a^2*b^2*c^3 - 120*a^3*c^4)*e)*f + (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2* \\
& c^7 - 64*a^3*c^8)*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^2*c^6 - 3*a*c^7)*d^2 \\
& *e^2 + 4*(b^3*c^5 - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*b^2*c^5 + 81*a^2*c^6 \\
& )*e^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a \\
& ^4*c^4)*f^4 - 4*((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*b^2*c^4 + 125*a^3*c^ \\
& 5)*d + (27*b^7*c - 351*a*b^5*c^2 + 1197*a^2*b^3*c^3 - 550*a^3*b*c^4)*e)*f^3 \\
& + 6*((9*b^4*c^4 + 3*a*b^2*c^5 + 25*a^2*c^6)*d^2 + 2*(9*b^5*c^3 - 51*a*b^3* \\
& c^4 - 65*a^2*b*c^5)*d*e + (9*b^6*c^2 - 132*a*b^4*c^3 + 484*a^2*b^2*c^4 - 75 \\
& *a^3*c^5)*e^2)*f^2 - 4*((3*b^2*c^6 + 5*a*c^7)*d^3 + 3*(3*b^3*c^5 - 4*a*b*c^ \\
& 6)*d^2*e + 3*(3*b^4*c^4 - 22*a*b^2*c^5 - 15*a^2*c^6)*d*e^2 + (3*b^5*c^3 - 4 \\
& 9*a*b^3*c^4 + 198*a^2*b*c^5)*e^3)*f)/(b^6*c^10 - 12*a*b^4*c^11 + 48*a^2*b^2 \\
& *c^12 - 64*a^3*c^13)))/(b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^ \\
& 8))) + sqrt(1/2)*(a*b^2*c^2 - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)*x^4 + (b^3*c^ \\
& 2 - 4*a*b*c^3)*x^2)*sqrt(-(b^3*c^4 + 12*a*b*c^5)*d^2 + 2*(b^4*c^3 - 6*a*b^
\end{aligned}$$



$$\begin{aligned}
& 2*c^4 - 24*a^2*c^5)*d*e + (b^5*c^2 - 15*a*b^3*c^3 + 60*a^2*b*c^4)*e^2 + (9* \\
& b^7 - 105*a*b^5*c + 385*a^2*b^3*c^2 - 420*a^3*b*c^3)*f^2 - 2*((3*b^5*c^2 - \\
& 13*a*b^3*c^3 - 12*a^2*b*c^4)*d + (3*b^6*c - 40*a*b^4*c^2 + 150*a^2*b^2*c^3 \\
& - 120*a^3*c^4)*e)*f - (b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8 \\
& )*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^2*c^6 - 3*a*c^7)*d^2*e^2 + 4*(b^3*c^5 \\
& - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*b^2*c^5 + 81*a^2*c^6)*e^4 + (81*b^8 \\
& - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4*c^4)*f^4 - 4* \\
& ((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*b^2*c^4 + 125*a^3*c^5)*d + (27*b^7*c \\
& - 351*a*b^5*c^2 + 1197*a^2*b^3*c^3 - 550*a^3*b*c^4)*e)*f^3 + 6*((9*b^4*c^4 \\
& + 3*a*b^2*c^5 + 25*a^2*c^6)*d^2 + 2*(9*b^5*c^3 - 51*a*b^3*c^4 - 65*a^2*b*c \\
& ^5)*d*e + (9*b^6*c^2 - 132*a*b^4*c^3 + 484*a^2*b^2*c^4 - 75*a^3*c^5)*e^2)*f \\
& ^2 - 4*((3*b^2*c^6 + 5*a*c^7)*d^3 + 3*(3*b^3*c^5 - 4*a*b*c^6)*d^2*e + 3*(3* \\
& b^4*c^4 - 22*a*b^2*c^5 - 15*a^2*c^6)*d*e^2 + (3*b^5*c^3 - 49*a*b^3*c^4 + 19 \\
& 8*a^2*b*c^5)*e^3)*f)/(b^6*c^10 - 12*a*b^4*c^11 + 48*a^2*b^2*c^12 - 64*a^3*c \\
& ^13))/((b^6*c^5 - 12*a*b^4*c^6 + 48*a^2*b^2*c^7 - 64*a^3*c^8)*log(((3*b^2* \\
& c^6 + 4*a*c^7)*d^4 + (9*b^3*c^5 - 20*a*b*c^6)*d^3*e + 3*(3*b^4*c^4 - 28*a*b \\
& ^2*c^5)*d^2*e^2 + (3*b^5*c^3 - 65*a*b^3*c^4 + 324*a^2*b*c^5)*d*e^3 - (5*a*b \\
& ^4*c^3 - 81*a^2*b^2*c^4 + 324*a^3*c^5)*e^4 - (189*a^2*b^6 - 1971*a^3*b^4*c \\
& + 5625*a^4*b^2*c^2 - 2500*a^5*c^3)*f^4 - ((81*b^8 - 945*a*b^6*c + 3213*a^2* \\
& b^4*c^2 - 3000*a^3*b^2*c^3 + 2000*a^4*c^4)*d - (135*a*b^7 - 1323*a^2*b^5*c \\
& + 2727*a^3*b^3*c^2 + 2500*a^4*b*c^3)*e)*f^3 + 3*((27*b^6*c^2 - 117*a*b^4*c^ \\
& 3 - 150*a^2*b^2*c^4 + 200*a^3*c^5)*d^2 + (27*b^7*c - 405*a*b^5*c^2 + 1461*a \\
& ^2*b^3*c^3 - 500*a^3*b*c^4)*d*e - (45*a*b^6*c - 558*a^2*b^4*c^2 + 1672*a^3* \\
& b^2*c^3)*e^2)*f^2 - ((27*b^4*c^4 + 80*a^2*c^6)*d^3 + 3*(18*b^5*c^3 - 123*a* \\
& b^3*c^4 - 100*a^2*b*c^5)*d^2*e + 3*(9*b^6*c^2 - 165*a*b^4*c^3 + 692*a^2*b^2 \\
& *c^4)*d*e^2 - (45*a*b^5*c^2 - 647*a^2*b^3*c^3 + 2268*a^3*b*c^4)*e^3)*f)*x + \\
& 1/2*sqrt(1/2)*(2*(b^4*c^6 - 8*a*b^2*c^7 + 16*a^2*c^8)*d^3 + 3*(b^5*c^5 - 8 \\
& *a*b^3*c^6 + 16*a^2*b*c^7)*d^2*e - 18*(a*b^4*c^5 - 8*a^2*b^2*c^6 + 16*a^3*c \\
& ^7)*d*e^2 - (b^7*c^3 - 17*a*b^5*c^4 + 88*a^2*b^3*c^5 - 144*a^3*b*c^6)*e^3 + \\
& (27*b^10 - 459*a*b^8*c + 2961*a^2*b^6*c^2 - 8818*a^3*b^4*c^3 + 11360*a^4*b \\
& ^2*c^4 - 4000*a^5*c^5)*f^3 - 3*(2*(12*a*b^6*c^3 - 121*a^2*b^4*c^4 + 392*a^3 \\
& *b^2*c^5 - 400*a^4*c^6)*d + (9*b^9*c - 153*a*b^7*c^2 + 947*a^2*b^5*c^3 - 25 \\
& 36*a^3*b^3*c^4 + 2480*a^4*b*c^5)*e)*f^2 - 3*((3*b^6*c^4 - 14*a*b^4*c^5 - 32 \\
& *a^2*b^2*c^6 + 160*a^3*c^7)*d^2 - 26*(a*b^5*c^4 - 8*a^2*b^3*c^5 + 16*a^3*b* \\
& c^6)*d*e - 3*(b^8*c^2 - 17*a*b^6*c^3 + 98*a^2*b^4*c^4 - 224*a^3*b^2*c^5 + 1 \\
& 60*a^4*c^6)*e^2)*f - (4*(b^7*c^7 - 12*a*b^5*c^8 + 48*a^2*b^3*c^9 - 64*a^3*b \\
& *c^10)*d + (b^8*c^6 - 24*a*b^6*c^7 + 192*a^2*b^4*c^8 - 640*a^3*b^2*c^9 + 76 \\
& 8*a^4*c^10)*e - (3*b^9*c^5 - 52*a*b^7*c^6 + 336*a^2*b^5*c^7 - 960*a^3*b^3*c \\
& ^8 + 1024*a^4*b*c^9)*f)*sqrt((c^8*d^4 + 4*b*c^7*d^3*e + 6*(b^2*c^6 - 3*a*c^ \\
& 7)*d^2*e^2 + 4*(b^3*c^5 - 9*a*b*c^6)*d*e^3 + (b^4*c^4 - 18*a*b^2*c^5 + 81*a \\
& ^2*c^6)*e^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + \\
& 625*a^4*c^4)*f^4 - 4*((27*b^6*c^2 - 108*a*b^4*c^3 - 180*a^2*b^2*c^4 + 125* \\
& a^3*c^5)*d + (27*b^7*c - 351*a*b^5*c^2 + 1197*a^2*b^3*c^3 - 550*a^3*b*c^4)* \\
& e)*f^3 + 6*((9*b^4*c^4 + 3*a*b^2*c^5 + 25*a^2*c^6)*d^2 + 2*(9*b^5*c^3 - 51* \\
& a*b^3*c^4 - 65*a^2*b*c^5)*d*e + (9*b^6*c^2 - 132*a*b^4*c^3 + 484*a^2*b^2*c^
\end{aligned}$$

$$\begin{aligned}
& 4 - 75a^3c^5)e^2) * f^2 - 4 * ((3b^2c^6 + 5a^7c^7) * d^3 + 3 * (3b^3c^5 - 4a * b^6c^6) * d^2 * e + 3 * (3b^4c^4 - 22a * b^2c^5 - 15a^2c^6) * d * e^2 + (3b^5c^3 - 49a * b^3c^4 + 198a^2 * b * c^5) * e^3) * f) / (b^6c^10 - 12a * b^4c^11 + 48a^2 * b^2c^12 - 64a^3c^13)) * \sqrt{-((b^3c^4 + 12a * b * c^5) * d^2 + 2 * (b^4c^3 - 6a * b^2c^4 - 24a^2 * c^5) * d * e + (b^5c^2 - 15a * b^3c^3 + 60a^2 * b * c^4) * e^2 + (9b^7 - 105a * b^5 * c + 385a^2 * b^3 * c^2 - 420a^3 * b * c^3) * f^2 - 2 * ((3b^5c^2 - 13a * b^3c^3 - 12a^2 * b * c^4) * d + (3b^6c - 40a * b^4c^2 + 150a^2 * b^2c^3 - 120a^3c^4) * e) * f - (b^6c^5 - 12a * b^4c^6 + 48a^2 * b^2c^7 - 64a^3c^8) * \sqrt{(c^8 * d^4 + 4 * b * c^7 * d^3 * e + 6 * (b^2c^6 - 3a * c^7) * d^2 * e^2 + 4 * (b^3c^5 - 9a * b * c^6) * d * e^3 + (b^4c^4 - 18a * b^2c^5 + 81a^2 * c^6) * e^4 + (81b^8 - 918a * b^6 * c + 3051a^2 * b^4 * c^2 - 2550a^3 * b^2 * c^3 + 625a^4 * c^4) * f^4 - 4 * ((27b^6c^2 - 108a * b^4 * c^3 - 180a^2 * b^2 * c^4 + 125a^3 * c^5) * d + (27b^7 * c - 351a * b^5 * c^2 + 1197a^2 * b^3 * c^3 - 550a^3 * b * c^4) * e) * f^3 + 6 * ((9b^4c^4 + 3a * b^2 * c^5 + 25a^2 * c^6) * d^2 + 2 * (9b^5c^3 - 51a * b^3 * c^4 - 65a^2 * b * c^5) * d * e + (9b^6c^2 - 132a * b^4 * c^3 + 484a^2 * b^2 * c^4 - 75a^3 * c^5) * e^2) * f^2 - 4 * ((3b^2c^6 + 5a^7c^7) * d^3 + 3 * (3b^3c^5 - 4a * b * c^6) * d^2 * e + 3 * (3b^4c^4 - 22a * b^2 * c^5 - 15a^2 * c^6) * d * e^2 + (3b^5c^3 - 49a * b^3 * c^4 + 198a^2 * b * c^5) * e^3) * f) / (b^6c^10 - 12a * b^4c^11 + 48a^2 * b^2c^12 - 64a^3c^13)) / (b^6c^5 - 12a * b^4c^6 + 48a^2 * b^2c^7 - 64a^3c^8)) - \sqrt{1/2} * (a * b^2 * c^2 - 4a^2 * c^3 + (b^2 * c^3 - 4a * c^4) * x^4 + (b^3 * c^2 - 4a * b * c^3) * x^2) * \sqrt{-((b^3c^4 + 12a * b * c^5) * d^2 + 2 * (b^4c^3 - 6a * b^2 * c^4 - 24a^2 * c^5) * d * e + (b^5c^2 - 15a * b^3 * c^3 + 60a^2 * b * c^4) * e^2 + (9b^7 - 105a * b^5 * c + 385a^2 * b^3 * c^2 - 420a^3 * b * c^3) * f^2 - 2 * ((3b^5c^2 - 13a * b^3 * c^3 - 12a^2 * b * c^4) * d + (3b^6c - 40a * b^4 * c^2 + 150a^2 * b^2 * c^3 - 120a^3 * c^4) * e) * f - (b^6c^5 - 12a * b^4 * c^6 + 48a^2 * b^2 * c^7 - 64a^3 * c^8) * \sqrt{(c^8 * d^4 + 4 * b * c^7 * d^3 * e + 6 * (b^2 * c^6 - 3a * c^7) * d^2 * e^2 + 4 * (b^3 * c^5 - 9a * b * c^6) * d * e^3 + (b^4 * c^4 - 18a * b^2 * c^5 + 81a^2 * c^6) * e^4 + (81b^8 - 918a * b^6 * c + 3051a^2 * b^4 * c^2 - 2550a^3 * b^2 * c^3 + 625a^4 * c^4) * f^4 - 4 * ((27b^6 * c^2 - 108a * b^4 * c^3 - 180a^2 * b^2 * c^4 + 125a^3 * c^5) * d + (27b^7 * c - 351a * b^5 * c^2 + 1197a^2 * b^3 * c^3 - 550a^3 * b * c^4) * e) * f^3 + 6 * ((9b^4 * c^4 + 3a * b^2 * c^5 + 25a^2 * c^6) * d^2 + 2 * (9b^5 * c^3 - 51a * b^3 * c^4 - 65a^2 * b * c^5) * d * e + (9b^6 * c^2 - 132a * b^4 * c^3 + 484a^2 * b^2 * c^4 - 75a^3 * c^5) * e^2) * f^2 - 4 * ((3b^2 * c^6 + 5a^7 * c^7) * d^3 + 3 * (3b^3 * c^5 - 4a * b * c^6) * d^2 * e + 3 * (3b^4 * c^4 - 22a * b^2 * c^5 - 15a^2 * c^6) * d * e^2 + (3b^5 * c^3 - 49a * b^3 * c^4 + 198a^2 * b * c^5) * e^3) * f) / (b^6 * c^10 - 12a * b^4 * c^11 + 48a^2 * b^2 * c^12 - 64a^3 * c^13)) / (b^6 * c^5 - 12a * b^4 * c^6 + 48a^2 * b^2 * c^7 - 64a^3 * c^8)) * \log(((3b^2 * c^6 + 4a * c^7) * d^4 + (9b^3 * c^5 - 20a * b * c^6) * d^3 * e + 3 * (3b^4 * c^4 - 28a * b^2 * c^5) * d^2 * e^2 + (3b^5 * c^3 - 65a * b^3 * c^4 + 324a^2 * b * c^5) * d * e^3 - (5a * b^4 * c^3 - 81a^2 * b^2 * c^4 + 324a^3 * c^5) * e^4 - (189a^2 * b^6 - 1971a^3 * b^4 * c + 5625a^4 * b^2 * c^2 - 2500a^5 * c^3) * f^4 - ((81b^8 - 945a * b^6 * c + 3213a^2 * b^4 * c^2 - 3000a^3 * b^2 * c^3 + 2000a^4 * c^4) * d - (135a * b^7 - 1323a^2 * b^5 * c + 2727a^3 * b^3 * c^2 + 2500a^4 * b * c^3) * e) * f^3 + 3 * ((27b^6 * c^2 - 117a * b^4 * c^3 - 150a^2 * b^2 * c^4 + 200a^3 * c^5) * d^2 + (27b^7 * c - 405a * b^5 * c^2 + 1461a^2 * b^3 * c^3 - 500a^3 * b * c^4) * d * e - (45a * b^6 * c - 558a^2 * b^4 * c^2 + 1672a^3 * b^2 * c^3) * e^2) * f^2 - ((27b^4 * c^4 + 80a^2 * c^6) * d^3 + 3 * (18b^5 * c^3 - 123a * b^3 * c^4
\end{aligned}$$

$$\begin{aligned}
& - 100a^2b^5c^5d^2e + 3(9b^6c^2 - 165ab^4c^3 + 692a^2b^2c^4)de^2 \\
& - (45ab^5c^2 - 647a^2b^3c^3 + 2268a^3b^2c^4)e^3)fx - \frac{1}{2}\sqrt{\frac{1}{2}} \\
& (2(b^4c^6 - 8ab^2c^7 + 16a^2c^8)d^3 + 3(b^5c^5 - 8ab^3c^6 + 16a^2b^2c^7)d^2e \\
& - 18(ab^4c^5 - 8a^2b^2c^6 + 16a^3c^7)de^2 - (b^7c^3 - 17ab^5c^4 + 88a^2b^3c^5 - 144a^3b^2c^6)e^3 \\
& + (27b^{10} - 459ab^8c + 2961a^2b^6c^2 - 8818a^3b^4c^3 + 11360a^4b^2c^4 - 4000a^5c^5) \\
& f^3 - 3(2(12ab^6c^3 - 121a^2b^4c^4 + 392a^3b^2c^5 - 400a^4c^6)d + (9b^9c - 153ab^7c^2 \\
& + 947a^2b^5c^3 - 2536a^3b^3c^4 + 2480a^4b^2c^5)e) \\
& f^2 - 3((3b^6c^4 - 14ab^4c^5 - 32a^2b^2c^6 + 160a^3c^7)d^2 - 26(ab^5c^4 - 8a^2b^3c^5 \\
& + 16a^3b^2c^6)de - 3(b^8c^2 - 17ab^6c^3 + 98a^2b^4c^4 - 224a^3b^2c^5 + 160a^4c^6)e^2) \\
& f - (4(b^7c^7 - 12ab^5c^8 + 48a^2b^3c^9 - 64a^3b^2c^{10})d + (b^8c^6 - 24ab^6c^7 \\
& + 192a^2b^4c^8 - 640a^3b^2c^9 + 768a^4c^{10})e - (3b^9c^5 - 52ab^7c^6 + 336a^2b^5c^7 \\
& - 960a^3b^3c^8 + 1024a^4b^2c^9)f) \\
& \sqrt{(c^8d^4 + 4b^7c^3d^3e + 6(b^2c^6 - 3ac^7)d^2e^2 + 4(b^3c^5 - 9ab^2c^6)de^3 \\
& + (b^4c^4 - 18ab^2c^5 + 81a^2c^6)e^4 + (81b^8 - 918ab^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 \\
& + 625a^4c^4)f^4 - 4((27b^6c^2 - 108ab^4c^3 - 180a^2b^2c^4 + 125a^3c^5)d + (27b^7c \\
& - 351ab^5c^2 + 1197a^2b^3c^3 - 550a^3b^2c^4)e) \\
& f^3 + 6((9b^4c^4 + 3ab^2c^5 + 25a^2c^6)d^2 + 2(9b^5c^3 - 51ab^3c^4 - 65a^2b^2c^5)de \\
& + (9b^6c^2 - 132ab^4c^3 + 484a^2b^2c^4 - 75a^3c^5)e^2) \\
& f^2 - 4((3b^2c^6 + 5ac^7)d^3 + 3(3b^3c^5 - 4ab^2c^6)d^2e + 3(3b^4c^4 - 22ab^2c^5 \\
& - 15a^2c^6)de^2 + (3b^5c^3 - 49ab^3c^4 + 198a^2b^2c^5)e^3) \\
& f) / (b^6c^{10} - 12ab^4c^{11} + 48a^2b^2c^{12} - 64a^3c^{13})) \\
& \sqrt{-(b^3c^4 + 12ab^2c^5)d^2 + 2(b^4c^3 - 6ab^2c^4 - 24a^2c^5)de + (b^5c^2 - 15ab^3c^3 \\
& + 60a^2b^2c^4)e^2 + (9b^7 - 105ab^5c + 385a^2b^3c^2 - 420a^3b^2c^3)f^2 - 2((3b^5c^2 - 13ab^3c^3 \\
& - 12a^2b^2c^4)d + (3b^6c - 40ab^4c^2 + 150a^2b^2c^3 - 120a^3c^4)e) \\
& f - (b^6c^5 - 12ab^4c^6 + 48a^2b^2c^7 - 64a^3c^8)\sqrt{(c^8d^4 + 4b^7c^3d^3e + 6(b^2c^6 - 3ac^7) \\
& d^2e^2 + 4(b^3c^5 - 9ab^2c^6)de^3 + (b^4c^4 - 18ab^2c^5 + 81a^2c^6)e^4 + (81b^8 - 918ab^6c \\
& + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)f^4 - 4((27b^6c^2 - 108ab^4c^3 - 180a^2b^2c^4 \\
& + 125a^3c^5)d + (27b^7c - 351ab^5c^2 + 1197a^2b^3c^3 - 550a^3b^2c^4)e) \\
& f^3 + 6((9b^4c^4 + 3ab^2c^5 + 25a^2c^6)d^2 + 2(9b^5c^3 - 51ab^3c^4 - 65a^2b^2c^5)de \\
& + (9b^6c^2 - 132ab^4c^3 + 484a^2b^2c^4 - 75a^3c^5)e^2) \\
& f^2 - 4((3b^2c^6 + 5ac^7)d^3 + 3(3b^3c^5 - 4ab^2c^6)d^2e + 3(3b^4c^4 - 22ab^2c^5 \\
& - 15a^2c^6)de^2 + (3b^5c^3 - 49ab^3c^4 + 198a^2b^2c^5)e^3) \\
& f) / (b^6c^{10} - 12ab^4c^{11} + 48a^2b^2c^{12} - 64a^3c^{13})) / (b^6c^5 - 12ab^4c^6 \\
& + 48a^2b^2c^7 - 64a^3c^8)) + 2(2a^2c^2d - abc^2e + (3ab^2 - 10a^2c) \\
& f)fx) / (ab^2c^2 - 4a^2c^3 + (b^2c^3 - 4ac^4)x^4 + (b^3c^2 - 4ab^2c^3)x^2)
\end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(f*x**4+e*x**2+d)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*(f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.70 \quad \int \frac{x^2(d+ex^2+fx^4)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=362

$$\frac{x(x^2(-2acf + b^2f - bce + 2c^2d) + abf - 2ace + bcd)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-4bc(2af+cd)+4ac^2e+b^2ce+b^3f}{c\sqrt{b^2-4ac}} + 6af - \frac{b^2f}{c} - \frac{b^2d}{c}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

```
[Out] -(x*(b*c*d - 2*a*c*e + a*b*f + (2*c^2*d - b*c*e + b^2*f - 2*a*c*f)*x^2))/(2
*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((2*c*d - b*e + 6*a*f - (b^2*f)/c +
(b^2*c*e + 4*a*c^2*e + b^3*f - 4*b*c*(c*d + 2*a*f))/(c*Sqrt[b^2 - 4*a*c]))
*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*Sqrt[c
]*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((2*c*d - b*e + 6*a*f - (b^2
*f)/c - (b^2*c*e + 4*a*c^2*e + b^3*f - 4*b*c*(c*d + 2*a*f))/(c*Sqrt[b^2 - 4
*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]
*Sqrt[c]*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2 - 4*a*c]])
```

**Rubi [A]** time = 2.49751, antiderivative size = 362, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.1$ , Rules used = {1668, 1166, 205}

$$\frac{x(x^2(-2acf + b^2f - bce + 2c^2d) + abf - 2ace + bcd)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{-4bc(2af+cd)+4ac^2e+b^2ce+b^3f}{c\sqrt{b^2-4ac}} + 6af - \frac{b^2f}{c} - \frac{b^2d}{c}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

```
[Out] -(x*(b*c*d - 2*a*c*e + a*b*f + (2*c^2*d - b*c*e + b^2*f - 2*a*c*f)*x^2))/(2
*c*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((2*c*d - b*e + 6*a*f - (b^2*f)/c +
(b^2*c*e + 4*a*c^2*e + b^3*f - 4*b*c*(c*d + 2*a*f))/(c*Sqrt[b^2 - 4*a*c]))
*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*Sqrt[c
]*(b^2 - 4*a*c)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - ((2*c*d - b*e + 6*a*f - (b^2
*f)/c - (b^2*c*e + 4*a*c^2*e + b^3*f - 4*b*c*(c*d + 2*a*f))/(c*Sqrt[b^2 - 4
*a*c]))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b + Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]
*Sqrt[c]*(b^2 - 4*a*c)*Sqrt[b + Sqrt[b^2 - 4*a*c]])
```

Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{x^2(d + ex^2 + fx^4)}{(a + bx^2 + cx^4)^2} dx = -\frac{x(bcd - 2ace + abf + (2c^2d - bce + b^2f - 2acf)x^2)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{-\frac{a(bcd - 2ace + abf)}{c} + a\left(2cd - be + 6af - \frac{b^2f}{c}\right)x^2}{a + bx^2 + cx^4} dx}{2a(b^2 - 4ac)}$$

$$= -\frac{x(bcd - 2ace + abf + (2c^2d - bce + b^2f - 2acf)x^2)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(2cd - be + 6af - \frac{b^2f}{c} - \frac{b^2ce + 4ac^2e + b^3}{c\sqrt{b^2 - 4ac}}\right)}{4(b^2 - 4ac)}$$

$$= -\frac{x(bcd - 2ace + abf + (2c^2d - bce + b^2f - 2acf)x^2)}{2c(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\left(2cd - be + 6af - \frac{b^2f}{c} + \frac{b^2ce + 4ac^2e + b^3}{c\sqrt{b^2 - 4ac}}\right)}{2\sqrt{2}\sqrt{c}(b^2 - 4ac)}$$

**Mathematica [A]** time = 1.23456, size = 414, normalized size = 1.14

$$\frac{2\sqrt{cx}(abf-2ac(e+fx^2)+b^2fx^2+bc(d-ex^2)+2c^2dx^2)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(bc\left(e\sqrt{b^2-4ac}+8af+4cd\right)-2c\left(cd\sqrt{b^2-4ac}+3af\sqrt{b^2-4ac}+2ace\right)+b^2\left(f\sqrt{b^2-4ac}\right)\right)}{(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}$$


---

$4c^{3/2}$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x^2 + f\*x^4))/(a + b\*x^2 + c\*x^4)^2,x]

[Out]  $((-2*\text{Sqrt}[c]*x*(a*b*f + 2*c^2*d*x^2 + b^2*f*x^2 + b*c*(d - e*x^2) - 2*a*c*(e + f*x^2)))/((b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[2]*(-(b^3*f) + b*c*(4*c*d + \text{Sqrt}[b^2 - 4*a*c]*e + 8*a*f) + b^2*(-(c*e) + \text{Sqrt}[b^2 - 4*a*c]*f) - 2*c*(c*\text{Sqrt}[b^2 - 4*a*c]*d + 2*a*c*e + 3*a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) + (\text{Sqrt}[2]*(b^3*f + b*c*(-4*c*d + \text{Sqrt}[b^2 - 4*a*c]*e - 8*a*f) + b^2*(c*e + \text{Sqrt}[b^2 - 4*a*c]*f) - 2*c*(c*\text{Sqrt}[b^2 - 4*a*c]*d - 2*a*c*e + 3*a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/((b^2 - 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]))/((4*c)^{(3/2)})$

**Maple [B]** time = 0.035, size = 1300, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x)

[Out]  $(-1/2*(2*a*c*f-b^2*f+b*c*e-2*c^2*d)/(4*a*c-b^2)/c*x^{3+1/2}/c*(a*b*f-2*a*c*e+b*c*d)/(4*a*c-b^2)*x)/(c*x^4+b*x^2+a)^{-3/2}/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*f+1/4/(4*a*c-b^2)/c*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^2*f+1/4/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b*e-1/2/(4*a*c-b^2)*c*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*d+2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b*f-1/(4*a*c-b^2)*c/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})$

$$\begin{aligned}
& 2) - b) * c)^{(1/2)} * a * e^{-1/4} / (4 * a * c - b^2) / c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} \\
& * b^3 * f - 1/4 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * b^2 * e + 1 / (4 * a * c - b^2) * c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b * d + 3/2 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * a * f - 1/4 / (4 * a * c - b^2) / c * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^2 * f - 1/4 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b * e + 1/2 / (4 * a * c - b^2) * c * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * d + 2 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * a * b * f - 1 / (4 * a * c - b^2) * c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * a * e^{-1/4} / (4 * a * c - b^2) / c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^3 * f - 1/4 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^2 * e + 1 / (4 * a * c - b^2) * c / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b * d
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(2c^2d - bce + (b^2 - 2ac)f)x^3 + (bcd - 2ace + abf)x}{2((b^2c^2 - 4ac^3)x^4 + ab^2c - 4a^2c^2 + (b^3c - 4abc^2)x^2)} - \int \frac{bcd - 2ace + abf - (2c^2d - bce - (b^2 - 6ac)f)x^2}{cx^4 + bx^2 + a} dx}{2(b^2c - 4ac^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] -1/2\*((2\*c^2\*d - b\*c\*e + (b^2 - 2\*a\*c)\*f)\*x^3 + (b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*x)/((b^2\*c^2 - 4\*a\*c^3)\*x^4 + a\*b^2\*c - 4\*a^2\*c^2 + (b^3\*c - 4\*a\*b\*c^2)\*x^2) - 1/2\*integrate(-(b\*c\*d - 2\*a\*c\*e + a\*b\*f - (2\*c^2\*d - b\*c\*e - (b^2 - 6\*a\*c)\*f)\*x^2)/(c\*x^4 + b\*x^2 + a), x)/(b^2\*c - 4\*a\*c^2)

**Fricas [B]** time = 37.949, size = 18090, normalized size = 49.97

result too large to display





$$\begin{aligned}
& 4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)*e)*f^3 - 2 \\
& *(12*a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2*c^2 - 3*a^3*c^3) \\
& *e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3 \\
& *e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a^5*c^9)))/(a \\
& *b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)) - \text{sqrt}(1/2)*((b^ \\
& 2*c^2 - 4*a*c^3)*x^4 + a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2)*\text{sqrt}( \\
& -((b^3*c^3 + 12*a*b*c^4)*d^2 - 4*(3*a*b^2*c^3 + 4*a^2*c^4)*d*e + (a*b^3*c^2 \\
& + 12*a^2*b*c^3)*e^2 + (a*b^5 - 15*a^2*b^3*c + 60*a^3*b*c^2)*f^2 - 2*((3*a* \\
& b^3*c^2 - 28*a^2*b*c^3)*d - (a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*e)*f + ( \\
& a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)*\text{sqrt}((c^6*d^4 - 2 \\
& *a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81*a^4*c^2)*f^4 - \\
& 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)*e)*f^3 - 2*(12 \\
& *a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2*c^2 - 3*a^3*c^3) \\
& *e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3*e^ \\
& 3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a^5*c^9)))/(a*b^6 \\
& *c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6))*\log(((3*b^2*c^5 + 4*a \\
& *c^6)*d^4 - (b^3*c^4 + 12*a*b*c^5)*d^3*e + (a*b^3*c^3 + 12*a^2*b*c^4)*d*e^3 \\
& - (3*a^2*b^2*c^3 + 4*a^3*c^4)*e^4 + (5*a^3*b^4 - 81*a^4*b^2*c + 324*a^5*c^ \\
& 2)*f^4 + ((a*b^6 - 15*a^2*b^4*c + 432*a^4*c^3)*d - (3*a^2*b^5 - 65*a^3*b^3* \\
& c + 324*a^4*b*c^2)*e)*f^3 - 3*(3*(a*b^4*c^2 - 6*a^2*b^2*c^3 - 24*a^3*c^4)*d \\
& ^2 - (a*b^5*c + 3*a^2*b^3*c^2 - 108*a^3*b*c^3)*d*e + (3*a^2*b^4*c - 28*a^3* \\
& b^2*c^2)*e^2)*f^2 - ((b^4*c^3 - 24*a*b^2*c^4 - 48*a^2*c^5)*d^3 + 9*(a*b^3*c \\
& ^3 + 12*a^2*b*c^4)*d^2*e - 3*(a*b^4*c^2 + 12*a^2*b^2*c^3)*d*e^2 + (9*a^2*b^ \\
& 3*c^2 - 20*a^3*b*c^3)*e^3)*f)*x - 1/2*\text{sqrt}(1/2)*((b^5*c^4 - 8*a*b^3*c^5 + 1 \\
& 6*a^2*b*c^6)*d^3 - 2*(a*b^4*c^4 - 8*a^2*b^2*c^5 + 16*a^3*c^6)*d^2*e - (a*b^ \\
& 5*c^3 - 8*a^2*b^3*c^4 + 16*a^3*b*c^5)*d*e^2 + 2*(a^2*b^4*c^3 - 8*a^3*b^2*c^ \\
& 4 + 16*a^4*c^5)*e^3 - (a^2*b^7 - 17*a^3*b^5*c + 88*a^4*b^3*c^2 - 144*a^5*b* \\
& c^3)*f^3 - ((a*b^7*c - 23*a^2*b^5*c^2 + 136*a^3*b^3*c^3 - 240*a^4*b*c^4)*d \\
& + 18*(a^3*b^4*c^2 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*e)*f^2 + (7*(a*b^5*c^3 - 8* \\
& a^2*b^3*c^4 + 16*a^3*b*c^5)*d^2 - 2*(a*b^6*c^2 - 2*a^2*b^4*c^3 - 32*a^3*b^2 \\
& *c^4 + 96*a^4*c^5)*d*e + 3*(a^2*b^5*c^2 - 8*a^3*b^3*c^3 + 16*a^4*b*c^4)*e^2 \\
& )*f - ((a*b^8*c^4 - 8*a^2*b^6*c^5 + 128*a^4*b^2*c^7 - 256*a^5*c^8)*d - 4*(a \\
& ^2*b^7*c^4 - 12*a^3*b^5*c^5 + 48*a^4*b^3*c^6 - 64*a^5*b*c^7)*e - (a^2*b^8*c \\
& ^3 - 24*a^3*b^6*c^4 + 192*a^4*b^4*c^5 - 640*a^5*b^2*c^6 + 768*a^6*c^7)*f)*s \\
& \text{qrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81 \\
& *a^4*c^2)*f^4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2) \\
& )*e)*f^3 - 2*(12*a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2* \\
& c^2 - 3*a^3*c^3)*e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^ \\
& 2 + a^2*b*c^3*e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a \\
& ^5*c^9))*\text{sqrt}(-((b^3*c^3 + 12*a*b*c^4)*d^2 - 4*(3*a*b^2*c^3 + 4*a^2*c^4)*d \\
& *e + (a*b^3*c^2 + 12*a^2*b*c^3)*e^2 + (a*b^5 - 15*a^2*b^3*c + 60*a^3*b*c^2) \\
& *f^2 - 2*((3*a*b^3*c^2 - 28*a^2*b*c^3)*d - (a*b^4*c - 6*a^2*b^2*c^2 - 24*a^ \\
& 3*c^3)*e)*f + (a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)*s \\
& \text{qrt}((c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81* \\
& a^4*c^2)*f^4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)
\end{aligned}$$

$$\begin{aligned}
& e) * f^3 - 2 * (12 * a^2 * b * c^3 * d * e + (a * b^2 * c^3 - 27 * a^2 * c^4) * d^2 - 3 * (a^2 * b^2 * c^2 - 3 * a^3 * c^3) * e^2) * f^2 + 4 * (3 * a * c^5 * d^3 - a * b * c^4 * d^2 * e - 3 * a^2 * c^4 * d * e^2 + a^2 * b * c^3 * e^3) * f) / (a^2 * b^6 * c^6 - 12 * a^3 * b^4 * c^7 + 48 * a^4 * b^2 * c^8 - 64 * a^5 * c^9)) / (a * b^6 * c^3 - 12 * a^2 * b^4 * c^4 + 48 * a^3 * b^2 * c^5 - 64 * a^4 * c^6)) + \text{sqrt}(1/2) * ((b^2 * c^2 - 4 * a * c^3) * x^4 + a * b^2 * c - 4 * a^2 * c^2 + (b^3 * c - 4 * a * b * c^2) * x^2) * \text{sqrt}(-((b^3 * c^3 + 12 * a * b * c^4) * d^2 - 4 * (3 * a * b^2 * c^3 + 4 * a^2 * c^4) * d * e + (a * b^3 * c^2 + 12 * a^2 * b * c^3) * e^2 + (a * b^5 - 15 * a^2 * b^3 * c + 60 * a^3 * b * c^2) * f^2 - 2 * ((3 * a * b^3 * c^2 - 28 * a^2 * b * c^3) * d - (a * b^4 * c - 6 * a^2 * b^2 * c^2 - 24 * a^3 * c^3) * e) * f - (a * b^6 * c^3 - 12 * a^2 * b^4 * c^4 + 48 * a^3 * b^2 * c^5 - 64 * a^4 * c^6) * \text{sqrt}((c^6 * d^4 - 2 * a * c^5 * d^2 * e^2 + a^2 * c^4 * e^4 + (a^2 * b^4 - 18 * a^3 * b^2 * c + 81 * a^4 * c^2) * f^4 - 4 * (3 * (a^2 * b^2 * c^2 - 9 * a^3 * c^3) * d - (a^2 * b^3 * c - 9 * a^3 * b * c^2) * e) * f^3 - 2 * (12 * a^2 * b * c^3 * d * e + (a * b^2 * c^3 - 27 * a^2 * c^4) * d^2 - 3 * (a^2 * b^2 * c^2 - 3 * a^3 * c^3) * e^2) * f^2 + 4 * (3 * a * c^5 * d^3 - a * b * c^4 * d^2 * e - 3 * a^2 * c^4 * d * e^2 + a^2 * b * c^3 * e^3) * f) / (a^2 * b^6 * c^6 - 12 * a^3 * b^4 * c^7 + 48 * a^4 * b^2 * c^8 - 64 * a^5 * c^9))) / (a * b^6 * c^3 - 12 * a^2 * b^4 * c^4 + 48 * a^3 * b^2 * c^5 - 64 * a^4 * c^6)) * \log(((3 * b^2 * c^5 + 4 * a * c^6) * d^4 - (b^3 * c^4 + 12 * a * b * c^5) * d^3 * e + (a * b^3 * c^3 + 12 * a^2 * b * c^4) * d * e^3 - (3 * a^2 * b^2 * c^3 + 4 * a^3 * c^4) * e^4 + (5 * a^3 * b^4 - 81 * a^4 * b^2 * c + 324 * a^5 * c^2) * f^4 + ((a * b^6 - 15 * a^2 * b^4 * c + 432 * a^4 * c^3) * d - (3 * a^2 * b^5 - 65 * a^3 * b^3 * c + 324 * a^4 * b * c^2) * e) * f^3 - 3 * (3 * (a * b^4 * c^2 - 6 * a^2 * b^2 * c^3 - 24 * a^3 * c^4) * d^2 - (a * b^5 * c + 3 * a^2 * b^3 * c^2 - 108 * a^3 * b * c^3) * d * e + (3 * a^2 * b^4 * c - 28 * a^3 * b^2 * c^2) * e^2) * f^2 - ((b^4 * c^3 - 24 * a * b^2 * c^4 - 48 * a^2 * c^5) * d^3 + 9 * (a * b^3 * c^3 + 12 * a^2 * b * c^4) * d^2 * e - 3 * (a * b^4 * c^2 + 12 * a^2 * b^2 * c^3) * d * e^2 + (9 * a^2 * b^3 * c^2 - 20 * a^3 * b * c^3) * e^3) * f) * x + 1/2 * \text{sqrt}(1/2) * ((b^5 * c^4 - 8 * a * b^3 * c^5 + 16 * a^2 * b * c^6) * d^3 - 2 * (a * b^4 * c^4 - 8 * a^2 * b^2 * c^5 + 16 * a^3 * c^6) * d^2 * e - (a * b^5 * c^3 - 8 * a^2 * b^3 * c^4 + 16 * a^3 * b * c^5) * d * e^2 + 2 * (a^2 * b^4 * c^3 - 8 * a^3 * b^2 * c^4 + 16 * a^4 * c^5) * e^3 - (a^2 * b^7 - 17 * a^3 * b^5 * c + 88 * a^4 * b^3 * c^2 - 144 * a^5 * b * c^3) * f^3 - ((a * b^7 * c - 23 * a^2 * b^5 * c^2 + 136 * a^3 * b^3 * c^3 - 240 * a^4 * b * c^4) * d + 18 * (a^3 * b^4 * c^2 - 8 * a^4 * b^2 * c^3 + 16 * a^5 * c^4) * e) * f^2 + (7 * (a * b^5 * c^3 - 8 * a^2 * b^3 * c^4 + 16 * a^3 * b * c^5) * d^2 - 2 * (a * b^6 * c^2 - 2 * a^2 * b^4 * c^3 - 32 * a^3 * b^2 * c^4 + 96 * a^4 * c^5) * d * e + 3 * (a^2 * b^5 * c^2 - 8 * a^3 * b^3 * c^3 + 16 * a^4 * b * c^4) * e^2) * f + ((a * b^8 * c^4 - 8 * a^2 * b^6 * c^5 + 128 * a^4 * b^2 * c^7 - 256 * a^5 * c^8) * d - 4 * (a^2 * b^7 * c^4 - 12 * a^3 * b^5 * c^5 + 48 * a^4 * b^3 * c^6 - 64 * a^5 * b * c^7) * e - (a^2 * b^8 * c^3 - 24 * a^3 * b^6 * c^4 + 192 * a^4 * b^4 * c^5 - 640 * a^5 * b^2 * c^6 + 768 * a^6 * c^7) * f) * \text{sqrt}((c^6 * d^4 - 2 * a * c^5 * d^2 * e^2 + a^2 * c^4 * e^4 + (a^2 * b^4 - 18 * a^3 * b^2 * c + 81 * a^4 * c^2) * f^4 - 4 * (3 * (a^2 * b^2 * c^2 - 9 * a^3 * c^3) * d - (a^2 * b^3 * c - 9 * a^3 * b * c^2) * e) * f^3 - 2 * (12 * a^2 * b * c^3 * d * e + (a * b^2 * c^3 - 27 * a^2 * c^4) * d^2 - 3 * (a^2 * b^2 * c^2 - 3 * a^3 * c^3) * e^2) * f^2 + 4 * (3 * a * c^5 * d^3 - a * b * c^4 * d^2 * e - 3 * a^2 * c^4 * d * e^2 + a^2 * b * c^3 * e^3) * f) / (a^2 * b^6 * c^6 - 12 * a^3 * b^4 * c^7 + 48 * a^4 * b^2 * c^8 - 64 * a^5 * c^9)) * \text{sqrt}(-((b^3 * c^3 + 12 * a * b * c^4) * d^2 - 4 * (3 * a * b^2 * c^3 + 4 * a^2 * c^4) * d * e + (a * b^3 * c^2 + 12 * a^2 * b * c^3) * e^2 + (a * b^5 - 15 * a^2 * b^3 * c + 60 * a^3 * b * c^2) * f^2 - 2 * ((3 * a * b^3 * c^2 - 28 * a^2 * b * c^3) * d - (a * b^4 * c - 6 * a^2 * b^2 * c^2 - 24 * a^3 * c^3) * e) * f - (a * b^6 * c^3 - 12 * a^2 * b^4 * c^4 + 48 * a^3 * b^2 * c^5 - 64 * a^4 * c^6) * \text{sqrt}((c^6 * d^4 - 2 * a * c^5 * d^2 * e^2 + a^2 * c^4 * e^4 + (a^2 * b^4 - 18 * a^3 * b^2 * c + 81 * a^4 * c^2) * f^4 - 4 * (3 * (a^2 * b^2 * c^2 - 9 * a^3 * c^3) * d - (a^2 * b^3 * c - 9 * a^3 * b * c^2) * e) * f^3 - 2 * (12 * a^2 * b * c^3 * d * e + (a * b^2 * c^3 - 27 * a^2 * c^4) * d^2 - 3
\end{aligned}$$

$$\begin{aligned}
&*(a^2*b^2*c^2 - 3*a^3*c^3)*e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a^5*c^9)))/(a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)) - \sqrt{1/2}*((b^2*c^2 - 4*a*c^3)*x^4 + a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2)*\sqrt{-((b^3*c^3 + 12*a*b*c^4)*d^2 - 4*(3*a*b^2*c^3 + 4*a^2*c^4)*d*e + (a*b^3*c^2 + 12*a^2*b*c^3)*e^2 + (a*b^5 - 15*a^2*b^3*c + 60*a^3*b*c^2)*f^2 - 2*((3*a*b^3*c^2 - 28*a^2*b*c^3)*d - (a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*e)*f - (a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81*a^4*c^2)*f^4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)*e)*f^3 - 2*(12*a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2*c^2 - 3*a^3*c^3)*e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a^5*c^9)))/(a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)) * \log(((3*b^2*c^5 + 4*a*c^6)*d^4 - (b^3*c^4 + 12*a*b*c^5)*d^3*e + (a*b^3*c^3 + 12*a^2*b*c^4)*d*e^3 - (3*a^2*b^2*c^3 + 4*a^3*c^4)*e^4 + (5*a^3*b^4 - 81*a^4*b^2*c + 324*a^5*c^2)*f^4 + ((a*b^6 - 15*a^2*b^4*c + 432*a^4*c^3)*d - (3*a^2*b^5 - 65*a^3*b^3*c + 324*a^4*b*c^2)*e)*f^3 - 3*(3*(a*b^4*c^2 - 6*a^2*b^2*c^3 - 24*a^3*c^4)*d^2 - (a*b^5*c + 3*a^2*b^3*c^2 - 108*a^3*b*c^3)*d*e + (3*a^2*b^4*c - 28*a^3*b^2*c^2)*e^2)*f^2 - ((b^4*c^3 - 24*a*b^2*c^4 - 48*a^2*c^5)*d^3 + 9*(a*b^3*c^3 + 12*a^2*b*c^4)*d^2*e - 3*(a*b^4*c^2 + 12*a^2*b^2*c^3)*d*e^2 + (9*a^2*b^3*c^2 - 20*a^3*b*c^3)*e^3)*f)*x - 1/2*\sqrt{1/2}*((b^5*c^4 - 8*a*b^3*c^5 + 16*a^2*b*c^6)*d^3 - 2*(a*b^4*c^4 - 8*a^2*b^2*c^5 + 16*a^3*c^6)*d^2*e - (a*b^5*c^3 - 8*a^2*b^3*c^4 + 16*a^3*b*c^5)*d*e^2 + 2*(a^2*b^4*c^3 - 8*a^3*b^2*c^4 + 16*a^4*c^5)*e^3 - (a^2*b^7 - 17*a^3*b^5*c + 88*a^4*b^3*c^2 - 144*a^5*b*c^3)*f^3 - ((a*b^7*c - 23*a^2*b^5*c^2 + 136*a^3*b^3*c^3 - 240*a^4*b*c^4)*d + 18*(a^3*b^4*c^2 - 8*a^4*b^2*c^3 + 16*a^5*c^4)*e)*f^2 + (7*(a*b^5*c^3 - 8*a^2*b^3*c^4 + 16*a^3*b*c^5)*d^2 - 2*(a*b^6*c^2 - 2*a^2*b^4*c^3 - 32*a^3*b^2*c^4 + 96*a^4*c^5)*d*e + 3*(a^2*b^5*c^2 - 8*a^3*b^3*c^3 + 16*a^4*b*c^4)*e^2)*f + ((a*b^8*c^4 - 8*a^2*b^6*c^5 + 128*a^4*b^2*c^7 - 256*a^5*c^8)*d - 4*(a^2*b^7*c^4 - 12*a^3*b^5*c^5 + 48*a^4*b^3*c^6 - 64*a^5*b*c^7)*e - (a^2*b^8*c^3 - 24*a^3*b^6*c^4 + 192*a^4*b^4*c^5 - 640*a^5*b^2*c^6 + 768*a^6*c^7)*f)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81*a^4*c^2)*f^4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)*e)*f^3 - 2*(12*a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2*c^2 - 3*a^3*c^3)*e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + 48*a^4*b^2*c^8 - 64*a^5*c^9)))*\sqrt{-((b^3*c^3 + 12*a*b*c^4)*d^2 - 4*(3*a*b^2*c^3 + 4*a^2*c^4)*d*e + (a*b^3*c^2 + 12*a^2*b*c^3)*e^2 + (a*b^5 - 15*a^2*b^3*c + 60*a^3*b*c^2)*f^2 - 2*((3*a*b^3*c^2 - 28*a^2*b*c^3)*d - (a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*e)*f - (a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 - 64*a^4*c^6)*\sqrt{(c^6*d^4 - 2*a*c^5*d^2*e^2 + a^2*c^4*e^4 + (a^2*b^4 - 18*a^3*b^2*c + 81*a^4*c^2)*f^4 - 4*(3*(a^2*b^2*c^2 - 9*a^3*c^3)*d - (a^2*b^3*c - 9*a^3*b*c^2)*e)*f^3 - 2*(12*a^2*b*c^3*d*e + (a*b^2*c^3 - 27*a^2*c^4)*d^2 - 3*(a^2*b^2*c^2 - 3*a^3*c^3)*e^2)*f^2 + 4*(3*a*c^5*d^3 - a*b*c^4*d
\end{aligned}$$

$$\begin{aligned} &^2*e - 3*a^2*c^4*d*e^2 + a^2*b*c^3*e^3)*f)/(a^2*b^6*c^6 - 12*a^3*b^4*c^7 + \\ &48*a^4*b^2*c^8 - 64*a^5*c^9)))/(a*b^6*c^3 - 12*a^2*b^4*c^4 + 48*a^3*b^2*c^5 \\ &- 64*a^4*c^6))) + 2*(b*c*d - 2*a*c*e + a*b*f)*x)/((b^2*c^2 - 4*a*c^3)*x^4 \\ &+ a*b^2*c - 4*a^2*c^2 + (b^3*c - 4*a*b*c^2)*x^2) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.71 \quad \int \frac{d+ex^2+fx^4}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=346

$$\frac{x(x^2(abf - 2ace + bcd) - abe - 2a(cd - af) + b^2d)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2(cd-af)+4abce-4ac(af+3cd)}{\sqrt{b^2-4ac}} + abf - 2ace + bcd\right)}{2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

[Out] (x\*(b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f) + (b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*x^2))/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((b\*c\*d - 2\*a\*c\*e + a\*b\*f + (4\*a\*b\*c\*e + b^2\*(c\*d - a\*f) - 4\*a\*c\*(3\*c\*d + a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b\*c\*d - 2\*a\*c\*e + a\*b\*f - (4\*a\*b\*c\*e + b^2\*(c\*d - a\*f) - 4\*a\*c\*(3\*c\*d + a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 1.89649, antiderivative size = 346, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {1678, 1166, 205}

$$\frac{x(x^2(abf - 2ace + bcd) - abe - 2a(cd - af) + b^2d)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2(cd-af)+4abce-4ac(af+3cd)}{\sqrt{b^2-4ac}} + abf - 2ace + bcd\right)}{2\sqrt{2}a\sqrt{c}(b^2 - 4ac)\sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (x\*(b^2\*d - a\*b\*e - 2\*a\*(c\*d - a\*f) + (b\*c\*d - 2\*a\*c\*e + a\*b\*f)\*x^2))/(2\*a\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + ((b\*c\*d - 2\*a\*c\*e + a\*b\*f + (4\*a\*b\*c\*e + b^2\*(c\*d - a\*f) - 4\*a\*c\*(3\*c\*d + a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b\*c\*d - 2\*a\*c\*e + a\*b\*f - (4\*a\*b\*c\*e + b^2\*(c\*d - a\*f) - 4\*a\*c\*(3\*c\*d + a\*f))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{d + ex^2 + fx^4}{(a + bx^2 + cx^4)^2} dx = \frac{x(b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\int \frac{-b^2d - abe + 2a(3cd + af) + (-bcd + 2ace - abf)x^2}{a + bx^2 + cx^4} dx}{2a(b^2 - 4ac)}$$

$$= \frac{x(b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(bcd - 2ace + abf - \frac{4abce + b^2(cd - af) - 4ac(3)}{\sqrt{b^2 - 4ac}}\right)}{4a(b^2 - 4ac)}$$

$$= \frac{x(b^2d - abe - 2a(cd - af) + (bcd - 2ace + abf)x^2)}{2a(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\left(bcd - 2ace + abf + \frac{4abce + b^2(cd - af) - 4ac(3)}{\sqrt{b^2 - 4ac}}\right)}{2\sqrt{2a}\sqrt{c}(b^2 - 4ac)\sqrt{b - 4ac}}$$

**Mathematica [A]** time = 1.19601, size = 382, normalized size = 1.1

$$\frac{2x(b(-ae+afx^2+cdx^2)+2a(af-c(d+ex^2))+b^2d)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right) \left( b \left( cd\sqrt{b^2-4ac}+af\sqrt{b^2-4ac+4ace} \right) - 2ac \left( e\sqrt{b^2-4ac}+2af+6cd \right) + b^2(cd-af) \right)}{\sqrt{c}(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)}{4a}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((2\*x\*(b^2\*d + b\*(-(a\*e) + c\*d\*x^2 + a\*f\*x^2) + 2\*a\*(a\*f - c\*(d + e\*x^2))))/(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4) + (Sqrt[2]\*(b^2\*(c\*d - a\*f) - 2\*a\*c\*(6\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f) + b\*(c\*Sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(b^2\*(-(c\*d) + a\*f) + 2\*a\*c\*(6\*c\*d - Sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*f) + b\*(c\*Sqrt[b^2 - 4\*a\*c]\*d - 4\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]]))/(4\*a)

**Maple [B]** time = 0.033, size = 1182, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x)

[Out] (-1/2/a\*(a\*b\*f-2\*a\*c\*e+b\*c\*d)/(4\*a\*c-b^2)\*x^3-1/2\*(2\*a^2\*f-a\*b\*e-2\*a\*c\*d+b^2\*d)/a/(4\*a\*c-b^2)\*x)/(c\*x^4+b\*x^2+a)+1/4/(4\*a\*c-b^2)\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*b\*f-1/2/(4\*a\*c-b^2)\*c\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*e+1/4/a/(4\*a\*c-b^2)\*c\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*b\*d-a/(4\*a\*c-b^2)\*c/(-4\*a\*c+b^2)^(1/2)\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*f-1/4/(4\*a\*c-b^2)/(-4\*a\*c+b^2)^(1/2)\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*b^2\*f+1/(4\*a\*c-b^2)\*c/(-4\*a\*c+b^2)^(1/2)\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2)\*arctanh(c\*x\*2^(1/2)/((( -4\*a\*c+b^2)^(1/2)-b)\*c)^(1/2))\*b\*e-3/(4\*a\*c-b^2)\*c^2/(-4\*a\*c+b^2)^(1/2)



$$\begin{aligned} & *2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) * d + 1/4/a / (4*a*c-b^2)*c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) * b^2*d - 1/4 / (4*a*c-b^2)*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * b*f + 1/2 / (4*a*c-b^2)*c*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * e - 1/4/a / (4*a*c-b^2)*c*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * b*d - a / (4*a*c-b^2)*c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * f - 1/4 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * b^2*f + 1 / (4*a*c-b^2)*c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * b^2*e - 3 / (4*a*c-b^2)*c^2 / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * d + 1/4/a / (4*a*c-b^2)*c / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2}))*c)^{(1/2)}) * b^2*d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 35.917, size = 18375, normalized size = 53.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out]  $\frac{1}{4} * (2 * (b * c * d - 2 * a * c * e + a * b * f) * x^3 + \operatorname{sqrt}(1/2) * ((a * b^2 * c - 4 * a^2 * c^2) * x^4 + a^2 * b^2 - 4 * a^3 * c + (a * b^3 - 4 * a^2 * b * c) * x^2) * \operatorname{sqrt}(-((b^5 * c - 15 * a * b^3 * c^2 + 60 * a^2 * b * c^3) * d^2 + 2 * (a * b^4 * c - 6 * a^2 * b^2 * c^2 - 24 * a^3 * c^3) * d * e + (a^2 * b^3 * c + 12 * a^3 * b * c^2) * e^2 + (a^3 * b^3 + 12 * a^4 * b * c) * f^2 - 2 * ((3 * a^2 * b^3 * c -$

$$\begin{aligned}
& 28a^3b^2c^2)d + 2(3a^3b^2c + 4a^4c^2)e)f + (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)\sqrt{(4a^3b^2c^2d^3e^3 + a^4c^2e^4 + 12a^5c^2d^3f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f)/(a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)))/(a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)\log(((5b^4c^3 - 81a^2b^2c^4 + 324a^2c^5)d^4 - (3b^5c^2 - 65a^2b^3c^3 + 324a^2b^2c^4)d^3e - 3(3a^2b^4c^2 - 28a^2b^2c^3)d^2e^2 - (9a^2b^3c^2 - 20a^3b^2c^3)d^2e^3 - (3a^3b^2c^2 + 4a^4c^3)e^4 + (3a^5b^2 + 4a^6c)f^4 - ((a^3b^4 - 24a^4b^2c - 48a^5c^2)d + (a^4b^3 + 12a^5b^2c)e)f^3 - 9((a^2b^4c - 6a^3b^2c^2 - 24a^4c^3)d^2 + (a^3b^3c + 12a^4b^2c^2)d^2e + (a^3b^3c + 12a^4b^2c^2)e^3)f)x + 1/2\sqrt{1/2}((b^8c - 23a^2b^6c^2 + 190a^2b^4c^3 - 672a^3b^2c^4 + 864a^4c^5)d^3 + 3(a^2b^7c - 15a^2b^5c^2 + 72a^3b^3c^3 - 112a^4b^2c^4)d^2e + 3(a^2b^6c - 10a^3b^4c^2 + 32a^4b^2c^3 - 32a^5c^4)d^2e^2 + (a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3)e^3 + 2(a^5b^4 - 8a^6b^2c + 16a^7c^2)f^3 - ((a^3b^6 - 26a^4b^4c + 160a^5b^2c^2 - 288a^6c^3)d + (a^4b^5 - 8a^5b^3c + 16a^6b^2c^2)e)f^2 - 2((4a^2b^6c - 59a^3b^4c^2 + 280a^4b^2c^3 - 432a^5c^4)d^2 + 5(a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3)d^2e + (a^4b^4c - 8a^5b^2c^2 + 16a^6c^3)e^2)f - ((a^3b^9c - 20a^4b^7c^2 + 144a^5b^5c^3 - 448a^6b^3c^4 + 512a^7b^2c^5)d + (a^4b^8c - 8a^5b^6c^2 + 128a^7b^2c^4 - 256a^8c^5)e - 4(a^5b^7c - 12a^6b^5c^2 + 48a^7b^3c^3 - 64a^8b^2c^4)f)\sqrt{(4a^3b^2c^2d^3e^3 + a^4c^2e^4 + 12a^5c^2d^3f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f)/(a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5))\sqrt{-(b^5c - 15a^2b^3c^2 + 60a^2b^2c^3)d^2 + 2(a^2b^4c - 6a^2b^2c^2 - 24a^3c^3)d^2e + (a^2b^3c + 12a^3b^2c^2)e^2 + (a^3b^3 + 12a^4b^2c)f^2 - 2((3a^2b^3c - 28a^3b^2c^2)d + 2(3a^3b^2c + 4a^4c^2)e)f + (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)\sqrt{(4a^3b^2c^2d^3e^3 + a^4c^2e^4 + 12a^5c^2d^3f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f)/(a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5))} - \sqrt{1/2}((a^2b^2c - 4a^2c^2)x^4 + a^2b^2 - 4a^3c + (a^2b^3 - 4a^2b^2c)x^2)\sqrt{-(b^5c - 15a^2b^3c^2 + 60a^2b^2c^3)d^2 + 2(a^2b^4c - 6a^2b^2c^2 - 24a^3c^3)d^2e + (a^2b^3c + 12a^3b^2c^2)e^2 + (a^3b^3 + 12a^4b^2c)f^2 - 2((3a^2b^3c - 28a^3b^2c^2)d + 2(3a^3b^2c + 4a^4c^2)e)f + (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)\sqrt{(4a^3b^2c^2d^3e^3 + a^4c^2e^4 + 12a^5c^2d^3f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f)/(a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5))}
\end{aligned}$$

$$\begin{aligned}
&^2)*d + 2*(3*a^3*b^2*c + 4*a^4*c^2)*e)*f + (a^3*b^6*c - 12*a^4*b^4*c^2 + 48 \\
&*a^5*b^2*c^3 - 64*a^6*c^4)*\text{sqrt}((4*a^3*b*c^2*d*e^3 + a^4*c^2*e^4 + 12*a^5*c \\
&*d*f^3 + a^6*f^4 + (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^4 + 4*(a*b^3*c^2 \\
&- 9*a^2*b*c^3)*d^3*e + 6*(a^2*b^2*c^2 - 3*a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e + a^5*c*e^2 \\
&+ (a^3*b^2*c - 27*a^4*c^2)*d^2)*f^2 - 12*(2*a^3*b*c^2*d^2*e \\
&+ a^4*c^2*d*e^2 + (a^2*b^2*c^2 - 9*a^3*c^3)*d^3)*f)/(a^6*b^6*c^2 - 12*a^7* \\
&b^4*c^3 + 48*a^8*b^2*c^4 - 64*a^9*c^5))/((a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a \\
&^5*b^2*c^3 - 64*a^6*c^4))*\text{log}(((5*b^4*c^3 - 81*a*b^2*c^4 + 324*a^2*c^5)*d^4 \\
&- (3*b^5*c^2 - 65*a*b^3*c^3 + 324*a^2*b*c^4)*d^3*e - 3*(3*a*b^4*c^2 - 28*a \\
&^2*b^2*c^3)*d^2*e^2 - (9*a^2*b^3*c^2 - 20*a^3*b*c^3)*d*e^3 - (3*a^3*b^2*c^2 \\
&+ 4*a^4*c^3)*e^4 + (3*a^5*b^2 + 4*a^6*c)*f^4 - ((a^3*b^4 - 24*a^4*b^2*c - \\
&48*a^5*c^2)*d + (a^4*b^3 + 12*a^5*b*c)*e)*f^3 - 9*((a^2*b^4*c - 6*a^3*b^2*c \\
&^2 - 24*a^4*c^3)*d^2 + (a^3*b^3*c + 12*a^4*b*c^2)*d*e)*f^2 + ((b^6*c - 15*a \\
&*b^4*c^2 + 432*a^3*c^4)*d^3 + 3*(a*b^5*c + 3*a^2*b^3*c^2 - 108*a^3*b*c^3)*d \\
&^2*e + 3*(a^2*b^4*c + 12*a^3*b^2*c^2)*d*e^2 + (a^3*b^3*c + 12*a^4*b*c^2)*e^ \\
&3)*f)*x - 1/2*\text{sqrt}(1/2)*((b^8*c - 23*a*b^6*c^2 + 190*a^2*b^4*c^3 - 672*a^3* \\
&b^2*c^4 + 864*a^4*c^5)*d^3 + 3*(a*b^7*c - 15*a^2*b^5*c^2 + 72*a^3*b^3*c^3 - \\
&112*a^4*b*c^4)*d^2*e + 3*(a^2*b^6*c - 10*a^3*b^4*c^2 + 32*a^4*b^2*c^3 - 32 \\
&*a^5*c^4)*d*e^2 + (a^3*b^5*c - 8*a^4*b^3*c^2 + 16*a^5*b*c^3)*e^3 + 2*(a^5*b \\
&^4 - 8*a^6*b^2*c + 16*a^7*c^2)*f^3 - ((a^3*b^6 - 26*a^4*b^4*c + 160*a^5*b^2 \\
&*c^2 - 288*a^6*c^3)*d + (a^4*b^5 - 8*a^5*b^3*c + 16*a^6*b*c^2)*e)*f^2 - 2*( \\
&(4*a^2*b^6*c - 59*a^3*b^4*c^2 + 280*a^4*b^2*c^3 - 432*a^5*c^4)*d^2 + 5*(a^3 \\
&*b^5*c - 8*a^4*b^3*c^2 + 16*a^5*b*c^3)*d*e + (a^4*b^4*c - 8*a^5*b^2*c^2 + 1 \\
&6*a^6*c^3)*e^2)*f - ((a^3*b^9*c - 20*a^4*b^7*c^2 + 144*a^5*b^5*c^3 - 448*a^ \\
&6*b^3*c^4 + 512*a^7*b*c^5)*d + (a^4*b^8*c - 8*a^5*b^6*c^2 + 128*a^7*b^2*c^4 \\
&- 256*a^8*c^5)*e - 4*(a^5*b^7*c - 12*a^6*b^5*c^2 + 48*a^7*b^3*c^3 - 64*a^8 \\
&*b*c^4)*f)*\text{sqrt}((4*a^3*b*c^2*d*e^3 + a^4*c^2*e^4 + 12*a^5*c*d*f^3 + a^6*f^4 \\
&+ (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^4 + 4*(a*b^3*c^2 - 9*a^2*b*c^3)* \\
&d^3*e + 6*(a^2*b^2*c^2 - 3*a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e + a^5*c*e^2 \\
&+ (a^3*b^2*c - 27*a^4*c^2)*d^2)*f^2 - 12*(2*a^3*b*c^2*d^2*e + a^4*c^2*d*e^2 \\
&+ (a^2*b^2*c^2 - 9*a^3*c^3)*d^3)*f)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48*a^8 \\
&*b^2*c^4 - 64*a^9*c^5))*\text{sqrt}(-(b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^2 + \\
&2*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d*e + (a^2*b^3*c + 12*a^3*b*c^2)* \\
&e^2 + (a^3*b^3 + 12*a^4*b*c)*f^2 - 2*((3*a^2*b^3*c - 28*a^3*b*c^2)*d + 2*(3 \\
&*a^3*b^2*c + 4*a^4*c^2)*e)*f + (a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 \\
&- 64*a^6*c^4)*\text{sqrt}((4*a^3*b*c^2*d*e^3 + a^4*c^2*e^4 + 12*a^5*c*d*f^3 + a^6 \\
&*f^4 + (b^4*c^2 - 18*a*b^2*c^3 + 81*a^2*c^4)*d^4 + 4*(a*b^3*c^2 - 9*a^2*b*c \\
&^3)*d^3*e + 6*(a^2*b^2*c^2 - 3*a^3*c^3)*d^2*e^2 - 2*(2*a^4*b*c*d*e + a^5*c* \\
&e^2 + (a^3*b^2*c - 27*a^4*c^2)*d^2)*f^2 - 12*(2*a^3*b*c^2*d^2*e + a^4*c^2*d \\
&*e^2 + (a^2*b^2*c^2 - 9*a^3*c^3)*d^3)*f)/(a^6*b^6*c^2 - 12*a^7*b^4*c^3 + 48 \\
&*a^8*b^2*c^4 - 64*a^9*c^5))/((a^3*b^6*c - 12*a^4*b^4*c^2 + 48*a^5*b^2*c^3 - \\
&64*a^6*c^4))) + \text{sqrt}(1/2)*((a*b^2*c - 4*a^2*c^2)*x^4 + a^2*b^2 - 4*a^3*c + \\
&(a*b^3 - 4*a^2*b*c)*x^2)*\text{sqrt}(-(b^5*c - 15*a*b^3*c^2 + 60*a^2*b*c^3)*d^2 \\
&+ 2*(a*b^4*c - 6*a^2*b^2*c^2 - 24*a^3*c^3)*d*e + (a^2*b^3*c + 12*a^3*b*c^2) \\
&*e^2 + (a^3*b^3 + 12*a^4*b*c)*f^2 - 2*((3*a^2*b^3*c - 28*a^3*b*c^2)*d + 2*(
\end{aligned}$$

$$\begin{aligned}
& 3a^3b^2c + 4a^4c^2)e * f - (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4) * d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3) * d^3e + 6(a^2b^2c^2 - 3a^3c^3) * d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2) * d^2) * f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3) * d^3) * f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)) / (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \log(((5b^4c^3 - 81a^2b^2c^4 + 324a^2c^5) * d^4 - (3b^5c^2 - 65a^2b^3c^3 + 324a^2b^2c^4) * d^3e - 3(3a^2b^4c^2 - 28a^2b^2c^3) * d^2e^2 - (9a^2b^3c^2 - 20a^3b^2c^3) * d^2e^3 - (3a^3b^2c^2 + 4a^4c^3) * e^4 + (3a^5b^2 + 4a^6c) * f^4 - ((a^3b^4 - 24a^4b^2c - 48a^5c^2) * d + (a^4b^3 + 12a^5b^2c) * e) * f^3 - 9((a^2b^4c - 6a^3b^2c^2 - 24a^4c^3) * d^2 + (a^3b^3c + 12a^4b^2c^2) * d^2e) * f^2 + ((b^6c - 15a^2b^4c^2 + 432a^3c^4) * d^3 + 3(a^2b^5c + 3a^2b^3c^2 - 108a^3b^2c^3) * d^2e + 3(a^2b^4c + 12a^3b^2c^2) * d^2e^2 + (a^3b^3c + 12a^4b^2c^2) * e^3) * f) * x + 1/2 * \sqrt{1/2} * ((b^8c - 23a^2b^6c^2 + 190a^2b^4c^3 - 672a^3b^2c^4 + 864a^4c^5) * d^3 + 3(a^2b^7c - 15a^2b^5c^2 + 72a^3b^3c^3 - 112a^4b^2c^4) * d^2e + 3(a^2b^6c - 10a^3b^4c^2 + 32a^4b^2c^3 - 32a^5c^4) * d^2e^2 + (a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3) * e^3 + 2(a^5b^4 - 8a^6b^2c + 16a^7c^2) * f^3 - ((a^3b^6 - 26a^4b^4c + 160a^5b^2c^2 - 288a^6c^3) * d + (a^4b^5 - 8a^5b^3c + 16a^6b^2c^2) * e) * f^2 - 2((4a^2b^6c - 59a^3b^4c^2 + 280a^4b^2c^3 - 432a^5c^4) * d^2 + 5(a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3) * d^2e + (a^4b^4c - 8a^5b^2c^2 + 16a^6c^3) * e^2) * f + ((a^3b^9c - 20a^4b^7c^2 + 144a^5b^5c^3 - 448a^6b^3c^4 + 512a^7b^2c^5) * d + (a^4b^8c - 8a^5b^6c^2 + 128a^7b^2c^4 - 256a^8c^5) * e - 4(a^5b^7c - 12a^6b^5c^2 + 48a^7b^3c^3 - 64a^8b^2c^4) * f) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4) * d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3) * d^3e + 6(a^2b^2c^2 - 3a^3c^3) * d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2) * d^2) * f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3) * d^3) * f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)) * \sqrt{-((b^5c - 15a^2b^3c^2 + 60a^2b^2c^3) * d^2 + 2(a^2b^4c - 6a^2b^2c^2 - 24a^3c^3) * d^2e + (a^2b^3c + 12a^3b^2c^2) * e^2 + (a^3b^3 + 12a^4b^2c) * f^2 - 2((3a^2b^3c - 28a^3b^2c^2) * d + 2(3a^3b^2c + 4a^4c^2) * e) * f - (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4) * d^4 + 4(a^2b^3c^2 - 9a^2b^2c^3) * d^3e + 6(a^2b^2c^2 - 3a^3c^3) * d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2) * d^2) * f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3) * d^3) * f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)) / (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)) - \sqrt{1/2} * ((a^2b^2c - 4a^2c^2) * x^4 + a^2b^2 - 4a^3c + (a^2b^3 - 4a^2b^2c) * x^2) * \sqrt{-((b^5c - 15a^2b^3c^2 + 60a^2b^2c^3) * d^2 + 2(a^2b^4c - 6a^2b^2c^2 - 24a^3c^3) * d^2e + (a^2b^3c + 12a^3b^2c^2) * e^2 + (a^3b^3 + 12a^4b^2c) * f^2 - 2((3a^2b^3c - 28a^3b^2c^2) * d + 2(3a^3b^2c
\end{aligned}$$

$$\begin{aligned}
& + 4a^4c^2)e) * f - (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^3b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)) / (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \log(((5b^4c^3 - 81ab^2c^4 + 324a^2c^5)d^4 - (3b^5c^2 - 65ab^3c^3 + 324a^2b^2c^4)d^3e - 3(3ab^4c^2 - 28a^2b^2c^3)d^2e^2 - (9a^2b^3c^2 - 20a^3b^2c^3)d^2e^3 - (3a^3b^2c^2 + 4a^4c^3)e^4 + (3a^5b^2 + 4a^6c) * f^4 - ((a^3b^4 - 24a^4b^2c - 48a^5c^2)d + (a^4b^3 + 12a^5b^2c) * e) * f^3 - 9((a^2b^4c - 6a^3b^2c^2 - 24a^4c^3)d^2 + (a^3b^3c + 12a^4b^2c^2) * d * e) * f^2 + ((b^6c - 15ab^4c^2 + 432a^3c^4) * d^3 + 3(ab^5c + 3a^2b^3c^2 - 108a^3b^2c^3) * d^2 * e + 3(a^2b^4c + 12a^3b^2c^2) * d * e^2 + (a^3b^3c + 12a^4b^2c^2) * e^3) * f) * x - 1/2 * \sqrt{1/2} * ((b^8c - 23ab^6c^2 + 190a^2b^4c^3 - 672a^3b^2c^4 + 864a^4c^5) * d^3 + 3(ab^7c - 15a^2b^5c^2 + 72a^3b^3c^3 - 112a^4b^2c^4) * d^2 * e + 3(a^2b^6c - 10a^3b^4c^2 + 32a^4b^2c^3 - 32a^5c^4) * d * e^2 + (a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3) * e^3 + 2(a^5b^4 - 8a^6b^2c + 16a^7c^2) * f^3 - ((a^3b^6 - 26a^4b^4c + 160a^5b^2c^2 - 288a^6c^3) * d + (a^4b^5 - 8a^5b^3c + 16a^6b^2c^2) * e) * f^2 - 2((4a^2b^6c - 59a^3b^4c^2 + 280a^4b^2c^3 - 432a^5c^4) * d^2 + 5(a^3b^5c - 8a^4b^3c^2 + 16a^5b^2c^3) * d * e + (a^4b^4c - 8a^5b^2c^2 + 16a^6c^3) * e^2) * f + ((a^3b^9c - 20a^4b^7c^2 + 144a^5b^5c^3 - 448a^6b^3c^4 + 512a^7b^2c^5) * d + (a^4b^8c - 8a^5b^6c^2 + 128a^7b^2c^4 - 256a^8c^5) * e - 4(a^5b^7c - 12a^6b^5c^2 + 48a^7b^3c^3 - 64a^8b^2c^4) * f) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^3b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5)) * \sqrt{-((b^5c - 15ab^3c^2 + 60a^2b^2c^3) * d^2 + 2(ab^4c - 6a^2b^2c^2 - 24a^3c^3) * d * e + (a^2b^3c + 12a^3b^2c^2) * e^2 + (a^3b^3 + 12a^4b^2c) * f^2 - 2((3a^2b^3c - 28a^3b^2c^2) * d + 2(3a^3b^2c + 4a^4c^2) * e) * f - (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4) * \sqrt{(4a^3b^2c^2d^2e^3 + a^4c^2e^4 + 12a^5c^2d^2f^3 + a^6f^4 + (b^4c^2 - 18a^2b^2c^3 + 81a^2c^4)d^4 + 4(a^3b^3c^2 - 9a^2b^2c^3)d^3e + 6(a^2b^2c^2 - 3a^3c^3)d^2e^2 - 2(2a^4b^2c^2d^2e + a^5c^2e^2 + (a^3b^2c - 27a^4c^2)d^2)f^2 - 12(2a^3b^2c^2d^2e + a^4c^2d^2e^2 + (a^2b^2c^2 - 9a^3c^3)d^3)f) / (a^6b^6c^2 - 12a^7b^4c^3 + 48a^8b^2c^4 - 64a^9c^5))} / (a^3b^6c - 12a^4b^4c^2 + 48a^5b^2c^3 - 64a^6c^4)) - 2(ab^2e - 2a^2f - (b^2 - 2ac) * d) * x) / ((ab^2c - 4a^2c^2) * x^4 + a^2b^2 - 4a^3c + (ab^3 - 4a^2b^2c) * x^2)
\end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**4+e*x**2+d)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.72 \quad \int \frac{d+ex^2+fx^4}{x^2(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=399

$$\frac{x \left( cx^2 (-abe - 2a(cd - af) + b^2d) + a \left( \frac{b^3d}{a} + a(bf + 2ce) - b(be + 3cd) \right) \right)}{2a^2 (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( \frac{12a^2ce - ab^2e - 4ab(af + 4a^2d)}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}a^2 (b^2 - 4ac) \sqrt{c}}$$

[Out]  $-(d/(a^2*x)) - (x*(a*((b^3*d)/a - b*(3*c*d + b*e) + a*(2*c*e + b*f)) + c*(b^2*d - a*b*e - 2*a*(c*d - a*f))*x^2)/(2*a^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*(3*b^2*d - a*b*e - 2*a*(5*c*d - a*f) + (3*b^3*d - a*b^2*e + 12*a^2*c*e - 4*a*b*(4*c*d + a*f))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(3*b^2*d - a*b*e - 2*a*(5*c*d - a*f) - (3*b^3*d - a*b^2*e + 12*a^2*c*e - 4*a*b*(4*c*d + a*f))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rubi [A]** time = 2.20293, antiderivative size = 399, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1669, 1664, 1166, 205}

$$\frac{x \left( cx^2 (-abe - 2a(cd - af) + b^2d) + a \left( \frac{b^3d}{a} + a(bf + 2ce) - b(be + 3cd) \right) \right)}{2a^2 (b^2 - 4ac) (a + bx^2 + cx^4)} - \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( \frac{12a^2ce - ab^2e - 4ab(af + 4a^2d)}{\sqrt{b^2 - 4ac}} \right)}{2\sqrt{2}a^2 (b^2 - 4ac) \sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^2\*(a + b\*x^2 + c\*x^4)^2),x]

[Out]  $-(d/(a^2*x)) - (x*(a*((b^3*d)/a - b*(3*c*d + b*e) + a*(2*c*e + b*f)) + c*(b^2*d - a*b*e - 2*a*(c*d - a*f))*x^2)/(2*a^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - (\text{Sqrt}[c]*(3*b^2*d - a*b*e - 2*a*(5*c*d - a*f) + (3*b^3*d - a*b^2*e + 12*a^2*c*e - 4*a*b*(4*c*d + a*f))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(3*b^2*d - a*b*e - 2*a*(5*c*d - a*f) - (3*b^3*d - a*b^2*e + 12*a^2*c*e - 4*a*b*(4*c*d + a*f))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_.), x_
  Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
  FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps



$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^2(a + bx^2 + cx^4)^2} dx &= -\frac{x \left( a \left( \frac{b^3 d}{a} - b(3cd + be) + a(2ce + bf) \right) + c(b^2 d - abe - 2a(cd - af)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \int \frac{-2(b^2 - 4ac)d + \dots}{\dots} \\
&= -\frac{x \left( a \left( \frac{b^3 d}{a} - b(3cd + be) + a(2ce + bf) \right) + c(b^2 d - abe - 2a(cd - af)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \int \left( \frac{2(-b^2 + 4ac)d}{ax^2} \dots \right) \\
&= -\frac{d}{a^2 x} - \frac{x \left( a \left( \frac{b^3 d}{a} - b(3cd + be) + a(2ce + bf) \right) + c(b^2 d - abe - 2a(cd - af)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \int \frac{3b^3 d - a \dots}{\dots} \\
&= -\frac{d}{a^2 x} - \frac{x \left( a \left( \frac{b^3 d}{a} - b(3cd + be) + a(2ce + bf) \right) + c(b^2 d - abe - 2a(cd - af)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{c(3b^2 d \dots)}{\dots} \\
&= -\frac{d}{a^2 x} - \frac{x \left( a \left( \frac{b^3 d}{a} - b(3cd + be) + a(2ce + bf) \right) + c(b^2 d - abe - 2a(cd - af)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\sqrt{c}(3b^2 d \dots)}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 1.47287, size = 444, normalized size = 1.11

$$-\frac{2x(b^2(cdx^2 - ae) + ab(af - c(3d + ex^2)) + 2ac(a + fx^2) - cdx^2) + b^3 d}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right) \left( ab(e\sqrt{b^2 - 4ac} + 4af + 16cd) - 2a(-5cd\sqrt{b^2 - 4ac} + af\sqrt{b^2 - 4ac} + 6 \dots) \right)}{(b^2 - 4ac)^{3/2} \sqrt{b - \sqrt{b^2 - 4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^2\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] ((-4\*d)/x - (2\*x\*(b^3\*d + b^2\*(-(a\*e) + c\*d\*x^2) + a\*b\*(a\*f - c\*(3\*d + e\*x^2)) + 2\*a\*c\*(-(c\*d\*x^2) + a\*(e + f\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4) + (Sqrt[2]\*Sqrt[c]\*(-3\*b^3\*d + b^2\*(-3\*Sqrt[b^2 - 4\*a\*c]\*d + a\*e) + a\*b\*(16\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e + 4\*a\*f) - 2\*a\*(-5\*c\*Sqrt[b^2 - 4\*a\*c]\*d + 6\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]]])/((b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*Sqrt[c]\*(3\*b^3\*d - b^2\*(3\*Sqrt[b^2 - 4\*a\*c]\*d + a\*e) + a\*b\*(-16\*c\*d + Sqrt[b^2 - 4\*a\*c]\*e - 4\*a\*f) + 2\*a\*(5\*c\*Sqrt[b^2 - 4\*a\*c]\*d + 6\*a\*c\*e - a\*Sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]]])/((b^2 - 4\*a\*c)^(3/2)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(4\*a^2)

**Maple [B]** time = 0.045, size = 1575, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a)^2, x)$

[Out]  $\frac{1}{4} \frac{a c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{b^2 e+4 a^2 c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{b d+1/4 a c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{b^2 e+4 a^2 c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{b d-3/4 a^2 c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{b^3 d-3/4 a^2 c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{b^3 d+5/2 a^2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{d-5/2 a^2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{d-3 c^2}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{e-3 c^2}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{e-1/2 a}{(c x^4+b x^2+a)} \frac{c}{(4 a^2 c-b^2)} \frac{x^3 b e-3/2 a}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x b c d+1/2 a^2}{(c x^4+b x^2+a)} \frac{c}{(4 a^2 c-b^2)} \frac{x^3 b^2 d+c}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x^3 f+1/2}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x b f-1/a}{(c x^4+b x^2+a)} \frac{c^2}{(4 a^2 c-b^2)} \frac{x^3 d-1/2 a}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x b^2 e+1/2 a^2}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x b^3 d-1/2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{f+1/2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{f+1}{(c x^4+b x^2+a)} \frac{1}{(4 a^2 c-b^2)} \frac{x c e-d/a^2}{x+c} \frac{1}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{b f+c}{(4 a^2 c-b^2)} \frac{1}{(-4 a^2 c+b^2)^{1/2}} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{b f-1/4 a c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{b e-3/4 a^2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \frac{b^2 d+3/4 a^2 c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \operatorname{arctan}\left(\frac{c x^2}{\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c}\right) \frac{1}{\left(\left(b+\left(-4 a^2 c+b^2\right)^{1/2}\right) c\right)^{1/2}} \frac{b^2 d+1/4 a c}{(4 a^2 c-b^2)} \frac{2^{1/2}}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}} \operatorname{arctanh}\left(\frac{c x^2}{\left(-4 a^2 c+b^2\right)^{1/2}-b}\right) \frac{1}{\left(\left(-4 a^2 c+b^2\right)^{1/2}-b\right) c^{1/2}}$

$$b) * c)^{(1/2)} * \operatorname{arctanh}(c * x^2)^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * b * e$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(abce - 2a^2cf - (3b^2c - 10ac^2)d)x^4 - (a^2bf + (3b^3 - 11abc)d - (ab^2 - 2a^2c)e)x^2 - 2(ab^2 - 4a^2c)d}{2((a^2b^2c - 4a^3c^2)x^5 + (a^2b^3 - 4a^3bc)x^3 + (a^3b^2 - 4a^4c)x)} - \int \frac{a^2bf + (abce -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*((a\*b\*c\*e - 2\*a^2\*c\*f - (3\*b^2\*c - 10\*a\*c^2)\*d)\*x^4 - (a^2\*b\*f + (3\*b^3 - 11\*a\*b\*c)\*d - (a\*b^2 - 2\*a^2\*c)\*e)\*x^2 - 2\*(a\*b^2 - 4\*a^2\*c)\*d)/((a^2\*b^2\*c - 4\*a^3\*c^2)\*x^5 + (a^2\*b^3 - 4\*a^3\*b\*c)\*x^3 + (a^3\*b^2 - 4\*a^4\*c)\*x) - 1/2\*integrate(-(a^2\*b\*f + (a\*b\*c\*e - 2\*a^2\*c\*f - (3\*b^2\*c - 10\*a\*c^2)\*d)\*x^2 - (3\*b^3 - 13\*a\*b\*c)\*d + (a\*b^2 - 6\*a^2\*c)\*e)/(c\*x^4 + b\*x^2 + a), x)/(a^2\*b^2 - 4\*a^3\*c)

**Fricas [B]** time = 79.0598, size = 28044, normalized size = 70.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] 1/4\*(2\*(a\*b\*c\*e - 2\*a^2\*c\*f - (3\*b^2\*c - 10\*a\*c^2)\*d)\*x^4 - 2\*(a^2\*b\*f + (3\*b^3 - 11\*a\*b\*c)\*d - (a\*b^2 - 2\*a^2\*c)\*e)\*x^2 + sqrt(1/2)\*((a^2\*b^2\*c - 4\*a^3\*c^2)\*x^5 + (a^2\*b^3 - 4\*a^3\*b\*c)\*x^3 + (a^3\*b^2 - 4\*a^4\*c)\*x)\*sqrt(-((9\*b^7 - 105\*a\*b^5\*c + 385\*a^2\*b^3\*c^2 - 420\*a^3\*b\*c^3)\*d^2 - 2\*(3\*a\*b^6 - 40\*a^2\*b^4\*c + 150\*a^3\*b^2\*c^2 - 120\*a^4\*c^3)\*d\*e + (a^2\*b^5 - 15\*a^3\*b^3\*c + 60\*a^4\*b\*c^2)\*e^2 + (a^4\*b^3 + 12\*a^5\*b\*c)\*f^2 - 2\*((3\*a^2\*b^5 - 13\*a^3\*b^3\*c - 12\*a^4\*b\*c^2)\*d - (a^3\*b^4 - 6\*a^4\*b^2\*c - 24\*a^5\*c^2)\*e)\*f + (a^5\*b^6 - 12\*a^6\*b^4\*c + 48\*a^7\*b^2\*c^2 - 64\*a^8\*c^3)\*sqrt((a^8\*f^4 + (81\*b^8 - 918\*a\*b^6\*c + 3051\*a^2\*b^4\*c^2 - 2550\*a^3\*b^2\*c^3 + 625\*a^4\*c^4)\*d^4 - 4\*(27\*a\*b^7 - 351\*a^2\*b^5\*c + 1197\*a^3\*b^3\*c^2 - 550\*a^4\*b\*c^3)\*d^3\*e + 6\*(9\*a^2\*b^6 - 132\*a^3\*b^4\*c + 484\*a^4\*b^2\*c^2 - 75\*a^5\*c^3)\*d^2\*e^2 - 4\*(3\*a^3\*b^5 - 49\*a^4\*b^3\*c + 198\*a^5\*b\*c^2)\*d\*e^3 + (a^4\*b^4 - 18\*a^5\*b^2\*c + 81\*a^6\*c^2)\*e^4 + 4\*(a^7\*b\*e - (3\*a^6\*b^2 + 5\*a^7\*c)\*d)\*f^3 + 6\*((9\*a^4\*b^4 + 3\*a^5\*

$$\begin{aligned}
& b^2c + 25a^6c^2)d^2 - 2*(3a^5b^3 - 4a^6b^2c)d^2e + (a^6b^2 - 3a^7c)e^2)*f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^2c^2)d^2e + 3*(3a^4b^4 - 22a^5b^2c - 15a^6c^2)d^2e^2 - (a^5b^3 - 9a^6b^2c)e^3)*f)/(a^10b^6 - 12a^11b^4c + 48a^12b^2c^2 - 64a^13c^3)))/(a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3)*\log(-((189b^6c^3 - 1971a*b^4c^4 + 5625a^2b^2c^5 - 2500a^3c^6)d^4 - (135b^7c^2 - 1323a*b^5c^3 + 2727a^2*b^3c^4 + 2500a^3b^2c^5)d^3e + 3*(45a*b^6c^2 - 558a^2b^4c^3 + 1672a^3b^2c^4)d^2e^2 - (45a^2b^5c^2 - 647a^3b^3c^3 + 2268a^4b^2c^4)d^2e^3 + (5a^3b^4c^2 - 81a^4b^2c^3 + 324a^5c^4)e^4 - (3a^6b^2c + 4a^7c^2)*f^4 + ((27a^4b^4c + 80a^6c^3)d - (9a^5b^3c - 20a^6b^2c^2)*e)*f^3 - 3*((27a^2b^6c - 117a^3b^4c^2 - 150a^4b^2c^3 + 200a^5c^4)d^2 - (18a^3b^5c - 123a^4b^3c^2 - 100a^5b^2c^3)d^2e + (3a^4b^4c - 28a^5b^2c^2)*e^2)*f^2 + ((81b^8c - 945a*b^6c^2 + 3213a^2b^4c^3 - 3000a^3b^2c^4 + 2000a^4c^5)d^3 - 3*(27a*b^7c - 405a^2b^5c^2 + 1461a^3b^3c^3 - 500a^4b^2c^4)d^2e + 3*(9a^2b^6c - 165a^3b^4c^2 + 692a^4b^2c^3)d^2e^2 - (3a^3b^5c - 65a^4b^3c^2 + 324a^5b^2c^3)*e^3)*f)*x + 1/2*sqrt(1/2)*((27b^11 - 486a*b^9c + 3330a^2b^7c^2 - 10549a^3b^5c^3 + 14408a^4b^3c^4 - 5200a^5b^2c^5)d^3 - 3*(9a*b^10 - 177a^2b^8c + 1285a^3b^6c^2 - 4138a^4b^4c^3 + 5216a^5b^2c^4 - 800a^6c^5)d^2e + 3*(3a^2b^9 - 64a^3b^7c + 495a^4b^5c^2 - 1656a^5b^3c^3 + 2032a^6b^2c^4)d^2e^2 - (a^3b^8 - 23a^4b^6c + 190a^5b^4c^2 - 672a^6b^2c^3 + 864a^7c^4)*e^3 - (a^6b^5 - 8a^7b^3c + 16a^8b^2c^2)*f^3 + 3*((3a^4b^7 - 25a^5b^5c + 56a^6b^3c^2 - 16a^7b^2c^3)d - (a^5b^6 - 10a^6b^4c + 32a^7b^2c^2 - 32a^8c^3)*e)*f^2 - 3*((9a^2b^9 - 105a^3b^7c + 373a^4b^5c^2 - 248a^5b^3c^3 - 560a^6b^2c^4)d^2 - 2*(3a^3b^8 - 40a^4b^6c + 166a^5b^4c^2 - 176a^6b^2c^3 - 160a^7c^4)d^2e + (a^4b^7 - 15a^5b^5c + 72a^6b^3c^2 - 112a^7b^2c^3)*e^2)*f - ((3a^5b^10 - 55a^6b^8c + 392a^7b^6c^2 - 1344a^8b^4c^3 + 2176a^9b^2c^4 - 1280a^10c^5)d - (a^6b^9 - 20a^7b^7c + 144a^8b^5c^2 - 448a^9b^3c^3 + 512a^10b^2c^4)*e - (a^7b^8 - 8a^8b^6c + 128a^9b^4c^2 - 256a^10b^2c^3 - 256a^11c^4)*f)*sqrt((a^8f^4 + (81b^8 - 918a*b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)d^4 - 4*(27a*b^7 - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^2c^3)d^3e + 6*(9a^2b^6 - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3)d^2e^2 - 4*(3a^3b^5 - 49a^4b^3c + 198a^5b^2c^2)d^2e^3 + (a^4b^4 - 18a^5b^2c + 81a^6c^2)*e^4 + 4*(a^7b^2e - (3a^6b^2 + 5a^7c)d)*f^3 + 6*((9a^4b^4 + 3a^5b^2c + 25a^6c^2)d^2 - 2*(3a^5b^3 - 4a^6b^2c)d^2e + (a^6b^2 - 3a^7c)*e^2)*f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^2c^2)d^2e + 3*(3a^4b^4 - 22a^5b^2c - 15a^6c^2)d^2e^2 - (a^5b^3 - 9a^6b^2c)*e^3)*f)/(a^10b^6 - 12a^11b^4c + 48a^12b^2c^2 - 64a^13c^3))*sqrt(-((9b^7 - 105a*b^5c + 385a^2b^3c^2 - 420a^3b^2c^3)d^2 - 2*(3a*b^6 - 40a^2b^4c + 150a^3b^2c^2 - 120a^4c^3)d^2e + (a^2b^5 - 15a^3b^3c + 60a^4b^2c^2)*e^2 + (a^4b^3 + 12a^5b^2c)*f^2 - 2*((3a^2b^5 - 13a^3b^3c - 12a^4b^2c^2)d - (a^3
\end{aligned}$$

$$\begin{aligned}
& *b^4 - 6*a^4*b^2*c - 24*a^5*c^2)*e)*f + (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(a^8*f^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4*c^4)*d^4 - 4*(27*a*b^7 - 351*a^2*b^5*c + 1197*a^3*b^3*c^2 - 550*a^4*b*c^3)*d^3*e + 6*(9*a^2*b^6 - 132*a^3*b^4*c + 484*a^4*b^2*c^2 - 75*a^5*c^3)*d^2*e^2 - 4*(3*a^3*b^5 - 49*a^4*b^3*c + 198*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 18*a^5*b^2*c + 81*a^6*c^2)*e^4 + 4*(a^7*b*e - (3*a^6*b^2 + 5*a^7*c)*d)*f^3 + 6*((9*a^4*b^4 + 3*a^5*b^2*c + 25*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (a^6*b^2 - 3*a^7*c)*e^2)*f^2 - 4*((27*a^2*b^6 - 108*a^3*b^4*c - 180*a^4*b^2*c^2 + 125*a^5*c^3)*d^3 - 3*(9*a^3*b^5 - 51*a^4*b^3*c - 65*a^5*b*c^2)*d^2*e + 3*(3*a^4*b^4 - 22*a^5*b^2*c - 15*a^6*c^2)*d*e^2 - (a^5*b^3 - 9*a^6*b*c)*e^3)*f)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3))/((a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)) - \sqrt{1/2}*((a^2*b^2*c - 4*a^3*c^2)*x^5 + (a^2*b^3 - 4*a^3*b*c)*x^3 + (a^3*b^2 - 4*a^4*c)*x)*\sqrt{-((9*b^7 - 105*a*b^5*c + 385*a^2*b^3*c^2 - 420*a^3*b*c^3)*d^2 - 2*(3*a*b^6 - 40*a^2*b^4*c + 150*a^3*b^2*c^2 - 120*a^4*c^3)*d*e + (a^2*b^5 - 15*a^3*b^3*c + 60*a^4*b*c^2)*e^2 + (a^4*b^3 + 12*a^5*b*c)*f^2 - 2*((3*a^2*b^5 - 13*a^3*b^3*c - 12*a^4*b*c^2)*d - (a^3*b^4 - 6*a^4*b^2*c - 24*a^5*c^2)*e)*f + (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*\sqrt{(a^8*f^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4*c^4)*d^4 - 4*(27*a*b^7 - 351*a^2*b^5*c + 1197*a^3*b^3*c^2 - 550*a^4*b*c^3)*d^3*e + 6*(9*a^2*b^6 - 132*a^3*b^4*c + 484*a^4*b^2*c^2 - 75*a^5*c^3)*d^2*e^2 - 4*(3*a^3*b^5 - 49*a^4*b^3*c + 198*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 18*a^5*b^2*c + 81*a^6*c^2)*e^4 + 4*(a^7*b*e - (3*a^6*b^2 + 5*a^7*c)*d)*f^3 + 6*((9*a^4*b^4 + 3*a^5*b^2*c + 25*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (a^6*b^2 - 3*a^7*c)*e^2)*f^2 - 4*((27*a^2*b^6 - 108*a^3*b^4*c - 180*a^4*b^2*c^2 + 125*a^5*c^3)*d^3 - 3*(9*a^3*b^5 - 51*a^4*b^3*c - 65*a^5*b*c^2)*d^2*e + 3*(3*a^4*b^4 - 22*a^5*b^2*c - 15*a^6*c^2)*d*e^2 - (a^5*b^3 - 9*a^6*b*c)*e^3)*f)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3)))/((a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3))*\log(-((189*b^6*c^3 - 1971*a*b^4*c^4 + 5625*a^2*b^2*c^5 - 2500*a^3*c^6)*d^4 - (135*b^7*c^2 - 1323*a*b^5*c^3 + 2727*a^2*b^3*c^4 + 2500*a^3*b*c^5)*d^3*e + 3*(45*a*b^6*c^2 - 558*a^2*b^4*c^3 + 1672*a^3*b^2*c^4)*d^2*e^2 - (45*a^2*b^5*c^2 - 647*a^3*b^3*c^3 + 2268*a^4*b*c^4)*d*e^3 + (5*a^3*b^4*c^2 - 81*a^4*b^2*c^3 + 324*a^5*c^4)*e^4 - (3*a^6*b^2*c + 4*a^7*c^2)*f^4 + ((27*a^4*b^4*c + 80*a^6*c^3)*d - (9*a^5*b^3*c - 20*a^6*b*c^2)*e)*f^3 - 3*((27*a^2*b^6*c - 117*a^3*b^4*c^2 - 150*a^4*b^2*c^3 + 200*a^5*c^4)*d^2 - (18*a^3*b^5*c - 123*a^4*b^3*c^2 - 100*a^5*b*c^3)*d*e + (3*a^4*b^4*c - 28*a^5*b^2*c^2)*e^2)*f^2 + ((81*b^8*c - 945*a*b^6*c^2 + 3213*a^2*b^4*c^3 - 3000*a^3*b^2*c^4 + 2000*a^4*c^5)*d^3 - 3*(27*a*b^7*c - 405*a^2*b^5*c^2 + 1461*a^3*b^3*c^3 - 500*a^4*b*c^4)*d^2*e + 3*(9*a^2*b^6*c - 165*a^3*b^4*c^2 + 692*a^4*b^2*c^3)*d*e^2 - (3*a^3*b^5*c - 65*a^4*b^3*c^2 + 324*a^5*b*c^3)*e^3)*f)*x - 1/2*\sqrt{1/2}*((27*b^11 - 486*a*b^9*c + 3330*a^2*b^7*c^2 - 10549*a^3*b^5*c^3 + 14408*a^4*b^3*c^4 - 5200*a^5*b*c^5)*d^3 - 3*(9*a*b^10 - 177*a^2*b^8*c + 1285*a^3*b^6*c^2 - 4138*a^4*b^4*c^3 + 5216*a^5*b^2*c^4 - 800*a^6*c^5)*d^2*e + 3*(3*a^2*b^9 - 64*a^3*b^7*c + 495*a^4*b^5*c^2 - 1656*a^5*b^3*c^3 + 2032*a^6*b*c^4)*d*e^2 - (
\end{aligned}$$

$$\begin{aligned}
& a^3b^8 - 23a^4b^6c + 190a^5b^4c^2 - 672a^6b^2c^3 + 864a^7c^4) * e \\
& ^3 - (a^6b^5 - 8a^7b^3c + 16a^8b^*c^2) * f^3 + 3*((3a^4b^7 - 25a^5b^ \\
& 5c + 56a^6b^3c^2 - 16a^7b^*c^3) * d - (a^5b^6 - 10a^6b^4c + 32a^7b \\
& ^2*c^2 - 32a^8c^3) * e) * f^2 - 3*((9a^2b^9 - 105a^3b^7c + 373a^4b^5c \\
& ^2 - 248a^5b^3c^3 - 560a^6b^*c^4) * d^2 - 2*(3a^3b^8 - 40a^4b^6c + 1 \\
& 66a^5b^4c^2 - 176a^6b^2c^3 - 160a^7c^4) * d * e + (a^4b^7 - 15a^5b^5 \\
& *c + 72a^6b^3c^2 - 112a^7b^*c^3) * e^2) * f - ((3a^5b^10 - 55a^6b^8c + \\
& 392a^7b^6c^2 - 1344a^8b^4c^3 + 2176a^9b^2c^4 - 1280a^10c^5) * d - \\
& (a^6b^9 - 20a^7b^7c + 144a^8b^5c^2 - 448a^9b^3c^3 + 512a^10b^*c \\
& ^4) * e - (a^7b^8 - 8a^8b^6c + 128a^10b^2c^3 - 256a^11c^4) * f) * \text{sqrt}(( \\
& a^8f^4 + (81b^8 - 918a*b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625 \\
& *a^4c^4) * d^4 - 4*(27a*b^7 - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^* \\
& c^3) * d^3 * e + 6*(9a^2b^6 - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3) * d \\
& ^2 * e^2 - 4*(3a^3b^5 - 49a^4b^3c + 198a^5b^*c^2) * d * e^3 + (a^4b^4 - 18 \\
& *a^5b^2c + 81a^6c^2) * e^4 + 4*(a^7b^*e - (3a^6b^2 + 5a^7c) * d) * f^3 + \\
& 6*((9a^4b^4 + 3a^5b^2c + 25a^6c^2) * d^2 - 2*(3a^5b^3 - 4a^6b^*c) * d \\
& * e + (a^6b^2 - 3a^7c) * e^2) * f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^ \\
& 4b^2c^2 + 125a^5c^3) * d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^*c^2) * \\
& d^2 * e + 3*(3a^4b^4 - 22a^5b^2c - 15a^6c^2) * d * e^2 - (a^5b^3 - 9a^6b^* \\
& c) * e^3) * f) / (a^10b^6 - 12a^11b^4c + 48a^12b^2c^2 - 64a^13c^3)) * \text{s} \\
& \text{qrt}(-((9b^7 - 105a*b^5c + 385a^2b^3c^2 - 420a^3b^*c^3) * d^2 - 2*(3a^* \\
& b^6 - 40a^2b^4c + 150a^3b^2c^2 - 120a^4c^3) * d * e + (a^2b^5 - 15a^3 \\
& *b^3c + 60a^4b^*c^2) * e^2 + (a^4b^3 + 12a^5b^*c) * f^2 - 2*((3a^2b^5 - 1 \\
& 3a^3b^3c - 12a^4b^*c^2) * d - (a^3b^4 - 6a^4b^2c - 24a^5c^2) * e) * f + \\
& (a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) * \text{sqrt}((a^8f^4 + (81 \\
& *b^8 - 918a*b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4) * d^4 \\
& - 4*(27a*b^7 - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^*c^3) * d^3 * e + \\
& 6*(9a^2b^6 - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3) * d^2 * e^2 - 4*(3 \\
& *a^3b^5 - 49a^4b^3c + 198a^5b^*c^2) * d * e^3 + (a^4b^4 - 18a^5b^2c + \\
& 81a^6c^2) * e^4 + 4*(a^7b^*e - (3a^6b^2 + 5a^7c) * d) * f^3 + 6*((9a^4b^4 \\
& + 3a^5b^2c + 25a^6c^2) * d^2 - 2*(3a^5b^3 - 4a^6b^*c) * d * e + (a^6b^2 \\
& - 3a^7c) * e^2) * f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 1 \\
& 25a^5c^3) * d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^*c^2) * d^2 * e + 3*(3 \\
& a^4b^4 - 22a^5b^2c - 15a^6c^2) * d * e^2 - (a^5b^3 - 9a^6b^*c) * e^3) * f) / \\
& (a^10b^6 - 12a^11b^4c + 48a^12b^2c^2 - 64a^13c^3)) / (a^5b^6 - 12a^ \\
& a^6b^4c + 48a^7b^2c^2 - 64a^8c^3)) + \text{sqrt}(1/2) * ((a^2b^2c - 4a^3c^ \\
& c^2) * x^5 + (a^2b^3 - 4a^3b^*c) * x^3 + (a^3b^2 - 4a^4c) * x) * \text{sqrt}(-((9b^7 \\
& - 105a*b^5c + 385a^2b^3c^2 - 420a^3b^*c^3) * d^2 - 2*(3a*b^6 - 40a^2 \\
& *b^4c + 150a^3b^2c^2 - 120a^4c^3) * d * e + (a^2b^5 - 15a^3b^3c + 60a^ \\
& a^4b^*c^2) * e^2 + (a^4b^3 + 12a^5b^*c) * f^2 - 2*((3a^2b^5 - 13a^3b^3c \\
& - 12a^4b^*c^2) * d - (a^3b^4 - 6a^4b^2c - 24a^5c^2) * e) * f - (a^5b^6 - \\
& 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) * \text{sqrt}((a^8f^4 + (81b^8 - 918a \\
& *b^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4) * d^4 - 4*(27a*b \\
& ^7 - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^*c^3) * d^3 * e + 6*(9a^2b^6 \\
& - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3) * d^2 * e^2 - 4*(3a^3b^5 - 4
\end{aligned}$$

$$\begin{aligned}
& 9a^4b^3c + 198a^5b^2c^2)d^2e^3 + (a^4b^4 - 18a^5b^2c + 81a^6c^2)* \\
& e^4 + 4*(a^7b^2e - (3a^6b^2 + 5a^7c)*d)*f^3 + 6*((9a^4b^4 + 3a^5b^2 \\
& *c + 25a^6c^2)*d^2 - 2*(3a^5b^3 - 4a^6b^2c)*d^2e + (a^6b^2 - 3a^7c)* \\
& e^2)*f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)* \\
& d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^2c^2)*d^2e + 3*(3a^4b^4 - 22 \\
& *a^5b^2c - 15a^6c^2)*d^2e^2 - (a^5b^3 - 9a^6b^2c)*e^3)*f)/(a^{10}b^6 - \\
& 12a^{11}b^4c + 48a^{12}b^2c^2 - 64a^{13}c^3))/((189b^6c^3 - 1971a*b^4c^4 + 5625a^2 \\
& *b^2c^5 - 2500a^3c^6)*d^4 - (135b^7c^2 - 1323a*b^5c^3 + 2727a^2b^ \\
& 3c^4 + 2500a^3b^2c^5)*d^3e + 3*(45a*b^6c^2 - 558a^2b^4c^3 + 1672a^ \\
& 3b^2c^4)*d^2e^2 - (45a^2b^5c^2 - 647a^3b^3c^3 + 2268a^4b^2c^4)*d^2 \\
& e^3 + (5a^3b^4c^2 - 81a^4b^2c^3 + 324a^5c^4)*e^4 - (3a^6b^2c + 4 \\
& *a^7c^2)*f^4 + ((27a^4b^4c + 80a^6c^3)*d - (9a^5b^3c - 20a^6b^2c^2)* \\
& e)*f^3 - 3*((27a^2b^6c - 117a^3b^4c^2 - 150a^4b^2c^3 + 200a^5c^4)* \\
& d^2 - (18a^3b^5c - 123a^4b^3c^2 - 100a^5b^2c^3)*d^2e + (3a^4b^4c - \\
& 28a^5b^2c^2)*e^2)*f^2 + ((81b^8c - 945a*b^6c^2 + 3213a^2b^4c^3 - \\
& 3000a^3b^2c^4 + 2000a^4c^5)*d^3 - 3*(27a*b^7c - 405a^2b^5c^2 + \\
& 1461a^3b^3c^3 - 500a^4b^2c^4)*d^2e + 3*(9a^2b^6c - 165a^3b^4c^2 + \\
& 692a^4b^2c^3)*d^2e^2 - (3a^3b^5c - 65a^4b^3c^2 + 324a^5b^2c^3)*e^3)* \\
& f)*x + 1/2*sqrt(1/2)*((27b^{11} - 486a*b^9c + 3330a^2b^7c^2 - 1 \\
& 0549a^3b^5c^3 + 14408a^4b^3c^4 - 5200a^5b^2c^5)*d^3 - 3*(9a*b^{10} - \\
& 177a^2b^8c + 1285a^3b^6c^2 - 4138a^4b^4c^3 + 5216a^5b^2c^4 - 80 \\
& 0a^6c^5)*d^2e + 3*(3a^2b^9 - 64a^3b^7c + 495a^4b^5c^2 - 1656a^5 \\
& *b^3c^3 + 2032a^6b^2c^4)*d^2e^2 - (a^3b^8 - 23a^4b^6c + 190a^5b^4c^2 - \\
& 672a^6b^2c^3 + 864a^7c^4)*e^3 - (a^6b^5 - 8a^7b^3c + 16a^8b^2c^2)* \\
& f^3 + 3*((3a^4b^7 - 25a^5b^5c + 56a^6b^3c^2 - 16a^7b^2c^3)*d - \\
& (a^5b^6 - 10a^6b^4c + 32a^7b^2c^2 - 32a^8c^3)*e)*f^2 - 3*((9a^2 \\
& *b^9 - 105a^3b^7c + 373a^4b^5c^2 - 248a^5b^3c^3 - 560a^6b^2c^4)*d \\
& ^2 - 2*(3a^3b^8 - 40a^4b^6c + 166a^5b^4c^2 - 176a^6b^2c^3 - 160a^ \\
& 7c^4)*d^2e + (a^4b^7 - 15a^5b^5c + 72a^6b^3c^2 - 112a^7b^2c^3)*e^2 \\
& )*f + ((3a^5b^{10} - 55a^6b^8c + 392a^7b^6c^2 - 1344a^8b^4c^3 + 2 \\
& 176a^9b^2c^4 - 1280a^{10}c^5)*d - (a^6b^9 - 20a^7b^7c + 144a^8b^5c^2 - \\
& 448a^9b^3c^3 + 512a^{10}b^2c^4)*e - (a^7b^8 - 8a^8b^6c + 128a^ \\
& 10b^2c^3 - 256a^{11}c^4)*f)*sqrt((a^8f^4 + (81b^8 - 918a*b^6c + 3051a^ \\
& 2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)*d^4 - 4*(27a*b^7 - 351a^2b^ \\
& ^5c + 1197a^3b^3c^2 - 550a^4b^2c^3)*d^3e + 6*(9a^2b^6 - 132a^3b^4 \\
& *c + 484a^4b^2c^2 - 75a^5c^3)*d^2e^2 - 4*(3a^3b^5 - 49a^4b^3c + \\
& 198a^5b^2c^2)*d^2e^3 + (a^4b^4 - 18a^5b^2c + 81a^6c^2)*e^4 + 4*(a^7b^2 \\
& *e - (3a^6b^2 + 5a^7c)*d)*f^3 + 6*((9a^4b^4 + 3a^5b^2c + 25a^6c^2) \\
& *d^2 - 2*(3a^5b^3 - 4a^6b^2c)*d^2e + (a^6b^2 - 3a^7c)*e^2)*f^2 - 4*( \\
& (27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)*d^3 - 3*(9a^3 \\
& *b^5 - 51a^4b^3c - 65a^5b^2c^2)*d^2e + 3*(3a^4b^4 - 22a^5b^2c - 1 \\
& 5a^6c^2)*d^2e^2 - (a^5b^3 - 9a^6b^2c)*e^3)*f)/(a^{10}b^6 - 12a^{11}b^4c \\
& + 48a^{12}b^2c^2 - 64a^{13}c^3))*sqrt(-(9b^7 - 105a*b^5c + 385a^2b^ \\
& 3c^2 - 420a^3b^2c^3)*d^2 - 2*(3a*b^6 - 40a^2b^4c + 150a^3b^2c^2 -
\end{aligned}$$

$$\begin{aligned}
& 120a^4c^3)de + (a^2b^5 - 15a^3b^3c + 60a^4b^2c^2)e^2 + (a^4b^3 + \\
& 12a^5b^2c) f^2 - 2*((3a^2b^5 - 13a^3b^3c - 12a^4b^2c^2)d - (a^3b^4 - 6a^4b^2c - 24a^5c^2)e) f - (a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) \sqrt{(a^8f^4 + (81b^8 - 918ab^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)d^4 - 4*(27a^7b - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^2c^3)d^3e + 6*(9a^2b^6 - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3)d^2e^2 - 4*(3a^3b^5 - 49a^4b^3c + 198a^5b^2c^2)d^2e^3 + (a^4b^4 - 18a^5b^2c + 81a^6c^2)e^4 + 4*(a^7b^2e - (3a^6b^2 + 5a^7c)d) f^3 + 6*((9a^4b^4 + 3a^5b^2c + 25a^6c^2)d^2 - 2*(3a^5b^3 - 4a^6b^2c)d^2e + (a^6b^2 - 3a^7c)e^2) f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^2c^2)d^2e + 3*(3a^4b^4 - 22a^5b^2c - 15a^6c^2)d^2e^2 - (a^5b^3 - 9a^6b^2c)e^3) f) / (a^{10}b^6 - 12a^{11}b^4c + 48a^{12}b^2c^2 - 64a^{13}c^3) / (a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) - \sqrt{1/2} * ((a^2b^2c - 4a^3c^2) x^5 + (a^2b^3 - 4a^3b^2c) x^3 + (a^3b^2 - 4a^4c) x) \sqrt{-((9b^7 - 105ab^5c + 385a^2b^3c^2 - 420a^3b^2c^3)d^2 - 2*(3ab^6 - 40a^2b^4c + 150a^3b^2c^2 - 120a^4c^3)d^2e + (a^2b^5 - 15a^3b^3c + 60a^4b^2c^2)e^2 + (a^4b^3 + 12a^5b^2c) f^2 - 2*((3a^2b^5 - 13a^3b^3c - 12a^4b^2c^2)d - (a^3b^4 - 6a^4b^2c - 24a^5c^2)e) f - (a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) \sqrt{(a^8f^4 + (81b^8 - 918ab^6c + 3051a^2b^4c^2 - 2550a^3b^2c^3 + 625a^4c^4)d^4 - 4*(27a^7b - 351a^2b^5c + 1197a^3b^3c^2 - 550a^4b^2c^3)d^3e + 6*(9a^2b^6 - 132a^3b^4c + 484a^4b^2c^2 - 75a^5c^3)d^2e^2 - 4*(3a^3b^5 - 49a^4b^3c + 198a^5b^2c^2)d^2e^3 + (a^4b^4 - 18a^5b^2c + 81a^6c^2)e^4 + 4*(a^7b^2e - (3a^6b^2 + 5a^7c)d) f^3 + 6*((9a^4b^4 + 3a^5b^2c + 25a^6c^2)d^2 - 2*(3a^5b^3 - 4a^6b^2c)d^2e + (a^6b^2 - 3a^7c)e^2) f^2 - 4*((27a^2b^6 - 108a^3b^4c - 180a^4b^2c^2 + 125a^5c^3)d^3 - 3*(9a^3b^5 - 51a^4b^3c - 65a^5b^2c^2)d^2e + 3*(3a^4b^4 - 22a^5b^2c - 15a^6c^2)d^2e^2 - (a^5b^3 - 9a^6b^2c)e^3) f) / (a^{10}b^6 - 12a^{11}b^4c + 48a^{12}b^2c^2 - 64a^{13}c^3) / (a^5b^6 - 12a^6b^4c + 48a^7b^2c^2 - 64a^8c^3) * \log(-((189b^6c^3 - 1971ab^4c^4 + 5625a^2b^2c^5 - 2500a^3c^6)d^4 - (135b^7c^2 - 1323ab^5c^3 + 2727a^2b^3c^4 + 2500a^3b^2c^5)d^3e + 3*(45ab^6c^2 - 558a^2b^4c^3 + 1672a^3b^2c^4)d^2e^2 - (45a^2b^5c^2 - 647a^3b^3c^3 + 2268a^4b^2c^4)d^2e^3 + (5a^3b^4c^2 - 81a^4b^2c^3 + 324a^5c^4)e^4 - (3a^6b^2c + 4a^7c^2) f^4 + ((27a^4b^4c + 80a^6c^3)d - (9a^5b^3c - 20a^6b^2c^2)e) f^3 - 3*((27a^2b^6c - 117a^3b^4c^2 - 150a^4b^2c^3 + 200a^5c^4)d^2 - (18a^3b^5c - 123a^4b^3c^2 - 100a^5b^2c^3)d^2e + (3a^4b^4c - 28a^5b^2c^2)e^2) f^2 + ((81b^8c - 945ab^6c^2 + 3213a^2b^4c^3 - 3000a^3b^2c^4 + 2000a^4c^5)d^3 - 3*(27a^7b^2c - 405a^2b^5c^2 + 1461a^3b^3c^3 - 500a^4b^2c^4)d^2e + 3*(9a^2b^6c - 165a^3b^4c^2 + 692a^4b^2c^3)d^2e^2 - (3a^3b^5c - 65a^4b^3c^2 + 324a^5b^2c^3)e^3) f) * x - 1/2 * \sqrt{1/2} * ((27b^{11} - 486ab^9c + 3330a^2b^7c^2 - 10549a^3b^5c^3 + 14408a^4b^3c^4 - 5200a^5b^2c^5)d^3 - 3*(9ab^{10} - 177a^2b^8c + 1285a^3b^6c^2 - 4138
\end{aligned}$$



$$\begin{aligned}
& *a^4*b^4*c^3 + 5216*a^5*b^2*c^4 - 800*a^6*c^5)*d^2*e + 3*(3*a^2*b^9 - 64*a^3*b^7*c + 495*a^4*b^5*c^2 - 1656*a^5*b^3*c^3 + 2032*a^6*b*c^4)*d*e^2 - (a^3*b^8 - 23*a^4*b^6*c + 190*a^5*b^4*c^2 - 672*a^6*b^2*c^3 + 864*a^7*c^4)*e^3 \\
& - (a^6*b^5 - 8*a^7*b^3*c + 16*a^8*b*c^2)*f^3 + 3*((3*a^4*b^7 - 25*a^5*b^5*c + 56*a^6*b^3*c^2 - 16*a^7*b*c^3)*d - (a^5*b^6 - 10*a^6*b^4*c + 32*a^7*b^2*c^2 - 32*a^8*c^3)*e)*f^2 - 3*((9*a^2*b^9 - 105*a^3*b^7*c + 373*a^4*b^5*c^2 - 248*a^5*b^3*c^3 - 560*a^6*b*c^4)*d^2 - 2*(3*a^3*b^8 - 40*a^4*b^6*c + 166*a^5*b^4*c^2 - 176*a^6*b^2*c^3 - 160*a^7*c^4)*d*e + (a^4*b^7 - 15*a^5*b^5*c + 72*a^6*b^3*c^2 - 112*a^7*b*c^3)*e^2)*f + ((3*a^5*b^10 - 55*a^6*b^8*c + 392*a^7*b^6*c^2 - 1344*a^8*b^4*c^3 + 2176*a^9*b^2*c^4 - 1280*a^10*c^5)*d - (a^6*b^9 - 20*a^7*b^7*c + 144*a^8*b^5*c^2 - 448*a^9*b^3*c^3 + 512*a^10*b*c^4)*e - (a^7*b^8 - 8*a^8*b^6*c + 128*a^10*b^2*c^3 - 256*a^11*c^4)*f)*sqrt((a^8*f^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4*c^4)*d^4 - 4*(27*a*b^7 - 351*a^2*b^5*c + 1197*a^3*b^3*c^2 - 550*a^4*b*c^3)*d^3*e + 6*(9*a^2*b^6 - 132*a^3*b^4*c + 484*a^4*b^2*c^2 - 75*a^5*c^3)*d^2*e^2 - 4*(3*a^3*b^5 - 49*a^4*b^3*c + 198*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 18*a^5*b^2*c + 81*a^6*c^2)*e^4 + 4*(a^7*b*e - (3*a^6*b^2 + 5*a^7*c)*d)*f^3 + 6*((9*a^4*b^4 + 3*a^5*b^2*c + 25*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (a^6*b^2 - 3*a^7*c)*e^2)*f^2 - 4*((27*a^2*b^6 - 108*a^3*b^4*c - 180*a^4*b^2*c^2 + 125*a^5*c^3)*d^3 - 3*(9*a^3*b^5 - 51*a^4*b^3*c - 65*a^5*b*c^2)*d^2*e + 3*(3*a^4*b^4 - 22*a^5*b^2*c - 15*a^6*c^2)*d*e^2 - (a^5*b^3 - 9*a^6*b*c)*e^3)*f)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3))*sqrt(-(9*b^7 - 105*a*b^5*c + 385*a^2*b^3*c^2 - 420*a^3*b*c^3)*d^2 - 2*(3*a*b^6 - 40*a^2*b^4*c + 150*a^3*b^2*c^2 - 120*a^4*c^3)*d*e + (a^2*b^5 - 15*a^3*b^3*c + 60*a^4*b*c^2)*e^2 + (a^4*b^3 + 12*a^5*b*c)*f^2 - 2*((3*a^2*b^5 - 13*a^3*b^3*c - 12*a^4*b*c^2)*d - (a^3*b^4 - 6*a^4*b^2*c - 24*a^5*c^2)*e)*f - (a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)*sqrt((a^8*f^4 + (81*b^8 - 918*a*b^6*c + 3051*a^2*b^4*c^2 - 2550*a^3*b^2*c^3 + 625*a^4*c^4)*d^4 - 4*(27*a*b^7 - 351*a^2*b^5*c + 1197*a^3*b^3*c^2 - 550*a^4*b*c^3)*d^3*e + 6*(9*a^2*b^6 - 132*a^3*b^4*c + 484*a^4*b^2*c^2 - 75*a^5*c^3)*d^2*e^2 - 4*(3*a^3*b^5 - 49*a^4*b^3*c + 198*a^5*b*c^2)*d*e^3 + (a^4*b^4 - 18*a^5*b^2*c + 81*a^6*c^2)*e^4 + 4*(a^7*b*e - (3*a^6*b^2 + 5*a^7*c)*d)*f^3 + 6*((9*a^4*b^4 + 3*a^5*b^2*c + 25*a^6*c^2)*d^2 - 2*(3*a^5*b^3 - 4*a^6*b*c)*d*e + (a^6*b^2 - 3*a^7*c)*e^2)*f^2 - 4*((27*a^2*b^6 - 108*a^3*b^4*c - 180*a^4*b^2*c^2 + 125*a^5*c^3)*d^3 - 3*(9*a^3*b^5 - 51*a^4*b^3*c - 65*a^5*b*c^2)*d^2*e + 3*(3*a^4*b^4 - 22*a^5*b^2*c - 15*a^6*c^2)*d*e^2 - (a^5*b^3 - 9*a^6*b*c)*e^3)*f)/(a^10*b^6 - 12*a^11*b^4*c + 48*a^12*b^2*c^2 - 64*a^13*c^3)))/(a^5*b^6 - 12*a^6*b^4*c + 48*a^7*b^2*c^2 - 64*a^8*c^3)) - 4*(a*b^2 - 4*a^2*c)*d)/((a^2*b^2*c - 4*a^3*c^2)*x^5 + (a^2*b^3 - 4*a^3*b*c)*x^3 + (a^3*b^2 - 4*a^4*c)*x)
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x**4+e*x**2+d)/x**2/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.73 \quad \int \frac{d+ex^2+fx^4}{x^4(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=575

$$\frac{x \left( a^2 \left( \frac{b^4 d}{a^2} - \frac{b^2 (be+4cd)}{a} - 2acf + b^2 f + 3bce + 2c^2 d \right) + cx^2 (2a^2 ce - ab^2 e - ab(3cd - af) + b^3 d) \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)}$$

[Out]  $-d/(3*a^2*x^3) + (2*b*d - a*e)/(a^3*x) + (x*(a^2*((b^4*d)/a^2 + 2*c^2*d + 3*b*c*e - (b^2*(4*c*d + b*e))/a + b^2*f - 2*a*c*f) + c*(b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*x^2)/(2*a^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[c]*(5*b^4*d + b^3*(5*\text{Sqrt}[b^2 - 4*a*c]*d - 3*a*e) + 2*a^2*c*(14*c*d + 5*\text{Sqrt}[b^2 - 4*a*c]*e - 6*a*f) - a*b^2*(29*c*d + 3*\text{Sqrt}[b^2 - 4*a*c]*e - a*f) - a*b*(19*c*\text{Sqrt}[b^2 - 4*a*c]*d - 16*a*c*e - a*\text{Sqrt}[b^2 - 4*a*c]*f)))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^3*(b^2 - 4*a*c)^(3/2)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - (\text{Sqrt}[c]*(5*b^4*d - b^3*(5*\text{Sqrt}[b^2 - 4*a*c]*d + 3*a*e) + 2*a^2*c*(14*c*d - 5*\text{Sqrt}[b^2 - 4*a*c]*e - 6*a*f) - a*b^2*(29*c*d - 3*\text{Sqrt}[b^2 - 4*a*c]*e - a*f) + a*b*(19*c*\text{Sqrt}[b^2 - 4*a*c]*d + 16*a*c*e - a*\text{Sqrt}[b^2 - 4*a*c]*f))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^3*(b^2 - 4*a*c)^(3/2)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rubi [A]** time = 9.90565, antiderivative size = 575, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 30,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {1669, 1664, 1166, 205}

$$\frac{x \left( a^2 \left( \frac{b^4 d}{a^2} - \frac{b^2 (be+4cd)}{a} - 2acf + b^2 f + 3bce + 2c^2 d \right) + cx^2 (2a^2 ce - ab^2 e - ab(3cd - af) + b^3 d) \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}} \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4)/(x^4\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $-d/(3*a^2*x^3) + (2*b*d - a*e)/(a^3*x) + (x*(a^2*((b^4*d)/a^2 + 2*c^2*d + 3*b*c*e - (b^2*(4*c*d + b*e))/a + b^2*f - 2*a*c*f) + c*(b^3*d - a*b^2*e + 2*a^2*c*e - a*b*(3*c*d - a*f))*x^2)/(2*a^3*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) + (\text{Sqrt}[c]*(5*b^4*d + b^3*(5*\text{Sqrt}[b^2 - 4*a*c]*d - 3*a*e) + 2*a^2*c*(14*c$

```
*d + 5*Sqrt[b^2 - 4*a*c]*e - 6*a*f) - a*b^2*(29*c*d + 3*Sqrt[b^2 - 4*a*c]*e
- a*f) - a*b*(19*c*Sqrt[b^2 - 4*a*c]*d - 16*a*c*e - a*Sqrt[b^2 - 4*a*c]*f)
)*ArcTan[(Sqrt[2]*Sqrt[c]*x)/Sqrt[b - Sqrt[b^2 - 4*a*c]]]/(2*Sqrt[2]*a^3*(
b^2 - 4*a*c)^(3/2)*Sqrt[b - Sqrt[b^2 - 4*a*c]]) - (Sqrt[c]*(5*b^4*d - b^3*(
5*Sqrt[b^2 - 4*a*c]*d + 3*a*e) + 2*a^2*c*(14*c*d - 5*Sqrt[b^2 - 4*a*c]*e -
6*a*f) - a*b^2*(29*c*d - 3*Sqrt[b^2 - 4*a*c]*e - a*f) + a*b*(19*c*Sqrt[b^2
- 4*a*c]*d + 16*a*c*e - a*Sqrt[b^2 - 4*a*c]*f))*ArcTan[(Sqrt[2]*Sqrt[c]*x)/
Sqrt[b + Sqrt[b^2 - 4*a*c]])/(2*Sqrt[2]*a^3*(b^2 - 4*a*c)^(3/2)*Sqrt[b + S
qrt[b^2 - 4*a*c]])
```

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
*a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
, x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_)), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4}{x^4(a + bx^2 + cx^4)^2} dx &= \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - 2acf \right) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - 2acf \right) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - 2acf \right) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - 2acf \right) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - 2acf \right) + c(b^3 d - ab^2 e + 2a^2 ce - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 1.96036, size = 548, normalized size = 0.95

$$\frac{6x(2a^2c(c(d+ex^2)-af)+ab^2(af-c(4d+ex^2))+b^3(cdx^2-ae))+abc(3ae+afx^2-3cdx^2)+b^4d}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{3\sqrt{2}\sqrt{c}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)(2a^2c(5e\sqrt{b^2-4ac}-6af+14cd)+ab^2(-3c(d+ex^2)-af)+b^3(cdx^2-ae)+abc(3ae+afx^2-3cdx^2)+b^4d)}{(b^2-4ac)(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4)/(x^4\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] ((-4\*a\*d)/x^3 + (24\*b\*d - 12\*a\*e)/x + (6\*x\*(b^4\*d + b^3\*(-(a\*e) + c\*d\*x^2) + a\*b\*c\*(3\*a\*e - 3\*c\*d\*x^2 + a\*f\*x^2) + 2\*a^2\*c\*(-(a\*f) + c\*(d + e\*x^2)) + a\*b^2\*(a\*f - c\*(4\*d + e\*x^2))))/(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4) + (3\*sqrt[2]\*sqrt[c]\*(5\*b^4\*d + b^3\*(5\*sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*e) + 2\*a^2\*c\*(14\*c\*d + 5\*sqrt[b^2 - 4\*a\*c]\*e - 6\*a\*f) + a\*b^2\*(-29\*c\*d - 3\*sqrt[b^2 - 4\*a\*c]\*e + a\*f) + a\*b\*(-19\*c\*sqrt[b^2 - 4\*a\*c]\*d + 16\*a\*c\*e + a\*sqrt[b^2 - 4\*a\*c]\*f))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]]]/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) + (3\*sqrt[2]\*sqrt[c]\*(-5\*b^4\*d + b^3\*(5\*sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*e) - a\*b^2\*(-29\*c\*d + 3\*sqrt[b^2 - 4\*a\*c]\*e + a\*f) + 2\*a^2\*c\*(-14\*c\*d + 5\*sqrt[b^2 - 4\*a\*c]\*e + 6\*a\*f) + a\*b\*(-19\*c\*sqrt[b

$$\frac{\sqrt{2 - 4ac} \cdot d - 16ac \cdot e + a \sqrt{b^2 - 4ac} \cdot f}{\sqrt{b + \sqrt{b^2 - 4ac}}} \cdot \text{ArcTan}\left[\frac{\sqrt{2} \sqrt{c} \cdot x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right] \cdot \frac{1}{(b^2 - 4ac)^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}}} \cdot \frac{1}{(12a^3)}$$

**Maple [B]** time = 0.048, size = 2180, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a)^2,x)`

[Out] 
$$\begin{aligned} & -1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^3*e-1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2) \\ & *x*b^2*f-1/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*c^2*d+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2) \\ & *x*b^3*e-1/2/a^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b^4*d-3/4/a^2*c/(4*a*c-b^2) \\ & /(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b^3*e-29/4/a^2*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b^2*d+5/4/a^3*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b^4*d+5/4/a^3*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b^4*d-29/4/a^2*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b^2*d+1/4/a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b^2*f+1/4/a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b^2*f+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b*e-3/4/a^2*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b^3*e+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b*e+1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*c*f-1/a^2/x*e+2/a^3/x*b*d-1/3*d/a^2/x^3+7/a*c^3/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *d-1/4/a*c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\arctan(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ & *b*f+1/4/a*c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b*f-3/4/a^2*c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\arctanh(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ & *b^2*e-19/4/a^2*c^2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} \end{aligned}$$

$$\begin{aligned} & (1/2) * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)}) * b*d + 3/4/a^2*c / ( \\ & 4*a*c - b^2)^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b + \\ & (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b^2*e + 19/4/a^2*c^2 / (4*a*c - b^2)^2^{(1/2)} / ((b + (- \\ & 4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c)^{(1 \\ & /2)}) * b*d + 7/a*c^3 / (4*a*c - b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1 \\ & /2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * d + 5/4/a^ \\ & 3*c / (4*a*c - b^2)^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} \\ & ) / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)}) * b^3*d - 5/4/a^3*c / (4*a*c - b^2)^2^{(1/2)} / ((b \\ & + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c) \\ & ^{(1/2)}) * b^3*d - 1/2/a^3 / (c*x^4 + b*x^2 + a) * c / (4*a*c - b^2) * x^3 * b^3*d - 1/2/a / (c*x^4 + \\ & b*x^2 + a) * c / (4*a*c - b^2) * x^3 * b * f + 1/2/a^2 / (c*x^4 + b*x^2 + a) * c / (4*a*c - b^2) * x^3 * b^ \\ & 2 * e + 2/a^2 / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x * b^2 * c * d + 3/2/a^2 / (c*x^4 + b*x^2 + a) * c^2 \\ & / (4*a*c - b^2) * x^3 * b * d + 5/2/a * c^2 / (4*a*c - b^2)^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * \\ & c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)}) * e - 5/2/a * c^2 / \\ & (4*a*c - b^2)^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b \\ & + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * e - 3*c^2 / (4*a*c - b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/ \\ & 2)} / (((-4*a*c+b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)} \\ & ) - b) * c)^{(1/2)}) * f - 3*c^2 / (4*a*c - b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c+b \\ & ^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b + (-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * f - \\ & 3/2/a / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x * b * c * e \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^4/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f\*x^4+e\*x^2+d)/x^4/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x**4+e*x**2+d)/x**4/(c*x**4+b*x**2+a)**2,x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError



$$3.74 \quad \int \frac{x^9(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=68

$$\frac{5x^8}{8} - \frac{9x^6}{2} + \frac{49x^4}{2} - \frac{293x^2}{2} + \frac{415x^2 + 414}{2(x^4 + 3x^2 + 2)} + 2 \log(x^2 + 1) + 392 \log(x^2 + 2)$$

[Out]  $(-293*x^2)/2 + (49*x^4)/2 - (9*x^6)/2 + (5*x^8)/8 + (414 + 415*x^2)/(2*(2 + 3*x^2 + x^4)) + 2*Log[1 + x^2] + 392*Log[2 + x^2]$

**Rubi [A]** time = 0.126049, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1663, 1660, 1657, 632, 31}

$$\frac{5x^8}{8} - \frac{9x^6}{2} + \frac{49x^4}{2} - \frac{293x^2}{2} + \frac{415x^2 + 414}{2(x^4 + 3x^2 + 2)} + 2 \log(x^2 + 1) + 392 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^9*(4 + x^2 + 3*x^4 + 5*x^6))/(2 + 3*x^2 + x^4)^2, x]$

[Out]  $(-293*x^2)/2 + (49*x^4)/2 - (9*x^6)/2 + (5*x^8)/8 + (414 + 415*x^2)/(2*(2 + 3*x^2 + x^4)) + 2*Log[1 + x^2] + 392*Log[2 + x^2]$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{IntegerQ}[(m - 1)/2]$

### Rule 1660

$\text{Int}[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] :> \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\frac{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p + 1)}}{(p + 1)*(b^2 - 4*a*c)}, x] + \text{Dist}[1/((p + 1)*(b^2 - 4*a*c)), \text{Int}[(a + b*x + c*x^2)^{(p + 1)*\text{ExpandToSum}[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{NeQ}[b^2$

- 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[Expand  
Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,  
x] && IGtQ[p, -2]

### Rule 632

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := W  
ith[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/  
2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x  
, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a  
\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(p\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x,  
x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^9(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^4(4+x+3x^2+5x^3)}{(2+3x+x^2)^2} dx, x, x^2 \right) \\
 &= \frac{414+415x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-206-105x+53x^2-27x^3+12x^4-5x^5}{2+3x+x^2} dx, x, x^2 \right) \\
 &= \frac{414+415x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( 293-98x+27x^2-5x^3 - \frac{4(198+197x)}{2+3x+x^2} \right) dx, x, x^2 \right) \\
 &= -\frac{293x^2}{2} + \frac{49x^4}{2} - \frac{9x^6}{2} + \frac{5x^8}{8} + \frac{414+415x^2}{2(2+3x^2+x^4)} + 2 \text{Subst} \left( \int \frac{198+197x}{2+3x+x^2} dx, x, x^2 \right) \\
 &= -\frac{293x^2}{2} + \frac{49x^4}{2} - \frac{9x^6}{2} + \frac{5x^8}{8} + \frac{414+415x^2}{2(2+3x^2+x^4)} + 2 \text{Subst} \left( \int \frac{1}{1+x} dx, x, x^2 \right) + 392 \text{S} \\
 &= -\frac{293x^2}{2} + \frac{49x^4}{2} - \frac{9x^6}{2} + \frac{5x^8}{8} + \frac{414+415x^2}{2(2+3x^2+x^4)} + 2 \log(1+x^2) + 392 \log(2+x^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.035152, size = 62, normalized size = 0.91

$$\frac{1}{8} \left( 5x^8 - 36x^6 + 196x^4 - 1172x^2 + \frac{4(415x^2 + 414)}{x^4 + 3x^2 + 2} + 16 \log(x^2 + 1) + 3136 \log(x^2 + 2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^9\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] (-1172\*x^2 + 196\*x^4 - 36\*x^6 + 5\*x^8 + (4\*(414 + 415\*x^2))/(2 + 3\*x^2 + x^4) + 16\*Log[1 + x^2] + 3136\*Log[2 + x^2])/8

**Maple [A]** time = 0.015, size = 56, normalized size = 0.8

$$\frac{5x^8}{8} - \frac{9x^6}{2} + \frac{49x^4}{2} - \frac{293x^2}{2} + 392 \ln(x^2 + 2) + 208(x^2 + 2)^{-1} + 2 \ln(x^2 + 1) - \frac{1}{2x^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^9\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out] 5/8\*x^8-9/2\*x^6+49/2\*x^4-293/2\*x^2+392\*ln(x^2+2)+208/(x^2+2)+2\*ln(x^2+1)-1/2/(x^2+1)

**Maxima [A]** time = 0.972301, size = 78, normalized size = 1.15

$$\frac{5}{8}x^8 - \frac{9}{2}x^6 + \frac{49}{2}x^4 - \frac{293}{2}x^2 + \frac{415x^2 + 414}{2(x^4 + 3x^2 + 2)} + 392 \log(x^2 + 2) + 2 \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] 5/8\*x^8 - 9/2\*x^6 + 49/2\*x^4 - 293/2\*x^2 + 1/2\*(415\*x^2 + 414)/(x^4 + 3\*x^2 + 2) + 392\*log(x^2 + 2) + 2\*log(x^2 + 1)

**Fricas [A]** time = 1.9619, size = 220, normalized size = 3.24

$$\frac{5x^{12} - 21x^{10} + 98x^8 - 656x^6 - 3124x^4 - 684x^2 + 3136(x^4 + 3x^2 + 2)\log(x^2 + 2) + 16(x^4 + 3x^2 + 2)\log(x^2 + 1) + 1656}{8(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/8\*(5\*x^12 - 21\*x^10 + 98\*x^8 - 656\*x^6 - 3124\*x^4 - 684\*x^2 + 3136\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 2) + 16\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 1) + 1656)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.162926, size = 61, normalized size = 0.9

$$\frac{5x^8}{8} - \frac{9x^6}{2} + \frac{49x^4}{2} - \frac{293x^2}{2} + \frac{415x^2 + 414}{2x^4 + 6x^2 + 4} + 2\log(x^2 + 1) + 392\log(x^2 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*9\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*8/8 - 9\*x\*\*6/2 + 49\*x\*\*4/2 - 293\*x\*\*2/2 + (415\*x\*\*2 + 414)/(2\*x\*\*4 + 6\*x\*\*2 + 4) + 2\*log(x\*\*2 + 1) + 392\*log(x\*\*2 + 2)

**Giac [A]** time = 1.11876, size = 85, normalized size = 1.25

$$\frac{5}{8}x^8 - \frac{9}{2}x^6 + \frac{49}{2}x^4 - \frac{293}{2}x^2 - \frac{394x^4 + 767x^2 + 374}{2(x^4 + 3x^2 + 2)} + 392\log(x^2 + 2) + 2\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/8\*x^8 - 9/2\*x^6 + 49/2\*x^4 - 293/2\*x^2 - 1/2\*(394\*x^4 + 767\*x^2 + 374)/(x^4 + 3\*x^2 + 2) + 392\*log(x^2 + 2) + 2\*log(x^2 + 1)

$$3.75 \quad \int \frac{x^7(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=61

$$\frac{5x^6}{6} - \frac{27x^4}{4} + 49x^2 - \frac{207x^2 + 206}{2(x^4 + 3x^2 + 2)} - \frac{5}{2} \log(x^2 + 1) - 144 \log(x^2 + 2)$$

[Out]  $49x^2 - (27x^4)/4 + (5x^6)/6 - (206 + 207x^2)/(2(2 + 3x^2 + x^4)) - (5 \cdot \text{Log}[1 + x^2])/2 - 144 \cdot \text{Log}[2 + x^2]$

**Rubi [A]** time = 0.117539, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1663, 1660, 1657, 632, 31}

$$\frac{5x^6}{6} - \frac{27x^4}{4} + 49x^2 - \frac{207x^2 + 206}{2(x^4 + 3x^2 + 2)} - \frac{5}{2} \log(x^2 + 1) - 144 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^7(4 + x^2 + 3x^4 + 5x^6))/(2 + 3x^2 + x^4)^2, x]$

[Out]  $49x^2 - (27x^4)/4 + (5x^6)/6 - (206 + 207x^2)/(2(2 + 3x^2 + x^4)) - (5 \cdot \text{Log}[1 + x^2])/2 - 144 \cdot \text{Log}[2 + x^2]$

### Rule 1663

$\text{Int}[(Pq_*)(x_)^{(m_*)}((a_*) + (b_*)(x_)^2 + (c_*)(x_)^4)^{(p_*)}, x\_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)} \cdot \text{SubstFor}[x^2, Pq, x] \cdot (a + b \cdot x + c \cdot x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x^2] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

### Rule 1660

$\text{Int}[(Pq_*)((a_*) + (b_*)(x_) + (c_*)(x_)^2)^{(p_*)}, x\_Symbol] :> \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b \cdot x + c \cdot x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b \cdot x + c \cdot x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b \cdot x + c \cdot x^2, x], x, 1]\}, \text{Simp}[\frac{(b \cdot f - 2 \cdot a \cdot g + (2 \cdot c \cdot f - b \cdot g) \cdot x) \cdot (a + b \cdot x + c \cdot x^2)^{(p+1)}}{(p+1) \cdot (b^2 - 4 \cdot a \cdot c)}, x] + \text{Dist}[1/((p+1) \cdot (b^2 - 4 \cdot a \cdot c)), \text{Int}[(a + b \cdot x + c \cdot x^2)^{(p+1)} \cdot \text{ExpandToSum}[(p+1) \cdot (b^2 - 4 \cdot a \cdot c) \cdot Q - (2 \cdot p + 3) \cdot (2 \cdot c \cdot f - b \cdot g), x], x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{NeQ}[b^2$

- 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[Expand  
Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,  
x] && IGtQ[p, -2]

### Rule 632

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := W  
ith[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/  
2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x  
, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a  
\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(p\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x,  
x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^7(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^3(4+x+3x^2+5x^3)}{(2+3x+x^2)^2} dx, x, x^2 \right) \\
 &= -\frac{206+207x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{102+53x-27x^2+12x^3-5x^4}{2+3x+x^2} dx, x, x^2 \right) \\
 &= -\frac{206+207x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( -98+27x-5x^2 + \frac{298+293x}{2+3x+x^2} \right) dx, x, x^2 \right) \\
 &= 49x^2 - \frac{27x^4}{4} + \frac{5x^6}{6} - \frac{206+207x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{298+293x}{2+3x+x^2} dx, x, x^2 \right) \\
 &= 49x^2 - \frac{27x^4}{4} + \frac{5x^6}{6} - \frac{206+207x^2}{2(2+3x^2+x^4)} - \frac{5}{2} \text{Subst} \left( \int \frac{1}{1+x} dx, x, x^2 \right) - 144 \text{Subst} \left( \int \frac{1}{2+x} dx, x, x^2 \right) \\
 &= 49x^2 - \frac{27x^4}{4} + \frac{5x^6}{6} - \frac{206+207x^2}{2(2+3x^2+x^4)} - \frac{5}{2} \log(1+x^2) - 144 \log(2+x^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.0272733, size = 61, normalized size = 1.

$$\frac{5x^6}{6} - \frac{27x^4}{4} + 49x^2 + \frac{-207x^2 - 206}{2(x^4 + 3x^2 + 2)} - \frac{5}{2} \log(x^2 + 1) - 144 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(x^7\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] 49\*x^2 - (27\*x^4)/4 + (5\*x^6)/6 + (-206 - 207\*x^2)/(2\*(2 + 3\*x^2 + x^4)) - (5\*Log[1 + x^2])/2 - 144\*Log[2 + x^2]

**Maple [A]** time = 0.016, size = 51, normalized size = 0.8

$$\frac{5x^6}{6} - \frac{27x^4}{4} + 49x^2 - 144 \ln(x^2 + 2) - 104(x^2 + 2)^{-1} - \frac{5 \ln(x^2 + 1)}{2} + \frac{1}{2x^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^7\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out] 5/6\*x^6-27/4\*x^4+49\*x^2-144\*ln(x^2+2)-104/(x^2+2)-5/2\*ln(x^2+1)+1/2/(x^2+1)

**Maxima [A]** time = 1.01567, size = 72, normalized size = 1.18

$$\frac{5}{6}x^6 - \frac{27}{4}x^4 + 49x^2 - \frac{207x^2 + 206}{2(x^4 + 3x^2 + 2)} - 144 \log(x^2 + 2) - \frac{5}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] 5/6\*x^6 - 27/4\*x^4 + 49\*x^2 - 1/2\*(207\*x^2 + 206)/(x^4 + 3\*x^2 + 2) - 144\*log(x^2 + 2) - 5/2\*log(x^2 + 1)

**Fricas [A]** time = 1.94918, size = 208, normalized size = 3.41

$$\frac{10x^{10} - 51x^8 + 365x^6 + 1602x^4 - 66x^2 - 1728(x^4 + 3x^2 + 2)\log(x^2 + 2) - 30(x^4 + 3x^2 + 2)\log(x^2 + 1) - 1236}{12(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/12\*(10\*x^10 - 51\*x^8 + 365\*x^6 + 1602\*x^4 - 66\*x^2 - 1728\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 2) - 30\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 1) - 1236)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.155932, size = 54, normalized size = 0.89

$$\frac{5x^6}{6} - \frac{27x^4}{4} + 49x^2 - \frac{207x^2 + 206}{2x^4 + 6x^2 + 4} - \frac{5\log(x^2 + 1)}{2} - 144\log(x^2 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*7\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*6/6 - 27\*x\*\*4/4 + 49\*x\*\*2 - (207\*x\*\*2 + 206)/(2\*x\*\*4 + 6\*x\*\*2 + 4) - 5\*log(x\*\*2 + 1)/2 - 144\*log(x\*\*2 + 2)

**Giac [A]** time = 1.11072, size = 78, normalized size = 1.28

$$\frac{5}{6}x^6 - \frac{27}{4}x^4 + 49x^2 + \frac{293x^4 + 465x^2 + 174}{4(x^4 + 3x^2 + 2)} - 144\log(x^2 + 2) - \frac{5}{2}\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/6\*x^6 - 27/4\*x^4 + 49\*x^2 + 1/4\*(293\*x^4 + 465\*x^2 + 174)/(x^4 + 3\*x^2 + 2) - 144\*log(x^2 + 2) - 5/2\*log(x^2 + 1)



$$3.76 \quad \int \frac{x^5(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=54

$$\frac{5x^4}{4} - \frac{27x^2}{2} + \frac{103x^2+102}{2(x^4+3x^2+2)} + 3 \log(x^2+1) + 46 \log(x^2+2)$$

[Out]  $(-27*x^2)/2 + (5*x^4)/4 + (102 + 103*x^2)/(2*(2 + 3*x^2 + x^4)) + 3*Log[1 + x^2] + 46*Log[2 + x^2]$

**Rubi [A]** time = 0.108365, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1663, 1660, 1657, 632, 31}

$$\frac{5x^4}{4} - \frac{27x^2}{2} + \frac{103x^2+102}{2(x^4+3x^2+2)} + 3 \log(x^2+1) + 46 \log(x^2+2)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^5*(4 + x^2 + 3*x^4 + 5*x^6))/(2 + 3*x^2 + x^4)^2, x]$

[Out]  $(-27*x^2)/2 + (5*x^4)/4 + (102 + 103*x^2)/(2*(2 + 3*x^2 + x^4)) + 3*Log[1 + x^2] + 46*Log[2 + x^2]$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m - 1)/2)*\text{SubstFor}[x^2, Pq, x]}*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{IntegerQ}[(m - 1)/2]$

### Rule 1660

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :> \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\frac{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p + 1)}}{(p + 1)*(b^2 - 4*a*c)}, x] + \text{Dist}[1/((p + 1)*(b^2 - 4*a*c)), \text{Int}[(a + b*x + c*x^2)^{(p + 1)*\text{ExpandToSum}[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{PolyQ}[Pq, x] \&\& \text{NeQ}[b^2$

- 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[Expand  
Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,  
x] && IGtQ[p, -2]

### Rule 632

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := W  
ith[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/  
2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x  
, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a  
\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(p\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x,  
x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^5(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^2(4 + x + 3x^2 + 5x^3)}{(2 + 3x + x^2)^2} dx, x, x^2 \right) \\
 &= \frac{102 + 103x^2}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-50 - 27x + 12x^2 - 5x^3}{2 + 3x + x^2} dx, x, x^2 \right) \\
 &= \frac{102 + 103x^2}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( 27 - 5x - \frac{2(52 + 49x)}{2 + 3x + x^2} \right) dx, x, x^2 \right) \\
 &= -\frac{27x^2}{2} + \frac{5x^4}{4} + \frac{102 + 103x^2}{2(2 + 3x^2 + x^4)} + \text{Subst} \left( \int \frac{52 + 49x}{2 + 3x + x^2} dx, x, x^2 \right) \\
 &= -\frac{27x^2}{2} + \frac{5x^4}{4} + \frac{102 + 103x^2}{2(2 + 3x^2 + x^4)} + 3 \text{Subst} \left( \int \frac{1}{1 + x} dx, x, x^2 \right) + 46 \text{Subst} \left( \int \frac{1}{2 + x} dx, x, x^2 \right) \\
 &= -\frac{27x^2}{2} + \frac{5x^4}{4} + \frac{102 + 103x^2}{2(2 + 3x^2 + x^4)} + 3 \log(1 + x^2) + 46 \log(2 + x^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.0244659, size = 54, normalized size = 1.

$$\frac{5x^4}{4} - \frac{27x^2}{2} + \frac{103x^2 + 102}{2(x^4 + 3x^2 + 2)} + 3 \log(x^2 + 1) + 46 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] (-27\*x^2)/2 + (5\*x^4)/4 + (102 + 103\*x^2)/(2\*(2 + 3\*x^2 + x^4)) + 3\*Log[1 + x^2] + 46\*Log[2 + x^2]

**Maple [A]** time = 0.014, size = 46, normalized size = 0.9

$$\frac{5x^4}{4} - \frac{27x^2}{2} + 46 \ln(x^2 + 2) + 52(x^2 + 2)^{-1} + 3 \ln(x^2 + 1) - \frac{1}{2x^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out] 5/4\*x^4-27/2\*x^2+46\*ln(x^2+2)+52/(x^2+2)+3\*ln(x^2+1)-1/2/(x^2+1)

**Maxima [A]** time = 0.996348, size = 65, normalized size = 1.2

$$\frac{5}{4}x^4 - \frac{27}{2}x^2 + \frac{103x^2 + 102}{2(x^4 + 3x^2 + 2)} + 46 \log(x^2 + 2) + 3 \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] 5/4\*x^4 - 27/2\*x^2 + 1/2\*(103\*x^2 + 102)/(x^4 + 3\*x^2 + 2) + 46\*log(x^2 + 2) + 3\*log(x^2 + 1)

**Fricas [A]** time = 1.96442, size = 186, normalized size = 3.44

$$\frac{5x^8 - 39x^6 - 152x^4 + 98x^2 + 184(x^4 + 3x^2 + 2)\log(x^2 + 2) + 12(x^4 + 3x^2 + 2)\log(x^2 + 1) + 204}{4(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/4\*(5\*x^8 - 39\*x^6 - 152\*x^4 + 98\*x^2 + 184\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 2) + 12\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 1) + 204)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.154507, size = 48, normalized size = 0.89

$$\frac{5x^4}{4} - \frac{27x^2}{2} + \frac{103x^2 + 102}{2x^4 + 6x^2 + 4} + 3\log(x^2 + 1) + 46\log(x^2 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*4/4 - 27\*x\*\*2/2 + (103\*x\*\*2 + 102)/(2\*x\*\*4 + 6\*x\*\*2 + 4) + 3\*log(x\*\*2 + 1) + 46\*log(x\*\*2 + 2)

**Giac [A]** time = 1.13079, size = 72, normalized size = 1.33

$$\frac{5}{4}x^4 - \frac{27}{2}x^2 - \frac{49x^4 + 44x^2 - 4}{2(x^4 + 3x^2 + 2)} + 46\log(x^2 + 2) + 3\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/4\*x^4 - 27/2\*x^2 - 1/2\*(49\*x^4 + 44\*x^2 - 4)/(x^4 + 3\*x^2 + 2) + 46\*log(x^2 + 2) + 3\*log(x^2 + 1)

$$3.77 \quad \int \frac{x^3(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=49

$$\frac{5x^2}{2} - \frac{51x^2 + 50}{2(x^4 + 3x^2 + 2)} - \frac{7}{2} \log(x^2 + 1) - 10 \log(x^2 + 2)$$

[Out] (5\*x^2)/2 - (50 + 51\*x^2)/(2\*(2 + 3\*x^2 + x^4)) - (7\*Log[1 + x^2])/2 - 10\*Log[2 + x^2]

**Rubi [A]** time = 0.0856682, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1663, 1660, 1657, 632, 31}

$$\frac{5x^2}{2} - \frac{51x^2 + 50}{2(x^4 + 3x^2 + 2)} - \frac{7}{2} \log(x^2 + 1) - 10 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] (5\*x^2)/2 - (50 + 51\*x^2)/(2\*(2 + 3\*x^2 + x^4)) - (7\*Log[1 + x^2])/2 - 10\*Log[2 + x^2]

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1660

Int[(Pq\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x + c\*x^2)^(p + 1)\*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*Q - (2\*p + 3)\*(2\*c\*f - b\*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2

- 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[Expand  
Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,  
x] && IGtQ[p, -2]

### Rule 632

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := W  
ith[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[(c\*d - e\*(b/2 - q/2))/q, Int[1/(b/2 - q/  
2 + c\*x), x], x] - Dist[(c\*d - e\*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c\*x), x  
, x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a  
\*c, 0] && NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 31

Int[((a\_) + (b\_)\*(x\_))^(p\_), x\_Symbol] := Simp[Log[RemoveContent[a + b\*x,  
x]]/b, x] /; FreeQ[{a, b}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^3(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x(4+x+3x^2+5x^3)}{(2+3x+x^2)^2} dx, x, x^2 \right) \\
 &= -\frac{50+51x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{24+12x-5x^2}{2+3x+x^2} dx, x, x^2 \right) \\
 &= -\frac{50+51x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( -5 + \frac{34+27x}{2+3x+x^2} \right) dx, x, x^2 \right) \\
 &= \frac{5x^2}{2} - \frac{50+51x^2}{2(2+3x^2+x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{34+27x}{2+3x+x^2} dx, x, x^2 \right) \\
 &= \frac{5x^2}{2} - \frac{50+51x^2}{2(2+3x^2+x^4)} - \frac{7}{2} \text{Subst} \left( \int \frac{1}{1+x} dx, x, x^2 \right) - 10 \text{Subst} \left( \int \frac{1}{2+x} dx, x, x^2 \right) \\
 &= \frac{5x^2}{2} - \frac{50+51x^2}{2(2+3x^2+x^4)} - \frac{7}{2} \log(1+x^2) - 10 \log(2+x^2)
 \end{aligned}$$

**Mathematica [A]** time = 0.0220387, size = 49, normalized size = 1.

$$\frac{5x^2}{2} + \frac{-51x^2 - 50}{2(x^4 + 3x^2 + 2)} - \frac{7}{2} \log(x^2 + 1) - 10 \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] (5\*x^2)/2 + (-50 - 51\*x^2)/(2\*(2 + 3\*x^2 + x^4)) - (7\*Log[1 + x^2])/2 - 10\*Log[2 + x^2]

**Maple [A]** time = 0.013, size = 41, normalized size = 0.8

$$\frac{5x^2}{2} - 10 \ln(x^2 + 2) - 26(x^2 + 2)^{-1} - \frac{7 \ln(x^2 + 1)}{2} + \frac{1}{2x^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out] 5/2\*x^2-10\*ln(x^2+2)-26/(x^2+2)-7/2\*ln(x^2+1)+1/2/(x^2+1)

**Maxima [A]** time = 1.02707, size = 58, normalized size = 1.18

$$\frac{5}{2}x^2 - \frac{51x^2 + 50}{2(x^4 + 3x^2 + 2)} - 10 \log(x^2 + 2) - \frac{7}{2} \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] 5/2\*x^2 - 1/2\*(51\*x^2 + 50)/(x^4 + 3\*x^2 + 2) - 10\*log(x^2 + 2) - 7/2\*log(x^2 + 1)

**Fricas [A]** time = 1.97511, size = 169, normalized size = 3.45

$$\frac{5x^6 + 15x^4 - 41x^2 - 20(x^4 + 3x^2 + 2)\log(x^2 + 2) - 7(x^4 + 3x^2 + 2)\log(x^2 + 1) - 50}{2(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/2\*(5\*x^6 + 15\*x^4 - 41\*x^2 - 20\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 2) - 7\*(x^4 + 3\*x^2 + 2)\*log(x^2 + 1) - 50)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.156256, size = 42, normalized size = 0.86

$$\frac{5x^2}{2} - \frac{51x^2 + 50}{2x^4 + 6x^2 + 4} - \frac{7\log(x^2 + 1)}{2} - 10\log(x^2 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*2/2 - (51\*x\*\*2 + 50)/(2\*x\*\*4 + 6\*x\*\*2 + 4) - 7\*log(x\*\*2 + 1)/2 - 10\*log(x\*\*2 + 2)

**Giac [A]** time = 1.0934, size = 61, normalized size = 1.24

$$\frac{5}{2}x^2 - \frac{51x^2 + 50}{2(x^2 + 2)(x^2 + 1)} - 10\log(x^2 + 2) - \frac{7}{2}\log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/2\*x^2 - 1/2\*(51\*x^2 + 50)/((x^2 + 2)\*(x^2 + 1)) - 10\*log(x^2 + 2) - 7/2\*log(x^2 + 1)



$$3.78 \quad \int \frac{x(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=42

$$\frac{25x^2 + 24}{2(x^4 + 3x^2 + 2)} + 4 \log(x^2 + 1) - \frac{3}{2} \log(x^2 + 2)$$

[Out] (24 + 25\*x^2)/(2\*(2 + 3\*x^2 + x^4)) + 4\*Log[1 + x^2] - (3\*Log[2 + x^2])/2

**Rubi [A]** time = 0.0491766, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {1663, 1660, 632, 31}

$$\frac{25x^2 + 24}{2(x^4 + 3x^2 + 2)} + 4 \log(x^2 + 1) - \frac{3}{2} \log(x^2 + 2)$$

Antiderivative was successfully verified.

[In] Int[(x\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] (24 + 25\*x^2)/(2\*(2 + 3\*x^2 + x^4)) + 4\*Log[1 + x^2] - (3\*Log[2 + x^2])/2

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1660

Int[(Pq\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x + c\*x^2)^(p + 1)\*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*Q - (2\*p + 3)\*(2\*c\*f - b\*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

Rule 632

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(c*d - e*(b/2 - q/2))/q, Int[1/(b/2 - q/2 + c*x), x], x] - Dist[(c*d - e*(b/2 + q/2))/q, Int[1/(b/2 + q/2 + c*x), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && NiceSqrtQ[b^2 - 4*a*c]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{x(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{(2 + 3x + x^2)^2} dx, x, x^2 \right) \\ &= \frac{24 + 25x^2}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-13 - 5x}{2 + 3x + x^2} dx, x, x^2 \right) \\ &= \frac{24 + 25x^2}{2(2 + 3x^2 + x^4)} - \frac{3}{2} \text{Subst} \left( \int \frac{1}{2 + x} dx, x, x^2 \right) + 4 \text{Subst} \left( \int \frac{1}{1 + x} dx, x, x^2 \right) \\ &= \frac{24 + 25x^2}{2(2 + 3x^2 + x^4)} + 4 \log(1 + x^2) - \frac{3}{2} \log(2 + x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0170239, size = 42, normalized size = 1.

$$\frac{25x^2 + 24}{2(x^4 + 3x^2 + 2)} + 4 \log(x^2 + 1) - \frac{3}{2} \log(x^2 + 2)$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(4 + x^2 + 3*x^4 + 5*x^6))/(2 + 3*x^2 + x^4)^2,x]
```

```
[Out] (24 + 25*x^2)/(2*(2 + 3*x^2 + x^4)) + 4*Log[1 + x^2] - (3*Log[2 + x^2])/2
```

---

**Maple [A]** time = 0.015, size = 36, normalized size = 0.9

$$-\frac{3 \ln(x^2 + 2)}{2} + 13(x^2 + 2)^{-1} + 4 \ln(x^2 + 1) - \frac{1}{2x^2 + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x)`

[Out] `-3/2*ln(x^2+2)+13/(x^2+2)+4*ln(x^2+1)-1/2/(x^2+1)`

**Maxima [A]** time = 0.965276, size = 51, normalized size = 1.21

$$\frac{25x^2 + 24}{2(x^4 + 3x^2 + 2)} - \frac{3}{2} \log(x^2 + 2) + 4 \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out] `1/2*(25*x^2 + 24)/(x^4 + 3*x^2 + 2) - 3/2*log(x^2 + 2) + 4*log(x^2 + 1)`

**Fricas [A]** time = 2.00301, size = 144, normalized size = 3.43

$$\frac{25x^2 - 3(x^4 + 3x^2 + 2) \log(x^2 + 2) + 8(x^4 + 3x^2 + 2) \log(x^2 + 1) + 24}{2(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out] `1/2*(25*x^2 - 3*(x^4 + 3*x^2 + 2)*log(x^2 + 2) + 8*(x^4 + 3*x^2 + 2)*log(x^2 + 1) + 24)/(x^4 + 3*x^2 + 2)`

**Sympy [A]** time = 0.150097, size = 36, normalized size = 0.86

$$\frac{25x^2 + 24}{2x^4 + 6x^2 + 4} + 4 \log(x^2 + 1) - \frac{3 \log(x^2 + 2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] (25\*x\*\*2 + 24)/(2\*x\*\*4 + 6\*x\*\*2 + 4) + 4\*log(x\*\*2 + 1) - 3\*log(x\*\*2 + 2)/2

**Giac [A]** time = 1.12106, size = 54, normalized size = 1.29

$$\frac{25x^2 + 24}{2(x^2 + 2)(x^2 + 1)} - \frac{3}{2} \log(x^2 + 2) + 4 \log(x^2 + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 1/2\*(25\*x^2 + 24)/((x^2 + 2)\*(x^2 + 1)) - 3/2\*log(x^2 + 2) + 4\*log(x^2 + 1)

$$3.79 \quad \int \frac{4+x^2+3x^4+5x^6}{x(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=44

$$-\frac{12x^2+11}{2(x^4+3x^2+2)} - \frac{9}{2} \log(x^2+1) + 4 \log(x^2+2) + \log(x)$$

[Out]  $-(11 + 12*x^2)/(2*(2 + 3*x^2 + x^4)) + \text{Log}[x] - (9*\text{Log}[1 + x^2])/2 + 4*\text{Log}[2 + x^2]$

**Rubi [A]** time = 0.0766938, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1663, 1646, 800}

$$-\frac{12x^2+11}{2(x^4+3x^2+2)} - \frac{9}{2} \log(x^2+1) + 4 \log(x^2+2) + \log(x)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x*(2 + 3*x^2 + x^4)^2), x]$

[Out]  $-(11 + 12*x^2)/(2*(2 + 3*x^2 + x^4)) + \text{Log}[x] - (9*\text{Log}[1 + x^2])/2 + 4*\text{Log}[2 + x^2]$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)}*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$  FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1646

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :$   
 $> \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\frac{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p+1)}}{(p+1)*(b^2 - 4*a*c)}, x] + \text{Dist}[1/((p+1)*(b^2 - 4*a*c)), \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{(p+1)}*\text{ExpandToSum}[\frac{(p+1)*(b^2 - 4*a*c)*Q}{(d + e*x)^m}$

- ((2\*p + 3)\*(2\*c\*f - b\*g))/(d + e\*x)^m, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

### Rule 800

Int[(((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_)))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] :> Int[ExpandIntegrand[((d + e\*x)^m\*(f + g\*x))/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[m]

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x(2 + 3x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x(2 + 3x + x^2)^2} dx, x, x^2 \right) \\ &= -\frac{11 + 12x^2}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-2 + 7x}{x(2 + 3x + x^2)} dx, x, x^2 \right) \\ &= -\frac{11 + 12x^2}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( -\frac{1}{x} + \frac{9}{1+x} - \frac{8}{2+x} \right) dx, x, x^2 \right) \\ &= -\frac{11 + 12x^2}{2(2 + 3x^2 + x^4)} + \log(x) - \frac{9}{2} \log(1 + x^2) + 4 \log(2 + x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0215405, size = 44, normalized size = 1.

$$\frac{-12x^2 - 11}{2(x^4 + 3x^2 + 2)} - \frac{9}{2} \log(x^2 + 1) + 4 \log(x^2 + 2) + \log(x)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x\*(2 + 3\*x^2 + x^4)^2), x]

[Out] (-11 - 12\*x^2)/(2\*(2 + 3\*x^2 + x^4)) + Log[x] - (9\*Log[1 + x^2])/2 + 4\*Log[2 + x^2]

**Maple [A]** time = 0.017, size = 38, normalized size = 0.9

$$4 \ln(x^2 + 2) - \frac{13}{2x^2 + 4} - \frac{9 \ln(x^2 + 1)}{2} + \frac{1}{2x^2 + 2} + \ln(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x/(x^4+3*x^2+2)^2,x)`

[Out]  $4*\ln(x^2+2)-13/2/(x^2+2)-9/2*\ln(x^2+1)+1/2/(x^2+1)+\ln(x)$

**Maxima [A]** time = 1.0193, size = 59, normalized size = 1.34

$$-\frac{12x^2 + 11}{2(x^4 + 3x^2 + 2)} + 4 \log(x^2 + 2) - \frac{9}{2} \log(x^2 + 1) + \frac{1}{2} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out]  $-1/2*(12*x^2 + 11)/(x^4 + 3*x^2 + 2) + 4*\log(x^2 + 2) - 9/2*\log(x^2 + 1) + 1/2*\log(x^2)$

**Fricas [A]** time = 1.74922, size = 185, normalized size = 4.2

$$\frac{12x^2 - 8(x^4 + 3x^2 + 2)\log(x^2 + 2) + 9(x^4 + 3x^2 + 2)\log(x^2 + 1) - 2(x^4 + 3x^2 + 2)\log(x) + 11}{2(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out]  $-1/2*(12*x^2 - 8*(x^4 + 3*x^2 + 2)*\log(x^2 + 2) + 9*(x^4 + 3*x^2 + 2)*\log(x^2 + 1) - 2*(x^4 + 3*x^2 + 2)*\log(x) + 11)/(x^4 + 3*x^2 + 2)$

**Sympy [A]** time = 0.16426, size = 39, normalized size = 0.89

$$-\frac{12x^2 + 11}{2x^4 + 6x^2 + 4} + \log(x) - \frac{9 \log(x^2 + 1)}{2} + 4 \log(x^2 + 2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out]  $-(12x^2 + 11)/(2x^4 + 6x^2 + 4) + \log(x) - 9\log(x^2 + 1)/2 + 4\log(x^2 + 2)$

**Giac [A]** time = 1.08408, size = 63, normalized size = 1.43

$$\frac{x^4 - 21x^2 - 20}{4(x^4 + 3x^2 + 2)} + 4 \log(x^2 + 2) - \frac{9}{2} \log(x^2 + 1) + \frac{1}{2} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out]  $1/4*(x^4 - 21*x^2 - 20)/(x^4 + 3*x^2 + 2) + 4*\log(x^2 + 2) - 9/2*\log(x^2 + 1) + 1/2*\log(x^2)$



$$3.80 \quad \int \frac{4+x^2+3x^4+5x^6}{x^3(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=55

$$\frac{11x^2+9}{4(x^4+3x^2+2)} - \frac{1}{2x^2} + 5 \log(x^2+1) - \frac{29}{8} \log(x^2+2) - \frac{11 \log(x)}{4}$$

[Out]  $-1/(2*x^2) + (9 + 11*x^2)/(4*(2 + 3*x^2 + x^4)) - (11*Log[x])/4 + 5*Log[1 + x^2] - (29*Log[2 + x^2])/8$

**Rubi [A]** time = 0.104323, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1663, 1646, 1628}

$$\frac{11x^2+9}{4(x^4+3x^2+2)} - \frac{1}{2x^2} + 5 \log(x^2+1) - \frac{29}{8} \log(x^2+2) - \frac{11 \log(x)}{4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x^3*(2 + 3*x^2 + x^4)^2), x]$

[Out]  $-1/(2*x^2) + (9 + 11*x^2)/(4*(2 + 3*x^2 + x^4)) - (11*Log[x])/4 + 5*Log[1 + x^2] - (29*Log[2 + x^2])/8$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)}*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$   $\text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x^2] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

### Rule 1646

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :$   
 $> \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\frac{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p+1)}}{(p+1)*(b^2 - 4*a*c)}, x] + \text{Dist}[1/((p+1)*(b^2 - 4*a*c)), \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{(p+1)}*\text{ExpandToSum}[\frac{(p+1)*(b^2 - 4*a*c)*Q}{(d + e*x)^m}$

- ((2\*p + 3)\*(2\*c\*f - b\*g))/(d + e\*x)^m, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^3(2 + 3x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x^2(2 + 3x + x^2)^2} dx, x, x^2 \right) \\ &= \frac{9 + 11x^2}{4(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-2 + \frac{5x}{2} - \frac{11x^2}{2}}{x^2(2 + 3x + x^2)} dx, x, x^2 \right) \\ &= \frac{9 + 11x^2}{4(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( -\frac{1}{x^2} + \frac{11}{4x} - \frac{10}{1+x} + \frac{29}{4(2+x)} \right) dx, x, x^2 \right) \\ &= -\frac{1}{2x^2} + \frac{9 + 11x^2}{4(2 + 3x^2 + x^4)} - \frac{11 \log(x)}{4} + 5 \log(1 + x^2) - \frac{29}{8} \log(2 + x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0251518, size = 50, normalized size = 0.91

$$\frac{1}{8} \left( \frac{22x^2 + 18}{x^4 + 3x^2 + 2} - \frac{4}{x^2} + 40 \log(x^2 + 1) - 29 \log(x^2 + 2) - 22 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^3\*(2 + 3\*x^2 + x^4)^2), x]

[Out] (-4/x^2 + (18 + 22\*x^2)/(2 + 3\*x^2 + x^4) - 22\*Log[x] + 40\*Log[1 + x^2] - 29\*Log[2 + x^2])/8

**Maple [A]** time = 0.017, size = 45, normalized size = 0.8

$$-\frac{29 \ln(x^2 + 2)}{8} + \frac{13}{4x^2 + 8} + 5 \ln(x^2 + 1) - \frac{1}{2x^2 + 2} - \frac{1}{2x^2} - \frac{11 \ln(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^3/(x^4+3*x^2+2)^2,x)`

[Out]  $-29/8*\ln(x^2+2)+13/4/(x^2+2)+5*\ln(x^2+1)-1/2/(x^2+1)-1/2/x^2-11/4*\ln(x)$

**Maxima [A]** time = 1.00124, size = 72, normalized size = 1.31

$$\frac{9x^4 + 3x^2 - 4}{4(x^6 + 3x^4 + 2x^2)} - \frac{29}{8} \log(x^2 + 2) + 5 \log(x^2 + 1) - \frac{11}{8} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^3/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out]  $1/4*(9*x^4 + 3*x^2 - 4)/(x^6 + 3*x^4 + 2*x^2) - 29/8*\log(x^2 + 2) + 5*\log(x^2 + 1) - 11/8*\log(x^2)$

**Fricas [A]** time = 1.85876, size = 219, normalized size = 3.98

$$\frac{18x^4 + 6x^2 - 29(x^6 + 3x^4 + 2x^2) \log(x^2 + 2) + 40(x^6 + 3x^4 + 2x^2) \log(x^2 + 1) - 22(x^6 + 3x^4 + 2x^2) \log(x) - 8}{8(x^6 + 3x^4 + 2x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^3/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out]  $1/8*(18*x^4 + 6*x^2 - 29*(x^6 + 3*x^4 + 2*x^2)*\log(x^2 + 2) + 40*(x^6 + 3*x^4 + 2*x^2)*\log(x^2 + 1) - 22*(x^6 + 3*x^4 + 2*x^2)*\log(x) - 8)/(x^6 + 3*x^4 + 2*x^2)$

**Sympy [A]** time = 0.190424, size = 51, normalized size = 0.93

$$\frac{9x^4 + 3x^2 - 4}{4x^6 + 12x^4 + 8x^2} - \frac{11 \log(x)}{4} + 5 \log(x^2 + 1) - \frac{29 \log(x^2 + 2)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*3/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] (9\*x\*\*4 + 3\*x\*\*2 - 4)/(4\*x\*\*6 + 12\*x\*\*4 + 8\*x\*\*2) - 11\*log(x)/4 + 5\*log(x\*\*2 + 1) - 29\*log(x\*\*2 + 2)/8

**Giac [A]** time = 1.1098, size = 72, normalized size = 1.31

$$\frac{9x^4 + 3x^2 - 4}{4(x^6 + 3x^4 + 2x^2)} - \frac{29}{8} \log(x^2 + 2) + 5 \log(x^2 + 1) - \frac{11}{8} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^3/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 1/4\*(9\*x^4 + 3\*x^2 - 4)/(x^6 + 3\*x^4 + 2\*x^2) - 29/8\*log(x^2 + 2) + 5\*log(x^2 + 1) - 11/8\*log(x^2)

$$3.81 \quad \int \frac{4+x^2+3x^4+5x^6}{x^5(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=64

$$-\frac{9x^2+5}{8(x^4+3x^2+2)} + \frac{11}{8x^2} - \frac{1}{4x^4} - \frac{11}{2} \log(x^2+1) + \frac{21}{8} \log(x^2+2) + \frac{23 \log(x)}{4}$$

[Out]  $-1/(4*x^4) + 11/(8*x^2) - (5 + 9*x^2)/(8*(2 + 3*x^2 + x^4)) + (23*Log[x])/4 - (11*Log[1 + x^2])/2 + (21*Log[2 + x^2])/8$

**Rubi [A]** time = 0.110765, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1663, 1646, 1628}

$$-\frac{9x^2+5}{8(x^4+3x^2+2)} + \frac{11}{8x^2} - \frac{1}{4x^4} - \frac{11}{2} \log(x^2+1) + \frac{21}{8} \log(x^2+2) + \frac{23 \log(x)}{4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x^5*(2 + 3*x^2 + x^4)^2), x]$

[Out]  $-1/(4*x^4) + 11/(8*x^2) - (5 + 9*x^2)/(8*(2 + 3*x^2 + x^4)) + (23*Log[x])/4 - (11*Log[1 + x^2])/2 + (21*Log[2 + x^2])/8$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)}*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)}*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$   $\text{FreeQ}[\{a, b, c, p\}, x] \ \&\& \ \text{PolyQ}[Pq, x^2] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

### Rule 1646

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :$   
 $> \text{With}[\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[\frac{(b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^{(p+1)}}{(p+1)*(b^2 - 4*a*c)}, x] + \text{Dist}[1/((p+1)*(b^2 - 4*a*c)), \text{Int}[(d + e*x)^m*(a + b*x + c*x^2)^{(p+1)}*\text{ExpandToSum}[\frac{(p+1)*(b^2 - 4*a*c)*Q}{(d + e*x)^m}$

- ((2\*p + 3)\*(2\*c\*f - b\*g))/(d + e\*x)^m, x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && ILtQ[m, 0]

### Rule 1628

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[ExpandIntegrand[(d + e\*x)^m\*Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^5(2 + 3x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x^3(2 + 3x + x^2)^2} dx, x, x^2 \right) \\ &= -\frac{5 + 9x^2}{8(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \frac{-2 + \frac{5x}{2} - \frac{17x^2}{4} + \frac{9x^3}{4}}{x^3(2 + 3x + x^2)} dx, x, x^2 \right) \\ &= -\frac{5 + 9x^2}{8(2 + 3x^2 + x^4)} - \frac{1}{2} \text{Subst} \left( \int \left( -\frac{1}{x^3} + \frac{11}{4x^2} - \frac{23}{4x} + \frac{11}{1+x} - \frac{21}{4(2+x)} \right) dx, x, x^2 \right) \\ &= -\frac{1}{4x^4} + \frac{11}{8x^2} - \frac{5 + 9x^2}{8(2 + 3x^2 + x^4)} + \frac{23 \log(x)}{4} - \frac{11}{2} \log(1 + x^2) + \frac{21}{8} \log(2 + x^2) \end{aligned}$$

**Mathematica [A]** time = 0.0293778, size = 56, normalized size = 0.88

$$\frac{1}{8} \left( -\frac{9x^2 + 5}{x^4 + 3x^2 + 2} + \frac{11}{x^2} - \frac{2}{x^4} - 44 \log(x^2 + 1) + 21 \log(x^2 + 2) + 46 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^5\*(2 + 3\*x^2 + x^4)^2), x]

[Out] (-2/x^4 + 11/x^2 - (5 + 9\*x^2)/(2 + 3\*x^2 + x^4) + 46\*Log[x] - 44\*Log[1 + x^2] + 21\*Log[2 + x^2])/8

**Maple [A]** time = 0.018, size = 50, normalized size = 0.8

$$\frac{21 \ln(x^2 + 2)}{8} - \frac{13}{8x^2 + 16} - \frac{11 \ln(x^2 + 1)}{2} + \frac{1}{2x^2 + 2} - \frac{1}{4x^4} + \frac{11}{8x^2} + \frac{23 \ln(x)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^5/(x^4+3*x^2+2)^2,x)`

[Out]  $21/8*\ln(x^2+2)-13/8/(x^2+2)-11/2*\ln(x^2+1)+1/2/(x^2+1)-1/4/x^4+11/8/x^2+23/4*\ln(x)$

**Maxima [A]** time = 0.952735, size = 76, normalized size = 1.19

$$\frac{x^6 + 13x^4 + 8x^2 - 2}{4(x^8 + 3x^6 + 2x^4)} + \frac{21}{8} \log(x^2 + 2) - \frac{11}{2} \log(x^2 + 1) + \frac{23}{8} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^5/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out]  $1/4*(x^6 + 13*x^4 + 8*x^2 - 2)/(x^8 + 3*x^6 + 2*x^4) + 21/8*\log(x^2 + 2) - 11/2*\log(x^2 + 1) + 23/8*\log(x^2)$

**Fricas [A]** time = 1.7272, size = 231, normalized size = 3.61

$$\frac{2x^6 + 26x^4 + 16x^2 + 21(x^8 + 3x^6 + 2x^4) \log(x^2 + 2) - 44(x^8 + 3x^6 + 2x^4) \log(x^2 + 1) + 46(x^8 + 3x^6 + 2x^4) \log(x)}{8(x^8 + 3x^6 + 2x^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^5/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out]  $1/8*(2*x^6 + 26*x^4 + 16*x^2 + 21*(x^8 + 3*x^6 + 2*x^4)*\log(x^2 + 2) - 44*(x^8 + 3*x^6 + 2*x^4)*\log(x^2 + 1) + 46*(x^8 + 3*x^6 + 2*x^4)*\log(x) - 4)/(x^8 + 3*x^6 + 2*x^4)$

**Sympy [A]** time = 0.204195, size = 56, normalized size = 0.88

$$\frac{23 \log(x)}{4} - \frac{11 \log(x^2 + 1)}{2} + \frac{21 \log(x^2 + 2)}{8} + \frac{x^6 + 13x^4 + 8x^2 - 2}{4x^8 + 12x^6 + 8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*5/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 23\*log(x)/4 - 11\*log(x\*\*2 + 1)/2 + 21\*log(x\*\*2 + 2)/8 + (x\*\*6 + 13\*x\*\*4 + 8\*x\*\*2 - 2)/(4\*x\*\*8 + 12\*x\*\*6 + 8\*x\*\*4)

**Giac [A]** time = 1.09415, size = 89, normalized size = 1.39

$$\frac{23x^4 + 51x^2 + 36}{16(x^4 + 3x^2 + 2)} - \frac{69x^4 - 22x^2 + 4}{16x^4} + \frac{21}{8} \log(x^2 + 2) - \frac{11}{2} \log(x^2 + 1) + \frac{23}{8} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^5/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 1/16\*(23\*x^4 + 51\*x^2 + 36)/(x^4 + 3\*x^2 + 2) - 1/16\*(69\*x^4 - 22\*x^2 + 4)/x^4 + 21/8\*log(x^2 + 2) - 11/2\*log(x^2 + 1) + 23/8\*log(x^2)



$$3.82 \quad \int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=70

$$\frac{5x^7}{7} - \frac{27x^5}{5} + \frac{98x^3}{3} - \frac{(207x^2 + 206)x}{2(x^4 + 3x^2 + 2)} - 293x + \frac{9}{2} \tan^{-1}(x) + 340\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

[Out] -293\*x + (98\*x^3)/3 - (27\*x^5)/5 + (5\*x^7)/7 - (x\*(206 + 207\*x^2))/(2\*(2 + 3\*x^2 + x^4)) + (9\*ArcTan[x])/2 + 340\*sqrt[2]\*ArcTan[x/sqrt[2]]

**Rubi [A]** time = 0.0845314, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1676, 1166, 203}

$$\frac{5x^7}{7} - \frac{27x^5}{5} + \frac{98x^3}{3} - \frac{(207x^2 + 206)x}{2(x^4 + 3x^2 + 2)} - 293x + \frac{9}{2} \tan^{-1}(x) + 340\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] -293\*x + (98\*x^3)/3 - (27\*x^5)/5 + (5\*x^7)/7 - (x\*(206 + 207\*x^2))/(2\*(2 + 3\*x^2 + x^4)) + (9\*ArcTan[x])/2 + 340\*sqrt[2]\*ArcTan[x/sqrt[2]]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx &= -\frac{x(206+207x^2)}{2(2+3x^2+x^4)} - \frac{1}{4} \int \frac{-412-6x^2+212x^4-108x^6+48x^8-20x^{10}}{2+3x^2+x^4} dx \\
&= -\frac{x(206+207x^2)}{2(2+3x^2+x^4)} - \frac{1}{4} \int \left( 1172-392x^2+108x^4-20x^6 - \frac{2(1378+1369x^2)}{2+3x^2+x^4} \right) dx \\
&= -293x + \frac{98x^3}{3} - \frac{27x^5}{5} + \frac{5x^7}{7} - \frac{x(206+207x^2)}{2(2+3x^2+x^4)} + \frac{1}{2} \int \frac{1378+1369x^2}{2+3x^2+x^4} dx \\
&= -293x + \frac{98x^3}{3} - \frac{27x^5}{5} + \frac{5x^7}{7} - \frac{x(206+207x^2)}{2(2+3x^2+x^4)} + \frac{9}{2} \int \frac{1}{1+x^2} dx + 680 \int \frac{1}{2+x^2} dx \\
&= -293x + \frac{98x^3}{3} - \frac{27x^5}{5} + \frac{5x^7}{7} - \frac{x(206+207x^2)}{2(2+3x^2+x^4)} + \frac{9}{2} \tan^{-1}(x) + 340\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.045937, size = 71, normalized size = 1.01

$$\frac{5x^7}{7} - \frac{27x^5}{5} + \frac{98x^3}{3} + \frac{-207x^3 - 206x}{2(x^4 + 3x^2 + 2)} - 293x + \frac{9}{2} \tan^{-1}(x) + 340\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out]  $-293x + (98x^3)/3 - (27x^5)/5 + (5x^7)/7 + (-206x - 207x^3)/(2*(2 + 3x^2 + x^4)) + (9*\text{ArcTan}[x])/2 + 340*\text{Sqrt}[2]*\text{ArcTan}[x/\text{Sqrt}[2]]$

**Maple [A]** time = 0.013, size = 56, normalized size = 0.8

$$\frac{5x^7}{7} - \frac{27x^5}{5} + \frac{98x^3}{3} - 293x - 104\frac{x}{x^2+2} + 340\arctan\left(\frac{1}{2}x\sqrt{2}\right)\sqrt{2} + \frac{x}{2x^2+2} + \frac{9\arctan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out]  $5/7*x^7 - 27/5*x^5 + 98/3*x^3 - 293*x - 104*x/(x^2+2) + 340*\arctan(1/2*x*2^{(1/2)})*2^{(1/2)} + 1/2*x/(x^2+1) + 9/2*\arctan(x)$

**Maxima [A]** time = 1.46827, size = 78, normalized size = 1.11

$$\frac{5}{7}x^7 - \frac{27}{5}x^5 + \frac{98}{3}x^3 + 340\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 293x - \frac{207x^3 + 206x}{2(x^4 + 3x^2 + 2)} + \frac{9}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out]  $5/7*x^7 - 27/5*x^5 + 98/3*x^3 + 340*\text{sqrt}(2)*\arctan(1/2*\text{sqrt}(2)*x) - 293*x - 1/2*(207*x^3 + 206*x)/(x^4 + 3*x^2 + 2) + 9/2*\arctan(x)$

**Fricas [A]** time = 1.84306, size = 247, normalized size = 3.53

$$\frac{150x^{11} - 684x^9 + 3758x^7 - 43218x^5 - 192605x^3 + 71400\sqrt{2}(x^4 + 3x^2 + 2)\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 945(x^4 + 3x^2 + 2)\arctan(x)}{210(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/210\*(150\*x^11 - 684\*x^9 + 3758\*x^7 - 43218\*x^5 - 192605\*x^3 + 71400\*sqrt(2)\*(x^4 + 3\*x^2 + 2)\*arctan(1/2\*sqrt(2)\*x) + 945\*(x^4 + 3\*x^2 + 2)\*arctan(x) - 144690\*x)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.186366, size = 66, normalized size = 0.94

$$\frac{5x^7}{7} - \frac{27x^5}{5} + \frac{98x^3}{3} - 293x - \frac{207x^3 + 206x}{2x^4 + 6x^2 + 4} + \frac{9 \operatorname{atan}(x)}{2} + 340\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*8\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*7/7 - 27\*x\*\*5/5 + 98\*x\*\*3/3 - 293\*x - (207\*x\*\*3 + 206\*x)/(2\*x\*\*4 + 6\*x\*\*2 + 4) + 9\*atan(x)/2 + 340\*sqrt(2)\*atan(sqrt(2)\*x/2)

**Giac [A]** time = 1.08255, size = 78, normalized size = 1.11

$$\frac{5}{7}x^7 - \frac{27}{5}x^5 + \frac{98}{3}x^3 + 340\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}x\right) - 293x - \frac{207x^3 + 206x}{2(x^4 + 3x^2 + 2)} + \frac{9}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/7\*x^7 - 27/5\*x^5 + 98/3\*x^3 + 340\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 293\*x - 1/2\*(207\*x^3 + 206\*x)/(x^4 + 3\*x^2 + 2) + 9/2\*arctan(x)

$$3.83 \quad \int \frac{x^6(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=57

$$x^5 - 9x^3 + \frac{(103x^2 + 102)x}{2(x^4 + 3x^2 + 2)} + 98x - \frac{11}{2} \tan^{-1}(x) - 118\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

[Out] 98\*x - 9\*x^3 + x^5 + (x\*(102 + 103\*x^2))/(2\*(2 + 3\*x^2 + x^4)) - (11\*ArcTan[x])/2 - 118\*sqrt[2]\*ArcTan[x/sqrt[2]]

**Rubi [A]** time = 0.0821456, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1676, 1166, 203}

$$x^5 - 9x^3 + \frac{(103x^2 + 102)x}{2(x^4 + 3x^2 + 2)} + 98x - \frac{11}{2} \tan^{-1}(x) - 118\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^6\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] 98\*x - 9\*x^3 + x^5 + (x\*(102 + 103\*x^2))/(2\*(2 + 3\*x^2 + x^4)) - (11\*ArcTan[x])/2 - 118\*sqrt[2]\*ArcTan[x/sqrt[2]]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

Int[(Pq\_)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] := Int[ExpandIntegrand[Pq/(a + b\*x^2 + c\*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1

### Rule 1166

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[b^2 - 4\*a\*c, 2]}, Dist[e/2 + (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 - q/2 + c\*x^2), x], x] + Dist[e/2 - (2\*c\*d - b\*e)/(2\*q), Int[1/(b/2 + q/2 + c\*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - a\*e^2, 0] && PosQ[b^2 - 4\*a\*c]

### Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{x^6(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^2} dx &= \frac{x(102 + 103x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{204 + 6x^2 - 108x^4 + 48x^6 - 20x^8}{2 + 3x^2 + x^4} dx \\
 &= \frac{x(102 + 103x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -392 + 108x^2 - 20x^4 + \frac{2(494 + 483x^2)}{2 + 3x^2 + x^4} \right) dx \\
 &= 98x - 9x^3 + x^5 + \frac{x(102 + 103x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \int \frac{494 + 483x^2}{2 + 3x^2 + x^4} dx \\
 &= 98x - 9x^3 + x^5 + \frac{x(102 + 103x^2)}{2(2 + 3x^2 + x^4)} - \frac{11}{2} \int \frac{1}{1 + x^2} dx - 236 \int \frac{1}{2 + x^2} dx \\
 &= 98x - 9x^3 + x^5 + \frac{x(102 + 103x^2)}{2(2 + 3x^2 + x^4)} - \frac{11}{2} \tan^{-1}(x) - 118\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)
 \end{aligned}$$

**Mathematica [A]** time = 0.0479191, size = 58, normalized size = 1.02

$$x^5 - 9x^3 + \frac{103x^3 + 102x}{2(x^4 + 3x^2 + 2)} + 98x - \frac{11}{2} \tan^{-1}(x) - 118\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^6\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out]  $98x - 9x^3 + x^5 + (102x + 103x^3)/(2(2 + 3x^2 + x^4)) - (11\text{ArcTan}[x])/2 - 118\text{Sqrt}[2]*\text{ArcTan}[x/\text{Sqrt}[2]]$

**Maple [A]** time = 0.013, size = 49, normalized size = 0.9

$$x^5 - 9x^3 + 98x + 52 \frac{x}{x^2 + 2} - 118 \arctan\left(\frac{1}{2}x\sqrt{2}\right)\sqrt{2} - \frac{x}{2x^2 + 2} - \frac{11 \arctan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out]  $x^5 - 9x^3 + 98x + 52x/(x^2 + 2) - 118 \arctan(1/2*x*2^{(1/2)})*2^{(1/2)} - 1/2*x/(x^2 + 1) - 11/2*\arctan(x)$

**Maxima [A]** time = 1.48617, size = 69, normalized size = 1.21

$$x^5 - 9x^3 - 118\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 98x + \frac{103x^3 + 102x}{2(x^4 + 3x^2 + 2)} - \frac{11}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out]  $x^5 - 9x^3 - 118*\text{sqrt}(2)*\arctan(1/2*\text{sqrt}(2)*x) + 98x + 1/2*(103*x^3 + 102*x)/(x^4 + 3*x^2 + 2) - 11/2*\arctan(x)$

**Fricas [A]** time = 1.75625, size = 209, normalized size = 3.67

$$\frac{2x^9 - 12x^7 + 146x^5 + 655x^3 - 236\sqrt{2}(x^4 + 3x^2 + 2)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 11(x^4 + 3x^2 + 2)\arctan(x) + 494x}{2(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/2\*(2\*x^9 - 12\*x^7 + 146\*x^5 + 655\*x^3 - 236\*sqrt(2)\*(x^4 + 3\*x^2 + 2)\*arctan(1/2\*sqrt(2)\*x) - 11\*(x^4 + 3\*x^2 + 2)\*arctan(x) + 494\*x)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.184926, size = 54, normalized size = 0.95

$$x^5 - 9x^3 + 98x + \frac{103x^3 + 102x}{2x^4 + 6x^2 + 4} - \frac{11 \operatorname{atan}(x)}{2} - 118\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] x\*\*5 - 9\*x\*\*3 + 98\*x + (103\*x\*\*3 + 102\*x)/(2\*x\*\*4 + 6\*x\*\*2 + 4) - 11\*atan(x)/2 - 118\*sqrt(2)\*atan(sqrt(2)\*x/2)

**Giac [A]** time = 1.08387, size = 69, normalized size = 1.21

$$x^5 - 9x^3 - 118\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 98x + \frac{103x^3 + 102x}{2(x^4 + 3x^2 + 2)} - \frac{11}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] x^5 - 9\*x^3 - 118\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 98\*x + 1/2\*(103\*x^3 + 102\*x)/(x^4 + 3\*x^2 + 2) - 11/2\*arctan(x)



$$3.84 \quad \int \frac{x^4(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=56

$$\frac{5x^3}{3} - \frac{(51x^2 + 50)x}{2(x^4 + 3x^2 + 2)} - 27x + \frac{13}{2} \tan^{-1}(x) + 33\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

[Out] -27\*x + (5\*x^3)/3 - (x\*(50 + 51\*x^2))/(2\*(2 + 3\*x^2 + x^4)) + (13\*ArcTan[x])/2 + 33\*sqrt[2]\*ArcTan[x/sqrt[2]]

**Rubi [A]** time = 0.0727921, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1676, 1166, 203}

$$\frac{5x^3}{3} - \frac{(51x^2 + 50)x}{2(x^4 + 3x^2 + 2)} - 27x + \frac{13}{2} \tan^{-1}(x) + 33\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] -27\*x + (5\*x^3)/3 - (x\*(50 + 51\*x^2))/(2\*(2 + 3\*x^2 + x^4)) + (13\*ArcTan[x])/2 + 33\*sqrt[2]\*ArcTan[x/sqrt[2]]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx &= -\frac{x(50+51x^2)}{2(2+3x^2+x^4)} - \frac{1}{4} \int \frac{-100-6x^2+48x^4-20x^6}{2+3x^2+x^4} dx \\
&= -\frac{x(50+51x^2)}{2(2+3x^2+x^4)} - \frac{1}{4} \int \left( 108-20x^2 - \frac{2(158+145x^2)}{2+3x^2+x^4} \right) dx \\
&= -27x + \frac{5x^3}{3} - \frac{x(50+51x^2)}{2(2+3x^2+x^4)} + \frac{1}{2} \int \frac{158+145x^2}{2+3x^2+x^4} dx \\
&= -27x + \frac{5x^3}{3} - \frac{x(50+51x^2)}{2(2+3x^2+x^4)} + \frac{13}{2} \int \frac{1}{1+x^2} dx + 66 \int \frac{1}{2+x^2} dx \\
&= -27x + \frac{5x^3}{3} - \frac{x(50+51x^2)}{2(2+3x^2+x^4)} + \frac{13}{2} \tan^{-1}(x) + 33\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.0427317, size = 57, normalized size = 1.02

$$\frac{5x^3}{3} + \frac{-51x^3 - 50x}{2(x^4 + 3x^2 + 2)} - 27x + \frac{13}{2} \tan^{-1}(x) + 33\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out]  $-27x + (5x^3)/3 + (-50x - 51x^3)/(2(2 + 3x^2 + x^4)) + (13\text{ArcTan}[x])/2 + 33\text{Sqrt}[2]*\text{ArcTan}[x/\text{Sqrt}[2]]$

**Maple [A]** time = 0.01, size = 46, normalized size = 0.8

$$\frac{5x^3}{3} - 27x - 26\frac{x}{x^2+2} + 33 \arctan\left(\frac{1}{2}x\sqrt{2}\right)\sqrt{2} + \frac{x}{2x^2+2} + \frac{13 \arctan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out]  $5/3x^3 - 27x - 26x/(x^2+2) + 33*\arctan(1/2*x*2^{(1/2)})*2^{(1/2)} + 1/2*x/(x^2+1) + 13/2*\arctan(x)$

**Maxima [A]** time = 1.48765, size = 65, normalized size = 1.16

$$\frac{5}{3}x^3 + 33\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 27x - \frac{51x^3 + 50x}{2(x^4 + 3x^2 + 2)} + \frac{13}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out]  $5/3*x^3 + 33*\text{sqrt}(2)*\arctan(1/2*\text{sqrt}(2)*x) - 27*x - 1/2*(51*x^3 + 50*x)/(x^4 + 3*x^2 + 2) + 13/2*\arctan(x)$

**Fricas [A]** time = 1.90295, size = 198, normalized size = 3.54

$$\frac{10x^7 - 132x^5 - 619x^3 + 198\sqrt{2}(x^4 + 3x^2 + 2)\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 39(x^4 + 3x^2 + 2)\arctan(x) - 474x}{6(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/6\*(10\*x^7 - 132\*x^5 - 619\*x^3 + 198\*sqrt(2)\*(x^4 + 3\*x^2 + 2)\*arctan(1/2\*sqrt(2)\*x) + 39\*(x^4 + 3\*x^2 + 2)\*arctan(x) - 474\*x)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.189747, size = 53, normalized size = 0.95

$$\frac{5x^3}{3} - 27x - \frac{51x^3 + 50x}{2x^4 + 6x^2 + 4} + \frac{13 \operatorname{atan}(x)}{2} + 33\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x\*\*3/3 - 27\*x - (51\*x\*\*3 + 50\*x)/(2\*x\*\*4 + 6\*x\*\*2 + 4) + 13\*atan(x)/2 + 3\*sqrt(2)\*atan(sqrt(2)\*x/2)

**Giac [A]** time = 1.14651, size = 65, normalized size = 1.16

$$\frac{5}{3}x^3 + 33\sqrt{2} \operatorname{arctan}\left(\frac{1}{2}\sqrt{2}x\right) - 27x - \frac{51x^3 + 50x}{2(x^4 + 3x^2 + 2)} + \frac{13}{2} \operatorname{arctan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 5/3\*x^3 + 33\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 27\*x - 1/2\*(51\*x^3 + 50\*x)/(x^4 + 3\*x^2 + 2) + 13/2\*arctan(x)

$$3.85 \quad \int \frac{x^2(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=49

$$\frac{(25x^2 + 24)x}{2(x^4 + 3x^2 + 2)} + 5x - \frac{15}{2} \tan^{-1}(x) - \frac{7 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

[Out] 5\*x + (x\*(24 + 25\*x^2))/(2\*(2 + 3\*x^2 + x^4)) - (15\*ArcTan[x])/2 - (7\*ArcTan[x/Sqrt[2]])/Sqrt[2]

**Rubi [A]** time = 0.0663581, antiderivative size = 49, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1676, 1166, 203}

$$\frac{(25x^2 + 24)x}{2(x^4 + 3x^2 + 2)} + 5x - \frac{15}{2} \tan^{-1}(x) - \frac{7 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out] 5\*x + (x\*(24 + 25\*x^2))/(2\*(2 + 3\*x^2 + x^4)) - (15\*ArcTan[x])/2 - (7\*ArcTan[x/Sqrt[2]])/Sqrt[2]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^2} dx &= \frac{x(24 + 25x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{48 - 2x^2 - 20x^4}{2 + 3x^2 + x^4} dx \\
&= \frac{x(24 + 25x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -20 + \frac{2(44 + 29x^2)}{2 + 3x^2 + x^4} \right) dx \\
&= 5x + \frac{x(24 + 25x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{2} \int \frac{44 + 29x^2}{2 + 3x^2 + x^4} dx \\
&= 5x + \frac{x(24 + 25x^2)}{2(2 + 3x^2 + x^4)} - 7 \int \frac{1}{2 + x^2} dx - \frac{15}{2} \int \frac{1}{1 + x^2} dx \\
&= 5x + \frac{x(24 + 25x^2)}{2(2 + 3x^2 + x^4)} - \frac{15}{2} \tan^{-1}(x) - \frac{7 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.038853, size = 50, normalized size = 1.02

$$\frac{25x^3 + 24x}{2(x^4 + 3x^2 + 2)} + 5x - \frac{15}{2} \tan^{-1}(x) - \frac{7 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^2,x]

[Out]  $5x + (24x + 25x^3)/(2(2 + 3x^2 + x^4)) - (15\text{ArcTan}[x])/2 - (7\text{ArcTan}[x/\text{Sqrt}[2]])/\text{Sqrt}[2]$

**Maple [A]** time = 0.01, size = 41, normalized size = 0.8

$$5x + 13 \frac{x}{x^2 + 2} - \frac{7\sqrt{2}}{2} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{x}{2x^2 + 2} - \frac{15 \arctan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x)

[Out]  $5x + 13x/(x^2 + 2) - 7/2 \arctan(1/2 * x * 2^{(1/2)}) * 2^{(1/2)} - 1/2 * x / (x^2 + 1) - 15/2 \arctan(x)$

**Maxima [A]** time = 1.48706, size = 58, normalized size = 1.18

$$-\frac{7}{2} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + 5x + \frac{25x^3 + 24x}{2(x^4 + 3x^2 + 2)} - \frac{15}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out]  $-7/2 * \text{sqrt}(2) * \arctan(1/2 * \text{sqrt}(2) * x) + 5 * x + 1/2 * (25 * x^3 + 24 * x) / (x^4 + 3 * x^2 + 2) - 15/2 * \arctan(x)$

**Fricas [A]** time = 2.13975, size = 180, normalized size = 3.67

$$\frac{10x^5 + 55x^3 - 7\sqrt{2}(x^4 + 3x^2 + 2) \arctan\left(\frac{1}{2}\sqrt{2}x\right) - 15(x^4 + 3x^2 + 2) \arctan(x) + 44x}{2(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/2\*(10\*x^5 + 55\*x^3 - 7\*sqrt(2)\*(x^4 + 3\*x^2 + 2)\*arctan(1/2\*sqrt(2)\*x) - 15\*(x^4 + 3\*x^2 + 2)\*arctan(x) + 44\*x)/(x^4 + 3\*x^2 + 2)

**Sympy [A]** time = 0.185744, size = 48, normalized size = 0.98

$$5x + \frac{25x^3 + 24x}{2x^4 + 6x^2 + 4} - \frac{15 \operatorname{atan}(x)}{2} - \frac{7\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 5\*x + (25\*x\*\*3 + 24\*x)/(2\*x\*\*4 + 6\*x\*\*2 + 4) - 15\*atan(x)/2 - 7\*sqrt(2)\*atan(sqrt(2)\*x/2)/2

**Giac [A]** time = 1.10117, size = 58, normalized size = 1.18

$$-\frac{7}{2}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 5x + \frac{25x^3 + 24x}{2(x^4 + 3x^2 + 2)} - \frac{15}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] -7/2\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 5\*x + 1/2\*(25\*x^3 + 24\*x)/(x^4 + 3\*x^2 + 2) - 15/2\*arctan(x)



$$3.86 \quad \int \frac{4+x^2+3x^4+5x^6}{(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=48

$$-\frac{x(12x^2+11)}{2(x^4+3x^2+2)} + \frac{17}{2} \tan^{-1}(x) - \frac{19 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}}$$

[Out]  $-(x*(11 + 12*x^2))/(2*(2 + 3*x^2 + x^4)) + (17*ArcTan[x])/2 - (19*ArcTan[x/Sqrt[2]])/(2*Sqrt[2])$

**Rubi [A]** time = 0.0280516, antiderivative size = 48, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {1678, 1166, 203}

$$-\frac{x(12x^2+11)}{2(x^4+3x^2+2)} + \frac{17}{2} \tan^{-1}(x) - \frac{19 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(2 + 3*x^2 + x^4)^2, x]$

[Out]  $-(x*(11 + 12*x^2))/(2*(2 + 3*x^2 + x^4)) + (17*ArcTan[x])/2 - (19*ArcTan[x/Sqrt[2]])/(2*Sqrt[2])$

### Rule 1678

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{(2 + 3x^2 + x^4)^2} dx &= -\frac{x(11 + 12x^2)}{2(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{-30 + 4x^2}{2 + 3x^2 + x^4} dx \\ &= -\frac{x(11 + 12x^2)}{2(2 + 3x^2 + x^4)} + \frac{17}{2} \int \frac{1}{1 + x^2} dx - \frac{19}{2} \int \frac{1}{2 + x^2} dx \\ &= -\frac{x(11 + 12x^2)}{2(2 + 3x^2 + x^4)} + \frac{17}{2} \tan^{-1}(x) - \frac{19 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0405299, size = 46, normalized size = 0.96

$$\frac{1}{4} \left( -\frac{2x(12x^2 + 11)}{x^4 + 3x^2 + 2} + 34 \tan^{-1}(x) - 19\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(2 + 3*x^2 + x^4)^2, x]
```

```
[Out] ((-2*x*(11 + 12*x^2))/(2 + 3*x^2 + x^4) + 34*ArcTan[x] - 19*sqrt[2]*ArcTan[
x/sqrt[2]])/4
```

**Maple [A]** time = 0.011, size = 38, normalized size = 0.8

$$-\frac{13x}{2x^2 + 4} - \frac{19\sqrt{2}}{4} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{x}{2x^2 + 2} + \frac{17 \arctan(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x)`

[Out]  $-13/2*x/(x^2+2)-19/4*\arctan(1/2*x*2^{(1/2)})*2^{(1/2)}+1/2*x/(x^2+1)+17/2*\arctan(x)$

**Maxima [A]** time = 1.49892, size = 54, normalized size = 1.12

$$-\frac{19}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right)-\frac{12x^3+11x}{2(x^4+3x^2+2)}+\frac{17}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out]  $-19/4*\sqrt{2}*\arctan(1/2*\sqrt{2}*x) - 1/2*(12*x^3 + 11*x)/(x^4 + 3*x^2 + 2) + 17/2*\arctan(x)$

**Fricas [A]** time = 2.05986, size = 170, normalized size = 3.54

$$\frac{24x^3 + 19\sqrt{2}(x^4 + 3x^2 + 2)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 34(x^4 + 3x^2 + 2)\arctan(x) + 22x}{4(x^4 + 3x^2 + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out]  $-1/4*(24*x^3 + 19*\sqrt{2}*(x^4 + 3*x^2 + 2)*\arctan(1/2*\sqrt{2}*x) - 34*(x^4 + 3*x^2 + 2)*\arctan(x) + 22*x)/(x^4 + 3*x^2 + 2)$

**Sympy [A]** time = 0.181602, size = 44, normalized size = 0.92

$$-\frac{12x^3 + 11x}{2x^4 + 6x^2 + 4} + \frac{17\operatorname{atan}(x)}{2} - \frac{19\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out]  $-(12x^3 + 11x)/(2x^4 + 6x^2 + 4) + 17\operatorname{atan}(x)/2 - 19\sqrt{2}\operatorname{atan}(\sqrt{2}x/2)/4$

**Giac [A]** time = 1.08092, size = 54, normalized size = 1.12

$$-\frac{19}{4}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - \frac{12x^3 + 11x}{2(x^4 + 3x^2 + 2)} + \frac{17}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out]  $-19/4\sqrt{2}\arctan(1/2\sqrt{2}x) - 1/2(12x^3 + 11x)/(x^4 + 3x^2 + 2) + 17/2\arctan(x)$

$$3.87 \quad \int \frac{4+x^2+3x^4+5x^6}{x^2(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=53

$$\frac{x(11x^2+9)}{4(x^4+3x^2+2)} - \frac{1}{x} - \frac{19}{2} \tan^{-1}(x) + \frac{45 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

[Out]  $-x^{-1} + (x(9 + 11x^2))/(4(2 + 3x^2 + x^4)) - (19\text{ArcTan}[x])/2 + (45\text{ArcTan}[x/\text{Sqrt}[2]])/(4\text{Sqrt}[2])$

**Rubi [A]** time = 0.0729781, antiderivative size = 53, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$\frac{x(11x^2+9)}{4(x^4+3x^2+2)} - \frac{1}{x} - \frac{19}{2} \tan^{-1}(x) + \frac{45 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3x^4 + 5x^6)/(x^2(2 + 3x^2 + x^4)^2), x]$

[Out]  $-x^{-1} + (x(9 + 11x^2))/(4(2 + 3x^2 + x^4)) - (19\text{ArcTan}[x])/2 + (45\text{ArcTan}[x/\text{Sqrt}[2]])/(4\text{Sqrt}[2])$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^2(2 + 3x^2 + x^4)^2} dx &= \frac{x(9 + 11x^2)}{4(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{-8 + 19x^2 - 11x^4}{x^2(2 + 3x^2 + x^4)} dx \\ &= \frac{x(9 + 11x^2)}{4(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -\frac{4}{x^2} + \frac{38}{1 + x^2} - \frac{45}{2 + x^2} \right) dx \\ &= -\frac{1}{x} + \frac{x(9 + 11x^2)}{4(2 + 3x^2 + x^4)} - \frac{19}{2} \int \frac{1}{1 + x^2} dx + \frac{45}{4} \int \frac{1}{2 + x^2} dx \\ &= -\frac{1}{x} + \frac{x(9 + 11x^2)}{4(2 + 3x^2 + x^4)} - \frac{19}{2} \tan^{-1}(x) + \frac{45 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0493476, size = 51, normalized size = 0.96

$$\frac{1}{8} \left( \frac{2x(11x^2 + 9)}{x^4 + 3x^2 + 2} - \frac{8}{x} - 76 \tan^{-1}(x) + 45\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(x^2*(2 + 3*x^2 + x^4)^2), x]
```

```
[Out] (-8/x + (2*x*(9 + 11*x^2))/(2 + 3*x^2 + x^4) - 76*ArcTan[x] + 45*Sqrt[2]*Ar
cTan[x/Sqrt[2]])/8
```

**Maple [A]** time = 0.012, size = 43, normalized size = 0.8

$$\frac{13x}{4x^2 + 8} + \frac{45\sqrt{2}}{8} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{x}{2x^2 + 2} - \frac{19 \arctan(x)}{2} - x^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^2/(x^4+3*x^2+2)^2,x)`

[Out]  $13/4*x/(x^2+2)+45/8*\arctan(1/2*x*2^{(1/2)})*2^{(1/2)}-1/2*x/(x^2+1)-19/2*\arctan(x)-1/x$

**Maxima [A]** time = 1.45781, size = 61, normalized size = 1.15

$$\frac{45}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + \frac{7x^4 - 3x^2 - 8}{4(x^5 + 3x^3 + 2x)} - \frac{19}{2}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^2/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out]  $45/8*\sqrt{2}*\arctan(1/2*\sqrt{2}*x) + 1/4*(7*x^4 - 3*x^2 - 8)/(x^5 + 3*x^3 + 2*x) - 19/2*\arctan(x)$

**Fricas [A]** time = 2.17958, size = 185, normalized size = 3.49

$$\frac{14x^4 + 45\sqrt{2}(x^5 + 3x^3 + 2x)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 6x^2 - 76(x^5 + 3x^3 + 2x)\arctan(x) - 16}{8(x^5 + 3x^3 + 2x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^2/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out]  $1/8*(14*x^4 + 45*\sqrt{2}*(x^5 + 3*x^3 + 2*x)*\arctan(1/2*\sqrt{2}*x) - 6*x^2 - 76*(x^5 + 3*x^3 + 2*x)*\arctan(x) - 16)/(x^5 + 3*x^3 + 2*x)$

**Sympy [A]** time = 0.201047, size = 49, normalized size = 0.92

$$\frac{7x^4 - 3x^2 - 8}{4x^5 + 12x^3 + 8x} - \frac{19\operatorname{atan}(x)}{2} + \frac{45\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*2/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] (7\*x\*\*4 - 3\*x\*\*2 - 8)/(4\*x\*\*5 + 12\*x\*\*3 + 8\*x) - 19\*atan(x)/2 + 45\*sqrt(2)\*atan(sqrt(2)\*x/2)/8

**Giac [A]** time = 1.12253, size = 61, normalized size = 1.15

$$\frac{45}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{7x^4 - 3x^2 - 8}{4(x^5 + 3x^3 + 2x)} - \frac{19}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 45/8\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/4\*(7\*x^4 - 3\*x^2 - 8)/(x^5 + 3\*x^3 + 2\*x) - 19/2\*arctan(x)



$$3.88 \quad \int \frac{4+x^2+3x^4+5x^6}{x^4(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=62

$$-\frac{x(9x^2+5)}{8(x^4+3x^2+2)} - \frac{1}{3x^3} + \frac{11}{4x} + \frac{21}{2} \tan^{-1}(x) - \frac{71 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out]  $-1/(3*x^3) + 11/(4*x) - (x*(5 + 9*x^2))/(8*(2 + 3*x^2 + x^4)) + (21*ArcTan[x])/2 - (71*ArcTan[x/Sqrt[2]])/(8*Sqrt[2])$

**Rubi [A]** time = 0.0842406, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$-\frac{x(9x^2+5)}{8(x^4+3x^2+2)} - \frac{1}{3x^3} + \frac{11}{4x} + \frac{21}{2} \tan^{-1}(x) - \frac{71 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x^4*(2 + 3*x^2 + x^4)^2), x]$

[Out]  $-1/(3*x^3) + 11/(4*x) - (x*(5 + 9*x^2))/(8*(2 + 3*x^2 + x^4)) + (21*ArcTan[x])/2 - (71*ArcTan[x/Sqrt[2]])/(8*Sqrt[2])$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  oynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^4(2 + 3x^2 + x^4)^2} dx &= -\frac{x(5 + 9x^2)}{8(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{-8 + 10x^2 - \frac{39x^4}{2} + \frac{9x^6}{2}}{x^4(2 + 3x^2 + x^4)} dx \\
 &= -\frac{x(5 + 9x^2)}{8(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -\frac{4}{x^4} + \frac{11}{x^2} - \frac{42}{1 + x^2} + \frac{71}{2(2 + x^2)} \right) dx \\
 &= -\frac{1}{3x^3} + \frac{11}{4x} - \frac{x(5 + 9x^2)}{8(2 + 3x^2 + x^4)} - \frac{71}{8} \int \frac{1}{2 + x^2} dx + \frac{21}{2} \int \frac{1}{1 + x^2} dx \\
 &= -\frac{1}{3x^3} + \frac{11}{4x} - \frac{x(5 + 9x^2)}{8(2 + 3x^2 + x^4)} + \frac{21}{2} \tan^{-1}(x) - \frac{71 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.0533273, size = 56, normalized size = 0.9

$$\frac{1}{48} \left( -\frac{6x(9x^2 + 5)}{x^4 + 3x^2 + 2} - \frac{16}{x^3} + \frac{132}{x} + 504 \tan^{-1}(x) - 213\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(x^4*(2 + 3*x^2 + x^4)^2), x]
```

```
[Out] (-16/x^3 + 132/x - (6*x*(5 + 9*x^2))/(2 + 3*x^2 + x^4) + 504*ArcTan[x] - 21
3*Sqrt[2]*ArcTan[x/Sqrt[2]])/48
```

**Maple [A]** time = 0.014, size = 48, normalized size = 0.8

$$-\frac{13x}{8x^2+16} - \frac{71\sqrt{2}}{16} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{x}{2x^2+2} + \frac{21 \arctan(x)}{2} - \frac{1}{3x^3} + \frac{11}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^2,x)

[Out] -13/8\*x/(x^2+2)-71/16\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)+1/2\*x/(x^2+1)+21/2\*arctan(x)-1/3/x^3+11/4/x

**Maxima [A]** time = 1.47063, size = 70, normalized size = 1.13

$$-\frac{71}{16} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{39x^6 + 175x^4 + 108x^2 - 16}{24(x^7 + 3x^5 + 2x^3)} + \frac{21}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] -71/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/24\*(39\*x^6 + 175\*x^4 + 108\*x^2 - 16)/(x^7 + 3\*x^5 + 2\*x^3) + 21/2\*arctan(x)

**Fricas [A]** time = 1.58719, size = 213, normalized size = 3.44

$$\frac{78x^6 + 350x^4 - 213\sqrt{2}(x^7 + 3x^5 + 2x^3) \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 216x^2 + 504(x^7 + 3x^5 + 2x^3) \arctan(x) - 32}{48(x^7 + 3x^5 + 2x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/48\*(78\*x^6 + 350\*x^4 - 213\*sqrt(2)\*(x^7 + 3\*x^5 + 2\*x^3)\*arctan(1/2\*sqrt(2)\*x) + 216\*x^2 + 504\*(x^7 + 3\*x^5 + 2\*x^3)\*arctan(x) - 32)/(x^7 + 3\*x^5 + 2\*x^3)

---

**Sympy [A]** time = 0.225061, size = 56, normalized size = 0.9

$$\frac{21 \operatorname{atan}(x)}{2} - \frac{71\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{16} + \frac{39x^6 + 175x^4 + 108x^2 - 16}{24x^7 + 72x^5 + 48x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*4/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 21\*atan(x)/2 - 71\*sqrt(2)\*atan(sqrt(2)\*x/2)/16 + (39\*x\*\*6 + 175\*x\*\*4 + 108\*x\*\*2 - 16)/(24\*x\*\*7 + 72\*x\*\*5 + 48\*x\*\*3)

---

**Giac [A]** time = 1.11528, size = 70, normalized size = 1.13

$$-\frac{71}{16} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{9x^3 + 5x}{8(x^4 + 3x^2 + 2)} + \frac{33x^2 - 4}{12x^3} + \frac{21}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] -71/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/8\*(9\*x^3 + 5\*x)/(x^4 + 3\*x^2 + 2) + 1/12\*(33\*x^2 - 4)/x^3 + 21/2\*arctan(x)

$$3.89 \quad \int \frac{4+x^2+3x^4+5x^6}{x^6(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=69

$$-\frac{x(3-5x^2)}{16(x^4+3x^2+2)} + \frac{11}{12x^3} - \frac{1}{5x^5} - \frac{23}{4x} - \frac{23}{2} \tan^{-1}(x) + \frac{97 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}}$$

[Out]  $-1/(5*x^5) + 11/(12*x^3) - 23/(4*x) - (x*(3 - 5*x^2))/(16*(2 + 3*x^2 + x^4)) - (23*ArcTan[x])/2 + (97*ArcTan[x/Sqrt[2]])/(16*Sqrt[2])$

**Rubi [A]** time = 0.0904842, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$-\frac{x(3-5x^2)}{16(x^4+3x^2+2)} + \frac{11}{12x^3} - \frac{1}{5x^5} - \frac{23}{4x} - \frac{23}{2} \tan^{-1}(x) + \frac{97 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^6\*(2 + 3\*x^2 + x^4)^2), x]

[Out]  $-1/(5*x^5) + 11/(12*x^3) - 23/(4*x) - (x*(3 - 5*x^2))/(16*(2 + 3*x^2 + x^4)) - (23*ArcTan[x])/2 + (97*ArcTan[x/Sqrt[2]])/(16*Sqrt[2])$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  oynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^(m)*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt
[a, 2])]/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^6(2 + 3x^2 + x^4)^2} dx &= -\frac{x(3 - 5x^2)}{16(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{-8 + 10x^2 - 17x^4 + \frac{39x^6}{4} - \frac{5x^8}{4}}{x^6(2 + 3x^2 + x^4)} dx \\ &= -\frac{x(3 - 5x^2)}{16(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -\frac{4}{x^6} + \frac{11}{x^4} - \frac{23}{x^2} + \frac{46}{1 + x^2} - \frac{97}{4(2 + x^2)} \right) dx \\ &= -\frac{1}{5x^5} + \frac{11}{12x^3} - \frac{23}{4x} - \frac{x(3 - 5x^2)}{16(2 + 3x^2 + x^4)} + \frac{97}{16} \int \frac{1}{2 + x^2} dx - \frac{23}{2} \int \frac{1}{1 + x^2} dx \\ &= -\frac{1}{5x^5} + \frac{11}{12x^3} - \frac{23}{4x} - \frac{x(3 - 5x^2)}{16(2 + 3x^2 + x^4)} - \frac{23}{2} \tan^{-1}(x) + \frac{97 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0595521, size = 61, normalized size = 0.88

$$\frac{1}{480} \left( \frac{30x(5x^2 - 3)}{x^4 + 3x^2 + 2} + \frac{440}{x^3} - \frac{96}{x^5} - \frac{2760}{x} - 5520 \tan^{-1}(x) + 1455\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(x^6*(2 + 3*x^2 + x^4)^2), x]
```

```
[Out] (-96/x^5 + 440/x^3 - 2760/x + (30*x*(-3 + 5*x^2))/(2 + 3*x^2 + x^4) - 5520*
ArcTan[x] + 1455*Sqrt[2]*ArcTan[x/Sqrt[2]])/480
```

**Maple [A]** time = 0.016, size = 53, normalized size = 0.8

$$\frac{13x}{16x^2+32} + \frac{97\sqrt{2}}{32} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{x}{2x^2+2} - \frac{23 \arctan(x)}{2} - \frac{1}{5x^5} + \frac{11}{12x^3} - \frac{23}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^6/(x^4+3*x^2+2)^2,x)`

[Out] `13/16*x/(x^2+2)+97/32*arctan(1/2*x*2^(1/2))*2^(1/2)-1/2*x/(x^2+1)-23/2*arctan(x)-1/5/x^5+11/12/x^3-23/4/x`

**Maxima [A]** time = 1.46622, size = 77, normalized size = 1.12

$$\frac{97}{32} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{1305x^8 + 3965x^6 + 2148x^4 - 296x^2 + 96}{240(x^9 + 3x^7 + 2x^5)} - \frac{23}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^6/(x^4+3*x^2+2)^2,x, algorithm="maxima")`

[Out] `97/32*sqrt(2)*arctan(1/2*sqrt(2)*x) - 1/240*(1305*x^8 + 3965*x^6 + 2148*x^4 - 296*x^2 + 96)/(x^9 + 3*x^7 + 2*x^5) - 23/2*arctan(x)`

**Fricas [A]** time = 1.53035, size = 239, normalized size = 3.46

$$\frac{2610x^8 + 7930x^6 + 4296x^4 - 1455\sqrt{2}(x^9 + 3x^7 + 2x^5) \arctan\left(\frac{1}{2}\sqrt{2}x\right) - 592x^2 + 5520(x^9 + 3x^7 + 2x^5) \arctan(x)}{480(x^9 + 3x^7 + 2x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^6/(x^4+3*x^2+2)^2,x, algorithm="fricas")`

[Out] `-1/480*(2610*x^8 + 7930*x^6 + 4296*x^4 - 1455*sqrt(2)*(x^9 + 3*x^7 + 2*x^5) *arctan(1/2*sqrt(2)*x) - 592*x^2 + 5520*(x^9 + 3*x^7 + 2*x^5)*arctan(x) + 192)/(x^9 + 3*x^7 + 2*x^5)`

---

**Sympy [A]** time = 0.24267, size = 61, normalized size = 0.88

$$-\frac{23 \operatorname{atan}(x)}{2} + \frac{97\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{32} - \frac{1305x^8 + 3965x^6 + 2148x^4 - 296x^2 + 96}{240x^9 + 720x^7 + 480x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*6/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] -23\*atan(x)/2 + 97\*sqrt(2)\*atan(sqrt(2)\*x/2)/32 - (1305\*x\*\*8 + 3965\*x\*\*6 + 2148\*x\*\*4 - 296\*x\*\*2 + 96)/(240\*x\*\*9 + 720\*x\*\*7 + 480\*x\*\*5)

---

**Giac [A]** time = 1.14244, size = 77, normalized size = 1.12

$$\frac{97}{32} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{5x^3 - 3x}{16(x^4 + 3x^2 + 2)} - \frac{345x^4 - 55x^2 + 12}{60x^5} - \frac{23}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^6/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] 97/32\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/16\*(5\*x^3 - 3\*x)/(x^4 + 3\*x^2 + 2) - 1/60\*(345\*x^4 - 55\*x^2 + 12)/x^5 - 23/2\*arctan(x)



$$3.90 \quad \int \frac{4+x^2+3x^4+5x^6}{x^8(2+3x^2+x^4)^2} dx$$

**Optimal.** Leaf size=76

$$\frac{x(3x^2+19)}{32(x^4+3x^2+2)} - \frac{23}{12x^3} + \frac{11}{20x^5} - \frac{1}{7x^7} + \frac{137}{16x} + \frac{25}{2} \tan^{-1}(x) - \frac{123 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}$$

[Out] -1/(7\*x^7) + 11/(20\*x^5) - 23/(12\*x^3) + 137/(16\*x) + (x\*(19 + 3\*x^2))/(32\*(2 + 3\*x^2 + x^4)) + (25\*ArcTan[x])/2 - (123\*ArcTan[x/Sqrt[2]])/(32\*Sqrt[2])

**Rubi [A]** time = 0.0999244, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$\frac{x(3x^2+19)}{32(x^4+3x^2+2)} - \frac{23}{12x^3} + \frac{11}{20x^5} - \frac{1}{7x^7} + \frac{137}{16x} + \frac{25}{2} \tan^{-1}(x) - \frac{123 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^8\*(2 + 3\*x^2 + x^4)^2), x]

[Out] -1/(7\*x^7) + 11/(20\*x^5) - 23/(12\*x^3) + 137/(16\*x) + (x\*(19 + 3\*x^2))/(32\*(2 + 3\*x^2 + x^4)) + (25\*ArcTan[x])/2 - (123\*ArcTan[x/Sqrt[2]])/(32\*Sqrt[2])

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  oynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^8(2 + 3x^2 + x^4)^2} dx &= \frac{x(19 + 3x^2)}{32(2 + 3x^2 + x^4)} - \frac{1}{4} \int \frac{-8 + 10x^2 - 17x^4 + \frac{21x^6}{2} - \frac{39x^8}{8} - \frac{3x^{10}}{8}}{x^8(2 + 3x^2 + x^4)} dx \\ &= \frac{x(19 + 3x^2)}{32(2 + 3x^2 + x^4)} - \frac{1}{4} \int \left( -\frac{4}{x^8} + \frac{11}{x^6} - \frac{23}{x^4} + \frac{137}{4x^2} - \frac{50}{1 + x^2} + \frac{123}{8(2 + x^2)} \right) dx \\ &= -\frac{1}{7x^7} + \frac{11}{20x^5} - \frac{23}{12x^3} + \frac{137}{16x} + \frac{x(19 + 3x^2)}{32(2 + 3x^2 + x^4)} - \frac{123}{32} \int \frac{1}{2 + x^2} dx + \frac{25}{2} \int \frac{1}{1 + x^2} dx \\ &= -\frac{1}{7x^7} + \frac{11}{20x^5} - \frac{23}{12x^3} + \frac{137}{16x} + \frac{x(19 + 3x^2)}{32(2 + 3x^2 + x^4)} + \frac{25}{2} \tan^{-1}(x) - \frac{123 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.057174, size = 77, normalized size = 1.01

$$\frac{3x^3 + 19x}{32(x^4 + 3x^2 + 2)} - \frac{23}{12x^3} + \frac{11}{20x^5} - \frac{1}{7x^7} + \frac{137}{16x} + \frac{25}{2} \tan^{-1}(x) - \frac{123 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(x^8*(2 + 3*x^2 + x^4)^2), x]
```

```
[Out] -1/(7*x^7) + 11/(20*x^5) - 23/(12*x^3) + 137/(16*x) + (19*x + 3*x^3)/(32*(2
+ 3*x^2 + x^4)) + (25*ArcTan[x])/2 - (123*ArcTan[x/Sqrt[2]])/(32*Sqrt[2])
```

**Maple [A]** time = 0.013, size = 58, normalized size = 0.8

$$-\frac{13x}{32x^2+64} - \frac{123\sqrt{2}}{64} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{x}{2x^2+2} + \frac{25 \arctan(x)}{2} - \frac{1}{7x^7} + \frac{11}{20x^5} - \frac{23}{12x^3} + \frac{137}{16x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^8/(x^4+3\*x^2+2)^2,x)

[Out] -13/32\*x/(x^2+2)-123/64\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)+1/2\*x/(x^2+1)+25/2\*arctan(x)-1/7/x^7+11/20/x^5-23/12/x^3+137/16/x

**Maxima [A]** time = 1.53116, size = 84, normalized size = 1.11

$$-\frac{123}{64} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{29085x^{10} + 81865x^8 + 40068x^6 - 7816x^4 + 2256x^2 - 960}{3360(x^{11} + 3x^9 + 2x^7)} + \frac{25}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^8/(x^4+3\*x^2+2)^2,x, algorithm="maxima")

[Out] -123/64\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/3360\*(29085\*x^10 + 81865\*x^8 + 40068\*x^6 - 7816\*x^4 + 2256\*x^2 - 960)/(x^11 + 3\*x^9 + 2\*x^7) + 25/2\*arctan(x)

**Fricas [A]** time = 1.56454, size = 271, normalized size = 3.57

$$\frac{58170x^{10} + 163730x^8 + 80136x^6 - 15632x^4 - 12915\sqrt{2}(x^{11} + 3x^9 + 2x^7) \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 4512x^2 + 84000(x^{11} + 3x^9 + 2x^7)}{6720(x^{11} + 3x^9 + 2x^7)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^8/(x^4+3\*x^2+2)^2,x, algorithm="fricas")

[Out] 1/6720\*(58170\*x^10 + 163730\*x^8 + 80136\*x^6 - 15632\*x^4 - 12915\*sqrt(2)\*(x^11 + 3\*x^9 + 2\*x^7)\*arctan(1/2\*sqrt(2)\*x) + 4512\*x^2 + 84000\*(x^11 + 3\*x^9 + 2\*x^7)\*arctan(x) - 1920)/(x^11 + 3\*x^9 + 2\*x^7)

---

**Sympy [A]** time = 0.263308, size = 66, normalized size = 0.87

$$\frac{25 \operatorname{atan}(x)}{2} - \frac{123\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{64} + \frac{29085x^{10} + 81865x^8 + 40068x^6 - 7816x^4 + 2256x^2 - 960}{3360x^{11} + 10080x^9 + 6720x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*8/(x\*\*4+3\*x\*\*2+2)\*\*2,x)

[Out] 25\*atan(x)/2 - 123\*sqrt(2)\*atan(sqrt(2)\*x/2)/64 + (29085\*x\*\*10 + 81865\*x\*\*8 + 40068\*x\*\*6 - 7816\*x\*\*4 + 2256\*x\*\*2 - 960)/(3360\*x\*\*11 + 10080\*x\*\*9 + 6720\*x\*\*7)

---

**Giac [A]** time = 1.07734, size = 84, normalized size = 1.11

$$-\frac{123}{64} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{3x^3 + 19x}{32(x^4 + 3x^2 + 2)} + \frac{14385x^6 - 3220x^4 + 924x^2 - 240}{1680x^7} + \frac{25}{2} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^8/(x^4+3\*x^2+2)^2,x, algorithm="giac")

[Out] -123/64\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/32\*(3\*x^3 + 19\*x)/(x^4 + 3\*x^2 + 2) + 1/1680\*(14385\*x^6 - 3220\*x^4 + 924\*x^2 - 240)/x^7 + 25/2\*arctan(x)

$$3.91 \quad \int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=81

$$x^5 - 14x^3 + \frac{(1669x^2 + 824)x}{8(x^4 + 3x^2 + 2)} + \frac{(415x^2 + 414)x}{4(x^4 + 3x^2 + 2)^2} + 214x + \frac{477}{8} \tan^{-1}(x) - 351\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

[Out] 214\*x - 14\*x^3 + x^5 + (x\*(414 + 415\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) + (x\*(824 + 1669\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (477\*ArcTan[x])/8 - 351\*Sqrt[2]\*ArcTan[x/Sqrt[2]]

**Rubi [A]** time = 0.112492, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1668, 1678, 1676, 1166, 203}

$$x^5 - 14x^3 + \frac{(1669x^2 + 824)x}{8(x^4 + 3x^2 + 2)} + \frac{(415x^2 + 414)x}{4(x^4 + 3x^2 + 2)^2} + 214x + \frac{477}{8} \tan^{-1}(x) - 351\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^10\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3, x]

[Out] 214\*x - 14\*x^3 + x^5 + (x\*(414 + 415\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) + (x\*(824 + 1669\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (477\*ArcTan[x])/8 - 351\*Sqrt[2]\*ArcTan[x/Sqrt[2]]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

Rule 1678

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

Rule 1676

```
Int[(Pq_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1
```

Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx &= \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} - \frac{1}{8} \int \frac{828-2478x^2-840x^4+424x^6-216x^8+96x^{10}-40x^{12}}{(2+3x^2+x^4)^2} dx \\
&= \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} + \frac{x(824+1669x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \frac{-4952-2700x^2+3136x^4-864x^6+518x^8-571x^{10}}{2+3x^2+x^4} dx \\
&= \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} + \frac{x(824+1669x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \left( 6848-1344x^2+160x^4 - \frac{36(518+571x^2)}{2+3x^2+x^4} \right) dx \\
&= 214x - 14x^3 + x^5 + \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} + \frac{x(824+1669x^2)}{8(2+3x^2+x^4)} - \frac{9}{8} \int \frac{518+571x^2}{2+3x^2+x^4} dx \\
&= 214x - 14x^3 + x^5 + \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} + \frac{x(824+1669x^2)}{8(2+3x^2+x^4)} + \frac{477}{8} \int \frac{1}{1+x^2} dx - 702 \int \frac{x}{2+3x^2+x^4} dx \\
&= 214x - 14x^3 + x^5 + \frac{x(414+415x^2)}{4(2+3x^2+x^4)^2} + \frac{x(824+1669x^2)}{8(2+3x^2+x^4)} + \frac{477}{8} \tan^{-1}(x) - 351\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)
\end{aligned}$$

**Mathematica [A]** time = 0.0603729, size = 71, normalized size = 0.88

$$\frac{x(8x^{12} - 64x^{10} + 1144x^8 + 10581x^6 + 26775x^4 + 26736x^2 + 9324)}{8(x^4 + 3x^2 + 2)^2} + \frac{477}{8} \tan^{-1}(x) - 351\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^10\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] (x\*(9324 + 26736\*x^2 + 26775\*x^4 + 10581\*x^6 + 1144\*x^8 - 64\*x^10 + 8\*x^12))/(8\*(2 + 3\*x^2 + x^4)^2) + (477\*ArcTan[x])/8 - 351\*sqrt(2)\*ArcTan[x/sqrt(2)]

**Maple [A]** time = 0.013, size = 64, normalized size = 0.8

$$x^5 - 14x^3 + 214x - 16 \frac{1}{(x^2+2)^2} \left( -\frac{105x^3}{8} - \frac{79x}{4} \right) - 351 \arctan\left(\frac{1}{2}x\sqrt{2}\right) \sqrt{2} + \frac{1}{(x^2+1)^2} \left( -\frac{11x^3}{8} - \frac{13x}{8} \right) + \frac{477}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^10*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x)`

[Out]  $x^5 - 14x^3 + 214x - 16 \cdot (-105/8x^3 - 79/4x) / (x^2 + 2)^2 - 351 \arctan(1/2 \cdot x \cdot 2^{(1/2)}) \cdot 2^{(1/2)} + (-11/8x^3 - 13/8x) / (x^2 + 1)^2 + 477/8 \arctan(x)$

**Maxima [A]** time = 1.49385, size = 96, normalized size = 1.19

$$x^5 - 14x^3 - 351\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 214x + \frac{1669x^7 + 5831x^5 + 6640x^3 + 2476x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} + \frac{477}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^10*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="maxima")`

[Out]  $x^5 - 14x^3 - 351\sqrt{2}\arctan(1/2\sqrt{2}x) + 214x + 1/8(1669x^7 + 5831x^5 + 6640x^3 + 2476x)/(x^8 + 6x^6 + 13x^4 + 12x^2 + 4) + 477/8\arctan(x)$

**Fricas [A]** time = 1.58518, size = 325, normalized size = 4.01

$$\frac{8x^{13} - 64x^{11} + 1144x^9 + 10581x^7 + 26775x^5 + 26736x^3 - 2808\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 477(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan(x) + 9324x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^10*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="fricas")`

[Out]  $1/8(8x^{13} - 64x^{11} + 1144x^9 + 10581x^7 + 26775x^5 + 26736x^3 - 2808\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan(1/2\sqrt{2}x) + 477(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan(x) + 9324x)/(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)$

**Sympy [A]** time = 0.240526, size = 75, normalized size = 0.93

$$x^5 - 14x^3 + 214x + \frac{1669x^7 + 5831x^5 + 6640x^3 + 2476x}{8x^8 + 48x^6 + 104x^4 + 96x^2 + 32} + \frac{477\operatorname{atan}(x)}{8} - 351\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*10\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out] x\*\*5 - 14\*x\*\*3 + 214\*x + (1669\*x\*\*7 + 5831\*x\*\*5 + 6640\*x\*\*3 + 2476\*x)/(8\*x\*\*8 + 48\*x\*\*6 + 104\*x\*\*4 + 96\*x\*\*2 + 32) + 477\*atan(x)/8 - 351\*sqrt(2)\*atan(sqrt(2)\*x/2)

**Giac [A]** time = 1.09603, size = 82, normalized size = 1.01

$$x^5 - 14x^3 - 351\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 214x + \frac{1669x^7 + 5831x^5 + 6640x^3 + 2476x}{8(x^4 + 3x^2 + 2)^2} + \frac{477}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out] x^5 - 14\*x^3 - 351\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 214\*x + 1/8\*(1669\*x^7 + 5831\*x^5 + 6640\*x^3 + 2476\*x)/(x^4 + 3\*x^2 + 2)^2 + 477/8\*arctan(x)

$$3.92 \quad \int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=80

$$\frac{5x^3}{3} + \frac{(24-409x^2)x}{8(x^4+3x^2+2)} - \frac{(207x^2+206)x}{4(x^4+3x^2+2)^2} - 42x - \frac{449}{8} \tan^{-1}(x) + \frac{219 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

[Out] -42\*x + (5\*x^3)/3 - (x\*(206 + 207\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) + (x\*(24 - 409\*x^2))/(8\*(2 + 3\*x^2 + x^4)) - (449\*ArcTan[x])/8 + (219\*ArcTan[x/Sqrt[2]])/Sqrt[2]

**Rubi [A]** time = 0.100481, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1668, 1678, 1676, 1166, 203}

$$\frac{5x^3}{3} + \frac{(24-409x^2)x}{8(x^4+3x^2+2)} - \frac{(207x^2+206)x}{4(x^4+3x^2+2)^2} - 42x - \frac{449}{8} \tan^{-1}(x) + \frac{219 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] -42\*x + (5\*x^3)/3 - (x\*(206 + 207\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) + (x\*(24 - 409\*x^2))/(8\*(2 + 3\*x^2 + x^4)) - (449\*ArcTan[x])/8 + (219\*ArcTan[x/Sqrt[2]])/Sqrt[2]

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
```

& LtQ[p, -1] && IGtQ[m/2, 0]

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^8(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx &= -\frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} - \frac{1}{8} \int \frac{-412+1230x^2+424x^4-216x^6+96x^8-40x^{10}}{(2+3x^2+x^4)^2} dx \\
&= -\frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} + \frac{x(24-409x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \frac{728+1500x^2-864x^4+160x^6}{2+3x^2+x^4} dx \\
&= -\frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} + \frac{x(24-409x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \left( -1344+160x^2 + \frac{4(854+1303x^2)}{2+3x^2+x^4} \right) dx \\
&= -42x + \frac{5x^3}{3} - \frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} + \frac{x(24-409x^2)}{8(2+3x^2+x^4)} + \frac{1}{8} \int \frac{854+1303x^2}{2+3x^2+x^4} dx \\
&= -42x + \frac{5x^3}{3} - \frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} + \frac{x(24-409x^2)}{8(2+3x^2+x^4)} - \frac{449}{8} \int \frac{1}{1+x^2} dx + 219 \int \frac{1}{2+x^2} dx \\
&= -42x + \frac{5x^3}{3} - \frac{x(206+207x^2)}{4(2+3x^2+x^4)^2} + \frac{x(24-409x^2)}{8(2+3x^2+x^4)} - \frac{449}{8} \tan^{-1}(x) + \frac{219 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0552934, size = 66, normalized size = 0.82

$$\frac{x(40x^{10} - 768x^8 - 6755x^6 - 16233x^4 - 15416x^2 - 5124)}{24(x^4 + 3x^2 + 2)^2} - \frac{449}{8} \tan^{-1}(x) + \frac{219 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] (x\*(-5124 - 15416\*x^2 - 16233\*x^4 - 6755\*x^6 - 768\*x^8 + 40\*x^10))/(24\*(2 + 3\*x^2 + x^4)^2) - (449\*ArcTan[x])/8 + (219\*ArcTan[x/Sqrt[2]])/Sqrt[2]

**Maple [A]** time = 0.011, size = 62, normalized size = 0.8

$$\frac{5x^3}{3} - 42x + 16 \frac{1}{(x^2+2)^2} \left( -\frac{53x^3}{16} - \frac{27x}{8} \right) + \frac{219\sqrt{2}}{2} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{1}{(x^2+1)^2} \left( -\frac{15x^3}{8} - \frac{17x}{8} \right) - \frac{449 \arctan(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x)`

[Out]  $5/3*x^3-42*x+16*(-53/16*x^3-27/8*x)/(x^2+2)^2+219/2*\arctan(1/2*x*2^{(1/2)})*2^{(1/2)}-(-15/8*x^3-17/8*x)/(x^2+1)^2-449/8*\arctan(x)$

**Maxima [A]** time = 1.49531, size = 92, normalized size = 1.15

$$\frac{5}{3}x^3 + \frac{219}{2}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 42x - \frac{409x^7 + 1203x^5 + 1160x^3 + 364x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} - \frac{449}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="maxima")`

[Out]  $5/3*x^3 + 219/2*\sqrt{2}*\arctan(1/2*\sqrt{2}*x) - 42*x - 1/8*(409*x^7 + 1203*x^5 + 1160*x^3 + 364*x)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4) - 449/8*\arctan(x)$

**Fricas [A]** time = 1.53826, size = 313, normalized size = 3.91

$$\frac{40x^{11} - 768x^9 - 6755x^7 - 16233x^5 - 15416x^3 + 2628\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 1347(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan(x) - 5124x}{24(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="fricas")`

[Out]  $1/24*(40*x^{11} - 768*x^9 - 6755*x^7 - 16233*x^5 - 15416*x^3 + 2628*\sqrt{2}*(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4)*\arctan(1/2*\sqrt{2}*x) - 1347*(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4)*\arctan(x) - 5124*x)/(x^8 + 6*x^6 + 13*x^4 + 12*x^2 + 4)$

**Sympy [A]** time = 0.238198, size = 75, normalized size = 0.94

$$\frac{5x^3}{3} - 42x - \frac{409x^7 + 1203x^5 + 1160x^3 + 364x}{8x^8 + 48x^6 + 104x^4 + 96x^2 + 32} - \frac{449\operatorname{atan}(x)}{8} + \frac{219\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*8\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out]  $5x^3/3 - 42x - (409x^7 + 1203x^5 + 1160x^3 + 364x)/(8x^8 + 48x^6 + 104x^4 + 96x^2 + 32) - 449\operatorname{atan}(x)/8 + 219\sqrt{2}\operatorname{atan}(\sqrt{2}x/2)/2$

**Giac [A]** time = 1.11295, size = 78, normalized size = 0.98

$$\frac{5}{3}x^3 + \frac{219}{2}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 42x - \frac{409x^7 + 1203x^5 + 1160x^3 + 364x}{8(x^4 + 3x^2 + 2)^2} - \frac{449}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out]  $5/3x^3 + 219/2\sqrt{2}\arctan(1/2\sqrt{2}x) - 42x - 1/8(409x^7 + 1203x^5 + 1160x^3 + 364x)/(x^4 + 3x^2 + 2)^2 - 449/8\arctan(x)$

$$3.93 \quad \int \frac{x^6(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$$

Optimal. Leaf size=75

$$-\frac{(15x^2+244)x}{8(x^4+3x^2+2)} + \frac{(103x^2+102)x}{4(x^4+3x^2+2)^2} + 5x + \frac{413}{8} \tan^{-1}(x) - \frac{191 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}}$$

[Out] 5\*x + (x\*(102 + 103\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) - (x\*(244 + 15\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (413\*ArcTan[x])/8 - (191\*ArcTan[x/Sqrt[2]])/(2\*sqrt[2])

**Rubi [A]** time = 0.0913924, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {1668, 1678, 1676, 1166, 203}

$$-\frac{(15x^2+244)x}{8(x^4+3x^2+2)} + \frac{(103x^2+102)x}{4(x^4+3x^2+2)^2} + 5x + \frac{413}{8} \tan^{-1}(x) - \frac{191 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^6\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] 5\*x + (x\*(102 + 103\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) - (x\*(244 + 15\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (413\*ArcTan[x])/8 - (191\*ArcTan[x/Sqrt[2]])/(2\*sqrt[2])

### Rule 1668

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :>  
 With[{d = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 0],  
 e = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 2]}, Simp[(  
 x\*(a + b\*x^2 + c\*x^4)^(p + 1)\*(a\*b\*e - d\*(b^2 - 2\*a\*c) - c\*(b\*d - 2\*a\*e)\*x^2)  
 )]/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), I  
 nt[(a + b\*x^2 + c\*x^4)^(p + 1)\*ExpandToSum[2\*a\*(p + 1)\*(b^2 - 4\*a\*c)\*Polyno  
 mialQuotient[x^m\*Pq, a + b\*x^2 + c\*x^4, x] + b^2\*d\*(2\*p + 3) - 2\*a\*c\*d\*(4\*p  
 + 5) - a\*b\*e + c\*(4\*p + 7)\*(b\*d - 2\*a\*e)\*x^2, x], x] /; FreeQ[{a, b,  
 c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4\*a\*c, 0] &  
 & LtQ[p, -1] && IGtQ[m/2, 0]

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps



$$\begin{aligned}
\int \frac{x^6(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx &= \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{1}{8} \int \frac{204-606x^2-216x^4+96x^6-40x^8}{(2+3x^2+x^4)^2} dx \\
&= \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{x(244+15x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \frac{568-924x^2+160x^4}{2+3x^2+x^4} dx \\
&= \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{x(244+15x^2)}{8(2+3x^2+x^4)} + \frac{1}{32} \int \left( 160 + \frac{4(62-351x^2)}{2+3x^2+x^4} \right) dx \\
&= 5x + \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{x(244+15x^2)}{8(2+3x^2+x^4)} + \frac{1}{8} \int \frac{62-351x^2}{2+3x^2+x^4} dx \\
&= 5x + \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{x(244+15x^2)}{8(2+3x^2+x^4)} + \frac{413}{8} \int \frac{1}{1+x^2} dx - \frac{191}{2} \int \frac{1}{2+x^2} dx \\
&= 5x + \frac{x(102+103x^2)}{4(2+3x^2+x^4)^2} - \frac{x(244+15x^2)}{8(2+3x^2+x^4)} + \frac{413}{8} \tan^{-1}(x) - \frac{191 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{2\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.061187, size = 60, normalized size = 0.8

$$\frac{1}{8} \left( \frac{x(40x^8 + 225x^6 + 231x^4 - 76x^2 - 124)}{(x^4 + 3x^2 + 2)^2} + 413 \tan^{-1}(x) - 382\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^6\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] ((x\*(-124 - 76\*x^2 + 231\*x^4 + 225\*x^6 + 40\*x^8))/(2 + 3\*x^2 + x^4)^2 + 413\*ArcTan[x] - 382\*sqrt[2]\*ArcTan[x/sqrt[2]])/8

**Maple [A]** time = 0.011, size = 56, normalized size = 0.8

$$5x - 16 \frac{1}{(x^2 + 2)^2} \left( -\frac{1}{32}x^3 + \frac{25x}{16} \right) - \frac{191\sqrt{2}}{4} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{1}{(x^2 + 1)^2} \left( -\frac{19x^3}{8} - \frac{21x}{8} \right) + \frac{413 \arctan(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^6*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x)`

[Out]  $5x - 16 * (-1/32 * x^3 + 25/16 * x) / (x^2 + 2)^2 - 191/4 * \arctan(1/2 * x * 2^{(1/2)}) * 2^{(1/2)} + (-19/8 * x^3 - 21/8 * x) / (x^2 + 1)^2 + 413/8 * \arctan(x)$

**Maxima [A]** time = 1.4955, size = 85, normalized size = 1.13

$$-\frac{191}{4} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + 5x - \frac{15x^7 + 289x^5 + 556x^3 + 284x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} + \frac{413}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="maxima")`

[Out]  $-191/4 * \sqrt{2} * \arctan(1/2 * \sqrt{2} * x) + 5 * x - 1/8 * (15 * x^7 + 289 * x^5 + 556 * x^3 + 284 * x) / (x^8 + 6 * x^6 + 13 * x^4 + 12 * x^2 + 4) + 413/8 * \arctan(x)$

**Fricas [A]** time = 1.62588, size = 285, normalized size = 3.8

$$\frac{40x^9 + 225x^7 + 231x^5 - 76x^3 - 382\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4) \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 413(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="fricas")`

[Out]  $1/8 * (40 * x^9 + 225 * x^7 + 231 * x^5 - 76 * x^3 - 382 * \sqrt{2} * (x^8 + 6 * x^6 + 13 * x^4 + 12 * x^2 + 4) * \arctan(1/2 * \sqrt{2} * x) + 413 * (x^8 + 6 * x^6 + 13 * x^4 + 12 * x^2 + 4) * \arctan(x) - 124 * x) / (x^8 + 6 * x^6 + 13 * x^4 + 12 * x^2 + 4)$

**Sympy [A]** time = 0.240573, size = 68, normalized size = 0.91

$$5x - \frac{15x^7 + 289x^5 + 556x^3 + 284x}{8x^8 + 48x^6 + 104x^4 + 96x^2 + 32} + \frac{413 \operatorname{atan}(x)}{8} - \frac{191\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out]  $5x - (15x^7 + 289x^5 + 556x^3 + 284x)/(8x^8 + 48x^6 + 104x^4 + 96x^2 + 32) + 413\operatorname{atan}(x)/8 - 191\sqrt{2}\operatorname{atan}(\sqrt{2}x/2)/4$

**Giac [A]** time = 1.08504, size = 72, normalized size = 0.96

$$-\frac{191}{4}\sqrt{2}\operatorname{arctan}\left(\frac{1}{2}\sqrt{2}x\right) + 5x - \frac{15x^7 + 289x^5 + 556x^3 + 284x}{8(x^4 + 3x^2 + 2)^2} + \frac{413}{8}\operatorname{arctan}(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out]  $-191/4\sqrt{2}\operatorname{arctan}(1/2\sqrt{2}x) + 5x - 1/8(15x^7 + 289x^5 + 556x^3 + 284x)/(x^4 + 3x^2 + 2)^2 + 413/8\operatorname{arctan}(x)$

$$3.94 \quad \int \frac{x^4(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=72

$$-\frac{x(51x^2+50)}{4(x^4+3x^2+2)^2} + \frac{x(125x^2+254)}{8(x^4+3x^2+2)} - \frac{369}{8} \tan^{-1}(x) + \frac{267 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

[Out]  $-(x*(50 + 51*x^2))/(4*(2 + 3*x^2 + x^4)^2) + (x*(254 + 125*x^2))/(8*(2 + 3*x^2 + x^4)) - (369*ArcTan[x])/8 + (267*ArcTan[x/Sqrt[2]])/(4*Sqrt[2])$

**Rubi [A]** time = 0.0678667, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1678, 1166, 203}

$$-\frac{x(51x^2+50)}{4(x^4+3x^2+2)^2} + \frac{x(125x^2+254)}{8(x^4+3x^2+2)} - \frac{369}{8} \tan^{-1}(x) + \frac{267 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3, x]

[Out]  $-(x*(50 + 51*x^2))/(4*(2 + 3*x^2 + x^4)^2) + (x*(254 + 125*x^2))/(8*(2 + 3*x^2 + x^4)) - (369*ArcTan[x])/8 + (267*ArcTan[x/Sqrt[2]])/(4*Sqrt[2])$

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]

```

### Rule 1166

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 203

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^3} dx &= -\frac{x(50 + 51x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{-100 + 294x^2 + 96x^4 - 40x^6}{(2 + 3x^2 + x^4)^2} dx \\
&= -\frac{x(50 + 51x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(254 + 125x^2)}{8(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{-816 + 660x^2}{2 + 3x^2 + x^4} dx \\
&= -\frac{x(50 + 51x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(254 + 125x^2)}{8(2 + 3x^2 + x^4)} - \frac{369}{8} \int \frac{1}{1 + x^2} dx + \frac{267}{4} \int \frac{1}{2 + x^2} dx \\
&= -\frac{x(50 + 51x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(254 + 125x^2)}{8(2 + 3x^2 + x^4)} - \frac{369}{8} \tan^{-1}(x) + \frac{267 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{4\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0605023, size = 55, normalized size = 0.76

$$\frac{1}{8} \left( \frac{x(125x^6 + 629x^4 + 910x^2 + 408)}{(x^4 + 3x^2 + 2)^2} - 369 \tan^{-1}(x) + 267\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] ((x\*(408 + 910\*x^2 + 629\*x^4 + 125\*x^6))/(2 + 3\*x^2 + x^4)^2 - 369\*ArcTan[x] + 267\*sqrt[2]\*ArcTan[x/Sqrt[2]])/8

**Maple [A]** time = 0.012, size = 54, normalized size = 0.8

$$2 \frac{1}{(x^2 + 2)^2} \left( \frac{51x^3}{8} + \frac{77x}{4} \right) + \frac{267\sqrt{2}}{8} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{1}{(x^2 + 1)^2} \left( -\frac{23x^3}{8} - \frac{25x}{8} \right) - \frac{369 \arctan(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x)

[Out] 2\*(51/8\*x^3+77/4\*x)/(x^2+2)^2+267/8\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)-(-23/8\*x^3-25/8\*x)/(x^2+1)^2-369/8\*arctan(x)

**Maxima [A]** time = 1.49012, size = 81, normalized size = 1.12

$$\frac{267}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{125x^7 + 629x^5 + 910x^3 + 408x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} - \frac{369}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] 267/8\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/8\*(125\*x^7 + 629\*x^5 + 910\*x^3 + 408\*x)/(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4) - 369/8\*arctan(x)

**Fricas [A]** time = 1.64032, size = 274, normalized size = 3.81

$$\frac{125x^7 + 629x^5 + 910x^3 + 267\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 369(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="fricas")

[Out] 1/8\*(125\*x^7 + 629\*x^5 + 910\*x^3 + 267\*sqrt(2)\*(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)\*arctan(1/2\*sqrt(2)\*x) - 369\*(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)\*arctan(x) + 408\*x)/(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)

**Sympy [A]** time = 0.236653, size = 65, normalized size = 0.9

$$\frac{125x^7 + 629x^5 + 910x^3 + 408x}{8x^8 + 48x^6 + 104x^4 + 96x^2 + 32} - \frac{369\operatorname{atan}(x)}{8} + \frac{267\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out] (125\*x\*\*7 + 629\*x\*\*5 + 910\*x\*\*3 + 408\*x)/(8\*x\*\*8 + 48\*x\*\*6 + 104\*x\*\*4 + 96\*x\*\*2 + 32) - 369\*atan(x)/8 + 267\*sqrt(2)\*atan(sqrt(2)\*x/2)/8

**Giac [A]** time = 1.10008, size = 68, normalized size = 0.94

$$\frac{267}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + \frac{125x^7 + 629x^5 + 910x^3 + 408x}{8(x^4 + 3x^2 + 2)^2} - \frac{369}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out] 267/8\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/8\*(125\*x^7 + 629\*x^5 + 910\*x^3 + 408\*x)/(x^4 + 3\*x^2 + 2)^2 - 369/8\*arctan(x)

$$3.95 \quad \int \frac{x^2(4+x^2+3x^4+5x^6)}{(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=72

$$\frac{x(25x^2+24)}{4(x^4+3x^2+2)^2} - \frac{x(130x^2+211)}{8(x^4+3x^2+2)} + \frac{317}{8} \tan^{-1}(x) - \frac{447 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out] (x\*(24 + 25\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) - (x\*(211 + 130\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (317\*ArcTan[x])/8 - (447\*ArcTan[x/Sqrt[2]])/(8\*Sqrt[2])

**Rubi [A]** time = 0.0655951, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {1668, 1678, 1166, 203}

$$\frac{x(25x^2+24)}{4(x^4+3x^2+2)^2} - \frac{x(130x^2+211)}{8(x^4+3x^2+2)} + \frac{317}{8} \tan^{-1}(x) - \frac{447 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] (x\*(24 + 25\*x^2))/(4\*(2 + 3\*x^2 + x^4)^2) - (x\*(211 + 130\*x^2))/(8\*(2 + 3\*x^2 + x^4)) + (317\*ArcTan[x])/8 - (447\*ArcTan[x/Sqrt[2]])/(8\*Sqrt[2])

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678



```

Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]

```

### Rule 1166

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2 - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2 + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 203

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(4 + x^2 + 3x^4 + 5x^6)}{(2 + 3x^2 + x^4)^3} dx &= \frac{x(24 + 25x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{48 - 154x^2 - 40x^4}{(2 + 3x^2 + x^4)^2} dx \\
&= \frac{x(24 + 25x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{x(211 + 130x^2)}{8(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{748 - 520x^2}{2 + 3x^2 + x^4} dx \\
&= \frac{x(24 + 25x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{x(211 + 130x^2)}{8(2 + 3x^2 + x^4)} + \frac{317}{8} \int \frac{1}{1 + x^2} dx - \frac{447}{8} \int \frac{1}{2 + x^2} dx \\
&= \frac{x(24 + 25x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{x(211 + 130x^2)}{8(2 + 3x^2 + x^4)} + \frac{317}{8} \tan^{-1}(x) - \frac{447 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{8\sqrt{2}}
\end{aligned}$$

**Mathematica [A]** time = 0.0627458, size = 56, normalized size = 0.78

$$\frac{1}{16} \left( -\frac{2x(130x^6 + 601x^4 + 843x^2 + 374)}{(x^4 + 3x^2 + 2)^2} + 634 \tan^{-1}(x) - 447\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(2 + 3\*x^2 + x^4)^3,x]

[Out] ((-2\*x\*(374 + 843\*x^2 + 601\*x^4 + 130\*x^6))/(2 + 3\*x^2 + x^4)^2 + 634\*ArcTan[x] - 447\*sqrt[2]\*ArcTan[x/sqrt[2]])/16

**Maple [A]** time = 0.012, size = 53, normalized size = 0.7

$$-\frac{1}{(x^2 + 2)^2} \left( \frac{103x^3}{8} + \frac{129x}{4} \right) - \frac{447\sqrt{2}}{16} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{1}{(x^2 + 1)^2} \left( -\frac{27x^3}{8} - \frac{29x}{8} \right) + \frac{317 \arctan(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x)

[Out] -(103/8\*x^3+129/4\*x)/(x^2+2)^2-447/16\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)+(-27/8\*x^3-29/8\*x)/(x^2+1)^2+317/8\*arctan(x)

**Maxima [A]** time = 1.49742, size = 81, normalized size = 1.12

$$-\frac{447}{16} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{130x^7 + 601x^5 + 843x^3 + 374x}{8(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} + \frac{317}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] -447/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/8\*(130\*x^7 + 601\*x^5 + 843\*x^3 + 374\*x)/(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4) + 317/8\*arctan(x)

**Fricas [A]** time = 1.52068, size = 279, normalized size = 3.88

$$\frac{260x^7 + 1202x^5 + 1686x^3 + 447\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 634(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}{16(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="fricas")

[Out] -1/16\*(260\*x^7 + 1202\*x^5 + 1686\*x^3 + 447\*sqrt(2)\*(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)\*arctan(1/2\*sqrt(2)\*x) - 634\*(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)\*arctan(x) + 748\*x)/(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4)

**Sympy [A]** time = 0.236459, size = 65, normalized size = 0.9

$$-\frac{130x^7 + 601x^5 + 843x^3 + 374x}{8x^8 + 48x^6 + 104x^4 + 96x^2 + 32} + \frac{317 \operatorname{atan}(x)}{8} - \frac{447\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out] -(130\*x\*\*7 + 601\*x\*\*5 + 843\*x\*\*3 + 374\*x)/(8\*x\*\*8 + 48\*x\*\*6 + 104\*x\*\*4 + 96\*x\*\*2 + 32) + 317\*atan(x)/8 - 447\*sqrt(2)\*atan(sqrt(2)\*x/2)/16

**Giac [A]** time = 1.10467, size = 68, normalized size = 0.94

$$-\frac{447}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - \frac{130x^7 + 601x^5 + 843x^3 + 374x}{8(x^4 + 3x^2 + 2)^2} + \frac{317}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out] -447/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/8\*(130\*x^7 + 601\*x^5 + 843\*x^3 + 374\*x)/(x^4 + 3\*x^2 + 2)^2 + 317/8\*arctan(x)

$$3.96 \quad \int \frac{4+x^2+3x^4+5x^6}{(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=72

$$-\frac{x(12x^2+11)}{4(x^4+3x^2+2)^2} + \frac{x(217x^2+335)}{16(x^4+3x^2+2)} - \frac{257}{8} \tan^{-1}(x) + \frac{731 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}}$$

[Out]  $-(x*(11 + 12*x^2))/(4*(2 + 3*x^2 + x^4)^2) + (x*(335 + 217*x^2))/(16*(2 + 3*x^2 + x^4)) - (257*ArcTan[x])/8 + (731*ArcTan[x/Sqrt[2]])/(16*Sqrt[2])$

**Rubi [A]** time = 0.037454, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {1678, 1178, 1166, 203}

$$-\frac{x(12x^2+11)}{4(x^4+3x^2+2)^2} + \frac{x(217x^2+335)}{16(x^4+3x^2+2)} - \frac{257}{8} \tan^{-1}(x) + \frac{731 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(2 + 3\*x^2 + x^4)^3, x]

[Out]  $-(x*(11 + 12*x^2))/(4*(2 + 3*x^2 + x^4)^2) + (x*(335 + 217*x^2))/(16*(2 + 3*x^2 + x^4)) - (257*ArcTan[x])/8 + (731*ArcTan[x/Sqrt[2]])/(16*Sqrt[2])$

### Rule 1678

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] := With[{d =
  Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1178

```
Int[((d_) + (e_)*(x_)^2)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol]
:= Simp[(x*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2)*(a + b*x^2 +
c*x^4)^(p + 1))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2
- 4*a*c)), Int[Simp[(2*p + 3)*d*b^2 - a*b*e - 2*a*c*d*(4*p + 5) + (4*p + 7
)*(d*b - 2*a*e)*c*x^2, x]*(a + b*x^2 + c*x^4)^(p + 1), x], x] /; FreeQ[{a,
b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] &&
LtQ[p, -1] && IntegerQ[2*p]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{4 + x^2 + 3x^4 + 5x^6}{(2 + 3x^2 + x^4)^3} dx &= -\frac{x(11 + 12x^2)}{4(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{-38 + 80x^2}{(2 + 3x^2 + x^4)^2} dx \\ &= -\frac{x(11 + 12x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(335 + 217x^2)}{16(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{-594 + 434x^2}{2 + 3x^2 + x^4} dx \\ &= -\frac{x(11 + 12x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(335 + 217x^2)}{16(2 + 3x^2 + x^4)} - \frac{257}{8} \int \frac{1}{1 + x^2} dx + \frac{731}{16} \int \frac{1}{2 + x^2} dx \\ &= -\frac{x(11 + 12x^2)}{4(2 + 3x^2 + x^4)^2} + \frac{x(335 + 217x^2)}{16(2 + 3x^2 + x^4)} - \frac{257}{8} \tan^{-1}(x) + \frac{731 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{16\sqrt{2}} \end{aligned}$$

**Mathematica [A]** time = 0.0595557, size = 56, normalized size = 0.78

$$\frac{1}{32} \left( \frac{2x(217x^6 + 986x^4 + 1391x^2 + 626)}{(x^4 + 3x^2 + 2)^2} - 1028 \tan^{-1}(x) + 731\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(2 + 3\*x^2 + x^4)^3,x]

[Out] ((2\*x\*(626 + 1391\*x^2 + 986\*x^4 + 217\*x^6))/(2 + 3\*x^2 + x^4)^2 - 1028\*ArcTan[x] + 731\*Sqrt[2]\*ArcTan[x/Sqrt[2]])/32

**Maple [A]** time = 0.013, size = 53, normalized size = 0.7

$$\frac{1}{(x^2 + 2)^2} \left( \frac{155x^3}{16} + \frac{181x}{8} \right) + \frac{731\sqrt{2}}{32} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{1}{(x^2 + 1)^2} \left( -\frac{31x^3}{8} - \frac{33x}{8} \right) - \frac{257 \arctan(x)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x)

[Out] (155/16\*x^3+181/8\*x)/(x^2+2)^2+731/32\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)-(-31/8\*x^3-33/8\*x)/(x^2+1)^2-257/8\*arctan(x)

**Maxima [A]** time = 1.51475, size = 81, normalized size = 1.12

$$\frac{731}{32} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{217x^7 + 986x^5 + 1391x^3 + 626x}{16(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)} - \frac{257}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] 731/32\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/16\*(217\*x^7 + 986\*x^5 + 1391\*x^3 + 626\*x)/(x^8 + 6\*x^6 + 13\*x^4 + 12\*x^2 + 4) - 257/8\*arctan(x)

**Fricas [A]** time = 1.57343, size = 281, normalized size = 3.9

$$\frac{434x^7 + 1972x^5 + 2782x^3 + 731\sqrt{2}(x^8 + 6x^6 + 13x^4 + 12x^2 + 4) \arctan\left(\frac{1}{2}\sqrt{2}x\right) - 1028(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}{32(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="fricas")`

[Out]  $\frac{1}{32}(434x^7 + 1972x^5 + 2782x^3 + 731\sqrt{2})(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan\left(\frac{1}{2}\sqrt{2}x\right) - 1028(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)\arctan(x) + 1252x/(x^8 + 6x^6 + 13x^4 + 12x^2 + 4)$

**Sympy [A]** time = 0.231106, size = 65, normalized size = 0.9

$$\frac{217x^7 + 986x^5 + 1391x^3 + 626x}{16x^8 + 96x^6 + 208x^4 + 192x^2 + 64} - \frac{257 \operatorname{atan}(x)}{8} + \frac{731\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{32}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**6+3*x**4+x**2+4)/(x**4+3*x**2+2)**3,x)`

[Out]  $(217x^7 + 986x^5 + 1391x^3 + 626x)/(16x^8 + 96x^6 + 208x^4 + 192x^2 + 64) - 257\operatorname{atan}(x)/8 + 731\sqrt{2}\operatorname{atan}(\sqrt{2}x/2)/32$

**Giac [A]** time = 1.1064, size = 68, normalized size = 0.94

$$\frac{731}{32}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + \frac{217x^7 + 986x^5 + 1391x^3 + 626x}{16(x^4 + 3x^2 + 2)^2} - \frac{257}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+3*x^2+2)^3,x, algorithm="giac")`

[Out]  $731/32\sqrt{2}\arctan(1/2\sqrt{2}x) + 1/16(217x^7 + 986x^5 + 1391x^3 + 626x)/(x^4 + 3x^2 + 2)^2 - 257/8\arctan(x)$

$$3.97 \quad \int \frac{4+x^2+3x^4+5x^6}{x^2(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=79

$$\frac{x(11x^2+9)}{8(x^4+3x^2+2)^2} - \frac{x(347x^2+547)}{32(x^4+3x^2+2)} - \frac{1}{2x} + \frac{189}{8} \tan^{-1}(x) - \frac{1119 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}$$

[Out] -1/(2\*x) + (x\*(9 + 11\*x^2))/(8\*(2 + 3\*x^2 + x^4)^2) - (x\*(547 + 347\*x^2))/(32\*(2 + 3\*x^2 + x^4)) + (189\*ArcTan[x])/8 - (1119\*ArcTan[x/Sqrt[2]])/(32\*sqrt[2])

**Rubi [A]** time = 0.103181, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$\frac{x(11x^2+9)}{8(x^4+3x^2+2)^2} - \frac{x(347x^2+547)}{32(x^4+3x^2+2)} - \frac{1}{2x} + \frac{189}{8} \tan^{-1}(x) - \frac{1119 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^2\*(2 + 3\*x^2 + x^4)^3), x]

[Out] -1/(2\*x) + (x\*(9 + 11\*x^2))/(8\*(2 + 3\*x^2 + x^4)^2) - (x\*(547 + 347\*x^2))/(32\*(2 + 3\*x^2 + x^4)) + (189\*ArcTan[x])/8 - (1119\*ArcTan[x/Sqrt[2]])/(32\*sqrt[2])

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```



Rule 1664

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d\*x)^m\*Pq\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[Rt[b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^2(2 + 3x^2 + x^4)^3} dx &= \frac{x(9 + 11x^2)}{8(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{-16 + 29x^2 - 55x^4}{x^2(2 + 3x^2 + x^4)^2} dx \\
 &= \frac{x(9 + 11x^2)}{8(2 + 3x^2 + x^4)^2} - \frac{x(547 + 347x^2)}{32(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{32 + 441x^2 - 347x^4}{x^2(2 + 3x^2 + x^4)} dx \\
 &= \frac{x(9 + 11x^2)}{8(2 + 3x^2 + x^4)^2} - \frac{x(547 + 347x^2)}{32(2 + 3x^2 + x^4)} + \frac{1}{32} \int \left( \frac{16}{x^2} + \frac{756}{1 + x^2} - \frac{1119}{2 + x^2} \right) dx \\
 &= -\frac{1}{2x} + \frac{x(9 + 11x^2)}{8(2 + 3x^2 + x^4)^2} - \frac{x(547 + 347x^2)}{32(2 + 3x^2 + x^4)} + \frac{189}{8} \int \frac{1}{1 + x^2} dx - \frac{1119}{32} \int \frac{1}{2 + x^2} dx \\
 &= -\frac{1}{2x} + \frac{x(9 + 11x^2)}{8(2 + 3x^2 + x^4)^2} - \frac{x(547 + 347x^2)}{32(2 + 3x^2 + x^4)} + \frac{189}{8} \tan^{-1}(x) - \frac{1119 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{32\sqrt{2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.0678454, size = 63, normalized size = 0.8

$$\frac{1}{64} \left( -\frac{2(363x^8 + 1684x^6 + 2499x^4 + 1250x^2 + 64)}{x(x^4 + 3x^2 + 2)^2} + 1512 \tan^{-1}(x) - 1119\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^2\*(2 + 3\*x^2 + x^4)^3), x]

[Out] ((-2\*(64 + 1250\*x^2 + 2499\*x^4 + 1684\*x^6 + 363\*x^8))/(x\*(2 + 3\*x^2 + x^4)^2) + 1512\*ArcTan[x] - 1119\*Sqrt[2]\*ArcTan[x/Sqrt[2]])/64

---

**Maple [A]** time = 0.014, size = 58, normalized size = 0.7

$$-\frac{1}{2(x^2+2)^2} \left( \frac{207x^3}{16} + \frac{233x}{8} \right) - \frac{1119\sqrt{2}}{64} \arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{1}{(x^2+1)^2} \left( -\frac{35x^3}{8} - \frac{37x}{8} \right) + \frac{189 \arctan(x)}{8} - \frac{1}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+3\*x^2+2)^3,x)

[Out] -1/2\*(207/16\*x^3+233/8\*x)/(x^2+2)^2-1119/64\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)+(-35/8\*x^3-37/8\*x)/(x^2+1)^2+189/8\*arctan(x)-1/2/x

---

**Maxima [A]** time = 1.48621, size = 88, normalized size = 1.11

$$-\frac{1119}{64} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{363x^8 + 1684x^6 + 2499x^4 + 1250x^2 + 64}{32(x^9 + 6x^7 + 13x^5 + 12x^3 + 4x)} + \frac{189}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] -1119/64\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/32\*(363\*x^8 + 1684\*x^6 + 2499\*x^4 + 1250\*x^2 + 64)/(x^9 + 6\*x^7 + 13\*x^5 + 12\*x^3 + 4\*x) + 189/8\*arctan(x)

---

**Fricas [A]** time = 1.56684, size = 302, normalized size = 3.82

$$\frac{726x^8 + 3368x^6 + 4998x^4 + 1119\sqrt{2}(x^9 + 6x^7 + 13x^5 + 12x^3 + 4x) \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 2500x^2 - 1512(x^9 + 6x^7 + 12x^5 + 12x^3 + 4x)}{64(x^9 + 6x^7 + 13x^5 + 12x^3 + 4x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+3\*x^2+2)^3,x, algorithm="fricas")

[Out] -1/64\*(726\*x^8 + 3368\*x^6 + 4998\*x^4 + 1119\*sqrt(2)\*(x^9 + 6\*x^7 + 13\*x^5 + 12\*x^3 + 4\*x)\*arctan(1/2\*sqrt(2)\*x) + 2500\*x^2 - 1512\*(x^9 + 6\*x^7 + 13\*x^5 + 12\*x^3 + 4\*x))

$$5 + 12x^3 + 4x) \arctan(x) + 128) / (x^9 + 6x^7 + 13x^5 + 12x^3 + 4x)$$


---

**Sympy [A]** time = 0.260194, size = 70, normalized size = 0.89

$$-\frac{363x^8 + 1684x^6 + 2499x^4 + 1250x^2 + 64}{32x^9 + 192x^7 + 416x^5 + 384x^3 + 128x} + \frac{189 \operatorname{atan}(x)}{8} - \frac{1119\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{64}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*2/(x\*\*4+3\*x\*\*2+2)\*\*3,x)

[Out] -(363\*x\*\*8 + 1684\*x\*\*6 + 2499\*x\*\*4 + 1250\*x\*\*2 + 64)/(32\*x\*\*9 + 192\*x\*\*7 + 416\*x\*\*5 + 384\*x\*\*3 + 128\*x) + 189\*atan(x)/8 - 1119\*sqrt(2)\*atan(sqrt(2)\*x/2)/64

---

**Giac [A]** time = 1.12745, size = 74, normalized size = 0.94

$$-\frac{1119}{64} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{347x^7 + 1588x^5 + 2291x^3 + 1058x}{32(x^4 + 3x^2 + 2)^2} - \frac{1}{2x} + \frac{189}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+3\*x^2+2)^3,x, algorithm="giac")

[Out] -1119/64\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/32\*(347\*x^7 + 1588\*x^5 + 2291\*x^3 + 1058\*x)/(x^4 + 3\*x^2 + 2)^2 - 1/2/x + 189/8\*arctan(x)

$$3.98 \quad \int \frac{4+x^2+3x^4+5x^6}{x^4(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=86

$$-\frac{x(9x^2+5)}{16(x^4+3x^2+2)^2} + \frac{x(571x^2+951)}{64(x^4+3x^2+2)} - \frac{1}{6x^3} + \frac{17}{8x} - \frac{113}{8} \tan^{-1}(x) + \frac{1611 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{64\sqrt{2}}$$

[Out] -1/(6\*x^3) + 17/(8\*x) - (x\*(5 + 9\*x^2))/(16\*(2 + 3\*x^2 + x^4)^2) + (x\*(951 + 571\*x^2))/(64\*(2 + 3\*x^2 + x^4)) - (113\*ArcTan[x])/8 + (1611\*ArcTan[x/Sqrt[2]])/(64\*Sqrt[2])

**Rubi [A]** time = 0.118885, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$-\frac{x(9x^2+5)}{16(x^4+3x^2+2)^2} + \frac{x(571x^2+951)}{64(x^4+3x^2+2)} - \frac{1}{6x^3} + \frac{17}{8x} - \frac{113}{8} \tan^{-1}(x) + \frac{1611 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{64\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(2 + 3\*x^2 + x^4)^3), x]

[Out] -1/(6\*x^3) + 17/(8\*x) - (x\*(5 + 9\*x^2))/(16\*(2 + 3\*x^2 + x^4)^2) + (x\*(951 + 571\*x^2))/(64\*(2 + 3\*x^2 + x^4)) - (113\*ArcTan[x])/8 + (1611\*ArcTan[x/Sqrt[2]])/(64\*Sqrt[2])

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

Rule 1664

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_ Symbol] :> Int[ExpandIntegrand[(d\*x)^m\*Pq\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^4(2 + 3x^2 + x^4)^3} dx &= -\frac{x(5 + 9x^2)}{16(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{-16 + 20x^2 - \frac{73x^4}{2} + \frac{45x^6}{2}}{x^4(2 + 3x^2 + x^4)^2} dx \\
 &= -\frac{x(5 + 9x^2)}{16(2 + 3x^2 + x^4)^2} + \frac{x(951 + 571x^2)}{64(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{32 - 88x^2 - \frac{573x^4}{2} + \frac{571x^6}{2}}{x^4(2 + 3x^2 + x^4)} dx \\
 &= -\frac{x(5 + 9x^2)}{16(2 + 3x^2 + x^4)^2} + \frac{x(951 + 571x^2)}{64(2 + 3x^2 + x^4)} + \frac{1}{32} \int \left( \frac{16}{x^4} - \frac{68}{x^2} - \frac{452}{1 + x^2} + \frac{1611}{2(2 + x^2)} \right) dx \\
 &= -\frac{1}{6x^3} + \frac{17}{8x} - \frac{x(5 + 9x^2)}{16(2 + 3x^2 + x^4)^2} + \frac{x(951 + 571x^2)}{64(2 + 3x^2 + x^4)} - \frac{113}{8} \int \frac{1}{1 + x^2} dx + \frac{1611}{64} \int \frac{1}{2 + x^2} dx \\
 &= -\frac{1}{6x^3} + \frac{17}{8x} - \frac{x(5 + 9x^2)}{16(2 + 3x^2 + x^4)^2} + \frac{x(951 + 571x^2)}{64(2 + 3x^2 + x^4)} - \frac{113}{8} \tan^{-1}(x) + \frac{1611 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{64\sqrt{2}}
 \end{aligned}$$

**Mathematica [A]** time = 0.0603144, size = 78, normalized size = 0.91

$$\frac{1}{384} \left( -\frac{24x(9x^2 + 5)}{(x^4 + 3x^2 + 2)^2} + \frac{6x(571x^2 + 951)}{x^4 + 3x^2 + 2} - \frac{64}{x^3} + \frac{816}{x} - 5424 \tan^{-1}(x) + 4833\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(2 + 3\*x^2 + x^4)^3), x]

[Out] (-64/x^3 + 816/x - (24\*x\*(5 + 9\*x^2))/(2 + 3\*x^2 + x^4)^2 + (6\*x\*(951 + 571\*x^2))/(2 + 3\*x^2 + x^4) - 5424\*ArcTan[x] + 4833\*Sqrt[2]\*ArcTan[x/Sqrt[2]])

/384

**Maple [A]** time = 0.016, size = 64, normalized size = 0.7

$$\frac{1}{8(x^2+2)^2} \left( \frac{259x^3}{8} + \frac{285x}{4} \right) + \frac{1611\sqrt{2}}{128} \arctan\left(\frac{x\sqrt{2}}{2}\right) - \frac{1}{(x^2+1)^2} \left( -\frac{39x^3}{8} - \frac{41x}{8} \right) - \frac{113 \arctan(x)}{8} - \frac{1}{6x^3} + \frac{17}{8x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^3,x)

[Out] 1/8\*(259/8\*x^3+285/4\*x)/(x^2+2)^2+1611/128\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)-(-39/8\*x^3-41/8\*x)/(x^2+1)^2-113/8\*arctan(x)-1/6/x^3+17/8/x

**Maxima [A]** time = 1.54805, size = 97, normalized size = 1.13

$$\frac{1611}{128} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) + \frac{2121x^{10} + 10408x^8 + 16989x^6 + 10126x^4 + 1248x^2 - 128}{192(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3)} - \frac{113}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] 1611/128\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) + 1/192\*(2121\*x^10 + 10408\*x^8 + 16989\*x^6 + 10126\*x^4 + 1248\*x^2 - 128)/(x^11 + 6\*x^9 + 13\*x^7 + 12\*x^5 + 4\*x^3) - 113/8\*arctan(x)

**Fricas [A]** time = 1.54364, size = 336, normalized size = 3.91

$$\frac{4242x^{10} + 20816x^8 + 33978x^6 + 20252x^4 + 4833\sqrt{2}(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3) \arctan\left(\frac{1}{2}\sqrt{2}x\right) + 2496x^2 - 54}{384(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+3\*x^2+2)^3,x, algorithm="fricas")

[Out]  $\frac{1}{384}(4242x^{10} + 20816x^8 + 33978x^6 + 20252x^4 + 4833\sqrt{2})(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3)\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 2496x^2 - 5424(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3)\arctan(x) - 256/(x^{11} + 6x^9 + 13x^7 + 12x^5 + 4x^3)$

**Sympy [A]** time = 0.277716, size = 76, normalized size = 0.88

$$-\frac{113 \operatorname{atan}(x)}{8} + \frac{1611\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{128} + \frac{2121x^{10} + 10408x^8 + 16989x^6 + 10126x^4 + 1248x^2 - 128}{192x^{11} + 1152x^9 + 2496x^7 + 2304x^5 + 768x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**6+3*x**4+x**2+4)/x**4/(x**4+3*x**2+2)**3,x)`

[Out]  $-113\operatorname{atan}(x)/8 + 1611\sqrt{2}\operatorname{atan}(\sqrt{2}x/2)/128 + (2121x^{10} + 10408x^8 + 16989x^6 + 10126x^4 + 1248x^2 - 128)/(192x^{11} + 1152x^9 + 2496x^7 + 2304x^5 + 768x^3)$

**Giac [A]** time = 1.11011, size = 84, normalized size = 0.98

$$\frac{1611}{128}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + \frac{571x^7 + 2664x^5 + 3959x^3 + 1882x}{64(x^4 + 3x^2 + 2)^2} + \frac{51x^2 - 4}{24x^3} - \frac{113}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^4/(x^4+3*x^2+2)^3,x, algorithm="giac")`

[Out]  $\frac{1611}{128}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) + \frac{1}{64}(571x^7 + 2664x^5 + 3959x^3 + 1882x)/(x^4 + 3x^2 + 2)^2 + \frac{1}{24}(51x^2 - 4)/x^3 - \frac{113}{8}\arctan(x)$

$$3.99 \quad \int \frac{4+x^2+3x^4+5x^6}{x^6(2+3x^2+x^4)^3} dx$$

**Optimal.** Leaf size=93

$$-\frac{x(3-5x^2)}{32(x^4+3x^2+2)^2} - \frac{x(999x^2+1771)}{128(x^4+3x^2+2)} + \frac{17}{24x^3} - \frac{1}{10x^5} - \frac{93}{16x} + \frac{29}{8} \tan^{-1}(x) - \frac{2207 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{128\sqrt{2}}$$

[Out]  $-1/(10*x^5) + 17/(24*x^3) - 93/(16*x) - (x*(3 - 5*x^2))/(32*(2 + 3*x^2 + x^4)^2) - (x*(1771 + 999*x^2))/(128*(2 + 3*x^2 + x^4)) + (29*ArcTan[x])/8 - (2207*ArcTan[x/Sqrt[2]])/(128*sqrt[2])$

**Rubi [A]** time = 0.134206, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {1669, 1664, 203}

$$-\frac{x(3-5x^2)}{32(x^4+3x^2+2)^2} - \frac{x(999x^2+1771)}{128(x^4+3x^2+2)} + \frac{17}{24x^3} - \frac{1}{10x^5} - \frac{93}{16x} + \frac{29}{8} \tan^{-1}(x) - \frac{2207 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{128\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^6\*(2 + 3\*x^2 + x^4)^3), x]

[Out]  $-1/(10*x^5) + 17/(24*x^3) - 93/(16*x) - (x*(3 - 5*x^2))/(32*(2 + 3*x^2 + x^4)^2) - (x*(1771 + 999*x^2))/(128*(2 + 3*x^2 + x^4)) + (29*ArcTan[x])/8 - (2207*ArcTan[x/Sqrt[2]])/(128*sqrt[2])$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```



Rule 1664

Int[(Pq\_)\*((d\_)\*(x\_))^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Int[ExpandIntegrand[(d\*x)^m\*Pq\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

Rule 203

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^6(2 + 3x^2 + x^4)^3} dx &= -\frac{x(3 - 5x^2)}{32(2 + 3x^2 + x^4)^2} - \frac{1}{8} \int \frac{-16 + 20x^2 - 34x^4 + \frac{81x^6}{4} - \frac{25x^8}{4}}{x^6(2 + 3x^2 + x^4)^2} dx \\
 &= -\frac{x(3 - 5x^2)}{32(2 + 3x^2 + x^4)^2} - \frac{x(1771 + 999x^2)}{128(2 + 3x^2 + x^4)} + \frac{1}{32} \int \frac{32 - 88x^2 + 184x^4 + \frac{681x^6}{4} - \frac{999x^8}{4}}{x^6(2 + 3x^2 + x^4)} dx \\
 &= -\frac{x(3 - 5x^2)}{32(2 + 3x^2 + x^4)^2} - \frac{x(1771 + 999x^2)}{128(2 + 3x^2 + x^4)} + \frac{1}{32} \int \left( \frac{16}{x^6} - \frac{68}{x^4} + \frac{186}{x^2} + \frac{116}{1 + x^2} - \frac{2207}{4(2 + x^2)} \right) dx \\
 &= -\frac{1}{10x^5} + \frac{17}{24x^3} - \frac{93}{16x} - \frac{x(3 - 5x^2)}{32(2 + 3x^2 + x^4)^2} - \frac{x(1771 + 999x^2)}{128(2 + 3x^2 + x^4)} + \frac{29}{8} \int \frac{1}{1 + x^2} dx - \frac{2207}{128} \int \frac{1}{2 + x^2} dx \\
 &= -\frac{1}{10x^5} + \frac{17}{24x^3} - \frac{93}{16x} - \frac{x(3 - 5x^2)}{32(2 + 3x^2 + x^4)^2} - \frac{x(1771 + 999x^2)}{128(2 + 3x^2 + x^4)} + \frac{29}{8} \tan^{-1}(x) - \frac{2207 \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)}{128}
 \end{aligned}$$

**Mathematica [A]** time = 0.0788035, size = 73, normalized size = 0.78

$$\frac{2(26145x^{12} + 137120x^{10} + 246477x^8 + 170702x^6 + 30816x^4 - 3136x^2 + 768)}{x^5(x^4 + 3x^2 + 2)^2} + 13920 \tan^{-1}(x) - 33105\sqrt{2} \tan^{-1}\left(\frac{x}{\sqrt{2}}\right)$$

---

3840

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^6\*(2 + 3\*x^2 + x^4)^3), x]

[Out] ((-2\*(768 - 3136\*x^2 + 30816\*x^4 + 170702\*x^6 + 246477\*x^8 + 137120\*x^10 + 26145\*x^12))/(x^5\*(2 + 3\*x^2 + x^4)^2) + 13920\*ArcTan[x] - 33105\*sqrt[2]\*Ar

cTan[x/Sqrt[2]])/3840

**Maple [A]** time = 0.015, size = 68, normalized size = 0.7

$$-\frac{1}{16(x^2+2)^2}\left(\frac{311x^3}{8} + \frac{337x}{4}\right) - \frac{2207\sqrt{2}}{256}\arctan\left(\frac{x\sqrt{2}}{2}\right) + \frac{1}{(x^2+1)^2}\left(-\frac{43x^3}{8} - \frac{45x}{8}\right) + \frac{29\arctan(x)}{8} - \frac{1}{10x^5} + \frac{17}{24x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^6/(x^4+3\*x^2+2)^3,x)

[Out] -1/16\*(311/8\*x^3+337/4\*x)/(x^2+2)^2-2207/256\*arctan(1/2\*x\*2^(1/2))\*2^(1/2)+(-43/8\*x^3-45/8\*x)/(x^2+1)^2+29/8\*arctan(x)-1/10/x^5+17/24/x^3-93/16/x

**Maxima [A]** time = 1.47447, size = 104, normalized size = 1.12

$$-\frac{2207}{256}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}x\right) - \frac{26145x^{12} + 137120x^{10} + 246477x^8 + 170702x^6 + 30816x^4 - 3136x^2 + 768}{1920(x^{13} + 6x^{11} + 13x^9 + 12x^7 + 4x^5)} + \frac{29}{8}\arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^6/(x^4+3\*x^2+2)^3,x, algorithm="maxima")

[Out] -2207/256\*sqrt(2)\*arctan(1/2\*sqrt(2)\*x) - 1/1920\*(26145\*x^12 + 137120\*x^10 + 246477\*x^8 + 170702\*x^6 + 30816\*x^4 - 3136\*x^2 + 768)/(x^13 + 6\*x^11 + 13\*x^9 + 12\*x^7 + 4\*x^5) + 29/8\*arctan(x)

**Fricas [A]** time = 1.56934, size = 370, normalized size = 3.98

$$\frac{52290x^{12} + 274240x^{10} + 492954x^8 + 341404x^6 + 61632x^4 + 33105\sqrt{2}(x^{13} + 6x^{11} + 13x^9 + 12x^7 + 4x^5)\arctan\left(\frac{1}{2}\sqrt{2}x\right) + 768x^2 + 768}{3840(x^{13} + 6x^{11} + 13x^9 + 12x^7 + 4x^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^6/(x^4+3\*x^2+2)^3,x, algorithm="fricas")

[Out] 
$$\frac{-1/3840*(52290*x^{12} + 274240*x^{10} + 492954*x^8 + 341404*x^6 + 61632*x^4 + 3105*\sqrt{2}*(x^{13} + 6*x^{11} + 13*x^9 + 12*x^7 + 4*x^5)*\arctan(1/2*\sqrt{2}*x) - 6272*x^2 - 13920*(x^{13} + 6*x^{11} + 13*x^9 + 12*x^7 + 4*x^5)*\arctan(x) + 1536)}{(x^{13} + 6*x^{11} + 13*x^9 + 12*x^7 + 4*x^5)}$$

**Sympy [A]** time = 0.300799, size = 82, normalized size = 0.88

$$\frac{29 \operatorname{atan}(x)}{8} - \frac{2207\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2}\right)}{256} - \frac{26145x^{12} + 137120x^{10} + 246477x^8 + 170702x^6 + 30816x^4 - 3136x^2 + 768}{1920x^{13} + 11520x^{11} + 24960x^9 + 23040x^7 + 7680x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x**6+3*x**4+x**2+4)/x**6/(x**4+3*x**2+2)**3,x)`

[Out] 
$$29*\operatorname{atan}(x)/8 - 2207*\sqrt{2}*\operatorname{atan}(\sqrt{2}*x/2)/256 - (26145*x^{12} + 137120*x^{10} + 246477*x^8 + 170702*x^6 + 30816*x^4 - 3136*x^2 + 768)/(1920*x^{13} + 11520*x^{11} + 24960*x^9 + 23040*x^7 + 7680*x^5)$$

**Giac [A]** time = 1.12132, size = 90, normalized size = 0.97

$$-\frac{2207}{256} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}x\right) - \frac{999x^7 + 4768x^5 + 7291x^3 + 3554x}{128(x^4 + 3x^2 + 2)^2} - \frac{1395x^4 - 170x^2 + 24}{240x^5} + \frac{29}{8} \arctan(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^6/(x^4+3*x^2+2)^3,x, algorithm="giac")`

[Out] 
$$-2207/256*\sqrt{2}*\arctan(1/2*\sqrt{2}*x) - 1/128*(999*x^7 + 4768*x^5 + 7291*x^3 + 3554*x)/(x^4 + 3*x^2 + 2)^2 - 1/240*(1395*x^4 - 170*x^2 + 24)/x^5 + 29/8*\arctan(x)$$

$$3.100 \quad \int \frac{x^9(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=86

$$\frac{5x^8}{8} - \frac{17x^6}{6} + \frac{19x^4}{4} + 19x^2 - \frac{25(7x^2+15)}{8(x^4+2x^2+3)} - \frac{183}{4} \log(x^4+2x^2+3) + \frac{201 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out]  $19x^2 + (19x^4)/4 - (17x^6)/6 + (5x^8)/8 - (25*(15 + 7x^2))/(8*(3 + 2x^2 + x^4)) + (201*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2]) - (183*Log[3 + 2x^2 + x^4])/4$

**Rubi [A]** time = 0.135313, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1660, 1657, 634, 618, 204, 628}

$$\frac{5x^8}{8} - \frac{17x^6}{6} + \frac{19x^4}{4} + 19x^2 - \frac{25(7x^2+15)}{8(x^4+2x^2+3)} - \frac{183}{4} \log(x^4+2x^2+3) + \frac{201 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^9*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2, x]$

[Out]  $19x^2 + (19x^4)/4 - (17x^6)/6 + (5x^8)/8 - (25*(15 + 7x^2))/(8*(3 + 2x^2 + x^4)) + (201*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2]) - (183*Log[3 + 2x^2 + x^4])/4$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^{(p, x]}, x, x^2)], x] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{IntegerQ}[(m-1)/2]$

### Rule 1660

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] := \text{With}\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x +$

```
c*x^2, x], x, 1]], Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1657

```
Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^9(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^4(4+x+3x^2+5x^3)}{(3+2x+x^2)^2} dx, x, x^2 \right) \\
&= -\frac{25(15+7x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{-150-400x+200x^2-56x^4+40x^5}{3+2x+x^2} dx, x, x^2 \right) \\
&= -\frac{25(15+7x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( 304+152x-136x^2+40x^3 - \frac{6(177+244x)}{3+2x+x^2} \right) dx, x, x^2 \right) \\
&= 19x^2 + \frac{19x^4}{4} - \frac{17x^6}{6} + \frac{5x^8}{8} - \frac{25(15+7x^2)}{8(3+2x^2+x^4)} - \frac{3}{8} \text{Subst} \left( \int \frac{177+244x}{3+2x+x^2} dx, x, x^2 \right) \\
&= 19x^2 + \frac{19x^4}{4} - \frac{17x^6}{6} + \frac{5x^8}{8} - \frac{25(15+7x^2)}{8(3+2x^2+x^4)} + \frac{201}{8} \text{Subst} \left( \int \frac{1}{3+2x+x^2} dx, x, x^2 \right) \\
&= 19x^2 + \frac{19x^4}{4} - \frac{17x^6}{6} + \frac{5x^8}{8} - \frac{25(15+7x^2)}{8(3+2x^2+x^4)} - \frac{183}{4} \log(3+2x^2+x^4) - \frac{201}{4} \text{Subst} \left( \int \frac{1}{3+2x+x^2} dx, x, x^2 \right) \\
&= 19x^2 + \frac{19x^4}{4} - \frac{17x^6}{6} + \frac{5x^8}{8} - \frac{25(15+7x^2)}{8(3+2x^2+x^4)} + \frac{201 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}} - \frac{183}{4} \log(3+2x^2+x^4)
\end{aligned}$$

**Mathematica [A]** time = 0.0472626, size = 78, normalized size = 0.91

$$\frac{1}{48} \left( 30x^8 - 136x^6 + 228x^4 + 912x^2 - \frac{150(7x^2+15)}{x^4+2x^2+3} - 2196 \log(x^4+2x^2+3) + 603\sqrt{2} \tan^{-1} \left( \frac{x^2+1}{\sqrt{2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^9\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (912\*x^2 + 228\*x^4 - 136\*x^6 + 30\*x^8 - (150\*(15 + 7\*x^2))/(3 + 2\*x^2 + x^4) + 603\*sqrt(2)\*ArcTan[(1 + x^2)/sqrt(2)] - 2196\*Log[3 + 2\*x^2 + x^4])/48

**Maple [A]** time = 0.011, size = 74, normalized size = 0.9

$$\frac{5x^8}{8} - \frac{17x^6}{6} + \frac{19x^4}{4} + 19x^2 - \frac{1}{2x^4+4x^2+6} \left( \frac{175x^2}{4} + \frac{375}{4} \right) - \frac{183 \ln(x^4+2x^2+3)}{4} + \frac{201\sqrt{2}}{16} \arctan \left( \frac{(2x^2+2)\sqrt{2}}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^9*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $5/8*x^8-17/6*x^6+19/4*x^4+19*x^2-1/2*(175/4*x^2+375/4)/(x^4+2*x^2+3)-183/4*\ln(x^4+2*x^2+3)+201/16*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})$

**Maxima [A]** time = 1.47227, size = 96, normalized size = 1.12

$$\frac{5}{8}x^8 - \frac{17}{6}x^6 + \frac{19}{4}x^4 + 19x^2 + \frac{201}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) - \frac{25(7x^2+15)}{8(x^4+2x^2+3)} - \frac{183}{4}\log(x^4+2x^2+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^9*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $5/8*x^8 - 17/6*x^6 + 19/4*x^4 + 19*x^2 + 201/16*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 25/8*(7*x^2 + 15)/(x^4 + 2*x^2 + 3) - 183/4*\log(x^4 + 2*x^2 + 3)$

**Fricas [A]** time = 1.50026, size = 270, normalized size = 3.14

$$\frac{30x^{12} - 76x^{10} + 46x^8 + 960x^6 + 2508x^4 + 603\sqrt{2}(x^4 + 2x^2 + 3)\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + 1686x^2 - 2196(x^4 + 2x^2 + 3)}{48(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^9*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/48*(30*x^12 - 76*x^10 + 46*x^8 + 960*x^6 + 2508*x^4 + 603*\sqrt{2}*(x^4 + 2*x^2 + 3)*\arctan(1/2*\sqrt{2}*(x^2 + 1)) + 1686*x^2 - 2196*(x^4 + 2*x^2 + 3)*\log(x^4 + 2*x^2 + 3) - 2250)/(x^4 + 2*x^2 + 3)$

**Sympy [A]** time = 0.171973, size = 85, normalized size = 0.99

$$\frac{5x^8}{8} - \frac{17x^6}{6} + \frac{19x^4}{4} + 19x^2 - \frac{175x^2 + 375}{8x^4 + 16x^2 + 24} - \frac{183\log(x^4 + 2x^2 + 3)}{4} + \frac{201\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*9\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out]  $5x^{8}/8 - 17x^{6}/6 + 19x^{4}/4 + 19x^{2} - (175x^{2} + 375)/(8x^{4} + 16x^{2} + 24) - 183\log(x^{4} + 2x^{2} + 3)/4 + 201\sqrt{2}\operatorname{atan}(\sqrt{2}x^{2}/2 + \sqrt{2}/2)/16$

**Giac [A]** time = 1.13086, size = 103, normalized size = 1.2

$$\frac{5}{8}x^8 - \frac{17}{6}x^6 + \frac{19}{4}x^4 + 19x^2 + \frac{201}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) + \frac{366x^4 + 557x^2 + 723}{8(x^4 + 2x^2 + 3)} - \frac{183}{4}\log(x^4 + 2x^2 + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^9\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out]  $5/8x^8 - 17/6x^6 + 19/4x^4 + 19x^2 + 201/16\sqrt{2}\arctan(1/2\sqrt{2}(x^2+1)) + 1/8(366x^4 + 557x^2 + 723)/(x^4 + 2x^2 + 3) - 183/4\log(x^4 + 2x^2 + 3)$



$$3.101 \quad \int \frac{x^7(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=81

$$\frac{5x^6}{6} - \frac{17x^4}{4} + \frac{19x^2}{2} + \frac{25(5x^2+3)}{8(x^4+2x^2+3)} + \frac{19}{2} \log(x^4+2x^2+3) - \frac{455 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out] (19\*x^2)/2 - (17\*x^4)/4 + (5\*x^6)/6 + (25\*(3 + 5\*x^2))/(8\*(3 + 2\*x^2 + x^4)) - (455\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) + (19\*Log[3 + 2\*x^2 + x^4])/2

**Rubi [A]** time = 0.127361, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1660, 1657, 634, 618, 204, 628}

$$\frac{5x^6}{6} - \frac{17x^4}{4} + \frac{19x^2}{2} + \frac{25(5x^2+3)}{8(x^4+2x^2+3)} + \frac{19}{2} \log(x^4+2x^2+3) - \frac{455 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^7\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (19\*x^2)/2 - (17\*x^4)/4 + (5\*x^6)/6 + (25\*(3 + 5\*x^2))/(8\*(3 + 2\*x^2 + x^4)) - (455\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) + (19\*Log[3 + 2\*x^2 + x^4])/2

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1660

Int[(Pq\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x +

```
c*x^2, x], x, 1]], Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1657

```
Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^7(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^3(4+x+3x^2+5x^3)}{(3+2x+x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(3+5x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{-150+200x-56x^3+40x^4}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{25(3+5x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( 152-136x+40x^2 - \frac{2(303-152x)}{3+2x+x^2} \right) dx, x, x^2 \right) \\
&= \frac{19x^2}{2} - \frac{17x^4}{4} + \frac{5x^6}{6} + \frac{25(3+5x^2)}{8(3+2x^2+x^4)} - \frac{1}{8} \text{Subst} \left( \int \frac{303-152x}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{19x^2}{2} - \frac{17x^4}{4} + \frac{5x^6}{6} + \frac{25(3+5x^2)}{8(3+2x^2+x^4)} + \frac{19}{2} \text{Subst} \left( \int \frac{2+2x}{3+2x+x^2} dx, x, x^2 \right) - \frac{455}{8} \text{Subst} \left( \int \frac{1}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{19x^2}{2} - \frac{17x^4}{4} + \frac{5x^6}{6} + \frac{25(3+5x^2)}{8(3+2x^2+x^4)} + \frac{19}{2} \log(3+2x^2+x^4) + \frac{455}{4} \text{Subst} \left( \int \frac{1}{-8-2x-x^2} dx, x, x^2 \right) \\
&= \frac{19x^2}{2} - \frac{17x^4}{4} + \frac{5x^6}{6} + \frac{25(3+5x^2)}{8(3+2x^2+x^4)} - \frac{455 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}} + \frac{19}{2} \log(3+2x^2+x^4)
\end{aligned}$$

**Mathematica [A]** time = 0.0313759, size = 73, normalized size = 0.9

$$\frac{1}{48} \left( 40x^6 - 204x^4 + 456x^2 + \frac{150(5x^2+3)}{x^4+2x^2+3} + 456 \log(x^4+2x^2+3) - 1365\sqrt{2} \tan^{-1} \left( \frac{x^2+1}{\sqrt{2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^7\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (456\*x^2 - 204\*x^4 + 40\*x^6 + (150\*(3 + 5\*x^2))/(3 + 2\*x^2 + x^4) - 1365\*sqrt(2)\*ArcTan[(1 + x^2)/sqrt(2)] + 456\*Log[3 + 2\*x^2 + x^4])/48

**Maple [A]** time = 0.01, size = 69, normalized size = 0.9

$$\frac{5x^6}{6} - \frac{17x^4}{4} + \frac{19x^2}{2} + \frac{1}{2x^4+4x^2+6} \left( \frac{125x^2}{4} + \frac{75}{4} \right) + \frac{19 \ln(x^4+2x^2+3)}{2} - \frac{455\sqrt{2}}{16} \arctan \left( \frac{(2x^2+2)\sqrt{2}}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^7*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $5/6*x^6-17/4*x^4+19/2*x^2+1/2*(125/4*x^2+75/4)/(x^4+2*x^2+3)+19/2*\ln(x^4+2*x^2+3)-455/16*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})$

**Maxima [A]** time = 1.49928, size = 89, normalized size = 1.1

$$\frac{5}{6}x^6 - \frac{17}{4}x^4 + \frac{19}{2}x^2 - \frac{455}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) + \frac{25(5x^2+3)}{8(x^4+2x^2+3)} + \frac{19}{2}\log(x^4+2x^2+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $5/6*x^6 - 17/4*x^4 + 19/2*x^2 - 455/16*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) + 25/8*(5*x^2 + 3)/(x^4 + 2*x^2 + 3) + 19/2*\log(x^4 + 2*x^2 + 3)$

**Fricas [A]** time = 1.54505, size = 255, normalized size = 3.15

$$\frac{40x^{10} - 124x^8 + 168x^6 + 300x^4 - 1365\sqrt{2}(x^4 + 2x^2 + 3)\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + 2118x^2 + 456(x^4 + 2x^2 + 3)\log(x^4 + 2x^2 + 3)}{48(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^7*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/48*(40*x^10 - 124*x^8 + 168*x^6 + 300*x^4 - 1365*\sqrt{2}*(x^4 + 2*x^2 + 3)*\arctan(1/2*\sqrt{2}*(x^2 + 1)) + 2118*x^2 + 456*(x^4 + 2*x^2 + 3)*\log(x^4 + 2*x^2 + 3) + 450)/(x^4 + 2*x^2 + 3)$

**Sympy [A]** time = 0.168, size = 80, normalized size = 0.99

$$\frac{5x^6}{6} - \frac{17x^4}{4} + \frac{19x^2}{2} + \frac{125x^2 + 75}{8x^4 + 16x^2 + 24} + \frac{19\log(x^4 + 2x^2 + 3)}{2} - \frac{455\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*7\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 5\*x\*\*6/6 - 17\*x\*\*4/4 + 19\*x\*\*2/2 + (125\*x\*\*2 + 75)/(8\*x\*\*4 + 16\*x\*\*2 + 24) + 19\*log(x\*\*4 + 2\*x\*\*2 + 3)/2 - 455\*sqrt(2)\*atan(sqrt(2)\*x\*\*2/2 + sqrt(2)/2)/16

**Giac [A]** time = 1.12135, size = 96, normalized size = 1.19

$$\frac{5}{6}x^6 - \frac{17}{4}x^4 + \frac{19}{2}x^2 - \frac{455}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) - \frac{76x^4 + 27x^2 + 153}{8(x^4 + 2x^2 + 3)} + \frac{19}{2}\log(x^4 + 2x^2 + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^7\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] 5/6\*x^6 - 17/4\*x^4 + 19/2\*x^2 - 455/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(x^2 + 1)) - 1/8\*(76\*x^4 + 27\*x^2 + 153)/(x^4 + 2\*x^2 + 3) + 19/2\*log(x^4 + 2\*x^2 + 3)

$$3.102 \quad \int \frac{x^5(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=74

$$\frac{5x^4}{4} - \frac{17x^2}{2} + \frac{25(3-x^2)}{8(x^4+2x^2+3)} + \frac{19}{4} \log(x^4+2x^2+3) + \frac{203 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out]  $(-17*x^2)/2 + (5*x^4)/4 + (25*(3 - x^2))/(8*(3 + 2*x^2 + x^4)) + (203*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2]) + (19*Log[3 + 2*x^2 + x^4])/4$

**Rubi [A]** time = 0.120869, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1660, 1657, 634, 618, 204, 628}

$$\frac{5x^4}{4} - \frac{17x^2}{2} + \frac{25(3-x^2)}{8(x^4+2x^2+3)} + \frac{19}{4} \log(x^4+2x^2+3) + \frac{203 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^5*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2, x]$

[Out]  $(-17*x^2)/2 + (5*x^4)/4 + (25*(3 - x^2))/(8*(3 + 2*x^2 + x^4)) + (203*ArcTan[(1 + x^2)/Sqrt[2]])/(8*Sqrt[2]) + (19*Log[3 + 2*x^2 + x^4])/4$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /;$  FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1660

$\text{Int}[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :=$  With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p+1))/((p+1)\*(b^2 - 4\*a\*c)), x] + Dist[1/((p+1)\*(b^2 - 4\*a\*c)), Int[

$(a + b*x + c*x^2)^{(p + 1)}$ \*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*Q - (2\*p + 3)\*(2\*c\*f - b\*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[Expand Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^5(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x^2(4+x+3x^2+5x^3)}{(3+2x+x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{150-56x^2+40x^3}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( -136+40x + \frac{2(279+76x)}{3+2x+x^2} \right) dx, x, x^2 \right) \\
&= -\frac{17x^2}{2} + \frac{5x^4}{4} + \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{1}{8} \text{Subst} \left( \int \frac{279+76x}{3+2x+x^2} dx, x, x^2 \right) \\
&= -\frac{17x^2}{2} + \frac{5x^4}{4} + \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{19}{4} \text{Subst} \left( \int \frac{2+2x}{3+2x+x^2} dx, x, x^2 \right) + \frac{203}{8} \text{Subst} \left( \int \frac{1}{-8-x^2} dx, x, x^2 \right) \\
&= -\frac{17x^2}{2} + \frac{5x^4}{4} + \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{19}{4} \log(3+2x^2+x^4) - \frac{203}{4} \text{Subst} \left( \int \frac{1}{-8-x^2} dx, x, x^2 \right) \\
&= -\frac{17x^2}{2} + \frac{5x^4}{4} + \frac{25(3-x^2)}{8(3+2x^2+x^4)} + \frac{203 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}} + \frac{19}{4} \log(3+2x^2+x^4)
\end{aligned}$$

**Mathematica [A]** time = 0.0299438, size = 66, normalized size = 0.89

$$\frac{1}{16} \left( 20x^4 - 136x^2 - \frac{50(x^2-3)}{x^4+2x^2+3} + 76 \log(x^4+2x^2+3) + 203\sqrt{2} \tan^{-1} \left( \frac{x^2+1}{\sqrt{2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (-136\*x^2 + 20\*x^4 - (50\*(-3 + x^2))/(3 + 2\*x^2 + x^4) + 203\*sqrt(2)\*ArcTan[(1 + x^2)/sqrt(2)] + 76\*Log[3 + 2\*x^2 + x^4])/16

**Maple [A]** time = 0.008, size = 64, normalized size = 0.9

$$\frac{5x^4}{4} - \frac{17x^2}{2} + \frac{1}{2x^4+4x^2+6} \left( -\frac{25x^2}{4} + \frac{75}{4} \right) + \frac{19 \ln(x^4+2x^2+3)}{4} + \frac{203\sqrt{2}}{16} \arctan \left( \frac{(2x^2+2)\sqrt{2}}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(x^5*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $5/4*x^4-17/2*x^2+1/2*(-25/4*x^2+75/4)/(x^4+2*x^2+3)+19/4*\ln(x^4+2*x^2+3)+203/16*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})$

**Maxima [A]** time = 1.46919, size = 80, normalized size = 1.08

$$\frac{5}{4}x^4 - \frac{17}{2}x^2 + \frac{203}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) - \frac{25(x^2-3)}{8(x^4+2x^2+3)} + \frac{19}{4}\log(x^4+2x^2+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $5/4*x^4 - 17/2*x^2 + 203/16*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 25/8*(x^2 - 3)/(x^4 + 2*x^2 + 3) + 19/4*\log(x^4 + 2*x^2 + 3)$

**Fricas [A]** time = 1.55717, size = 235, normalized size = 3.18

$$\frac{20x^8 - 96x^6 - 212x^4 + 203\sqrt{2}(x^4 + 2x^2 + 3)\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) - 458x^2 + 76(x^4 + 2x^2 + 3)\log(x^4 + 2x^2 + 3)}{16(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/16*(20*x^8 - 96*x^6 - 212*x^4 + 203*\sqrt{2}*(x^4 + 2*x^2 + 3)*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 458*x^2 + 76*(x^4 + 2*x^2 + 3)*\log(x^4 + 2*x^2 + 3) + 150)/(x^4 + 2*x^2 + 3)$

**Sympy [A]** time = 0.163762, size = 73, normalized size = 0.99

$$\frac{5x^4}{4} - \frac{17x^2}{2} - \frac{25x^2 - 75}{8x^4 + 16x^2 + 24} + \frac{19\log(x^4 + 2x^2 + 3)}{4} + \frac{203\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*5\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 5\*x\*\*4/4 - 17\*x\*\*2/2 - (25\*x\*\*2 - 75)/(8\*x\*\*4 + 16\*x\*\*2 + 24) + 19\*log(x\*\*4 + 2\*x\*\*2 + 3)/4 + 203\*sqrt(2)\*atan(sqrt(2)\*x\*\*2/2 + sqrt(2)/2)/16

**Giac [A]** time = 1.0805, size = 89, normalized size = 1.2

$$\frac{5}{4}x^4 - \frac{17}{2}x^2 + \frac{203}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) - \frac{38x^4 + 101x^2 + 39}{8(x^4 + 2x^2 + 3)} + \frac{19}{4}\log(x^4 + 2x^2 + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] 5/4\*x^4 - 17/2\*x^2 + 203/16\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(x^2 + 1)) - 1/8\*(38\*x^4 + 101\*x^2 + 39)/(x^4 + 2\*x^2 + 3) + 19/4\*log(x^4 + 2\*x^2 + 3)

$$3.103 \quad \int \frac{x^3(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=65

$$\frac{5x^2}{2} - \frac{25(x^2+3)}{8(x^4+2x^2+3)} - \frac{17}{4} \log(x^4+2x^2+3) - \frac{17 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out] (5\*x^2)/2 - (25\*(3 + x^2))/(8\*(3 + 2\*x^2 + x^4)) - (17\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) - (17\*Log[3 + 2\*x^2 + x^4])/4

**Rubi [A]** time = 0.105306, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1660, 1657, 634, 618, 204, 628}

$$\frac{5x^2}{2} - \frac{25(x^2+3)}{8(x^4+2x^2+3)} - \frac{17}{4} \log(x^4+2x^2+3) - \frac{17 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x^3\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (5\*x^2)/2 - (25\*(3 + x^2))/(8\*(3 + 2\*x^2 + x^4)) - (17\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) - (17\*Log[3 + 2\*x^2 + x^4])/4

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1660

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/((p + 1)\*(b^2 - 4\*a\*c)), Int[

$(a + b*x + c*x^2)^{(p + 1)}$ \*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*Q - (2\*p + 3)\*(2\*c\*f - b\*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := Int[ExpandIntegrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x^3(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{x(4+x+3x^2+5x^3)}{(3+2x+x^2)^2} dx, x, x^2 \right) \\
&= -\frac{25(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{-50-56x+40x^2}{3+2x+x^2} dx, x, x^2 \right) \\
&= -\frac{25(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( 40 - \frac{34(5+4x)}{3+2x+x^2} \right) dx, x, x^2 \right) \\
&= \frac{5x^2}{2} - \frac{25(3+x^2)}{8(3+2x^2+x^4)} - \frac{17}{8} \text{Subst} \left( \int \frac{5+4x}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{5x^2}{2} - \frac{25(3+x^2)}{8(3+2x^2+x^4)} - \frac{17}{8} \text{Subst} \left( \int \frac{1}{3+2x+x^2} dx, x, x^2 \right) - \frac{17}{4} \text{Subst} \left( \int \frac{2+2x}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{5x^2}{2} - \frac{25(3+x^2)}{8(3+2x^2+x^4)} - \frac{17}{4} \log(3+2x^2+x^4) + \frac{17}{4} \text{Subst} \left( \int \frac{1}{-8-x^2} dx, x, 2(1+x) \right) \\
&= \frac{5x^2}{2} - \frac{25(3+x^2)}{8(3+2x^2+x^4)} - \frac{17 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}} - \frac{17}{4} \log(3+2x^2+x^4)
\end{aligned}$$

**Mathematica [A]** time = 0.0271538, size = 61, normalized size = 0.94

$$\frac{1}{16} \left( 40x^2 - \frac{50(x^2+3)}{x^4+2x^2+3} - 68 \log(x^4+2x^2+3) - 17\sqrt{2} \tan^{-1} \left( \frac{x^2+1}{\sqrt{2}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^3\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (40\*x^2 - (50\*(3 + x^2))/(3 + 2\*x^2 + x^4) - 17\*Sqrt[2]\*ArcTan[(1 + x^2)/Sqrt[2]] - 68\*Log[3 + 2\*x^2 + x^4])/16

**Maple [A]** time = 0.008, size = 59, normalized size = 0.9

$$\frac{5x^2}{2} - \frac{1}{2x^4+4x^2+6} \left( \frac{25x^2}{4} + \frac{75}{4} \right) - \frac{17 \ln(x^4+2x^2+3)}{4} - \frac{17\sqrt{2}}{16} \arctan \left( \frac{(2x^2+2)\sqrt{2}}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $\frac{5}{2}x^2 - \frac{1}{2} \cdot \frac{25}{4}x^2 + \frac{75}{4} / (x^4 + 2x^2 + 3) - \frac{17}{4} \ln(x^4 + 2x^2 + 3) - \frac{17}{16} \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot (2x^2 + 2) \cdot 2^{(1/2)})$

**Maxima [A]** time = 1.47108, size = 73, normalized size = 1.12

$$\frac{5}{2}x^2 - \frac{17}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) - \frac{25(x^2+3)}{8(x^4+2x^2+3)} - \frac{17}{4}\log(x^4+2x^2+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $\frac{5}{2}x^2 - \frac{17}{16}\sqrt{2}\arctan(1/2\sqrt{2}(x^2+1)) - \frac{25}{8}(x^2+3)/(x^4+2x^2+3) - \frac{17}{4}\log(x^4+2x^2+3)$

**Fricas [A]** time = 1.50264, size = 219, normalized size = 3.37

$$\frac{40x^6 + 80x^4 - 17\sqrt{2}(x^4 + 2x^2 + 3)\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + 70x^2 - 68(x^4 + 2x^2 + 3)\log(x^4 + 2x^2 + 3) - 150}{16(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $\frac{1}{16} \cdot (40x^6 + 80x^4 - 17\sqrt{2}(x^4 + 2x^2 + 3)\arctan(1/2\sqrt{2}(x^2 + 1)) + 70x^2 - 68(x^4 + 2x^2 + 3)\log(x^4 + 2x^2 + 3) - 150) / (x^4 + 2x^2 + 3)$

**Sympy [A]** time = 0.167923, size = 66, normalized size = 1.02

$$\frac{5x^2}{2} - \frac{25x^2 + 75}{8x^4 + 16x^2 + 24} - \frac{17\log(x^4 + 2x^2 + 3)}{4} - \frac{17\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*3\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out]  $5*x^{**2}/2 - (25*x^{**2} + 75)/(8*x^{**4} + 16*x^{**2} + 24) - 17*\log(x^{**4} + 2*x^{**2} + 3)/4 - 17*\sqrt{2}*\operatorname{atan}(\sqrt{2}*x^{**2}/2 + \sqrt{2}/2)/16$

**Giac [A]** time = 1.1123, size = 73, normalized size = 1.12

$$\frac{5}{2}x^2 - \frac{17}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) - \frac{25(x^2 + 3)}{8(x^4 + 2x^2 + 3)} - \frac{17}{4}\log(x^4 + 2x^2 + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out]  $5/2*x^2 - 17/16*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 25/8*(x^2 + 3)/(x^4 + 2*x^2 + 3) - 17/4*\log(x^4 + 2*x^2 + 3)$

$$3.104 \quad \int \frac{x(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=58

$$\frac{25(x^2+1)}{8(x^4+2x^2+3)} + \frac{5}{4} \log(x^4+2x^2+3) - \frac{23 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

[Out] (25\*(1 + x^2))/(8\*(3 + 2\*x^2 + x^4)) - (23\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) + (5\*Log[3 + 2\*x^2 + x^4])/4

**Rubi [A]** time = 0.0669888, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {1663, 1660, 634, 618, 204, 628}

$$\frac{25(x^2+1)}{8(x^4+2x^2+3)} + \frac{5}{4} \log(x^4+2x^2+3) - \frac{23 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] (25\*(1 + x^2))/(8\*(3 + 2\*x^2 + x^4)) - (23\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) + (5\*Log[3 + 2\*x^2 + x^4])/4

### Rule 1663

```
Int[(Pq_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :
> Dist[1/2, Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x + c*x^2)^
p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[
(m - 1)/2]
```

### Rule 1660

```
Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q =
PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[P
q, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x +
c*x^2, x], x, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(
p + 1))/((p + 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[
```



$(a + b*x + c*x^2)^{(p + 1)}$ \*ExpandToSum[(p + 1)\*(b^2 - 4\*a\*c)\*Q - (2\*p + 3)\*(2\*c\*f - b\*g), x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

### Rule 634

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(-1), x\_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_.) + (e\_.)\*(x\_))/((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2), x\_Symbol] := Simp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{x(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4+x+3x^2+5x^3}{(3+2x+x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(1+x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{-6+40x}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{25(1+x^2)}{8(3+2x^2+x^4)} + \frac{5}{4} \text{Subst} \left( \int \frac{2+2x}{3+2x+x^2} dx, x, x^2 \right) - \frac{23}{8} \text{Subst} \left( \int \frac{1}{3+2x+x^2} dx, x, x^2 \right) \\
&= \frac{25(1+x^2)}{8(3+2x^2+x^4)} + \frac{5}{4} \log(3+2x^2+x^4) + \frac{23}{4} \text{Subst} \left( \int \frac{1}{-8-x^2} dx, x, 2(1+x^2) \right) \\
&= \frac{25(1+x^2)}{8(3+2x^2+x^4)} - \frac{23 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{8\sqrt{2}} + \frac{5}{4} \log(3+2x^2+x^4)
\end{aligned}$$

**Mathematica [A]** time = 0.0223489, size = 58, normalized size = 1.

$$\frac{25(x^2+1)}{8(x^4+2x^2+3)} + \frac{5}{4} \log(x^4+2x^2+3) - \frac{23 \tan^{-1} \left( \frac{x^2+1}{\sqrt{2}} \right)}{8\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2, x]

[Out] (25\*(1 + x^2))/(8\*(3 + 2\*x^2 + x^4)) - (23\*ArcTan[(1 + x^2)/Sqrt[2]])/(8\*Sqrt[2]) + (5\*Log[3 + 2\*x^2 + x^4])/4

**Maple [A]** time = 0.01, size = 54, normalized size = 0.9

$$\frac{1}{2x^4+4x^2+6} \left( \frac{25x^2}{4} + \frac{25}{4} \right) + \frac{5 \ln(x^4+2x^2+3)}{4} - \frac{23\sqrt{2}}{16} \arctan \left( \frac{(2x^2+2)\sqrt{2}}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2, x)

[Out]  $\frac{1}{2} \cdot \frac{25}{4} x^2 + \frac{25}{4} / (x^4 + 2x^2 + 3) + 5/4 \ln(x^4 + 2x^2 + 3) - 23/16 \cdot 2^{(1/2)} \cdot \arctan(1/4 \cdot (2x^2 + 2) \cdot 2^{(1/2)})$

**Maxima [A]** time = 1.47022, size = 66, normalized size = 1.14

$$-\frac{23}{16} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) + \frac{25(x^2 + 1)}{8(x^4 + 2x^2 + 3)} + \frac{5}{4} \log(x^4 + 2x^2 + 3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $-23/16 \sqrt{2} \arctan(1/2 \sqrt{2}(x^2 + 1)) + 25/8 (x^2 + 1)/(x^4 + 2x^2 + 3) + 5/4 \log(x^4 + 2x^2 + 3)$

**Fricas [A]** time = 1.52721, size = 194, normalized size = 3.34

$$\frac{23 \sqrt{2} (x^4 + 2x^2 + 3) \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) - 50x^2 - 20(x^4 + 2x^2 + 3) \log(x^4 + 2x^2 + 3) - 50}{16(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $-1/16 \cdot (23 \sqrt{2} (x^4 + 2x^2 + 3) \arctan(1/2 \sqrt{2}(x^2 + 1)) - 50x^2 - 20(x^4 + 2x^2 + 3) \log(x^4 + 2x^2 + 3) - 50) / (x^4 + 2x^2 + 3)$

**Sympy [A]** time = 0.161755, size = 60, normalized size = 1.03

$$\frac{25x^2 + 25}{8x^4 + 16x^2 + 24} + \frac{5 \log(x^4 + 2x^2 + 3)}{4} - \frac{23 \sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x**6+3*x**4+x**2+4)/(x**4+2*x**2+3)**2,x)`

[Out]  $(25x^2 + 25)/(8x^4 + 16x^2 + 24) + 5\log(x^4 + 2x^2 + 3)/4 - 23\sqrt{2}\operatorname{atan}(\sqrt{2}x^2/2 + \sqrt{2}/2)/16$

**Giac [A]** time = 1.10919, size = 66, normalized size = 1.14

$$-\frac{23}{16}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) + \frac{25(x^2+1)}{8(x^4+2x^2+3)} + \frac{5}{4}\log(x^4+2x^2+3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="giac")`

[Out]  $-23/16\sqrt{2}\arctan(1/2\sqrt{2}(x^2+1)) + 25/8(x^2+1)/(x^4+2x^2+3) + 5/4\log(x^4+2x^2+3)$

$$3.105 \quad \int \frac{4+x^2+3x^4+5x^6}{x(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=66

$$\frac{25(1-x^2)}{24(x^4+2x^2+3)} - \frac{1}{9} \log(x^4+2x^2+3) + \frac{89 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{72\sqrt{2}} + \frac{4 \log(x)}{9}$$

[Out] (25\*(1 - x^2))/(24\*(3 + 2\*x^2 + x^4)) + (89\*ArcTan[(1 + x^2)/Sqrt[2]])/(72\*Sqrt[2]) + (4\*Log[x])/9 - Log[3 + 2\*x^2 + x^4]/9

**Rubi [A]** time = 0.108079, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1646, 800, 634, 618, 204, 628}

$$\frac{25(1-x^2)}{24(x^4+2x^2+3)} - \frac{1}{9} \log(x^4+2x^2+3) + \frac{89 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{72\sqrt{2}} + \frac{4 \log(x)}{9}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x\*(3 + 2\*x^2 + x^4)^2), x]

[Out] (25\*(1 - x^2))/(24\*(3 + 2\*x^2 + x^4)) + (89\*ArcTan[(1 + x^2)/Sqrt[2]])/(72\*Sqrt[2]) + (4\*Log[x])/9 - Log[3 + 2\*x^2 + x^4]/9

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

### Rule 1646

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_))^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p + 1))/((p

```

+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rule 800

```

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_.) + (b_.)*(x_) +
(c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a
+ b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[b^2 - 4*a*
c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegerQ[m]

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{x(3 + 2x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x(3 + 2x + x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{\frac{32}{3} + \frac{70x}{3}}{x(3 + 2x + x^2)} dx, x, x^2 \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( \frac{32}{9x} - \frac{2(-73 + 16x)}{9(3 + 2x + x^2)} \right) dx, x, x^2 \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{4 \log(x)}{9} - \frac{1}{72} \text{Subst} \left( \int \frac{-73 + 16x}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{4 \log(x)}{9} - \frac{1}{9} \text{Subst} \left( \int \frac{2 + 2x}{3 + 2x + x^2} dx, x, x^2 \right) + \frac{89}{72} \text{Subst} \left( \int \frac{1}{3 + 2x} \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{4 \log(x)}{9} - \frac{1}{9} \log(3 + 2x^2 + x^4) - \frac{89}{36} \text{Subst} \left( \int \frac{1}{-8 - x^2} dx, x, 2(1 + x) \right) \\
&= \frac{25(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{89 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{72\sqrt{2}} + \frac{4 \log(x)}{9} - \frac{1}{9} \log(3 + 2x^2 + x^4)
\end{aligned}$$

**Mathematica [C]** time = 0.0602343, size = 93, normalized size = 1.41

$$\frac{1}{288} \left( -\frac{300(x^2 - 1)}{x^4 + 2x^2 + 3} - \sqrt{2}(16\sqrt{2} + 89i) \log(x^2 - i\sqrt{2} + 1) + \sqrt{2}(-16\sqrt{2} + 89i) \log(x^2 + i\sqrt{2} + 1) + 128 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x\*(3 + 2\*x^2 + x^4)^2), x]

[Out] ((-300\*(-1 + x^2))/(3 + 2\*x^2 + x^4) + 128\*Log[x] - Sqrt[2]\*(89\*I + 16\*Sqrt[2])\*Log[1 - I\*Sqrt[2] + x^2] + Sqrt[2]\*(89\*I - 16\*Sqrt[2])\*Log[1 + I\*Sqrt[2] + x^2])/288

**Maple [A]** time = 0.01, size = 58, normalized size = 0.9

$$-\frac{1}{18x^4 + 36x^2 + 54} \left( \frac{75x^2}{4} - \frac{75}{4} \right) - \frac{\ln(x^4 + 2x^2 + 3)}{9} + \frac{89\sqrt{2}}{144} \arctan\left(\frac{(2x^2 + 2)\sqrt{2}}{4}\right) + \frac{4 \ln(x)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x/(x^4+2*x^2+3)^2,x)`

[Out]  $-1/18*(75/4*x^2-75/4)/(x^4+2*x^2+3)-1/9*\ln(x^4+2*x^2+3)+89/144*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})+4/9*\ln(x)$

**Maxima [A]** time = 1.47864, size = 74, normalized size = 1.12

$$\frac{89}{144} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) - \frac{25(x^2 - 1)}{24(x^4 + 2x^2 + 3)} - \frac{1}{9} \log(x^4 + 2x^2 + 3) + \frac{2}{9} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $89/144*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 25/24*(x^2 - 1)/(x^4 + 2*x^2 + 3) - 1/9*\log(x^4 + 2*x^2 + 3) + 2/9*\log(x^2)$

**Fricas [A]** time = 1.48087, size = 238, normalized size = 3.61

$$\frac{89 \sqrt{2}(x^4 + 2x^2 + 3) \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) - 150x^2 - 16(x^4 + 2x^2 + 3) \log(x^4 + 2x^2 + 3) + 64(x^4 + 2x^2 + 3) \log(x)}{144(x^4 + 2x^2 + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/144*(89*\sqrt{2}*(x^4 + 2*x^2 + 3)*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 150*x^2 - 16*(x^4 + 2*x^2 + 3)*\log(x^4 + 2*x^2 + 3) + 64*(x^4 + 2*x^2 + 3)*\log(x) + 150)/(x^4 + 2*x^2 + 3)$

**Sympy [A]** time = 0.173623, size = 65, normalized size = 0.98

$$-\frac{25x^2 - 25}{24x^4 + 48x^2 + 72} + \frac{4 \log(x)}{9} - \frac{\log(x^4 + 2x^2 + 3)}{9} + \frac{89\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{144}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out]  $-(25x^2 - 25)/(24x^4 + 48x^2 + 72) + 4\log(x)/9 - \log(x^4 + 2x^2 + 3)/9 + 89\sqrt{2}\operatorname{atan}(\sqrt{2}x^2/2 + \sqrt{2}/2)/144$

**Giac [A]** time = 1.07984, size = 84, normalized size = 1.27

$$\frac{89}{144}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) + \frac{8x^4 - 59x^2 + 99}{72(x^4 + 2x^2 + 3)} - \frac{1}{9}\log(x^4 + 2x^2 + 3) + \frac{2}{9}\log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out]  $89/144\sqrt{2}\arctan(1/2\sqrt{2}(x^2+1)) + 1/72(8x^4 - 59x^2 + 99)/(x^4 + 2x^2 + 3) - 1/9\log(x^4 + 2x^2 + 3) + 2/9\log(x^2)$

$$3.106 \quad \int \frac{4+x^2+3x^4+5x^6}{x^3(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=71

$$-\frac{25(x^2+5)}{72(x^4+2x^2+3)} - \frac{2}{9x^2} + \frac{13}{108} \log(x^4+2x^2+3) - \frac{71 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{216\sqrt{2}} - \frac{13 \log(x)}{27}$$

[Out]  $-2/(9*x^2) - (25*(5 + x^2))/(72*(3 + 2*x^2 + x^4)) - (71*ArcTan[(1 + x^2)/Sqrt[2]])/(216*sqrt[2]) - (13*Log[x])/27 + (13*Log[3 + 2*x^2 + x^4])/108$

**Rubi [A]** time = 0.133811, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1646, 1628, 634, 618, 204, 628}

$$-\frac{25(x^2+5)}{72(x^4+2x^2+3)} - \frac{2}{9x^2} + \frac{13}{108} \log(x^4+2x^2+3) - \frac{71 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{216\sqrt{2}} - \frac{13 \log(x)}{27}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^3\*(3 + 2\*x^2 + x^4)^2), x]

[Out]  $-2/(9*x^2) - (25*(5 + x^2))/(72*(3 + 2*x^2 + x^4)) - (71*ArcTan[(1 + x^2)/Sqrt[2]])/(216*sqrt[2]) - (13*Log[x])/27 + (13*Log[3 + 2*x^2 + x^4])/108$

### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m-1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m-1)/2]

### Rule 1646

Int[(Pq\_)\*((d\_.) + (e\_.)\*(x\_)^(m\_.)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_), x\_Symbol] :> With[{Q = PolynomialQuotient[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], f = Coeff[PolynomialRemainder[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], x, 0], g = Coeff[PolynomialRemainder[(d + e\*x)^m\*Pq, a + b\*x + c\*x^2, x], x, 1]}, Simp[((b\*f - 2\*a\*g + (2\*c\*f - b\*g)\*x)\*(a + b\*x + c\*x^2)^(p+1))/((p

```

+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x]] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]

```

### Rule 1628

```

Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]

```

### Rule 634

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{x^3(3 + 2x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x^2(3 + 2x + x^2)^2} dx, x, x^2 \right) \\
&= -\frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{\frac{32}{3} - \frac{40x}{9} - \frac{50x^2}{9}}{x^2(3 + 2x + x^2)} dx, x, x^2 \right) \\
&= -\frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( \frac{32}{9x^2} - \frac{104}{27x} + \frac{2(-19 + 52x)}{27(3 + 2x + x^2)} \right) dx, x, x^2 \right) \\
&= -\frac{2}{9x^2} - \frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{13 \log(x)}{27} + \frac{1}{216} \text{Subst} \left( \int \frac{-19 + 52x}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= -\frac{2}{9x^2} - \frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{13 \log(x)}{27} + \frac{13}{108} \text{Subst} \left( \int \frac{2 + 2x}{3 + 2x + x^2} dx, x, x^2 \right) - \frac{71}{216} \text{Subst} \left( \int \frac{1}{-8 - x^2} dx, x, x^2 \right) \\
&= -\frac{2}{9x^2} - \frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{13 \log(x)}{27} + \frac{13}{108} \log(3 + 2x^2 + x^4) + \frac{71}{108} \text{Subst} \left( \int \frac{1}{-8 - x^2} dx, x, x^2 \right) \\
&= -\frac{2}{9x^2} - \frac{25(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{71 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{216\sqrt{2}} - \frac{13 \log(x)}{27} + \frac{13}{108} \log(3 + 2x^2 + x^4)
\end{aligned}$$

**Mathematica [C]** time = 0.0512072, size = 97, normalized size = 1.37

$$\frac{1}{864} \left( -\frac{300(x^2 + 5)}{x^4 + 2x^2 + 3} - \frac{192}{x^2} + \sqrt{2} (52\sqrt{2} + 71i) \log(x^2 - i\sqrt{2} + 1) + \sqrt{2} (52\sqrt{2} - 71i) \log(x^2 + i\sqrt{2} + 1) - 416 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^3\*(3 + 2\*x^2 + x^4)^2), x]

[Out] (-192/x^2 - (300\*(5 + x^2))/(3 + 2\*x^2 + x^4) - 416\*Log[x] + Sqrt[2]\*(71\*I + 52\*Sqrt[2])\*Log[1 - I\*Sqrt[2] + x^2] + Sqrt[2]\*(-71\*I + 52\*Sqrt[2])\*Log[1 + I\*Sqrt[2] + x^2])/864

**Maple [A]** time = 0.014, size = 63, normalized size = 0.9

$$\frac{1}{54x^4 + 108x^2 + 162} \left( -\frac{75x^2}{4} - \frac{375}{4} \right) + \frac{13 \ln(x^4 + 2x^2 + 3)}{108} - \frac{71\sqrt{2}}{432} \arctan \left( \frac{(2x^2 + 2)\sqrt{2}}{4} \right) - \frac{2}{9x^2} - \frac{13 \ln(x)}{27}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^3/(x^4+2*x^2+3)^2,x)`

[Out]  $1/54*(-75/4*x^2-375/4)/(x^4+2*x^2+3)+13/108*\ln(x^4+2*x^2+3)-71/432*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})-2/9/x^2-13/27*\ln(x)$

**Maxima [A]** time = 1.45779, size = 89, normalized size = 1.25

$$-\frac{71}{432}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right)-\frac{41x^4+157x^2+48}{72(x^6+2x^4+3x^2)}+\frac{13}{108}\log(x^4+2x^2+3)-\frac{13}{54}\log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^3/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $-71/432*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2+1))-1/72*(41*x^4+157*x^2+48)/(x^6+2*x^4+3*x^2)+13/108*\log(x^4+2*x^2+3)-13/54*\log(x^2)$

**Fricas [A]** time = 1.61482, size = 275, normalized size = 3.87

$$\frac{246x^4+71\sqrt{2}(x^6+2x^4+3x^2)\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right)+942x^2-52(x^6+2x^4+3x^2)\log(x^4+2x^2+3)+208(x^6+2x^4+3x^2)\log(x)+288}{432(x^6+2x^4+3x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^3/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $-1/432*(246*x^4+71*\sqrt{2}*(x^6+2*x^4+3*x^2)*\arctan(1/2*\sqrt{2}*(x^2+1))+942*x^2-52*(x^6+2*x^4+3*x^2)*\log(x^4+2*x^2+3)+208*(x^6+2*x^4+3*x^2)*\log(x)+288)/(x^6+2*x^4+3*x^2)$

**Sympy [A]** time = 0.200721, size = 75, normalized size = 1.06

$$-\frac{41x^4+157x^2+48}{72x^6+144x^4+216x^2}-\frac{13\log(x)}{27}+\frac{13\log(x^4+2x^2+3)}{108}-\frac{71\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x^2}{2}+\frac{\sqrt{2}}{2}\right)}{432}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*3/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out]  $-(41x^{**4} + 157x^{**2} + 48)/(72x^{**6} + 144x^{**4} + 216x^{**2}) - 13\log(x)/27 + 13\log(x^{**4} + 2x^{**2} + 3)/108 - 71\sqrt{2}\operatorname{atan}(\sqrt{2}x^{**2}/2 + \sqrt{2})/432$

**Giac [A]** time = 1.09812, size = 89, normalized size = 1.25

$$-\frac{71}{432}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right) - \frac{41x^4+157x^2+48}{72(x^6+2x^4+3x^2)} + \frac{13}{108}\log(x^4+2x^2+3) - \frac{13}{54}\log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^3/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out]  $-71/432*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) - 1/72*(41*x^4 + 157*x^2 + 48)/(x^6 + 2*x^4 + 3*x^2) + 13/108*\log(x^4 + 2*x^2 + 3) - 13/54*\log(x^2)$

$$3.107 \quad \int \frac{4+x^2+3x^4+5x^6}{x^5(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=80

$$\frac{25(5x^2+7)}{216(x^4+2x^2+3)} + \frac{13}{54x^2} - \frac{1}{9x^4} - \frac{13}{108} \log(x^4+2x^2+3) + \frac{125 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{216\sqrt{2}} + \frac{13 \log(x)}{27}$$

[Out]  $-1/(9*x^4) + 13/(54*x^2) + (25*(7 + 5*x^2))/(216*(3 + 2*x^2 + x^4)) + (125*ArcTan[(1 + x^2)/Sqrt[2]])/(216*Sqrt[2]) + (13*Log[x])/27 - (13*Log[3 + 2*x^2 + x^4])/108$

**Rubi [A]** time = 0.136748, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1646, 1628, 634, 618, 204, 628}

$$\frac{25(5x^2+7)}{216(x^4+2x^2+3)} + \frac{13}{54x^2} - \frac{1}{9x^4} - \frac{13}{108} \log(x^4+2x^2+3) + \frac{125 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{216\sqrt{2}} + \frac{13 \log(x)}{27}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x^5*(3 + 2*x^2 + x^4)^2), x]$

[Out]  $-1/(9*x^4) + 13/(54*x^2) + (25*(7 + 5*x^2))/(216*(3 + 2*x^2 + x^4)) + (125*ArcTan[(1 + x^2)/Sqrt[2]])/(216*Sqrt[2]) + (13*Log[x])/27 - (13*Log[3 + 2*x^2 + x^4])/108$

### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_)}*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] :$   
 $> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)}*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^{(p)}, x], x, x^2], x] /;$   $\text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{PolyQ}[Pq, x^2] \ \&\& \ \text{IntegerQ}[(m-1)/2]$

### Rule 1646

$\text{Int}[(Pq_)*((d_) + (e_)*(x_))^{(m_)}*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x\_Symbol] :$   
 $> \text{With}\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x],$

```
x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x
, 1]}, Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p
+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x], x] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rule 1628

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_.), x_Symbol] :=> Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :=> D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :=> Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :=> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :=> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{x^5(3 + 2x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x^3(3 + 2x + x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{\frac{32}{3} - \frac{40x}{9} + \frac{200x^2}{27} + \frac{250x^3}{27}}{x^3(3 + 2x + x^2)} dx, x, x^2 \right) \\
&= \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( \frac{32}{9x^3} - \frac{104}{27x^2} + \frac{104}{27x} - \frac{2(-73 + 52x)}{27(3 + 2x + x^2)} \right) dx, x, x^2 \right) \\
&= -\frac{1}{9x^4} + \frac{13}{54x^2} + \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{13 \log(x)}{27} - \frac{1}{216} \text{Subst} \left( \int \frac{-73 + 52x}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= -\frac{1}{9x^4} + \frac{13}{54x^2} + \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{13 \log(x)}{27} - \frac{13}{108} \text{Subst} \left( \int \frac{2 + 2x}{3 + 2x + x^2} dx, x, x^2 \right) + \frac{1}{216} \text{Subst} \left( \int \frac{1}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= -\frac{1}{9x^4} + \frac{13}{54x^2} + \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{13 \log(x)}{27} - \frac{13}{108} \log(3 + 2x^2 + x^4) - \frac{125}{108} \text{Subst} \left( \int \frac{1}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= -\frac{1}{9x^4} + \frac{13}{54x^2} + \frac{25(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{125 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{216\sqrt{2}} + \frac{13 \log(x)}{27} - \frac{13}{108} \log(3 + 2x^2 + x^4)
\end{aligned}$$

**Mathematica [C]** time = 0.0613122, size = 105, normalized size = 1.31

$$\frac{1}{864} \left( \frac{100(5x^2 + 7)}{x^4 + 2x^2 + 3} + \frac{208}{x^2} - \frac{96}{x^4} - \sqrt{2} (52\sqrt{2} + 125i) \log(x^2 - i\sqrt{2} + 1) + \sqrt{2} (-52\sqrt{2} + 125i) \log(x^2 + i\sqrt{2} + 1) + 416 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^5\*(3 + 2\*x^2 + x^4)^2), x]

[Out] (-96/x^4 + 208/x^2 + (100\*(7 + 5\*x^2))/(3 + 2\*x^2 + x^4) + 416\*Log[x] - Sqrt[2]\*(125\*I + 52\*Sqrt[2])\*Log[1 - I\*Sqrt[2] + x^2] + Sqrt[2]\*(125\*I - 52\*Sqrt[2])\*Log[1 + I\*Sqrt[2] + x^2])/864

**Maple [A]** time = 0.012, size = 68, normalized size = 0.9

$$-\frac{1}{54x^4 + 108x^2 + 162} \left( -\frac{125x^2}{4} - \frac{175}{4} \right) - \frac{13 \ln(x^4 + 2x^2 + 3)}{108} + \frac{125\sqrt{2}}{432} \arctan \left( \frac{(2x^2 + 2)\sqrt{2}}{4} \right) - \frac{1}{9x^4} + \frac{13}{54x^2} + \frac{13}{108} \log(3 + 2x^2 + x^4)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^5/(x^4+2*x^2+3)^2,x)`

[Out]  $-1/54*(-125/4*x^2-175/4)/(x^4+2*x^2+3)-13/108*\ln(x^4+2*x^2+3)+125/432*2^{(1/2)}*\arctan(1/4*(2*x^2+2)*2^{(1/2)})-1/9/x^4+13/54/x^2+13/27*\ln(x)$

**Maxima [A]** time = 1.4745, size = 96, normalized size = 1.2

$$\frac{125}{432} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) + \frac{59x^6 + 85x^4 + 36x^2 - 24}{72(x^8 + 2x^6 + 3x^4)} - \frac{13}{108} \log(x^4 + 2x^2 + 3) + \frac{13}{54} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^5/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $125/432*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2 + 1)) + 1/72*(59*x^6 + 85*x^4 + 36*x^2 - 24)/(x^8 + 2*x^6 + 3*x^4) - 13/108*\log(x^4 + 2*x^2 + 3) + 13/54*\log(x^2)$

**Fricas [A]** time = 1.49019, size = 289, normalized size = 3.61

$$\frac{354x^6 + 510x^4 + 125\sqrt{2}(x^8 + 2x^6 + 3x^4) \arctan\left(\frac{1}{2}\sqrt{2}(x^2 + 1)\right) + 216x^2 - 52(x^8 + 2x^6 + 3x^4) \log(x^4 + 2x^2 + 3) + 208(x^8 + 2x^6 + 3x^4) \log(x) - 144}{432(x^8 + 2x^6 + 3x^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^5/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/432*(354*x^6 + 510*x^4 + 125*\sqrt{2}*(x^8 + 2*x^6 + 3*x^4)*\arctan(1/2*\sqrt{2}*(x^2 + 1)) + 216*x^2 - 52*(x^8 + 2*x^6 + 3*x^4)*\log(x^4 + 2*x^2 + 3) + 208*(x^8 + 2*x^6 + 3*x^4)*\log(x) - 144)/(x^8 + 2*x^6 + 3*x^4)$

**Sympy [A]** time = 0.214274, size = 80, normalized size = 1.

$$\frac{13 \log(x)}{27} - \frac{13 \log(x^4 + 2x^2 + 3)}{108} + \frac{125\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{432} + \frac{59x^6 + 85x^4 + 36x^2 - 24}{72x^8 + 144x^6 + 216x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*5/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 13\*log(x)/27 - 13\*log(x\*\*4 + 2\*x\*\*2 + 3)/108 + 125\*sqrt(2)\*atan(sqrt(2)\*x\*\*2/2 + sqrt(2)/2)/432 + (59\*x\*\*6 + 85\*x\*\*4 + 36\*x\*\*2 - 24)/(72\*x\*\*8 + 144\*x\*\*6 + 216\*x\*\*4)

**Giac [A]** time = 1.08324, size = 107, normalized size = 1.34

$$\frac{125}{432} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) + \frac{26x^4 + 177x^2 + 253}{216(x^4 + 2x^2 + 3)} - \frac{39x^4 - 26x^2 + 12}{108x^4} - \frac{13}{108} \log(x^4 + 2x^2 + 3) + \frac{13}{54} \log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^5/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] 125/432\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(x^2 + 1)) + 1/216\*(26\*x^4 + 177\*x^2 + 253)/(x^4 + 2\*x^2 + 3) - 1/108\*(39\*x^4 - 26\*x^2 + 12)/x^4 - 13/108\*log(x^4 + 2\*x^2 + 3) + 13/54\*log(x^2)

$$3.108 \quad \int \frac{4+x^2+3x^4+5x^6}{x^7(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=87

$$\frac{25(1-7x^2)}{648(x^4+2x^2+3)} - \frac{13}{54x^2} + \frac{13}{108x^4} - \frac{2}{27x^6} - \frac{61}{972} \log(x^4+2x^2+3) - \frac{1237 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{1944\sqrt{2}} + \frac{61 \log(x)}{243}$$

[Out]  $-2/(27*x^6) + 13/(108*x^4) - 13/(54*x^2) + (25*(1 - 7*x^2))/(648*(3 + 2*x^2 + x^4)) - (1237*ArcTan[(1 + x^2)/Sqrt[2]])/(1944*Sqrt[2]) + (61*Log[x])/243 - (61*Log[3 + 2*x^2 + x^4])/972$

**Rubi [A]** time = 0.148986, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1663, 1646, 1628, 634, 618, 204, 628}

$$\frac{25(1-7x^2)}{648(x^4+2x^2+3)} - \frac{13}{54x^2} + \frac{13}{108x^4} - \frac{2}{27x^6} - \frac{61}{972} \log(x^4+2x^2+3) - \frac{1237 \tan^{-1}\left(\frac{x^2+1}{\sqrt{2}}\right)}{1944\sqrt{2}} + \frac{61 \log(x)}{243}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(4 + x^2 + 3*x^4 + 5*x^6)/(x^7*(3 + 2*x^2 + x^4)^2), x]$

[Out]  $-2/(27*x^6) + 13/(108*x^4) - 13/(54*x^2) + (25*(1 - 7*x^2))/(648*(3 + 2*x^2 + x^4)) - (1237*ArcTan[(1 + x^2)/Sqrt[2]])/(1944*Sqrt[2]) + (61*Log[x])/243 - (61*Log[3 + 2*x^2 + x^4])/972$

#### Rule 1663

$\text{Int}[(Pq_)*(x_)^{(m_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_)}, x\_Symbol] : > \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{((m-1)/2)*\text{SubstFor}[x^2, Pq, x]*(a + b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, p\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{IntegerQ}[(m-1)/2]$

#### Rule 1646

$\text{Int}[(Pq_)*((d_.) + (e_.)*(x_))^{(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x\_Symbol] :> \text{With}\{Q = \text{PolynomialQuotient}[(d + e*x)^m*Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[(d + e*x)^m*Pq, a + b*x + c*x^2, x],$

```
x, 0], g = Coeff[PolynomialRemainder[(d + e*x)^m*Pq, a + b*x + c*x^2, x], x
, 1]], Simp[((b*f - 2*a*g + (2*c*f - b*g)*x)*(a + b*x + c*x^2)^(p + 1))/((p
+ 1)*(b^2 - 4*a*c)), x] + Dist[1/((p + 1)*(b^2 - 4*a*c)), Int[(d + e*x)^m*
(a + b*x + c*x^2)^(p + 1)*ExpandToSum[((p + 1)*(b^2 - 4*a*c)*Q)/(d + e*x)^m
- ((2*p + 3)*(2*c*f - b*g))/(d + e*x)^m, x], x], x] /; FreeQ[{a, b, c, d,
e}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2
, 0] && LtQ[p, -1] && ILtQ[m, 0]
```

### Rule 1628

```
Int[(Pq_)*((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p
_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*Pq*(a + b*x + c*x^2)^p, x
], x] /; FreeQ[{a, b, c, d, e, m}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{x^7(3 + 2x^2 + x^4)^2} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{4 + x + 3x^2 + 5x^3}{x^4(3 + 2x + x^2)^2} dx, x, x^2 \right) \\
&= \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \frac{\frac{32}{3} - \frac{40x}{9} + \frac{200x^2}{27} + \frac{800x^3}{81} - \frac{350x^4}{81}}{x^4(3 + 2x + x^2)} dx, x, x^2 \right) \\
&= \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{1}{16} \text{Subst} \left( \int \left( \frac{32}{9x^4} - \frac{104}{27x^3} + \frac{104}{27x^2} + \frac{488}{243x} - \frac{2(1481 + 244x)}{243(3 + 2x + x^2)} \right) dx, x, x^2 \right) \\
&= -\frac{2}{27x^6} + \frac{13}{108x^4} - \frac{13}{54x^2} + \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{61 \log(x)}{243} - \frac{\text{Subst} \left( \int \frac{1481 + 244x}{3 + 2x + x^2} dx, x, x^2 \right)}{1944} \\
&= -\frac{2}{27x^6} + \frac{13}{108x^4} - \frac{13}{54x^2} + \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{61 \log(x)}{243} - \frac{61}{972} \text{Subst} \left( \int \frac{2 + 2x}{3 + 2x + x^2} dx, x, x^2 \right) \\
&= -\frac{2}{27x^6} + \frac{13}{108x^4} - \frac{13}{54x^2} + \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{61 \log(x)}{243} - \frac{61}{972} \log(3 + 2x^2 + x^4) + \frac{1237}{972} \log(3 + 2x^2 + x^4) \\
&= -\frac{2}{27x^6} + \frac{13}{108x^4} - \frac{13}{54x^2} + \frac{25(1 - 7x^2)}{648(3 + 2x^2 + x^4)} - \frac{1237 \tan^{-1} \left( \frac{1+x^2}{\sqrt{2}} \right)}{1944\sqrt{2}} + \frac{61 \log(x)}{243} - \frac{61}{972} \log(3 + 2x^2 + x^4)
\end{aligned}$$

**Mathematica [C]** time = 0.0689521, size = 110, normalized size = 1.26

$$\frac{-\frac{300(7x^2-1)}{x^4+2x^2+3} - \frac{1872}{x^2} + \frac{936}{x^4} - \frac{576}{x^6} + \sqrt{2}(-244\sqrt{2} + 1237i) \log(x^2 - i\sqrt{2} + 1) - \sqrt{2}(244\sqrt{2} + 1237i) \log(x^2 + i\sqrt{2} + 1) + 195}{7776}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^7\*(3 + 2\*x^2 + x^4)^2), x]

[Out] (-576/x^6 + 936/x^4 - 1872/x^2 - (300\*(-1 + 7\*x^2)))/(3 + 2\*x^2 + x^4) + 195  
2\*Log[x] + Sqrt[2]\*(1237\*I - 244\*Sqrt[2])\*Log[1 - I\*Sqrt[2] + x^2] - Sqrt[2]  
]\*(1237\*I + 244\*Sqrt[2])\*Log[1 + I\*Sqrt[2] + x^2])/7776

**Maple [A]** time = 0.013, size = 73, normalized size = 0.8

$$-\frac{1}{486x^4 + 972x^2 + 1458} \left( \frac{525x^2}{4} - \frac{75}{4} \right) - \frac{61 \ln(x^4 + 2x^2 + 3)}{972} - \frac{1237\sqrt{2}}{3888} \arctan\left(\frac{(2x^2 + 2)\sqrt{2}}{4}\right) - \frac{2}{27x^6} + \frac{13}{108x^4} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/x^7/(x^4+2*x^2+3)^2,x)`

[Out]  $-1/486*(525/4*x^2-75/4)/(x^4+2*x^2+3)-61/972*\ln(x^4+2*x^2+3)-1237/3888*2^(1/2)*\arctan(1/4*(2*x^2+2)*2^(1/2))-2/27/x^6+13/108/x^4-13/54/x^2+61/243*\ln(x)$

**Maxima [A]** time = 1.49926, size = 103, normalized size = 1.18

$$-\frac{1237}{3888}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right)-\frac{331x^8+209x^6+360x^4-138x^2+144}{648(x^{10}+2x^8+3x^6)}-\frac{61}{972}\log(x^4+2x^2+3)+\frac{61}{486}\log(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^7/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $-1237/3888*\sqrt{2}*\arctan(1/2*\sqrt{2}*(x^2+1))-1/648*(331*x^8+209*x^6+360*x^4-138*x^2+144)/(x^{10}+2*x^8+3*x^6)-61/972*\log(x^4+2*x^2+3)+61/486*\log(x^2)$

**Fricas [A]** time = 1.52743, size = 317, normalized size = 3.64

$$\frac{1986x^8+1254x^6+2160x^4+1237\sqrt{2}(x^{10}+2x^8+3x^6)\arctan\left(\frac{1}{2}\sqrt{2}(x^2+1)\right)-828x^2+244(x^{10}+2x^8+3x^6)\log(x^4+2x^2+3)}{3888(x^{10}+2x^8+3x^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^7/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $-1/3888*(1986*x^8+1254*x^6+2160*x^4+1237*\sqrt{2}*(x^{10}+2*x^8+3*x^6)*\arctan(1/2*\sqrt{2}*(x^2+1))-828*x^2+244*(x^{10}+2*x^8+3*x^6)*\log(x^4+2*x^2+3)-976*(x^{10}+2*x^8+3*x^6)*\log(x)+864)/(x^{10}+2*x^8+3*x^6)$

**Sympy [A]** time = 0.236714, size = 85, normalized size = 0.98

$$\frac{61 \log(x)}{243} - \frac{61 \log(x^4 + 2x^2 + 3)}{972} - \frac{1237\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x^2}{2} + \frac{\sqrt{2}}{2}\right)}{3888} - \frac{331x^8 + 209x^6 + 360x^4 - 138x^2 + 144}{648x^{10} + 1296x^8 + 1944x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*7/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 61\*log(x)/243 - 61\*log(x\*\*4 + 2\*x\*\*2 + 3)/972 - 1237\*sqrt(2)\*atan(sqrt(2)\*x\*\*2/2 + sqrt(2)/2)/3888 - (331\*x\*\*8 + 209\*x\*\*6 + 360\*x\*\*4 - 138\*x\*\*2 + 144)/(648\*x\*\*10 + 1296\*x\*\*8 + 1944\*x\*\*6)

**Giac [A]** time = 1.09403, size = 113, normalized size = 1.3

$$-\frac{1237}{3888} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x^2 + 1)\right) + \frac{122x^4 - 281x^2 + 441}{1944(x^4 + 2x^2 + 3)} - \frac{671x^6 + 702x^4 - 351x^2 + 216}{2916x^6} - \frac{61}{972} \log(x^4 + 2x^2 + 3) +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^7/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] -1237/3888\*sqrt(2)\*arctan(1/2\*sqrt(2)\*(x^2 + 1)) + 1/1944\*(122\*x^4 - 281\*x^2 + 441)/(x^4 + 2\*x^2 + 3) - 1/2916\*(671\*x^6 + 702\*x^4 - 351\*x^2 + 216)/x^6 - 61/972\*log(x^4 + 2\*x^2 + 3) + 61/486\*log(x^2)



$$3.109 \quad \int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=248

$$\frac{5x^7}{7} - \frac{17x^5}{5} + \frac{19x^3}{3} + \frac{25(5x^2+3)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{2}(618291\sqrt{3}-262771)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{2}(618291\sqrt{3}+262771)}$$

```
[Out] 38*x + (19*x^3)/3 - (17*x^5)/5 + (5*x^7)/7 + (25*x*(3 + 5*x^2))/(8*(3 + 2*x^2 + x^4)) + (Sqrt[(262771 + 618291*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(262771 + 618291*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-262771 + 618291*Sqrt[3])/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-262771 + 618291*Sqrt[3])/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

**Rubi [A]** time = 0.344904, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1676, 1169, 634, 618, 204, 628}

$$\frac{5x^7}{7} - \frac{17x^5}{5} + \frac{19x^3}{3} + \frac{25(5x^2+3)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{2}(618291\sqrt{3}-262771)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{2}(618291\sqrt{3}+262771)}$$

Antiderivative was successfully verified.

```
[In] Int[(x^8*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2, x]
```

```
[Out] 38*x + (19*x^3)/3 - (17*x^5)/5 + (5*x^7)/7 + (25*x*(3 + 5*x^2))/(8*(3 + 2*x^2 + x^4)) + (Sqrt[(262771 + 618291*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(262771 + 618291*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-262771 + 618291*Sqrt[3])/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-262771 + 618291*Sqrt[3])/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

**Rule 1668**

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
```

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2], Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \frac{-450-1650x^2+1200x^4-336x^8+240x^{10}}{3+2x^2+x^4} dx \\
&= \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \left( 1824+912x^2-816x^4+240x^6 - \frac{6(987+1339x^2)}{3+2x^2+x^4} \right) dx \\
&= 38x + \frac{19x^3}{3} - \frac{17x^5}{5} + \frac{5x^7}{7} + \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} - \frac{1}{8} \int \frac{987+1339x^2}{3+2x^2+x^4} dx \\
&= 38x + \frac{19x^3}{3} - \frac{17x^5}{5} + \frac{5x^7}{7} + \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} - \frac{\int \frac{987\sqrt{2(-1+\sqrt{3})-(987-1339\sqrt{3})x}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{16\sqrt{6(-1+\sqrt{3})}} - \frac{\int \frac{987\sqrt{2(-1-\sqrt{3})-(987-1339\sqrt{3})x}}{\sqrt{3}-\sqrt{2(-1-\sqrt{3})x+x^2}} dx}{16\sqrt{6(-1-\sqrt{3})}} \\
&= 38x + \frac{19x^3}{3} - \frac{17x^5}{5} + \frac{5x^7}{7} + \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} - \frac{1}{32} (1339+329\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1-\sqrt{3})x+x^2}} dx \\
&= 38x + \frac{19x^3}{3} - \frac{17x^5}{5} + \frac{5x^7}{7} + \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} - \frac{1}{32} \sqrt{\frac{1}{2}} (-262771+618291\sqrt{3}) \log\left(\sqrt{3}-\sqrt{2(-1-\sqrt{3})x+x^2}\right) \\
&= 38x + \frac{19x^3}{3} - \frac{17x^5}{5} + \frac{5x^7}{7} + \frac{25x(3+5x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \sqrt{\frac{1}{2}} (262771+618291\sqrt{3}) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right) - \frac{1}{16} \sqrt{\frac{1}{2}} (262771+618291\sqrt{3}) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)
\end{aligned}$$

**Mathematica [C]** time = 0.177918, size = 145, normalized size = 0.58

$$\frac{5x^7}{7} - \frac{17x^5}{5} + \frac{19x^3}{3} + \frac{25(5x^2+3)x}{8(x^4+2x^2+3)} + 38x - \frac{(1339\sqrt{2}+352i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{16\sqrt{2-2i\sqrt{2}}} - \frac{(1339\sqrt{2}-352i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{16\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2, x]

[Out]  $38x + (19x^3)/3 - (17x^5)/5 + (5x^7)/7 + (25x(3 + 5x^2))/(8(3 + 2x^2 + x^4)) - ((352I + 1339\sqrt{2})\text{ArcTan}[x/\sqrt{1 - I\sqrt{2}}])/(16\sqrt{2 - (2I)\sqrt{2}}) - ((-352I + 1339\sqrt{2})\text{ArcTan}[x/\sqrt{1 + I\sqrt{2}}])/(16\sqrt{2 + (2I)\sqrt{2}})$

**Maple [B]** time = 0.105, size = 427, normalized size = 1.7

$$\frac{5x^7}{7} - \frac{17x^5}{5} + \frac{19x^3}{3} + 38x - \frac{1}{x^4 + 2x^2 + 3} \left( -\frac{125x^3}{8} - \frac{75x}{8} \right) - \frac{505 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{64} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $\frac{5}{7}x^7 - \frac{17}{5}x^5 + \frac{19}{3}x^3 + 38x - \frac{(-125/8x^3 - 75/8x)}{(x^4 + 2x^2 + 3)} - \frac{505}{64} \ln \left( x^2 + 3^{1/2} - x(-2 + 2 \cdot 3^{1/2})^{1/2} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{11}{4} \ln \left( x^2 + 3^{1/2} - x(-2 + 2 \cdot 3^{1/2})^{1/2} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{11}{2} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x - (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{11}{2} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x - (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{329}{8} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x - (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} + \frac{505}{64} \ln \left( x^2 + 3^{1/2} + x(-2 + 2 \cdot 3^{1/2})^{1/2} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} + \frac{11}{4} \ln \left( x^2 + 3^{1/2} + x(-2 + 2 \cdot 3^{1/2})^{1/2} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{505}{32} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x + (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{11}{2} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x + (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - \frac{329}{8} \frac{(-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \arctan \left( \frac{2x + (-2 + 2 \cdot 3^{1/2})^{1/2}}{(2 + 2 \cdot 3^{1/2})^{1/2}} \right) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{5}{7}x^7 - \frac{17}{5}x^5 + \frac{19}{3}x^3 + 38x + \frac{25(5x^3 + 3x)}{8(x^4 + 2x^2 + 3)} - \frac{1}{8} \int \frac{1339x^2 + 987}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $5/7*x^7 - 17/5*x^5 + 19/3*x^3 + 38*x + 25/8*(5*x^3 + 3*x)/(x^4 + 2*x^2 + 3) - 1/8*\text{integrate}((1339*x^2 + 987)/(x^4 + 2*x^2 + 3), x)$

**Fricas [B]** time = 1.7466, size = 2484, normalized size = 10.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $1/338902147590720*(242072962564800*x^{11} - 668121376678848*x^9 + 568064552152064*x^7 + 13714240239171136*x^5 - 102773860*14158657803^{(1/4)}*\sqrt{68699}*\sqrt{3}*\sqrt{2}*(x^4 + 2*x^2 + 3)*\sqrt{262771*\sqrt{3} + 1854873}*\arctan(1/3145089554732313026311937382*\sqrt{50431867201})*14158657803^{(3/4)}*\sqrt{68699})*\sqrt{3*14158657803^{(1/4)}*\sqrt{68699}*(1339*\sqrt{3}*x - 987*x)*\sqrt{262771*\sqrt{3} + 1854873}} + 453886804809*x^2 + 453886804809*\sqrt{3})*(329*\sqrt{3}*\sqrt{2} - 1339*\sqrt{2})*\sqrt{262771*\sqrt{3} + 1854873} - 1/20787713069048994*14158657803^{(3/4)}*\sqrt{68699}*(329*\sqrt{3}*\sqrt{2}*x - 1339*\sqrt{2}*x)*\sqrt{262771*\sqrt{3} + 1854873} + 1/2*\sqrt{3}*\sqrt{2} - 1/2*\sqrt{2}) - 102773860*14158657803^{(1/4)}*\sqrt{68699}*\sqrt{3}*\sqrt{2}*(x^4 + 2*x^2 + 3)*\sqrt{262771*\sqrt{3} + 1854873}*\arctan(1/3145089554732313026311937382*\sqrt{50431867201})*14158657803^{(3/4)}*\sqrt{68699}*\sqrt{-3*14158657803^{(1/4)}*\sqrt{68699}*(1339*\sqrt{3}*x - 987*x)*\sqrt{262771*\sqrt{3} + 1854873}} + 453886804809*x^2 + 453886804809*\sqrt{3})*(329*\sqrt{3}*\sqrt{2} - 1339*\sqrt{2})*\sqrt{262771*\sqrt{3} + 1854873} - 1/20787713069048994*14158657803^{(3/4)}*\sqrt{68699}*(329*\sqrt{3}*\sqrt{2}*x - 1339*\sqrt{2}*x)*\sqrt{262771*\sqrt{3} + 1854873} - 1/2*\sqrt{3}*\sqrt{2} + 1/2*\sqrt{2}) + 35*14158657803^{(1/4)}*\sqrt{68699}*(1854873*x^4 + 3709746*x^2 - 262771*\sqrt{3}*(x^4 + 2*x^2 + 3) + 5564619)*\sqrt{262771*\sqrt{3} + 1854873}*\log(3*14158657803^{(1/4)}*\sqrt{68699}*(1339*\sqrt{3}*x - 987*x)*\sqrt{262771*\sqrt{3} + 1854873} + 453886804809*x^2 + 453886804809*\sqrt{3})) - 35*14158657803^{(1/4)}*\sqrt{68699}*(1854873*x^4 + 3709746*x^2 - 262771*\sqrt{3}*(x^4 + 2*x^2 + 3) + 5564619)*\sqrt{262771*\sqrt{3} + 1854873}*\log(-3*14158657803^{(1/4)}*\sqrt{68699}*(1339*\sqrt{3}*x - 987*x)*\sqrt{262771*\sqrt{3} + 1854873} + 453886804809*x^2 + 453886804809*\sqrt{3})) + 37491050077223400*x^3 + 41812052459005080*x)/(x^4 + 2*x^2 + 3)$

**Sympy [A]** time = 0.537435, size = 71, normalized size = 0.29

$\frac{5x^7}{7} - \frac{17x^5}{5} + \frac{19x^3}{3} + 38x + \frac{125x^3 + 75x}{8x^4 + 16x^2 + 24} + \text{RootSum}\left(1048576t^4 + 538155008t^2 + 1146851282043, \left(t \mapsto t \log\left(-\right.\right.\right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*8\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 5\*x\*\*7/7 - 17\*x\*\*5/5 + 19\*x\*\*3/3 + 38\*x + (125\*x\*\*3 + 75\*x)/(8\*x\*\*4 + 16\*x\*\*2 + 24) + RootSum(1048576\*\_t\*\*4 + 538155008\*\_t\*\*2 + 1146851282043, Lambda(\_t, \_t\*log(-16547840\*\_t\*\*3/453886804809 - 11974973632\*\_t/453886804809 + x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^8}{(x^4 + 2x^2 + 3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)\*x^8/(x^4 + 2\*x^2 + 3)^2, x)

$$3.110 \quad \int \frac{x^6(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=237

$$x^5 - \frac{17x^3}{3} + \frac{25(3-x^2)x}{8(x^4+2x^2+3)} + \frac{3}{32} \sqrt{\frac{3}{2}(8669+5011\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{3}{32} \sqrt{\frac{3}{2}(8669+5011\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

```
[Out] 19*x - (17*x^3)/3 + x^5 + (25*x*(3 - x^2))/(8*(3 + 2*x^2 + x^4)) + (3*Sqrt[
(3*(-8669 + 5011*Sqrt[3]))/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*
(1 + Sqrt[3])]])/16 - (3*Sqrt[(3*(-8669 + 5011*Sqrt[3]))/2]*ArcTan[(Sqrt[2*
(-1 + Sqrt[3]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 + (3*Sqrt[(3*(8669 + 5011
*Sqrt[3]))/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 - (3*Sqrt[(
3*(8669 + 5011*Sqrt[3]))/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/
32
```

**Rubi [A]** time = 0.293025, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1676, 1169, 634, 618, 204, 628}

$$x^5 - \frac{17x^3}{3} + \frac{25(3-x^2)x}{8(x^4+2x^2+3)} + \frac{3}{32} \sqrt{\frac{3}{2}(8669+5011\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{3}{32} \sqrt{\frac{3}{2}(8669+5011\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(x^6*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2, x]
```

```
[Out] 19*x - (17*x^3)/3 + x^5 + (25*x*(3 - x^2))/(8*(3 + 2*x^2 + x^4)) + (3*Sqrt[
(3*(-8669 + 5011*Sqrt[3]))/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*
(1 + Sqrt[3])]])/16 - (3*Sqrt[(3*(-8669 + 5011*Sqrt[3]))/2]*ArcTan[(Sqrt[2*
(-1 + Sqrt[3]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 + (3*Sqrt[(3*(8669 + 5011
*Sqrt[3]))/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 - (3*Sqrt[(
3*(8669 + 5011*Sqrt[3]))/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/
32
```

**Rule 1668**

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :->
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0]},
```

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2], Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int
[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628



```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^6(4 + x^2 + 3x^4 + 5x^6)}{(3 + 2x^2 + x^4)^2} dx &= \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} + \frac{1}{48} \int \frac{-450 + 1050x^2 - 336x^6 + 240x^8}{3 + 2x^2 + x^4} dx \\
&= \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} + \frac{1}{48} \int \left( 912 - 816x^2 + 240x^4 - \frac{54(59 - 31x^2)}{3 + 2x^2 + x^4} \right) dx \\
&= 19x - \frac{17x^3}{3} + x^5 + \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} - \frac{9}{8} \int \frac{59 - 31x^2}{3 + 2x^2 + x^4} dx \\
&= 19x - \frac{17x^3}{3} + x^5 + \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} - \frac{1}{32} \left( 3\sqrt{3(1 + \sqrt{3})} \right) \int \frac{59\sqrt{2(-1 + \sqrt{3})} - (59 + \sqrt{3})}{\sqrt{3} - \sqrt{2(-1 + \sqrt{3})}} dx \\
&= 19x - \frac{17x^3}{3} + x^5 + \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} - \frac{1}{16} \left( 3\sqrt{\frac{3}{2}(3182 - 1829\sqrt{3})} \right) \int \frac{1}{\sqrt{3} - \sqrt{2(-1 + \sqrt{3})}} dx \\
&= 19x - \frac{17x^3}{3} + x^5 + \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} + \frac{3}{32} \sqrt{\frac{3}{2}(8669 + 5011\sqrt{3})} \log \left( \sqrt{3} - \sqrt{2(-1 + \sqrt{3})} \right) \\
&= 19x - \frac{17x^3}{3} + x^5 + \frac{25x(3 - x^2)}{8(3 + 2x^2 + x^4)} + \frac{3}{16} \sqrt{\frac{3}{2}(-8669 + 5011\sqrt{3})} \tan^{-1} \left( \frac{\sqrt{2(-1 + \sqrt{3})}}{\sqrt{2(1 + \sqrt{3})}} \right)
\end{aligned}$$

**Mathematica [C]** time = 0.164887, size = 132, normalized size = 0.56

$$x^5 - \frac{17x^3}{3} - \frac{25(x^2 - 3)x}{8(x^4 + 2x^2 + 3)} + 19x + \frac{9(31\sqrt{2} + 90i) \tan^{-1} \left( \frac{x}{\sqrt{1-i\sqrt{2}}} \right)}{16\sqrt{2 - 2i\sqrt{2}}} + \frac{9(31\sqrt{2} - 90i) \tan^{-1} \left( \frac{x}{\sqrt{1+i\sqrt{2}}} \right)}{16\sqrt{2 + 2i\sqrt{2}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^6*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2, x]
```

```
[Out] 19*x - (17*x^3)/3 + x^5 - (25*x*(-3 + x^2))/(8*(3 + 2*x^2 + x^4)) + (9*(90*I + 31*sqrt[2])*ArcTan[x/Sqrt[1 - I*sqrt[2]]])/(16*sqrt[2 - (2*I)*sqrt[2]])
```

+ (9\*(-90\*I + 31\*sqrt[2])\*ArcTan[x/Sqrt[1 + I\*sqrt[2]]])/(16\*sqrt[2 + (2\*I)\*sqrt[2]])

**Maple [B]** time = 0.026, size = 419, normalized size = 1.8

$$x^5 - \frac{17x^3}{3} + 19x + \frac{1}{x^4 + 2x^2 + 3} \left( -\frac{25x^3}{8} + \frac{75x}{8} \right) + \frac{57 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{16} + \frac{405 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x)

[Out] x^5-17/3\*x^3+19\*x+(-25/8\*x^3+75/8\*x)/(x^4+2\*x^2+3)+57/16\*ln(x^2+3^(1/2))-x\*(-2+2\*3^(1/2))^(1/2)\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+405/64\*ln(x^2+3^(1/2))-x\*(-2+2\*3^(1/2))^(1/2)\*(-2+2\*3^(1/2))^(1/2)+57/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))-177/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-57/16\*ln(x^2+3^(1/2))+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-405/64\*ln(x^2+3^(1/2))+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+57/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+405/32/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))-177/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^5 - \frac{17}{3}x^3 + 19x - \frac{25(x^3 - 3x)}{8(x^4 + 2x^2 + 3)} + \frac{9}{8} \int \frac{31x^2 - 59}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="maxima")

[Out] x^5 - 17/3\*x^3 + 19\*x - 25/8\*(x^3 - 3\*x)/(x^4 + 2\*x^2 + 3) + 9/8\*integrate((31\*x^2 - 59)/(x^4 + 2\*x^2 + 3), x)

---

**Fricas [B]** time = 1.66491, size = 2055, normalized size = 8.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="fricas")

[Out]  $\frac{1}{287671488} \cdot (287671488x^9 - 1054795456x^7 + 3068495872x^5 + 3588677973267^{1/4} \sqrt{3} \sqrt{2} (x^4 + 2x^2 + 3) \sqrt{-43440359 \sqrt{3} + 75330363}) \arctan\left(\frac{1}{1822344999502852422} \cdot 677973267^{3/4} \sqrt{4494867} \sqrt{4494867x^2 + 677973267^{1/4} (31\sqrt{3}x + 59x)} \sqrt{-43440359 \sqrt{3} + 75330363} + 4494867 \sqrt{3}\right) \cdot (59\sqrt{3} \sqrt{2} + 93\sqrt{2}) \sqrt{-43440359 \sqrt{3} + 75330363} - \frac{1}{405428013666} \cdot 677973267^{3/4} \cdot (59\sqrt{3} \sqrt{2} x + 93\sqrt{2} x) \sqrt{-43440359 \sqrt{3} + 75330363} - \frac{1}{2} \sqrt{3} \sqrt{2} + \frac{1}{2} \sqrt{2} + 3588677973267^{1/4} \sqrt{3} \sqrt{2} (x^4 + 2x^2 + 3) \sqrt{-43440359 \sqrt{3} + 75330363} \arctan\left(\frac{1}{1822344999502852422} \cdot 677973267^{3/4} \sqrt{4494867} \sqrt{4494867x^2 - 677973267^{1/4} (31\sqrt{3}x + 59x)} \sqrt{-43440359 \sqrt{3} + 75330363} + 4494867 \sqrt{3}\right) \cdot (59\sqrt{3} \sqrt{2} + 93\sqrt{2}) \sqrt{-43440359 \sqrt{3} + 75330363} - \frac{1}{405428013666} \cdot 677973267^{3/4} \cdot (59\sqrt{3} \sqrt{2} x + 93\sqrt{2} x) \sqrt{-43440359 \sqrt{3} + 75330363} + \frac{1}{2} \sqrt{3} \sqrt{2} - \frac{1}{2} \sqrt{2} + 5142127848x^3 - 3 \cdot 677973267^{1/4} \cdot (15033x^4 + 30066x^2 + 8669\sqrt{3}) \cdot (x^4 + 2x^2 + 3) + 45099 \sqrt{-43440359 \sqrt{3} + 75330363} \cdot \log(4494867x^2 + 677973267^{1/4} (31\sqrt{3}x + 59x) \sqrt{-43440359 \sqrt{3} + 75330363} + 4494867 \sqrt{3}) + 3 \cdot 677973267^{1/4} \cdot (15033x^4 + 30066x^2 + 8669\sqrt{3}) \cdot (x^4 + 2x^2 + 3) + 45099 \sqrt{-43440359 \sqrt{3} + 75330363} \cdot \log(4494867x^2 - 677973267^{1/4} (31\sqrt{3}x + 59x) \sqrt{-43440359 \sqrt{3} + 75330363} + 4494867 \sqrt{3}) + 19094195016x) / (x^4 + 2x^2 + 3)$

---

**Sympy [A]** time = 0.541024, size = 63, normalized size = 0.27

$$x^5 - \frac{17x^3}{3} + 19x - \frac{25x^3 - 75x}{8x^4 + 16x^2 + 24} + 3 \operatorname{RootSum}\left(1048576t^4 - 53262336t^2 + 677973267, \left(t \mapsto t \log\left(-\frac{2490368t^3}{13484601} + \dots\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*6\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out]  $x^{**5} - 17*x^{**3}/3 + 19*x - (25*x^{**3} - 75*x)/(8*x^{**4} + 16*x^{**2} + 24) + 3*\operatorname{RootSum}(1048576*_t^{**4} - 53262336*_t^{**2} + 677973267, \operatorname{Lambda}(_t, _t*\log(-2490368*$

`_t**3/13484601 + 20518496*_t/4494867 + x)))`

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^6}{(x^4 + 2x^2 + 3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^6*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="giac")`

[Out] `integrate((5*x^6 + 3*x^4 + x^2 + 4)*x^6/(x^4 + 2*x^2 + 3)^2, x)`

$$3.111 \quad \int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=232

$$\frac{5x^3}{3} - \frac{25(x^2+3)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{2}(26499\sqrt{3}-14395)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{2}(26499\sqrt{3}-14395)} \log$$

```
[Out] -17*x + (5*x^3)/3 - (25*x*(3 + x^2))/(8*(3 + 2*x^2 + x^4)) - (Sqrt[(14395 + 26499*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 + (Sqrt[(14395 + 26499*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-14395 + 26499*Sqrt[3])/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-14395 + 26499*Sqrt[3])/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

**Rubi [A]** time = 0.292392, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1676, 1169, 634, 618, 204, 628}

$$\frac{5x^3}{3} - \frac{25(x^2+3)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{2}(26499\sqrt{3}-14395)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{2}(26499\sqrt{3}-14395)} \log$$

Antiderivative was successfully verified.

```
[In] Int[(x^4*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2,x]
```

```
[Out] -17*x + (5*x^3)/3 - (25*x*(3 + x^2))/(8*(3 + 2*x^2 + x^4)) - (Sqrt[(14395 + 26499*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 + (Sqrt[(14395 + 26499*Sqrt[3])/2]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-14395 + 26499*Sqrt[3])/2]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-14395 + 26499*Sqrt[3])/2]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

**Rule 1668**

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
  e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
```

```

2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]

```

### Rule 1676

```

Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1

```

### Rule 1169

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

```

### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

```

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= -\frac{25x(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \frac{450-150x^2-336x^4+240x^6}{3+2x^2+x^4} dx \\
 &= -\frac{25x(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \left( -816 + 240x^2 + \frac{6(483+127x^2)}{3+2x^2+x^4} \right) dx \\
 &= -17x + \frac{5x^3}{3} - \frac{25x(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{8} \int \frac{483+127x^2}{3+2x^2+x^4} dx \\
 &= -17x + \frac{5x^3}{3} - \frac{25x(3+x^2)}{8(3+2x^2+x^4)} + \frac{\int \frac{483\sqrt{2(-1+\sqrt{3})-(483-127\sqrt{3})x}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{16\sqrt{6(-1+\sqrt{3})}} + \frac{\int \frac{483\sqrt{2(-1+\sqrt{3})+(483-127\sqrt{3})x}}{\sqrt{3}+\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{16\sqrt{6(-1+\sqrt{3})}} \\
 &= -17x + \frac{5x^3}{3} - \frac{25x(3+x^2)}{8(3+2x^2+x^4)} + \frac{1}{32} (127+161\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx \\
 &= -17x + \frac{5x^3}{3} - \frac{25x(3+x^2)}{8(3+2x^2+x^4)} - \frac{1}{32} \sqrt{\frac{1}{2}(-14395+26499\sqrt{3})} \log\left(\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}\right) \\
 &= -17x + \frac{5x^3}{3} - \frac{25x(3+x^2)}{8(3+2x^2+x^4)} - \frac{1}{16} \sqrt{\frac{1}{2}(14395+26499\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})x+x^2}}{\sqrt{2(1+\sqrt{3})x+x^2}}\right)
 \end{aligned}$$

**Mathematica [C]** time = 0.161821, size = 129, normalized size = 0.56

$$\frac{5x^3}{3} - \frac{25(x^2+3)x}{8(x^4+2x^2+3)} - 17x + \frac{(127\sqrt{2}-356i)\tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{16\sqrt{2-2i\sqrt{2}}} + \frac{(127\sqrt{2}+356i)\tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{16\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] -17\*x + (5\*x^3)/3 - (25\*x\*(3 + x^2))/(8\*(3 + 2\*x^2 + x^4)) + ((-356\*I + 127\*  
 \*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/(16\*Sqrt[2 - (2\*I)\*Sqrt[2]]) + ((3

$56*I + 127*\text{Sqrt}[2])*\text{ArcTan}[x/\text{Sqrt}[1 + I*\text{Sqrt}[2]]])/(16*\text{Sqrt}[2 + (2*I)*\text{Sqrt}[2]])$

**Maple [B]** time = 0.022, size = 416, normalized size = 1.8

$$\frac{5x^3}{3} - 17x + \frac{1}{x^4 + 2x^2 + 3} \left( -\frac{25x^3}{8} - \frac{75x}{8} \right) - \frac{17 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{64} - \frac{89 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right)}{64}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out]  $\frac{5}{3}x^3 - 17x + \frac{-25/8x^3 - 75/8x}{x^4 + 2x^2 + 3} - \frac{17 \ln(x^2 + 3^{1/2}) - x(-2 + 2 \cdot 3^{1/2})^{1/2} \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - 89/32 \ln(x^2 + 3^{1/2}) - x(-2 + 2 \cdot 3^{1/2})^{1/2} \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} - 17/32 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x - (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - 89/16 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x - (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} + 17/64 \ln(x^2 + 3^{1/2}) + x(-2 + 2 \cdot 3^{1/2})^{1/2} \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} + 89/32 \ln(x^2 + 3^{1/2}) + x(-2 + 2 \cdot 3^{1/2})^{1/2} \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} - 17/32 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x + (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} - 89/16 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x + (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2} + 17/64 \ln(x^2 + 3^{1/2}) + x(-2 + 2 \cdot 3^{1/2})^{1/2} \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}}{64}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{5}{3}x^3 - 17x - \frac{25(x^3 + 3x)}{8(x^4 + 2x^2 + 3)} + \frac{1}{8} \int \frac{127x^2 + 483}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out]  $\frac{5}{3}x^3 - 17x - \frac{25(x^3 + 3x)}{8(x^4 + 2x^2 + 3)} + \frac{1}{8} \int \frac{127x^2 + 483}{x^4 + 2x^2 + 3} dx$



---

**Fricas [B]** time = 1.77465, size = 2102, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="fricas")

[Out] 1/1295793216\*(2159655360\*x^7 - 17709173952\*x^5 - 123268\*143883^(1/4)\*sqrt(219)\*sqrt(3)\*sqrt(2)\*(x^4 + 2\*x^2 + 3)\*sqrt(14395\*sqrt(3) + 79497)\*arctan(1/658350237832613766\*sqrt(24746051)\*143883^(3/4)\*sqrt(219)\*sqrt(11\*143883^(1/4)\*sqrt(219)\*(127\*sqrt(3)\*x - 483\*x)\*sqrt(14395\*sqrt(3) + 79497) + 222714459\*x^2 + 222714459\*sqrt(3))\*(161\*sqrt(3)\*sqrt(2) - 127\*sqrt(2))\*sqrt(14395\*sqrt(3) + 79497) - 1/8868084822\*143883^(3/4)\*sqrt(219)\*(161\*sqrt(3)\*sqrt(2)\*x - 127\*sqrt(2)\*x)\*sqrt(14395\*sqrt(3) + 79497) + 1/2\*sqrt(3)\*sqrt(2) - 1/2\*sqrt(2) - 123268\*143883^(1/4)\*sqrt(219)\*sqrt(3)\*sqrt(2)\*(x^4 + 2\*x^2 + 3)\*sqrt(14395\*sqrt(3) + 79497)\*arctan(1/658350237832613766\*sqrt(24746051)\*143883^(3/4)\*sqrt(219)\*sqrt(-11\*143883^(1/4)\*sqrt(219)\*(127\*sqrt(3)\*x - 483\*x)\*sqrt(14395\*sqrt(3) + 79497) + 222714459\*x^2 + 222714459\*sqrt(3))\*(161\*sqrt(3)\*sqrt(2) - 127\*sqrt(2))\*sqrt(14395\*sqrt(3) + 79497) - 1/8868084822\*143883^(3/4)\*sqrt(219)\*(161\*sqrt(3)\*sqrt(2)\*x - 127\*sqrt(2)\*x)\*sqrt(14395\*sqrt(3) + 79497) - 1/2\*sqrt(3)\*sqrt(2) + 1/2\*sqrt(2) - 143883^(1/4)\*sqrt(219)\*(79497\*x^4 + 158994\*x^2 - 14395\*sqrt(3)\*(x^4 + 2\*x^2 + 3) + 238491)\*sqrt(14395\*sqrt(3) + 79497)\*log(11\*143883^(1/4)\*sqrt(219)\*(127\*sqrt(3)\*x - 483\*x)\*sqrt(14395\*sqrt(3) + 79497) + 222714459\*x^2 + 222714459\*sqrt(3)) + 143883^(1/4)\*sqrt(219)\*(79497\*x^4 + 158994\*x^2 - 14395\*sqrt(3)\*(x^4 + 2\*x^2 + 3) + 238491)\*sqrt(14395\*sqrt(3) + 79497)\*log(-11\*143883^(1/4)\*sqrt(219)\*(127\*sqrt(3)\*x - 483\*x)\*sqrt(14395\*sqrt(3) + 79497) + 222714459\*x^2 + 222714459\*sqrt(3)) - 41627357064\*x^3 - 78233515416\*x)/(x^4 + 2\*x^2 + 3)

---

**Sympy [A]** time = 0.532538, size = 58, normalized size = 0.25

$$\frac{5x^3}{3} - 17x - \frac{25x^3 + 75x}{8x^4 + 16x^2 + 24} + \text{RootSum}\left(1048576t^4 + 29480960t^2 + 2106591003, \left(t \mapsto t \log\left(\frac{557056t^3}{816619683} + \frac{166600}{816619}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 5\*x\*\*3/3 - 17\*x - (25\*x\*\*3 + 75\*x)/(8\*x\*\*4 + 16\*x\*\*2 + 24) + RootSum(1048576\*\_t\*\*4 + 29480960\*\_t\*\*2 + 2106591003, Lambda(\_t, \_t\*log(557056\*\_t\*\*3/81661

9683 + 166600064\*\_t/816619683 + x)))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^4}{(x^4 + 2x^2 + 3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)\*x^4/(x^4 + 2\*x^2 + 3)^2, x)

$$3.112 \quad \int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=225

$$\frac{25(x^2+1)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{6}(12899\sqrt{3}-19291)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{6}(12899\sqrt{3}-19291)} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

```
[Out] 5*x + (25*x*(1 + x^2))/(8*(3 + 2*x^2 + x^4)) + (Sqrt[(19291 + 12899*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(19291 + 12899*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-19291 + 12899*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-19291 + 12899*Sqrt[3])/6]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

**Rubi [A]** time = 0.29714, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1676, 1169, 634, 618, 204, 628}

$$\frac{25(x^2+1)x}{8(x^4+2x^2+3)} - \frac{1}{32} \sqrt{\frac{1}{6}(12899\sqrt{3}-19291)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{32} \sqrt{\frac{1}{6}(12899\sqrt{3}-19291)} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^2,x]
```

```
[Out] 5*x + (25*x*(1 + x^2))/(8*(3 + 2*x^2 + x^4)) + (Sqrt[(19291 + 12899*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(19291 + 12899*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/16 - (Sqrt[(-19291 + 12899*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32 + (Sqrt[(-19291 + 12899*Sqrt[3])/6]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/32
```

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
```

```

2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]

```

### Rule 1676

```

Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1

```

### Rule 1169

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

```

### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,

```

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^2} dx &= \frac{25x(1+x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \frac{-150-186x^2+240x^4}{3+2x^2+x^4} dx \\
 &= \frac{25x(1+x^2)}{8(3+2x^2+x^4)} + \frac{1}{48} \int \left( 240 - \frac{6(145+111x^2)}{3+2x^2+x^4} \right) dx \\
 &= 5x + \frac{25x(1+x^2)}{8(3+2x^2+x^4)} - \frac{1}{8} \int \frac{145+111x^2}{3+2x^2+x^4} dx \\
 &= 5x + \frac{25x(1+x^2)}{8(3+2x^2+x^4)} - \frac{\int \frac{145\sqrt{2(-1+\sqrt{3})} - (145-111\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{16\sqrt{6}(-1+\sqrt{3})} - \frac{\int \frac{145\sqrt{2(-1+\sqrt{3})} + (145-111\sqrt{3})x}{\sqrt{3}+\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{16\sqrt{6}(-1+\sqrt{3})} \\
 &= 5x + \frac{25x(1+x^2)}{8(3+2x^2+x^4)} - \frac{1}{96} (333+145\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx - \frac{1}{96} (333-145\sqrt{3}) \int \frac{1}{\sqrt{3}+\sqrt{2(-1+\sqrt{3})}x+x^2} dx \\
 &= 5x + \frac{25x(1+x^2)}{8(3+2x^2+x^4)} - \frac{1}{32} \sqrt{\frac{1}{6}(-19291+12899\sqrt{3})} \log\left(\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2\right) \\
 &= 5x + \frac{25x(1+x^2)}{8(3+2x^2+x^4)} + \frac{1}{16} \sqrt{\frac{1}{6}(19291+12899\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}-2x}{\sqrt{2(1+\sqrt{3})}}\right) - \frac{1}{16} \sqrt{\frac{1}{6}(-19291+12899\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}+2x}{\sqrt{2(1+\sqrt{3})}}\right)
 \end{aligned}$$

**Mathematica [C]** time = 0.170382, size = 121, normalized size = 0.54

$$\frac{25(x^3+x)}{8(x^4+2x^2+3)} + 5x - \frac{(111\sqrt{2}-34i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{16\sqrt{2-2i\sqrt{2}}} - \frac{(111\sqrt{2}+34i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{16\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^2,x]

[Out] 5\*x + (25\*(x + x^3))/(8\*(3 + 2\*x^2 + x^4)) - ((-34\*I + 111\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/(16\*Sqrt[2 - (2\*I)\*Sqrt[2]]) - ((34\*I + 111\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]])/(16\*Sqrt[2 + (2\*I)\*Sqrt[2]])

)\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]]/(16\*Sqrt[2 + (2\*I)\*Sqrt[2]])

**Maple [B]** time = 0.018, size = 412, normalized size = 1.8

$$5x - \frac{1}{x^4 + 2x^2 + 3} \left( -\frac{25x^3}{8} - \frac{25x}{8} \right) - \frac{47 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{96} + \frac{17 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}}{64}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x)

[Out] 5\*x\*(-25/8\*x^3-25/8\*x)/(x^4+2\*x^2+3)-47/96\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+17/64\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-47/48/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+17/32/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-145/24/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)+47/96\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-17/64\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-47/48/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+17/32/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$5x + \frac{25(x^3 + x)}{8(x^4 + 2x^2 + 3)} - \frac{1}{8} \int \frac{111x^2 + 145}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="maxima")

[Out] 5\*x + 25/8\*(x^3 + x)/(x^4 + 2\*x^2 + 3) - 1/8\*integrate((111\*x^2 + 145)/(x^4 + 2\*x^2 + 3), x)

**Fricas [B]** time = 1.75631, size = 2072, normalized size = 9.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="fricas")

[Out] 
$$\frac{1}{19736089152} \cdot (98680445760 \cdot x^5 + 31876 \cdot 499152603^{1/4} \cdot \sqrt{2} \cdot (x^4 + 2x^2 + 3) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603}) \cdot \arctan\left(\frac{1}{2453286601800494203302} \cdot 499152603^{3/4} \cdot \sqrt{308376393} \cdot \sqrt{308376393 \cdot x^2 + 499152603^{1/4}} \cdot (145 \cdot \sqrt{3} \cdot x - 333 \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} + 308376393 \cdot \sqrt{3}\right) \cdot (111 \cdot \sqrt{3} \cdot \sqrt{2} - 145 \cdot \sqrt{2}) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} - \frac{1}{7955494186614} \cdot 499152603^{3/4} \cdot (111 \cdot \sqrt{3} \cdot \sqrt{2} \cdot x - 145 \cdot \sqrt{2} \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} + \frac{1}{2} \cdot \sqrt{3} \cdot \sqrt{2} - \frac{1}{2} \cdot \sqrt{2}) + 31876 \cdot 499152603^{1/4} \cdot \sqrt{2} \cdot (x^4 + 2x^2 + 3) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} \cdot \arctan\left(\frac{1}{2453286601800494203302} \cdot 499152603^{3/4} \cdot \sqrt{308376393} \cdot \sqrt{308376393 \cdot x^2 - 499152603^{1/4}} \cdot (145 \cdot \sqrt{3} \cdot x - 333 \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} + 308376393 \cdot \sqrt{3}\right) \cdot (111 \cdot \sqrt{3} \cdot \sqrt{2} - 145 \cdot \sqrt{2}) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} - \frac{1}{7955494186614} \cdot 499152603^{3/4} \cdot (111 \cdot \sqrt{3} \cdot \sqrt{2} \cdot x - 145 \cdot \sqrt{2} \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} - \frac{1}{2} \cdot \sqrt{3} \cdot \sqrt{2} + \frac{1}{2} \cdot \sqrt{2}) + 259036170120 \cdot x^3 + 499152603^{1/4} \cdot (19291 \cdot x^4 + 38582 \cdot x^2 - 12899 \cdot \sqrt{3}) \cdot (x^4 + 2x^2 + 3) + 57873) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} \cdot \log(308376393 \cdot x^2 + 499152603^{1/4}) \cdot (145 \cdot \sqrt{3} \cdot x - 333 \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} + 308376393 \cdot \sqrt{3}) - 499152603^{1/4} \cdot (19291 \cdot x^4 + 38582 \cdot x^2 - 12899 \cdot \sqrt{3}) \cdot (x^4 + 2x^2 + 3) + 57873) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} \cdot \log(308376393 \cdot x^2 - 499152603^{1/4}) \cdot (145 \cdot \sqrt{3} \cdot x - 333 \cdot x) \cdot \sqrt{248834609 \cdot \sqrt{3} + 499152603} + 308376393 \cdot \sqrt{3}) + 357716615880 \cdot x) / (x^4 + 2x^2 + 3)$$

**Sympy [A]** time = 0.535457, size = 51, normalized size = 0.23

$$5x + \frac{25x^3 + 25x}{8x^4 + 16x^2 + 24} + \text{RootSum}\left(3145728t^4 + 39507968t^2 + 166384201, \left(t \mapsto t \log\left(-\frac{9240576t^3}{102792131} - \frac{95003488t}{102792131}\right) + x\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 
$$5 \cdot x + \frac{(25 \cdot x^3 + 25 \cdot x)}{(8 \cdot x^4 + 16 \cdot x^2 + 24)} + \text{RootSum}(3145728 \cdot \_t^4 + 39507968 \cdot \_t^2 + 166384201, \text{Lambda}(\_t, \_t \cdot \log(-9240576 \cdot \_t^3 / 102792131 - 95003488 \cdot \_t / 102792131) + x))$$

3488\*\_t/102792131 + x)))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^2}{(x^4 + 2x^2 + 3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)\*x^2/(x^4 + 2\*x^2 + 3)^2, x)



$$3.113 \quad \int \frac{4+x^2+3x^4+5x^6}{(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=224

$$\frac{25x(1-x^2)}{24(x^4+2x^2+3)} + \frac{1}{96} \sqrt{\frac{1}{6}(11567+12897\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right) - \frac{1}{96} \sqrt{\frac{1}{6}(11567+12897\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)$$

```
[Out] (25*x*(1 - x^2))/(24*(3 + 2*x^2 + x^4)) - (Sqrt[(-11567 + 12897*Sqrt[3])/6]
*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 + (Sqrt[(-
-11567 + 12897*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1
+ Sqrt[3])]])/48 + (Sqrt[(11567 + 12897*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-
1 + Sqrt[3])]]*x + x^2])/96 - (Sqrt[(11567 + 12897*Sqrt[3])/6]*Log[Sqrt[3] +
Sqrt[2*(-1 + Sqrt[3])]]*x + x^2])/96
```

**Rubi [A]** time = 0.215101, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {1678, 1169, 634, 618, 204, 628}

$$\frac{25x(1-x^2)}{24(x^4+2x^2+3)} + \frac{1}{96} \sqrt{\frac{1}{6}(11567+12897\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right) - \frac{1}{96} \sqrt{\frac{1}{6}(11567+12897\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(4 + x^2 + 3*x^4 + 5*x^6)/(3 + 2*x^2 + x^4)^2,x]
```

```
[Out] (25*x*(1 - x^2))/(24*(3 + 2*x^2 + x^4)) - (Sqrt[(-11567 + 12897*Sqrt[3])/6]
*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 + (Sqrt[(-
-11567 + 12897*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(1
+ Sqrt[3])]])/48 + (Sqrt[(11567 + 12897*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-
1 + Sqrt[3])]]*x + x^2])/96 - (Sqrt[(11567 + 12897*Sqrt[3])/6]*Log[Sqrt[3] +
Sqrt[2*(-1 + Sqrt[3])]]*x + x^2])/96
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :> With[{d =
Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[Poly
nomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x
^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(
```

```
b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*
x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a
+ b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p
+ 7)*(b*d - 2*a*e)*x^2, x], x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{(3 + 2x^2 + x^4)^2} dx &= \frac{25x(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{1}{48} \int \frac{14 + 190x^2}{3 + 2x^2 + x^4} dx \\
&= \frac{25x(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{\int \frac{14\sqrt{2(-1+\sqrt{3})} - (14-190\sqrt{3})x}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x+x^2}} dx}{96\sqrt{6}(-1+\sqrt{3})} + \frac{\int \frac{14\sqrt{2(-1+\sqrt{3})} + (14-190\sqrt{3})x}{\sqrt{3} + \sqrt{2(-1+\sqrt{3})x+x^2}} dx}{96\sqrt{6}(-1+\sqrt{3})} \\
&= \frac{25x(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{(7 - 95\sqrt{3}) \int \frac{\sqrt{2(-1+\sqrt{3})} + 2x}{\sqrt{3} + \sqrt{2(-1+\sqrt{3})x+x^2}} dx}{96\sqrt{6}(-1+\sqrt{3})} + \frac{1}{288} (285 + 7\sqrt{3}) \int \frac{1}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x+x^2}} dx \\
&= \frac{25x(1 - x^2)}{24(3 + 2x^2 + x^4)} + \frac{1}{96} \sqrt{\frac{11567}{6} + \frac{4299\sqrt{3}}{2}} \log\left(\sqrt{3} - \sqrt{2(-1+\sqrt{3})x+x^2}\right) - \frac{1}{96} \sqrt{\frac{11567}{6} - \frac{4299\sqrt{3}}{2}} \log\left(\sqrt{3} + \sqrt{2(-1+\sqrt{3})x+x^2}\right) \\
&= \frac{25x(1 - x^2)}{24(3 + 2x^2 + x^4)} - \frac{1}{48} \sqrt{\frac{1}{6}(-11567 + 12897\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})} - 2x}{\sqrt{2(1+\sqrt{3})}}\right) + \frac{1}{48} \sqrt{\frac{1}{6}(-11567 - 12897\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})} + 2x}{\sqrt{2(1+\sqrt{3})}}\right)
\end{aligned}$$

**Mathematica [C]** time = 0.273742, size = 115, normalized size = 0.51

$$\frac{1}{48} \left( -\frac{50x(x^2 - 1)}{x^4 + 2x^2 + 3} + \frac{(95 + 44i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{(95 - 44i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(3 + 2\*x^2 + x^4)^2,x]

[Out] ((-50\*x\*(-1 + x^2))/(3 + 2\*x^2 + x^4) + ((95 + (44\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/Sqrt[1 - I\*Sqrt[2]] + ((95 - (44\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]])/Sqrt[1 + I\*Sqrt[2]])/48

**Maple [B]** time = 0.02, size = 408, normalized size = 1.8

$$\frac{1}{x^4 + 2x^2 + 3} \left( -\frac{25x^3}{24} + \frac{25x}{24} \right) + \frac{139 \ln\left(x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}}\right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{576} + \frac{11 \ln\left(x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}}\right)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x)`

[Out] 
$$\begin{aligned} & (-25/24*x^3+25/24*x)/(x^4+2*x^2+3)+139/576*\ln(x^2+3^{(1/2)}-x*(-2+2*3^{(1/2)})^{(1/2)}) \\ & *(-2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)}+11/48*\ln(x^2+3^{(1/2)}-x*(-2+2*3^{(1/2)})^{(1/2)}) \\ & *(-2+2*3^{(1/2)})^{(1/2)}+139/288/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)}) \\ & )^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)}*(-2+2*3^{(1/2)})*3^{(1/2)}+11/24/(2+2*3^{(1/2)}) \\ & )^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)}*(-2+2*3^{(1/2)}) \\ & )+7/72/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)}) \\ & )^{(1/2)}*3^{(1/2)}-139/576*\ln(x^2+3^{(1/2)}+x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)}) \\ & )^{(1/2)}*3^{(1/2)}-11/48*\ln(x^2+3^{(1/2)}+x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)}) \\ & )^{(1/2)}+139/288/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2 \\ & *3^{(1/2)})^{(1/2)}*(-2+2*3^{(1/2)})*3^{(1/2)}+11/24/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2 \\ & *x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)}*(-2+2*3^{(1/2)})+7/72/(2+2*3^{(1/2)} \\ & )^{(1/2)}*\arctan((2*x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{25(x^3 - x)}{24(x^4 + 2x^2 + 3)} + \frac{1}{24} \int \frac{95x^2 + 7}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="maxima")`

[Out] 
$$-25/24*(x^3 - x)/(x^4 + 2*x^2 + 3) + 1/24*\integrate((95*x^2 + 7)/(x^4 + 2*x^2 + 3), x)$$

**Fricas [B]** time = 1.72396, size = 1993, normalized size = 8.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out] 
$$-1/33461214912*(54052*6160467^{(1/4)}*\sqrt{2}*(x^4 + 2*x^2 + 3)*\sqrt{-149179599*\sqrt{3} + 498997827}*\arctan(1/29015889224422097862*\sqrt{19364129})*616046$$

$$7^{3/4} \sqrt{174277161x^2 + 6160467^{1/4}(7\sqrt{3}x - 285x)\sqrt{-149179599\sqrt{3} + 498997827}} + 174277161\sqrt{3}) \cdot (95\sqrt{3}\sqrt{2} - 7\sqrt{2}) \sqrt{-149179599\sqrt{3} + 498997827} - 1/499478343426 \cdot 6160467^{3/4} \cdot (95\sqrt{3}\sqrt{2}x - 7\sqrt{2}x) \sqrt{-149179599\sqrt{3} + 498997827} + 1/2\sqrt{3}\sqrt{2} - 1/2\sqrt{2}) + 54052 \cdot 6160467^{1/4} \sqrt{2} \cdot (x^4 + 2x^2 + 3) \sqrt{-149179599\sqrt{3} + 498997827} \cdot \arctan(1/29015889224422097862 \sqrt{19364129} \cdot 6160467^{3/4} \sqrt{174277161x^2 - 6160467^{1/4}(7\sqrt{3}x - 285x)\sqrt{-149179599\sqrt{3} + 498997827}} + 174277161\sqrt{3}) \cdot (95\sqrt{3}\sqrt{2} - 7\sqrt{2}) \sqrt{-149179599\sqrt{3} + 498997827} - 1/499478343426 \cdot 6160467^{3/4} \cdot (95\sqrt{3}\sqrt{2}x - 7\sqrt{2}x) \sqrt{-149179599\sqrt{3} + 498997827} - 1/2\sqrt{3}\sqrt{2} + 1/2\sqrt{2}) + 34855432200x^3 - 6160467^{1/4} \cdot (11567x^4 + 23134x^2 + 12897\sqrt{3})(x^4 + 2x^2 + 3) + 34701) \sqrt{-149179599\sqrt{3} + 498997827} \cdot \log(174277161x^2 + 6160467^{1/4}(7\sqrt{3}x - 285x)\sqrt{-149179599\sqrt{3} + 498997827}} + 174277161\sqrt{3}) + 6160467^{1/4} \cdot (11567x^4 + 23134x^2 + 12897\sqrt{3})(x^4 + 2x^2 + 3) + 34701) \sqrt{-149179599\sqrt{3} + 498997827} \cdot \log(174277161x^2 - 6160467^{1/4}(7\sqrt{3}x - 285x)\sqrt{-149179599\sqrt{3} + 498997827}} + 174277161\sqrt{3}) - 34855432200x) / (x^4 + 2x^2 + 3)$$

**Sympy [A]** time = 0.522246, size = 48, normalized size = 0.21

$$-\frac{25x^3 - 25x}{24x^4 + 48x^2 + 72} + \text{RootSum}\left(28311552t^4 - 23689216t^2 + 18481401, \left(t \mapsto t \log\left(\frac{40992768t^3}{19364129} - \frac{48423104t}{58092387} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] -(25\*x\*\*3 - 25\*x)/(24\*x\*\*4 + 48\*x\*\*2 + 72) + RootSum(28311552\*\_t\*\*4 - 23689216\*\_t\*\*2 + 18481401, Lambda(\_t, \_t\*log(40992768\*\_t\*\*3/19364129 - 48423104\*\_t/58092387 + x)))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^2,x, algorithm="giac")

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)/(x^4 + 2*x^2 + 3)^2, x)
```

$$3.114 \quad \int \frac{4+x^2+3x^4+5x^6}{x^2(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=229

$$-\frac{25x(x^2+5)}{72(x^4+2x^2+3)} - \frac{1}{96}\sqrt{\frac{1}{6}(965+699\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{96}\sqrt{\frac{1}{6}(965+699\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}+1)}x + \sqrt{3}\right)$$

```
[Out] -4/(9*x) - (25*x*(5 + x^2))/(72*(3 + 2*x^2 + x^4)) + (Sqrt[(-965 + 699*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])]] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 - (Sqrt[(-965 + 699*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])]] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 - (Sqrt[(965 + 699*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]]*x + x^2))/96 + (Sqrt[(965 + 699*Sqrt[3])/6]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]]*x + x^2))/96
```

**Rubi [A]** time = 0.310033, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1669, 1664, 1169, 634, 618, 204, 628}

$$-\frac{25x(x^2+5)}{72(x^4+2x^2+3)} - \frac{1}{96}\sqrt{\frac{1}{6}(965+699\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) + \frac{1}{96}\sqrt{\frac{1}{6}(965+699\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}+1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(4 + x^2 + 3*x^4 + 5*x^6)/(x^2*(3 + 2*x^2 + x^4)^2), x]
```

```
[Out] -4/(9*x) - (25*x*(5 + x^2))/(72*(3 + 2*x^2 + x^4)) + (Sqrt[(-965 + 699*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])]] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 - (Sqrt[(-965 + 699*Sqrt[3])/6]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])]] + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/48 - (Sqrt[(965 + 699*Sqrt[3])/6]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]]*x + x^2))/96 + (Sqrt[(965 + 699*Sqrt[3])/6]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]]*x + x^2))/96
```

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
  e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
```

```

2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
*a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
, x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]

```

### Rule 1664

```

Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

```

### Rule 1169

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

```

### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

### Rule 628

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

```



e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^2(3 + 2x^2 + x^4)^2} dx &= -\frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} + \frac{1}{48} \int \frac{64 + \frac{170x^2}{3} - \frac{50x^4}{3}}{x^2(3 + 2x^2 + x^4)} dx \\
 &= -\frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} + \frac{1}{48} \int \left( \frac{64}{3x^2} - \frac{2(-7 + 19x^2)}{3 + 2x^2 + x^4} \right) dx \\
 &= -\frac{4}{9x} - \frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{1}{24} \int \frac{-7 + 19x^2}{3 + 2x^2 + x^4} dx \\
 &= -\frac{4}{9x} - \frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{\int \frac{-7\sqrt{2(-1+\sqrt{3})} - (-7-19\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{48\sqrt{6(-1+\sqrt{3})}} - \frac{\int \frac{-7\sqrt{2(-1+\sqrt{3})} + (-7-19\sqrt{3})x}{\sqrt{3}+\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{48\sqrt{6(-1+\sqrt{3})}} \\
 &= -\frac{4}{9x} - \frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{1}{48\sqrt{\frac{1}{6}(566 - 133\sqrt{3})}} \int \frac{1}{\sqrt{3} - \sqrt{2(-1 + \sqrt{3})}x + x^2} dx - \frac{1}{48\sqrt{\frac{1}{6}(566 - 133\sqrt{3})}} \int \frac{1}{\sqrt{3} + \sqrt{2(-1 + \sqrt{3})}x + x^2} dx \\
 &= -\frac{4}{9x} - \frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} - \frac{1}{96\sqrt{\frac{1}{6}(965 + 699\sqrt{3})}} \log\left(\sqrt{3} - \sqrt{2(-1 + \sqrt{3})}x + x^2\right) + \frac{1}{96\sqrt{\frac{1}{6}(965 + 699\sqrt{3})}} \log\left(\sqrt{3} + \sqrt{2(-1 + \sqrt{3})}x + x^2\right) \\
 &= -\frac{4}{9x} - \frac{25x(5 + x^2)}{72(3 + 2x^2 + x^4)} + \frac{1}{48\sqrt{\frac{1}{6}(-965 + 699\sqrt{3})}} \tan^{-1}\left(\frac{\sqrt{2(-1 + \sqrt{3})} - 2x}{\sqrt{2(1 + \sqrt{3})}}\right) - \frac{1}{48\sqrt{\frac{1}{6}(-965 + 699\sqrt{3})}} \tan^{-1}\left(\frac{\sqrt{2(-1 + \sqrt{3})} + 2x}{\sqrt{2(1 + \sqrt{3})}}\right)
 \end{aligned}$$

**Mathematica [C]** time = 0.184795, size = 126, normalized size = 0.55

$$\frac{25x(x^2 + 5)}{72(x^4 + 2x^2 + 3)} - \frac{4}{9x} - \frac{(19\sqrt{2} + 26i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{48\sqrt{2-2i\sqrt{2}}} - \frac{(19\sqrt{2} - 26i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{48\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^2\*(3 + 2\*x^2 + x^4)^2), x]

[Out] -4/(9\*x) - (25\*x\*(5 + x^2))/(72\*(3 + 2\*x^2 + x^4)) - ((26\*I + 19\*sqrt[2])\*ArcTan[x/sqrt[1 - I\*sqrt[2]]])/(48\*sqrt[2 - (2\*I)\*sqrt[2]]) - ((-26\*I + 19\*sqrt[2])\*ArcTan[x/sqrt[1 + I\*sqrt[2]]])/(48\*sqrt[2 + (2\*I)\*sqrt[2]])

$\text{qrt}[2]) * \text{ArcTan}[x/\text{Sqrt}[1 + I * \text{Sqrt}[2]]] / (48 * \text{Sqrt}[2 + (2 * I) * \text{Sqrt}[2]])$

**Maple [B]** time = 0.023, size = 414, normalized size = 1.8

$$-\frac{1}{9x^4 + 18x^2 + 27} \left( \frac{25x^3}{8} + \frac{125x}{8} \right) - \frac{\ln\left(x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}}\right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{18} - \frac{13 \ln\left(x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}}\right)}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((5*x^6+3*x^4+x^2+4)/x^2/(x^4+2*x^2+3)^2, x)$

[Out]  $-1/9*(25/8*x^3+125/8*x)/(x^4+2*x^2+3)-1/18*\ln(x^2+3^{(1/2)}-x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)}-13/192*\ln(x^2+3^{(1/2)}-x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}-1/9/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)}-13/96/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}+7/72/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x-(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*3^{(1/2)}+1/18*\ln(x^2+3^{(1/2)}+x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)}+13/192*\ln(x^2+3^{(1/2)}+x*(-2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}-1/9/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}*3^{(1/2)}-13/96/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*(-2+2*3^{(1/2)})^{(1/2)}+7/72/(2+2*3^{(1/2)})^{(1/2)}*\arctan((2*x+(-2+2*3^{(1/2)})^{(1/2)})^{(1/2)})/(2+2*3^{(1/2)})^{(1/2)})*3^{(1/2)}-4/9/x$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{19x^4 + 63x^2 + 32}{24(x^5 + 2x^3 + 3x)} - \frac{1}{24} \int \frac{19x^2 - 7}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((5*x^6+3*x^4+x^2+4)/x^2/(x^4+2*x^2+3)^2, x, \text{algorithm}="maxima")$

[Out]  $-1/24*(19*x^4 + 63*x^2 + 32)/(x^5 + 2*x^3 + 3*x) - 1/24*\text{integrate}((19*x^2 - 7)/(x^4 + 2*x^2 + 3), x)$

**Fricas [B]** time = 1.70574, size = 1871, normalized size = 8.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+2\*x^2+3)^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & -1/208156608*(164790648*x^4 - 2068*1465803^{(1/4)}*\sqrt{2}*(x^5 + 2*x^3 + 3*x) \\ & )*\sqrt{-674535*\sqrt{3} + 1465803}*\arctan(1/547726639257666*1465803^{(3/4)}*\sqrt{120461} \\ & *\sqrt{1084149*x^2 + 1465803^{(1/4)}*(7*\sqrt{3}*x + 57*x)}*\sqrt{-674535*\sqrt{3} + 1465803} \\ & + 1084149*\sqrt{3})*(19*\sqrt{3}*\sqrt{2} + 7*\sqrt{2})*\sqrt{-674535*\sqrt{3} + 1465803} \\ & - 1/1515640302*1465803^{(3/4)}*(19*\sqrt{3}*\sqrt{2}*x + 7*\sqrt{2}*x)*\sqrt{-674535*\sqrt{3} + 1465803} \\ & - 1/2*\sqrt{3}*\sqrt{2} + 1/2*\sqrt{2}) - 2068*1465803^{(1/4)}*\sqrt{2}*(x^5 + 2*x^3 + 3*x)*\sqrt{-674535*\sqrt{3} + 1465803} \\ & *\arctan(1/547726639257666*1465803^{(3/4)}*\sqrt{120461}*\sqrt{1084149*x^2 - 1465803^{(1/4)}*(7*\sqrt{3}*x + 57*x)} \\ & *\sqrt{-674535*\sqrt{3} + 1465803} + 1084149*\sqrt{3})*(19*\sqrt{3}*\sqrt{2} + 7*\sqrt{2})*\sqrt{-674535*\sqrt{3} + 1465803} \\ & - 1/1515640302*1465803^{(3/4)}*(19*\sqrt{3}*\sqrt{2}*x + 7*\sqrt{2}*x)*\sqrt{-674535*\sqrt{3} + 1465803} \\ & + 1/2*\sqrt{3}*\sqrt{2} - 1/2*\sqrt{2}) - 1465803^{(1/4)}*(965*x^5 + 1930*x^3 + 699*\sqrt{3}*(x^5 + 2*x^3 + 3*x) + 2895*x) \\ & *\sqrt{-674535*\sqrt{3} + 1465803}*\log(1084149*x^2 + 1465803^{(1/4)}*(7*\sqrt{3}*x + 57*x)*\sqrt{-674535*\sqrt{3} + 1465803} \\ & + 1084149*\sqrt{3}) + 1465803^{(1/4)}*(965*x^5 + 1930*x^3 + 699*\sqrt{3}*(x^5 + 2*x^3 + 3*x) + 2895*x) \\ & *\sqrt{-674535*\sqrt{3} + 1465803}*\log(1084149*x^2 - 1465803^{(1/4)}*(7*\sqrt{3}*x + 57*x)*\sqrt{-674535*\sqrt{3} + 1465803} \\ & + 1084149*\sqrt{3}) + 546411096*x^2 + 277542144)/(x^5 + 2*x^3 + 3*x) \end{aligned}$$

**Sympy [A]** time = 0.550947, size = 53, normalized size = 0.23

$$-\frac{19x^4 + 63x^2 + 32}{24x^5 + 48x^3 + 72x} + \text{RootSum}\left(28311552t^4 - 1976320t^2 + 54289, \left(t \mapsto t \log\left(-\frac{28311552t^3}{120461} + \frac{1103968t}{120461} + x\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*2/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] 
$$-(19*x**4 + 63*x**2 + 32)/(24*x**5 + 48*x**3 + 72*x) + \text{RootSum}(28311552*_t**4 - 1976320*_t**2 + 54289, \text{Lambda}(_t, _t*\log(-28311552*_t**3/120461 + 1103968*_t/120461 + x)))$$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)/((x^4 + 2\*x^2 + 3)^2\*x^2), x)

$$3.115 \quad \int \frac{4+x^2+3x^4+5x^6}{x^4(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=238

$$\frac{25x(5x^2+7)}{216(x^4+2x^2+3)} - \frac{4}{27x^3} + \frac{1}{864} \sqrt{\frac{1}{6}(56673\sqrt{3}-6073)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{864} \sqrt{\frac{1}{6}(56673\sqrt{3}-6073)}$$

[Out] -4/(27\*x^3) + 13/(27\*x) + (25\*x\*(7 + 5\*x^2))/(216\*(3 + 2\*x^2 + x^4)) - (Sqrt[(6073 + 56673\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/432 + (Sqrt[(6073 + 56673\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/432 + (Sqrt[(-6073 + 56673\*Sqrt[3])/6]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/864 - (Sqrt[(-6073 + 56673\*Sqrt[3])/6]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/864

**Rubi [A]** time = 0.335361, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1669, 1664, 1169, 634, 618, 204, 628}

$$\frac{25x(5x^2+7)}{216(x^4+2x^2+3)} - \frac{4}{27x^3} + \frac{1}{864} \sqrt{\frac{1}{6}(56673\sqrt{3}-6073)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{864} \sqrt{\frac{1}{6}(56673\sqrt{3}-6073)}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(3 + 2\*x^2 + x^4)^2), x]

[Out] -4/(27\*x^3) + 13/(27\*x) + (25\*x\*(7 + 5\*x^2))/(216\*(3 + 2\*x^2 + x^4)) - (Sqrt[(6073 + 56673\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/432 + (Sqrt[(6073 + 56673\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/432 + (Sqrt[(-6073 + 56673\*Sqrt[3])/6]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/864 - (Sqrt[(-6073 + 56673\*Sqrt[3])/6]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/864

### Rule 1669

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :>  
 With[{d = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 0],  
 e = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 2]}, Simp[(  
 x\*(a + b\*x^2 + c\*x^4)^(p + 1)\*(a\*b\*e - d\*(b^2 - 2\*a\*c) - c\*(b\*d - 2\*a\*e)\*x^

```

2)))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
*a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
, x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]

```

#### Rule 1664

```

Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

```

#### Rule 1169

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

```

#### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

#### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

#### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

#### Rule 628

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d},

```

e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^4(3 + 2x^2 + x^4)^2} dx &= \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{48} \int \frac{64 - \frac{80x^2}{3} + \frac{50x^4}{9} + \frac{250x^6}{9}}{x^4(3 + 2x^2 + x^4)} dx \\
 &= \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{48} \int \left( \frac{64}{3x^4} - \frac{208}{9x^2} + \frac{2(137 + 229x^2)}{9(3 + 2x^2 + x^4)} \right) dx \\
 &= -\frac{4}{27x^3} + \frac{13}{27x} + \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{216} \int \frac{137 + 229x^2}{3 + 2x^2 + x^4} dx \\
 &= -\frac{4}{27x^3} + \frac{13}{27x} + \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{\int \frac{137\sqrt{2(-1+\sqrt{3})} - (137-229\sqrt{3})x}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x + x^2}} dx}{432\sqrt{6(-1+\sqrt{3})}} + \frac{\int \frac{137\sqrt{2(-1+\sqrt{3})} + (137-229\sqrt{3})x}{\sqrt{3} + \sqrt{2(-1+\sqrt{3})x + x^2}} dx}{432\sqrt{6(-1+\sqrt{3})}} \\
 &= -\frac{4}{27x^3} + \frac{13}{27x} + \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{432} \sqrt{\frac{1}{6}(88046 + 31373\sqrt{3})} \int \frac{1}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x + x^2}} dx \\
 &= -\frac{4}{27x^3} + \frac{13}{27x} + \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} + \frac{1}{864} \sqrt{\frac{1}{6}(-6073 + 56673\sqrt{3})} \log\left(\sqrt{3} - \sqrt{2(-1+\sqrt{3})x + x^2}\right) \\
 &= -\frac{4}{27x^3} + \frac{13}{27x} + \frac{25x(7 + 5x^2)}{216(3 + 2x^2 + x^4)} - \frac{1}{432} \sqrt{\frac{1}{6}(6073 + 56673\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})} - \sqrt{2(1+\sqrt{3})}}{\sqrt{2(1+\sqrt{3})}}\right)
 \end{aligned}$$

**Mathematica [C]** time = 0.310279, size = 131, normalized size = 0.55

$$\frac{1}{864} \left( \frac{4(229x^6 + 351x^4 + 248x^2 - 96)}{x^3(x^4 + 2x^2 + 3)} + \frac{2(229 + 46i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{2(229 - 46i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(3 + 2\*x^2 + x^4)^2), x]

[Out] ((4\*(-96 + 248\*x^2 + 351\*x^4 + 229\*x^6))/(x^3\*(3 + 2\*x^2 + x^4)) + (2\*(229 + (46\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/Sqrt[1 - I\*Sqrt[2]] + (2\*(

229 - (46\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]])/Sqrt[1 + I\*Sqrt[2]]/8  
64

**Maple [B]** time = 0.023, size = 419, normalized size = 1.8

$$\frac{1}{27x^4 + 54x^2 + 81} \left( \frac{125x^3}{8} + \frac{175x}{8} \right) + \frac{275 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{5184} + \frac{23 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right)}{864}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^2,x)

[Out] 1/27\*(125/8\*x^3+175/8\*x)/(x^4+2\*x^2+3)+275/5184\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+23/864\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+275/2592/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+23/432/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+137/648/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-275/5184\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-23/864\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+275/2592/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+23/432/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+137/648/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-4/27/x^3+13/27/x

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{229x^6 + 351x^4 + 248x^2 - 96}{216(x^7 + 2x^5 + 3x^3)} + \frac{1}{216} \int \frac{229x^2 + 137}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^2,x, algorithm="maxima")

[Out] 1/216\*(229\*x^6 + 351\*x^4 + 248\*x^2 - 96)/(x^7 + 2\*x^5 + 3\*x^3) + 1/216\*integrate((229\*x^2 + 137)/(x^4 + 2\*x^2 + 3), x)



---

**Fricas [B]** time = 1.72255, size = 2205, normalized size = 9.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^2,x, algorithm="fricas")

[Out] 
$$\frac{1}{2261454002496} \cdot (2397560030424x^6 + 3674862754056x^4 - 277108 \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot \sqrt{2} \cdot (x^7 + 2x^5 + 3x^3) \cdot \sqrt{6073 \sqrt{3} + 170019}) \cdot \arctan\left(\frac{1}{295480530439458889122} \cdot 118956627^{3/4} \cdot \sqrt{81861} \cdot \sqrt{6297} \cdot \sqrt{3} \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot (137 \sqrt{3} x - 687 x) \cdot \sqrt{6073 \sqrt{3} + 170019} + 3926135421x^2 + 3926135421 \sqrt{3}\right) \cdot (229 \sqrt{3} \sqrt{2} - 137 \sqrt{2}) \cdot \sqrt{6073 \sqrt{3} + 170019} - \frac{1}{16481916497358} \cdot 118956627^{3/4} \cdot \sqrt{6297} \cdot (229 \sqrt{3} \sqrt{2} x - 137 \sqrt{2} x) \cdot \sqrt{6073 \sqrt{3} + 170019} + \frac{1}{2} \sqrt{3} \sqrt{2} - \frac{1}{2} \sqrt{2}) - 277108 \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot \sqrt{2} \cdot (x^7 + 2x^5 + 3x^3) \cdot \sqrt{6073 \sqrt{3} + 170019} \cdot \arctan\left(\frac{1}{295480530439458889122} \cdot 118956627^{3/4} \cdot \sqrt{81861} \cdot \sqrt{6297} \cdot \sqrt{-3 \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot (137 \sqrt{3} x - 687 x) \cdot \sqrt{6073 \sqrt{3} + 170019} + 3926135421x^2 + 3926135421 \sqrt{3}} \cdot (229 \sqrt{3} \sqrt{2} - 137 \sqrt{2}) \cdot \sqrt{6073 \sqrt{3} + 170019} - \frac{1}{16481916497358} \cdot 118956627^{3/4} \cdot \sqrt{6297} \cdot (229 \sqrt{3} \sqrt{2} x - 137 \sqrt{2} x) \cdot \sqrt{6073 \sqrt{3} + 170019} - \frac{1}{2} \sqrt{3} \sqrt{2} + \frac{1}{2} \sqrt{2}) - 118956627^{1/4} \cdot \sqrt{6297} \cdot (6073x^7 + 12146x^5 + 18219x^3 - 56673 \sqrt{3}) \cdot (x^7 + 2x^5 + 3x^3) \cdot \sqrt{6073 \sqrt{3} + 170019} \cdot \log\left(\frac{3 \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot (137 \sqrt{3} x - 687 x) \cdot \sqrt{6073 \sqrt{3} + 170019} + 3926135421x^2 + 3926135421 \sqrt{3}}{6073x^7 + 12146x^5 + 18219x^3 - 56673 \sqrt{3}} \cdot (x^7 + 2x^5 + 3x^3) \cdot \sqrt{6073 \sqrt{3} + 170019} \cdot \log\left(\frac{-3 \cdot 118956627^{1/4} \cdot \sqrt{6297} \cdot (137 \sqrt{3} x - 687 x) \cdot \sqrt{6073 \sqrt{3} + 170019} + 3926135421x^2 + 3926135421 \sqrt{3}}{2596484225088x^2 - 1005090667776}\right)\right) / (x^7 + 2x^5 + 3x^3)$$

---

**Sympy [A]** time = 0.575375, size = 60, normalized size = 0.25

$$\text{RootSum}\left(2293235712t^4 + 12437504t^2 + 4405801, \left(t \mapsto t \log\left(\frac{19707494400t^3}{145412423} + \frac{357152768t}{145412423} + x\right)\right)\right) + \frac{229x^6 + 351}{216x^7 + 4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*4/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

```
[Out] RootSum(2293235712*_t**4 + 12437504*_t**2 + 4405801, Lambda(_t, _t*log(1970
7494400*_t**3/145412423 + 357152768*_t/145412423 + x))) + (229*x**6 + 351*x
**4 + 248*x**2 - 96)/(216*x**7 + 432*x**5 + 648*x**3)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x^6+3*x^4+x^2+4)/x^4/(x^4+2*x^2+3)^2,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)/((x^4 + 2*x^2 + 3)^2*x^4), x)
```

$$3.116 \quad \int \frac{4+x^2+3x^4+5x^6}{x^6(3+2x^2+x^4)^2} dx$$

**Optimal.** Leaf size=245

$$\frac{25x(1-7x^2)}{648(x^4+2x^2+3)} + \frac{13}{81x^3} - \frac{4}{45x^5} - \frac{\sqrt{\frac{1}{6}(1139381+688419\sqrt{3})} \log(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}})}{2592} + \frac{\sqrt{\frac{1}{6}(1139381+688419\sqrt{3})}}{2592}$$

[Out] -4/(45\*x^5) + 13/(81\*x^3) - 13/(27\*x) + (25\*x\*(1 - 7\*x^2))/(648\*(3 + 2\*x^2 + x^4)) + (Sqrt[(-1139381 + 688419\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])]) - 2\*x]/Sqrt[2\*(1 + Sqrt[3])])]/1296 - (Sqrt[(-1139381 + 688419\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])]) + 2\*x]/Sqrt[2\*(1 + Sqrt[3])])]/1296 - (Sqrt[(1139381 + 688419\*Sqrt[3])/6]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])])\*x + x^2])/2592 + (Sqrt[(1139381 + 688419\*Sqrt[3])/6]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])])\*x + x^2])/2592

**Rubi [A]** time = 0.328981, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1669, 1664, 1169, 634, 618, 204, 628}

$$\frac{25x(1-7x^2)}{648(x^4+2x^2+3)} + \frac{13}{81x^3} - \frac{4}{45x^5} - \frac{\sqrt{\frac{1}{6}(1139381+688419\sqrt{3})} \log(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}})}{2592} + \frac{\sqrt{\frac{1}{6}(1139381+688419\sqrt{3})}}{2592}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^6\*(3 + 2\*x^2 + x^4)^2), x]

[Out] -4/(45\*x^5) + 13/(81\*x^3) - 13/(27\*x) + (25\*x\*(1 - 7\*x^2))/(648\*(3 + 2\*x^2 + x^4)) + (Sqrt[(-1139381 + 688419\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])]) - 2\*x]/Sqrt[2\*(1 + Sqrt[3])])]/1296 - (Sqrt[(-1139381 + 688419\*Sqrt[3])/6]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])]) + 2\*x]/Sqrt[2\*(1 + Sqrt[3])])]/1296 - (Sqrt[(1139381 + 688419\*Sqrt[3])/6]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])])\*x + x^2])/2592 + (Sqrt[(1139381 + 688419\*Sqrt[3])/6]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])])\*x + x^2])/2592

**Rule 1669**

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :>  
With[{d = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 0],

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2], Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
*a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
, x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_))*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]]/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{x^6(3 + 2x^2 + x^4)^2} dx &= \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{1}{48} \int \frac{64 - \frac{80x^2}{3} + \frac{400x^4}{9} + \frac{1550x^6}{27} - \frac{350x^8}{27}}{x^6(3 + 2x^2 + x^4)} dx \\
&= \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{1}{48} \int \left( \frac{64}{3x^6} - \frac{208}{9x^4} + \frac{208}{9x^2} - \frac{2(-463 + 487x^2)}{27(3 + 2x^2 + x^4)} \right) dx \\
&= -\frac{4}{45x^5} + \frac{13}{81x^3} - \frac{13}{27x} + \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} - \frac{1}{648} \int \frac{-463 + 487x^2}{3 + 2x^2 + x^4} dx \\
&= -\frac{4}{45x^5} + \frac{13}{81x^3} - \frac{13}{27x} + \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} - \frac{\int \frac{-463\sqrt{2(-1+\sqrt{3})} - (-463-487\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{1296\sqrt{6(-1+\sqrt{3})}} - \frac{\int \frac{-463\sqrt{2(-1+\sqrt{3})}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{1296\sqrt{6(-1+\sqrt{3})}} \\
&= -\frac{4}{45x^5} + \frac{13}{81x^3} - \frac{13}{27x} + \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} - \frac{(1461 - 463\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{7776} + \frac{\int \frac{-463\sqrt{2(-1+\sqrt{3})}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{1296\sqrt{6(-1+\sqrt{3})}} \\
&= -\frac{4}{45x^5} + \frac{13}{81x^3} - \frac{13}{27x} + \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} - \frac{\sqrt{\frac{1}{6}(1139381 + 688419\sqrt{3})} \log\left(\sqrt{3} - \sqrt{2(-1+\sqrt{3})x+x^2}\right)}{2592} + \frac{\int \frac{-463\sqrt{2(-1+\sqrt{3})}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{1296\sqrt{6(-1+\sqrt{3})}} \\
&= -\frac{4}{45x^5} + \frac{13}{81x^3} - \frac{13}{27x} + \frac{25x(1 - 7x^2)}{648(3 + 2x^2 + x^4)} + \frac{\sqrt{\frac{1}{6}(-1139381 + 688419\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})x+x^2}}{\sqrt{2(-1+\sqrt{3})x+x^2}}\right)}{1296}
\end{aligned}$$

**Mathematica [C]** time = 0.303282, size = 140, normalized size = 0.57

$$\frac{4(2435x^8 + 2475x^6 + 3928x^4 - 984x^2 + 864)}{x^5(x^4 + 2x^2 + 3)} - \frac{10i(475\sqrt{2} - 487i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{10i(475\sqrt{2} + 487i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}}$$

12960

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^6\*(3 + 2\*x^2 + x^4)^2), x]

[Out]  $((-4*(864 - 984*x^2 + 3928*x^4 + 2475*x^6 + 2435*x^8))/(x^5*(3 + 2*x^2 + x^4)) - ((10*I)*(-487*I + 475*\text{Sqrt}[2])*\text{ArcTan}[x/\text{Sqrt}[1 - I*\text{Sqrt}[2]]])/ \text{Sqrt}[1 - I*\text{Sqrt}[2]] + ((10*I)*(487*I + 475*\text{Sqrt}[2])*\text{ArcTan}[x/\text{Sqrt}[1 + I*\text{Sqrt}[2]]])/ \text{Sqrt}[1 + I*\text{Sqrt}[2]])/12960$

**Maple [B]** time = 0.023, size = 424, normalized size = 1.7

$$-\frac{1}{27x^4 + 54x^2 + 81} \left( \frac{175x^3}{24} - \frac{25x}{24} \right) - \frac{481 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{7776} - \frac{475 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right)}{5184}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((5*x^6+3*x^4+x^2+4)/x^6/(x^4+2*x^2+3)^2,x)$

[Out]  $-1/27*(175/24*x^3-25/24*x)/(x^4+2*x^2+3)-481/7776*\ln(x^2+3^{1/2}-x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}-475/5184*\ln(x^2+3^{1/2}-x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}-481/3888/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}-475/2592/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}+463/1944/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*3^{1/2}+481/7776*\ln(x^2+3^{1/2}+x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}+475/5184*\ln(x^2+3^{1/2}+x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}-481/3888/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}-475/2592/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}+463/1944/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*3^{1/2}-4/45/x^5+13/81/x^3-13/27/x$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{2435x^8 + 2475x^6 + 3928x^4 - 984x^2 + 864}{3240(x^9 + 2x^7 + 3x^5)} - \frac{1}{648} \int \frac{487x^2 - 463}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((5*x^6+3*x^4+x^2+4)/x^6/(x^4+2*x^2+3)^2,x, \text{algorithm}="maxima")$

[Out]  $-1/3240*(2435*x^8 + 2475*x^6 + 3928*x^4 - 984*x^2 + 864)/(x^9 + 2*x^7 + 3*x^5) - 1/648*\text{integrate}((487*x^2 - 463)/(x^4 + 2*x^2 + 3), x)$

**Fricas [B]** time = 1.74124, size = 2392, normalized size = 9.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((5*x^6+3*x^4+x^2+4)/x^6/(x^4+2*x^2+3)^2,x, algorithm="fricas")`

[Out]  $-1/1478473537631040*(1111136748188760*x^8 + 1129389507912600*x^6 + 1792421004881088*x^4 - 4971380*216699003^{(1/4)}*\sqrt{2}*(x^9 + 2*x^7 + 3*x^5)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}*\arctan(1/6144866223568721756453718*\sqrt{704195977}*216699003^{(3/4)}*\sqrt{57039874137*x^2 + 216699003^{(1/4)}*(463*\sqrt{3}*x + 1461*x)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}} + 57039874137*\sqrt{3})*(487*\sqrt{3}*\sqrt{2} + 463*\sqrt{2}))*\sqrt{-784371528639*\sqrt{3} + 1421762158683} - 1/969563780580726*216699003^{(3/4)}*(487*\sqrt{3}*\sqrt{2})*x + 463*\sqrt{2})*x*\sqrt{-784371528639*\sqrt{3} + 1421762158683} - 1/2*\sqrt{3}*\sqrt{2} + 1/2*\sqrt{2}) - 4971380*216699003^{(1/4)}*\sqrt{2}*(x^9 + 2*x^7 + 3*x^5)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}*\arctan(1/6144866223568721756453718*\sqrt{704195977}*216699003^{(3/4)}*\sqrt{57039874137*x^2 - 216699003^{(1/4)}*(463*\sqrt{3}*x + 1461*x)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}} + 57039874137*\sqrt{3})*(487*\sqrt{3}*\sqrt{2} + 463*\sqrt{2}))*\sqrt{-784371528639*\sqrt{3} + 1421762158683} - 1/969563780580726*216699003^{(3/4)}*(487*\sqrt{3}*\sqrt{2})*x + 463*\sqrt{2})*x*\sqrt{-784371528639*\sqrt{3} + 1421762158683} + 1/2*\sqrt{3}*\sqrt{2} - 1/2*\sqrt{2}) - 5*216699003^{(1/4)}*(1139381*x^9 + 2278762*x^7 + 3418143*x^5 + 688419*\sqrt{3}*(x^9 + 2*x^7 + 3*x^5))*\sqrt{-784371528639*\sqrt{3} + 1421762158683}*\log(57039874137*x^2 + 216699003^{(1/4)}*(463*\sqrt{3}*x + 1461*x)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}} + 57039874137*\sqrt{3}) + 5*216699003^{(1/4)}*(1139381*x^9 + 2278762*x^7 + 3418143*x^5 + 688419*\sqrt{3}*(x^9 + 2*x^7 + 3*x^5))*\sqrt{-784371528639*\sqrt{3} + 1421762158683}*\log(57039874137*x^2 - 216699003^{(1/4)}*(463*\sqrt{3}*x + 1461*x)*\sqrt{-784371528639*\sqrt{3} + 1421762158683}} + 57039874137*\sqrt{3}) - 449017889206464*x^2 + 394259610034944)/(x^9 + 2*x^7 + 3*x^5)$

**Sympy [A]** time = 0.590268, size = 65, normalized size = 0.27

$\text{RootSum}\left(20639121408t^4 - 2333452288t^2 + 72233001, \left(t \mapsto t \log\left(-\frac{206821195776t^3}{704195977} + \frac{38757503008t}{2112587931} + x\right)\right)\right) - 24$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*6/(x\*\*4+2\*x\*\*2+3)\*\*2,x)

[Out] RootSum(20639121408\*\_t\*\*4 - 2333452288\*\_t\*\*2 + 72233001, Lambda(\_t, \_t\*log(-206821195776\*\_t\*\*3/704195977 + 38757503008\*\_t/2112587931 + x))) - (2435\*x\*\*8 + 2475\*x\*\*6 + 3928\*x\*\*4 - 984\*x\*\*2 + 864)/(3240\*x\*\*9 + 6480\*x\*\*7 + 9720\*x\*\*5)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^2 x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^6/(x^4+2\*x^2+3)^2,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)/((x^4 + 2\*x^2 + 3)^2\*x^6), x)



$$3.117 \quad \int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=243

$$x^5 - 9x^3 + \frac{(252x^2 + 3305)x}{64(x^4 + 2x^2 + 3)} - \frac{25(7x^2 + 15)x}{16(x^4 + 2x^2 + 3)^2} + \frac{3}{512} \sqrt{8595619 + 7678611\sqrt{3}} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{3}{512}$$

```
[Out] 58*x - 9*x^3 + x^5 - (25*x*(15 + 7*x^2))/(16*(3 + 2*x^2 + x^4)^2) + (x*(330
5 + 252*x^2))/(64*(3 + 2*x^2 + x^4)) + (3*Sqrt[-8595619 + 7678611*Sqrt[3]]*
ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (3*Sqrt
[-8595619 + 7678611*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(
1 + Sqrt[3])]])/256 + (3*Sqrt[8595619 + 7678611*Sqrt[3]]*Log[Sqrt[3] - Sqrt
[2*(-1 + Sqrt[3])]*x + x^2])/512 - (3*Sqrt[8595619 + 7678611*Sqrt[3]]*Log[S
qrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512
```

**Rubi [A]** time = 0.359897, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {1668, 1678, 1676, 1169, 634, 618, 204, 628}

$$x^5 - 9x^3 + \frac{(252x^2 + 3305)x}{64(x^4 + 2x^2 + 3)} - \frac{25(7x^2 + 15)x}{16(x^4 + 2x^2 + 3)^2} + \frac{3}{512} \sqrt{8595619 + 7678611\sqrt{3}} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{3}{512}$$

Antiderivative was successfully verified.

```
[In] Int[(x^10*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^3, x]
```

```
[Out] 58*x - 9*x^3 + x^5 - (25*x*(15 + 7*x^2))/(16*(3 + 2*x^2 + x^4)^2) + (x*(330
5 + 252*x^2))/(64*(3 + 2*x^2 + x^4)) + (3*Sqrt[-8595619 + 7678611*Sqrt[3]]*
ArcTan[(Sqrt[2*(-1 + Sqrt[3])] - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (3*Sqrt
[-8595619 + 7678611*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3])] + 2*x)/Sqrt[2*(
1 + Sqrt[3])]])/256 + (3*Sqrt[8595619 + 7678611*Sqrt[3]]*Log[Sqrt[3] - Sqrt
[2*(-1 + Sqrt[3])]*x + x^2])/512 - (3*Sqrt[8595619 + 7678611*Sqrt[3]]*Log[S
qrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512
```

**Rule 1668**

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :->
With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
```

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
```

```
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^{10}(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx &= -\frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{1}{96} \int \frac{2250-2850x^2-4800x^4+2400x^6-672x^{10}+480x^{12}}{(3+2x^2+x^4)^2} dx \\
&= -\frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} + \frac{\int \frac{-201960+193248x^2+87552x^4-78336x^6+23040x^8}{3+2x^2+x^4} dx}{4608} \\
&= -\frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} + \frac{\int (267264-124416x^2+23040x^4-\frac{216(464}{3+2}}{4608} dx)}{4608} \\
&= 58x - 9x^3 + x^5 - \frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} - \frac{3}{64} \int \frac{4647-148x^2}{3+2x^2+x^4} dx \\
&= 58x - 9x^3 + x^5 - \frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} - \frac{1}{256} \sqrt{3(1+\sqrt{3})} \int \frac{4647\sqrt{3}}{3+2x^2+x^4} dx \\
&= 58x - 9x^3 + x^5 - \frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} - \frac{1}{256} \left( 3\sqrt{7220107-458504} \int \frac{4647\sqrt{3}}{3+2x^2+x^4} dx \right. \\
&= 58x - 9x^3 + x^5 - \frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} + \frac{3}{512} \sqrt{8595619+7678611} \int \frac{4647\sqrt{3}}{3+2x^2+x^4} dx \\
&= 58x - 9x^3 + x^5 - \frac{25x(15+7x^2)}{16(3+2x^2+x^4)^2} + \frac{x(3305+252x^2)}{64(3+2x^2+x^4)} + \frac{3}{256} \sqrt{-8595619+7678611} \int \frac{4647\sqrt{3}}{3+2x^2+x^4} dx
\end{aligned}$$

**Mathematica [C]** time = 0.222089, size = 156, normalized size = 0.64

$$x^5 - 9x^3 + \frac{(252x^2 + 3305)x}{64(x^4 + 2x^2 + 3)} - \frac{25(7x^2 + 15)x}{16(x^4 + 2x^2 + 3)^2} + 58x + \frac{3(148\sqrt{2} + 4795i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{128\sqrt{2-2i\sqrt{2}}} + \frac{3(148\sqrt{2} - 4795i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{128\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^10\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] 58\*x - 9\*x^3 + x^5 - (25\*x\*(15 + 7\*x^2))/(16\*(3 + 2\*x^2 + x^4)^2) + (x\*(3305 + 252\*x^2))/(64\*(3 + 2\*x^2 + x^4)) + (3\*(4795\*I + 148\*sqrt[2])\*ArcTan[x/Sqrt[1 - I\*sqrt[2]]])/(128\*sqrt[2 - (2\*I)\*sqrt[2]]) + (3\*(-4795\*I + 148\*sqrt[2])\*ArcTan[x/Sqrt[1 + I\*sqrt[2]]])/(128\*sqrt[2 + (2\*I)\*sqrt[2]])

[2]) \* ArcTan[x/Sqrt[1 + I\*Sqrt[2]]] / (128\*Sqrt[2 + (2\*I)\*Sqrt[2]])

**Maple [B]** time = 0.02, size = 429, normalized size = 1.8

$$x^5 - 9x^3 + 58x + \frac{1}{(x^4 + 2x^2 + 3)^2} \left( \frac{63x^7}{16} + \frac{3809x^5}{64} + \frac{3333x^3}{32} + \frac{8415x}{64} \right) + \frac{5091 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2}}{1024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^10\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x)

[Out]  $x^5 - 9x^3 + 58x + \frac{63}{16}x^7 + \frac{3809}{64}x^5 + \frac{3333}{32}x^3 + \frac{8415}{64}x$  /  $(x^4 + 2x^2 + 3)^3$  +  $5091/1024 \ln(x^2 + 3^{1/2} - x(-2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  +  $14385/1024 \ln(x^2 + 3^{1/2} - x(-2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  +  $5091/512 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x - (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  +  $14385/512 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x - (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  -  $4647/64 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x - (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  -  $5091/1024 \ln(x^2 + 3^{1/2} + x(-2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  -  $14385/1024 \ln(x^2 + 3^{1/2} + x(-2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  +  $5091/512 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x + (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  +  $14385/512 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x + (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$  -  $4647/64 / (2 + 2 \cdot 3^{1/2})^{1/2} \cdot \arctan((2x + (-2 + 2 \cdot 3^{1/2})^{1/2}) / (2 + 2 \cdot 3^{1/2})^{1/2}) \cdot (-2 + 2 \cdot 3^{1/2})^{1/2} \cdot 3^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$x^5 - 9x^3 + 58x + \frac{252x^7 + 3809x^5 + 6666x^3 + 8415x}{64(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} + \frac{3}{64} \int \frac{148x^2 - 4647}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^10\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out]  $x^5 - 9x^3 + 58x + \frac{1}{64} \cdot (252x^7 + 3809x^5 + 6666x^3 + 8415x) / (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) + \frac{3}{64} \cdot \text{integrate}((148x^2 - 4647) / (x^4 + 2x^2 + 3), x)$

---

**Fricas [B]** time = 1.7942, size = 2853, normalized size = 11.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate( $x^{10}*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3, x$ , algorithm="fricas")

[Out]  $\frac{1}{18808834881088512}*(18808834881088512*x^{13} - 94044174405442560*x^{11} + 601882716194832384*x^9 + 2970620359031916864*x^7 + 10166469141273357744*x^5 + 57410392*2183743218123^{1/4}*sqrt(3)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*sqrt(-66002414605209*sqrt(3) + 176883200667963)*arctan(1/863545621466021963404537403089353*sqrt(6122667604521)*2183743218123^{3/4}*sqrt(55104008440689*x^2 + 2183743218123^{1/4}*(148*sqrt(3)*sqrt(2)*x + 4647*sqrt(2)*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) + 55104008440689*sqrt(3))*(1549*sqrt(3) + 148)*sqrt(-66002414605209*sqrt(3) + 176883200667963) - 1/47013582817418600331*2183743218123^{3/4}*(1549*sqrt(3)*x + 148*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) - 1/2*sqrt(3)*sqrt(2) + 1/2*sqrt(2)) + 57410392*2183743218123^{1/4}*sqrt(3)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*sqrt(-66002414605209*sqrt(3) + 176883200667963)*arctan(1/863545621466021963404537403089353*sqrt(6122667604521)*2183743218123^{3/4}*sqrt(55104008440689*x^2 - 2183743218123^{1/4}*(148*sqrt(3)*sqrt(2)*x + 4647*sqrt(2)*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) + 55104008440689*sqrt(3))*(1549*sqrt(3) + 148)*sqrt(-66002414605209*sqrt(3) + 176883200667963) - 1/47013582817418600331*2183743218123^{3/4}*(1549*sqrt(3)*x + 148*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) + 1/2*sqrt(3)*sqrt(2) - 1/2*sqrt(2)) + 13526491159952810208*x^3 - 2183743218123^{1/4}*(8595619*sqrt(3)*sqrt(2)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 23035833*sqrt(2)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*sqrt(-66002414605209*sqrt(3) + 176883200667963)*log(55104008440689*x^2 + 2183743218123^{1/4}*(148*sqrt(3)*sqrt(2)*x + 4647*sqrt(2)*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) + 55104008440689*sqrt(3)) + 2183743218123^{1/4}*(8595619*sqrt(3)*sqrt(2)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 23035833*sqrt(2)*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*sqrt(-66002414605209*sqrt(3) + 176883200667963)*log(55104008440689*x^2 - 2183743218123^{1/4}*(148*sqrt(3)*sqrt(2)*x + 4647*sqrt(2)*x)*sqrt(-66002414605209*sqrt(3) + 176883200667963) + 55104008440689*sqrt(3)) + 12291279706746325584*x)/(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)$

---

**Sympy [A]** time = 0.591164, size = 82, normalized size = 0.34

$$x^5 - 9x^3 + 58x + \frac{252x^7 + 3809x^5 + 6666x^3 + 8415x}{64x^8 + 256x^6 + 640x^4 + 768x^2 + 576} + 3 \operatorname{RootSum}\left(17179869184t^4 - 2253289947136t^2 + 176883200\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**10*(5*x**6+3*x**4+x**2+4)/(x**4+2*x**2+3)**3,x)
```

```
[Out] x**5 - 9*x**3 + 58*x + (252*x**7 + 3809*x**5 + 6666*x**3 + 8415*x)/(64*x**8
+ 256*x**6 + 640*x**4 + 768*x**2 + 576) + 3*RootSum(17179869184*_t**4 - 22
53289947136*_t**2 + 176883200667963, Lambda(_t, _t*log(-56941871104*_t**3/5
5104008440689 - 1957224667904*_t/55104008440689 + x)))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^{10}}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^10*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)*x^10/(x^4 + 2*x^2 + 3)^3, x)
```

$$3.118 \quad \int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=242

$$\frac{5x^3}{3} - \frac{(835x^2 + 1468)x}{64(x^4 + 2x^2 + 3)} + \frac{25(5x^2 + 3)x}{16(x^4 + 2x^2 + 3)^2} - \frac{21}{512} \sqrt{22721\sqrt{3} - 34271} \log\left(x^2 - \sqrt{2(\sqrt{3} - 1)}x + \sqrt{3}\right) + \frac{21}{512} \sqrt{22721\sqrt{3} + 34271} \log\left(x^2 + \sqrt{2(\sqrt{3} + 1)}x + \sqrt{3}\right)$$

[Out] -27\*x + (5\*x^3)/3 + (25\*x\*(3 + 5\*x^2))/(16\*(3 + 2\*x^2 + x^4)^2) - (x\*(1468 + 835\*x^2))/(64\*(3 + 2\*x^2 + x^4)) - (21\*Sqrt[34271 + 22721\*Sqrt[3]]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (21\*Sqrt[34271 + 22721\*Sqrt[3]]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 - (21\*Sqrt[-34271 + 22721\*Sqrt[3]]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2)/512 + (21\*Sqrt[-34271 + 22721\*Sqrt[3]]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2)/512

**Rubi [A]** time = 0.309967, antiderivative size = 242, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {1668, 1678, 1676, 1169, 634, 618, 204, 628}

$$\frac{5x^3}{3} - \frac{(835x^2 + 1468)x}{64(x^4 + 2x^2 + 3)} + \frac{25(5x^2 + 3)x}{16(x^4 + 2x^2 + 3)^2} - \frac{21}{512} \sqrt{22721\sqrt{3} - 34271} \log\left(x^2 - \sqrt{2(\sqrt{3} - 1)}x + \sqrt{3}\right) + \frac{21}{512} \sqrt{22721\sqrt{3} + 34271} \log\left(x^2 + \sqrt{2(\sqrt{3} + 1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] -27\*x + (5\*x^3)/3 + (25\*x\*(3 + 5\*x^2))/(16\*(3 + 2\*x^2 + x^4)^2) - (x\*(1468 + 835\*x^2))/(64\*(3 + 2\*x^2 + x^4)) - (21\*Sqrt[34271 + 22721\*Sqrt[3]]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (21\*Sqrt[34271 + 22721\*Sqrt[3]]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 - (21\*Sqrt[-34271 + 22721\*Sqrt[3]]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2)/512 + (21\*Sqrt[-34271 + 22721\*Sqrt[3]]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2)/512

### Rule 1668

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :>  
With[{d = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 0]},



```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[Poly
nomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x
^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(
b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*
x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a
+ b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p
+ 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
```

```
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^8(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx &= \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} + \frac{1}{96} \int \frac{-450-1050x^2+2400x^4-672x^8+480x^{10}}{(3+2x^2+x^4)^2} dx \\
&= \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} + \frac{\int \frac{98496+27432x^2-78336x^4+23040x^6}{3+2x^2+x^4} dx}{4608} \\
&= \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} + \frac{\int \left(-124416+23040x^2+\frac{1512(312+137x^2)}{3+2x^2+x^4}\right) dx}{4608} \\
&= -27x + \frac{5x^3}{3} + \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} + \frac{21}{64} \int \frac{312+137x^2}{3+2x^2+x^4} dx \\
&= -27x + \frac{5x^3}{3} + \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} + \frac{1}{256} \left(7\sqrt{3(1+\sqrt{3})}\right) \int \frac{312+137x^2}{3+2x^2+x^4} dx \\
&= -27x + \frac{5x^3}{3} + \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} - \frac{1}{512} \left(21\sqrt{-34271+22721\sqrt{3}}\right) \int \frac{312+137x^2}{3+2x^2+x^4} dx \\
&= -27x + \frac{5x^3}{3} + \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} - \frac{21}{512} \sqrt{-34271+22721\sqrt{3}} \log \left| \frac{3+2x^2+x^4}{\sqrt{-34271+22721\sqrt{3}}} \right| \\
&= -27x + \frac{5x^3}{3} + \frac{25x(3+5x^2)}{16(3+2x^2+x^4)^2} - \frac{x(1468+835x^2)}{64(3+2x^2+x^4)} - \frac{21}{256} \sqrt{34271+22721\sqrt{3}} \tan^{-1} \left| \frac{3+2x^2+x^4}{\sqrt{34271+22721\sqrt{3}}} \right|
\end{aligned}$$

**Mathematica [C]** time = 0.210776, size = 155, normalized size = 0.64

$$\frac{5x^3}{3} - \frac{(835x^2+1468)x}{64(x^4+2x^2+3)} + \frac{25(5x^2+3)x}{16(x^4+2x^2+3)^2} - 27x + \frac{21(137\sqrt{2}-175i)\tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{128\sqrt{2-2i\sqrt{2}}} + \frac{21(137\sqrt{2}+175i)\tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{128\sqrt{2+2i\sqrt{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(x^8\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] -27\*x + (5\*x^3)/3 + (25\*x\*(3 + 5\*x^2))/(16\*(3 + 2\*x^2 + x^4)^2) - (x\*(1468 + 835\*x^2))/(64\*(3 + 2\*x^2 + x^4)) + (21\*(-175\*I + 137\*sqrt[2])\*ArcTan[x/Sqrt[1 - I\*sqrt[2]]])/(128\*sqrt[2 - (2\*I)\*sqrt[2]]) + (21\*(175\*I + 137\*sqrt[2])\*ArcTan[x/Sqrt[1 + I\*sqrt[2]]])/(128\*sqrt[2 + (2\*I)\*sqrt[2]])

])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]]/(128\*Sqrt[2 + (2\*I)\*Sqrt[2]])

**Maple [B]** time = 0.022, size = 426, normalized size = 1.8

$$\frac{5x^3}{3} - 27x + \frac{1}{(x^4 + 2x^2 + 3)^2} \left( -\frac{835x^7}{64} - \frac{1569x^5}{32} - \frac{4941x^3}{64} - \frac{513x}{8} \right) + \frac{693 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}}{1024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x)

[Out] 5/3\*x^3-27\*x+(-835/64\*x^7-1569/32\*x^5-4941/64\*x^3-513/8\*x)/(x^4+2\*x^2+3)^2+693/1024\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-3675/1024\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+693/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)-3675/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+273/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-693/1024\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+3675/1024\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+693/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)-3675/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+273/8/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{5}{3}x^3 - 27x - \frac{835x^7 + 3138x^5 + 4941x^3 + 4104x}{64(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} + \frac{21}{64} \int \frac{137x^2 + 312}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out] 5/3\*x^3 - 27\*x - 1/64\*(835\*x^7 + 3138\*x^5 + 4941\*x^3 + 4104\*x)/(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) + 21/64\*integrate((137\*x^2 + 312)/(x^4 + 2\*x^2 + 3), x)

---

**Fricas [B]** time = 1.8097, size = 2421, normalized size = 10.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^8\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="fricas")

[Out] 1/954779317248\*(1591298862080\*x^11 - 19413846117376\*x^9 - 99660064046704\*x^7 - 285508852710816\*x^5 - 2298072\*1548731523^(1/4)\*sqrt(3)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)\*sqrt(778671391\*sqrt(3) + 1548731523)\*arctan(1/19753021371716480527209\*1548731523^(3/4)\*sqrt(932401677)\*sqrt(932401677\*x^2 + 1548731523^(1/4)\*(137\*sqrt(3)\*sqrt(2)\*x - 312\*sqrt(2)\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) + 932401677\*sqrt(3))\*sqrt(778671391\*sqrt(3) + 1548731523)\*(104\*sqrt(3) - 137) - 1/21185098503117\*1548731523^(3/4)\*(104\*sqrt(3)\*x - 137\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) + 1/2\*sqrt(3)\*sqrt(2) - 1/2\*sqrt(2)) - 2298072\*1548731523^(1/4)\*sqrt(3)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)\*sqrt(778671391\*sqrt(3) + 1548731523)\*arctan(1/19753021371716480527209\*1548731523^(3/4)\*sqrt(932401677)\*sqrt(932401677\*x^2 - 1548731523^(1/4)\*(137\*sqrt(3)\*sqrt(2)\*x - 312\*sqrt(2)\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) + 932401677\*sqrt(3))\*sqrt(778671391\*sqrt(3) + 1548731523)\*(104\*sqrt(3) - 137) - 1/21185098503117\*1548731523^(3/4)\*(104\*sqrt(3)\*x - 137\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) - 1/2\*sqrt(3)\*sqrt(2) + 1/2\*sqrt(2)) - 368738756006544\*x^3 + 21\*1548731523^(1/4)\*(34271\*sqrt(3)\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) - 68163\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9))\*sqrt(778671391\*sqrt(3) + 1548731523)\*log(932401677\*x^2 + 1548731523^(1/4)\*(137\*sqrt(3)\*sqrt(2)\*x - 312\*sqrt(2)\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) + 932401677\*sqrt(3)) - 21\*1548731523^(1/4)\*(34271\*sqrt(3)\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) - 68163\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9))\*sqrt(778671391\*sqrt(3) + 1548731523)\*log(932401677\*x^2 - 1548731523^(1/4)\*(137\*sqrt(3)\*sqrt(2)\*x - 312\*sqrt(2)\*x)\*sqrt(778671391\*sqrt(3) + 1548731523) + 932401677\*sqrt(3)) - 293236597809792\*x)/(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)

---

**Sympy [A]** time = 0.606788, size = 80, normalized size = 0.33

$$\frac{5x^3}{3} - 27x - \frac{835x^7 + 3138x^5 + 4941x^3 + 4104x}{64x^8 + 256x^6 + 640x^4 + 768x^2 + 576} + 21 \operatorname{RootSum}\left(17179869184t^4 + 8983937024t^2 + 1548731523, (t\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*8\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*3,x)

```
[Out] 5*x**3/3 - 27*x - (835*x**7 + 3138*x**5 + 4941*x**3 + 4104*x)/(64*x**8 + 25
6*x**6 + 640*x**4 + 768*x**2 + 576) + 21*RootSum(17179869184*_t**4 + 898393
7024*_t**2 + 1548731523, Lambda(_t, _t*log(-1107296256*_t**3/310800559 + 43
8857984*_t/310800559 + x)))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^8}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^8*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)*x^8/(x^4 + 2*x^2 + 3)^3, x)
```

$$3.119 \quad \int \frac{x^6(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=235

$$\frac{7(58x^2+11)x}{64(x^4+2x^2+3)} + \frac{25(3-x^2)x}{16(x^4+2x^2+3)^2} - \frac{1}{512}\sqrt{1176531\sqrt{3}-827621}\log\left(x^2-\sqrt{2(\sqrt{3}-1)}x+\sqrt{3}\right) + \frac{1}{512}\sqrt{1176531}$$

```
[Out] 5*x + (25*x*(3 - x^2))/(16*(3 + 2*x^2 + x^4)^2) + (7*x*(11 + 58*x^2))/(64*(3 + 2*x^2 + x^4)) + (Sqrt[827621 + 1176531*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (Sqrt[827621 + 1176531*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (Sqrt[-827621 + 1176531*Sqrt[3]]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512 + (Sqrt[-827621 + 1176531*Sqrt[3]]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512
```

**Rubi [A]** time = 0.300497, antiderivative size = 235, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {1668, 1678, 1676, 1169, 634, 618, 204, 628}

$$\frac{7(58x^2+11)x}{64(x^4+2x^2+3)} + \frac{25(3-x^2)x}{16(x^4+2x^2+3)^2} - \frac{1}{512}\sqrt{1176531\sqrt{3}-827621}\log\left(x^2-\sqrt{2(\sqrt{3}-1)}x+\sqrt{3}\right) + \frac{1}{512}\sqrt{1176531}$$

Antiderivative was successfully verified.

```
[In] Int[(x^6*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^3, x]
```

```
[Out] 5*x + (25*x*(3 - x^2))/(16*(3 + 2*x^2 + x^4)^2) + (7*x*(11 + 58*x^2))/(64*(3 + 2*x^2 + x^4)) + (Sqrt[827621 + 1176531*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) - 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (Sqrt[827621 + 1176531*Sqrt[3]]*ArcTan[(Sqrt[2*(-1 + Sqrt[3]]) + 2*x)/Sqrt[2*(1 + Sqrt[3])]])/256 - (Sqrt[-827621 + 1176531*Sqrt[3]]*Log[Sqrt[3] - Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512 + (Sqrt[-827621 + 1176531*Sqrt[3]]*Log[Sqrt[3] + Sqrt[2*(-1 + Sqrt[3])]*x + x^2])/512
```

**Rule 1668**

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
```

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := Int[ExpandIntegrand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r + (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
```



```
nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^6(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx &= \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{1}{96} \int \frac{-450+1650x^2-672x^6+480x^8}{(3+2x^2+x^4)^2} dx \\
&= \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} + \frac{\int \frac{-12744-49104x^2+23040x^4}{3+2x^2+x^4} dx}{4608} \\
&= \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} + \frac{\int \left(23040 - \frac{72(1137+1322x^2)}{3+2x^2+x^4}\right) dx}{4608} \\
&= 5x + \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} - \frac{1}{64} \int \frac{1137+1322x^2}{3+2x^2+x^4} dx \\
&= 5x + \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} - \frac{\int \frac{1137\sqrt{2(-1+\sqrt{3})} - (1137-1322\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{128\sqrt{6(-1+\sqrt{3})}} - \frac{\int \frac{1137\sqrt{2(-1+\sqrt{3})} - (1137-1322\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{128\sqrt{6(-1+\sqrt{3})}} \\
&= 5x + \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} - \frac{1}{256} (1322+379\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx \\
&= 5x + \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} - \frac{1}{512} \sqrt{-827621+1176531\sqrt{3}} \log\left(\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2\right) \\
&= 5x + \frac{25x(3-x^2)}{16(3+2x^2+x^4)^2} + \frac{7x(11+58x^2)}{64(3+2x^2+x^4)} + \frac{1}{256} \sqrt{827621+1176531\sqrt{3}} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2}\right)
\end{aligned}$$

**Mathematica [C]** time = 0.330087, size = 138, normalized size = 0.59

$$\frac{1}{256} \left( \frac{4x(320x^8+1686x^6+4089x^4+5112x^2+3411)}{(x^4+2x^2+3)^2} - \frac{i(185\sqrt{2}-2644i)\tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{i(185\sqrt{2}+2644i)\tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^6\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] ((4\*x\*(3411 + 5112\*x^2 + 4089\*x^4 + 1686\*x^6 + 320\*x^8))/(3 + 2\*x^2 + x^4)^2 - (I\*(-2644\*I + 185\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/Sqrt[1 - I\*Sq

rt[2]] + (I\*(2644\*I + 185\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]])/Sqrt[1 + I\*Sqrt[2]])/256

**Maple [B]** time = 0.022, size = 422, normalized size = 1.8

$$5x - \frac{1}{(x^4 + 2x^2 + 3)^2} \left( -\frac{203x^7}{32} - \frac{889x^5}{64} - \frac{159x^3}{8} - \frac{531x}{64} \right) - \frac{943 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{1024} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x)

[Out]  $5x - (-203/32x^7 - 889/64x^5 - 159/8x^3 - 531/64x) / (x^4 + 2x^2 + 3)^2 - 943/1024 * \ln(x^2 + 3^{1/2} - x(-2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} - 185/1024 * \ln(x^2 + 3^{1/2} - x(-2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} - 943/512 / (2 + 2*3^{1/2})^{1/2} * \arctan((2x - (-2 + 2*3^{1/2})^{1/2}) / (2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} - 185/512 / (2 + 2*3^{1/2})^{1/2} * \arctan((2x - (-2 + 2*3^{1/2})^{1/2}) / (2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} + 943/1024 * \ln(x^2 + 3^{1/2} + x(-2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} + 185/1024 * \ln(x^2 + 3^{1/2} + x(-2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} - 943/512 / (2 + 2*3^{1/2})^{1/2} * \arctan((2x + (-2 + 2*3^{1/2})^{1/2}) / (2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} - 185/512 / (2 + 2*3^{1/2})^{1/2} * \arctan((2x + (-2 + 2*3^{1/2})^{1/2}) / (2 + 2*3^{1/2})^{1/2}) * (-2 + 2*3^{1/2})^{1/2} * 3^{1/2} - 379/64 / (2 + 2*3^{1/2})^{1/2} * \arctan((2x + (-2 + 2*3^{1/2})^{1/2}) / (2 + 2*3^{1/2})^{1/2}) * 3^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$5x + \frac{406x^7 + 889x^5 + 1272x^3 + 531x}{64(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} - \frac{1}{64} \int \frac{1322x^2 + 1137}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^6\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out]  $5x + 1/64 * (406x^7 + 889x^5 + 1272x^3 + 531x) / (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) - 1/64 * \text{integrate}((1322x^2 + 1137) / (x^4 + 2x^2 + 3), x)$

---

**Fricas [B]** time = 1.77273, size = 2670, normalized size = 11.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate( $x^6*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x$ , algorithm="fricas")

[Out]  $\frac{1}{4759173538071552}*(23795867690357760*x^9 + 125374477893572448*x^7 + 304066571830852752*x^5 - 10534088*4152675581883^{(1/4)}*\sqrt{3}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*\sqrt{973721762751*\sqrt{3} + 4152675581883}*\arctan(1/8471206900375217227324302495633*4152675581883^{(3/4)}*\sqrt{516403378697}*\sqrt{4647630408273*x^2 + 4152675581883^{(1/4)}*(1322*\sqrt{3}*\sqrt{2}*x - 1137*\sqrt{2}*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 4647630408273*\sqrt{3})*\sqrt{973721762751*\sqrt{3} + 4152675581883}*(379*\sqrt{3} - 1322) - 1/5468081251875840963*4152675581883^{(3/4)}*(379*\sqrt{3}*x - 1322*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 1/2*\sqrt{3}*\sqrt{2} - 1/2*\sqrt{2}) - 10534088*4152675581883^{(1/4)}*\sqrt{3}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*\sqrt{973721762751*\sqrt{3} + 4152675581883}*\arctan(1/8471206900375217227324302495633*4152675581883^{(3/4)}*\sqrt{516403378697}*\sqrt{4647630408273*x^2 - 4152675581883^{(1/4)}*(1322*\sqrt{3}*\sqrt{2}*x - 1137*\sqrt{2}*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 4647630408273*\sqrt{3})*\sqrt{973721762751*\sqrt{3} + 4152675581883}*(379*\sqrt{3} - 1322) - 1/5468081251875840963*4152675581883^{(3/4)}*(379*\sqrt{3}*x - 1322*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} - 1/2*\sqrt{3}*\sqrt{2} + 1/2*\sqrt{2}) + 380138986353465216*x^3 - 4152675581883^{(1/4)}*(827621*\sqrt{3}*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) - 3529593*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*\sqrt{973721762751*\sqrt{3} + 4152675581883}*\log(4647630408273*x^2 + 4152675581883^{(1/4)}*(1322*\sqrt{3}*\sqrt{2}*x - 1137*\sqrt{2}*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 4647630408273*\sqrt{3})*\sqrt{973721762751*\sqrt{3} + 4152675581883}^{(1/4)}*(827621*\sqrt{3}*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) - 3529593*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*\sqrt{973721762751*\sqrt{3} + 4152675581883}*\log(4647630408273*x^2 - 4152675581883^{(1/4)}*(1322*\sqrt{3}*\sqrt{2}*x - 1137*\sqrt{2}*x)*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 4647630408273*\sqrt{3})*\sqrt{973721762751*\sqrt{3} + 4152675581883} + 253649077161907248*x)/(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)$

---

**Sympy [A]** time = 0.586753, size = 71, normalized size = 0.3

$$5x + \frac{406x^7 + 889x^5 + 1272x^3 + 531x}{64x^8 + 256x^6 + 640x^4 + 768x^2 + 576} + \text{RootSum}\left(17179869184t^4 + 216955879424t^2 + 4152675581883, \left(t \mapsto t\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**6*(5*x**6+3*x**4+x**2+4)/(x**4+2*x**2+3)**3,x)
```

```
[Out] 5*x + (406*x**7 + 889*x**5 + 1272*x**3 + 531*x)/(64*x**8 + 256*x**6 + 640*x
**4 + 768*x**2 + 576) + RootSum(17179869184*_t**4 + 216955879424*_t**2 + 41
52675581883, Lambda(_t, _t*log(-31641829376*_t**3/1549210136091 - 455309168
896*_t/1549210136091 + x)))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^6}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^6*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)*x^6/(x^4 + 2*x^2 + 3)^3, x)
```

$$3.120 \quad \int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=238

$$\frac{x(238-59x^2)}{64(x^4+2x^2+3)} - \frac{25x(x^2+3)}{16(x^4+2x^2+3)^2} + \frac{1}{512}\sqrt{3(48835+32827\sqrt{3})}\log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{512}\sqrt{3(48835+32827\sqrt{3})}\log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

[Out]  $(-25*x*(3 + x^2))/(16*(3 + 2*x^2 + x^4)^2) + (x*(238 - 59*x^2))/(64*(3 + 2*x^2 + x^4)) - (\text{Sqrt}[3*(-48835 + 32827*\text{Sqrt}[3])]*\text{ArcTan}[(\text{Sqrt}[2*(-1 + \text{Sqrt}[3])]] - 2*x)/\text{Sqrt}[2*(1 + \text{Sqrt}[3])]])/256 + (\text{Sqrt}[3*(-48835 + 32827*\text{Sqrt}[3])]*\text{ArcTan}[(\text{Sqrt}[2*(-1 + \text{Sqrt}[3])]] + 2*x)/\text{Sqrt}[2*(1 + \text{Sqrt}[3])]])/256 + (\text{Sqrt}[3*(48835 + 32827*\text{Sqrt}[3])]*\text{Log}[\text{Sqrt}[3] - \text{Sqrt}[2*(-1 + \text{Sqrt}[3])]*x + x^2])/512 - (\text{Sqrt}[3*(48835 + 32827*\text{Sqrt}[3])]*\text{Log}[\text{Sqrt}[3] + \text{Sqrt}[2*(-1 + \text{Sqrt}[3])]*x + x^2])/512$

**Rubi [A]** time = 0.290093, antiderivative size = 238, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1678, 1169, 634, 618, 204, 628}

$$\frac{x(238-59x^2)}{64(x^4+2x^2+3)} - \frac{25x(x^2+3)}{16(x^4+2x^2+3)^2} + \frac{1}{512}\sqrt{3(48835+32827\sqrt{3})}\log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{512}\sqrt{3(48835+32827\sqrt{3})}\log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^4*(4 + x^2 + 3*x^4 + 5*x^6))/(3 + 2*x^2 + x^4)^3, x]$

[Out]  $(-25*x*(3 + x^2))/(16*(3 + 2*x^2 + x^4)^2) + (x*(238 - 59*x^2))/(64*(3 + 2*x^2 + x^4)) - (\text{Sqrt}[3*(-48835 + 32827*\text{Sqrt}[3])]*\text{ArcTan}[(\text{Sqrt}[2*(-1 + \text{Sqrt}[3])]] - 2*x)/\text{Sqrt}[2*(1 + \text{Sqrt}[3])]])/256 + (\text{Sqrt}[3*(-48835 + 32827*\text{Sqrt}[3])]*\text{ArcTan}[(\text{Sqrt}[2*(-1 + \text{Sqrt}[3])]] + 2*x)/\text{Sqrt}[2*(1 + \text{Sqrt}[3])]])/256 + (\text{Sqrt}[3*(48835 + 32827*\text{Sqrt}[3])]*\text{Log}[\text{Sqrt}[3] - \text{Sqrt}[2*(-1 + \text{Sqrt}[3])]*x + x^2])/512 - (\text{Sqrt}[3*(48835 + 32827*\text{Sqrt}[3])]*\text{Log}[\text{Sqrt}[3] + \text{Sqrt}[2*(-1 + \text{Sqrt}[3])]*x + x^2])/512$

### Rule 1668

$\text{Int}[(\text{Pq}_x)(x)^{(m)}*((a_) + (b_.)(x)^2 + (c_.)(x)^4)^{(p)}, x\_Symbol] :=$   
 $\text{With}[\{d = \text{Coeff}[\text{PolynomialRemainder}[x^m*\text{Pq}, a + b*x^2 + c*x^4, x], x, 0],$

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[Poly
nomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x
^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(
b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*
x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a
+ b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p
+ 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
```

`-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

### Rule 628

`Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S  
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
e}, x] && EqQ[2*c*d - b*e, 0]`

### Rubi steps

$$\begin{aligned}
 \int \frac{x^4(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{1}{96} \int \frac{450-750x^2-672x^4+480x^6}{(3+2x^2+x^4)^2} dx \\
 &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{x(238-59x^2)}{64(3+2x^2+x^4)} + \frac{\int \frac{-9936+18792x^2}{3+2x^2+x^4} dx}{4608} \\
 &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{x(238-59x^2)}{64(3+2x^2+x^4)} + \frac{\int \frac{-9936\sqrt{2(-1+\sqrt{3})-(-9936-18792\sqrt{3})x}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx}{9216\sqrt{6(-1+\sqrt{3})}} + \int \frac{-9936}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx \\
 &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{x(238-59x^2)}{64(3+2x^2+x^4)} + \frac{1}{256} (261-46\sqrt{3}) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}} dx \\
 &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{x(238-59x^2)}{64(3+2x^2+x^4)} + \frac{1}{512} \sqrt{146505+98481\sqrt{3}} \log\left(\sqrt{3}-\sqrt{2(-1+\sqrt{3})x+x^2}\right) \\
 &= -\frac{25x(3+x^2)}{16(3+2x^2+x^4)^2} + \frac{x(238-59x^2)}{64(3+2x^2+x^4)} - \frac{1}{256} \sqrt{3(-48835+32827\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})x+x^2}}{\sqrt{3}}\right)
 \end{aligned}$$

**Mathematica [C]** time = 0.303537, size = 129, normalized size = 0.54

$$\frac{1}{256} \left( \frac{4x(-59x^6+120x^4+199x^2+414)}{(x^4+2x^2+3)^2} + \frac{3(174+133i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{3(174-133i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.



[In] Integrate[(x^4\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] ((4\*x\*(414 + 199\*x^2 + 120\*x^4 - 59\*x^6))/(3 + 2\*x^2 + x^4)^2 + (3\*(174 + (133\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/Sqrt[1 - I\*Sqrt[2]] + (3\*(174 - (133\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]])/Sqrt[1 + I\*Sqrt[2]])/256

**Maple [B]** time = 0.019, size = 418, normalized size = 1.8

$$\frac{1}{(x^4 + 2x^2 + 3)^2} \left( -\frac{59x^7}{64} + \frac{15x^5}{8} + \frac{199x^3}{64} + \frac{207x}{32} \right) + \frac{307 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{1024} + \frac{399 \ln \left( x^2 + \sqrt{3} + x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{1024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x)

[Out] (-59/64\*x^7+15/8\*x^5+199/64\*x^3+207/32\*x)/(x^4+2\*x^2+3)^2+307/1024\*ln(x^2+3)^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+399/1024\*ln(x^2+3)^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+307/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+399/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-23/32/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-307/1024\*ln(x^2+3)^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-399/1024\*ln(x^2+3)^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+307/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+399/512/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-23/32/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{59x^7 - 120x^5 - 199x^3 - 414x}{64(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} + \frac{3}{64} \int \frac{87x^2 - 46}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out]  $-1/64*(59*x^7 - 120*x^5 - 199*x^3 - 414*x)/(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 3/64*\text{integrate}((87*x^2 - 46)/(x^4 + 2*x^2 + 3), x)$

**Fricas [B]** time = 1.8353, size = 2402, normalized size = 10.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x, algorithm="fricas")`

[Out]  $-1/2076490005504*(1914264223824*x^7 - 3893418760320*x^5 + 164728*29095522083^{3/4}*\sqrt{3}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*\sqrt{-1603106545*\sqrt{3} + 3232835787}*\arctan(1/1214880276996365518761363*29095522083^{3/4}*\sqrt{2027822271}*\sqrt{2027822271*x^2 + 29095522083^{1/4}}*(87*\sqrt{3}*\sqrt{2}*x + 46*\sqrt{2}*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} + 2027822271*\sqrt{3})*(46*\sqrt{3} + 261)*\sqrt{-1603106545*\sqrt{3} + 3232835787} - 1/599105895211053*29095522083^{3/4}*(46*\sqrt{3}*x + 261*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} - 1/2*\sqrt{3}*\sqrt{2} + 1/2*\sqrt{2}) + 164728*29095522083^{1/4}*\sqrt{3}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)*\sqrt{-1603106545*\sqrt{3} + 3232835787}*\arctan(1/1214880276996365518761363*29095522083^{3/4}*\sqrt{2027822271}*\sqrt{2027822271*x^2 - 29095522083^{1/4}}*(87*\sqrt{3}*\sqrt{2}*x + 46*\sqrt{2}*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} + 2027822271*\sqrt{3})*(46*\sqrt{3} + 261)*\sqrt{-1603106545*\sqrt{3} + 3232835787} - 1/599105895211053*29095522083^{3/4}*(46*\sqrt{3}*x + 261*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} + 1/2*\sqrt{3}*\sqrt{2} - 1/2*\sqrt{2}) - 6456586110864*x^3 + 29095522083^{1/4}*(48835*\sqrt{3}*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 98481*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*\sqrt{-1603106545*\sqrt{3} + 3232835787}*\log(2027822271*x^2 + 29095522083^{1/4}*(87*\sqrt{3}*\sqrt{2}*x + 46*\sqrt{2}*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} + 2027822271*\sqrt{3}) - 29095522083^{3/4}*(48835*\sqrt{3}*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 98481*\sqrt{2}*(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9))*\sqrt{-1603106545*\sqrt{3} + 3232835787}*\log(2027822271*x^2 - 29095522083^{1/4}*(87*\sqrt{3}*\sqrt{2}*x + 46*\sqrt{2}*x)*\sqrt{-1603106545*\sqrt{3} + 3232835787} + 2027822271*\sqrt{3}) - 13432294723104*x)/(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9)$

**Sympy [A]** time = 0.591851, size = 68, normalized size = 0.29

$$-\frac{59x^7 - 120x^5 - 199x^3 - 414x}{64x^8 + 256x^6 + 640x^4 + 768x^2 + 576} + \text{RootSum}\left(17179869184t^4 - 38405406720t^2 + 29095522083, \left(t \mapsto t \log\left(\frac{103}{60}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*3,x)

[Out]  $-(59x^7 - 120x^5 - 199x^3 - 414x)/(64x^8 + 256x^6 + 640x^4 + 768x^2 + 576) + \text{RootSum}(17179869184*_t^4 - 38405406720*_t^2 + 29095522083, \text{Lambda}(_t, _t \log(10301210624*_t^3/6083466813 - 4322999552*_t/2027822271 + x)))$

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^4}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)\*x^4/(x^4 + 2\*x^2 + 3)^3, x)

$$3.121 \quad \int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=246

$$\frac{25x(x^2+1)}{16(x^4+2x^2+3)^2} - \frac{x(88x^2+353)}{192(x^4+2x^2+3)} - \frac{11\sqrt{\frac{1}{3}(1825+1089\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{1536} + \frac{11\sqrt{\frac{1}{3}(1825+1089\sqrt{3})}}{1536}$$

[Out] (25\*x\*(1 + x^2))/(16\*(3 + 2\*x^2 + x^4)^2) - (x\*(353 + 88\*x^2))/(192\*(3 + 2\*x^2 + x^4)) - (11\*Sqrt[(-1825 + 1089\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/768 + (11\*Sqrt[(-1825 + 1089\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/768 - (11\*Sqrt[(1825 + 1089\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/1536 + (11\*Sqrt[(1825 + 1089\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/1536

**Rubi [A]** time = 0.284363, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1668, 1678, 1169, 634, 618, 204, 628}

$$\frac{25x(x^2+1)}{16(x^4+2x^2+3)^2} - \frac{x(88x^2+353)}{192(x^4+2x^2+3)} - \frac{11\sqrt{\frac{1}{3}(1825+1089\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{1536} + \frac{11\sqrt{\frac{1}{3}(1825+1089\sqrt{3})}}{1536}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] (25\*x\*(1 + x^2))/(16\*(3 + 2\*x^2 + x^4)^2) - (x\*(353 + 88\*x^2))/(192\*(3 + 2\*x^2 + x^4)) - (11\*Sqrt[(-1825 + 1089\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/768 + (11\*Sqrt[(-1825 + 1089\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/768 - (11\*Sqrt[(1825 + 1089\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/1536 + (11\*Sqrt[(1825 + 1089\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/1536

### Rule 1668

Int[(Pq\_)\*(x\_)^(m\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :>  
With[{d = Coeff[PolynomialRemainder[x^m\*Pq, a + b\*x^2 + c\*x^4, x], x, 0]},

```
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1678

```
Int[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := With[{d =
Coeff[PolynomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 0], e = Coeff[Poly
nomialRemainder[Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(x*(a + b*x^2 + c*x
^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p + 1)*(
b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), Int[(a + b*x^2 + c*
x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*PolynomialQuotient[Pq, a
+ b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p + 5) - a*b*e + c*(4*p
+ 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]
```

### Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

### Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[In
t[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
```

$-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[\{a, b\}, x] \&\& PosQ[a/b] \&\& (LtQ[a, 0] || LtQ[b, 0])$

### Rule 628

$Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x\_Symbol] :> Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[\{a, b, c, d, e\}, x] \&\& EqQ[2*c*d - b*e, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{x^2(4+x^2+3x^4+5x^6)}{(3+2x^2+x^4)^3} dx &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} + \frac{1}{96} \int \frac{-150+78x^2+480x^4}{(3+2x^2+x^4)^2} dx \\ &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} - \frac{x(353+88x^2)}{192(3+2x^2+x^4)} + \frac{\int \frac{6072-2112x^2}{3+2x^2+x^4} dx}{4608} \\ &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} - \frac{x(353+88x^2)}{192(3+2x^2+x^4)} + \frac{\int \frac{6072\sqrt{2(-1+\sqrt{3})}-(6072+2112\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{9216\sqrt{6(-1+\sqrt{3})}} + \frac{\int \frac{6072\sqrt{2}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{9} \\ &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} - \frac{x(353+88x^2)}{192(3+2x^2+x^4)} - \frac{(11(24-23\sqrt{3})) \int \frac{1}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{2304} - \frac{\int \frac{6072\sqrt{2}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{9} \\ &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} - \frac{x(353+88x^2)}{192(3+2x^2+x^4)} - \frac{11}{768} \sqrt{\frac{1825}{12} + \frac{363\sqrt{3}}{4}} \log\left(\sqrt{3} - \sqrt{2(-1+\sqrt{3})}x + x^2\right) \\ &= \frac{25x(1+x^2)}{16(3+2x^2+x^4)^2} - \frac{x(353+88x^2)}{192(3+2x^2+x^4)} - \frac{11}{768} \sqrt{\frac{1}{3}(-1825+1089\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}x}{\sqrt{2(1+\sqrt{3})}x+x^2}\right) \end{aligned}$$

**Mathematica [C]** time = 0.299272, size = 133, normalized size = 0.54

$$\frac{1}{768} \left( \frac{4x(88x^6 + 529x^4 + 670x^2 + 759)}{(x^4 + 2x^2 + 3)^2} - \frac{11i(31\sqrt{2} - 16i) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{11i(31\sqrt{2} + 16i) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(4 + x^2 + 3\*x^4 + 5\*x^6))/(3 + 2\*x^2 + x^4)^3,x]

[Out] ((-4\*x\*(759 + 670\*x^2 + 529\*x^4 + 88\*x^6))/(3 + 2\*x^2 + x^4)^2 - ((11\*I)\*(-16\*I + 31\*sqrt(2))\*ArcTan[x/Sqrt[1 - I\*sqrt(2)]])/Sqrt[1 - I\*sqrt(2)] + ((11\*I)\*(16\*I + 31\*sqrt(2))\*ArcTan[x/Sqrt[1 + I\*sqrt(2)]])/Sqrt[1 + I\*sqrt(2)])/768

**Maple [B]** time = 0.022, size = 418, normalized size = 1.7

$$\frac{1}{(x^4 + 2x^2 + 3)^2} \left( \frac{11x^7}{24} - \frac{529x^5}{192} - \frac{335x^3}{96} - \frac{253x}{64} \right) - \frac{517 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{9216} - \frac{341 \ln \left( x^2 + \sqrt{3} + x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}}\sqrt{3}}{9216}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x)

[Out] (-11/24\*x^7-529/192\*x^5-335/96\*x^3-253/64\*x)/(x^4+2\*x^2+3)^2-517/9216\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-341/3072\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-517/4608/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-341/1536/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+253/576/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)+517/9216\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+341/3072\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-517/4608/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-341/1536/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+253/576/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{88x^7 + 529x^5 + 670x^3 + 759x}{192(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} - \frac{11}{192} \int \frac{8x^2 - 23}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out] -1/192\*(88\*x^7 + 529\*x^5 + 670\*x^3 + 759\*x)/(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) - 11/192\*integrate((8\*x^2 - 23)/(x^4 + 2\*x^2 + 3), x)

**Fricas [B]** time = 1.73407, size = 2074, normalized size = 8.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="fricas")

[Out] -1/27952128\*(12811392\*x^7 + 77013936\*x^5 + 1348\*sqrt(6)\*3^(3/4)\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)\*sqrt(-1987425\*sqrt(3) + 3557763)\*arctan(1/2226179538\*sqrt(3707)\*sqrt(6)\*3^(3/4)\*sqrt(sqrt(6)\*3^(1/4)\*(8\*sqrt(3)\*x + 23\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) + 33363\*x^2 + 33363\*sqrt(3))\*(23\*sqrt(3)\*sqrt(2) + 24\*sqrt(2))\*sqrt(-1987425\*sqrt(3) + 3557763) - 1/200178\*sqrt(6)\*3^(3/4)\*(23\*sqrt(3)\*sqrt(2)\*x + 24\*sqrt(2)\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) - 1/2\*sqrt(3)\*sqrt(2) + 1/2\*sqrt(2)) + 1348\*sqrt(6)\*3^(3/4)\*sqrt(2)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)\*sqrt(-1987425\*sqrt(3) + 3557763)\*arctan(1/2226179538\*sqrt(3707)\*sqrt(6)\*3^(3/4)\*sqrt(-sqrt(6)\*3^(1/4)\*(8\*sqrt(3)\*x + 23\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) + 33363\*x^2 + 33363\*sqrt(3))\*(23\*sqrt(3)\*sqrt(2) + 24\*sqrt(2))\*sqrt(-1987425\*sqrt(3) + 3557763) - 1/200178\*sqrt(6)\*3^(3/4)\*(23\*sqrt(3)\*sqrt(2)\*x + 24\*sqrt(2)\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) + 1/2\*sqrt(3)\*sqrt(2) - 1/2\*sqrt(2)) - sqrt(6)\*3^(1/4)\*(3267\*x^8 + 13068\*x^6 + 32670\*x^4 + 39204\*x^2 + 1825\*sqrt(3)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) + 29403)\*sqrt(-1987425\*sqrt(3) + 3557763)\*log(sqrt(6)\*3^(1/4)\*(8\*sqrt(3)\*x + 23\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) + 33363\*x^2 + 33363\*sqrt(3)) + sqrt(6)\*3^(1/4)\*(3267\*x^8 + 13068\*x^6 + 32670\*x^4 + 39204\*x^2 + 1825\*sqrt(3)\*(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9) + 29403)\*sqrt(-1987425\*sqrt(3) + 3557763)\*log(-sqrt(6)\*3^(1/4)\*(8\*sqrt(3)\*x + 23\*x)\*sqrt(-1987425\*sqrt(3) + 3557763) + 33363\*x^2 + 33363\*sqrt(3)) + 97541280\*x^3 + 110498256\*x)/(x^8 + 4\*x^6 + 10\*x^4 + 12\*x^2 + 9)

**Sympy [A]** time = 0.592378, size = 68, normalized size = 0.28

$$\frac{88x^7 + 529x^5 + 670x^3 + 759x}{192x^8 + 768x^6 + 1920x^4 + 2304x^2 + 1728} + \text{RootSum}\left(463856467968t^4 - 57887948800t^2 + 1929229929, \left(t \mapsto t \log\right.\right.$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*2\*(5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*3,x)

[Out]  $-(88x^7 + 529x^5 + 670x^3 + 759x)/(192x^8 + 768x^6 + 1920x^4 + 2304x^2 + 1728) + \text{RootSum}(463856467968*_t^4 - 57887948800*_t^2 + 1929229929, \text{Lambda}(_t, _t \log(14193524736*_t^3/54274187 - 17989888*_t/1345641 + x)))$

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(5x^6 + 3x^4 + x^2 + 4)x^2}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)\*x^2/(x^4 + 2\*x^2 + 3)^3, x)

$$3.122 \quad \int \frac{4+x^2+3x^4+5x^6}{(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=248

$$\frac{25x(1-x^2)}{48(x^4+2x^2+3)^2} + \frac{x(51x^2+64)}{192(x^4+2x^2+3)} + \frac{1}{512} \sqrt{\frac{1}{3}(1291+1019\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{512} \sqrt{\frac{1}{3}(1291+1019\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

[Out] (25\*x\*(1 - x^2))/(48\*(3 + 2\*x^2 + x^4)^2) + (x\*(64 + 51\*x^2))/(192\*(3 + 2\*x^2 + x^4)) - (Sqrt[(-1291 + 1019\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (Sqrt[(-1291 + 1019\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (Sqrt[(1291 + 1019\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/512 - (Sqrt[(1291 + 1019\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/512

**Rubi [A]** time = 0.254342, antiderivative size = 248, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$ , Rules used = {1678, 1178, 1169, 634, 618, 204, 628}

$$\frac{25x(1-x^2)}{48(x^4+2x^2+3)^2} + \frac{x(51x^2+64)}{192(x^4+2x^2+3)} + \frac{1}{512} \sqrt{\frac{1}{3}(1291+1019\sqrt{3})} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right) - \frac{1}{512} \sqrt{\frac{1}{3}(1291+1019\sqrt{3})} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(3 + 2\*x^2 + x^4)^3, x]

[Out] (25\*x\*(1 - x^2))/(48\*(3 + 2\*x^2 + x^4)^2) + (x\*(64 + 51\*x^2))/(192\*(3 + 2\*x^2 + x^4)) - (Sqrt[(-1291 + 1019\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (Sqrt[(-1291 + 1019\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3]]) + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/256 + (Sqrt[(1291 + 1019\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/512 - (Sqrt[(1291 + 1019\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/512

**Rule 1678**

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] := With[{d = Coeff[PolynomialRemainder[Pq, a + b\*x^2 + c\*x^4, x], x, 0], e = Coeff[Poly

nomialRemainder[Pq, a + b\*x^2 + c\*x^4, x], x, 2]}, Simp[(x\*(a + b\*x^2 + c\*x^4)^(p + 1)\*(a\*b\*e - d\*(b^2 - 2\*a\*c) - c\*(b\*d - 2\*a\*e)\*x^2))/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), Int[(a + b\*x^2 + c\*x^4)^(p + 1)\*ExpandToSum[2\*a\*(p + 1)\*(b^2 - 4\*a\*c)\*PolynomialQuotient[Pq, a + b\*x^2 + c\*x^4, x] + b^2\*d\*(2\*p + 3) - 2\*a\*c\*d\*(4\*p + 5) - a\*b\*e + c\*(4\*p + 7)\*(b\*d - 2\*a\*e)\*x^2, x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && Expon[Pq, x^2] > 1 && NeQ[b^2 - 4\*a\*c, 0] && LtQ[p, -1]

### Rule 1178

Int[((d\_) + (e\_)\*(x\_)^2)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Simp[(x\*(a\*b\*e - d\*(b^2 - 2\*a\*c) - c\*(b\*d - 2\*a\*e)\*x^2)\*(a + b\*x^2 + c\*x^4)^(p + 1))/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), x] + Dist[1/(2\*a\*(p + 1)\*(b^2 - 4\*a\*c)), Int[Simp[(2\*p + 3)\*d\*b^2 - a\*b\*e - 2\*a\*c\*d\*(4\*p + 5) + (4\*p + 7)\*(d\*b - 2\*a\*e)\*c\*x^2, x]\*(a + b\*x^2 + c\*x^4)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && LtQ[p, -1] && IntegerQ[2\*p]

### Rule 1169

Int[((d\_) + (e\_)\*(x\_)^2)/((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4), x\_Symbol] :> With[{q = Rt[a/c, 2]}, With[{r = Rt[2\*q - b/c, 2]}, Dist[1/(2\*c\*q\*r), Int[(d\*r - (d - e\*q)\*x)/(q - r\*x + x^2), x], x] + Dist[1/(2\*c\*q\*r), Int[(d\*r + (d - e\*q)\*x)/(q + r\*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && NegQ[b^2 - 4\*a\*c]

### Rule 634

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] :> Dist[(2\*c\*d - b\*e)/(2\*c), Int[1/(a + b\*x + c\*x^2), x], x] + Dist[e/(2\*c), Int[(b + 2\*c\*x)/(a + b\*x + c\*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2\*c\*d - b\*e, 0] && NeQ[b^2 - 4\*a\*c, 0] && !NiceSqrtQ[b^2 - 4\*a\*c]

### Rule 618

Int[((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(-1), x\_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4\*a\*c - x^2, x], x], x, b + 2\*c\*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4\*a\*c, 0]

### Rule 204

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 628

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] :> S
imp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{4 + x^2 + 3x^4 + 5x^6}{(3 + 2x^2 + x^4)^3} dx &= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{1}{96} \int \frac{78 + 230x^2}{(3 + 2x^2 + x^4)^2} dx \\
&= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{x(64 + 51x^2)}{192(3 + 2x^2 + x^4)} + \frac{\int \frac{-288 + 1224x^2}{3 + 2x^2 + x^4} dx}{4608} \\
&= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{x(64 + 51x^2)}{192(3 + 2x^2 + x^4)} + \frac{\int \frac{-288\sqrt{2(-1+\sqrt{3})} - (-288 - 1224\sqrt{3})x}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})}x + x^2} dx}{9216\sqrt{6(-1+\sqrt{3})}} + \frac{\int \frac{-288\sqrt{2(-1+\sqrt{3})}}{\sqrt{3} + x^2} dx}{9216} \\
&= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{x(64 + 51x^2)}{192(3 + 2x^2 + x^4)} + \frac{1}{768} (51 - 4\sqrt{3}) \int \frac{1}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})}x + x^2} dx \\
&= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{x(64 + 51x^2)}{192(3 + 2x^2 + x^4)} + \frac{1}{512} \sqrt{\frac{1}{3}} (1291 + 1019\sqrt{3}) \log\left(\sqrt{3} - \sqrt{2(-1+\sqrt{3})}x + x^2\right) \\
&= \frac{25x(1 - x^2)}{48(3 + 2x^2 + x^4)^2} + \frac{x(64 + 51x^2)}{192(3 + 2x^2 + x^4)} - \frac{1}{256} \sqrt{\frac{1}{3}} (-1291 + 1019\sqrt{3}) \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}}{\sqrt{2(1+\sqrt{3})}}\right)
\end{aligned}$$

**Mathematica [C]** time = 0.302399, size = 129, normalized size = 0.52

$$\frac{1}{768} \left( \frac{4x(51x^6 + 166x^4 + 181x^2 + 292)}{(x^4 + 2x^2 + 3)^2} + \frac{3(34 + 21i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{3(34 - 21i\sqrt{2}) \tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(4 + x^2 + 3*x^4 + 5*x^6)/(3 + 2*x^2 + x^4)^3, x]
```

[Out]  $((4*x*(292 + 181*x^2 + 166*x^4 + 51*x^6))/(3 + 2*x^2 + x^4)^2 + (3*(34 + (21*I)*\text{Sqrt}[2]))*\text{ArcTan}[x/\text{Sqrt}[1 - I*\text{Sqrt}[2]]])/\text{Sqrt}[1 - I*\text{Sqrt}[2]] + (3*(34 - (21*I)*\text{Sqrt}[2]))*\text{ArcTan}[x/\text{Sqrt}[1 + I*\text{Sqrt}[2]]])/\text{Sqrt}[1 + I*\text{Sqrt}[2]])/768$

**Maple [B]** time = 0.022, size = 418, normalized size = 1.7

$$\frac{1}{(x^4 + 2x^2 + 3)^2} \left( \frac{17x^7}{64} + \frac{83x^5}{96} + \frac{181x^3}{192} + \frac{73x}{48} \right) + \frac{55 \ln \left( x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{3072} + \frac{21 \ln \left( x^2 + \sqrt{3} + x\sqrt{-2 + 2\sqrt{3}} \right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{3072}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3, x)$

[Out]  $(17/64*x^7+83/96*x^5+181/192*x^3+73/48*x)/(x^4+2*x^2+3)^2+55/3072*\ln(x^2+3^{1/2}-x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}+21/1024*\ln(x^2+3^{1/2}+x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}+55/1536/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}+21/512/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}-1/48/(2+2*3^{1/2})^{1/2}*\arctan((2*x-(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*3^{1/2}-55/3072*\ln(x^2+3^{1/2}+x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}-21/1024*\ln(x^2+3^{1/2}+x*(-2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}+55/1536/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}*3^{1/2}+21/512/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*(-2+2*3^{1/2})^{1/2}-1/48/(2+2*3^{1/2})^{1/2}*\arctan((2*x+(-2+2*3^{1/2})^{1/2})/(2+2*3^{1/2})^{1/2})*3^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{51x^7 + 166x^5 + 181x^3 + 292x}{192(x^8 + 4x^6 + 10x^4 + 12x^2 + 9)} + \frac{1}{64} \int \frac{17x^2 - 4}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3, x, \text{algorithm}=\text{"maxima"})$

[Out]  $1/192*(51*x^7 + 166*x^5 + 181*x^3 + 292*x)/(x^8 + 4*x^6 + 10*x^4 + 12*x^2 + 9) + 1/64*\text{integrate}((17*x^2 - 4)/(x^4 + 2*x^2 + 3), x)$

---

**Fricas [B]** time = 1.68028, size = 2261, normalized size = 9.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/(x^4+2\*x^2+3)^3,x, algorithm="fricas")

[Out] 
$$\frac{1}{7991829504} \cdot (2122829712x^7 + 6909602592x^5 - 3404 \cdot 3115083^{1/4} \sqrt{6} \sqrt{3} \sqrt{2} (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) \sqrt{-1315529 \sqrt{3} + 3115083} \arctan(1/41378565634793586 \cdot 3115083^{3/4} \sqrt{2601507} \sqrt{6} \sqrt{3115083^{1/4} \sqrt{6} (17 \sqrt{3} x + 4x) \sqrt{-1315529 \sqrt{3} + 3115083} + 2601507 x^2 + 2601507 \sqrt{3})} (4 \sqrt{3} \sqrt{2} + 51 \sqrt{2}) \sqrt{-1315529 \sqrt{3} + 3115083} - 1/15905613798 \cdot 3115083^{3/4} \sqrt{6} (4 \sqrt{3} \sqrt{2} x + 51 \sqrt{2} x) \sqrt{-1315529 \sqrt{3} + 3115083} - 1/2 \sqrt{3} \sqrt{2} + 1/2 \sqrt{2}) - 3404 \cdot 3115083^{1/4} \sqrt{6} \sqrt{3} \sqrt{2} (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) \sqrt{-1315529 \sqrt{3} + 3115083} \arctan(1/41378565634793586 \cdot 3115083^{3/4} \sqrt{2601507} \sqrt{6} \sqrt{-3115083^{1/4} \sqrt{6} (17 \sqrt{3} x + 4x) \sqrt{-1315529 \sqrt{3} + 3115083} + 2601507 x^2 + 2601507 \sqrt{3})} (4 \sqrt{3} \sqrt{2} + 51 \sqrt{2}) \sqrt{-1315529 \sqrt{3} + 3115083} - 1/15905613798 \cdot 3115083^{3/4} \sqrt{6} (4 \sqrt{3} \sqrt{2} x + 51 \sqrt{2} x) \sqrt{-1315529 \sqrt{3} + 3115083} + 1/2 \sqrt{3} \sqrt{2} - 1/2 \sqrt{2}) - 3115083^{1/4} \sqrt{6} (3057x^8 + 12228x^6 + 30570x^4 + 36684x^2 + 1291 \sqrt{3} (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) + 27513) \sqrt{-1315529 \sqrt{3} + 3115083} \log(3115083^{1/4} \sqrt{6} (17 \sqrt{3} x + 4x) \sqrt{-1315529 \sqrt{3} + 3115083} + 2601507 x^2 + 2601507 \sqrt{3}) + 3115083^{1/4} \sqrt{6} (3057x^8 + 12228x^6 + 30570x^4 + 36684x^2 + 1291 \sqrt{3} (x^8 + 4x^6 + 10x^4 + 12x^2 + 9) + 27513) \sqrt{-1315529 \sqrt{3} + 3115083} \log(-3115083^{1/4} \sqrt{6} (17 \sqrt{3} x + 4x) \sqrt{-1315529 \sqrt{3} + 3115083} + 2601507 x^2 + 2601507 \sqrt{3}) + 7533964272x^3 + 12154240704x) / (x^8 + 4x^6 + 10x^4 + 12x^2 + 9)$$

---

**Sympy [A]** time = 0.571005, size = 68, normalized size = 0.27

$$\frac{51x^7 + 166x^5 + 181x^3 + 292x}{192x^8 + 768x^6 + 1920x^4 + 2304x^2 + 1728} + \text{RootSum}\left(51539607552t^4 - 338427904t^2 + 1038361, \left(t \mapsto t \log\left(\frac{553648}{8671}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/(x\*\*4+2\*x\*\*2+3)\*\*3,x)

```
[Out] (51*x**7 + 166*x**5 + 181*x**3 + 292*x)/(192*x**8 + 768*x**6 + 1920*x**4 +
2304*x**2 + 1728) + RootSum(51539607552*_t**4 - 338427904*_t**2 + 1038361,
Lambda(_t, _t*log(5536481280*_t**3/867169 - 19920128*_t/867169 + x)))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x^6+3*x^4+x^2+4)/(x^4+2*x^2+3)^3,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)/(x^4 + 2*x^2 + 3)^3, x)
```

$$3.123 \quad \int \frac{4+x^2+3x^4+5x^6}{x^2(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=253

$$-\frac{25x(x^2+5)}{144(x^4+2x^2+3)^2} - \frac{x(242x^2+325)}{1728(x^4+2x^2+3)} - \frac{\sqrt{\frac{1}{3}(55161\sqrt{3}-59711)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{4608} + \frac{\sqrt{\frac{1}{3}(55161\sqrt{3}-59711)} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{4608}$$

[Out] -4/(27\*x) - (25\*x\*(5 + x^2))/(144\*(3 + 2\*x^2 + x^4)^2) - (x\*(325 + 242\*x^2))/(1728\*(3 + 2\*x^2 + x^4)) + (Sqrt[(59711 + 55161\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/2304 - (Sqrt[(59711 + 55161\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/2304 - (Sqrt[(-59711 + 55161\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2))/4608 + (Sqrt[(-59711 + 55161\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2))/4608

**Rubi [A]** time = 0.342795, antiderivative size = 253, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1669, 1664, 1169, 634, 618, 204, 628}

$$-\frac{25x(x^2+5)}{144(x^4+2x^2+3)^2} - \frac{x(242x^2+325)}{1728(x^4+2x^2+3)} - \frac{\sqrt{\frac{1}{3}(55161\sqrt{3}-59711)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{4608} + \frac{\sqrt{\frac{1}{3}(55161\sqrt{3}-59711)} \log\left(x^2 + \sqrt{2(\sqrt{3}-1)x + \sqrt{3}}\right)}{4608}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^2\*(3 + 2\*x^2 + x^4)^3), x]

[Out] -4/(27\*x) - (25\*x\*(5 + x^2))/(144\*(3 + 2\*x^2 + x^4)^2) - (x\*(325 + 242\*x^2))/(1728\*(3 + 2\*x^2 + x^4)) + (Sqrt[(59711 + 55161\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/2304 - (Sqrt[(59711 + 55161\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/2304 - (Sqrt[(-59711 + 55161\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2))/4608 + (Sqrt[(-59711 + 55161\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]]\*x + x^2))/4608

**Rule 1669**



```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
*a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
, x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]

```

### Rule 1664

```

Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]

```

### Rule 1169

```

Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
> With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
[(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
(d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]

```

### Rule 634

```

Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]

```

### Rule 618

```

Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int
[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
x] && NeQ[b^2 - 4*a*c, 0]

```

### Rule 204

```

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
a, 0] || LtQ[b, 0])

```

Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] :> S  
 imp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
 e}, x] && EqQ[2\*c\*d - b\*e, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^2(3 + 2x^2 + x^4)^3} dx &= -\frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} + \frac{1}{96} \int \frac{128 + 30x^2 - \frac{250x^4}{3}}{x^2(3 + 2x^2 + x^4)^2} dx \\
 &= -\frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} + \frac{\int \frac{2048 - \frac{56x^2}{3} - \frac{1936x^4}{3}}{x^2(3 + 2x^2 + x^4)} dx}{4608} \\
 &= -\frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} + \frac{\int \left( \frac{2048}{3x^2} - \frac{8(173 + 166x^2)}{3 + 2x^2 + x^4} \right) dx}{4608} \\
 &= -\frac{4}{27x} - \frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} - \frac{1}{576} \int \frac{173 + 166x^2}{3 + 2x^2 + x^4} dx \\
 &= -\frac{4}{27x} - \frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} - \frac{\int \frac{173\sqrt{2(-1+\sqrt{3})} - (173-166\sqrt{3})x}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{1152\sqrt{6(-1+\sqrt{3})}} - \frac{\int \frac{173}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{1152\sqrt{6(-1+\sqrt{3})}} \\
 &= -\frac{4}{27x} - \frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} - \frac{\sqrt{\frac{1}{3}(-59711 + 55161\sqrt{3})} \int \frac{-\sqrt{2(-1+\sqrt{3})}}{\sqrt{3}-\sqrt{2(-1+\sqrt{3})}x+x^2} dx}{4608} \\
 &= -\frac{4}{27x} - \frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} - \frac{\sqrt{\frac{1}{3}(-59711 + 55161\sqrt{3})} \log\left(\sqrt{3} - \sqrt{\frac{2(-1+\sqrt{3})}{3+2x^2+x^4}}\right)}{4608} \\
 &= -\frac{4}{27x} - \frac{25x(5 + x^2)}{144(3 + 2x^2 + x^4)^2} - \frac{x(325 + 242x^2)}{1728(3 + 2x^2 + x^4)} + \frac{\sqrt{\frac{1}{3}(59711 + 55161\sqrt{3})} \tan^{-1}\left(\frac{\sqrt{2(-1+\sqrt{3})}}{\sqrt{2(1+\sqrt{3})}}\right)}{2304}
 \end{aligned}$$

**Mathematica [C]** time = 0.378739, size = 140, normalized size = 0.55

$$\frac{12(166x^8+611x^6+1412x^4+1849x^2+768)}{x(x^4+2x^2+3)^2} + \frac{3i(7\sqrt{2}+332i)\tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} - \frac{3i(7\sqrt{2}-332i)\tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}}$$


---

6912

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^2\*(3 + 2\*x^2 + x^4)^3), x]

[Out] ((-12\*(768 + 1849\*x^2 + 1412\*x^4 + 611\*x^6 + 166\*x^8))/(x\*(3 + 2\*x^2 + x^4)^2) + ((3\*I)\*(332\*I + 7\*sqrt[2])\*ArcTan[x/Sqrt[1 - I\*sqrt[2]]])/Sqrt[1 - I\*sqrt[2]] - ((3\*I)\*(-332\*I + 7\*sqrt[2])\*ArcTan[x/Sqrt[1 + I\*sqrt[2]]])/Sqrt[1 + I\*sqrt[2]])/6912

**Maple [B]** time = 0.023, size = 424, normalized size = 1.7

$$-\frac{1}{27(x^4+2x^2+3)^2} \left( \frac{121x^7}{32} + \frac{809x^5}{64} + \frac{419x^3}{16} + \frac{2475x}{64} \right) - \frac{325 \ln\left(x^2 + \sqrt{3} - x\sqrt{-2+2\sqrt{3}}\right) \sqrt{-2+2\sqrt{3}}\sqrt{3}}{27648} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+2\*x^2+3)^3, x)

[Out] -1/27\*(121/32\*x^7+809/64\*x^5+419/16\*x^3+2475/64\*x)/(x^4+2\*x^2+3)^2-325/27648\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+7/9216\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-325/13824/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+7/4608/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-173/1728/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)+325/27648\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-7/9216\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-325/13824/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+7/4608/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)-173/1728/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-4/27/x

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$-\frac{166x^8 + 611x^6 + 1412x^4 + 1849x^2 + 768}{576(x^9 + 4x^7 + 10x^5 + 12x^3 + 9x)} - \frac{1}{576} \int \frac{166x^2 + 173}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out] -1/576\*(166\*x^8 + 611\*x^6 + 1412\*x^4 + 1849\*x^2 + 768)/(x^9 + 4\*x^7 + 10\*x^5 + 12\*x^3 + 9\*x) - 1/576\*integrate((166\*x^2 + 173)/(x^4 + 2\*x^2 + 3), x)

---

**Fricas [B]** time = 1.73342, size = 2529, normalized size = 10.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^2/(x^4+2\*x^2+3)^3,x, algorithm="fricas")

[Out] -1/2978955242496\*(858518351136\*x^8 + 3159968147856\*x^6 + 210956\*1391283^(1/4)\*sqrt(681)\*sqrt(6)\*sqrt(3)\*sqrt(2)\*(x^9 + 4\*x^7 + 10\*x^5 + 12\*x^3 + 9\*x)\*sqrt(59711\*sqrt(3) + 165483)\*arctan(1/15811665652336538898\*sqrt(11971753)\*1391283^(3/4)\*sqrt(681)\*sqrt(6)\*sqrt(1391283^(1/4)\*sqrt(681)\*sqrt(6)\*(166\*sqrt(3)\*x - 173\*x)\*sqrt(59711\*sqrt(3) + 165483) + 107745777\*x^2 + 107745777\*sqrt(3))\*(173\*sqrt(3)\*sqrt(2) - 498\*sqrt(2))\*sqrt(59711\*sqrt(3) + 165483) - 1/440249244822\*1391283^(3/4)\*sqrt(681)\*sqrt(6)\*(173\*sqrt(3)\*sqrt(2)\*x - 498\*sqrt(2)\*x)\*sqrt(59711\*sqrt(3) + 165483) + 1/2\*sqrt(3)\*sqrt(2) - 1/2\*sqrt(2)) + 210956\*1391283^(1/4)\*sqrt(681)\*sqrt(6)\*sqrt(3)\*sqrt(2)\*(x^9 + 4\*x^7 + 10\*x^5 + 12\*x^3 + 9\*x)\*sqrt(59711\*sqrt(3) + 165483)\*arctan(1/47434996957009616694\*sqrt(11971753)\*1391283^(3/4)\*sqrt(681)\*sqrt(6)\*sqrt(-9\*1391283^(1/4)\*sqrt(681)\*sqrt(6)\*(166\*sqrt(3)\*x - 173\*x)\*sqrt(59711\*sqrt(3) + 165483) + 969711993\*x^2 + 969711993\*sqrt(3))\*(173\*sqrt(3)\*sqrt(2) - 498\*sqrt(2))\*sqrt(59711\*sqrt(3) + 165483) - 1/440249244822\*1391283^(3/4)\*sqrt(681)\*sqrt(6)\*(173\*sqrt(3)\*sqrt(2)\*x - 498\*sqrt(2)\*x)\*sqrt(59711\*sqrt(3) + 165483) - 1/2\*sqrt(3)\*sqrt(2) + 1/2\*sqrt(2)) + 7302577781952\*x^4 - 1391283^(1/4)\*sqrt(681)\*sqrt(6)\*(165483\*x^9 + 661932\*x^7 + 1654830\*x^5 + 1985796\*x^3 - 59711\*sqrt(3))\*(x^9 + 4\*x^7 + 10\*x^5 + 12\*x^3 + 9\*x) + 1489347\*x)\*sqrt(59711\*sqrt(3) + 165483)\*log(9\*1391283^(1/4)\*sqrt(681)\*sqrt(6)\*(166\*sqrt(3)\*x - 173\*x)\*sqrt(59711\*sqrt(3) + 165483) + 969711993\*x^2 + 969711993\*sqrt(3)) + 1391283^(1/4)

```
*sqrt(681)*sqrt(6)*(165483*x^9 + 661932*x^7 + 1654830*x^5 + 1985796*x^3 - 5
9711*sqrt(3)*(x^9 + 4*x^7 + 10*x^5 + 12*x^3 + 9*x) + 1489347*x)*sqrt(59711*
sqrt(3) + 165483)*log(-9*1391283^(1/4)*sqrt(681)*sqrt(6)*(166*sqrt(3)*x - 1
73*x)*sqrt(59711*sqrt(3) + 165483) + 969711993*x^2 + 969711993*sqrt(3)) + 9
562653200304*x^2 + 3971940323328)/(x^9 + 4*x^7 + 10*x^5 + 12*x^3 + 9*x)
```

**Sympy [A]** time = 0.607374, size = 73, normalized size = 0.29

$$-\frac{166x^8 + 611x^6 + 1412x^4 + 1849x^2 + 768}{576x^9 + 2304x^7 + 5760x^5 + 6912x^3 + 5184x} + \text{RootSum}\left(4174708211712t^4 + 15652880384t^2 + 37564641, \left(t \mapsto t\log\left(\frac{166\sqrt{3}x - 173}{\sqrt{59711\sqrt{3} + 165483} + 969711993x^2 + 969711993\sqrt{3}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x**6+3*x**4+x**2+4)/x**2/(x**4+2*x**2+3)**3,x)
```

```
[Out] -(166*x**8 + 611*x**6 + 1412*x**4 + 1849*x**2 + 768)/(576*x**9 + 2304*x**7
+ 5760*x**5 + 6912*x**3 + 5184*x) + RootSum(4174708211712*_t**4 + 156528803
84*_t**2 + 37564641, Lambda(_t, _t*log(-98146713600*_t**3/11971753 - 963936
4864*_t/323237331 + x)))
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^3 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((5*x^6+3*x^4+x^2+4)/x^2/(x^4+2*x^2+3)^3,x, algorithm="giac")
```

```
[Out] integrate((5*x^6 + 3*x^4 + x^2 + 4)/((x^4 + 2*x^2 + 3)^3*x^2), x)
```

$$3.124 \quad \int \frac{4+x^2+3x^4+5x^6}{x^4(3+2x^2+x^4)^3} dx$$

**Optimal.** Leaf size=262

$$\frac{25x(5x^2+7)}{432(x^4+2x^2+3)^2} + \frac{x(1025x^2+1474)}{5184(x^4+2x^2+3)} - \frac{4}{81x^3} + \frac{\sqrt{\frac{1}{3}(11240451\sqrt{3}-10004741)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)}{41472}$$

[Out] -4/(81\*x^3) + 7/(27\*x) + (25\*x\*(7 + 5\*x^2))/(432\*(3 + 2\*x^2 + x^4)^2) + (x\*(1474 + 1025\*x^2))/(5184\*(3 + 2\*x^2 + x^4)) - (Sqrt[(10004741 + 11240451\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/20736 + (Sqrt[(10004741 + 11240451\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/20736 + (Sqrt[(-10004741 + 11240451\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/41472 - (Sqrt[(-10004741 + 11240451\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/41472

**Rubi [A]** time = 0.365888, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {1669, 1664, 1169, 634, 618, 204, 628}

$$\frac{25x(5x^2+7)}{432(x^4+2x^2+3)^2} + \frac{x(1025x^2+1474)}{5184(x^4+2x^2+3)} - \frac{4}{81x^3} + \frac{\sqrt{\frac{1}{3}(11240451\sqrt{3}-10004741)} \log\left(x^2 - \sqrt{2(\sqrt{3}-1)}x + \sqrt{3}\right)}{41472}$$

Antiderivative was successfully verified.

[In] Int[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(3 + 2\*x^2 + x^4)^3), x]

[Out] -4/(81\*x^3) + 7/(27\*x) + (25\*x\*(7 + 5\*x^2))/(432\*(3 + 2\*x^2 + x^4)^2) + (x\*(1474 + 1025\*x^2))/(5184\*(3 + 2\*x^2 + x^4)) - (Sqrt[(10004741 + 11240451\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] - 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/20736 + (Sqrt[(10004741 + 11240451\*Sqrt[3])/3]\*ArcTan[(Sqrt[2\*(-1 + Sqrt[3])] + 2\*x)/Sqrt[2\*(1 + Sqrt[3])]])/20736 + (Sqrt[(-10004741 + 11240451\*Sqrt[3])/3]\*Log[Sqrt[3] - Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/41472 - (Sqrt[(-10004741 + 11240451\*Sqrt[3])/3]\*Log[Sqrt[3] + Sqrt[2\*(-1 + Sqrt[3])]\*x + x^2])/41472

Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

Rule 1664

```
Int[(Pq_)*((d_)*(x_))^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
  Symbol] := Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
  FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

Rule 1169

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
  > With[{q = Rt[a/c, 2]}, With[{r = Rt[2*q - b/c, 2]}, Dist[1/(2*c*q*r), Int
  [(d*r - (d - e*q)*x)/(q - r*x + x^2), x], x] + Dist[1/(2*c*q*r), Int[(d*r +
  (d - e*q)*x)/(q + r*x + x^2), x], x]]] /; FreeQ[{a, b, c, d, e}, x] && NeQ
  [b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && NegQ[b^2 - 4*a*c]
```

Rule 634

```
Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2), x_Symbol] := D
  ist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), In
  t[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ
  [2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[I
  nt[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
  x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[
  -a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[
```

a, 0] || LtQ[b, 0])

### Rule 628

Int[((d\_) + (e\_)\*(x\_))/((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2), x\_Symbol] :> S  
 imp[(d\*Log[RemoveContent[a + b\*x + c\*x^2, x]])/b, x] /; FreeQ[{a, b, c, d,  
 e}, x] && EqQ[2\*c\*d - b\*e, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{4 + x^2 + 3x^4 + 5x^6}{x^4(3 + 2x^2 + x^4)^3} dx &= \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{1}{96} \int \frac{128 - \frac{160x^2}{3} + 50x^4 + \frac{1250x^6}{9}}{x^4(3 + 2x^2 + x^4)^2} dx \\
 &= \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{\int \frac{2048 - \frac{6656x^2}{3} + \frac{2576x^4}{9} + \frac{8200x^6}{9}}{x^4(3 + 2x^2 + x^4)} dx}{4608} \\
 &= \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{\int \left( \frac{2048}{3x^4} - \frac{3584}{3x^2} + \frac{8(2242 + 2369x^2)}{9(3 + 2x^2 + x^4)} \right) dx}{4608} \\
 &= -\frac{4}{81x^3} + \frac{7}{27x} + \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{\int \frac{2242 + 2369x^2}{3 + 2x^2 + x^4} dx}{5184} \\
 &= -\frac{4}{81x^3} + \frac{7}{27x} + \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{\int \frac{2242\sqrt{2(-1+\sqrt{3})} - (2242 - 2369\sqrt{3})x}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x + x^2}} dx}{10368\sqrt{6(-1 + \sqrt{3})}} \\
 &= -\frac{4}{81x^3} + \frac{7}{27x} + \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{(2242 - 2369\sqrt{3}) \int \frac{\sqrt{2(-1+\sqrt{3})}}{\sqrt{3} + \sqrt{2(-1+\sqrt{3})x + x^2}} dx}{20736\sqrt{6(-1 + \sqrt{3})}} \\
 &= -\frac{4}{81x^3} + \frac{7}{27x} + \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} + \frac{\sqrt{-\frac{10004741}{12} + \frac{3746817\sqrt{3}}{4}} \log\left(\frac{\sqrt{3} + \sqrt{2(-1+\sqrt{3})x + x^2}}{\sqrt{3} - \sqrt{2(-1+\sqrt{3})x + x^2}}\right)}{20736} \\
 &= -\frac{4}{81x^3} + \frac{7}{27x} + \frac{25x(7 + 5x^2)}{432(3 + 2x^2 + x^4)^2} + \frac{x(1474 + 1025x^2)}{5184(3 + 2x^2 + x^4)} - \frac{\sqrt{\frac{1}{3}(10004741 + 11240451\sqrt{3})}}{20736}
 \end{aligned}$$



**Mathematica [C]** time = 0.331905, size = 139, normalized size = 0.53

$$\frac{4(2369x^{10}+8644x^8+19939x^6+20090x^4+9024x^2-2304)}{x^3(x^4+2x^2+3)^2} + \frac{(4738+127i\sqrt{2})\tan^{-1}\left(\frac{x}{\sqrt{1-i\sqrt{2}}}\right)}{\sqrt{1-i\sqrt{2}}} + \frac{(4738-127i\sqrt{2})\tan^{-1}\left(\frac{x}{\sqrt{1+i\sqrt{2}}}\right)}{\sqrt{1+i\sqrt{2}}}$$


---

20736

Antiderivative was successfully verified.

[In] Integrate[(4 + x^2 + 3\*x^4 + 5\*x^6)/(x^4\*(3 + 2\*x^2 + x^4)^3), x]

[Out] ((4\*(-2304 + 9024\*x^2 + 20090\*x^4 + 19939\*x^6 + 8644\*x^8 + 2369\*x^10))/(x^3\*(3 + 2\*x^2 + x^4)^2) + ((4738 + (127\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 - I\*Sqrt[2]]])/Sqrt[1 - I\*Sqrt[2]] + ((4738 - (127\*I)\*Sqrt[2])\*ArcTan[x/Sqrt[1 + I\*Sqrt[2]]])/Sqrt[1 + I\*Sqrt[2]])/20736

**Maple [B]** time = 0.024, size = 429, normalized size = 1.6

$$\frac{1}{27(x^4 + 2x^2 + 3)^2} \left( \frac{1025x^7}{192} + \frac{881x^5}{48} + \frac{7523x^3}{192} + \frac{1087x}{32} \right) + \frac{4865 \ln\left(x^2 + \sqrt{3} - x\sqrt{-2 + 2\sqrt{3}}\right) \sqrt{-2 + 2\sqrt{3}} \sqrt{3}}{248832} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^3, x)

[Out] 1/27\*(1025/192\*x^7+881/48\*x^5+7523/192\*x^3+1087/32\*x)/(x^4+2\*x^2+3)^2+4865/248832\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)+127/82944\*ln(x^2+3^(1/2)-x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+4865/124416/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+127/41472/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+1121/7776/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x-(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-4865/248832\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)\*3^(1/2)-127/82944\*ln(x^2+3^(1/2)+x\*(-2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))^(1/2)+4865/124416/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))\*3^(1/2)+127/41472/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*(-2+2\*3^(1/2))+1121/7776/(2+2\*3^(1/2))^(1/2)\*arctan((2\*x+(-2+2\*3^(1/2))^(1/2))/(2+2\*3^(1/2))^(1/2))\*3^(1/2)-4/81/x^3+7/27/x

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{2369x^{10} + 8644x^8 + 19939x^6 + 20090x^4 + 9024x^2 - 2304}{5184(x^{11} + 4x^9 + 10x^7 + 12x^5 + 9x^3)} + \frac{1}{5184} \int \frac{2369x^2 + 2242}{x^4 + 2x^2 + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^3,x, algorithm="maxima")

[Out] 1/5184\*(2369\*x^10 + 8644\*x^8 + 19939\*x^6 + 20090\*x^4 + 9024\*x^2 - 2304)/(x^11 + 4\*x^9 + 10\*x^7 + 12\*x^5 + 9\*x^3) + 1/5184\*integrate((2369\*x^2 + 2242)/(x^4 + 2\*x^2 + 3), x)

---

**Fricas [B]** time = 1.74976, size = 2952, normalized size = 11.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^3,x, algorithm="fricas")

[Out] 1/135934787413472256\*(62119890312985296\*x^10 + 226662866975704896\*x^8 + 522840224968600176\*x^6 + 47239676\*713236683^(1/4)\*sqrt(15419)\*sqrt(6)\*sqrt(3)\*sqrt(2)\*(x^11 + 4\*x^9 + 10\*x^7 + 12\*x^5 + 9\*x^3)\*sqrt(10004741\*sqrt(3) + 33721353)\*arctan(1/27609352591972558367520653346\*sqrt(182097141061)\*713236683^(3/4)\*sqrt(15419)\*sqrt(6)\*sqrt(3)\*sqrt(713236683^(1/4)\*sqrt(15419)\*sqrt(6)\*(2369\*sqrt(3)\*x - 2242\*x)\*sqrt(10004741\*sqrt(3) + 33721353) + 546291423183\*x^2 + 546291423183\*sqrt(3))\*(2242\*sqrt(3)\*sqrt(2) - 7107\*sqrt(2))\*sqrt(10004741\*sqrt(3) + 33721353) - 1/50539604724352062\*713236683^(3/4)\*sqrt(15419)\*sqrt(6)\*(2242\*sqrt(3)\*sqrt(2)\*x - 7107\*sqrt(2)\*x)\*sqrt(10004741\*sqrt(3) + 33721353) + 1/2\*sqrt(3)\*sqrt(2) - 1/2\*sqrt(2)) + 47239676\*713236683^(1/4)\*sqrt(15419)\*sqrt(6)\*sqrt(3)\*sqrt(2)\*(x^11 + 4\*x^9 + 10\*x^7 + 12\*x^5 + 9\*x^3)\*sqrt(10004741\*sqrt(3) + 33721353)\*arctan(1/82828057775917675102561960038\*sqrt(182097141061)\*713236683^(3/4)\*sqrt(15419)\*sqrt(6)\*sqrt(-27\*713236683^(1/4)\*sqrt(15419)\*sqrt(6)\*(2369\*sqrt(3)\*x - 2242\*x)\*sqrt(10004741\*sqrt(3) + 33721353) + 14749868425941\*x^2 + 14749868425941\*sqrt(3))\*(2242\*sqrt(3)\*sqrt(2) - 7107\*sqrt(2))\*sqrt(10004741\*sqrt(3) + 33721353) - 1/50539604724352062\*713236683^(3/4)\*sqrt(15419)\*sqrt(6)\*(2242\*sqrt(3)\*sqrt(2)\*x - 7107\*sqrt(2)\*x)\*sqrt(10004741\*sqrt(3) + 33721353) - 1/2\*sqrt(3)\*sqrt(2) + 1/2\*sqrt(2)) + 526799745203830560\*x^4 - 713236683^(1/4)\*sqrt(15419)\*sqrt(6)\*(33721353\*x^1

$$1 + 134885412x^9 + 337213530x^7 + 404656236x^5 + 303492177x^3 - 10004741\sqrt{3}(x^{11} + 4x^9 + 10x^7 + 12x^5 + 9x^3))\sqrt{(10004741\sqrt{3} + 33721353)\log(27\sqrt[4]{713236683}\sqrt{15419}\sqrt{6}(2369\sqrt{3}x - 2242x)\sqrt{(10004741\sqrt{3} + 33721353)} + 14749868425941x^2 + 14749868425941\sqrt{3})) + 713236683\sqrt[4]{713236683}\sqrt{15419}\sqrt{6}(33721353x^{11} + 134885412x^9 + 337213530x^7 + 404656236x^5 + 303492177x^3 - 10004741\sqrt{3})(x^{11} + 4x^9 + 10x^7 + 12x^5 + 9x^3))\sqrt{(10004741\sqrt{3} + 33721353)\log(-27\sqrt[4]{713236683}\sqrt{15419}\sqrt{6}(2369\sqrt{3}x - 2242x)\sqrt{(10004741\sqrt{3} + 33721353)} + 14749868425941x^2 + 14749868425941\sqrt{3})) + 236627222534562816x^2 - 60415461072654336)/(x^{11} + 4x^9 + 10x^7 + 12x^5 + 9x^3)}$$

**Sympy [A]** time = 0.6269, size = 80, normalized size = 0.31

$$\text{RootSum}\left(338151365148672t^4 + 2622682824704t^2 + 19257390441, \left(t \mapsto t \log\left(\frac{357010935644160t^3}{182097141061} + \frac{26016957890}{1638874269}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x\*\*6+3\*x\*\*4+x\*\*2+4)/x\*\*4/(x\*\*4+2\*x\*\*2+3)\*\*3,x)

[Out] RootSum(338151365148672\*\_t\*\*4 + 2622682824704\*\_t\*\*2 + 19257390441, Lambda(\_t, \_t\*log(357010935644160\*\_t\*\*3/182097141061 + 26016957890816\*\_t/1638874269549 + x))) + (2369\*x\*\*10 + 8644\*x\*\*8 + 19939\*x\*\*6 + 20090\*x\*\*4 + 9024\*x\*\*2 - 2304)/(5184\*x\*\*11 + 20736\*x\*\*9 + 51840\*x\*\*7 + 62208\*x\*\*5 + 46656\*x\*\*3)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{5x^6 + 3x^4 + x^2 + 4}{(x^4 + 2x^2 + 3)^3 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((5\*x^6+3\*x^4+x^2+4)/x^4/(x^4+2\*x^2+3)^3,x, algorithm="giac")

[Out] integrate((5\*x^6 + 3\*x^4 + x^2 + 4)/((x^4 + 2\*x^2 + 3)^3\*x^4), x)

$$3.125 \quad \int \frac{x(d+ex^2+fx^4+gx^6)}{a+bx^2+cx^4} dx$$

**Optimal.** Leaf size=149

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)\left(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^3d\right)}{2c^3\sqrt{b^2-4ac}} + \frac{\log\left(a+bx^2+cx^4\right)\left(-c(ag+bf)+b^2g+c^2e\right)}{4c^3} + x$$

[Out] ((c\*f - b\*g)\*x^2)/(2\*c^2) + (g\*x^4)/(4\*c) - ((2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^3\*Sqrt[b^2 - 4\*a\*c]) + ((c^2\*e + b^2\*g - c\*(b\*f + a\*g))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^3)

**Rubi [A]** time = 0.294841, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {1663, 1657, 634, 618, 206, 628}

$$\frac{\tanh^{-1}\left(\frac{b+2cx^2}{\sqrt{b^2-4ac}}\right)\left(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^3d\right)}{2c^3\sqrt{b^2-4ac}} + \frac{\log\left(a+bx^2+cx^4\right)\left(-c(ag+bf)+b^2g+c^2e\right)}{4c^3} + x$$

Antiderivative was successfully verified.

[In] Int[(x\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4), x]

[Out] ((c\*f - b\*g)\*x^2)/(2\*c^2) + (g\*x^4)/(4\*c) - ((2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g))\*ArcTanh[(b + 2\*c\*x^2)/Sqrt[b^2 - 4\*a\*c]])/(2\*c^3\*Sqrt[b^2 - 4\*a\*c]) + ((c^2\*e + b^2\*g - c\*(b\*f + a\*g))\*Log[a + b\*x^2 + c\*x^4])/(4\*c^3)

#### Rule 1663

Int[(Pq\_)\*(x\_)^(m\_.)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*SubstFor[x^2, Pq, x]\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]

#### Rule 1657

Int[(Pq\_)\*((a\_) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] :> Int[Expand Integrand[Pq\*(a + b\*x + c\*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq

, x] && IGtQ[p, -2]

### Rule 634

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Dist[(2*c*d - b*e)/(2*c), Int[1/(a + b*x + c*x^2), x], x] + Dist[e/(2*c), Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[2*c*d - b*e, 0] && NeQ[b^2 - 4*a*c, 0] && !NiceSqrtQ[b^2 - 4*a*c]
```

### Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

### Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

### Rule 628

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(d*Log[RemoveContent[a + b*x + c*x^2, x]])/b, x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x(d + ex^2 + fx^4 + gx^6)}{a + bx^2 + cx^4} dx &= \frac{1}{2} \text{Subst} \left( \int \frac{d + ex + fx^2 + gx^3}{a + bx + cx^2} dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left( \int \left( \frac{cf - bg}{c^2} + \frac{gx}{c} + \frac{c^2d - acf + abg + (c^2e + b^2g - c(bf + ag))x}{c^2(a + bx + cx^2)} \right) dx, x, x^2 \right) \\
&= \frac{(cf - bg)x^2}{2c^2} + \frac{gx^4}{4c} + \frac{\text{Subst} \left( \int \frac{c^2d - acf + abg + (c^2e + b^2g - c(bf + ag))x}{a + bx + cx^2} dx, x, x^2 \right)}{2c^2} \\
&= \frac{(cf - bg)x^2}{2c^2} + \frac{gx^4}{4c} + \frac{(c^2e + b^2g - c(bf + ag)) \text{Subst} \left( \int \frac{b + 2cx}{a + bx + cx^2} dx, x, x^2 \right)}{4c^3} + \frac{(2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) \tanh^{-1} \left( \frac{b + 2cx}{\sqrt{b^2 - 4ac}} \right)}{2c^3\sqrt{b^2 - 4ac}} + \frac{c^2d - c^2e}{4c^3}
\end{aligned}$$

**Mathematica [A]** time = 0.127054, size = 142, normalized size = 0.95

$$\frac{2 \tan^{-1} \left( \frac{b + 2cx^2}{\sqrt{4ac - b^2}} \right) (-c^2(2af + be) + bc(3ag + bf) + b^3(-g) + 2c^3d)}{\sqrt{4ac - b^2}} + \frac{\log(a + bx^2 + cx^4) (-c(ag + bf) + b^2g + c^2e) + 2cx^2(cf - bg) + c^2gx^4}{4c^3}$$

Antiderivative was successfully verified.

[In] Integrate[(x\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4), x]

[Out] (2\*c\*(c\*f - b\*g)\*x^2 + c^2\*g\*x^4 + (2\*(2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g))\*ArcTan[(b + 2\*c\*x^2)/Sqrt[-b^2 + 4\*a\*c]])/Sqrt[-b^2 + 4\*a\*c] + (c^2\*e + b^2\*g - c\*(b\*f + a\*g))\*Log[a + b\*x^2 + c\*x^4]/(4\*c^3)

**Maple [B]** time = 0.005, size = 357, normalized size = 2.4

$$\frac{gx^4}{4c} - \frac{bx^2g}{2c^2} + \frac{fx^2}{2c} - \frac{\ln(cx^4 + bx^2 + a)ag}{4c^2} + \frac{\ln(cx^4 + bx^2 + a)b^2g}{4c^3} - \frac{\ln(cx^4 + bx^2 + a)bf}{4c^2} + \frac{\ln(cx^4 + bx^2 + a)e}{4c} + \frac{3a}{2c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x)$

[Out]  $\frac{1}{4}g*x^4/c - \frac{1}{2}/c^2*x^2*b*g + \frac{1}{2}f*x^2/c - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*a*g + \frac{1}{4}/c^3*\ln(c*x^4+b*x^2+a)*b^2*g - \frac{1}{4}/c^2*\ln(c*x^4+b*x^2+a)*b*f + \frac{1}{4}/c*\ln(c*x^4+b*x^2+a)*e + \frac{3}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*b*g - \frac{1}{c}/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*a*f + \frac{1}{(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})}*d - \frac{1}{2}/c^3/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^3*g + \frac{1}{2}/c^2/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b^2*f - \frac{1}{2}/c/(4*a*c-b^2)^{(1/2)}*\arctan((2*c*x^2+b)/(4*a*c-b^2)^{(1/2)})*b*e$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.35085, size = 1021, normalized size = 6.85

$$\frac{(b^2c^2 - 4ac^3)gx^4 + 2((b^2c^2 - 4ac^3)f - (b^3c - 4abc^2)g)x^2 + (2c^3d - bc^2e + (b^2c - 2ac^2)f - (b^3 - 3abc)g)\sqrt{b^2 - 4ac}}{4(b^2c^2 - 4ac^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a), x, \text{algorithm}="fricas")$

[Out]  $\frac{1}{4}*((b^2*c^2 - 4*a*c^3)*g*x^4 + 2*((b^2*c^2 - 4*a*c^3)*f - (b^3*c - 4*a*b*c^2)*g)*x^2 + (2*c^3*d - b*c^2*e + (b^2*c - 2*a*c^2)*f - (b^3 - 3*a*b*c)*g)*\sqrt{b^2 - 4*a*c}*\log((2*c^2*x^4 + 2*b*c*x^2 + b^2 - 2*a*c - (2*c*x^2 + b)*\sqrt{b^2 - 4*a*c})/(c*x^4 + b*x^2 + a)) + ((b^2*c^2 - 4*a*c^3)*e - (b^3*c - 4*a*b*c^2)*f + (b^4 - 5*a*b^2*c + 4*a^2*c^2)*g)*\log(c*x^4 + b*x^2 + a))/(b^2*c^3 - 4*a*c^4), \frac{1}{4}*((b^2*c^2 - 4*a*c^3)*g*x^4 + 2*((b^2*c^2 - 4*a*c^3)*f - (b^3*c - 4*a*b*c^2)*g)*x^2 - 2*(2*c^3*d - b*c^2*e + (b^2*c - 2*a*c^2)$

```
*f - (b^3 - 3*a*b*c)*g)*sqrt(-b^2 + 4*a*c)*arctan(-(2*c*x^2 + b)*sqrt(-b^2
+ 4*a*c)/(b^2 - 4*a*c)) + ((b^2*c^2 - 4*a*c^3)*e - (b^3*c - 4*a*b*c^2)*f +
(b^4 - 5*a*b^2*c + 4*a^2*c^2)*g)*log(c*x^4 + b*x^2 + a)/(b^2*c^3 - 4*a*c^4
)]
```

---

**Sympy [B]** time = 49.2751, size = 789, normalized size = 5.3

$$\left( -\frac{\sqrt{-4ac + b^2} (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d)}{4c^3 (4ac - b^2)} - \frac{acg - b^2g + bcf - c^2e}{4c^3} \right) \log \left( x^2 + \frac{2a^2cg - ab^2g + abcf + 8a^2d}{4c^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(g\*x\*\*6+f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a),x)

[Out] 
$$\begin{aligned} & (-\sqrt{-4ac + b^2} (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) / (4c^3(4ac - b^2)) - (acg - b^2g + bcf - c^2e) / (4c^3)) \log(x^2 + (2a^2cg - ab^2g + abcf + 8a^2d) / (4c^3)) \\ & - (2a^2cg - ab^2g + abcf + 8a^2d) / (4c^3) - (acg - b^2g + bcf - c^2e) / (4c^3) - 2ac^2e - 2b^2c^2(-\sqrt{-4ac + b^2} (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) / (4c^3(4ac - b^2)) - (acg - b^2g + bcf - c^2e) / (4c^3)) + b^2c^2d / (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) + (\sqrt{-4ac + b^2} (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) / (4c^3(4ac - b^2)) - (acg - b^2g + bcf - c^2e) / (4c^3)) \log(x^2 + (2a^2cg - ab^2g + abcf + 8a^2d) / (4c^3)) - (acg - b^2g + bcf - c^2e) / (4c^3) - 2ac^2e - 2b^2c^2(\sqrt{-4ac + b^2} (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) / (4c^3(4ac - b^2)) - (acg - b^2g + bcf - c^2e) / (4c^3)) + b^2c^2d / (3abcg - 2ac^2f - b^3g + b^2cf - bc^2e + 2c^3d) + g*x**4 / (4c) - x**2(b*g - c*f) / (2c**2) \end{aligned}$$

---

**Giac [A]** time = 1.17534, size = 197, normalized size = 1.32

$$\frac{cgx^4 + 2cfx^2 - 2bgx^2}{4c^2} - \frac{(bcf - b^2g + acg - c^2e) \log(cx^4 + bx^2 + a)}{4c^3} + \frac{(2c^3d + b^2cf - 2ac^2f - b^3g + 3abcg - bc^2e) \arctan\left(\frac{\sqrt{-b^2 + 4ac}x}{b^2 - 4ac}\right)}{2\sqrt{-b^2 + 4ac}c^3}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a),x, algorithm="giac")
```

```
[Out] 1/4*(c*g*x^4 + 2*c*f*x^2 - 2*b*g*x^2)/c^2 - 1/4*(b*c*f - b^2*g + a*c*g - c^2*e)*log(c*x^4 + b*x^2 + a)/c^3 + 1/2*(2*c^3*d + b^2*c*f - 2*a*c^2*f - b^3*g + 3*a*b*c*g - b*c^2*e)*arctan((2*c*x^2 + b)/sqrt(-b^2 + 4*a*c))/(sqrt(-b^2 + 4*a*c)*c^3)
```

$$3.126 \quad \int \frac{x^4(d+ex^2+fx^4+gx^6)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=594

$$\frac{x(x^2(-b^2c(ce-4ag)+bc^2(cd-3af)+2ac^2(ce-ag)+b^3cf+b^4(-g))+a(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^2d))}{2c^3(b^2-4ac)(a+bx^2+cx^4)}$$

[Out] ((c\*f - 2\*b\*g)\*x)/c^3 + (g\*x^3)/(3\*c^2) + (x\*(a\*(2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g)) + (b^3\*c\*f + b\*c^2\*(c\*d - 3\*a\*f) - b^4\*g - b^2\*c\*(c\*e - 4\*a\*g) + 2\*a\*c^2\*(c\*e - a\*g))\*x^2))/(2\*c^3\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((3\*b^3\*c\*f - b\*c^2\*(c\*d + 13\*a\*f) - 5\*b^4\*g - b^2\*c\*(c\*e - 24\*a\*g) + 2\*a\*c^2\*(3\*c\*e - 7\*a\*g) - (3\*b^4\*c\*f - 4\*a\*c^3\*(c\*d - 5\*a\*f) - b^2\*c^2\*(c\*d + 19\*a\*f) - 5\*b^5\*g - b^3\*c\*(c\*e - 34\*a\*g) + 4\*a\*b\*c^2\*(2\*c\*e - 13\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])]/(2\*Sqrt[2]\*c^(7/2)\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((3\*b^3\*c\*f - b\*c^2\*(c\*d + 13\*a\*f) - 5\*b^4\*g - b^2\*c\*(c\*e - 24\*a\*g) + 2\*a\*c^2\*(3\*c\*e - 7\*a\*g) + (3\*b^4\*c\*f - 4\*a\*c^3\*(c\*d - 5\*a\*f) - b^2\*c^2\*(c\*d + 19\*a\*f) - 5\*b^5\*g - b^3\*c\*(c\*e - 34\*a\*g) + 4\*a\*b\*c^2\*(2\*c\*e - 13\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])]/(2\*Sqrt[2]\*c^(7/2)\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 14.1129, antiderivative size = 594, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {1668, 1676, 1166, 205}

$$\frac{x(x^2(-b^2c(ce-4ag)+bc^2(cd-3af)+2ac^2(ce-ag)+b^3cf+b^4(-g))+a(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^2d))}{2c^3(b^2-4ac)(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Int[(x^4\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((c\*f - 2\*b\*g)\*x)/c^3 + (g\*x^3)/(3\*c^2) + (x\*(a\*(2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g)) + (b^3\*c\*f + b\*c^2\*(c\*d - 3\*a\*f) - b^4\*g - b^2\*c\*(c\*e - 4\*a\*g) + 2\*a\*c^2\*(c\*e - a\*g))\*x^2))/(2\*c^3\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((3\*b^3\*c\*f - b\*c^2\*(c\*d + 13\*a\*f) - 5\*b^4\*g - b^2\*c\*(c\*e

$$\begin{aligned}
& - 24*a*g) + 2*a*c^2*(3*c*e - 7*a*g) - (3*b^4*c*f - 4*a*c^3*(c*d - 5*a*f) - \\
& b^2*c^2*(c*d + 19*a*f) - 5*b^5*g - b^3*c*(c*e - 34*a*g) + 4*a*b*c^2*(2*c*e \\
& - 13*a*g))/\text{Sqrt}[b^2 - 4*a*c]*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 \\
& - 4*a*c]]]/(2*\text{Sqrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - \\
& ((3*b^3*c*f - b*c^2*(c*d + 13*a*f) - 5*b^4*g - b^2*c*(c*e - 24*a*g) + 2*a* \\
& c^2*(3*c*e - 7*a*g) + (3*b^4*c*f - 4*a*c^3*(c*d - 5*a*f) - b^2*c^2*(c*d + 1 \\
& 9*a*f) - 5*b^5*g - b^3*c*(c*e - 34*a*g) + 4*a*b*c^2*(2*c*e - 13*a*g))/\text{Sqrt}[ \\
& b^2 - 4*a*c]*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(2*S \\
& \text{qrt}[2]*c^{(7/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])
\end{aligned}$$

### Rule 1668

```

Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
+ 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x]] /; FreeQ[{a, b,
c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
& LtQ[p, -1] && IGtQ[m/2, 0]

```

### Rule 1676

```

Int[(Pq_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :> Int[ExpandInte
grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
2] && Expon[Pq, x^2] > 1

```

### Rule 1166

```

Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
- q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
+ c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{x^4 (d + ex^2 + fx^4 + gx^6)}{(a + bx^2 + cx^4)^2} dx &= \frac{x (a (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) + (b^3cf + bc^2(cd - 3af) - b^4g - b^2c(cd - 3af)))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{x (a (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) + (b^3cf + bc^2(cd - 3af) - b^4g - b^2c(cd - 3af)))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(cf - 2bg)x}{c^3} + \frac{gx^3}{3c^2} + \frac{x (a (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) + (b^3cf + bc^2(cd - 3af) - b^4g - b^2c(cd - 3af)))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(cf - 2bg)x}{c^3} + \frac{gx^3}{3c^2} + \frac{x (a (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) + (b^3cf + bc^2(cd - 3af) - b^4g - b^2c(cd - 3af)))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)} \\
&= \frac{(cf - 2bg)x}{c^3} + \frac{gx^3}{3c^2} + \frac{x (a (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)) + (b^3cf + bc^2(cd - 3af) - b^4g - b^2c(cd - 3af)))}{2c^3 (b^2 - 4ac) (a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.84651, size = 721, normalized size = 1.21

$$\frac{6\sqrt{cx}(a^2c(3bg-2c(f+gx^2))+a(b^2c(f+4gx^2)+b^3(-g)-bc^2(e+3fx^2))+2c^3(d+ex^2))+bx^2(b^2cf+b^3(-g)-bc^2e+c^3d))}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{3\sqrt{2}\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-b^2c(-ce\sqrt{b^2-4ac})\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(x^4\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (12\*sqrt[c]\*(c\*f - 2\*b\*g)\*x + 4\*c^(3/2)\*g\*x^3 + (6\*sqrt[c]\*x\*(b\*(c^3\*d - b\*c^2\*e + b^2\*c\*f - b^3\*g)\*x^2 + a^2\*c\*(3\*b\*g - 2\*c\*(f + g\*x^2)) + a\*(-(b^3\*g) + 2\*c^3\*(d + e\*x^2) - b\*c^2\*(e + 3\*f\*x^2) + b^2\*c\*(f + 4\*g\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (3\*sqrt[2]\*(-5\*b^5\*g - b^3\*c\*(c\*e + 3\*sqrt[b^2 - 4\*a\*c]\*f - 34\*a\*g) + b^4\*(3\*c\*f + 5\*sqrt[b^2 - 4\*a\*c]\*g) + 2\*a\*c^2\*(-2\*c^2\*d - 3\*c\*sqrt[b^2 - 4\*a\*c]\*e + 10\*a\*c\*f + 7\*a\*sqrt[b^2 - 4\*a\*c]\*g) - b^2\*c\*(c^2\*d - c\*sqrt[b^2 - 4\*a\*c]\*e + 19\*a\*c\*f + 24\*a\*sqrt[b^2 - 4\*a\*c]\*g) + b\*c^2\*(c\*(sqrt[b^2 - 4\*a\*c]\*d + 8\*a\*e) + 13\*a\*(sqrt[b^2 - 4\*a\*c]\*f - 4\*a\*g)))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]])/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) + (3\*sqrt[2]\*(5\*b^5\*g + b^3\*c\*(c\*e - 3

$$\begin{aligned} & * \text{Sqrt}[b^2 - 4*a*c]*f - 34*a*g) + b^4*(-3*c*f + 5*\text{Sqrt}[b^2 - 4*a*c]*g) + b^2 \\ & *c*(c^2*d + c*\text{Sqrt}[b^2 - 4*a*c]*e + 19*a*c*f - 24*a*\text{Sqrt}[b^2 - 4*a*c]*g) + \\ & 2*a*c^2*(2*c^2*d - 3*c*\text{Sqrt}[b^2 - 4*a*c]*e - 10*a*c*f + 7*a*\text{Sqrt}[b^2 - 4*a* \\ & c]*g) + b*c^2*(c*(\text{Sqrt}[b^2 - 4*a*c]*d - 8*a*e) + 13*a*(\text{Sqrt}[b^2 - 4*a*c]*f \\ & + 4*a*g)))*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/((b^2 - \\ & 4*a*c)^{(3/2)}*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])/(12*c^{(7/2)}) \end{aligned}$$

**Maple [B]** time = 0.059, size = 3028, normalized size = 5.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^4*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\begin{aligned} & -3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2 \\ & ^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^3*f+1/4/c/(4*a*c-b^2)*2^{(1/2)}/(( \\ & (-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)* \\ & c)^{(1/2)})*b^2*e+5/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/ \\ & 2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a^2*f- \\ & 1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} \\ & *\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*b^2*d+5/(4*a*c-b^2)/ \\ & (-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1 \\ & /2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*a^2*f-1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1 \\ & /2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c \\ & +b^2)^{(1/2)})*c)^{(1/2)})*b^2*d+3/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*b*f+1/ \\ & 2/c/(c*x^4+b*x^2+a)*a/(4*a*c-b^2)*x*b*e+1/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3 \\ & *a^2*g+1/2/c^3/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^4*g-1/2/c^2/(c*x^4+b*x^2+a \\ & )*a/(4*a*c-b^2)*x*b^2*f+3/4/c^2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)}) \\ & *c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^3*f-1/4/c/ \\ & (4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b \\ & +(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)})*b^2*e-13/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{ \\ & (1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{( \\ & 1/2)})*c)^{(1/2)})*a^2*b*g+17/2/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/(( \\ & b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan}(c*x*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c \\ & )^{(1/2)})*a*b^3*g-13/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2) \\ & ^{(1/2)}-b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a^ \\ & 2*b*g+17/2/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}- \\ & b)*c)^{(1/2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b^3*g-1 \\ & 9/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/ \\ & 2)}*\text{arctanh}(c*x*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)})*a*b^2*f-19/4/c/(4* \\ & a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}*\text{arctan} \end{aligned}$$

$$\begin{aligned}
& (c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * b^2 * f - 1/2 / c^2 / (c*x^4+b*x^2+a) / (4*a*c-b^2) * x^3 * b^3 * f + 1/2 / c / (c*x^4+b*x^2+a) / (4*a*c-b^2) * x^3 * b^2 * e + 1 / c / (c*x^4+b*x^2+a) * a^2 / (4*a*c-b^2) * x * f + 1/4 / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * b * d + 3/2 / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * e - 1/4 / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b * d - 3/2 / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a * e - 2 / c^3 * x * b * g - 1 / (c*x^4+b*x^2+a) * a / (4*a*c-b^2) * x * d - 1 / (c*x^4+b*x^2+a) / (4*a*c-b^2) * x^3 * a * e - 1/2 / (c*x^4+b*x^2+a) / (4*a*c-b^2) * x^3 * b * d + f * x / c^2 + 1/2 / c^3 / (c*x^4+b*x^2+a) * a / (4*a*c-b^2) * x * b^3 * g - 2 / c^2 / (c*x^4+b*x^2+a) / (4*a*c-b^2) * x^3 * a * b^2 * g - 3/2 / c^2 / (c*x^4+b*x^2+a) * a^2 / (4*a*c-b^2) * x * b * g + 7/2 / c / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a^2 * g + 5/4 / c^3 / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * b^4 * g - 7/2 / c / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a^2 * g - 5/4 / c^3 / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b^4 * g + 1/3 * g * x^3 / c^2 - 5/4 / c^3 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * b^5 * g + 6 / c^2 / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * b^2 * g - 5/4 / c^3 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b^5 * g - 6 / c^2 / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a * b^2 * g + 3/4 / c^2 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * b^4 * f - 1/4 / c / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * b^3 * e - 13/4 / c / (4*a*c-b^2) * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * b * f - c / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * d + 3/4 / c^2 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b^4 * f - 1/4 / c / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * b^3 * e + 2 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a * b * e + 2 / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x^2^{(1/2)} / ((b+(-4*a*c+b^2)^{(1/2)}) * c)^{(1/2)}) * a * b * e + 13/4 / c / (4*a*c-b^2) * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a * b * f - c / (4*a*c-b^2) / (-4*a*c+b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)} * \operatorname{arctanh}(c*x^2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b) * c)^{(1/2)}) * a * d
\end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(bc^3d - (b^2c^2 - 2ac^3)e + (b^3c - 3abc^2)f - (b^4 - 4ab^2c + 2a^2c^2)g)x^3 + (2ac^3d - abc^2e + (ab^2c - 2a^2c^2)f - (ab^3 - 3a^2b^2c)g)x^2 + (ab^2c^3 - 4a^2c^4 + (b^2c^4 - 4ac^5)x^4 + (b^3c^3 - 4abc^4)x^2)}{2(ab^2c^3 - 4a^2c^4 + (b^2c^4 - 4ac^5)x^4 + (b^3c^3 - 4abc^4)x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(g\*x^6+f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*((b\*c^3\*d - (b^2\*c^2 - 2\*a\*c^3)\*e + (b^3\*c - 3\*a\*b\*c^2)\*f - (b^4 - 4\*a\*b^2\*c + 2\*a^2\*c^2)\*g)\*x^3 + (2\*a\*c^3\*d - a\*b\*c^2\*e + (a\*b^2\*c - 2\*a^2\*c^2)\*f - (a\*b^3 - 3\*a^2\*b\*c)\*g)\*x)/(a\*b^2\*c^3 - 4\*a^2\*c^4 + (b^2\*c^4 - 4\*a\*c^5)\*x^4 + (b^3\*c^3 - 4\*a\*b\*c^4)\*x^2) + 1/2\*integrate(-(2\*a\*c^3\*d - a\*b\*c^2\*e - (b\*c^3\*d + (b^2\*c^2 - 6\*a\*c^3)\*e - (3\*b^3\*c - 13\*a\*b\*c^2)\*f + (5\*b^4 - 24\*a\*b^2\*c + 14\*a^2\*c^2)\*g)\*x^2 + (3\*a\*b^2\*c - 10\*a^2\*c^2)\*f - (5\*a\*b^3 - 19\*a^2\*b\*c)\*g)/(c\*x^4 + b\*x^2 + a), x)/(b^2\*c^3 - 4\*a\*c^4) + 1/3\*(c\*g\*x^3 + 3\*(c\*f - 2\*b\*g)\*x)/c^3

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4\*(g\*x^6+f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*\*4\*(g\*x\*\*6+f\*x\*\*4+e\*x\*\*2+d)/(c\*x\*\*4+b\*x\*\*2+a)\*\*2,x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError



$$3.127 \quad \int \frac{x^2(d+ex^2+fx^4+gx^6)}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=471

$$\frac{x(x^2(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^3d)-ab^2g+bc(af+cd)-2ac(ce-ag))}{2c^2(b^2-4ac)(a+bx^2+cx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2c}{\dots}\right)}{\dots}$$

[Out] (g\*x)/c^2 - (x\*(b\*c\*(c\*d + a\*f) - a\*b^2\*g - 2\*a\*c\*(c\*e - a\*g) + (2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g))\*x^2))/(2\*c^2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*c^3\*d - c^2\*(b\*e - 6\*a\*f) + 3\*b^3\*g - b\*c\*(b\*f + 13\*a\*g) + (b^3\*c\*f - 4\*b\*c^2\*(c\*d + 2\*a\*f) - 3\*b^4\*g + 4\*a\*c^2\*(c\*e - 5\*a\*g) + b^2\*c\*(c\*e + 19\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*c^(5/2)\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*c^3\*d - c^2\*(b\*e - 6\*a\*f) + 3\*b^3\*g - b\*c\*(b\*f + 13\*a\*g) - (b^3\*c\*f - 4\*b\*c^2\*(c\*d + 2\*a\*f) - 3\*b^4\*g + 4\*a\*c^2\*(c\*e - 5\*a\*g) + b^2\*c\*(c\*e + 19\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*c^(5/2)\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 6.66183, antiderivative size = 471, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {1668, 1676, 1166, 205}

$$\frac{x(x^2(-c^2(2af+be)+bc(3ag+bf)+b^3(-g)+2c^3d)-ab^2g+bc(af+cd)-2ac(ce-ag))}{2c^2(b^2-4ac)(a+bx^2+cx^4)} - \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2c}{\dots}\right)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[(x^2\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (g\*x)/c^2 - (x\*(b\*c\*(c\*d + a\*f) - a\*b^2\*g - 2\*a\*c\*(c\*e - a\*g) + (2\*c^3\*d - c^2\*(b\*e + 2\*a\*f) - b^3\*g + b\*c\*(b\*f + 3\*a\*g))\*x^2))/(2\*c^2\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - ((2\*c^3\*d - c^2\*(b\*e - 6\*a\*f) + 3\*b^3\*g - b\*c\*(b\*f + 13\*a\*g) + (b^3\*c\*f - 4\*b\*c^2\*(c\*d + 2\*a\*f) - 3\*b^4\*g + 4\*a\*c^2\*(c\*e - 5\*a\*g) + b^2\*c\*(c\*e + 19\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*c^(5/2)\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) - ((2\*c^3\*d - c^2\*(b\*e - 6\*a\*f) + 3\*b^3\*g - b\*c\*(b\*f + 13\*a\*g) - (b^3\*c\*f - 4\*b\*c^2\*(c\*d + 2\*a\*f) - 3\*b^4\*g + 4\*a\*c^2\*(c\*e - 5\*a\*g) + b^2\*c\*(c\*e + 19\*a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*c^(5/2)\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

$$\begin{aligned} &^2 - 4*a*c]]) - ((2*c^3*d - c^2*(b*e - 6*a*f) + 3*b^3*g - b*c*(b*f + 13*a*g) \\ &) - (b^3*c*f - 4*b*c^2*(c*d + 2*a*f) - 3*b^4*g + 4*a*c^2*(c*e - 5*a*g) + b^ \\ &2*c*(c*e + 19*a*g))/\text{Sqrt}[b^2 - 4*a*c])*\text{ArcTan}[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \\ &\text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*c^{(5/2)}*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4 \\ &*a*c]]) \end{aligned}$$

### Rule 1668

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[2*a*(p + 1)*(b^2 - 4*a*c)*Polyno
  mialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p + 3) - 2*a*c*d*(4*p
  + 5) - a*b*e + c*(4*p + 7)*(b*d - 2*a*e)*x^2, x], x], x]] /; FreeQ[{a, b,
  c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] && NeQ[b^2 - 4*a*c, 0] &
  & LtQ[p, -1] && IGtQ[m/2, 0]
```

### Rule 1676

```
Int[(Pq_)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] := Int[ExpandInte
  grand[Pq/(a + b*x^2 + c*x^4), x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^
  2] && Expon[Pq, x^2] > 1
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{x^2(d + ex^2 + fx^4 + gx^6)}{(a + bx^2 + cx^4)^2} dx &= -\frac{x(bc(cd + af) - ab^2g - 2ac(ce - ag) + (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{x(bc(cd + af) - ab^2g - 2ac(ce - ag) + (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= \frac{gx}{c^2} - \frac{x(bc(cd + af) - ab^2g - 2ac(ce - ag) + (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= \frac{gx}{c^2} - \frac{x(bc(cd + af) - ab^2g - 2ac(ce - ag) + (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= \frac{gx}{c^2} - \frac{x(bc(cd + af) - ab^2g - 2ac(ce - ag) + (2c^3d - c^2(be + 2af) - b^3g + bc(bf + 3ag)))}{2c^2(b^2 - 4ac)(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.1155, size = 575, normalized size = 1.22

$$\frac{2\sqrt{cx}(2c(a^2g - ac(e + fx^2) + c^2dx^2) + b^2(cfx^2 - ag) + bc(a(f + 3gx^2) + c(d - ex^2)) + b^3(-g)x^2)}{(b^2 - 4ac)(a + bx^2 + cx^4)} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right) \left(2c^2(-10a^2g + cd\sqrt{b^2 - 4ac} + 3af\sqrt{b^2 - 4ac} + 2\right)}{(b^2 - 4ac)(a + bx^2 + cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(d + e\*x^2 + f\*x^4 + g\*x^6))/(a + b\*x^2 + c\*x^4)^2,x]

[Out] (4\*sqrt[c]\*g\*x - (2\*sqrt[c]\*x\*(-(b^3\*g\*x^2) + b^2\*(-(a\*g) + c\*f\*x^2) + 2\*c\*(a^2\*g + c^2\*d\*x^2 - a\*c\*(e + f\*x^2)) + b\*c\*(c\*(d - e\*x^2) + a\*(f + 3\*g\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) - (sqrt[2]\*(-3\*b^4\*g + b^2\*c\*(c\*e - sqrt[b^2 - 4\*a\*c]\*f + 19\*a\*g) + 2\*c^2\*(c\*sqrt[b^2 - 4\*a\*c]\*d + 2\*a\*c\*e + 3\*a\*sqrt[b^2 - 4\*a\*c]\*f - 10\*a^2\*g) + b^3\*(c\*f + 3\*sqrt[b^2 - 4\*a\*c]\*g) - b\*c\*(4\*c^2\*d + c\*sqrt[b^2 - 4\*a\*c]\*e + 8\*a\*c\*f + 13\*a\*sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]]]/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) - (sqrt[2]\*(3\*b^4\*g - b^2\*c\*(c\*e + sqrt[b^2 - 4\*a\*c]\*f + 19\*a\*g) + 2\*c^2\*(c\*sqrt[b^2 - 4\*a\*c]\*d - 2\*a\*c\*e + 3\*a\*sqrt[b^2 - 4\*a\*c]\*f + 10\*a^2\*g) + b^3\*(-(c\*f) + 3\*sqrt[b^2 - 4\*a\*c]\*g) + b\*c\*(4\*c

$$\begin{aligned} &^2*d - c*\text{Sqrt}[b^2 - 4*a*c]*e + 8*a*c*f - 13*a*\text{Sqrt}[b^2 - 4*a*c]*g) * \text{ArcTan} [ \\ &(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]] / ((b^2 - 4*a*c)^{(3/2)} * \text{Sqrt} \\ &[b + \text{Sqrt}[b^2 - 4*a*c]]) / (4*c^{(5/2)}) \end{aligned}$$

**Maple [B]** time = 0.05, size = 2300, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\begin{aligned} &-19/4/c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} \\ &* \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) * a*b^2*g - 19/4/c/(4 \\ &a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctan \\ &h(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) * a*b^2*g - 3/2/(4*a*c-b^2)*2^{(1/2)} \\ &/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* a*f + 1/4/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* b*e - 1/2/(4*a*c-b^2)*c*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* d + 3/2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* a*f - 1/4/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* b*e + 1/2/(4*a*c-b^2)*c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* d + 3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* b^4*g + 3/4/c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* b^4*g - 13/4/c/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* a*b*g + 13/4/c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* a*b*g - 1/2/c^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^3*g + 1/2/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b^2*f + 1/c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*a^2*g - 1/4/(4*a*c-b^2)/c*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* b^2*f - 1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)} * \arctan(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}) \\ &* b^2*e + c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*d - 1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*a*f - 1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b*e - 1/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*a*e + 1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b*d + 1/4/(4*a*c-b^2)/c*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} * \arctanh(c*x^2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) \\ &* b^2*f - 1/4/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)}*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)} \end{aligned}$$

$$\begin{aligned}
& 2) \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}) * b^2 * e + g*x / c^2 - 1 / (4 \\
& * a*c - b^2) * c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan} \\
& \operatorname{tan}(c*x*2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) * a * e - 1/4 / (4*a*c - b^2) / c / (-4 \\
& * a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} \\
& / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^3 * f + 1 / (4*a*c - b^2) * c / (-4*a*c + b^2)^{(1/2)} \\
& * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) \\
& * b * d + 2 / (4*a*c - b^2) / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) \\
& ) * a * b * f - 1 / (4*a*c - b^2) * c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) \\
& * a * e - 1/4 / (4*a * c - b^2) / c / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctan} \\
& \operatorname{nh}(c*x*2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b^3 * f + 1 / (4*a*c - b^2) * c / (-4* \\
& a*c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} \\
& / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b * d + 2 / (4*a*c - b^2) / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) \\
& * a * b * f - 3/4 / c^2 / (4*a*c - b^2) * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b^3 * g + 3/4 / c^2 \\
& / (4*a*c - b^2) * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^3 * g - 1/2 / c^2 / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x \\
& * a * b^2 * g + 3/2 / c / (c*x^4 + b*x^2 + a) / (4*a*c - b^2) * x^3 * a * b * g + 1/2 / c / (c*x^4 + b*x^2 + a) / \\
& (4*a*c - b^2) * x * a * b * f + 5 / (4*a*c - b^2) / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c*x*2^{(1/2)} / (((-4*a*c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * a^2 * g + 5 / (4*a*c - b^2) / (-4*a*c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)} * \operatorname{arctan}(c*x*2^{(1/2)} / ((b + (-4*a*c + b^2)^{(1/2)}) * c)^{(1/2)}) * a^2 * g
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(g*x**6+f*x**4+e*x**2+d)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.128 \quad \int \frac{d+ex^2+fx^4+gx^6}{(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=449

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2c(cd-af)-ab^3g+4abc(2ag+ce)-4ac^2(af+3cd)}{c\sqrt{b^2-4ac}} + \frac{ab^2g}{c} + b(af+cd) - 2a(3ag+ce)\right)}{2\sqrt{2}a\sqrt{c}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-\frac{b^2c(cd-af)-ab^3g+4abc(2ag+ce)-4ac^2(af+3cd)}{c\sqrt{b^2-4ac}} + \frac{ab^2g}{c} + b(af+cd) - 2a(3ag+ce)\right)}{2\sqrt{2}a\sqrt{c}(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

[Out] (x\*(c\*(b^2\*d - 2\*a\*(c\*d - a\*f) - (a\*b\*(c\*e + a\*g))/c) + (b\*c\*(c\*d + a\*f) - a\*b^2\*g - 2\*a\*c\*(c\*e - a\*g))\*x^2))/(2\*a\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4) + ((b\*(c\*d + a\*f) + (a\*b^2\*g)/c - 2\*a\*(c\*e + 3\*a\*g) + (b^2\*c\*(c\*d - a\*f) - 4\*a\*c^2\*(3\*c\*d + a\*f) - a\*b^3\*g + 4\*a\*b\*c\*(c\*e + 2\*a\*g))/(c\*Sqrt[b^2 - 4\*a\*c]))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b\*(c\*d + a\*f) + (a\*b^2\*g)/c - 2\*a\*(c\*e + 3\*a\*g) - (b^2\*c\*(c\*d - a\*f) - 4\*a\*c^2\*(3\*c\*d + a\*f) - a\*b^3\*g + 4\*a\*b\*c\*(c\*e + 2\*a\*g))/(c\*Sqrt[b^2 - 4\*a\*c]))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 2.86695, antiderivative size = 449, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$ , Rules used = {1678, 1166, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(\frac{b^2c(cd-af)-ab^3g+4abc(2ag+ce)-4ac^2(af+3cd)}{c\sqrt{b^2-4ac}} + \frac{ab^2g}{c} + b(af+cd) - 2a(3ag+ce)\right)}{2\sqrt{2}a\sqrt{c}(b^2-4ac)\sqrt{b-\sqrt{b^2-4ac}}} + \frac{\tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{\sqrt{b^2-4ac}+b}}\right)\left(-\frac{b^2c(cd-af)-ab^3g+4abc(2ag+ce)-4ac^2(af+3cd)}{c\sqrt{b^2-4ac}} + \frac{ab^2g}{c} + b(af+cd) - 2a(3ag+ce)\right)}{2\sqrt{2}a\sqrt{c}(b^2-4ac)\sqrt{b+\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4 + g\*x^6)/(a + b\*x^2 + c\*x^4)^2, x]

[Out] (x\*(c\*(b^2\*d - 2\*a\*(c\*d - a\*f) - (a\*b\*(c\*e + a\*g))/c) + (b\*c\*(c\*d + a\*f) - a\*b^2\*g - 2\*a\*c\*(c\*e - a\*g))\*x^2))/(2\*a\*c\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4) + ((b\*(c\*d + a\*f) + (a\*b^2\*g)/c - 2\*a\*(c\*e + 3\*a\*g) + (b^2\*c\*(c\*d - a\*f) - 4\*a\*c^2\*(3\*c\*d + a\*f) - a\*b^3\*g + 4\*a\*b\*c\*(c\*e + 2\*a\*g))/(c\*Sqrt[b^2 - 4\*a\*c]))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + ((b\*(c\*d + a\*f) + (a\*b^2\*g)/c - 2\*a\*(c\*e + 3\*a\*g) - (b^2\*c\*(c\*d - a\*f) - 4\*a\*c^2\*(3\*c\*d + a\*f) - a\*b^3\*g + 4\*a\*b\*c\*(c\*e + 2\*a\*g))/(c\*Sqrt[b^2 - 4\*a\*c]))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a\*Sqrt[c]\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

$$- a*b^3*g + 4*a*b*c*(c*e + 2*a*g)/(c*\sqrt{b^2 - 4*a*c}))*\text{ArcTan}[(\sqrt{2}*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]]]/(2*\sqrt{2}*a*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$$

### Rule 1678

$$\text{Int}[(Pq_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^{(p_)}, x\_Symbol] \rightarrow \text{With}[\{d = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2 + c*x^4, x], x, 0], e = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x^2 + c*x^4, x], x, 2]\}, \text{Simp}[(x*(a + b*x^2 + c*x^4)^{(p+1)}*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^2))/(2*a*(p+1)*(b^2 - 4*a*c)), x] + \text{Dist}[1/(2*a*(p+1)*(b^2 - 4*a*c)), \text{Int}[(a + b*x^2 + c*x^4)^{(p+1)}*\text{ExpandToSum}[2*a*(p+1)*(b^2 - 4*a*c)*\text{PolynomialQuotient}[Pq, a + b*x^2 + c*x^4, x] + b^2*d*(2*p+3) - 2*a*c*d*(4*p+5) - a*b*e + c*(4*p+7)*(b*d - 2*a*e)*x^2, x], x], x]] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{PolyQ}[Pq, x^2] \&\& \text{Expon}[Pq, x^2] > 1 \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{LtQ}[p, -1]$$

### Rule 1166

$$\text{Int}[(d_ + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x\_Symbol] : > \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[e/2 + (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 - q/2 + c*x^2), x], x] + \text{Dist}[e/2 - (2*c*d - b*e)/(2*q), \text{Int}[1/(b/2 + q/2 + c*x^2), x], x]] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - a*e^2, 0] \&\& \text{PosQ}[b^2 - 4*a*c]$$

### Rule 205

$$\text{Int}[(a_ + (b_)*(x_)^2)^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$$

### Rubi steps



$$\int \frac{d + ex^2 + fx^4 + gx^6}{(a + bx^2 + cx^4)^2} dx = \frac{x \left( c \left( b^2 d - 2a(cd - af) - \frac{ab(ce+ag)}{c} \right) + (bc(cd + af) - ab^2 g - 2ac(ce - ag)) x^2 \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)} - \int \frac{-b^2 d + 2a(c d - a f) + b^2 g - 2ac(ce - ag)}{(a + bx^2 + cx^4)^2} dx$$

$$= \frac{x \left( c \left( b^2 d - 2a(cd - af) - \frac{ab(ce+ag)}{c} \right) + (bc(cd + af) - ab^2 g - 2ac(ce - ag)) x^2 \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(b(cd + af) + b^2 g - 2ac(ce - ag))}{(a + bx^2 + cx^4)}$$

$$= \frac{x \left( c \left( b^2 d - 2a(cd - af) - \frac{ab(ce+ag)}{c} \right) + (bc(cd + af) - ab^2 g - 2ac(ce - ag)) x^2 \right)}{2ac(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{(b(cd + af) + b^2 g - 2ac(ce - ag))}{(a + bx^2 + cx^4)}$$

**Mathematica [A]** time = 1.83305, size = 512, normalized size = 1.14

$$\frac{2\sqrt{cx}(b(a^2(-g)-ace+acfx^2+c^2dx^2)+b^2(cd-agx^2)+2ac(a(f+gx^2)-c(d+ex^2)))}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)(bc(8a^2g+cd\sqrt{b^2-4ac}+af\sqrt{b^2-4ac}+4ace)-2ac(ce\sqrt{b^2-4ac}+b^2g-2ac(ce-ag)))}{(b^2-4ac)^{3/2}\sqrt{b-\sqrt{b^2-4ac}}}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4 + g\*x^6)/(a + b\*x^2 + c\*x^4)^2,x]

[Out] ((2\*sqrt[c]\*x\*(b\*(-(a\*c\*e) - a^2\*g + c^2\*d\*x^2 + a\*c\*f\*x^2) + b^2\*(c\*d - a\*g\*x^2) + 2\*a\*c\*(-(c\*(d + e\*x^2)) + a\*(f + g\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (sqrt[2]\*(-(a\*b^3\*g) + b\*c\*(c\*sqrt[b^2 - 4\*a\*c]\*d + 4\*a\*c\*e + a\*sqrt[b^2 - 4\*a\*c]\*f + 8\*a^2\*g) + b^2\*(c^2\*d - a\*c\*f + a\*sqrt[b^2 - 4\*a\*c]\*g) - 2\*a\*c\*(6\*c^2\*d + c\*sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*c\*f + 3\*a\*sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]])/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) + (sqrt[2]\*(a\*b^3\*g + b\*c\*(c\*sqrt[b^2 - 4\*a\*c]\*d - 4\*a\*c\*e + a\*sqrt[b^2 - 4\*a\*c]\*f - 8\*a^2\*g) + 2\*a\*c\*(6\*c^2\*d - c\*sqrt[b^2 - 4\*a\*c]\*e + 2\*a\*c\*f - 3\*a\*sqrt[b^2 - 4\*a\*c]\*g) + b^2\*(-(c^2\*d) + a\*c\*f + a\*sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b + sqrt[b^2 - 4\*a\*c]])/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b + sqrt[b^2 - 4\*a\*c]])/(4\*a\*c^(3/2))

**Maple [B]** time = 0.042, size = 1760, normalized size = 3.9

result too large to display



2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(-4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*b\*g-1/4/(4\*a\*c-b^2)/c/(-4\*a\*c+b^2)^(1/2)\*2^(1/2)/((b+(-4\*a\*c+b^2)^(1/2))\*c)^(1/2)\*arctan(c\*x\*2^(1/2)/((b+(-4\*a\*c+b^2)^(1/2))\*c)^(1/2))\*b^3\*g

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{(bc^2d - 2ac^2e + abcf - (ab^2 - 2a^2c)g)x^3 - (abce - 2a^2cf + a^2bg - (b^2c - 2ac^2)d)x}{2(a^2b^2c - 4a^3c^2 + (ab^2c^2 - 4a^2c^3)x^4 + (ab^3c - 4a^2bc^2)x^2)} - \int \frac{abce - 2a^2cf + a^2bg + (bc^2d - 2ac^2e + abcf - (ab^2 - 2a^2c)g)x^3 - (abce - 2a^2cf + a^2bg - (b^2c - 2ac^2)d)x}{cx^4 + b^2c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x^6+f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/2\*((b\*c^2\*d - 2\*a\*c^2\*e + a\*b\*c\*f - (a\*b^2 - 2\*a^2\*c)\*g)\*x^3 - (a\*b\*c\*e - 2\*a^2\*c\*f + a^2\*b\*g - (b^2\*c - 2\*a\*c^2)\*d)\*x)/(a^2\*b^2\*c - 4\*a^3\*c^2 + (a\*b^2\*c^2 - 4\*a^2\*c^3)\*x^4 + (a\*b^3\*c - 4\*a^2\*b\*c^2)\*x^2) - 1/2\*integrate(-(a\*b\*c\*e - 2\*a^2\*c\*f + a^2\*b\*g + (b\*c^2\*d - 2\*a\*c^2\*e + a\*b\*c\*f + (a\*b^2 - 6\*a^2\*c)\*g)\*x^2 + (b^2\*c - 6\*a\*c^2)\*d)/(c\*x^4 + b\*x^2 + a), x)/(a\*b^2\*c - 4\*a^2\*c^2)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x^6+f\*x^4+e\*x^2+d)/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**6+f*x**4+e*x**2+d)/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^6+f*x^4+e*x^2+d)/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.129 \quad \int \frac{d+ex^2+fx^4+gx^6}{x^2(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=460

$$\frac{x \left( a \left( -2a^2g + \frac{b^3d}{a} + a(bf + 2ce) - b(be + 3cd) \right) + x^2 \left( -ab(ag + ce) - 2ac(cd - af) + b^2cd \right) \right)}{2a^2 (b^2 - 4ac) (a + bx^2 + cx^4)} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( \frac{4a^2c}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

[Out]  $-(d/(a^2*x)) - (x*(a*((b^3*d)/a - b*(3*c*d + b*e) + a*(2*c*e + b*f) - 2*a^2*g) + (b^2*c*d - 2*a*c*(c*d - a*f) - a*b*(c*e + a*g))*x^2))/(2*a^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((3*b^2*c*d - 2*a*c*(5*c*d - a*f) - a*b*(c*e + a*g) + (3*b^3*c*d - 4*a*b*c*(4*c*d + a*f) - a*b^2*(c*e - a*g) + 4*a^2*c*(3*c*e + a*g))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((3*b^2*c*d - 2*a*c*(5*c*d - a*f) - a*b*(c*e + a*g) - (3*b^3*c*d - 4*a*b*c*(4*c*d + a*f) - a*b^2*(c*e - a*g) + 4*a^2*c*(3*c*e + a*g))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b + \text{Sqrt}[b^2 - 4*a*c]])$

**Rubi [A]** time = 2.79105, antiderivative size = 460, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {1669, 1664, 1166, 205}

$$\frac{x \left( a \left( -2a^2g + \frac{b^3d}{a} + a(bf + 2ce) - b(be + 3cd) \right) + x^2 \left( -ab(ag + ce) - 2ac(cd - af) + b^2cd \right) \right)}{2a^2 (b^2 - 4ac) (a + bx^2 + cx^4)} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) \left( \frac{4a^2c}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4 + g\*x^6)/(x^2\*(a + b\*x^2 + c\*x^4)^2), x]

[Out]  $-(d/(a^2*x)) - (x*(a*((b^3*d)/a - b*(3*c*d + b*e) + a*(2*c*e + b*f) - 2*a^2*g) + (b^2*c*d - 2*a*c*(c*d - a*f) - a*b*(c*e + a*g))*x^2))/(2*a^2*(b^2 - 4*a*c)*(a + b*x^2 + c*x^4)) - ((3*b^2*c*d - 2*a*c*(5*c*d - a*f) - a*b*(c*e + a*g) + (3*b^3*c*d - 4*a*b*c*(4*c*d + a*f) - a*b^2*(c*e - a*g) + 4*a^2*c*(3*c*e + a*g))/\text{Sqrt}[b^2 - 4*a*c])*ArcTan[(\text{Sqrt}[2]*\text{Sqrt}[c]*x)/\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]])]/(2*\text{Sqrt}[2]*a^2*\text{Sqrt}[c]*(b^2 - 4*a*c)*\text{Sqrt}[b - \text{Sqrt}[b^2 - 4*a*c]]) - ((3*b^2*c*d - 2*a*c*(5*c*d - a*f) - a*b*(c*e + a*g) - (3*b^3*c*d - 4$

$$\frac{a*b*c*(4*c*d + a*f) - a*b^2*(c*e - a*g) + 4*a^2*c*(3*c*e + a*g)}{\sqrt{b^2 - 4*a*c}} \operatorname{ArcTan}\left[\frac{\sqrt{2}*\sqrt{c}*x}{\sqrt{b + \sqrt{b^2 - 4*a*c}}}\right] / (2*\sqrt{2}*a^2*\sqrt{c}*(b^2 - 4*a*c)*\sqrt{b + \sqrt{b^2 - 4*a*c}})$$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] :>
  With[{d = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^m*Pq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^m*Pq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_)*(x_)^(m_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_
  Symbol] :> Int[ExpandIntegrand[(d*x)^m*Pq*(a + b*x^2 + c*x^4)^p, x], x] /;
  FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (b_)*(x_)^2 + (c_)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4 + gx^6}{x^2(a + bx^2 + cx^4)^2} dx &= -\frac{x \left( a \left( \frac{b^3d}{a} - b(3cd + be) + a(2ce + bf) - 2a^2g \right) + (b^2cd - 2ac(cd - af) - ab(ce + ag)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{x \left( a \left( \frac{b^3d}{a} - b(3cd + be) + a(2ce + bf) - 2a^2g \right) + (b^2cd - 2ac(cd - af) - ab(ce + ag)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{a^2x} - \frac{x \left( a \left( \frac{b^3d}{a} - b(3cd + be) + a(2ce + bf) - 2a^2g \right) + (b^2cd - 2ac(cd - af) - ab(ce + ag)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{a^2x} - \frac{x \left( a \left( \frac{b^3d}{a} - b(3cd + be) + a(2ce + bf) - 2a^2g \right) + (b^2cd - 2ac(cd - af) - ab(ce + ag)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{a^2x} - \frac{x \left( a \left( \frac{b^3d}{a} - b(3cd + be) + a(2ce + bf) - 2a^2g \right) + (b^2cd - 2ac(cd - af) - ab(ce + ag)) x^2 \right)}{2a^2(b^2 - 4ac)(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.63774, size = 529, normalized size = 1.15

$$-\frac{2x(2a(a^2g - ac(e + fx^2) + c^2dx^2) + b^2(ae - cdx^2) + ab(-af + agx^2 + 3cd + cex^2) + b^3(-d))}{(b^2 - 4ac)(a + bx^2 + cx^4)} + \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}\sqrt{cx}}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right) (2ac(2a^2g - 5cd\sqrt{b^2 - 4ac} + af\sqrt{b^2 - 4ac} + 6ace) + \sqrt{c}(b^2 - 4ac))}{\sqrt{c}(b^2 - 4ac)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4 + g\*x^6)/(x^2\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] -((4\*d)/x - (2\*x\*(-(b^3\*d) + b^2\*(a\*e - c\*d\*x^2) + a\*b\*(3\*c\*d - a\*f + c\*e\*x^2 + a\*g\*x^2) + 2\*a\*(a^2\*g + c^2\*d\*x^2 - a\*c\*(e + f\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[2]\*(3\*b^3\*c\*d + b^2\*(3\*c\*Sqrt[b^2 - 4\*a\*c]\*d - a\*c\*e + a^2\*g) + 2\*a\*c\*(-5\*c\*Sqrt[b^2 - 4\*a\*c]\*d + 6\*a\*c\*e + a\*Sqrt[b^2 - 4\*a\*c]\*f + 2\*a^2\*g) - a\*b\*(16\*c^2\*d + c\*Sqrt[b^2 - 4\*a\*c]\*e + 4\*a\*c\*f + a\*Sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(Sqrt[c]\*(b^2 - 4\*a\*c)^(3/2)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[2]\*(-3\*b^3\*c\*d + b^2\*(3\*c\*Sqrt[b^2 - 4\*a\*c]\*d + a\*c\*e - a^2\*g) - 2\*a\*c\*(5\*c\*Sqrt[b^2 - 4\*a\*c]\*d + 6\*a\*c\*e - a\*Sqrt[b^2 - 4\*a\*c]\*f + 2\*a^2\*g) + a\*b\*(16\*c^2\*d - c\*Sqrt[b^2 - 4\*a\*c]\*e + 4\*a\*c\*f - a\*Sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(Sqrt[2]

$$\frac{] \sqrt{c} x / \sqrt{b + \sqrt{b^2 - 4ac}}]}{(\sqrt{c} (b^2 - 4ac)^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}})} / (4a^2)$$

**Maple [B]** time = 0.045, size = 2045, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((g*x^6+f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a)^2, x)$

[Out] 
$$\frac{1/4/a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*b^2*e+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*b*d+1/4/a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*b^2*e+4/a*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*b*d-3/4/a^2*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*b^3*d-3/4/a^2*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*b^3*d-a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*g-a*c/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*g+5/2/a*c^2/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*d-5/2/a*c^2/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*d-3*c^2/(4*a*c-b^2)/(-4*a*c+b^2)^{(1/2)*2^{(1/2)}}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*e-1/2/a/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^3*b*e-3/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b*c*d+1/2/a^2/(c*x^4+b*x^2+a)*c/(4*a*c-b^2)*x^3*b^2*d-1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*b*g-a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*g+c/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x^3*f+1/2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b*f+1/4/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)}}*b*g-1/4/(4*a*c-b^2)*2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)*\text{arctan}(c*x^2^{(1/2)}/((b+(-4*a*c+b^2)^{(1/2)})*c)^{(1/2)}}*b*g-1/a/(c*x^4+b*x^2+a)*c^2/(4*a*c-b^2)*x^3*d-1/2/a/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b^2*e+1/2/a^2/(c*x^4+b*x^2+a)/(4*a*c-b^2)*x*b^3*d-1/2*c/(4*a*c-b^2)*2^{(1/2)}/((( -4*a*c+b^2)^{(1/2)}-b)*c)^{(1/2)*\text{arctanh}(c*x^2^{(1/2)}/(($$



$$\begin{aligned}
& -4ac+b^2)^{1/2}-b)c)^{1/2}) * f + 1/2 * c / (4ac-b^2) * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \arctan(c * x * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2}) * f + 1 / \\
& c * x^4 + b * x^2 + a) / (4ac-b^2) * x * c * e - d / a^2 / x - 1/4 / (4ac-b^2) / (-4ac+b^2)^{1/2} * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \arctan(c * x * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2}) * b^2 * g - 1/4 / (4ac-b^2) / (-4ac+b^2)^{1/2} * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2} * \operatorname{arctanh}(c * x * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2}) * b^2 * g + c / (4ac-b^2) / (-4ac+b^2)^{1/2} * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2} * \operatorname{arctanh}(c * x * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2}) * b * f + c / (4ac-b^2) / (-4ac+b^2)^{1/2} * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \arctan(c * x * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2}) * b * e - 3/4 / a^2 * c / (4ac-b^2) * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2} * \operatorname{arctanh}(c * x * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2}) * b^2 * d + 3/4 / a^2 * c / (4ac-b^2) * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2} * \arctan(c * x * 2^{1/2} / ((b+(-4ac+b^2)^{1/2}) * c)^{1/2}) * b^2 * d + 1/4 / a * c / (4ac-b^2) * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2} * \operatorname{arctanh}(c * x * 2^{1/2} / (((-4ac+b^2)^{1/2}-b) * c)^{1/2}) * b * e
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x^6+f\*x^4+e\*x^2+d)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x^6+f\*x^4+e\*x^2+d)/x^2/(c\*x^4+b\*x^2+a)^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x**6+f*x**4+e*x**2+d)/x**2/(c*x**4+b*x**2+a)**2,x)`

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((g*x^6+f*x^4+e*x^2+d)/x^2/(c*x^4+b*x^2+a)^2,x, algorithm="giac")`

[Out] Exception raised: NotImplementedError

$$3.130 \quad \int \frac{d+ex^2+fx^4+gx^6}{x^4(a+bx^2+cx^4)^2} dx$$

**Optimal.** Leaf size=542

$$\frac{x \left( a^2 \left( \frac{b^4 d}{a^2} - \frac{b^2 (be+4cd)}{a} - a(bg+2cf) + b^2 f + 3bce + 2c^2 d \right) + cx^2 \left( 2a^2 (ce-ag) - ab^2 e - ab(3cd-af) + b^3 d \right) \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c}}$$

[Out] -d/(3\*a^2\*x^3) + (2\*b\*d - a\*e)/(a^3\*x) + (x\*(a^2\*((b^4\*d)/a^2 + 2\*c^2\*d + 3\*b\*c\*e - (b^2\*(4\*c\*d + b\*e))/a + b^2\*f - a\*(2\*c\*f + b\*g)) + c\*(b^3\*d - a\*b^2\*e - a\*b\*(3\*c\*d - a\*f) + 2\*a^2\*(c\*e - a\*g))\*x^2)/(2\*a^3\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[c]\*(5\*b^3\*d - 3\*a\*b^2\*e - a\*b\*(19\*c\*d - a\*f) + 2\*a^2\*(5\*c\*e - a\*g) + (5\*b^4\*d - 3\*a\*b^3\*e + 4\*a^2\*c\*(7\*c\*d - 3\*a\*f) - a\*b^2\*(29\*c\*d - a\*f) + 4\*a^2\*b\*(4\*c\*e + a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a^3\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[c]\*(5\*b^3\*d - 3\*a\*b^2\*e - a\*b\*(19\*c\*d - a\*f) + 2\*a^2\*(5\*c\*e - a\*g) - (5\*b^4\*d - 3\*a\*b^3\*e + 4\*a^2\*c\*(7\*c\*d - 3\*a\*f) - a\*b^2\*(29\*c\*d - a\*f) + 4\*a^2\*b\*(4\*c\*e + a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a^3\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

**Rubi [A]** time = 7.26496, antiderivative size = 542, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {1669, 1664, 1166, 205}

$$\frac{x \left( a^2 \left( \frac{b^4 d}{a^2} - \frac{b^2 (be+4cd)}{a} - a(bg+2cf) + b^2 f + 3bce + 2c^2 d \right) + cx^2 \left( 2a^2 (ce-ag) - ab^2 e - ab(3cd-af) + b^3 d \right) \right)}{2a^3 (b^2 - 4ac) (a + bx^2 + cx^4)} + \frac{\sqrt{c} \tan^{-1} \left( \frac{\sqrt{c} x}{\sqrt{b - \sqrt{b^2 - 4ac}}} \right)}{\sqrt{c}}$$

Antiderivative was successfully verified.

[In] Int[(d + e\*x^2 + f\*x^4 + g\*x^6)/(x^4\*(a + b\*x^2 + c\*x^4)^2), x]

[Out] -d/(3\*a^2\*x^3) + (2\*b\*d - a\*e)/(a^3\*x) + (x\*(a^2\*((b^4\*d)/a^2 + 2\*c^2\*d + 3\*b\*c\*e - (b^2\*(4\*c\*d + b\*e))/a + b^2\*f - a\*(2\*c\*f + b\*g)) + c\*(b^3\*d - a\*b^2\*e - a\*b\*(3\*c\*d - a\*f) + 2\*a^2\*(c\*e - a\*g))\*x^2)/(2\*a^3\*(b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (Sqrt[c]\*(5\*b^3\*d - 3\*a\*b^2\*e - a\*b\*(19\*c\*d - a\*f) + 2\*a^2\*(5\*c\*e - a\*g) + (5\*b^4\*d - 3\*a\*b^3\*e + 4\*a^2\*c\*(7\*c\*d - 3\*a\*f) - a\*b^2\*(29\*c\*d - a\*f) + 4\*a^2\*b\*(4\*c\*e + a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b - Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a^3\*(b^2 - 4\*a\*c)\*Sqrt[b - Sqrt[b^2 - 4\*a\*c]]) + (Sqrt[c]\*(5\*b^3\*d - 3\*a\*b^2\*e - a\*b\*(19\*c\*d - a\*f) + 2\*a^2\*(5\*c\*e - a\*g) - (5\*b^4\*d - 3\*a\*b^3\*e + 4\*a^2\*c\*(7\*c\*d - 3\*a\*f) - a\*b^2\*(29\*c\*d - a\*f) + 4\*a^2\*b\*(4\*c\*e + a\*g))/Sqrt[b^2 - 4\*a\*c])\*ArcTan[(Sqrt[2]\*Sqrt[c]\*x)/Sqrt[b + Sqrt[b^2 - 4\*a\*c]])/(2\*Sqrt[2]\*a^3\*(b^2 - 4\*a\*c)\*Sqrt[b + Sqrt[b^2 - 4\*a\*c]])

$$\frac{(29cd - af) + 4a^2b(4ce + ag)}{\sqrt{b^2 - 4ac}} \operatorname{ArcTan}\left[\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b - \sqrt{b^2 - 4ac}}}\right] + \frac{(\sqrt{c}(5b^3d - 3ab^2e - ab(19cd - af)) + 2a^2(5ce - ag) - (5b^4d - 3ab^3e + 4a^2c(7cd - 3af) - ab^2(29cd - af) + 4a^2b(4ce + ag))}{\sqrt{b^2 - 4ac}} \operatorname{ArcTan}\left[\frac{\sqrt{2}\sqrt{c}x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right]}{(2\sqrt{2})a^3(b^2 - 4ac)\sqrt{b + \sqrt{b^2 - 4ac}}}$$

### Rule 1669

```
Int[(Pq_)*(x_)^(m_)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_), x_Symbol] :=
  With[{d = Coeff[PolynomialRemainder[x^mPq, a + b*x^2 + c*x^4, x], x, 0],
    e = Coeff[PolynomialRemainder[x^mPq, a + b*x^2 + c*x^4, x], x, 2]}, Simp[(
  x*(a + b*x^2 + c*x^4)^(p + 1)*(a*b*e - d*(b^2 - 2*a*c) - c*(b*d - 2*a*e)*x^
  2))/(2*a*(p + 1)*(b^2 - 4*a*c)), x] + Dist[1/(2*a*(p + 1)*(b^2 - 4*a*c)), I
  nt[x^m*(a + b*x^2 + c*x^4)^(p + 1)*ExpandToSum[(2*a*(p + 1)*(b^2 - 4*a*c)*P
  olynomialQuotient[x^mPq, a + b*x^2 + c*x^4, x])/x^m + (b^2*d*(2*p + 3) - 2
  *a*c*d*(4*p + 5) - a*b*e)/x^m + c*(4*p + 7)*(b*d - 2*a*e)*x^(2 - m), x], x]
  , x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x^2] && GtQ[Expon[Pq, x^2], 1] &&
  NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1] && ILtQ[m/2, 0]
```

### Rule 1664

```
Int[(Pq_)*((d_.)*(x_)^(m_.))*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_
  Symbol] := Int[ExpandIntegrand[(d*x)^mPq*(a + b*x^2 + c*x^4)^p, x], x] /;
  FreeQ[{a, b, c, d, m}, x] && PolyQ[Pq, x^2] && IGtQ[p, -2]
```

### Rule 1166

```
Int[((d_) + (e_.)*(x_)^2)/((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4), x_Symbol] :
  > With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[e/2 + (2*c*d - b*e)/(2*q), Int[1/(b/2
  - q/2 + c*x^2), x], x] + Dist[e/2 - (2*c*d - b*e)/(2*q), Int[1/(b/2 + q/2
  + c*x^2), x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && Ne
  Q[c*d^2 - a*e^2, 0] && PosQ[b^2 - 4*a*c]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
  /b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{d + ex^2 + fx^4 + gx^6}{x^4(a + bx^2 + cx^4)^2} dx &= \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - a(2cf + bg) \right) + c(b^3 d - ab^2 e - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - a(2cf + bg) \right) + c(b^3 d - ab^2 e - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - a(2cf + bg) \right) + c(b^3 d - ab^2 e - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - a(2cf + bg) \right) + c(b^3 d - ab^2 e - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)} \\
&= -\frac{d}{3a^2 x^3} + \frac{2bd - ae}{a^3 x} + \frac{x \left( a^2 \left( \frac{b^4 d}{a^2} + 2c^2 d + 3bce - \frac{b^2(4cd+be)}{a} + b^2 f - a(2cf + bg) \right) + c(b^3 d - ab^2 e - ab(3cd - af)) \right)}{2a^3(b^2 - 4ac)(a + bx^2 + cx^4)}
\end{aligned}$$

**Mathematica [A]** time = 2.33592, size = 612, normalized size = 1.13

$$\frac{6x(ab(a^2(-g)+ac(3e+fx^2)-3c^2dx^2)+2a^2c(d+ex^2)-a(f+gx^2))+ab^2(af-c(4d+ex^2))+b^3(cdx^2-ae)+b^4d)}{(b^2-4ac)(a+bx^2+cx^4)} + \frac{3\sqrt{2}\sqrt{c} \tan^{-1}\left(\frac{\sqrt{2}\sqrt{cx}}{\sqrt{b-\sqrt{b^2-4ac}}}\right)\left(-2a^2(-5ce\sqrt{b^2-4ac}-\dots)\right)}{(b^2-4ac)(a+bx^2+cx^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(d + e\*x^2 + f\*x^4 + g\*x^6)/(x^4\*(a + b\*x^2 + c\*x^4)^2),x]

[Out] ((-4\*a\*d)/x^3 + (24\*b\*d - 12\*a\*e)/x + (6\*x\*(b^4\*d + b^3\*(-(a\*e) + c\*d\*x^2) + a\*b^2\*(a\*f - c\*(4\*d + e\*x^2)) + a\*b\*(-(a^2\*g) - 3\*c^2\*d\*x^2 + a\*c\*(3\*e + f\*x^2)) + 2\*a^2\*c\*(c\*(d + e\*x^2) - a\*(f + g\*x^2))))/((b^2 - 4\*a\*c)\*(a + b\*x^2 + c\*x^4)) + (3\*sqrt[2]\*sqrt[c]\*(5\*b^4\*d + b^3\*(5\*sqrt[b^2 - 4\*a\*c]\*d - 3\*a\*e) + a\*b^2\*(-29\*c\*d - 3\*sqrt[b^2 - 4\*a\*c]\*e + a\*f) + a\*b\*(-19\*c\*sqrt[b^2 - 4\*a\*c]\*d + 16\*a\*c\*e + a\*sqrt[b^2 - 4\*a\*c]\*f + 4\*a^2\*g) - 2\*a^2\*(-14\*c^2\*d - 5\*c\*sqrt[b^2 - 4\*a\*c]\*e + 6\*a\*c\*f + a\*sqrt[b^2 - 4\*a\*c]\*g))\*ArcTan[(sqrt[2]\*sqrt[c]\*x)/sqrt[b - sqrt[b^2 - 4\*a\*c]]]/((b^2 - 4\*a\*c)^(3/2)\*sqrt[b - sqrt[b^2 - 4\*a\*c]]) - (3\*sqrt[2]\*sqrt[c]\*(5\*b^4\*d - b^3\*(5\*sqrt[b^2 - 4\*a\*c]\*d + 3\*a\*e) + a\*b^2\*(-29\*c\*d + 3\*sqrt[b^2 - 4\*a\*c]\*e + a\*f) + a\*b\*(19\*c\*S

$$\sqrt{b^2 - 4ac} \cdot d + 16ac \cdot e - a \sqrt{b^2 - 4ac} \cdot f + 4a^2 \cdot g + 2a^2 \cdot (14c^2 \cdot d - 5c \sqrt{b^2 - 4ac} \cdot e - 6ac \cdot f + a \sqrt{b^2 - 4ac} \cdot g) \cdot \operatorname{Arctan}\left[\frac{\sqrt{2} \sqrt{c} \cdot x}{\sqrt{b + \sqrt{b^2 - 4ac}}}\right] / ((b^2 - 4ac)^{3/2} \sqrt{b + \sqrt{b^2 - 4ac}}) / (12a^3)$$

**Maple [B]** time = 0.048, size = 2503, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (g \cdot x^6 + f \cdot x^4 + e \cdot x^2 + d) / x^4 / (c \cdot x^4 + b \cdot x^2 + a)^2, x$

[Out]  $\frac{1}{2} \cdot c / (4ac - b^2) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot g - 1/2 \cdot c / (4ac - b^2) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot g - 1/a / (c \cdot x^4 + b \cdot x^2 + a) \cdot c^2 / (4ac - b^2) \cdot x^3 \cdot e - 1/2 \cdot a / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot b^2 \cdot f - 1/a / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot c^2 \cdot d + 1/2 \cdot a^2 / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot b^3 \cdot e - 1/2 \cdot a^3 / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot b^4 \cdot d - 3/4 \cdot a^2 \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot b^3 \cdot e - 29/4 \cdot a^2 \cdot c^2 / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot b^2 \cdot d + 5/4 \cdot a^3 \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot b^4 \cdot d + 5/4 \cdot a^3 \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot b^4 \cdot d - 29/4 \cdot a^2 \cdot c^2 / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot b^2 \cdot d + 1/4 \cdot a \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot b^2 \cdot f + 1/4 \cdot a \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot b^2 \cdot f + 4/a \cdot c^2 / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot b \cdot e - 3/4 \cdot a^2 \cdot c / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot b^3 \cdot e + 4/a \cdot c^2 / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2} \cdot \arctan(c \cdot x^2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}) \cdot b \cdot e + 1 / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot c \cdot f - 1/a^2 \cdot x \cdot e + 1/2 / (c \cdot x^4 + b \cdot x^2 + a) / (4ac - b^2) \cdot x \cdot b \cdot g + 1 / (c \cdot x^4 + b \cdot x^2 + a) \cdot c / (4ac - b^2) \cdot x^3 \cdot g + 2/a^3 \cdot x \cdot b \cdot d - 1/3 \cdot d \cdot a^2 / x^3 + 7/a \cdot c^3 / (4ac - b^2) / ((-4ac + b^2)^{1/2}) \cdot 2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2} \cdot \operatorname{arctanh}(c \cdot x^2^{1/2} / (((-4ac + b^2)^{1/2} - b) \cdot c)^{1/2}) \cdot d - 1/4 \cdot a \cdot c / (4ac - b^2) \cdot 2^{1/2} / ((b + (-4ac + b^2)^{1/2}) \cdot c)^{1/2}$

$$\begin{aligned} &^2)^{(1/2)} * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b * \\ &f + 1/4/a * c / (4 * a * c - b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * \\ &2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b * f - 3/4/a^2 * c / (4 * a * c - b^2) * 2^{(1/2)} \\ &/ (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - \\ &b) * c)^{(1/2)}) * b^2 * e - 19/4/a^2 * c^2 / (4 * a * c - b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) \\ &* c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b * d + 3/4/a^2 \\ &* c / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / \\ &((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b^2 * e + 19/4/a^2 * c^2 / (4 * a * c - b^2) * 2^{(1/2)} / (( \\ &b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c \\ &)^{(1/2)}) * b * d + 7/a * c^3 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2 \\ &)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * d + 5/ \\ &4/a^3 * c / (4 * a * c - b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} \\ &(1/2) / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b^3 * d - 5/4/a^3 * c / (4 * a * c - b^2) * 2^{(1/2)} \\ &/ ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) \\ &)* c)^{(1/2)}) * b^3 * d + c / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - \\ &(1/2) - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * b * g + \\ &c / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * a \\ &\operatorname{rctan}(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * b * g - 1/2/a^3 / (c * x^4 + b * x^ \\ &2 + a) * c / (4 * a * c - b^2) * x^3 * b^3 * d - 1/2/a / (c * x^4 + b * x^2 + a) * c / (4 * a * c - b^2) * x^3 * b * f + 1/ \\ &2/a^2 / (c * x^4 + b * x^2 + a) * c / (4 * a * c - b^2) * x^3 * b^2 * e + 2/a^2 / (c * x^4 + b * x^2 + a) / (4 * a * c - \\ &b^2) * x * b^2 * c * d + 3/2/a^2 / (c * x^4 + b * x^2 + a) * c^2 / (4 * a * c - b^2) * x^3 * b * d + 5/2/a * c^2 / (4 \\ &* a * c - b^2) * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((- \\ &4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * e - 5/2/a * c^2 / (4 * a * c - b^2) * 2^{(1/2)} / ((b + (-4 * a * c + b \\ &^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * e - \\ &3 * c^2 / (4 * a * c - b^2) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)} * \\ &2) * \operatorname{arctanh}(c * x * 2^{(1/2)} / (((-4 * a * c + b^2)^{(1/2)} - b) * c)^{(1/2)}) * f - 3 * c^2 / (4 * a * c - b^2 \\ &) / (-4 * a * c + b^2)^{(1/2)} * 2^{(1/2)} / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)} * \arctan(c * x * 2^{(1/2)} \\ &(1/2) / ((b + (-4 * a * c + b^2)^{(1/2)}) * c)^{(1/2)}) * f - 3/2/a / (c * x^4 + b * x^2 + a) / (4 * a * c - b^2) \\ &* x * b * c * e \end{aligned}$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{3(a^2bcf - 2a^3cg + (5b^3c - 19abc^2)d - (3ab^2c - 10a^2c^2)e)x^6 - (3a^3bg - (15b^4 - 62ab^2c + 14a^2c^2)d + 3(3ab^3 - 11a^2c^2)e)x^5}{6((a^3b^2c - 4a^4c^2)x^7 + (a^3b^3 - 4a^4bc)x^5 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((g\*x^6+f\*x^4+e\*x^2+d)/x^4/(c\*x^4+b\*x^2+a)^2,x, algorithm="maxima")

[Out] 1/6\*(3\*(a^2\*b\*c\*f - 2\*a^3\*c\*g + (5\*b^3\*c - 19\*a\*b\*c^2)\*d - (3\*a\*b^2\*c - 10\*a^2\*c^2)\*e)\*x^6 - (3\*a^3\*b\*g - (15\*b^4 - 62\*a\*b^2\*c + 14\*a^2\*c^2)\*d + 3\*(3\*

$$\begin{aligned}
& a^3b^3 - 11a^2b^2c)e - 3(a^2b^2 - 2a^3c)f)x^4 + 2(5(a^3b^3 - 4a^2b^2c)d - 3(a^2b^2 - 4a^3c)e)x^2 - 2(a^2b^2 - 4a^3c)d)/((a^3b^2c - 4a^4c^2)x^7 + (a^3b^3 - 4a^4b^2c)x^5 + (a^4b^2 - 4a^5c)x^3) - \\
& 1/2 \int (-a^3b^2g + (a^2b^2c^2f - 2a^3c^2g + (5b^3c - 19a^2b^2c^2)e)x^2 + (5b^4 - 24a^2b^2c + 14a^2c^2)d - (3a^3b^3 - 13a^2b^2c)e + (a^2b^2 - 6a^3c)f)/(cx^4 + bx^2 + a), x) / \\
& (a^3b^2 - 4a^4c)
\end{aligned}$$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^6+f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x**6+f*x**4+e*x**2+d)/x**4/(c*x**4+b*x**2+a)**2,x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((g*x^6+f*x^4+e*x^2+d)/x^4/(c*x^4+b*x^2+a)^2,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```



$$3.131 \quad \int x^2 (a + bx^2 + cx^4)^p (3a + b(5 + 2p)x^2 + c(7 + 4p)x^4) dx$$

**Optimal.** Leaf size=20

$$x^3 (a + bx^2 + cx^4)^{p+1}$$

[Out]  $x^3(a + b*x^2 + c*x^4)^{(1 + p)}$

**Rubi [A]** time = 0.0363838, antiderivative size = 20, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 42,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.024$ , Rules used = {1588}

$$x^3 (a + bx^2 + cx^4)^{p+1}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[x^2*(a + b*x^2 + c*x^4)^p*(3*a + b*(5 + 2*p)*x^2 + c*(7 + 4*p)*x^4), x]$

[Out]  $x^3*(a + b*x^2 + c*x^4)^{(1 + p)}$

#### Rule 1588

$\text{Int}[(Pp_)*(Qq_)^{(m_.)}, x\_Symbol] :> \text{With}[\{p = \text{Expon}[Pp, x], q = \text{Expon}[Qq, x]\}, \text{Simp}[(\text{Coeff}[Pp, x, p]*x^{(p - q + 1)}*Qq^{(m + 1)})/((p + m*q + 1)*\text{Coeff}[Qq, x, q]), x] /; \text{NeQ}[p + m*q + 1, 0] \&\& \text{EqQ}[(p + m*q + 1)*\text{Coeff}[Qq, x, q]*Pp, \text{Coeff}[Pp, x, p]*x^{(p - q)}*((p - q + 1)*Qq + (m + 1)*x*D[Qq, x])]] /; \text{FreeQ}[m, x] \&\& \text{PolyQ}[Pp, x] \&\& \text{PolyQ}[Qq, x] \&\& \text{NeQ}[m, -1]$

#### Rubi steps

$$\int x^2 (a + bx^2 + cx^4)^p (3a + b(5 + 2p)x^2 + c(7 + 4p)x^4) dx = x^3 (a + bx^2 + cx^4)^{1+p}$$

**Mathematica [A]** time = 0.147311, size = 20, normalized size = 1.

$$x^3 (a + bx^2 + cx^4)^{p+1}$$

Antiderivative was successfully verified.

[In] Integrate[x^2\*(a + b\*x^2 + c\*x^4)^p\*(3\*a + b\*(5 + 2\*p)\*x^2 + c\*(7 + 4\*p)\*x^4),x]

[Out] x^3\*(a + b\*x^2 + c\*x^4)^(1 + p)

**Maple [A]** time = 0.014, size = 21, normalized size = 1.1

$$x^3 (cx^4 + bx^2 + a)^{1+p}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2\*(c\*x^4+b\*x^2+a)^p\*(3\*a+b\*(5+2\*p)\*x^2+c\*(7+4\*p)\*x^4),x)

[Out] x^3\*(c\*x^4+b\*x^2+a)^(1+p)

**Maxima [A]** time = 1.23919, size = 42, normalized size = 2.1

$$(cx^7 + bx^5 + ax^3)(cx^4 + bx^2 + a)^p$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*x^4+b\*x^2+a)^p\*(3\*a+b\*(5+2\*p)\*x^2+c\*(7+4\*p)\*x^4),x, algorithm="maxima")

[Out] (c\*x^7 + b\*x^5 + a\*x^3)\*(c\*x^4 + b\*x^2 + a)^p

**Fricas [A]** time = 1.85655, size = 63, normalized size = 3.15

$$(cx^7 + bx^5 + ax^3)(cx^4 + bx^2 + a)^p$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2\*(c\*x^4+b\*x^2+a)^p\*(3\*a+b\*(5+2\*p)\*x^2+c\*(7+4\*p)\*x^4),x, algorithm="fricas")

[Out]  $(c*x^7 + b*x^5 + a*x^3)*(c*x^4 + b*x^2 + a)^p$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(c*x**4+b*x**2+a)**p*(3*a+b*(5+2*p)*x**2+c*(7+4*p)*x**4),x)`

[Out] Timed out

---

**Giac [B]** time = 1.1973, size = 78, normalized size = 3.9

$$(cx^4 + bx^2 + a)^p cx^7 + (cx^4 + bx^2 + a)^p bx^5 + (cx^4 + bx^2 + a)^p ax^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*x^4+b*x^2+a)^p*(3*a+b*(5+2*p)*x^2+c*(7+4*p)*x^4),x, algorithm="giac")`

[Out]  $(c*x^4 + b*x^2 + a)^p*c*x^7 + (c*x^4 + b*x^2 + a)^p*b*x^5 + (c*x^4 + b*x^2 + a)^p*a*x^3$

$$3.132 \quad \int \frac{x^5(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=210

$$-\frac{(d-ex)^{5/2}(d+ex)^{5/2}(ae^4+3bd^2e^2+6cd^4)}{5e^{10}} + \frac{d^2(d-ex)^{3/2}(d+ex)^{3/2}(2ae^4+3bd^2e^2+4cd^4)}{3e^{10}} - \frac{d^4\sqrt{d-ex}\sqrt{d+ex}(ae^4)}{e^{10}}$$

[Out]  $-\left(\frac{d^4(c d^4 + b d^2 e^2 + a e^4) \sqrt{d - e x} \sqrt{d + e x}}{e^{10}} + \frac{d^2(4 c d^4 + 3 b d^2 e^2 + 2 a e^4)(d - e x)^{3/2}(d + e x)^{3/2}}{3 e^{10}} - \frac{(6 c d^4 + 3 b d^2 e^2 + a e^4)(d - e x)^{5/2}(d + e x)^{5/2}}{5 e^{10}} + \frac{(4 c d^2 + b e^2)(d - e x)^{7/2}(d + e x)^{7/2}}{7 e^{10}} - \frac{c(d - e x)^{9/2}(d + e x)^{9/2}}{9 e^{10}}\right)$

**Rubi [A]** time = 0.314532, antiderivative size = 278, normalized size of antiderivative = 1.32, number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {520, 1251, 897, 1153}

$$-\frac{(d^2 - e^2 x^2)^3 (ae^4 + 3bd^2e^2 + 6cd^4)}{5e^{10}\sqrt{d-ex}\sqrt{d+ex}} + \frac{d^2(d^2 - e^2 x^2)^2(2ae^4 + 3bd^2e^2 + 4cd^4)}{3e^{10}\sqrt{d-ex}\sqrt{d+ex}} - \frac{d^4(d^2 - e^2 x^2)(ae^4 + bd^2e^2 + cd^4)}{e^{10}\sqrt{d-ex}\sqrt{d+ex}} + \frac{(d^2 - e^2 x^2)^5}{7e^{10}\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(x^5\*(a + b\*x^2 + c\*x^4))/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $-\left(\frac{d^4(c d^4 + b d^2 e^2 + a e^4)(d^2 - e^2 x^2)}{e^{10} \sqrt{d - e x} \sqrt{d + e x}} + \frac{d^2(4 c d^4 + 3 b d^2 e^2 + 2 a e^4)(d^2 - e^2 x^2)^2}{3 e^{10} \sqrt{d - e x} \sqrt{d + e x}} - \frac{(6 c d^4 + 3 b d^2 e^2 + a e^4)(d^2 - e^2 x^2)^3}{5 e^{10} \sqrt{d - e x} \sqrt{d + e x}} + \frac{(4 c d^2 + b e^2)(d^2 - e^2 x^2)^4}{7 e^{10} \sqrt{d - e x} \sqrt{d + e x}} - \frac{c(d^2 - e^2 x^2)^5}{9 e^{10} \sqrt{d - e x} \sqrt{d + e x}}\right)$

**Rule 520**

Int[(u\_.)\*((c\_.) + (d\_.)\*(x\_)^(n\_.) + (e\_.)\*(x\_)^(n2\_.))^(q\_.)\*((a1\_.) + (b1\_.)\*(x\_)^(non2\_.))^(p\_.)\*((a2\_.) + (b2\_.)\*(x\_)^(non2\_.))^(p\_.), x\_Symbol] := Dist[((a1 + b1\*x^(n/2))^FracPart[p]\*(a2 + b2\*x^(n/2))^FracPart[p]]/(a1\*a2 + b1\*b2\*x^n)^FracPart[p], Int[u\*(a1\*a2 + b1\*b2\*x^n)^p\*(c + d\*x^n + e\*x^(2\*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2\*n] && EqQ[a2\*b1 + a1\*b2, 0]

Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 897

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[n, p] && FractionQ[m]

Rule 1153

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Int[ExpandIntegrand[(d + e\*x^2)^q\*(a + b\*x^2 + c\*x^4)^p, x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]

Rubi steps

$$\begin{aligned}
 \int \frac{x^5 (a + bx^2 + cx^4)}{\sqrt{d - ex}\sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2x^2} \int \frac{x^5(a+bx^2+cx^4)}{\sqrt{d^2-e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}} \\
 &= \frac{\sqrt{d^2 - e^2x^2} \text{Subst} \left( \int \frac{x^2(a+bx+cx^2)}{\sqrt{d^2-e^2x}} dx, x, x^2 \right)}{2\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{\sqrt{d^2 - e^2x^2} \text{Subst} \left( \int \left( \frac{d^2}{e^2} - \frac{x^2}{e^2} \right)^2 \left( \frac{cd^4+bd^2e^2+ae^4}{e^4} - \frac{(2cd^2+be^2)x^2}{e^4} + \frac{cx^4}{e^4} \right) dx, x, \sqrt{d^2 - e^2x^2} \right)}{e^2\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{\sqrt{d^2 - e^2x^2} \text{Subst} \left( \int \left( \frac{cd^8+bd^6e^2+ad^4e^4}{e^8} - \frac{d^2(4cd^4+3bd^2e^2+2ae^4)x^2}{e^8} + \frac{(6cd^4+3bd^2e^2+ae^4)x^4}{e^8} - \frac{(4cd^2+be^2)x^6}{e^8} \right) dx, x, \sqrt{d^2 - e^2x^2} \right)}{e^2\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{d^4 (cd^4 + bd^2e^2 + ae^4) (d^2 - e^2x^2)}{e^{10}\sqrt{d - ex}\sqrt{d + ex}} + \frac{d^2 (4cd^4 + 3bd^2e^2 + 2ae^4) (d^2 - e^2x^2)^2}{3e^{10}\sqrt{d - ex}\sqrt{d + ex}} - \frac{(6cd^4 + 3bd^2e^2 + ae^4) (d^2 - e^2x^2)^3}{5e^{10}\sqrt{d - ex}\sqrt{d + ex}}
 \end{aligned}$$

**Mathematica [C]** time = 1.43718, size = 265, normalized size = 1.26

$$\frac{\sqrt{d-ex}\sqrt{d+ex}\left(21ae^4\left(4d^2e^2x^2+8d^4+3e^4x^4\right)+9b\left(6d^2e^6x^4+8d^4e^4x^2+16d^6e^2+5e^8x^6\right)+c\left(64d^6e^2x^2+48d^4e^4x^4+\right.\right.}{315e^{10}}$$

---

Antiderivative was successfully verified.

[In] Integrate[(x^5\*(a + b\*x^2 + c\*x^4))/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(21\*a\*e^4\*(8\*d^4 + 4\*d^2\*e^2\*x^2 + 3\*e^4\*x^4) + 9\*b\*(16\*d^6\*e^2 + 8\*d^4\*e^4\*x^2 + 6\*d^2\*e^6\*x^4 + 5\*e^8\*x^6) + c\*(128\*d^8 + 64\*d^6\*e^2\*x^2 + 48\*d^4\*e^4\*x^4 + 40\*d^2\*e^6\*x^6 + 35\*e^8\*x^8)) + (630\*d^(9/2)\*(c\*d^4 + b\*d^2\*e^2 + a\*e^4)\*Sqrt[d + e\*x]\*ArcSin[Sqrt[d - e\*x]/(Sqrt[2]\*Sqrt[d])])/Sqrt[1 + (e\*x)/d] - 630\*d^5\*(c\*d^4 + b\*d^2\*e^2 + a\*e^4)\*ArcTan[Sqrt[d - e\*x]/Sqrt[d + e\*x]])/(315\*e^10)

---

**Maple [A]** time = 0.006, size = 145, normalized size = 0.7

$$\frac{35cx^8e^8 + 45be^8x^6 + 40cd^2e^6x^6 + 63ae^8x^4 + 54bd^2e^6x^4 + 48cd^4e^4x^4 + 84ad^2e^6x^2 + 72bd^4e^4x^2 + 64cd^6e^2x^2 + 168ad^8}{315e^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5\*(c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out] -1/315\*(e\*x+d)^(1/2)\*(-e\*x+d)^(1/2)\*(35\*c\*e^8\*x^8+45\*b\*e^8\*x^6+40\*c\*d^2\*e^6\*x^6+63\*a\*e^8\*x^4+54\*b\*d^2\*e^6\*x^4+48\*c\*d^4\*e^4\*x^4+84\*a\*d^2\*e^6\*x^2+72\*b\*d^4\*e^4\*x^2+64\*c\*d^6\*e^2\*x^2+168\*a\*d^4\*e^4+144\*b\*d^6\*e^2+128\*c\*d^8)/e^10

---

**Maxima [A]** time = 1.64729, size = 398, normalized size = 1.9

$$-\frac{\sqrt{-e^2x^2+d^2}cx^8}{9e^2} - \frac{8\sqrt{-e^2x^2+d^2}cd^2x^6}{63e^4} - \frac{\sqrt{-e^2x^2+d^2}bx^6}{7e^2} - \frac{16\sqrt{-e^2x^2+d^2}cd^4x^4}{105e^6} - \frac{6\sqrt{-e^2x^2+d^2}bd^2x^4}{35e^4} - \frac{\sqrt{-e^2x^2+d^2}ax^2}{5e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5\*(c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

```
[Out] -1/9*sqrt(-e^2*x^2 + d^2)*c*x^8/e^2 - 8/63*sqrt(-e^2*x^2 + d^2)*c*d^2*x^6/e^4 - 1/7*sqrt(-e^2*x^2 + d^2)*b*x^6/e^2 - 16/105*sqrt(-e^2*x^2 + d^2)*c*d^4*x^4/e^6 - 6/35*sqrt(-e^2*x^2 + d^2)*b*d^2*x^4/e^4 - 1/5*sqrt(-e^2*x^2 + d^2)*a*x^4/e^2 - 64/315*sqrt(-e^2*x^2 + d^2)*c*d^6*x^2/e^8 - 8/35*sqrt(-e^2*x^2 + d^2)*b*d^4*x^2/e^6 - 4/15*sqrt(-e^2*x^2 + d^2)*a*d^2*x^2/e^4 - 128/315*sqrt(-e^2*x^2 + d^2)*c*d^8/e^10 - 16/35*sqrt(-e^2*x^2 + d^2)*b*d^6/e^8 - 8/15*sqrt(-e^2*x^2 + d^2)*a*d^4/e^6
```

**Fricas [A]** time = 1.77388, size = 317, normalized size = 1.51

$$\frac{(35ce^8x^8 + 128cd^8 + 144bd^6e^2 + 168ad^4e^4 + 5(8cd^2e^6 + 9be^8)x^6 + 3(16cd^4e^4 + 18bd^2e^6 + 21ae^8)x^4 + 4(16cd^6e^2 + 12bd^4e^4 + 3ad^2e^6)x^2 + 4(16cd^8e^2 + 12bd^6e^4 + 3ad^4e^6))x^2 + 4(16cd^6e^2 + 12bd^4e^4 + 3ad^2e^6)}{315e^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/315*(35*c*e^8*x^8 + 128*c*d^8 + 144*b*d^6*e^2 + 168*a*d^4*e^4 + 5*(8*c*d^2*e^6 + 9*b*e^8)*x^6 + 3*(16*c*d^4*e^4 + 18*b*d^2*e^6 + 21*a*e^8)*x^4 + 4*(16*c*d^6*e^2 + 18*b*d^4*e^4 + 21*a*d^2*e^6)*x^2)*sqrt(e*x + d)*sqrt(-e*x + d)/e^10
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(c*x**4+b*x**2+a)/(-e*x+d)**(1/2)/(e*x+d)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.25458, size = 328, normalized size = 1.56

$$-\frac{1}{2807562240} (315cd^8e^{81} + 315bd^6e^{83} + 315ad^4e^{85} - (840cd^7e^{81} + 630bd^5e^{83} + 420ad^3e^{85} - (1932cd^6e^{81} + 1071bd^4e^{83} + 315ad^2e^{85})))x^2 + 4(16cd^6e^2 + 12bd^4e^4 + 3ad^2e^6)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2807562240*(315*c*d^8*e^81 + 315*b*d^6*e^83 + 315*a*d^4*e^85 - (840*c*d^7*e^81 + 630*b*d^5*e^83 + 420*a*d^3*e^85 - (1932*c*d^6*e^81 + 1071*b*d^4*e^83 + 462*a*d^2*e^85 - (2952*c*d^5*e^81 + 1116*b*d^3*e^83 + 252*a*d*e^85 - (3098*c*d^4*e^81 + 729*b*d^2*e^83 - 5*(440*c*d^3*e^81 + 54*b*d*e^83 - (204*c*d^2*e^81 + 7*((x*e + d)*c*e^81 - 8*c*d*e^81)*(x*e + d) + 9*b*e^83)*(x*e + d))*(x*e + d) + 63*a*e^85)*(x*e + d))*(x*e + d))*(x*e + d))*sqrt(x*e + d)*sqrt(-x*e + d)*e^(-1)
```



$$3.133 \quad \int \frac{x^3(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=159

$$\frac{(d-ex)^{3/2}(d+ex)^{3/2}(ae^4+2bd^2e^2+3cd^4)}{3e^8} - \frac{d^2\sqrt{d-ex}\sqrt{d+ex}(ae^4+bd^2e^2+cd^4)}{e^8} - \frac{(d-ex)^{5/2}(d+ex)^{5/2}(be^2+3cd^2)}{5e^8}$$

[Out]  $-\left(\frac{d^2(c*d^4 + b*d^2*e^2 + a*e^4)*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]}{e^8}\right) + \left(\frac{(3*c*d^4 + 2*b*d^2*e^2 + a*e^4)*(d - e*x)^{(3/2)}*(d + e*x)^{(3/2)}}{3*e^8} - \left(\frac{(3*c*d^2 + b*e^2)*(d - e*x)^{(5/2)}*(d + e*x)^{(5/2)}}{5*e^8} + \frac{c*(d - e*x)^{(7/2)}*(d + e*x)^{(7/2)}}{7*e^8}\right)\right)$

**Rubi [A]** time = 0.189442, antiderivative size = 213, normalized size of antiderivative = 1.34, number of steps used = 4, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {520, 1251, 771}

$$\frac{(d^2 - e^2x^2)^2(ae^4 + 2bd^2e^2 + 3cd^4)}{3e^8\sqrt{d-ex}\sqrt{d+ex}} - \frac{d^2(d^2 - e^2x^2)(ae^4 + bd^2e^2 + cd^4)}{e^8\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)^3(be^2 + 3cd^2)}{5e^8\sqrt{d-ex}\sqrt{d+ex}} + \frac{c(d^2 - e^2x^2)^4}{7e^8\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(x^3*(a + b*x^2 + c*x^4))/(\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]), x]$

[Out]  $-\left(\frac{d^2(c*d^4 + b*d^2*e^2 + a*e^4)*(d^2 - e^2*x^2)}{e^8*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]}\right) + \left(\frac{(3*c*d^4 + 2*b*d^2*e^2 + a*e^4)*(d^2 - e^2*x^2)^2}{3*e^8*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]} - \left(\frac{(3*c*d^2 + b*e^2)*(d^2 - e^2*x^2)^3}{5*e^8*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]} + \frac{c*(d^2 - e^2*x^2)^4}{7*e^8*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]}\right)\right)$

### Rule 520

$\text{Int}[(u_.)*((c_.) + (d_.)*(x_)^{(n_.)} + (e_.)*(x_)^{(n2_.)})^{(q_.)}*((a1_.) + (b1_.)*(x_)^{(non2_.)})^{(p_.)}*((a2_.) + (b2_.)*(x_)^{(non2_.)})^{(p_.)}, x\_Symbol] :>$   
 $\text{Dist}[\left(\frac{(a1 + b1*x^{(n/2)})^{\text{FracPart}[p]}*(a2 + b2*x^{(n/2)})^{\text{FracPart}[p]}}{(a1*a2 + b1*b2*x^n)^{\text{FracPart}[p]}}\right), \text{Int}[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^{(2*n)})^q, x], x] /;$   
 $\text{FreeQ}\{a1, b1, a2, b2, c, d, e, n, p, q\}, x\} \ \&\amp; \ \text{EqQ}[non2, n/2] \ \&\amp; \ \text{EqQ}[n2, 2*n] \ \&\amp; \ \text{EqQ}[a2*b1 + a1*b2, 0]$

### Rule 1251

```
Int[(x_)^(m_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)*(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]
```

### Rule 771

```
Int[((d_) + (e_)*(x_))^(m_)*((f_) + (g_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[b^2 - 4*a*c, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0] && IntegerQ[m]))
```

### Rubi steps

$$\begin{aligned} \int \frac{x^3(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx &= \frac{\sqrt{d^2-e^2x^2} \int \frac{x^3(a+bx^2+cx^4)}{\sqrt{d^2-e^2x^2}} dx}{\sqrt{d-ex}\sqrt{d+ex}} \\ &= \frac{\sqrt{d^2-e^2x^2} \operatorname{Subst}\left(\int \frac{x(a+bx+cx^2)}{\sqrt{d^2-e^2x}} dx, x, x^2\right)}{2\sqrt{d-ex}\sqrt{d+ex}} \\ &= \frac{\sqrt{d^2-e^2x^2} \operatorname{Subst}\left(\int \left(\frac{cd^6+bd^4e^2+ad^2e^4}{e^6\sqrt{d^2-e^2x}} + \frac{(-3cd^4-2bd^2e^2-ae^4)\sqrt{d^2-e^2x}}{e^6} + \frac{(3cd^2+be^2)(d^2-e^2x)^{3/2}}{e^6} - \frac{c(d^2-e^2x)^5}{e^6}\right) dx, x, x^2\right)}{2\sqrt{d-ex}\sqrt{d+ex}} \\ &= -\frac{d^2(cd^4+bd^2e^2+ae^4)(d^2-e^2x^2)}{e^8\sqrt{d-ex}\sqrt{d+ex}} + \frac{(3cd^4+2bd^2e^2+ae^4)(d^2-e^2x^2)^2}{3e^8\sqrt{d-ex}\sqrt{d+ex}} - \frac{(3cd^2+be^2)(d^2-e^2x^2)^{3/2}}{5e^8\sqrt{d-ex}\sqrt{d+ex}} \end{aligned}$$

**Mathematica [C]** time = 1.0886, size = 232, normalized size = 1.46

$$\frac{\sqrt{d-ex}\sqrt{d+ex} \left( 35ae^4(2d^2+e^2x^2) + 7b(4d^2e^4x^2+8d^4e^2+3e^6x^4) + 3c(8d^4e^2x^2+6d^2e^4x^4+16d^6+5e^6x^6) \right) + \frac{210d^{5/2}}{105e^8} \operatorname{ArcSinh}\left(\frac{\sqrt{d+ex}}{\sqrt{d-ex}}\right)}{105e^8}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x^3*(a + b*x^2 + c*x^4))/(Sqrt[d - e*x]*Sqrt[d + e*x]), x]
```

```
[Out] -(Sqrt[d - e*x]*Sqrt[d + e*x]*(35*a*e^4*(2*d^2 + e^2*x^2) + 7*b*(8*d^4*e^2 + 4*d^2*e^4*x^2 + 3*e^6*x^4) + 3*c*(16*d^6 + 8*d^4*e^2*x^2 + 6*d^2*e^4*x^4 + 5*e^6*x^6)) + (210*d^(5/2)*(c*d^4 + b*d^2*e^2 + a*e^4)*Sqrt[d + e*x]*ArcSinh[Sqrt[d + e*x]/Sqrt[d - e*x]])/105e^8
```

`in[Sqrt[d - e*x]/(Sqrt[2]*Sqrt[d])]/Sqrt[1 + (e*x)/d] - 210*d^3*(c*d^4 + b*d^2*e^2 + a*e^4)*ArcTan[Sqrt[d - e*x]/Sqrt[d + e*x]]/(105*e^8)`

**Maple [A]** time = 0.007, size = 109, normalized size = 0.7

$$\frac{15cx^6e^6 + 21be^6x^4 + 18cd^2e^4x^4 + 35ae^6x^2 + 28bd^2e^4x^2 + 24cd^4e^2x^2 + 70ad^2e^4 + 56bd^4e^2 + 48cd^6}{105e^8} \sqrt{ex+d} \sqrt{-ex+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)`

[Out] `-1/105*(e*x+d)^(1/2)*(-e*x+d)^(1/2)*(15*c*e^6*x^6+21*b*e^6*x^4+18*c*d^2*e^4*x^4+35*a*e^6*x^2+28*b*d^2*e^4*x^2+24*c*d^4*e^2*x^2+70*a*d^2*e^4+56*b*d^4*e^2+48*c*d^6)/e^8`

**Maxima [A]** time = 1.49211, size = 293, normalized size = 1.84

$$\frac{\sqrt{-e^2x^2+d^2}cx^6}{7e^2} - \frac{6\sqrt{-e^2x^2+d^2}cd^2x^4}{35e^4} - \frac{\sqrt{-e^2x^2+d^2}bx^4}{5e^2} - \frac{8\sqrt{-e^2x^2+d^2}cd^4x^2}{35e^6} - \frac{4\sqrt{-e^2x^2+d^2}bd^2x^2}{15e^4} - \frac{\sqrt{-e^2x^2+d^2}a}{3e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] `-1/7*sqrt(-e^2*x^2 + d^2)*c*x^6/e^2 - 6/35*sqrt(-e^2*x^2 + d^2)*c*d^2*x^4/e^4 - 1/5*sqrt(-e^2*x^2 + d^2)*b*x^4/e^2 - 8/35*sqrt(-e^2*x^2 + d^2)*c*d^4*x^2/e^6 - 4/15*sqrt(-e^2*x^2 + d^2)*b*d^2*x^2/e^4 - 1/3*sqrt(-e^2*x^2 + d^2)*a*x^2/e^2 - 16/35*sqrt(-e^2*x^2 + d^2)*c*d^6/e^8 - 8/15*sqrt(-e^2*x^2 + d^2)*b*d^4/e^6 - 2/3*sqrt(-e^2*x^2 + d^2)*a*d^2/e^4`

**Fricas [A]** time = 1.91068, size = 238, normalized size = 1.5

$$\frac{(15ce^6x^6 + 48cd^6 + 56bd^4e^2 + 70ad^2e^4 + 3(6cd^2e^4 + 7be^6)x^4 + (24cd^4e^2 + 28bd^2e^4 + 35ae^6)x^2)\sqrt{ex+d}\sqrt{-ex+d}}{105e^8}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/105*(15*c*e^6*x^6 + 48*c*d^6 + 56*b*d^4*e^2 + 70*a*d^2*e^4 + 3*(6*c*d^2*e^4 + 7*b*e^6)*x^4 + (24*c*d^4*e^2 + 28*b*d^2*e^4 + 35*a*e^6)*x^2)*sqrt(e*x + d)*sqrt(-e*x + d)/e^8
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(c*x**4+b*x**2+a)/(-e*x+d)**(1/2)/(e*x+d)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.14837, size = 239, normalized size = 1.5

$$-\frac{1}{44728320} (105 cd^6 e^{49} + 105 bd^4 e^{51} + 105 ad^2 e^{53} - (210 cd^5 e^{49} + 140 bd^3 e^{51} + 70 ade^{53} - (357 cd^4 e^{49} + 154 bd^2 e^{51} - 3(124 cd^3 e^{49} + 28 bd e^{51} - (81 cd^2 e^{49} + 5((x e + d) c e^{49} - 6 c d e^{49}) (x e + d) + 7 b e^{51}) (x e + d)) (x e + d) + 35 a e^{53}) (x e + d)) (x e + d)) \sqrt{x e + d} \sqrt{-x e + d} e^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] -1/44728320*(105*c*d^6*e^49 + 105*b*d^4*e^51 + 105*a*d^2*e^53 - (210*c*d^5*e^49 + 140*b*d^3*e^51 + 70*a*d*e^53 - (357*c*d^4*e^49 + 154*b*d^2*e^51 - 3*(124*c*d^3*e^49 + 28*b*d*e^51 - (81*c*d^2*e^49 + 5*((x*e + d)*c*e^49 - 6*c*d*e^49)*(x*e + d) + 7*b*e^51)*(x*e + d))*(x*e + d) + 35*a*e^53)*(x*e + d))*(x*e + d))*sqrt(x*e + d)*sqrt(-x*e + d)*e^(-1)
```

$$3.134 \quad \int \frac{x(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=109

$$-\frac{\sqrt{d-ex}\sqrt{d+ex}(ae^4+bd^2e^2+cd^4)}{e^6} + \frac{(d-ex)^{3/2}(d+ex)^{3/2}(be^2+2cd^2)}{3e^6} - \frac{c(d-ex)^{5/2}(d+ex)^{5/2}}{5e^6}$$

[Out] -(((c\*d^4 + b\*d^2\*e^2 + a\*e^4)\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])/e^6) + ((2\*c\*d^2 + b\*e^2)\*(d - e\*x)^(3/2)\*(d + e\*x)^(3/2))/(3\*e^6) - (c\*(d - e\*x)^(5/2)\*(d + e\*x)^(5/2))/(5\*e^6)

**Rubi [A]** time = 0.1221, antiderivative size = 149, normalized size of antiderivative = 1.37, number of steps used = 4, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {520, 1247, 698}

$$-\frac{(d^2 - e^2x^2)(ae^4 + bd^2e^2 + cd^4)}{e^6\sqrt{d-ex}\sqrt{d+ex}} + \frac{(d^2 - e^2x^2)^2(be^2 + 2cd^2)}{3e^6\sqrt{d-ex}\sqrt{d+ex}} - \frac{c(d^2 - e^2x^2)^3}{5e^6\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(x\*(a + b\*x^2 + c\*x^4))/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(((c\*d^4 + b\*d^2\*e^2 + a\*e^4)\*(d^2 - e^2\*x^2))/(e^6\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])) + ((2\*c\*d^2 + b\*e^2)\*(d^2 - e^2\*x^2)^2)/(3\*e^6\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]) - (c\*(d^2 - e^2\*x^2)^3)/(5\*e^6\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])

### Rule 520

```
Int[(u_.)*((c_.) + (d_.)*(x_)^(n_.) + (e_.)*(x_)^(n2_.))^(q_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] :>
Dist[((a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p])/(a1*a2 + b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^(2*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2*n] && EqQ[a2*b1 + a1*b2, 0]
```

### Rule 1247

```
Int[(x_.)*((d_.) + (e_.)*(x_)^2)^(q_.)*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

**Rule 698**

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_
Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; F
reeQ[{a, b, c, d, e, m}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a
*e^2, 0] && NeQ[2*c*d - b*e, 0] && IntegerQ[p] && (GtQ[p, 0] || (EqQ[a, 0]
&& IntegerQ[m]))
```

**Rubi steps**

$$\int \frac{x(a + bx^2 + cx^4)}{\sqrt{d - ex}\sqrt{d + ex}} dx = \frac{\sqrt{d^2 - e^2x^2} \int \frac{x(a + bx^2 + cx^4)}{\sqrt{d^2 - e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}}$$

$$= \frac{\sqrt{d^2 - e^2x^2} \text{Subst}\left(\int \frac{a + bx + cx^2}{\sqrt{d^2 - e^2x}} dx, x, x^2\right)}{2\sqrt{d - ex}\sqrt{d + ex}}$$

$$= \frac{\sqrt{d^2 - e^2x^2} \text{Subst}\left(\int \left(\frac{cd^4 + bd^2e^2 + ae^4}{e^4\sqrt{d^2 - e^2x}} + \frac{(-2cd^2 - be^2)\sqrt{d^2 - e^2x}}{e^4} + \frac{c(d^2 - e^2x)^{3/2}}{e^4}\right) dx, x, x^2\right)}{2\sqrt{d - ex}\sqrt{d + ex}}$$

$$= -\frac{(cd^4 + bd^2e^2 + ae^4)(d^2 - e^2x^2)}{e^6\sqrt{d - ex}\sqrt{d + ex}} + \frac{(2cd^2 + be^2)(d^2 - e^2x^2)^2}{3e^6\sqrt{d - ex}\sqrt{d + ex}} - \frac{c(d^2 - e^2x^2)^3}{5e^6\sqrt{d - ex}\sqrt{d + ex}}$$

**Mathematica [C]** time = 0.703123, size = 194, normalized size = 1.78

$$\frac{\sqrt{d - ex}\sqrt{d + ex} \left(5(3ae^4 + 2bd^2e^2 + be^4x^2) + c(4d^2e^2x^2 + 8d^4 + 3e^4x^4)\right) + \frac{30\sqrt{d}\sqrt{d+ex} \sin^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{2}\sqrt{d}}\right)(ae^4 + bd^2e^2 + cd^4)}{\sqrt{\frac{ex}{d} + 1}} - 30d \tan^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right)}{15e^6}$$

Antiderivative was successfully verified.

```
[In] Integrate[(x*(a + b*x^2 + c*x^4))/(Sqrt[d - e*x]*Sqrt[d + e*x]),x]
```

```
[Out] -(Sqrt[d - e*x]*Sqrt[d + e*x]*(5*(2*b*d^2*e^2 + 3*a*e^4 + b*e^4*x^2) + c*(8
*d^4 + 4*d^2*e^2*x^2 + 3*e^4*x^4)) + (30*Sqrt[d]*(c*d^4 + b*d^2*e^2 + a*e^4
)*Sqrt[d + e*x]*ArcSin[Sqrt[d - e*x]/(Sqrt[2]*Sqrt[d])])/Sqrt[1 + (e*x)/d]
- 30*d*(c*d^4 + b*d^2*e^2 + a*e^4)*ArcTan[Sqrt[d - e*x]/Sqrt[d + e*x]])/(15
*e^6)
```

**Maple [A]** time = 0.005, size = 73, normalized size = 0.7

$$\frac{3cx^4e^4 + 5be^4x^2 + 4cd^2e^2x^2 + 15ae^4 + 10bd^2e^2 + 8cd^4}{15e^6} \sqrt{-ex + d} \sqrt{ex + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)`

[Out]  $-1/15*(-e*x+d)^{(1/2)}*(e*x+d)^{(1/2)}*(3*c*e^4*x^4+5*b*e^4*x^2+4*c*d^2*e^2*x^2+15*a*e^4+10*b*d^2*e^2+8*c*d^4)/e^6$

**Maxima [A]** time = 1.63594, size = 188, normalized size = 1.72

$$\frac{\sqrt{-e^2x^2 + d^2}cx^4}{5e^2} - \frac{4\sqrt{-e^2x^2 + d^2}cd^2x^2}{15e^4} - \frac{\sqrt{-e^2x^2 + d^2}bx^2}{3e^2} - \frac{8\sqrt{-e^2x^2 + d^2}cd^4}{15e^6} - \frac{2\sqrt{-e^2x^2 + d^2}bd^2}{3e^4} - \frac{\sqrt{-e^2x^2 + d^2}a}{e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out]  $-1/5*\sqrt{-e^2*x^2 + d^2}*c*x^4/e^2 - 4/15*\sqrt{-e^2*x^2 + d^2}*c*d^2*x^2/e^4 - 1/3*\sqrt{-e^2*x^2 + d^2}*b*x^2/e^2 - 8/15*\sqrt{-e^2*x^2 + d^2}*c*d^4/e^6 - 2/3*\sqrt{-e^2*x^2 + d^2}*b*d^2/e^4 - \sqrt{-e^2*x^2 + d^2}*a/e^2$

**Fricas [A]** time = 1.81681, size = 162, normalized size = 1.49

$$\frac{(3ce^4x^4 + 8cd^4 + 10bd^2e^2 + 15ae^4 + (4cd^2e^2 + 5be^4)x^2)\sqrt{ex + d}\sqrt{-ex + d}}{15e^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out]  $-1/15*(3*c*e^4*x^4 + 8*c*d^4 + 10*b*d^2*e^2 + 15*a*e^4 + (4*c*d^2*e^2 + 5*b*e^4)*x^2)*\sqrt{e*x + d}*\sqrt{-e*x + d}/e^6$

---

**Sympy [C]** time = 77.8217, size = 350, normalized size = 3.21

$$\frac{iadG_{6,6}^{6,2}\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \mid \frac{d^2}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}e^2} - \frac{adG_{6,6}^{2,6}\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 1 \mid \frac{d^2e^{-2i\pi}}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}e^2} - \frac{ibd^3G_{6,6}^{6,2}\left(-\frac{3}{2}, -\frac{5}{4}, -1, \frac{1}{4}, \frac{1}{2}, 0 \mid \frac{d^2}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x\*\*4+b\*x\*\*2+a)/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2), x)

[Out]  $-I*a*d*meijerg((( -1/4, 1/4), (0, 0, 1/2, 1)), (( -1/2, -1/4, 0, 1/4, 1/2, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**2) - a*d*meijerg((( -1, -3/4, -1/2, -1/4, 0, 1), ()), (( -3/4, -1/4), (-1, -1/2, -1/2, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**2) - I*b*d**3*meijerg((( -5/4, -3/4), (-1, -1, -1/2, 1)), (( -3/2, -5/4, -1, -3/4, -1/2, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**4) - b*d**3*meijerg((( -2, -7/4, -3/2, -5/4, -1, 1), ()), (( -7/4, -5/4), (-2, -3/2, -3/2, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**4) - I*c*d**5*meijerg((( -9/4, -7/4), (-2, -2, -3/2, 1)), (( -5/2, -9/4, -2, -7/4, -3/2, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**6) - c*d**5*meijerg((( -3, -11/4, -5/2, -9/4, -2, 1), ()), (( -11/4, -9/4), (-3, -5/2, -5/2, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**6)$

---

**Giac [A]** time = 1.15936, size = 153, normalized size = 1.4

$$-\frac{1}{276480} (15cd^4e^{25} + 15bd^2e^{27} - (20cd^3e^{25} + 10bde^{27} - (22cd^2e^{25} + 3((xe+d)ce^{25} - 4cde^{25}))(xe+d) + 5be^{27}))(xe+d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x\*(c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2), x, algorithm="giac")

[Out]  $-1/276480*(15*c*d^4*e^{25} + 15*b*d^2*e^{27} - (20*c*d^3*e^{25} + 10*b*d*e^{27} - (22*c*d^2*e^{25} + 3*((x*e + d)*c*e^{25} - 4*c*d*e^{25})*(x*e + d) + 5*b*e^{27})*(x*e + d))*(x*e + d) + 15*a*e^{29})*sqrt(x*e + d)*sqrt(-x*e + d)*e^{-1}$



$$3.135 \quad \int \frac{a+bx^2+cx^4}{x\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=93

$$-\frac{a \tanh^{-1}\left(\frac{\sqrt{d-ex}\sqrt{d+ex}}{d}\right)}{d} - \frac{\sqrt{d-ex}\sqrt{d+ex}(be^2+cd^2)}{e^4} + \frac{c(d-ex)^{3/2}(d+ex)^{3/2}}{3e^4}$$

[Out] -(((c\*d^2 + b\*e^2)\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])/e^4) + (c\*(d - e\*x)^(3/2)\*(d + e\*x)^(3/2))/(3\*e^4) - (a\*ArcTanh[(Sqrt[d - e\*x]\*Sqrt[d + e\*x])/d])/d

**Rubi [A]** time = 0.164607, antiderivative size = 151, normalized size of antiderivative = 1.62, number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {520, 1251, 897, 1153, 208}

$$-\frac{a\sqrt{d^2-e^2x^2} \tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)}{d\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2-e^2x^2)(be^2+cd^2)}{e^4\sqrt{d-ex}\sqrt{d+ex}} + \frac{c(d^2-e^2x^2)^2}{3e^4\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x^2 + c\*x^4)/(x\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]), x]

[Out] -(((c\*d^2 + b\*e^2)\*(d^2 - e^2\*x^2))/(e^4\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])) + (c\*(d^2 - e^2\*x^2)^2)/(3\*e^4\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]) - (a\*Sqrt[d^2 - e^2\*x^2]\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(d\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])

### Rule 520

```
Int[(u_.)*((c_) + (d_.)*(x_)^(n_.) + (e_.)*(x_)^(n2_.))^(q_.)*((a1_) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] :>
Dist[((a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p])/(a1*a2 + b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^(2*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2*n] && EqQ[a2*b1 + a1*b2, 0]
```

### Rule 1251

```
Int[(x_)^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] :> Dist[1/2, Subst[Int[x^((m-1)/2)*(d+e*x)^q*(a+b*x+c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && Inte
```

gerQ[(m - 1)/2]

### Rule 897

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_.) + (b_.)*(x_)
+ (c_.)*(x_)^2)^(p_.), x_Symbol] := With[{q = Denominator[m]}, Dist[q/e, S
ubst[Int[x^(q*(m + 1) - 1)*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e +
a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^(2*q))/e^2)^p, x], x, (d + e*x)
^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ
[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e + a*e^2, 0] && IntegersQ[n, p] && Fra
ctionQ[m]
```

### Rule 1153

```
Int[((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.),
x_Symbol] := Int[ExpandIntegrand[(d + e*x^2)^q*(a + b*x^2 + c*x^4)^p, x],
x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4*a*c, 0] && NeQ[c*d^2 - b*d*e
+ a*e^2, 0] && IGtQ[p, 0] && IGtQ[q, -2]
```

### Rule 208

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/
Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x\sqrt{d - ex}\sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2x^2} \int \frac{a+bx^2+cx^4}{x\sqrt{d^2-e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}} \\
&= \frac{\sqrt{d^2 - e^2x^2} \operatorname{Subst} \left( \int \frac{a+bx+cx^2}{x\sqrt{d^2-e^2x}} dx, x, x^2 \right)}{2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{\sqrt{d^2 - e^2x^2} \operatorname{Subst} \left( \int \frac{\frac{cd^4+bd^2e^2+ae^4}{e^4} - \frac{(2cd^2+be^2)x^2}{e^4} + \frac{cx^4}{e^4}}{\frac{d^2-x^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2x^2} \right)}{e^2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{\sqrt{d^2 - e^2x^2} \operatorname{Subst} \left( \int \left( b + \frac{cd^2}{e^2} - \frac{cx^2}{e^2} + \frac{a}{\frac{d^2-x^2}{e^2} - \frac{x^2}{e^2}} \right) dx, x, \sqrt{d^2 - e^2x^2} \right)}{e^2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{(cd^2 + be^2)(d^2 - e^2x^2)}{e^4\sqrt{d - ex}\sqrt{d + ex}} + \frac{c(d^2 - e^2x^2)^2}{3e^4\sqrt{d - ex}\sqrt{d + ex}} - \frac{(a\sqrt{d^2 - e^2x^2}) \operatorname{Subst} \left( \int \frac{1}{\frac{d^2-x^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2x^2} \right)}{e^2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{(cd^2 + be^2)(d^2 - e^2x^2)}{e^4\sqrt{d - ex}\sqrt{d + ex}} + \frac{c(d^2 - e^2x^2)^2}{3e^4\sqrt{d - ex}\sqrt{d + ex}} - \frac{a\sqrt{d^2 - e^2x^2} \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2x^2}}{d} \right)}{d\sqrt{d - ex}\sqrt{d + ex}}
\end{aligned}$$

**Mathematica [B]** time = 0.891118, size = 217, normalized size = 2.33

$$\frac{\frac{3a\sqrt{d^2-e^2x^2} \tanh^{-1} \left( \frac{\sqrt{d^2-e^2x^2}}{d} \right)}{d\sqrt{d-ex}} + \frac{(e^2x^2-d^2)(3be^2+2cd^2+ce^2x^2)}{e^4\sqrt{d-ex}} - \frac{6d^{3/2} \sqrt{\frac{ex}{d}+1} (be^2+cd^2) \sin^{-1} \left( \frac{\sqrt{d-ex}}{\sqrt{2}\sqrt{d}} \right)}{e^4} + \frac{6d\sqrt{d+ex} (be^2+cd^2) \tan^{-1} \left( \frac{\sqrt{d-ex}}{\sqrt{d+ex}} \right)}{e^4}}{3\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x\*sqrt[d - e\*x]\*sqrt[d + e\*x]),x]

[Out] (((-d^2 + e^2\*x^2)\*(2\*c\*d^2 + 3\*b\*e^2 + c\*e^2\*x^2))/(e^4\*sqrt[d - e\*x]) - (6\*d^(3/2)\*(c\*d^2 + b\*e^2)\*sqrt[1 + (e\*x)/d]\*ArcSin[sqrt[d - e\*x]/(sqrt[2]\*sqrt[d])])/e^4 + (6\*d\*(c\*d^2 + b\*e^2)\*sqrt[d + e\*x]\*ArcTan[sqrt[d - e\*x]/sqrt[d + e\*x]])/e^4 - (3\*a\*sqrt[d^2 - e^2\*x^2]\*ArcTanh[sqrt[d^2 - e^2\*x^2]/d])/(d\*sqrt[d - e\*x]))/(3\*sqrt[d + e\*x])

**Maple [C]** time = 0.044, size = 143, normalized size = 1.5

$$-\frac{\operatorname{csgn}(d)}{3de^4}\sqrt{-ex+d}\sqrt{ex+d}\left(\operatorname{csgn}(d)x^2cde^2\sqrt{-e^2x^2+d^2}+3\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)bde^2+2\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)cd^3+3\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)`

[Out] `-1/3*(-e*x+d)^(1/2)*(e*x+d)^(1/2)/d*(csgn(d)*x^2*c*d*e^2*(-e^2*x^2+d^2)^(1/2)+3*(-e^2*x^2+d^2)^(1/2)*csgn(d)*b*d*e^2+2*(-e^2*x^2+d^2)^(1/2)*csgn(d)*c*d^3+3*ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*a*e^4)*csgn(d)/(-e^2*x^2+d^2)^(1/2)/e^4`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.59832, size = 178, normalized size = 1.91

$$\frac{3ae^4\log\left(\frac{\sqrt{ex+d}\sqrt{-ex+d-d}}{x}\right)-\left(cde^2x^2+2cd^3+3bde^2\right)\sqrt{ex+d}\sqrt{-ex+d}}{3de^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `1/3*(3*a*e^4*log((sqrt(e*x+d)*sqrt(-e*x+d)-d)/x)-(c*d*e^2*x^2+2*c*d^3+3*b*d*e^2)*sqrt(e*x+d)*sqrt(-e*x+d))/(d*e^4)`

---

**Sympy [C]** time = 45.0443, size = 304, normalized size = 3.27

$$\frac{iaG_{6,6}^{5,3}\left(\begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{d^2}{e^{2x^2}}\right)}{4\pi^{\frac{3}{2}}d} - \frac{aG_{6,6}^{2,6}\left(\begin{matrix} 0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 1 \\ \frac{1}{4}, \frac{3}{4} \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^{2x^2}}\right)}{4\pi^{\frac{3}{2}}d} - \frac{ibdG_{6,6}^{6,2}\left(\begin{matrix} -\frac{1}{4}, \frac{1}{4} \\ -\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 0 \end{matrix} \middle| \frac{d^2}{e^{2x^2}}\right)}{4\pi^{\frac{3}{2}}e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] I\*a\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - a\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - I\*b\*d\*meijerg(((1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*2) - b\*d\*meijerg(((1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*2) - I\*c\*d\*\*3\*meijerg(((5/4, -3/4), (-1, -1, -1/2, 1)), ((-3/2, -5/4, -1, -3/4, -1/2, 0), ()), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*4) - c\*d\*\*3\*meijerg(((2, -7/4, -3/2, -5/4, -1, 1), ()), ((-7/4, -5/4), (-2, -3/2, -3/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*4)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] sage<sub>0</sub>x

$$3.136 \quad \int \frac{a+bx^2+cx^4}{x^3\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=99

$$\frac{(ae^2 + 2bd^2) \tanh^{-1}\left(\frac{\sqrt{d-ex}\sqrt{d+ex}}{d}\right)}{2d^3} - \frac{a\sqrt{d-ex}\sqrt{d+ex}}{2d^2x^2} - \frac{c\sqrt{d-ex}\sqrt{d+ex}}{e^2}$$

[Out] -((c\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])/e^2) - (a\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])/(2\*d^2\*x^2) - ((2\*b\*d^2 + a\*e^2)\*ArcTanh[(Sqrt[d - e\*x]\*Sqrt[d + e\*x])/d])/(2\*d^3)

**Rubi [A]** time = 0.251905, antiderivative size = 155, normalized size of antiderivative = 1.57, number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {520, 1251, 897, 1157, 388, 208}

$$\frac{\sqrt{d^2 - e^2x^2} (ae^2 + 2bd^2) \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)}{2d^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{2d^2x^2\sqrt{d-ex}\sqrt{d+ex}} - \frac{c(d^2 - e^2x^2)}{e^2\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x^2 + c\*x^4)/(x^3\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -((c\*(d^2 - e^2\*x^2))/(e^2\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])) - (a\*(d^2 - e^2\*x^2))/(2\*d^2\*x^2\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]) - ((2\*b\*d^2 + a\*e^2)\*Sqrt[d^2 - e^2\*x^2]\*ArcTanh[Sqrt[d^2 - e^2\*x^2]/d])/(2\*d^3\*Sqrt[d - e\*x]\*Sqrt[d + e\*x])

### Rule 520

Int[(u\_)\*((c\_) + (d\_)\*(x\_)^(n\_)) + (e\_)\*(x\_)^(n2\_)]^(q\_)\*((a1\_) + (b1\_)\*(x\_)^(non2\_))^(p\_)\*((a2\_) + (b2\_)\*(x\_)^(non2\_))^(p\_), x\_Symbol] :> Dist[((a1 + b1\*x^(n/2))^FracPart[p]\*(a2 + b2\*x^(n/2))^FracPart[p])/(a1\*a2 + b1\*b2\*x^n)^FracPart[p], Int[u\*(a1\*a2 + b1\*b2\*x^n)^p\*(c + d\*x^n + e\*x^(2\*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2\*n] && EqQ[a2\*b1 + a1\*b2, 0]

### Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a +

$b*x + c*x^2)^p, x], x, x^2], x] /;$  FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

### Rule 897

Int[((d\_.) + (e\_.)\*(x\_))^(m\_)\*((f\_.) + (g\_.)\*(x\_))^(n\_)\*((a\_.) + (b\_.)\*(x\_) + (c\_.)\*(x\_)^2)^(p\_.), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x]] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegersQ[n, p] && FractionQ[m]

### Rule 1157

Int[((d\_) + (e\_.)\*(x\_)^2)^(q\_)\*((a\_) + (b\_.)\*(x\_)^2 + (c\_.)\*(x\_)^4)^(p\_.), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], R = Coeff[PolynomialRemainder[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], x, 0]}, -Simp[(R\*x\*(d + e\*x^2)^(q + 1))/(2\*d\*(q + 1)), x] + Dist[1/(2\*d\*(q + 1)), Int[(d + e\*x^2)^(q + 1)\*ExpandToSum[2\*d\*(q + 1)\*Qx + R\*(2\*q + 3), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^3 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^3 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{a + bx + cx^2}{x^2 \sqrt{d^2 - e^2 x}} dx, x, x^2 \right)}{2\sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{\frac{cd^4 + bd^2 e^2 + ae^4}{e^4} - \frac{(2cd^2 + be^2)x^2}{e^4} + \frac{cx^4}{e^4}}{\left(\frac{d^2}{e^2} - \frac{x^2}{e^2}\right)^2} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{2d^2 x^2 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{-a - \frac{2(cd^4 + bd^2 e^2)}{e^4} + \frac{2cd^2 x^2}{e^4}}{\frac{d^2}{e^2} - \frac{x^2}{e^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{2d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{c(d^2 - e^2 x^2)}{e^2 \sqrt{d - ex} \sqrt{d + ex}} - \frac{a(d^2 - e^2 x^2)}{2d^2 x^2 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\left( e^2 \left( \frac{2cd^4}{e^6} + \frac{-a - \frac{2(cd^4 + bd^2 e^2)}{e^4}}{e^2} \right) \sqrt{d^2 - e^2 x^2} \right) \operatorname{Subst}}{2d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{c(d^2 - e^2 x^2)}{e^2 \sqrt{d - ex} \sqrt{d + ex}} - \frac{a(d^2 - e^2 x^2)}{2d^2 x^2 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(2bd^2 + ae^2) \sqrt{d^2 - e^2 x^2} \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{2d^3 \sqrt{d - ex} \sqrt{d + ex}}
\end{aligned}$$

**Mathematica [B]** time = 0.216946, size = 233, normalized size = 2.35

$$\frac{-e^2 x^2 \sqrt{d^2 - e^2 x^2} (ae^2 + 2bd^2) \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) - ad^3 e^2 + ade^4 x^2 + 2cd^3 e^2 x^4 - 4cd^{9/2} x^2 \sqrt{d - ex} \sqrt{\frac{ex}{d}} + 1 \sin^{-1} \left( \frac{\sqrt{d - ex}}{\sqrt{2}\sqrt{d}} \right) +}{2d^3 e^2 x^2 \sqrt{d - ex} \sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^3\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $(-(a*d^3*e^2) - 2*c*d^5*x^2 + a*d*e^4*x^2 + 2*c*d^3*e^2*x^4 - 4*c*d^{(9/2)}*x^2*\sqrt{d - e*x}*\sqrt{1 + (e*x)/d}*\operatorname{ArcSin}[\sqrt{d - e*x}/(\sqrt{2}*\sqrt{d})]) + 4*c*d^4*x^2*\sqrt{d - e*x}*\sqrt{d + e*x}*\operatorname{ArcTan}[\sqrt{d - e*x}/\sqrt{d + e*x}] - e^2*(2*b*d^2 + a*e^2)*x^2*\sqrt{d^2 - e^2*x^2}*\operatorname{ArcTanh}[\sqrt{d^2 - e^2*x^2}/d])/(2*d^3*e^2*x^2*\sqrt{d - e*x}*\sqrt{d + e*x})$



**Maple [C]** time = 0.025, size = 163, normalized size = 1.7

$$-\frac{\operatorname{csgn}(d)}{2d^3e^2x^2}\sqrt{-ex+d}\sqrt{ex+d}\left(\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)\right)x^2ae^4+2\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)x^2bd^2e^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^3/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)`

[Out] `-1/2*(-e*x+d)^(1/2)*(e*x+d)^(1/2)/d^3*(ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*x^2*a*e^4+2*ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*x^2*b*d^2*e^2+2*csgn(d)*x^2*c*d^3*(-e^2*x^2+d^2)^(1/2)+csgn(d)*a*d*e^2*(-e^2*x^2+d^2)^(1/2))*csgn(d)/(-e^2*x^2+d^2)^(1/2)/e^2/x^2`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^3/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.29746, size = 215, normalized size = 2.17

$$\frac{2cd^4x^2 - (2bd^2e^2 + ae^4)x^2 \log\left(\frac{\sqrt{ex+d}\sqrt{-ex+d}-d}{x}\right) + (2cd^3x^2 + ade^2)\sqrt{ex+d}\sqrt{-ex+d}}{2d^3e^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^3/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `-1/2*(2*c*d^4*x^2 - (2*b*d^2*e^2 + a*e^4)*x^2*log((sqrt(e*x + d)*sqrt(-e*x + d) - d)/x) + (2*c*d^3*x^2 + a*d*e^2)*sqrt(e*x + d)*sqrt(-e*x + d))/(d^3*e`

$\sqrt{2x^2}$ 


---

**Sympy [C]** time = 64.1964, size = 270, normalized size = 2.73

$$\frac{iae^2 G_{6,6}^{5,3} \left( \begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{d^2}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} d^3} - \frac{ae^2 G_{6,6}^{2,6} \left( \begin{matrix} 1, \frac{5}{4}, \frac{3}{2}, \frac{7}{4}, 2, 1 \\ \frac{5}{4}, \frac{7}{4} \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} d^3} + \frac{ib G_{6,6}^{5,3} \left( \begin{matrix} \frac{3}{4}, \frac{5}{4}, 1 \\ \frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2} \end{matrix} \middle| \frac{d^2}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} d} - \frac{b G_{6,6}^{2,6}}{4\pi^{\frac{3}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*3/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] I\*a\*e\*\*2\*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) - a\*e\*\*2\*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) + I\*b\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - b\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - I\*c\*d\*meijerg((-1/4, 1/4), (0, 0, 1/2, 1)), ((-1/2, -1/4, 0, 1/4, 1/2, 0), ()), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*2) - c\*d\*meijerg((-1, -3/4, -1/2, -1/4, 0, 1), ()), ((-3/4, -1/4), (-1, -1/2, -1/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*e\*\*2)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^3/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] sage<sub>0</sub>x

$$3.137 \quad \int \frac{a+bx^2+cx^4}{x^5\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=126

$$\frac{\tanh^{-1}\left(\frac{\sqrt{d-ex}\sqrt{d+ex}}{d}\right)(3ae^4 + 4bd^2e^2 + 8cd^4)}{8d^5} - \frac{\sqrt{d-ex}\sqrt{d+ex}(3ae^2 + 4bd^2)}{8d^4x^2} - \frac{a\sqrt{d-ex}\sqrt{d+ex}}{4d^2x^4}$$

[Out]  $-(a*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/(4*d^2*x^4) - ((4*b*d^2 + 3*a*e^2)*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/(8*d^4*x^2) - ((8*c*d^4 + 4*b*d^2*e^2 + 3*a*e^4)*\text{ArcTanh}[(\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/d])/(8*d^5)$

**Rubi [A]** time = 0.276839, antiderivative size = 182, normalized size of antiderivative = 1.44, number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {520, 1251, 897, 1157, 385, 208}

$$\frac{\sqrt{d^2 - e^2x^2} \tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)(3ae^4 + 4bd^2e^2 + 8cd^4)}{8d^5\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(3ae^2 + 4bd^2)}{8d^4x^2\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{4d^2x^4\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*x^2 + c*x^4)/(x^5*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]), x]$

[Out]  $-(a*(d^2 - e^2*x^2))/(4*d^2*x^4*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]) - ((4*b*d^2 + 3*a*e^2)*(d^2 - e^2*x^2))/(8*d^4*x^2*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]) - ((8*c*d^4 + 4*b*d^2*e^2 + 3*a*e^4)*\text{Sqrt}[d^2 - e^2*x^2]*\text{ArcTanh}[\text{Sqrt}[d^2 - e^2*x^2]/d])/(8*d^5*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])$

### Rule 520

$\text{Int}[(u_*)*((c_*) + (d_*)*(x_)^{(n_*)} + (e_*)*(x_)^{(n2_*)})^{(q_*)}*((a1_*) + (b1_*)*(x_)^{(non2_*)})^{(p_*)}*((a2_*) + (b2_*)*(x_)^{(non2_*)})^{(p_*)}, x\_Symbol] :>$   
 $\text{Dist}[(a1 + b1*x^{(n/2)})^{\text{FracPart}[p]}*(a2 + b2*x^{(n/2)})^{\text{FracPart}[p]}/(a1*a2 + b1*b2*x^n)^{\text{FracPart}[p]}, \text{Int}[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^{(2*n)})^q, x], x] /;$   $\text{FreeQ}[\{a1, b1, a2, b2, c, d, e, n, p, q\}, x] \ \&\& \ \text{EqQ}[non2, n/2] \ \&\& \ \text{EqQ}[n2, 2*n] \ \&\& \ \text{EqQ}[a2*b1 + a1*b2, 0]$

### Rule 1251

$\text{Int}[(x_)^{(m_*)}*((d_*) + (e_*)*(x_)^2)^{(q_*)}*((a_*) + (b_*)*(x_)^2 + (c_*)*(x_)^4)^{(p_*)}, x\_Symbol] :> \text{Dist}[1/2, \text{Subst}[\text{Int}[x^{(m-1)/2}*(d + e*x)^q*(a +$

$b*x + c*x^2)^p, x], x, x^2], x] /; \text{FreeQ}\{a, b, c, d, e, p, q\}, x] \&\& \text{IntegerQ}[(m - 1)/2]$

### Rule 897

$\text{Int}[(d_.) + (e_.)*(x_)^{(m_)}*((f_.) + (g_.)*(x_)^{(n_)}*((a_.) + (b_.)*(x_.) + (c_.)*(x_)^2)^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{q = \text{Denominator}[m]\}, \text{Dist}[q/e, \text{Subst}[\text{Int}[x^{(q*(m+1)-1)}*((e*f - d*g)/e + (g*x^q)/e)^n*((c*d^2 - b*d*e + a*e^2)/e^2 - ((2*c*d - b*e)*x^q)/e^2 + (c*x^{(2*q)})/e^2)^p, x], x, (d + e*x)^{(1/q)}], x]] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IntegersQ}[n, p] \&\& \text{FractionQ}[m]$

### Rule 1157

$\text{Int}[(d_.) + (e_.)*(x_)^2)^{(q_)}*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x\_Symbol] \rightarrow \text{With}\{Qx = \text{PolynomialQuotient}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], R = \text{Coeff}[\text{PolynomialRemainder}[(a + b*x^2 + c*x^4)^p, d + e*x^2, x], x, 0]\}, -\text{Simp}[R*x*(d + e*x^2)^{(q+1)}/(2*d*(q+1)), x] + \text{Dist}[1/(2*d*(q+1)), \text{Int}[(d + e*x^2)^{(q+1)}*\text{ExpandToSum}[2*d*(q+1)*Qx + R*(2*q+3), x], x], x]] /; \text{FreeQ}\{a, b, c, d, e\}, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{NeQ}[c*d^2 - b*d*e + a*e^2, 0] \&\& \text{IGtQ}[p, 0] \&\& \text{LtQ}[q, -1]$

### Rule 385

$\text{Int}[(a_.) + (b_.)*(x_)^{(n_)}])^{(p_)}*((c_.) + (d_.)*(x_)^{(n_)}), x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*x*(a + b*x^n)^{(p+1)}/(a*b*n*(p+1)), x] - \text{Dist}[(a*d - b*c*(n*(p+1) + 1))/(a*b*n*(p+1)), \text{Int}[(a + b*x^n)^{(p+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, n, p\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& (\text{LtQ}[p, -1] \parallel \text{ILtQ}[1/n + p, 0])$

### Rule 208

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2]*\text{ArcTanh}[x/\text{Rt}[-(a/b), 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b]$

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^5 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^5 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{a + bx + cx^2}{x^3 \sqrt{d^2 - e^2 x}} dx, x, x^2 \right)}{2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= - \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{\frac{cd^4 + bd^2 e^2 + ae^4}{e^4} - \frac{(2cd^2 + be^2)x^2}{e^4} + \frac{cx^4}{e^4}}{\left( \frac{d^2}{e^2} - \frac{x^2}{e^2} \right)^3} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= - \frac{a (d^2 - e^2 x^2)}{4d^2 x^4 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{-3a - \frac{4(cd^4 + bd^2 e^2)}{e^4} + \frac{4cd^2 x^2}{e^4}}{\left( \frac{d^2}{e^2} - \frac{x^2}{e^2} \right)^2} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{4d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= - \frac{a (d^2 - e^2 x^2)}{4d^2 x^4 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(4bd^2 + 3ae^2) (d^2 - e^2 x^2)}{8d^4 x^2 \sqrt{d - ex} \sqrt{d + ex}} - \frac{\left( \left( 4b + \frac{8cd^2}{e^2} + \frac{3ae^2}{d^2} \right) \sqrt{d^2 - e^2 x^2} \right) \operatorname{Subst} \left( \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{8d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= - \frac{a (d^2 - e^2 x^2)}{4d^2 x^4 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(4bd^2 + 3ae^2) (d^2 - e^2 x^2)}{8d^4 x^2 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(8cd^4 + 4bd^2 e^2 + 3ae^4) \sqrt{d^2 - e^2 x^2} \operatorname{ArcTanh} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right)}{8d^5 \sqrt{d - ex} \sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.167105, size = 134, normalized size = 1.06

$$\frac{x^4 \sqrt{d^2 - e^2 x^2} \operatorname{tanh}^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) \left( - (3ae^4 + 4bd^2 e^2 + 8cd^4) \right) - d (d^2 - e^2 x^2) (2ad^2 + 3ae^2 x^2 + 4bd^2 x^2)}{8d^5 x^4 \sqrt{d - ex} \sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^5\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $(-(d*(d^2 - e^2*x^2)*(2*a*d^2 + 4*b*d^2*x^2 + 3*a*e^2*x^2)) - (8*c*d^4 + 4*b*d^2*e^2 + 3*a*e^4)*x^4*\operatorname{Sqrt}[d^2 - e^2*x^2]*\operatorname{ArcTanh}[\operatorname{Sqrt}[d^2 - e^2*x^2]/d])/(8*d^5*x^4*\operatorname{Sqrt}[d - e*x]*\operatorname{Sqrt}[d + e*x])$

**Maple [C]** time = 0.025, size = 222, normalized size = 1.8

$$-\frac{\operatorname{csgn}(d)}{8d^5x^4}\sqrt{-ex+d}\sqrt{ex+d}\left(3\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)\right)x^4ae^4+4\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)x^4bd^2e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*x^4+b*x^2+a)/x^5/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)`

[Out] `-1/8*(-e*x+d)^(1/2)*(e*x+d)^(1/2)/d^5*(3*ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*x^4*a*e^4+4*ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*x^4*b*d^2*e^2+8*ln(2*d*((-e^2*x^2+d^2)^(1/2)*csgn(d)+d)/x)*x^4*c*d^4+3*csgn(d)*x^2*a*d*e^2*(-e^2*x^2+d^2)^(1/2)+4*csgn(d)*x^2*b*d^3*(-e^2*x^2+d^2)^(1/2)+2*csgn(d)*a*d^3*(-e^2*x^2+d^2)^(1/2))*csgn(d)/(-e^2*x^2+d^2)^(1/2)/x^4`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^5/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.36739, size = 224, normalized size = 1.78

$$\frac{(8cd^4 + 4bd^2e^2 + 3ae^4)x^4 \log\left(\frac{\sqrt{ex+d}\sqrt{-ex+d-d}}{x}\right) - (2ad^3 + (4bd^3 + 3ade^2)x^2)\sqrt{ex+d}\sqrt{-ex+d}}{8d^5x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*x^4+b*x^2+a)/x^5/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")`

[Out] `1/8*((8*c*d^4 + 4*b*d^2*e^2 + 3*a*e^4)*x^4*log((sqrt(e*x + d)*sqrt(-e*x + d) - d)/x) - (2*a*d^3 + (4*b*d^3 + 3*a*d*e^2)*x^2)*sqrt(e*x + d)*sqrt(-e*x +`

d))/(d<sup>5</sup>\*x<sup>4</sup>)

**Sympy [C]** time = 89.724, size = 253, normalized size = 2.01

$$\frac{iae^4 G_{6,6}^{5,3} \left( \begin{matrix} \frac{11}{4}, \frac{13}{4}, 1 \\ \frac{5}{2}, \frac{11}{4}, 3, \frac{13}{4}, \frac{7}{2} \end{matrix} \middle| \frac{d^2}{e^{2x^2}} \right)}{4\pi^{\frac{3}{2}} d^5} - \frac{ae^4 G_{6,6}^{2,6} \left( \begin{matrix} 2, \frac{9}{4}, \frac{5}{2}, \frac{11}{4}, 3, 1 \\ \frac{9}{4}, \frac{11}{4} \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^{2x^2}} \right)}{4\pi^{\frac{3}{2}} d^5} + \frac{ibe^2 G_{6,6}^{5,3} \left( \begin{matrix} \frac{7}{4}, \frac{9}{4}, 1 \\ \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2} \end{matrix} \middle| \frac{d^2}{e^{2x^2}} \right)}{4\pi^{\frac{3}{2}} d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*5/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] I\*a\*e\*\*4\*meijerg(((11/4, 13/4, 1), (3, 3, 7/2)), ((5/2, 11/4, 3, 13/4, 7/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*5) - a\*e\*\*4\*meijerg(((2, 9/4, 5/2, 11/4, 3, 1), ()), ((9/4, 11/4), (2, 5/2, 5/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*5) + I\*b\*e\*\*2\*meijerg(((7/4, 9/4, 1), (2, 2, 5/2)), ((3/2, 7/4, 2, 9/4, 5/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) - b\*e\*\*2\*meijerg(((1, 5/4, 3/2, 7/4, 2, 1), ()), ((5/4, 7/4), (1, 3/2, 3/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d\*\*3) + I\*c\*meijerg(((3/4, 5/4, 1), (1, 1, 3/2)), ((1/2, 3/4, 1, 5/4, 3/2), (0,)), d\*\*2/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d) - c\*meijerg(((0, 1/4, 1/2, 3/4, 1, 1), ()), ((1/4, 3/4), (0, 1/2, 1/2, 0)), d\*\*2\*exp\_polar(-2\*I\*pi)/(e\*\*2\*x\*\*2))/(4\*pi\*\*(3/2)\*d)

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^5/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] sage<sub>0</sub>x

$$3.138 \quad \int \frac{a+bx^2+cx^4}{x^7\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=212

$$\frac{\sqrt{d-ex}\sqrt{d+ex}(5ae^4+6bd^2e^2+8cd^4)}{16d^6x^2} - \frac{e^2\sqrt{d^2-e^2x^2}\tanh^{-1}\left(\frac{\sqrt{d^2-e^2x^2}}{d}\right)(5ae^4+6bd^2e^2+8cd^4)}{16d^7\sqrt{d-ex}\sqrt{d+ex}} - \frac{\sqrt{d-ex}\sqrt{d+ex}(5ae^4+6bd^2e^2+8cd^4)}{24d^4x^4}$$

[Out]  $-(a*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/(6*d^2*x^6) - ((6*b*d^2 + 5*a*e^2)*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/(24*d^4*x^4) - ((8*c*d^4 + 6*b*d^2*e^2 + 5*a*e^4)*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])/(16*d^6*x^2) - (e^2*(8*c*d^4 + 6*b*d^2*e^2 + 5*a*e^4)*\text{Sqrt}[d^2 - e^2*x^2]*\text{ArcTanh}[\text{Sqrt}[d^2 - e^2*x^2]/d])/(16*d^7*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])$

**Rubi [A]** time = 0.372665, antiderivative size = 248, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {520, 1251, 897, 1157, 385, 199, 208}

$$\frac{(d^2 - e^2x^2)(5ae^4 + 6bd^2e^2 + 8cd^4)}{16d^6x^2\sqrt{d-ex}\sqrt{d+ex}} - \frac{e^2\sqrt{d^2 - e^2x^2}\tanh^{-1}\left(\frac{\sqrt{d^2 - e^2x^2}}{d}\right)(5ae^4 + 6bd^2e^2 + 8cd^4)}{16d^7\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(5ae^4 + 6bd^2e^2 + 8cd^4)}{24d^4x^4\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*x^2 + c*x^4)/(x^7*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]),x]$

[Out]  $-(a*(d^2 - e^2*x^2))/(6*d^2*x^6*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]) - ((6*b*d^2 + 5*a*e^2)*(d^2 - e^2*x^2))/(24*d^4*x^4*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]) - ((8*c*d^4 + 6*b*d^2*e^2 + 5*a*e^4)*(d^2 - e^2*x^2))/(16*d^6*x^2*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]) - (e^2*(8*c*d^4 + 6*b*d^2*e^2 + 5*a*e^4)*\text{Sqrt}[d^2 - e^2*x^2]*\text{ArcTanh}[\text{Sqrt}[d^2 - e^2*x^2]/d])/(16*d^7*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x])$

### Rule 520

$\text{Int}[(u_.)*((c_.) + (d_.)*(x_)^{(n_.)} + (e_.)*(x_)^{(n2_.)})^{(q_.)}*((a1_) + (b1_.)*(x_)^{(non2_.)})^{(p_.)}*((a2_) + (b2_.)*(x_)^{(non2_.)})^{(p_.)}, x\_Symbol] :> \text{Dist}[(a1 + b1*x^{(n/2)})^{\text{FracPart}[p]}*(a2 + b2*x^{(n/2)})^{\text{FracPart}[p]}/(a1*a2 + b1*b2*x^n)^{\text{FracPart}[p]}, \text{Int}[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^{(2*n)})^q, x], x] /; \text{FreeQ}\{a1, b1, a2, b2, c, d, e, n, p, q\}, x] \&\& \text{EqQ}[non2, n/2] \&\& \text{EqQ}[n2, 2*n] \&\& \text{EqQ}[a2*b1 + a1*b2, 0]$



Rule 1251

Int[(x\_)^(m\_)\*((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := Dist[1/2, Subst[Int[x^((m - 1)/2)\*(d + e\*x)^q\*(a + b\*x + c\*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x] && IntegerQ[(m - 1)/2]

Rule 897

Int[((d\_) + (e\_)\*(x\_))^(m\_)\*((f\_) + (g\_)\*(x\_))^(n\_)\*((a\_) + (b\_)\*(x\_) + (c\_)\*(x\_)^2)^(p\_), x\_Symbol] := With[{q = Denominator[m]}, Dist[q/e, Subst[Int[x^(q\*(m + 1) - 1)\*((e\*f - d\*g)/e + (g\*x^q)/e)^n\*((c\*d^2 - b\*d\*e + a\*e^2)/e^2 - ((2\*c\*d - b\*e)\*x^q)/e^2 + (c\*x^(2\*q))/e^2)^p, x], x, (d + e\*x)^(1/q)], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e\*f - d\*g, 0] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IntegerQ[n, p] && FractionQ[m]

Rule 1157

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] := With[{Qx = PolynomialQuotient[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], R = Coeff[PolynomialRemainder[(a + b\*x^2 + c\*x^4)^p, d + e\*x^2, x], x, 0]}, -Simp[(R\*x\*(d + e\*x^2)^(q + 1))/(2\*d\*(q + 1)), x] + Dist[1/(2\*d\*(q + 1)), Int[(d + e\*x^2)^(q + 1)\*ExpandToSum[2\*d\*(q + 1)\*Qx + R\*(2\*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && LtQ[q, -1]

Rule 385

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_)), x\_Symbol] := -Simp[((b\*c - a\*d)\*x\*(a + b\*x^n)^(p + 1))/(a\*b\*n\*(p + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(a\*b\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b, c, d, n, p}, x] && NeQ[b\*c - a\*d, 0] && (LtQ[p, -1] || ILtQ[1/n + p, 0])

Rule 199

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_), x\_Symbol] := -Simp[(x\*(a + b\*x^n)^(p + 1))/(a\*n\*(p + 1)), x] + Dist[(n\*(p + 1) + 1)/(a\*n\*(p + 1)), Int[(a + b\*x^n)^(p + 1), x], x] /; FreeQ[{a, b}, x] && IGtQ[n, 0] && LtQ[p, -1] && (IntegerQ[2\*p] || (n == 2 && IntegerQ[4\*p]) || (n == 2 && IntegerQ[3\*p]) || Denominator[p + 1/n] < Denominator[p])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + bx^2 + cx^4}{x^7 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^7 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
 &= \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{a + bx + cx^2}{x^4 \sqrt{d^2 - e^2 x}} dx, x, x^2 \right)}{2\sqrt{d - ex} \sqrt{d + ex}} \\
 &= -\frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{\frac{cd^4 + bd^2 e^2 + ae^4}{e^4} - \frac{(2cd^2 + be^2)x^2}{e^4} + \frac{cx^4}{e^4}}{\left(\frac{d^2}{e^2} - \frac{x^2}{e^2}\right)^4} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{e^2 \sqrt{d - ex} \sqrt{d + ex}} \\
 &= -\frac{a(d^2 - e^2 x^2)}{6d^2 x^6 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\sqrt{d^2 - e^2 x^2} \operatorname{Subst} \left( \int \frac{-5a - \frac{6(cd^4 + bd^2 e^2)}{e^4} + \frac{6cd^2 x^2}{e^4}}{\left(\frac{d^2}{e^2} - \frac{x^2}{e^2}\right)^3} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{6d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
 &= -\frac{a(d^2 - e^2 x^2)}{6d^2 x^6 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(6bd^2 + 5ae^2)(d^2 - e^2 x^2)}{24d^4 x^4 \sqrt{d - ex} \sqrt{d + ex}} - \frac{\left( \left(6b + \frac{8cd^2}{e^2} + \frac{5ae^2}{d^2}\right) \sqrt{d^2 - e^2 x^2} \right) \operatorname{Subst} \left( \int \frac{1}{\left(\frac{d^2}{e^2} - \frac{x^2}{e^2}\right)^2} dx, x, \sqrt{d^2 - e^2 x^2} \right)}{8d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
 &= -\frac{a(d^2 - e^2 x^2)}{6d^2 x^6 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(6bd^2 + 5ae^2)(d^2 - e^2 x^2)}{24d^4 x^4 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(8cd^4 + 6bd^2 e^2 + 5ae^4)(d^2 - e^2 x^2)}{16d^6 x^2 \sqrt{d - ex} \sqrt{d + ex}} \\
 &= -\frac{a(d^2 - e^2 x^2)}{6d^2 x^6 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(6bd^2 + 5ae^2)(d^2 - e^2 x^2)}{24d^4 x^4 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(8cd^4 + 6bd^2 e^2 + 5ae^4)(d^2 - e^2 x^2)}{16d^6 x^2 \sqrt{d - ex} \sqrt{d + ex}}
 \end{aligned}$$

**Mathematica [A]** time = 0.20004, size = 173, normalized size = 0.82

$$\frac{-d(d^2 - e^2 x^2) \left( a(10d^2 e^2 x^2 + 8d^4 + 15e^4 x^4) + 6(3bd^2 e^2 x^4 + 2bd^4 x^2 + 4cd^4 x^4) \right) - 3e^2 x^6 \sqrt{d^2 - e^2 x^2} \tanh^{-1} \left( \frac{\sqrt{d^2 - e^2 x^2}}{d} \right) (5a + 6bd^2 + 5ae^2)}{48d^7 x^6 \sqrt{d - ex} \sqrt{d + ex}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^7\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] 
$$\frac{-(d(d^2 - e^2x^2)(6(2bd^4x^2 + 4cd^4x^4 + 3bd^2e^2x^4) + a(8d^4 + 10d^2e^2x^2 + 15e^4x^4))) - 3e^2(8cd^4 + 6bd^2e^2 + 5ae^4)x^6\sqrt{d^2 - e^2x^2}\operatorname{ArcTanh}\left[\frac{\sqrt{d^2 - e^2x^2}}{d}\right]}{(48d^7x^6\sqrt{d - e*x}\sqrt{d + e*x})}$$

**Maple [C]** time = 0.033, size = 306, normalized size = 1.4

$$-\frac{\operatorname{csgn}(d)}{48d^7x^6}\sqrt{-ex+d}\sqrt{ex+d}\left(15\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)\right)x^6ae^6+18\ln\left(2\frac{d\left(\sqrt{-e^2x^2+d^2}\operatorname{csgn}(d)+d\right)}{x}\right)x^6$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/x^7/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out] 
$$\frac{-1}{48}(-e*x+d)^{(1/2)}*(e*x+d)^{(1/2)}/d^7*(15*\ln(2*d*((-e^2*x^2+d^2)^{(1/2)}*\operatorname{csgn}(d)+d)/x)*x^6*a*e^6+18*\ln(2*d*((-e^2*x^2+d^2)^{(1/2)}*\operatorname{csgn}(d)+d)/x)*x^6*b*d^2*e^4+24*\ln(2*d*((-e^2*x^2+d^2)^{(1/2)}*\operatorname{csgn}(d)+d)/x)*x^6*c*d^4*e^2+15*\operatorname{csgn}(d)*d*(-e^2*x^2+d^2)^{(1/2)}*x^4*a*e^4+18*\operatorname{csgn}(d)*d^3*(-e^2*x^2+d^2)^{(1/2)}*x^4*b*e^2+24*\operatorname{csgn}(d)*d^5*(-e^2*x^2+d^2)^{(1/2)}*x^4*c+10*\operatorname{csgn}(d)*x^2*a*d^3*e^2*(-e^2*x^2+d^2)^{(1/2)}+12*\operatorname{csgn}(d)*x^2*b*d^5*(-e^2*x^2+d^2)^{(1/2)}+8*\operatorname{csgn}(d)*a*d^5*(-e^2*x^2+d^2)^{(1/2)})*\operatorname{csgn}(d)/(-e^2*x^2+d^2)^{(1/2)}/x^6$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^7/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.44854, size = 298, normalized size = 1.41

$$\frac{3(8cd^4e^2 + 6bd^2e^4 + 5ae^6)x^6 \log\left(\frac{\sqrt{ex+d}\sqrt{-ex+d-d}}{x}\right) - (8ad^5 + 3(8cd^5 + 6bd^3e^2 + 5ade^4)x^4 + 2(6bd^5 + 5ad^3e^2)x^2)\sqrt{ex}}{48d^7x^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^7/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out] 1/48\*(3\*(8\*c\*d^4\*e^2 + 6\*b\*d^2\*e^4 + 5\*a\*e^6)\*x^6\*log((sqrt(e\*x + d)\*sqrt(-e\*x + d) - d)/x) - (8\*a\*d^5 + 3\*(8\*c\*d^5 + 6\*b\*d^3\*e^2 + 5\*a\*d\*e^4)\*x^4 + 2\*(6\*b\*d^5 + 5\*a\*d^3\*e^2)\*x^2)\*sqrt(e\*x + d)\*sqrt(-e\*x + d))/(d^7\*x^6)

**Sympy [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: MellinTransformStripError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*7/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Exception raised: MellinTransformStripError

**Giac [F]** time = 0., size = 0, normalized size = 0.

sage<sub>0</sub>x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^7/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] sage<sub>0</sub>\*x

$$3.139 \quad \int \frac{x^2(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=216

$$\frac{d^2\sqrt{d^2-e^2x^2}\tan^{-1}\left(\frac{ex}{\sqrt{d^2-e^2x^2}}\right)(8ae^4+6bd^2e^2+5cd^4)}{16e^7\sqrt{d-ex}\sqrt{d+ex}} - \frac{x\sqrt{d-ex}\sqrt{d+ex}(8ae^4+6bd^2e^2+5cd^4)}{16e^6} - \frac{x^3\sqrt{d-ex}\sqrt{d+ex}}{24e^4}$$

```
[Out] -((5*c*d^4 + 6*b*d^2*e^2 + 8*a*e^4)*x*Sqrt[d - e*x]*Sqrt[d + e*x])/(16*e^6)
- ((5*c*d^2 + 6*b*e^2)*x^3*Sqrt[d - e*x]*Sqrt[d + e*x])/(24*e^4) + (c*x^5*
(-d + e*x)*Sqrt[d + e*x])/(6*e^2*Sqrt[d - e*x]) + (d^2*(5*c*d^4 + 6*b*d^2*e
^2 + 8*a*e^4)*Sqrt[d^2 - e^2*x^2]*ArcTan[(e*x)/Sqrt[d^2 - e^2*x^2]])/(16*e^
7*Sqrt[d - e*x]*Sqrt[d + e*x])
```

**Rubi [A]** time = 0.205081, antiderivative size = 245, normalized size of antiderivative = 1.13, number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {520, 1267, 459, 321, 217, 203}

$$\frac{x(d^2 - e^2x^2)(8ae^4 + 6bd^2e^2 + 5cd^4)}{16e^6\sqrt{d-ex}\sqrt{d+ex}} + \frac{d^2\sqrt{d^2 - e^2x^2}\tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)(8ae^4 + 6bd^2e^2 + 5cd^4)}{16e^7\sqrt{d-ex}\sqrt{d+ex}} - \frac{x^3(d^2 - e^2x^2)(6be^2 + 5cd^4)}{24e^4\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

```
[In] Int[(x^2*(a + b*x^2 + c*x^4))/(Sqrt[d - e*x]*Sqrt[d + e*x]),x]
```

```
[Out] -((5*c*d^4 + 6*b*d^2*e^2 + 8*a*e^4)*x*(d^2 - e^2*x^2))/(16*e^6*Sqrt[d - e*x]
]*Sqrt[d + e*x]) - ((5*c*d^2 + 6*b*e^2)*x^3*(d^2 - e^2*x^2))/(24*e^4*Sqrt[d
- e*x]*Sqrt[d + e*x]) - (c*x^5*(d^2 - e^2*x^2))/(6*e^2*Sqrt[d - e*x]*Sqrt[
d + e*x]) + (d^2*(5*c*d^4 + 6*b*d^2*e^2 + 8*a*e^4)*Sqrt[d^2 - e^2*x^2]*ArcT
an[(e*x)/Sqrt[d^2 - e^2*x^2]])/(16*e^7*Sqrt[d - e*x]*Sqrt[d + e*x])
```

### Rule 520

```
Int[(u_.)*((c_) + (d_.)*(x_)^(n_.) + (e_.)*(x_)^(n2_.))^(q_.)*((a1_) + (b1_
.)*(x_)^(non2_.))^(p_.)*((a2_) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] :>
Dist[((a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p])/(a1*a2 +
b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^(2*n)
)^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/
2] && EqQ[n2, 2*n] && EqQ[a2*b1 + a1*b2, 0]
```

Rule 1267

```
Int[((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := Simp[(c^p*(f*x)^(m + 4*p - 1)*(d + e*x^2)^(q + 1))/(e*f^(4*p - 1)*(m + 4*p + 2*q + 1)), x] + Dist[1/(e*(m + 4*p + 2*q + 1)), Int[(f*x)^m*(d + e*x^2)^q*ExpandToSum[e*(m + 4*p + 2*q + 1)*((a + b*x^2 + c*x^4)^p - c^p*x^(4*p)) - d*c^p*(m + 4*p - 1)*x^(4*p - 2), x], x], x] /; FreeQ[{a, b, c, d, e, f, m, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && !IntegerQ[q] && NeQ[m + 4*p + 2*q + 1, 0]
```

Rule 459

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(d*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(b*e*(m + n*(p + 1) + 1)), x] - Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(b*(m + n*(p + 1) + 1)), Int[(e*x)^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && NeQ[m + n*(p + 1) + 1, 0]
```

Rule 321

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(c^(n - 1)*(c*x)^(m - n + 1)*(a + b*x^n)^(p + 1))/(b*(m + n*p + 1)), x] - Dist[(a*c^n*(m - n + 1))/(b*(m + n*p + 1)), Int[(c*x)^(m - n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && GtQ[m, n - 1] && NeQ[m + n*p + 1, 0] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[Rt[b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2(a+bx^2+cx^4)}{\sqrt{d-ex}\sqrt{d+ex}} dx &= \frac{\sqrt{d^2-e^2x^2} \int \frac{x^2(a+bx^2+cx^4)}{\sqrt{d^2-e^2x^2}} dx}{\sqrt{d-ex}\sqrt{d+ex}} \\
&= -\frac{cx^5(d^2-e^2x^2)}{6e^2\sqrt{d-ex}\sqrt{d+ex}} - \frac{\sqrt{d^2-e^2x^2} \int \frac{x^2(-6ae^2-(5cd^2+6be^2)x^2)}{\sqrt{d^2-e^2x^2}} dx}{6e^2\sqrt{d-ex}\sqrt{d+ex}} \\
&= -\frac{(5cd^2+6be^2)x^3(d^2-e^2x^2)}{24e^4\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx^5(d^2-e^2x^2)}{6e^2\sqrt{d-ex}\sqrt{d+ex}} + \frac{\left((5cd^4+6bd^2e^2+8ae^4)\sqrt{d^2-e^2x^2}\right)}{8e^4\sqrt{d-ex}\sqrt{d+ex}} \\
&= -\frac{(5cd^4+6bd^2e^2+8ae^4)x(d^2-e^2x^2)}{16e^6\sqrt{d-ex}\sqrt{d+ex}} - \frac{(5cd^2+6be^2)x^3(d^2-e^2x^2)}{24e^4\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx^5(d^2-e^2x^2)}{6e^2\sqrt{d-ex}\sqrt{d+ex}} \\
&= -\frac{(5cd^4+6bd^2e^2+8ae^4)x(d^2-e^2x^2)}{16e^6\sqrt{d-ex}\sqrt{d+ex}} - \frac{(5cd^2+6be^2)x^3(d^2-e^2x^2)}{24e^4\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx^5(d^2-e^2x^2)}{6e^2\sqrt{d-ex}\sqrt{d+ex}} \\
&= -\frac{(5cd^4+6bd^2e^2+8ae^4)x(d^2-e^2x^2)}{16e^6\sqrt{d-ex}\sqrt{d+ex}} - \frac{(5cd^2+6be^2)x^3(d^2-e^2x^2)}{24e^4\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx^5(d^2-e^2x^2)}{6e^2\sqrt{d-ex}\sqrt{d+ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.808645, size = 202, normalized size = 0.94

$$\frac{ex\sqrt{d-ex}\sqrt{d+ex} \left(6(4ae^4+3bd^2e^2+2be^4x^2) + c(10d^2e^2x^2+15d^4+8e^4x^4)\right) - \frac{6d^{3/2}\sqrt{d+ex} \sin^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{2}\sqrt{d}}\right) (8ae^4+10bd^2e^2+11cd^4)}{\sqrt{\frac{ex}{d}+1}}}{48e^7}$$

Antiderivative was successfully verified.

[In] Integrate[(x^2\*(a + b\*x^2 + c\*x^4))/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(e\*x\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(6\*(3\*b\*d^2\*e^2 + 4\*a\*e^4 + 2\*b\*e^4\*x^2) + c\*(15\*d^4 + 10\*d^2\*e^2\*x^2 + 8\*e^4\*x^4)) - (6\*d^(3/2)\*(11\*c\*d^4 + 10\*b\*d^2\*e^2 + 8\*a\*e^4)\*Sqrt[d + e\*x]\*ArcSin[Sqrt[d - e\*x]/(Sqrt[2]\*Sqrt[d])])/Sqrt[1 + (e\*x)/d] + 96\*d^2\*(c\*d^4 + b\*d^2\*e^2 + a\*e^4)\*ArcTan[Sqrt[d - e\*x]/Sqrt[d + e\*x]]/(48\*e^7)

**Maple [C]** time = 0.035, size = 273, normalized size = 1.3

$$-\frac{\operatorname{csgn}(e)}{48e^7} \sqrt{-ex+d} \sqrt{ex+d} \left( 8 \operatorname{csgn}(e) x^5 c e^5 \sqrt{-e^2 x^2 + d^2} + 12 \operatorname{csgn}(e) x^3 b e^5 \sqrt{-e^2 x^2 + d^2} + 10 \operatorname{csgn}(e) x^3 c d^2 e^3 \sqrt{-e^2 x^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(x^2*(c*x^4+b*x^2+a)/(-e*x+d)^{(1/2)}/(e*x+d)^{(1/2)}, x)$

[Out]  $-1/48*(-e*x+d)^{(1/2)}*(e*x+d)^{(1/2)}*(8*c*\text{sgn}(e)*x^5*c*e^5*(-e^2*x^2+d^2)^{(1/2)}+12*c*\text{sgn}(e)*x^3*b*e^5*(-e^2*x^2+d^2)^{(1/2)}+10*c*\text{sgn}(e)*x^3*c*d^2*e^3*(-e^2*x^2+d^2)^{(1/2)}+24*c*\text{sgn}(e)*e^5*(-e^2*x^2+d^2)^{(1/2)}*x*a+18*c*\text{sgn}(e)*e^3*(-e^2*x^2+d^2)^{(1/2)}*x*b*d^2+15*c*\text{sgn}(e)*e*(-e^2*x^2+d^2)^{(1/2)}*x*c*d^4-24*\arctan(\text{sgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*a*d^2*e^4-18*\arctan(\text{sgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*b*d^4*e^2-15*\arctan(\text{sgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*c*d^6)*\text{sgn}(e)/e^7/(-e^2*x^2+d^2)^{(1/2)}$

**Maxima [A]** time = 1.56008, size = 309, normalized size = 1.43

$$-\frac{\sqrt{-e^2x^2+d^2}cx^5}{6e^2} - \frac{5\sqrt{-e^2x^2+d^2}cd^2x^3}{24e^4} - \frac{\sqrt{-e^2x^2+d^2}bx^3}{4e^2} + \frac{5cd^6 \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{16\sqrt{e^2}e^6} + \frac{3bd^4 \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{8\sqrt{e^2}e^4} + \frac{ad^2 \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{2\sqrt{e^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(c*x^4+b*x^2+a)/(-e*x+d)^{(1/2)}/(e*x+d)^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $-1/6*\sqrt{-e^2*x^2+d^2}*c*x^5/e^2 - 5/24*\sqrt{-e^2*x^2+d^2}*c*d^2*x^3/e^4 - 1/4*\sqrt{-e^2*x^2+d^2}*b*x^3/e^2 + 5/16*c*d^6*\arcsin(e^2*x/\sqrt{d^2*e^2})/(\sqrt{e^2}*e^6) + 3/8*b*d^4*\arcsin(e^2*x/\sqrt{d^2*e^2})/(\sqrt{e^2}*e^4) + 1/2*a*d^2*\arcsin(e^2*x/\sqrt{d^2*e^2})/(\sqrt{e^2}*e^2) - 5/16*\sqrt{-e^2*x^2+d^2}*c*d^4*x/e^6 - 3/8*\sqrt{-e^2*x^2+d^2}*b*d^2*x/e^4 - 1/2*\sqrt{-e^2*x^2+d^2}*a*x/e^2$

**Fricas [A]** time = 1.43201, size = 298, normalized size = 1.38

$$\frac{(8ce^5x^5 + 2(5cd^2e^3 + 6be^5)x^3 + 3(5cd^4e + 6bd^2e^3 + 8ae^5)x)\sqrt{ex+d}\sqrt{-ex+d} + 6(5cd^6 + 6bd^4e^2 + 8ad^2e^4)\arctan\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{48e^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(x^2*(c*x^4+b*x^2+a)/(-e*x+d)^{(1/2)}/(e*x+d)^{(1/2)}, x, \text{algorithm}="fricas")$



[Out] 
$$-1/48*((8*c*e^5*x^5 + 2*(5*c*d^2*e^3 + 6*b*e^5)*x^3 + 3*(5*c*d^4*e + 6*b*d^2*e^3 + 8*a*e^5)*x)*\sqrt{e*x + d}*\sqrt{-e*x + d} + 6*(5*c*d^6 + 6*b*d^4*e^2 + 8*a*d^2*e^4)*\arctan((\sqrt{e*x + d}*\sqrt{-e*x + d} - d)/(e*x)))/e^7$$

**Sympy [C]** time = 125.927, size = 362, normalized size = 1.68

$$\frac{iad^2 G_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{4}, -\frac{1}{4} \\ -1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \end{matrix} \middle| \frac{d^2}{e^2 x^2} \right) + ad^2 G_{6,6}^{2,6} \left( \begin{matrix} -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4} \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right) - ibd^4 G_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{2}, -1, -1, 0 \\ -\frac{3}{2}, -1, -1, 0 \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} e^3} + \frac{ad^2 G_{6,6}^{2,6} \left( \begin{matrix} -\frac{3}{2}, -\frac{5}{4}, -1, -\frac{3}{4}, -\frac{1}{2}, 1 \\ -\frac{5}{4}, -\frac{3}{4} \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right) - ibd^4 G_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{2}, -1, -1, 0 \\ -\frac{3}{2}, -1, -1, 0 \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} e^3} - \frac{ibd^4 G_{6,6}^{6,2} \left( \begin{matrix} -\frac{3}{2}, -1, -1, 0 \\ -\frac{3}{2}, -1, -1, 0 \end{matrix} \middle| \frac{d^2 e^{-2i\pi}}{e^2 x^2} \right)}{4\pi^{\frac{3}{2}} e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(c*x**4+b*x**2+a)/(-e*x+d)**(1/2)/(e*x+d)**(1/2),x)`

[Out] 
$$-I*a*d**2*meijerg((( -3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**3) + a*d**2*meijerg((( -3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**3) - I*b*d**4*meijerg((( -7/4, -5/4), (-3/2, -3/2, -1, 1)), ((-2, -7/4, -3/2, -5/4, -1, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**5) + b*d**4*meijerg((( -5/2, -9/4, -2, -7/4, -3/2, 1), ()), ((-9/4, -7/4), (-5/2, -2, -2, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**5) - I*c*d**6*meijerg((( -11/4, -9/4), (-5/2, -5/2, -2, 1)), ((-3, -11/4, -5/2, -9/4, -2, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**7) + c*d**6*meijerg((( -7/2, -13/4, -3, -11/4, -5/2, 1), ()), ((-13/4, -11/4), (-7/2, -3, -3, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**7)$$

**Giac [A]** time = 1.1521, size = 257, normalized size = 1.19

$$\frac{1}{34603008} \left( (33cd^5e^{36} + 30bd^3e^{38} + 24ade^{40} - (85cd^4e^{36} + 54bd^2e^{38} - 2(55cd^3e^{36} + 18bde^{38} - (45cd^2e^{36} + 4((xe + a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*x^4+b*x^2+a)/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="giac")`

[Out] 
$$1/34603008*((33*c*d^5*e^36 + 30*b*d^3*e^38 + 24*a*d*e^40 - (85*c*d^4*e^36 + 54*b*d^2*e^38 - 2*(55*c*d^3*e^36 + 18*b*d*e^38 - (45*c*d^2*e^36 + 4*((x*e$$

$$\begin{aligned} &+ d)*c*e^{36} - 5*c*d*e^{36})*(x*e + d) + 6*b*e^{38})*(x*e + d))*(x*e + d) + 24*a \\ &*e^{40}*(x*e + d))*\sqrt{x*e + d}*\sqrt{-x*e + d} + 6*(5*c*d^6*e^{36} + 6*b*d^4* \\ &e^{38} + 8*a*d^2*e^{40})*\arcsin(1/2*\sqrt{2}*\sqrt{x*e + d}/\sqrt{d}))*e^{-1} \end{aligned}$$

$$3.140 \quad \int \frac{a+bx^2+cx^4}{\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=128

$$-\frac{\tan^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right)(8ae^4 + 4bd^2e^2 + 3cd^4)}{4e^5} - \frac{x\sqrt{d-ex}\sqrt{d+ex}(4be^2 + 3cd^2)}{8e^4} + \frac{cx^3(ex-d)\sqrt{d+ex}}{4e^2\sqrt{d-ex}}$$

[Out]  $-\left(\left(3c*d^2 + 4b*e^2\right)*x*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]\right)/\left(8*e^4\right) + \left(c*x^3*(-d + e*x)*\text{Sqrt}[d + e*x]\right)/\left(4*e^2*\text{Sqrt}[d - e*x]\right) - \left(\left(3c*d^4 + 4b*d^2*e^2 + 8*a*e^4\right)*\text{ArcTan}\left[\text{Sqrt}[d - e*x]/\text{Sqrt}[d + e*x]\right]\right)/\left(4*e^5\right)$

**Rubi [A]** time = 0.0911319, antiderivative size = 179, normalized size of antiderivative = 1.4, number of steps used = 5, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {520, 1159, 388, 217, 203}

$$\frac{\sqrt{d^2 - e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)(8ae^4 + 4bd^2e^2 + 3cd^4)}{8e^5\sqrt{d-ex}\sqrt{d+ex}} - \frac{x(d^2 - e^2x^2)(4be^2 + 3cd^2)}{8e^4\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx^3(d^2 - e^2x^2)}{4e^2\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x^2 + c\*x^4)/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $-\left(\left(3c*d^2 + 4b*e^2\right)*x*(d^2 - e^2*x^2)\right)/\left(8*e^4*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]\right) - \left(c*x^3*(d^2 - e^2*x^2)\right)/\left(4*e^2*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]\right) + \left(\left(3c*d^4 + 4b*d^2*e^2 + 8*a*e^4\right)*\text{Sqrt}[d^2 - e^2*x^2]*\text{ArcTan}\left[\left(e*x\right)/\text{Sqrt}[d^2 - e^2*x^2]\right]\right)/\left(8*e^5*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]\right)$

### Rule 520

Int[(u\_)\*((c\_) + (d\_)\*(x\_)^(n\_)) + (e\_)\*(x\_)^(n2\_)]^(q\_)\*((a1\_) + (b1\_)\*(x\_)^(non2\_))^(p\_)\*((a2\_) + (b2\_)\*(x\_)^(non2\_))^(p\_), x\_Symbol] :> Dist[((a1 + b1\*x^(n/2))^FracPart[p]\*(a2 + b2\*x^(n/2))^FracPart[p])/(a1\*a2 + b1\*b2\*x^n)^FracPart[p], Int[u\*(a1\*a2 + b1\*b2\*x^n)^p\*(c + d\*x^n + e\*x^(2\*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2\*n] && EqQ[a2\*b1 + a1\*b2, 0]

### Rule 1159

Int[((d\_) + (e\_)\*(x\_)^2)^(q\_)\*((a\_) + (b\_)\*(x\_)^2 + (c\_)\*(x\_)^4)^(p\_), x\_Symbol] :> Simp[(c^p\*x^(4\*p - 1)\*(d + e\*x^2)^(q + 1))/(e\*(4\*p + 2\*q + 1))

, x] + Dist[1/(e\*(4\*p + 2\*q + 1)), Int[(d + e\*x^2)^q\*ExpandToSum[e\*(4\*p + 2\*q + 1)\*(a + b\*x^2 + c\*x^4)^p - d\*c^p\*(4\*p - 1)\*x^(4\*p - 2) - e\*c^p\*(4\*p + 2\*q + 1)\*x^(4\*p)], x], x] /; FreeQ[{a, b, c, d, e, q}, x] && NeQ[b^2 - 4\*a\*c, 0] && NeQ[c\*d^2 - b\*d\*e + a\*e^2, 0] && IGtQ[p, 0] && !LtQ[q, -1]

### Rule 388

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_)), x\_Symbol] := Simp[(d\*x\*(a + b\*x^n)^(p + 1))/(b\*(n\*(p + 1) + 1)), x] - Dist[(a\*d - b\*c\*(n\*(p + 1) + 1))/(b\*(n\*(p + 1) + 1)), Int[(a + b\*x^n)^p, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n\*(p + 1) + 1, 0]

### Rule 217

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Subst[Int[1/(1 - b\*x^2), x], x, x/Sqrt[a + b\*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]

### Rule 203

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTan[(Rt[b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{a + bx^2 + cx^4}{\sqrt{d - ex}\sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2x^2} \int \frac{a + bx^2 + cx^4}{\sqrt{d^2 - e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{cx^3(d^2 - e^2x^2)}{4e^2\sqrt{d - ex}\sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2x^2} \int \frac{-4ae^2 - (3cd^2 + 4be^2)x^2}{\sqrt{d^2 - e^2x^2}} dx}{4e^2\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{(3cd^2 + 4be^2)x(d^2 - e^2x^2)}{8e^4\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx^3(d^2 - e^2x^2)}{4e^2\sqrt{d - ex}\sqrt{d + ex}} - \frac{\left((-8ae^4 + d^2(-3cd^2 - 4be^2))\sqrt{d^2 - e^2x^2}\right)}{8e^4\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{(3cd^2 + 4be^2)x(d^2 - e^2x^2)}{8e^4\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx^3(d^2 - e^2x^2)}{4e^2\sqrt{d - ex}\sqrt{d + ex}} - \frac{\left((-8ae^4 + d^2(-3cd^2 - 4be^2))\sqrt{d^2 - e^2x^2}\right)}{8e^4\sqrt{d - ex}\sqrt{d + ex}} \\
 &= -\frac{(3cd^2 + 4be^2)x(d^2 - e^2x^2)}{8e^4\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx^3(d^2 - e^2x^2)}{4e^2\sqrt{d - ex}\sqrt{d + ex}} + \frac{(3cd^4 + 4bd^2e^2 + 8ae^4)\sqrt{d^2 - e^2x^2} \tan^{-1}}{8e^5\sqrt{d - ex}\sqrt{d + ex}}
 \end{aligned}$$

**Mathematica [A]** time = 0.581851, size = 157, normalized size = 1.23

$$\frac{16 \tan^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right) (ae^4 + bd^2e^2 + cd^4) + ex\sqrt{d-ex}\sqrt{d+ex} (4be^2 + 3cd^2 + 2ce^2x^2) - \frac{2d^{5/2}\sqrt{\frac{ex}{d}+1}(4be^2+5cd^2)\sin^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{2}\sqrt{d}}\right)}{\sqrt{d+ex}}}{8e^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $-(e*x*\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]*(3*c*d^2 + 4*b*e^2 + 2*c*e^2*x^2) - (2*d^{5/2}*(5*c*d^2 + 4*b*e^2)*\text{Sqrt}[1 + (e*x)/d]*\text{ArcSin}[\text{Sqrt}[d - e*x]/(\text{Sqrt}[2]*\text{Sqrt}[d])])/\text{Sqrt}[d + e*x] + 16*(c*d^4 + b*d^2*e^2 + a*e^4)*\text{ArcTan}[\text{Sqrt}[d - e*x]/\text{Sqrt}[d + e*x]])/(8*e^5)$

**Maple [C]** time = 0.017, size = 191, normalized size = 1.5

$$-\frac{\text{csgn}(e)}{8e^5}\sqrt{-ex+d}\sqrt{ex+d}\left(2\text{csgn}(e)x^3ce^3\sqrt{-e^2x^2+d^2}+4\text{csgn}(e)e^3\sqrt{-e^2x^2+d^2}xb+3\text{csgn}(e)e\sqrt{-e^2x^2+d^2}xcd^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out]  $-1/8*(-e*x+d)^{(1/2)}*(e*x+d)^{(1/2)}*(2*\text{csgn}(e)*x^3*c*e^3*(-e^2*x^2+d^2)^{(1/2)}+4*\text{csgn}(e)*e^3*(-e^2*x^2+d^2)^{(1/2)}*x*b+3*\text{csgn}(e)*e*(-e^2*x^2+d^2)^{(1/2)}*x*c*d^2-8*\arctan(\text{csgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*a*e^4-4*\arctan(\text{csgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*b*d^2*e^2-3*\arctan(\text{csgn}(e)*e*x/(-e^2*x^2+d^2)^{(1/2)})*c*d^4)*\text{csgn}(e)/e^5/(-e^2*x^2+d^2)^{(1/2)}$

**Maxima [A]** time = 1.50604, size = 201, normalized size = 1.57

$$-\frac{\sqrt{-e^2x^2+d^2}cx^3}{4e^2} + \frac{a \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{\sqrt{e^2}} + \frac{3cd^4 \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{8\sqrt{e^2}e^4} + \frac{bd^2 \arcsin\left(\frac{e^2x}{\sqrt{d^2e^2}}\right)}{2\sqrt{e^2}e^2} - \frac{3\sqrt{-e^2x^2+d^2}cd^2x}{8e^4} - \frac{\sqrt{-e^2x^2+d^2}}{2e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out]  $-1/4*\sqrt{-e^2*x^2 + d^2}*c*x^3/e^2 + a*\arcsin(e^2*x/\sqrt{d^2*e^2})/\sqrt{e^2} + 3/8*c*d^4*\arcsin(e^2*x/\sqrt{d^2*e^2})/(\sqrt{e^2}*e^4) + 1/2*b*d^2*\arcsin(e^2*x/\sqrt{d^2*e^2})/(\sqrt{e^2}*e^2) - 3/8*\sqrt{-e^2*x^2 + d^2}*c*d^2*x/e^4 - 1/2*\sqrt{-e^2*x^2 + d^2}*b*x/e^2$

**Fricas [A]** time = 1.58024, size = 227, normalized size = 1.77

$$\frac{(2ce^3x^3 + (3cd^2e + 4be^3)x)\sqrt{ex+d}\sqrt{-ex+d} + 2(3cd^4 + 4bd^2e^2 + 8ae^4)\arctan\left(\frac{\sqrt{ex+d}\sqrt{-ex+d}-d}{ex}\right)}{8e^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out]  $-1/8*((2*c*e^3*x^3 + (3*c*d^2*e + 4*b*e^3)*x)*\sqrt{e*x + d}*\sqrt{-e*x + d} + 2*(3*c*d^4 + 4*b*d^2*e^2 + 8*a*e^4)*\arctan((\sqrt{e*x + d}*\sqrt{-e*x + d} - d)/(e*x)))/e^5$

**Sympy [C]** time = 37.9723, size = 325, normalized size = 2.54

$$\frac{iaG_{6,6}^{6,2}\left(0, \frac{1}{4}, \frac{1}{2}, \frac{1}{4}, 1, 0 \left| \frac{d^2}{e^2x^2} \right.\right)}{4\pi^{\frac{3}{2}}e} + \frac{aG_{6,6}^{2,6}\left(-\frac{1}{2}, -\frac{1}{4}, 0, \frac{1}{4}, \frac{1}{2}, 1 \left| \frac{d^2e^{-2i\pi}}{e^2x^2} \right.\right)}{4\pi^{\frac{3}{2}}e} - \frac{ibd^2G_{6,6}^{6,2}\left(-1, -\frac{3}{4}, -\frac{1}{2}, -\frac{1}{4}, 0, 0 \left| \frac{d^2e^{-2i\pi}}{e^2x^2} \right.\right)}{4\pi^{\frac{3}{2}}e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out]  $-I*a*\text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e) + a*\text{meijerg}((-1/2, -1/4, 0, 1/4, 1/2, 1), ((-1/4, 1/4), (-1/2, 0, 0, 0)), d**2*\exp\_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e) - I*b*d**2*\text{meijerg}((-3/4, -1/4), (-1/2, -1/2, 0, 1), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**3) + b*d**2*\text{meijerg}((-3/2, -5/4, -1, -3/4, -1/2, 1), ((-5/4, -3/4), (-3/2, -1, -1, 0)), d**2*\exp\_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**3) - I*c*d**4*\text{meijerg}((-7/4, -5/4), (-3/2, -3/2, -1, 1), ((-2, -7/4, -3/2, -5/4, -1, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**5) + c*d**4*\text{meijerg}((-5/2, -$

9/4, -2, -7/4, -3/2, 1), ()), ((-9/4, -7/4), (-5/2, -2, -2, 0)),  $d^{**2} \exp(\text{polar}(-2*I*\pi)/(e^{**2*x**2}))/ (4*\pi^{**}(3/2)*e^{**5})$

**Giac [A]** time = 1.13785, size = 170, normalized size = 1.33

$$\frac{1}{114688} \left( (5cd^3e^{16} + 4bde^{18} - (9cd^2e^{16} + 2((xe+d)ce^{16} - 3cde^{16})(xe+d) + 4be^{18})(xe+d))\sqrt{xe+d}\sqrt{-xe+d} + 2(3c \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] 1/114688\*((5\*c\*d^3\*e^16 + 4\*b\*d\*e^18 - (9\*c\*d^2\*e^16 + 2\*((x\*e + d)\*c\*e^16 - 3\*c\*d\*e^16)\*(x\*e + d) + 4\*b\*e^18)\*(x\*e + d))\*sqrt(x\*e + d)\*sqrt(-x\*e + d) + 2\*(3\*c\*d^4\*e^16 + 4\*b\*d^2\*e^18 + 8\*a\*e^20)\*arcsin(1/2\*sqrt(2)\*sqrt(x\*e + d)/sqrt(d))\*e^(-1)

$$3.141 \quad \int \frac{a+bx^2+cx^4}{x^2\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=102

$$-\frac{a\sqrt{d-ex}\sqrt{d+ex}}{d^2x} - \frac{(2be^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right)}{e^3} + \frac{cx(ex-d)\sqrt{d+ex}}{2e^2\sqrt{d-ex}}$$

[Out]  $-\left(\frac{a\sqrt{d-ex}\sqrt{d+ex}}{d^2x}\right) + \frac{cx(ex-d)\sqrt{d+ex}}{2e^2\sqrt{d-ex}} - \frac{(2be^2 + cd^2) \operatorname{ArcTan}\left[\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right]}{e^3}$

**Rubi [A]** time = 0.121831, antiderivative size = 155, normalized size of antiderivative = 1.52, number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {520, 1265, 388, 217, 203}

$$-\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d-ex}\sqrt{d+ex}} + \frac{\sqrt{d^2 - e^2x^2}(2be^2 + cd^2) \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{cx(d^2 - e^2x^2)}{2e^2\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\frac{a + bx^2 + cx^4}{x^2\sqrt{d-ex}\sqrt{d+ex}}, x\right]$

[Out]  $-\left(\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d-ex}\sqrt{d+ex}}\right) - \frac{cx(d^2 - e^2x^2)}{2e^2\sqrt{d-ex}\sqrt{d+ex}} + \frac{(2be^2 + cd^2) \operatorname{ArcTan}\left[\frac{ex}{\sqrt{d^2 - e^2x^2}}\right]}{e^3\sqrt{d-ex}\sqrt{d+ex}}$

### Rule 520

$\operatorname{Int}\left[(u_.) * ((c_.) + (d_.) * (x_.)^{(n_.)} + (e_.) * (x_.)^{(n2_.)})^{(q_.)} * ((a1_.) + (b1_.) * (x_.)^{(non2_.)})^{(p_.)} * ((a2_.) + (b2_.) * (x_.)^{(non2_.)})^{(p_.)}, x\_Symbol\right] \rightarrow$   
 $\operatorname{Dist}\left[\left(\frac{(a1 + b1x^{(n/2)})^{\operatorname{FracPart}[p]} * (a2 + b2x^{(n/2)})^{\operatorname{FracPart}[p]}}{(a1a2 + b1b2x^n)^{\operatorname{FracPart}[p]}}\right), \operatorname{Int}\left[u * (a1a2 + b1b2x^n)^p * (c + dx^n + ex^{(2n)})^q, x\right], x\right] /;$   
 $\operatorname{FreeQ}\{a1, b1, a2, b2, c, d, e, n, p, q\}, x\} \ \&\amp; \operatorname{EqQ}[non2, n/2] \ \&\amp; \operatorname{EqQ}[n2, 2*n] \ \&\amp; \operatorname{EqQ}[a2*b1 + a1*b2, 0]$

### Rule 1265

$\operatorname{Int}\left[\left(\frac{(f_.) * (x_.)^{(m_.)} * ((d_.) + (e_.) * (x_.)^2)^{(q_.)} * ((a_.) + (b_.) * (x_.)^2 + (c_.) * (x_.)^4)^{(p_.)}}{x_.\right)}, x\_Symbol\right] \rightarrow \operatorname{With}\left[\{Qx = \operatorname{PolynomialQuotient}[a + bx^2 + \right.$



```
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x],
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rule 388

```
Int[((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Si
mp[(d*x*(a + b*x^n)^(p + 1))/(b*(n*(p + 1) + 1)), x] - Dist[(a*d - b*c*(n*(
p + 1) + 1))/(b*(n*(p + 1) + 1)), Int[(a + b*x^n)^p, x], x] /; FreeQ[{a, b,
c, d, n}, x] && NeQ[b*c - a*d, 0] && NeQ[n*(p + 1) + 1, 0]
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x],
x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 203

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt
[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^2\sqrt{d - ex}\sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2x^2} \int \frac{a + bx^2 + cx^4}{x^2\sqrt{d^2 - e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d - ex}\sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2x^2} \int \frac{-bd^2 - cd^2x^2}{\sqrt{d^2 - e^2x^2}} dx}{d^2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx(d^2 - e^2x^2)}{2e^2\sqrt{d - ex}\sqrt{d + ex}} + \frac{\left(2b + \frac{cd^2}{e^2}\right)\sqrt{d^2 - e^2x^2} \int \frac{1}{\sqrt{d^2 - e^2x^2}} dx}{2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx(d^2 - e^2x^2)}{2e^2\sqrt{d - ex}\sqrt{d + ex}} + \frac{\left(2b + \frac{cd^2}{e^2}\right)\sqrt{d^2 - e^2x^2} \operatorname{Subst}\left(\int \frac{1}{1 + e^2x^2} dx, \frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{d^2x\sqrt{d - ex}\sqrt{d + ex}} - \frac{cx(d^2 - e^2x^2)}{2e^2\sqrt{d - ex}\sqrt{d + ex}} + \frac{(cd^2 + 2be^2)\sqrt{d^2 - e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{2e^3\sqrt{d - ex}\sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.564506, size = 135, normalized size = 1.32

$$\frac{\frac{e\sqrt{d-ex}\sqrt{d+ex}(2ae^2+cd^2x^2)}{d^2x} + 4(be^2 + cd^2) \tan^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{d+ex}}\right) - \frac{2cd^{5/2}\sqrt{\frac{ex}{d}+1} \sin^{-1}\left(\frac{\sqrt{d-ex}}{\sqrt{2}\sqrt{d}}\right)}{\sqrt{d+ex}}}{2e^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^2\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -((e\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(2\*a\*e^2 + c\*d^2\*x^2))/(d^2\*x) - (2\*c\*d^(5/2)\*Sqrt[1 + (e\*x)/d]\*ArcSin[Sqrt[d - e\*x]/(Sqrt[2]\*Sqrt[d])])/Sqrt[d + e\*x] + 4\*(c\*d^2 + b\*e^2)\*ArcTan[Sqrt[d - e\*x]/Sqrt[d + e\*x]]/(2\*e^3)

**Maple [C]** time = 0.022, size = 148, normalized size = 1.5

$$-\frac{\operatorname{csgn}(e)}{2d^2e^3x} \sqrt{-ex+d} \sqrt{ex+d} \left( \operatorname{csgn}(e) x^2 cd^2 e \sqrt{-e^2x^2+d^2} - 2 \arctan\left(\frac{\operatorname{csgn}(e) ex}{\sqrt{-e^2x^2+d^2}}\right) xbd^2e^2 - \arctan\left(\operatorname{csgn}(e) ex \frac{1}{\sqrt{-e^2x^2+d^2}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/x^2/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out] -1/2\*(-e\*x+d)^(1/2)\*(e\*x+d)^(1/2)/d^2\*(csgn(e)\*x^2\*c\*d^2\*e\*(-e^2\*x^2+d^2)^(1/2)-2\*arctan(csgn(e)\*e\*x/(-e^2\*x^2+d^2)^(1/2))\*x\*b\*d^2\*e^2-arctan(csgn(e)\*e\*x/(-e^2\*x^2+d^2)^(1/2))\*x\*c\*d^4+2\*csgn(e)\*e^3\*(-e^2\*x^2+d^2)^(1/2)\*a)\*csgn(e)/e^3/(-e^2\*x^2+d^2)^(1/2)/x

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^2/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 1.52415, size = 203, normalized size = 1.99

$$\frac{2(cd^4 + 2bd^2e^2)x \arctan\left(\frac{\sqrt{ex+d}\sqrt{-ex+d}-d}{ex}\right) + (cd^2ex^2 + 2ae^3)\sqrt{ex+d}\sqrt{-ex+d}}{2d^2e^3x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^2/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out]  $-1/2*(2*(c*d^4 + 2*b*d^2*e^2)*x*\arctan((\sqrt{e*x + d}*\sqrt{-e*x + d} - d)/(e*x)) + (c*d^2*e*x^2 + 2*a*e^3)*\sqrt{e*x + d}*\sqrt{-e*x + d})/(d^2*e^3*x)$

---

**Sympy [C]** time = 54.2156, size = 287, normalized size = 2.81

$$\frac{iaeG_{6,6}^{5,3}\left(1, \frac{5}{4}, \frac{7}{4}, \frac{1}{2}, \frac{3}{2}, \frac{3}{2}, 2 \left| \frac{d^2}{e^2x^2} \right. \right)}{4\pi^2 d^2} + \frac{aeG_{6,6}^{2,6}\left(\frac{1}{2}, \frac{3}{4}, 1, \frac{5}{4}, \frac{3}{2}, 1 \left| \frac{d^2 e^{-2i\pi}}{e^2x^2} \right. \right)}{4\pi^2 d^2} - \frac{ibG_{6,6}^{6,2}\left(0, \frac{1}{4}, \frac{1}{2}, \frac{3}{4}, 1, 0 \left| \frac{d^2}{e^2x^2} \right. \right)}{4\pi^2 e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*2/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out]  $I*a*e*\text{meijerg}(((5/4, 7/4, 1), (3/2, 3/2, 2)), ((1, 5/4, 3/2, 7/4, 2), (0,)), d**2/(e**2*x**2))/(4*pi**(3/2)*d**2) + a*e*\text{meijerg}(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)), d**2*\text{exp\_polar}(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*d**2) - I*b*\text{meijerg}(((1/4, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e) + b*\text{meijerg}(((1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1/4), (-1/2, 0, 0, 0)), d**2*\text{exp\_polar}(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e) - I*c*d**2*\text{meijerg}(((3/4, -1/4), (-1/2, -1/2, 0, 1)), ((-1, -3/4, -1/2, -1/4, 0, 0), ()), d**2/(e**2*x**2))/(4*pi**(3/2)*e**3) + c*d**2*\text{meijerg}(((3/2, -5/4, -1, -3/4, -1/2, 1), ()), ((-5/4, -3/4), (-3/2, -1, -1, 0)), d**2*\text{exp\_polar}(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e**3)$

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^2/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="gi  
ac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.142 \quad \int \frac{a+bx^2+cx^4}{x^4\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=157

$$-\frac{(d^2 - e^2x^2)(2ae^2 + 3bd^2)}{3d^4x\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{3d^2x^3\sqrt{d-ex}\sqrt{d+ex}} + \frac{c\sqrt{d^2 - e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e\sqrt{d-ex}\sqrt{d+ex}}$$

[Out]  $-(a*(d^2 - e^2*x^2))/(3*d^2*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - ((3*b*d^2 + 2*a*e^2)*(d^2 - e^2*x^2))/(3*d^4*x*sqrt[d - e*x]*sqrt[d + e*x]) + (c*sqrt[d^2 - e^2*x^2]*ArcTan[(e*x)/sqrt[d^2 - e^2*x^2]])/(e*sqrt[d - e*x]*sqrt[d + e*x])$

**Rubi [A]** time = 0.124514, antiderivative size = 157, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {520, 1265, 451, 217, 203}

$$-\frac{(d^2 - e^2x^2)(2ae^2 + 3bd^2)}{3d^4x\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{3d^2x^3\sqrt{d-ex}\sqrt{d+ex}} + \frac{c\sqrt{d^2 - e^2x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2x^2}}\right)}{e\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x^2 + c\*x^4)/(x^4\*sqrt[d - e\*x]\*sqrt[d + e\*x]),x]

[Out]  $-(a*(d^2 - e^2*x^2))/(3*d^2*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - ((3*b*d^2 + 2*a*e^2)*(d^2 - e^2*x^2))/(3*d^4*x*sqrt[d - e*x]*sqrt[d + e*x]) + (c*sqrt[d^2 - e^2*x^2]*ArcTan[(e*x)/sqrt[d^2 - e^2*x^2]])/(e*sqrt[d - e*x]*sqrt[d + e*x])$

### Rule 520

Int[(u\_)\*((c\_)+(d\_)\*(x\_)^(n\_)+(e\_)\*(x\_)^(n2\_))^(q\_)\*((a1\_)+(b1\_)\*(x\_)^(non2\_))^(p\_)\*((a2\_)+(b2\_)\*(x\_)^(non2\_))^(p\_), x\_Symbol] :> Dist[((a1 + b1\*x^(n/2))^FracPart[p]\*(a2 + b2\*x^(n/2))^FracPart[p])/(a1\*a2 + b1\*b2\*x^n)^FracPart[p], Int[u\*(a1\*a2 + b1\*b2\*x^n)^p\*(c + d\*x^n + e\*x^(2\*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2\*n] && EqQ[a2\*b1 + a1\*b2, 0]

### Rule 1265

```
Int[((f_.)*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
  Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rule 451

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[d/e^n, Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[m + n*(p + 1) + 1, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1]))
```

### Rule 217

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Subst[Int[1/(1 - b*x^2), x], x, x/Sqrt[a + b*x^2]] /; FreeQ[{a, b}, x] && !GtQ[a, 0]
```

### Rule 203

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTan[(Rt[b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^4 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^4 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{3d^2 x^3 \sqrt{d - ex} \sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2 x^2} \int \frac{-3bd^2 - 2ae^2 - 3cd^2 x^2}{x^2 \sqrt{d^2 - e^2 x^2}} dx}{3d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{3d^2 x^3 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(3bd^2 + 2ae^2)(d^2 - e^2 x^2)}{3d^4 x \sqrt{d - ex} \sqrt{d + ex}} + \frac{(c\sqrt{d^2 - e^2 x^2}) \int \frac{1}{\sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{3d^2 x^3 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(3bd^2 + 2ae^2)(d^2 - e^2 x^2)}{3d^4 x \sqrt{d - ex} \sqrt{d + ex}} + \frac{(c\sqrt{d^2 - e^2 x^2}) \text{Subst}\left(\int \frac{1}{1 + e^2 x^2} dx, x, \frac{\sqrt{d - ex} \sqrt{d + ex}}{e}\right)}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{3d^2 x^3 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(3bd^2 + 2ae^2)(d^2 - e^2 x^2)}{3d^4 x \sqrt{d - ex} \sqrt{d + ex}} + \frac{c\sqrt{d^2 - e^2 x^2} \tan^{-1}\left(\frac{ex}{\sqrt{d^2 - e^2 x^2}}\right)}{e\sqrt{d - ex} \sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.128342, size = 81, normalized size = 0.52

$$-\frac{\sqrt{d - ex} \sqrt{d + ex} (a(d^2 + 2e^2 x^2) + 3bd^2 x^2)}{3d^4 x^3} - \frac{2c \tan^{-1}\left(\frac{\sqrt{d - ex}}{\sqrt{d + ex}}\right)}{e}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^4\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(3\*b\*d^2\*x^2 + a\*(d^2 + 2\*e^2\*x^2)))/(3\*d^4\*x^3) - (2\*c\*ArcTan[Sqrt[d - e\*x]/Sqrt[d + e\*x]])/e

**Maple [C]** time = 0.022, size = 146, normalized size = 0.9

$$-\frac{\text{csgn}(e)}{3d^4 x^3 e} \sqrt{-ex + d} \sqrt{ex + d} \left( -3 \arctan\left(\frac{\text{csgn}(e) ex}{\sqrt{-e^2 x^2 + d^2}}\right) x^3 c d^4 + 2 \text{csgn}(e) e^3 \sqrt{-e^2 x^2 + d^2} x^2 a + 3 \text{csgn}(e) e \sqrt{-e^2 x^2 + d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/x^4/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out] -1/3\*(-e\*x+d)^(1/2)\*(e\*x+d)^(1/2)/d^4\*(-3\*arctan(csgn(e)\*e\*x/(-e^2\*x^2+d^2)^(1/2))\*x^3\*c\*d^4+2\*csgn(e)\*e^3\*(-e^2\*x^2+d^2)^(1/2)\*x^2\*a+3\*csgn(e)\*e\*(-e^

$$2*x^2+d^2)^{(1/2)}*x^2*b*d^2+a*(-e^2*x^2+d^2)^{(1/2)}*d^2*csgn(e)*e)*csgn(e)/(-e^2*x^2+d^2)^{(1/2)}/x^3/e$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^4/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.38233, size = 203, normalized size = 1.29

$$\frac{6cd^4x^3 \arctan\left(\frac{\sqrt{ex+d}\sqrt{-ex+d-d}}{ex}\right) + (ad^2e + (3bd^2e + 2ae^3)x^2)\sqrt{ex+d}\sqrt{-ex+d}}{3d^4ex^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^4/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out]  $-1/3*(6*c*d^4*x^3*\arctan((\sqrt{e*x + d})*\sqrt{-e*x + d} - d)/(e*x)) + (a*d^2*e + (3*b*d^2*e + 2*a*e^3)*x^2)*\sqrt{e*x + d}*\sqrt{-e*x + d})/(d^4*e*x^3)$

**Sympy [C]** time = 77.4416, size = 257, normalized size = 1.64

$$\frac{iae^3G_{6,6}^{5,3}\left(\begin{matrix} \frac{9}{4}, \frac{11}{4}, 1 \\ 2, \frac{5}{4}, \frac{11}{4}, 3 \end{matrix} \middle| \frac{d^2}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}d^4} + \frac{ae^3G_{6,6}^{2,6}\left(\begin{matrix} \frac{3}{2}, \frac{7}{4}, 2, \frac{9}{4}, \frac{5}{2}, 1 \\ \frac{7}{4}, \frac{9}{4} \end{matrix} \middle| \frac{d^2e^{-2i\pi}}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}d^4} + \frac{ibeG_{6,6}^{5,3}\left(\begin{matrix} \frac{5}{4}, \frac{7}{4}, 1 \\ 1, \frac{5}{4}, \frac{3}{4}, \frac{7}{4}, 2 \end{matrix} \middle| \frac{d^2}{e^2x^2}\right)}{4\pi^{\frac{3}{2}}d^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*4/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)



```
[Out] I*a*e**3*meijerg(((9/4, 11/4, 1), (5/2, 5/2, 3)), ((2, 9/4, 5/2, 11/4, 3),
(0,)), d**2/(e**2*x**2))/(4*pi**(3/2)*d**4) + a*e**3*meijerg(((3/2, 7/4, 2,
9/4, 5/2, 1), ()), ((7/4, 9/4), (3/2, 2, 2, 0)), d**2*exp_polar(-2*I*pi)/(
e**2*x**2))/(4*pi**(3/2)*d**4) + I*b*e*meijerg(((5/4, 7/4, 1), (3/2, 3/2, 2
)), ((1, 5/4, 3/2, 7/4, 2), (0,)), d**2/(e**2*x**2))/(4*pi**(3/2)*d**2) + b
*e*meijerg(((1/2, 3/4, 1, 5/4, 3/2, 1), ()), ((3/4, 5/4), (1/2, 1, 1, 0)),
d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*d**2) - I*c*meijerg(((1/4
, 3/4), (1/2, 1/2, 1, 1)), ((0, 1/4, 1/2, 3/4, 1, 0), ()), d**2/(e**2*x**2)
)/(4*pi**(3/2)*e) + c*meijerg((-1/2, -1/4, 0, 1/4, 1/2, 1), ()), ((-1/4, 1
/4), (-1/2, 0, 0, 0)), d**2*exp_polar(-2*I*pi)/(e**2*x**2))/(4*pi**(3/2)*e)
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^4/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="gi
ac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.143 \quad \int \frac{a+bx^2+cx^4}{x^6\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=160

$$-\frac{(d^2 - e^2x^2)(8ae^4 + 10bd^2e^2 + 15cd^4)}{15d^6x\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(4ae^2 + 5bd^2)}{15d^4x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{5d^2x^5\sqrt{d-ex}\sqrt{d+ex}}$$

[Out]  $-(a*(d^2 - e^2*x^2))/(5*d^2*x^5*sqrt[d - e*x]*sqrt[d + e*x]) - ((5*b*d^2 + 4*a*e^2)*(d^2 - e^2*x^2))/(15*d^4*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - ((15*c*d^4 + 10*b*d^2*e^2 + 8*a*e^4)*(d^2 - e^2*x^2))/(15*d^6*x*sqrt[d - e*x]*sqrt[d + e*x])$

**Rubi [A]** time = 0.145075, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {520, 1265, 453, 264}

$$-\frac{(d^2 - e^2x^2)(8ae^4 + 10bd^2e^2 + 15cd^4)}{15d^6x\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(4ae^2 + 5bd^2)}{15d^4x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{a(d^2 - e^2x^2)}{5d^2x^5\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*x^2 + c*x^4)/(x^6*sqrt[d - e*x]*sqrt[d + e*x]), x]$

[Out]  $-(a*(d^2 - e^2*x^2))/(5*d^2*x^5*sqrt[d - e*x]*sqrt[d + e*x]) - ((5*b*d^2 + 4*a*e^2)*(d^2 - e^2*x^2))/(15*d^4*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - ((15*c*d^4 + 10*b*d^2*e^2 + 8*a*e^4)*(d^2 - e^2*x^2))/(15*d^6*x*sqrt[d - e*x]*sqrt[d + e*x])$

### Rule 520

$\text{Int}[(u_.)*((c_.) + (d_.)*(x_)^{(n_.)} + (e_.)*(x_)^{(n2_.)})^{(q_.)}*((a1_.) + (b1_.)*(x_)^{(non2_.)})^{(p_.)}*((a2_.) + (b2_.)*(x_)^{(non2_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[(a1 + b1*x^{(n/2)})^{\text{FracPart}[p]}*(a2 + b2*x^{(n/2)})^{\text{FracPart}[p]}/(a1*a2 + b1*b2*x^n)^{\text{FracPart}[p]}, \text{Int}[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^{(2*n)})^q, x], x] /; \text{FreeQ}[\{a1, b1, a2, b2, c, d, e, n, p, q\}, x] \&\& \text{EqQ}[non2, n/2] \&\& \text{EqQ}[n2, 2*n] \&\& \text{EqQ}[a2*b1 + a1*b2, 0]$

### Rule 1265

$\text{Int}[((f_.)*(x_))^{(m_)}*((d_.) + (e_.)*(x_)^2)^{(q_.)}*((a_.) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^{(p_.)}, x\_Symbol] \rightarrow \text{With}[\{Qx = \text{PolynomialQuotient}[a + b*x^2 +$

```
c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x],
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f
^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x
- e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ
[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rule 453

```
Int[((e_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_)*((c_) + (d_)*(x_)^(n
_)), x_Symbol] :> Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)),
x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*
x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c
- a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (
LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

### Rule 264

```
Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Simp[((c
*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n,
p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{a + bx^2 + cx^4}{x^6 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^6 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\ &= -\frac{a(d^2 - e^2 x^2)}{5d^2 x^5 \sqrt{d - ex} \sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2 x^2} \int \frac{-5bd^2 - 4ae^2 - 5cd^2 x^2}{x^4 \sqrt{d^2 - e^2 x^2}} dx}{5d^2 \sqrt{d - ex} \sqrt{d + ex}} \\ &= -\frac{a(d^2 - e^2 x^2)}{5d^2 x^5 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(5bd^2 + 4ae^2)(d^2 - e^2 x^2)}{15d^4 x^3 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\left( (15cd^4 - 2e^2(-5bd^2 - 4ae^2)) \sqrt{d^2 - e^2 x^2} \right)}{15d^4 \sqrt{d - ex} \sqrt{d + ex}} \\ &= -\frac{a(d^2 - e^2 x^2)}{5d^2 x^5 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(5bd^2 + 4ae^2)(d^2 - e^2 x^2)}{15d^4 x^3 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(15cd^4 + 10bd^2 e^2 + 8ae^4)(d^2 - e^2 x^2)}{15d^6 x \sqrt{d - ex} \sqrt{d + ex}} \end{aligned}$$

**Mathematica [A]** time = 0.12539, size = 87, normalized size = 0.54

$$\frac{\sqrt{d - ex} \sqrt{d + ex} \left( a \left( 4d^2 e^2 x^2 + 3d^4 + 8e^4 x^4 \right) + 5bd^2 x^2 \left( d^2 + 2e^2 x^2 \right) + 15cd^4 x^4 \right)}{15d^6 x^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^6\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out]  $-(\text{Sqrt}[d - e*x]*\text{Sqrt}[d + e*x]*(15*c*d^4*x^4 + 5*b*d^2*x^2*(d^2 + 2*e^2*x^2) + a*(3*d^4 + 4*d^2*e^2*x^2 + 8*e^4*x^4)))/(15*d^6*x^5)$

**Maple [A]** time = 0.005, size = 82, normalized size = 0.5

$$\frac{8ae^4x^4 + 10bd^2e^2x^4 + 15cd^4x^4 + 4ad^2e^2x^2 + 5bd^4x^2 + 3ad^4}{15x^5d^6} \sqrt{ex+d}\sqrt{-ex+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/x^6/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out]  $-1/15*(e*x+d)^{(1/2)}*(-e*x+d)^{(1/2)}*(8*a*e^4*x^4+10*b*d^2*e^2*x^4+15*c*d^4*x^4+4*a*d^2*e^2*x^2+5*b*d^4*x^2+3*a*d^4)/x^5/d^6$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^6/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.41799, size = 173, normalized size = 1.08

$$\frac{(3ad^4 + (15cd^4 + 10bd^2e^2 + 8ae^4)x^4 + (5bd^4 + 4ad^2e^2)x^2)\sqrt{ex+d}\sqrt{-ex+d}}{15d^6x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^6/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

```
[Out] -1/15*(3*a*d^4 + (15*c*d^4 + 10*b*d^2*e^2 + 8*a*e^4)*x^4 + (5*b*d^4 + 4*a*d^2*e^2)*x^2)*sqrt(e*x + d)*sqrt(-e*x + d)/(d^6*x^5)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+b*x**2+a)/x**6/(-e*x+d)**(1/2)/(e*x+d)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.83967, size = 1489, normalized size = 9.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^6/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="giac")
```

```
[Out] -4/15*(15*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^9*e^2 + 15*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^9*e^4 - 240*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^7*e^2 + 15*a*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^9*e^6 - 160*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^7*e^4 + 1440*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^5*e^2 - 80*a*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^7*e^6 + 800*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^5*e^4 - 3840*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^3*e^2 + 928*a*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^5*e^6 - 2560*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^3*e^4
```

$$\begin{aligned}
& (2)\sqrt{d} - \sqrt{-x^*e + d})^3 e^4 + 3840*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{(-x^*e + d)})/\sqrt{x^*e + d} - \sqrt{x^*e + d}/((\sqrt{2})\sqrt{d} - \sqrt{-x^*e + d})) \\
& )e^2 - 1280*a*((\sqrt{2})\sqrt{d} - \sqrt{-x^*e + d})/\sqrt{x^*e + d} - \sqrt{x^*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x^*e + d}))^3 e^6 + 3840*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{(-x^*e + d)})/\sqrt{x^*e + d} - \sqrt{x^*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{(-x^*e + d})) \\
& )e^4 + 3840*a*((\sqrt{2})\sqrt{d} - \sqrt{-x^*e + d})/\sqrt{x^*e + d} - \sqrt{x^*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{(-x^*e + d}))e^6)e^{-1}/((((\sqrt{2})\sqrt{d} - \sqrt{-x^*e + d})/\sqrt{x^*e + d} - \sqrt{x^*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{(-x^*e + d}))^2 - 4)^5*d^6)
\end{aligned}$$

$$3.144 \quad \int \frac{a+bx^2+cx^4}{x^8\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=226

$$\frac{2e^2(d^2 - e^2x^2)(24ae^4 + 28bd^2e^2 + 35cd^4)}{105d^8x\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(24ae^4 + 28bd^2e^2 + 35cd^4)}{105d^6x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(6ae^2 + 7bd^2)}{35d^4x^5\sqrt{d-ex}\sqrt{d+ex}} - \frac{7d}{7d}$$

```
[Out] -(a*(d^2 - e^2*x^2))/(7*d^2*x^7*Sqrt[d - e*x]*Sqrt[d + e*x]) - ((7*b*d^2 + 6*a*e^2)*(d^2 - e^2*x^2))/(35*d^4*x^5*Sqrt[d - e*x]*Sqrt[d + e*x]) - ((35*c*d^4 + 28*b*d^2*e^2 + 24*a*e^4)*(d^2 - e^2*x^2))/(105*d^6*x^3*Sqrt[d - e*x]*Sqrt[d + e*x]) - (2*e^2*(35*c*d^4 + 28*b*d^2*e^2 + 24*a*e^4)*(d^2 - e^2*x^2))/(105*d^8*x*Sqrt[d - e*x]*Sqrt[d + e*x])
```

**Rubi [A]** time = 0.178386, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {520, 1265, 453, 271, 264}

$$\frac{2e^2(d^2 - e^2x^2)(24ae^4 + 28bd^2e^2 + 35cd^4)}{105d^8x\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(24ae^4 + 28bd^2e^2 + 35cd^4)}{105d^6x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(6ae^2 + 7bd^2)}{35d^4x^5\sqrt{d-ex}\sqrt{d+ex}} - \frac{7d}{7d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*x^2 + c*x^4)/(x^8*Sqrt[d - e*x]*Sqrt[d + e*x]),x]
```

```
[Out] -(a*(d^2 - e^2*x^2))/(7*d^2*x^7*Sqrt[d - e*x]*Sqrt[d + e*x]) - ((7*b*d^2 + 6*a*e^2)*(d^2 - e^2*x^2))/(35*d^4*x^5*Sqrt[d - e*x]*Sqrt[d + e*x]) - ((35*c*d^4 + 28*b*d^2*e^2 + 24*a*e^4)*(d^2 - e^2*x^2))/(105*d^6*x^3*Sqrt[d - e*x]*Sqrt[d + e*x]) - (2*e^2*(35*c*d^4 + 28*b*d^2*e^2 + 24*a*e^4)*(d^2 - e^2*x^2))/(105*d^8*x*Sqrt[d - e*x]*Sqrt[d + e*x])
```

### Rule 520

```
Int[(u_.)*((c_.) + (d_.)*(x_)^(n_.) + (e_.)*(x_)^(n2_.))^(q_.)*((a1_.) + (b1_.)*(x_)^(non2_.))^(p_.)*((a2_.) + (b2_.)*(x_)^(non2_.))^(p_.), x_Symbol] :> Dist[((a1 + b1*x^(n/2))^FracPart[p]*(a2 + b2*x^(n/2))^FracPart[p])/(a1*a2 + b1*b2*x^n)^FracPart[p], Int[u*(a1*a2 + b1*b2*x^n)^p*(c + d*x^n + e*x^(2*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2*n] && EqQ[a2*b1 + a1*b2, 0]
```

### Rule 1265

```
Int[((f_.)*(x_)^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
  Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

### Rule 453

```
Int[((e_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

### Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

### Rule 264

```
Int[((c_.)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

### Rubi steps



$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^8 \sqrt{d - ex} \sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2 x^2} \int \frac{a + bx^2 + cx^4}{x^8 \sqrt{d^2 - e^2 x^2}} dx}{\sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{7d^2 x^7 \sqrt{d - ex} \sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2 x^2} \int \frac{-7bd^2 - 6ae^2 - 7cd^2 x^2}{x^6 \sqrt{d^2 - e^2 x^2}} dx}{7d^2 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{7d^2 x^7 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(7bd^2 + 6ae^2)(d^2 - e^2 x^2)}{35d^4 x^5 \sqrt{d - ex} \sqrt{d + ex}} + \frac{\left((35cd^4 - 4e^2(-7bd^2 - 6ae^2))\sqrt{d^2 - e^2 x^2}\right)}{35d^4 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{7d^2 x^7 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(7bd^2 + 6ae^2)(d^2 - e^2 x^2)}{35d^4 x^5 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(35cd^4 + 28bd^2 e^2 + 24ae^4)(d^2 - e^2 x^2)}{105d^6 x^3 \sqrt{d - ex} \sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2 x^2)}{7d^2 x^7 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(7bd^2 + 6ae^2)(d^2 - e^2 x^2)}{35d^4 x^5 \sqrt{d - ex} \sqrt{d + ex}} - \frac{(35cd^4 + 28bd^2 e^2 + 24ae^4)(d^2 - e^2 x^2)}{105d^6 x^3 \sqrt{d - ex} \sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.149583, size = 124, normalized size = 0.55

$$\frac{\sqrt{d - ex} \sqrt{d + ex} \left( 3a(6d^4 e^2 x^2 + 8d^2 e^4 x^4 + 5d^6 + 16e^6 x^6) + 7b(4d^4 e^2 x^4 + 8d^2 e^4 x^6 + 3d^6 x^2) + 35cd^4 x^4 (d^2 + 2e^2 x^2) \right)}{105d^8 x^7}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^8\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(35\*c\*d^4\*x^4\*(d^2 + 2\*e^2\*x^2) + 7\*b\*(3\*d^6\*x^2 + 4\*d^4\*e^2\*x^4 + 8\*d^2\*e^4\*x^6) + 3\*a\*(5\*d^6 + 6\*d^4\*e^2\*x^2 + 8\*d^2\*e^4\*x^4 + 16\*e^6\*x^6)))/(105\*d^8\*x^7)

**Maple [A]** time = 0.005, size = 118, normalized size = 0.5

$$\frac{48ae^6x^6 + 56bd^2e^4x^6 + 70cd^4e^2x^6 + 24ad^2e^4x^4 + 28bd^4e^2x^4 + 35cd^6x^4 + 18ad^4e^2x^2 + 21bd^6x^2 + 15ad^6}{105x^7d^8} \sqrt{ex + d} \sqrt{d - ex}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*x^4+b\*x^2+a)/x^8/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x)

[Out] -1/105\*(e\*x+d)^(1/2)\*(-e\*x+d)^(1/2)\*(48\*a\*e^6\*x^6+56\*b\*d^2\*e^4\*x^6+70\*c\*d^4\*e^2\*x^6+24\*a\*d^2\*e^4\*x^4+28\*b\*d^4\*e^2\*x^4+35\*c\*d^6\*x^4+18\*a\*d^4\*e^2\*x^2+21

$*b*d^6*x^2+15*a*d^6)/x^7/d^8$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^8/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.54043, size = 251, normalized size = 1.11

$$\frac{(15ad^6 + 2(35cd^4e^2 + 28bd^2e^4 + 24ae^6)x^6 + (35cd^6 + 28bd^4e^2 + 24ad^2e^4)x^4 + 3(7bd^6 + 6ad^4e^2)x^2)\sqrt{ex+d}\sqrt{-ex+d}}{105d^8x^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^8/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="fricas")

[Out]  $-1/105*(15*a*d^6 + 2*(35*c*d^4*e^2 + 28*b*d^2*e^4 + 24*a*e^6)*x^6 + (35*c*d^6 + 28*b*d^4*e^2 + 24*a*d^2*e^4)*x^4 + 3*(7*b*d^6 + 6*a*d^4*e^2)*x^2)*\sqrt{(e*x + d)*\sqrt{-e*x + d}}/(d^8*x^7)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x\*\*4+b\*x\*\*2+a)/x\*\*8/(-e\*x+d)\*\*(1/2)/(e\*x+d)\*\*(1/2),x)

[Out] Timed out

---

**Giac [B]** time = 2.50619, size = 2048, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*x^4+b\*x^2+a)/x^8/(-e\*x+d)^(1/2)/(e\*x+d)^(1/2),x, algorithm="giac")

[Out] 
$$-4/105*(105*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{13}*e^4 + 105*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{13}*e^6 - 1960*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{11}*e^4 + 105*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{13}*e^8 - 1400*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{11}*e^6 + 16240*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^9*e^4 - 840*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^{11}*e^8 + 12656*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^9*e^6 - 80640*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^7*e^4 + 14448*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^9*e^8 - 69888*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^7*e^6 + 259840*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^5*e^4 - 40704*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^7*e^8 + 202496*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^5*e^6 - 501760*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^3*e^4 + 231168*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^5*e^8 - 358400*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^3*e^6 + 430080*c*d^4*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})*e^4 - 215040*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})^3*e^8 + 430080*b*d^2*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})*e^6 + 430080*a*((\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})/\sqrt{x*e + d} - \sqrt{x*e + d}/(\sqrt{2})\sqrt{d} - \sqrt{-x*e + d})*e^8)*e^{-1}/((($$

$$\frac{(\sqrt{2}\sqrt{d} - \sqrt{-x^2 + d})/\sqrt{x^2 + d} - \sqrt{x^2 + d}/(\sqrt{2}\sqrt{d} - \sqrt{-x^2 + d})}{(d - 4)^7 d^8}$$

$$3.145 \quad \int \frac{a+bx^2+cx^4}{x^{10}\sqrt{d-ex}\sqrt{d+ex}} dx$$

**Optimal.** Leaf size=292

$$\frac{8e^4(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{315d^{10}x\sqrt{d-ex}\sqrt{d+ex}} - \frac{4e^2(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{315d^8x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{105d^6x^5\sqrt{d-ex}\sqrt{d+ex}}$$

[Out]  $-(a*(d^2 - e^2*x^2))/(9*d^2*x^9*sqrt[d - e*x]*sqrt[d + e*x]) - ((9*b*d^2 + 8*a*e^2)*(d^2 - e^2*x^2))/(63*d^4*x^7*sqrt[d - e*x]*sqrt[d + e*x]) - ((21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(105*d^6*x^5*sqrt[d - e*x]*sqrt[d + e*x]) - (4*e^2*(21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(315*d^8*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - (8*e^4*(21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(315*d^{10}*x*sqrt[d - e*x]*sqrt[d + e*x])$

**Rubi [A]** time = 0.241533, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {520, 1265, 453, 271, 264}

$$\frac{8e^4(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{315d^{10}x\sqrt{d-ex}\sqrt{d+ex}} - \frac{4e^2(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{315d^8x^3\sqrt{d-ex}\sqrt{d+ex}} - \frac{(d^2 - e^2x^2)(16ae^4 + 18bd^2e^2 + 21cd^4)}{105d^6x^5\sqrt{d-ex}\sqrt{d+ex}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*x^2 + c\*x^4)/(x^10\*sqrt[d - e\*x]\*sqrt[d + e\*x]), x]

[Out]  $-(a*(d^2 - e^2*x^2))/(9*d^2*x^9*sqrt[d - e*x]*sqrt[d + e*x]) - ((9*b*d^2 + 8*a*e^2)*(d^2 - e^2*x^2))/(63*d^4*x^7*sqrt[d - e*x]*sqrt[d + e*x]) - ((21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(105*d^6*x^5*sqrt[d - e*x]*sqrt[d + e*x]) - (4*e^2*(21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(315*d^8*x^3*sqrt[d - e*x]*sqrt[d + e*x]) - (8*e^4*(21*c*d^4 + 18*b*d^2*e^2 + 16*a*e^4)*(d^2 - e^2*x^2))/(315*d^{10}*x*sqrt[d - e*x]*sqrt[d + e*x])$

### Rule 520

Int[(u\_)\*((c\_)+(d\_)\*(x\_)^(n\_)+(e\_)\*(x\_)^(n2\_))^(q\_)\*((a1\_)+(b1\_)\*(x\_)^(non2\_))^(p\_)\*((a2\_)+(b2\_)\*(x\_)^(non2\_))^(p\_), x\_Symbol] :> Dist[((a1 + b1\*x^(n/2))^FracPart[p]\*(a2 + b2\*x^(n/2))^FracPart[p])/(a1\*a2 + b1\*b2\*x^n)^FracPart[p], Int[u\*(a1\*a2 + b1\*b2\*x^n)^p\*(c + d\*x^n + e\*x^(2\*n))^q, x], x] /; FreeQ[{a1, b1, a2, b2, c, d, e, n, p, q}, x] && EqQ[non2, n/2] && EqQ[n2, 2\*n] && EqQ[a2\*b1 + a1\*b2, 0]

Rule 1265

```
Int[((f_.)*(x_))^(m_)*((d_) + (e_.)*(x_)^2)^(q_.)*((a_) + (b_.)*(x_)^2 + (c_.)*(x_)^4)^(p_.), x_Symbol] := With[{Qx = PolynomialQuotient[(a + b*x^2 + c*x^4)^p, f*x, x], R = PolynomialRemainder[(a + b*x^2 + c*x^4)^p, f*x, x]},
Simp[(R*(f*x)^(m + 1)*(d + e*x^2)^(q + 1))/(d*f*(m + 1)), x] + Dist[1/(d*f^2*(m + 1)), Int[(f*x)^(m + 2)*(d + e*x^2)^q*ExpandToSum[(d*f*(m + 1)*Qx)/x - e*R*(m + 2*q + 3), x], x], x] /; FreeQ[{a, b, c, d, e, f, q}, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[p, 0] && LtQ[m, -1]
```

Rule 453

```
Int[((e_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.)*((c_) + (d_.)*(x_)^(n_)), x_Symbol] := Simp[(c*(e*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*e*(m + 1)), x] + Dist[(a*d*(m + 1) - b*c*(m + n*(p + 1) + 1))/(a*e^n*(m + 1)), Int[(e*x)^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[b*c - a*d, 0] && (IntegerQ[n] || GtQ[e, 0]) && ((GtQ[n, 0] && LtQ[m, -1]) || (LtQ[n, 0] && GtQ[m + n, -1])) && !ILtQ[p, -1]
```

Rule 271

```
Int[(x_)^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[(x^(m + 1)*(a + b*x^n)^(p + 1))/(a*(m + 1)), x] - Dist[(b*(m + n*(p + 1) + 1))/(a*(m + 1)), Int[x^(m + n)*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, m, n, p}, x] && ILtQ[Simplify[(m + 1)/n + p + 1], 0] && NeQ[m, -1]
```

Rule 264

```
Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[((c*x)^(m + 1)*(a + b*x^n)^(p + 1))/(a*c*(m + 1)), x] /; FreeQ[{a, b, c, m, n, p}, x] && EqQ[(m + 1)/n + p + 1, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + bx^2 + cx^4}{x^{10}\sqrt{d - ex}\sqrt{d + ex}} dx &= \frac{\sqrt{d^2 - e^2x^2} \int \frac{a+bx^2+cx^4}{x^{10}\sqrt{d^2-e^2x^2}} dx}{\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{9d^2x^9\sqrt{d - ex}\sqrt{d + ex}} - \frac{\sqrt{d^2 - e^2x^2} \int \frac{-9bd^2-8ae^2-9cd^2x^2}{x^8\sqrt{d^2-e^2x^2}} dx}{9d^2\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{9d^2x^9\sqrt{d - ex}\sqrt{d + ex}} - \frac{(9bd^2 + 8ae^2)(d^2 - e^2x^2)}{63d^4x^7\sqrt{d - ex}\sqrt{d + ex}} + \frac{\left((63cd^4 - 6e^2(-9bd^2 - 8ae^2))\sqrt{d^2 - e^2x^2}\right)}{63d^4\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{9d^2x^9\sqrt{d - ex}\sqrt{d + ex}} - \frac{(9bd^2 + 8ae^2)(d^2 - e^2x^2)}{63d^4x^7\sqrt{d - ex}\sqrt{d + ex}} - \frac{(21cd^4 + 18bd^2e^2 + 16ae^4)(d^2 - e^2x^2)}{105d^6x^5\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{9d^2x^9\sqrt{d - ex}\sqrt{d + ex}} - \frac{(9bd^2 + 8ae^2)(d^2 - e^2x^2)}{63d^4x^7\sqrt{d - ex}\sqrt{d + ex}} - \frac{(21cd^4 + 18bd^2e^2 + 16ae^4)(d^2 - e^2x^2)}{105d^6x^5\sqrt{d - ex}\sqrt{d + ex}} \\
&= -\frac{a(d^2 - e^2x^2)}{9d^2x^9\sqrt{d - ex}\sqrt{d + ex}} - \frac{(9bd^2 + 8ae^2)(d^2 - e^2x^2)}{63d^4x^7\sqrt{d - ex}\sqrt{d + ex}} - \frac{(21cd^4 + 18bd^2e^2 + 16ae^4)(d^2 - e^2x^2)}{105d^6x^5\sqrt{d - ex}\sqrt{d + ex}}
\end{aligned}$$

**Mathematica [A]** time = 0.180761, size = 158, normalized size = 0.54

$$\frac{\sqrt{d - ex}\sqrt{d + ex} \left( a \left( 40d^6e^2x^2 + 48d^4e^4x^4 + 64d^2e^6x^6 + 35d^8 + 128e^8x^8 \right) + 9b \left( 6d^6e^2x^4 + 8d^4e^4x^6 + 16d^2e^6x^8 + 5d^8x^2 \right) \right)}{315d^{10}x^9}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*x^2 + c\*x^4)/(x^10\*Sqrt[d - e\*x]\*Sqrt[d + e\*x]),x]

[Out] -(Sqrt[d - e\*x]\*Sqrt[d + e\*x]\*(21\*c\*d^4\*x^4\*(3\*d^4 + 4\*d^2\*e^2\*x^2 + 8\*e^4\*x^4) + 9\*b\*(5\*d^8\*x^2 + 6\*d^6\*e^2\*x^4 + 8\*d^4\*e^4\*x^6 + 16\*d^2\*e^6\*x^8) + a\*(35\*d^8 + 40\*d^6\*e^2\*x^2 + 48\*d^4\*e^4\*x^4 + 64\*d^2\*e^6\*x^6 + 128\*e^8\*x^8)))/(315\*d^10\*x^9)

**Maple [A]** time = 0.007, size = 154, normalized size = 0.5

$$\frac{128ae^8x^8 + 144bd^2e^6x^8 + 168cd^4e^4x^8 + 64ad^2e^6x^6 + 72bd^4e^4x^6 + 84cd^6e^2x^6 + 48ad^4e^4x^4 + 54bd^6e^2x^4 + 63cd^8x^4 + 35d^{10}}{315x^9d^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*x^4+b*x^2+a)/x^10/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x)
```

```
[Out] -1/315*(e*x+d)^(1/2)*(-e*x+d)^(1/2)*(128*a*e^8*x^8+144*b*d^2*e^6*x^8+168*c*d^4*e^4*x^8+64*a*d^2*e^6*x^6+72*b*d^4*e^4*x^6+84*c*d^6*e^2*x^6+48*a*d^4*e^4*x^4+54*b*d^6*e^2*x^4+63*c*d^8*x^4+40*a*d^6*e^2*x^2+45*b*d^8*x^2+35*a*d^8)/x^9/d^10
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^10/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.86087, size = 327, normalized size = 1.12

$$\frac{(35 ad^8 + 8(21 cd^4 e^4 + 18 bd^2 e^6 + 16 ae^8)x^8 + 4(21 cd^6 e^2 + 18 bd^4 e^4 + 16 ad^2 e^6)x^6 + 3(21 cd^8 + 18 bd^6 e^2 + 16 ad^4 e^4)x^4)}{315 d^{10} x^9}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^10/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/315*(35*a*d^8 + 8*(21*c*d^4*e^4 + 18*b*d^2*e^6 + 16*a*e^8)*x^8 + 4*(21*c*d^6*e^2 + 18*b*d^4*e^4 + 16*a*d^2*e^6)*x^6 + 3*(21*c*d^8 + 18*b*d^6*e^2 + 16*a*d^4*e^4)*x^4 + 5*(9*b*d^8 + 8*a*d^6*e^2)*x^2)*sqrt(e*x + d)*sqrt(-e*x + d)/(d^10*x^9)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x**4+b*x**2+a)/x**10/(-e*x+d)**(1/2)/(e*x+d)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 3.4791, size = 2607, normalized size = 8.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*x^4+b*x^2+a)/x^10/(-e*x+d)^(1/2)/(e*x+d)^(1/2),x, algorithm="g  
iac")
```

```
[Out] -4/315*(315*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x  
e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^17*e^6 + 315*b*d^2*((sqrt(2)*s  
qrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - s  
qrt(-x*e + d)))^17*e^8 - 6720*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqr  
t(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^15*e^6 + 315  
*a*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(  
2)*sqrt(d) - sqrt(-x*e + d)))^17*e^10 - 5040*b*d^2*((sqrt(2)*sqrt(d) - sqrt  
(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)  
))^15*e^8 + 76608*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) -  
sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^13*e^6 - 3360*a*((sqrt(2  
) *sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d)  
- sqrt(-x*e + d)))^15*e^10 + 68544*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d)  
)/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^13*e^8  
- 580608*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e  
+ d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^11*e^6 + 76608*a*((sqrt(2)*sqrt(d  
) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-  
x*e + d)))^13*e^10 - 509184*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(  
x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^11*e^8 + 28922  
88*c*d^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/  
(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^9*e^6 - 327168*a*((sqrt(2)*sqrt(d) - sq  
rt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e +  
d)))^11*e^10 + 2363904*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e +  
d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^9*e^8 - 9289728*c*d  
^4*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(  
2)*sqrt(d) - sqrt(-x*e + d)))^7*e^6 + 2728448*a*((sqrt(2)*sqrt(d) - sqrt(-x  
e + d))/sqrt(x*e + d) - sqrt(x*e + d)/(sqrt(2)*sqrt(d) - sqrt(-x*e + d)))^  
9*e^10 - 8146944*b*d^2*((sqrt(2)*sqrt(d) - sqrt(-x*e + d))/sqrt(x*e + d) -
```

$$\begin{aligned}
& \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d})^7 e^8 + 19611648 c d^4 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^5 e^6 - 5234688 a ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^7 e^{10} \\
& + 17547264 b d^2 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^5 e^8 - 27525120 c d^4 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^3 e^6 + 19611648 a ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^5 e^{10} - \\
& 20643840 b d^2 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^3 e^8 + 20643840 c d^4 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) ) e^6 - 13762560 a ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^3 e^{10} + 20643840 b d^2 ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) ) e^8 + 20643840 a ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) ) e^{10} ) e^{-1} / ( ( ( (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) / \sqrt{x^e + d} - \sqrt{x^e + d} / (\sqrt{2} \sqrt{d} - \sqrt{-x^e + d}) )^2 - 4 )^9 d^{10} )
\end{aligned}$$

# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*      is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*      antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
```

```

22     If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25     "C"],
26 If[FreeQ[result,Integrate] && FreeQ[result,Int],
27     "C",
28     "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
38 (*5 = hyperpergeometric function*)
39 (*6 = appell function*)
40 (*7 = rootsum function*)
41 (*8 = integrate function*)
42 (*9 = unknown function*)
43
44
45 ExpnType[expn_] :=
46     If[AtomQ[expn],
47         1,
48     If[ListQ[expn],
49         Max[Map[ExpnType,expn]],
50     If[Head[expn]===Power,
51         If[IntegerQ[expn[[2]]],
52             ExpnType[expn[[1]]],
53         If[Head[expn[[2]]]===Rational,
54             If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
55                 1,
56                 Max[ExpnType[expn[[1]],2]],
57             Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
58     If[Head[expn]===Plus || Head[expn]===Times,
59         Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
60     If[ElementaryFunctionQ[Head[expn]],
61         Max[3,ExpnType[expn[[1]]],
62     If[SpecialFunctionQ[Head[expn]],
63         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
64     If[HypergeometricFunctionQ[Head[expn]],
65         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
66     If[AppellFunctionQ[Head[expn]],
67         Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
68     If[Head[expn]===RootSum,

```

```

69   Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
70   If[Head[expn]===Integrate || Head[expn]===Int,
71     Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
72   9]]]]]]]]]]
73
74
75 ElementaryFunctionQ[func_] :=
76   MemberQ[{
77     Exp, Log,
78     Sin, Cos, Tan, Cot, Sec, Csc,
79     ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
80     Sinh, Cosh, Tanh, Coth, Sech, Csch,
81     ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
82   }, func]
83
84
85 SpecialFunctionQ[func_] :=
86   MemberQ[{
87     Erf, Erfc, Erfi,
88     FresnelS, FresnelC,
89     ExpIntegralE, ExpIntegralEi, LogIntegral,
90     SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
91     Gamma, LogGamma, PolyGamma,
92     Zeta, PolyLog, ProductLog,
93     EllipticF, EllipticE, EllipticPi
94   }, func]
95
96
97 HypergeometricFunctionQ[func_] :=
98   MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
99
100
101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1}, func]

```

## 4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 #
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 #
11 see problem 156, file Apostol_Problems

```

```

11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;
14
15     leaf_count_result:=leafcount(result);
16     #do NOT call ExpnType() if leaf size is too large. Recursion problem
17     if leaf_count_result > 500000 then
18         return "B";
19     fi;
20
21     leaf_count_optimal:=leafcount(optimal);
22
23     ExpnType_result:=ExpnType(result);
24     ExpnType_optimal:=ExpnType(optimal);
25
26     if debug then
27         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
    ExpnType_optimal);
28     fi;
29
30 # If result and optimal are mathematical expressions,
31 # GradeAntiderivative[result,optimal] returns
32 #   "F" if the result fails to integrate an expression that
33 #     is integrable
34 #   "C" if result involves higher level functions than necessary
35 #   "B" if result is more than twice the size of the optimal
36 #     antiderivative
37 #   "A" if result can be considered optimal
38
39 #This check below actually is not needed, since I only
40 #call this grading only for passed integrals. i.e. I check
41 #for "F" before calling this. But no harm of keeping it here.
42 #just in case.
43
44
45 if not type(result,freeof('int')) then
46     return "F";
47 end if;
48
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then

```

```

56     if debug then
57         print("both result and optimal complex");
58     fi;
59     #both result and optimal complex
60     if leaf_count_result<=2*leaf_count_optimal then
61         return "A";
62     else
63         return "B";
64     end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71     else # result do not contain complex
72         # this assumes optimal do not as well
73         if debug then
74             print("result do not contain complex, this assumes optimal do not
as well");
75         fi;
76         if leaf_count_result<=2*leaf_count_optimal then
77             if debug then
78                 print("leaf_count_result<=2*leaf_count_optimal");
79             fi;
80             return "A";
81         else
82             if debug then
83                 print("leaf_count_result>2*leaf_count_optimal");
84             fi;
85             return "B";
86         end if
87     end if
88     else #ExpnType(result) > ExpnType(optimal)
89         if debug then
90             print("ExpnType(result) > ExpnType(optimal)");
91         fi;
92         return "C";
93     end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417

```

```

102 is_contains_complex:= proc(expression)
103   return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)
119   if type(expn,'atomic') then
120     1
121   elif type(expn,'list') then
122     apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124     if type(op(1,expn),'rational') then
125       1
126     else
127       max(2,ExpnType(op(1,expn)))
128     end if
129   elif type(expn,'^^') then
130     if type(op(2,expn),'integer') then
131       ExpnType(op(1,expn))
132     elif type(op(2,expn),'rational') then
133       if type(op(1,expn),'rational') then
134         1
135       else
136         max(2,ExpnType(op(1,expn)))
137       end if
138     else
139       max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140     end if
141   elif type(expn,'^+^') or type(expn,'`*`') then
142     max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144     max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146     max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148     max(5,apply(max,map(ExpnType,[op(expn)])))

```



```

149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])
182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple

```

```

196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:

```

```

42     if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43         return True
44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,'^^')
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
72 ))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
77 (expn,'*')
78         m1 = expnType(expn.args[0])
79         m2 = expnType(list(expn.args[1:]))
80         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82         return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84         m1 = max(map(expnType, list(expn.args)))
85         return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88         m1 = max(map(expnType, list(expn.args)))

```

```

85     return max(5,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
86 elif is_appell_function(expn.func):
87     m1 = max(map(expnType, list(expn.args)))
88     return max(6,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
89 elif isinstance(expn,RootSum):
90     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
91     return max(7,m1)
92 elif str(expn).find("Integral") != -1:
93     m1 = max(map(expnType, list(expn.args)))
94     return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
95 else:
96     return 9
97
98 #main function
99 def grade_antiderivative(result,optimal):
100
101     leaf_count_result  = leaf_count(result)
102     leaf_count_optimal = leaf_count(optimal)
103
104     expnType_result  = expnType(result)
105     expnType_optimal = expnType(optimal)
106
107     if str(result).find("Integral") != -1:
108         return "F"
109
110     if expnType_result <= expnType_optimal:
111         if result.has(I):
112             if optimal.has(I): #both result and optimal complex
113                 if leaf_count_result <= 2*leaf_count_optimal:
114                     return "A"
115                 else:
116                     return "B"
117             else: #result contains complex but optimal is not
118                 return "C"
119         else: # result do not contain complex, this assumes optimal do not as
well
120             if leaf_count_result <= 2*leaf_count_optimal:
121                 return "A"
122             else:
123                 return "B"
124     else:
125         return "C"

```

## 4.0.4 SageMath grading function

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by

```

2 #           Albert Rich to use with Sagemath. This is used to
3 #           grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #           'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len(
33         flatten(tree(anti))))
34         return round(1.35*len(flatten(tree(anti)))) #fudge factor
35         #since this estimate of leaf count is bit lower than
36         #what it should be compared to Mathematica's
37
38 def is_sqrt(expr):
39     debug=False;
40     if expr.operator() == operator.pow: #isinstance(expr,Pow):
41         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
42             if debug: print ("expr is sqrt")
43             return True
44         else:
45             return False
46     else:
47         return False

```

```

48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func ," is special_function")
83         else:
84             print ("func ", func ," is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
91     ']
92
93 def is_appell_function(func):

```

```

93     return func.name() in ['hypergeometric']    #[appellf1] can't find this in
          sagemath
94
95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
104             return expn in expn.parent().base_ring() or expn in expn.parent().
          gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list:    #isinstance(expn,list):
121         return max(map(expnType, expn))    #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
          Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0]))    #max(2,expnType(expn.
          args[0]))
127     elif expn.operator() == operator.pow:    #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer:    #isinstance(expn.args[1],Integer)
129             return expnType(expn.operands()[0])    #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational:    #isinstance(expn.args[1],
          Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
          Rational)
132                 return 1

```

```

133         else:
134             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137         elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138             m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139             m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140             return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141         elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
142             return max(3,expnType(expn.operands()[0]))
143         elif is_special_function(expn.operator()): #is_special_function(expn.func)
144             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
145             return max(4,m1) #max(4,m1)
146         elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
148             return max(5,m1) #max(5,m1)
149         elif is_appell_function(expn.operator()):
150             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
151             return max(6,m1) #max(6,m1)
152         elif str(expn).find("Integral") != -1: #this will never happen, since it
153             #is checked before calling the grading function that is passed.
154             #but kept it here.
155             m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
156             return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
157         else:
158             return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```



```
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
176                     expnType_optimal)
177
178     if expnType_result <= expnType_optimal:
179         if result.has(I):
180             if optimal.has(I): #both result and optimal complex
181                 if leaf_count_result <= 2*leaf_count_optimal:
182                     return "A"
183             else:
184                 return "B"
185         else: #result contains complex but optimal is not
186             return "C"
187     else: # result do not contain complex, this assumes optimal do not as
188         well
189         if leaf_count_result <= 2*leaf_count_optimal:
190             return "A"
191         else:
192             return "B"
193     else:
194         return "C"
```