

Computer algebra independent integration tests

4-Trig-functions/4.1-Sine/4.1.10-c+d-x^m-a+b-sinⁿ

Nasser M. Abbasi

May 18, 2020

Compiled on May 18, 2020 at 4:47am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	5
1.4	list of integrals that has no closed form antiderivative	6
1.5	list of integrals solved by CAS but has no known antiderivative	6
1.6	list of integrals solved by CAS but failed verification	6
1.7	Timing	7
1.8	Verification	7
1.9	Important notes about some of the results	7
1.10	Design of the test system	8
2	detailed summary tables of results	11
2.1	List of integrals sorted by grade for each CAS	11
2.2	Detailed conclusion table per each integral for all CAS systems	14
2.3	Detailed conclusion table specific for Rubi results	64
3	Listing of integrals	73
3.1	$\int (c + dx)^4 \sin(a + bx) dx$	73
3.2	$\int (c + dx)^3 \sin(a + bx) dx$	77
3.3	$\int (c + dx)^2 \sin(a + bx) dx$	80
3.4	$\int (c + dx) \sin(a + bx) dx$	83
3.5	$\int \frac{\sin(a+bx)}{c+dx} dx$	86
3.6	$\int \frac{\sin(a+bx)}{(c+dx)^2} dx$	89
3.7	$\int \frac{\sin(a+bx)}{(c+dx)^3} dx$	94
3.8	$\int (c + dx)^4 \sin^2(a + bx) dx$	100
3.9	$\int (c + dx)^3 \sin^2(a + bx) dx$	104
3.10	$\int (c + dx)^2 \sin^2(a + bx) dx$	108
3.11	$\int (c + dx) \sin^2(a + bx) dx$	111
3.12	$\int \frac{\sin^2(a+bx)}{c+dx} dx$	114
3.13	$\int \frac{\sin^2(a+bx)}{(c+dx)^2} dx$	117
3.14	$\int \frac{\sin^2(a+bx)}{(c+dx)^3} dx$	122
3.15	$\int \frac{\sin^2(a+bx)}{(c+dx)^4} dx$	128

3.16	$\int (c + dx)^4 \sin^3(a + bx) dx$	135
3.17	$\int (c + dx)^3 \sin^3(a + bx) dx$	139
3.18	$\int (c + dx)^2 \sin^3(a + bx) dx$	143
3.19	$\int (c + dx) \sin^3(a + bx) dx$	146
3.20	$\int \frac{\sin^3(a+bx)}{c+dx} dx$	149
3.21	$\int \frac{\sin^3(a+bx)}{(c+dx)^2} dx$	156
3.22	$\int \frac{\sin^3(a+bx)}{(c+dx)^3} dx$	159
3.23	$\int (c + dx)^3 \csc(a + bx) dx$	163
3.24	$\int (c + dx)^2 \csc(a + bx) dx$	167
3.25	$\int (c + dx) \csc(a + bx) dx$	171
3.26	$\int \frac{\csc(a+bx)}{c+dx} dx$	174
3.27	$\int \frac{\csc(a+bx)}{(c+dx)^2} dx$	176
3.28	$\int (c + dx)^3 \csc^2(a + bx) dx$	178
3.29	$\int (c + dx)^2 \csc^2(a + bx) dx$	183
3.30	$\int (c + dx) \csc^2(a + bx) dx$	187
3.31	$\int \frac{\csc^2(a+bx)}{c+dx} dx$	190
3.32	$\int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$	192
3.33	$\int (c + dx)^3 \csc^3(a + bx) dx$	194
3.34	$\int (c + dx)^2 \csc^3(a + bx) dx$	201
3.35	$\int (c + dx) \csc^3(a + bx) dx$	206
3.36	$\int \frac{\csc^3(a+bx)}{c+dx} dx$	210
3.37	$\int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$	213
3.38	$\int (c + dx)^{5/2} \sin(a + bx) dx$	216
3.39	$\int (c + dx)^{3/2} \sin(a + bx) dx$	220
3.40	$\int \sqrt{c + dx} \sin(a + bx) dx$	224
3.41	$\int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx$	228
3.42	$\int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx$	232
3.43	$\int \frac{\sin(a+bx)}{(c+dx)^{5/2}} dx$	236
3.44	$\int \frac{\sin(a+bx)}{(c+dx)^{7/2}} dx$	240
3.45	$\int (c + dx)^{5/2} \sin^2(a + bx) dx$	244
3.46	$\int (c + dx)^{3/2} \sin^2(a + bx) dx$	249
3.47	$\int \sqrt{c + dx} \sin^2(a + bx) dx$	253
3.48	$\int \frac{\sin^2(a+bx)}{\sqrt{c+dx}} dx$	257
3.49	$\int \frac{\sin^2(a+bx)}{(c+dx)^{3/2}} dx$	261
3.50	$\int \frac{\sin^2(a+bx)}{(c+dx)^{5/2}} dx$	265
3.51	$\int \frac{\sin^2(a+bx)}{(c+dx)^{7/2}} dx$	269
3.52	$\int \frac{\sin^2(a+bx)}{(c+dx)^{9/2}} dx$	273
3.53	$\int (c + dx)^{5/2} \sin^3(a + bx) dx$	277
3.54	$\int (c + dx)^{3/2} \sin^3(a + bx) dx$	283
3.55	$\int \sqrt{c + dx} \sin^3(a + bx) dx$	288
3.56	$\int \frac{\sin^3(a+bx)}{\sqrt{c+dx}} dx$	293
3.57	$\int \frac{\sin^3(a+bx)}{(c+dx)^{3/2}} dx$	297
3.58	$\int \frac{\sin^3(a+bx)}{(c+dx)^{5/2}} dx$	301
3.59	$\int \frac{\sin^3(a+bx)}{(c+dx)^{7/2}} dx$	306
3.60	$\int (dx)^{3/2} \sin(fx) dx$	312

3.61	$\int \sqrt{dx} \sin(fx) dx$	316
3.62	$\int \frac{\sin(fx)}{\sqrt{dx}} dx$	319
3.63	$\int \frac{\sin(fx)}{(dx)^{3/2}} dx$	322
3.64	$\int \frac{\sin(fx)}{(dx)^{5/2}} dx$	325
3.65	$\int \sqrt{c+dx} \csc(a+bx) dx$	328
3.66	$\int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx$	330
3.67	$\int \left(\frac{x}{\sin^2(e+fx)} + x\sqrt{\sin(e+fx)} \right) dx$	332
3.68	$\int \left(\frac{x^2}{\sin^2(e+fx)} + x^2\sqrt{\sin(e+fx)} \right) dx$	335
3.69	$\int \left(\frac{x}{\sin^2(e+fx)} - \frac{x}{3\sqrt{\sin(e+fx)}} \right) dx$	338
3.70	$\int \left(\frac{x}{\sin^2(e+fx)} + \frac{3}{5}x\sqrt{\sin(e+fx)} \right) dx$	341
3.71	$\int (c+dx)^m (b \sin(e+fx))^n dx$	344
3.72	$\int (c+dx)^m \sin^3(a+bx) dx$	346
3.73	$\int (c+dx)^m \sin^2(a+bx) dx$	349
3.74	$\int (c+dx)^m \sin(a+bx) dx$	352
3.75	$\int (c+dx)^m \csc(a+bx) dx$	355
3.76	$\int (c+dx)^m \csc^2(a+bx) dx$	357
3.77	$\int x^{3+m} \sin(a+bx) dx$	359
3.78	$\int x^{2+m} \sin(a+bx) dx$	362
3.79	$\int x^{1+m} \sin(a+bx) dx$	365
3.80	$\int x^m \sin(a+bx) dx$	368
3.81	$\int x^{-1+m} \sin(a+bx) dx$	371
3.82	$\int x^{-2+m} \sin(a+bx) dx$	374
3.83	$\int x^{-3+m} \sin(a+bx) dx$	377
3.84	$\int x^{3+m} \sin^2(a+bx) dx$	380
3.85	$\int x^{2+m} \sin^2(a+bx) dx$	383
3.86	$\int x^{1+m} \sin^2(a+bx) dx$	386
3.87	$\int x^m \sin^2(a+bx) dx$	389
3.88	$\int x^{-1+m} \sin^2(a+bx) dx$	392
3.89	$\int x^{-2+m} \sin^2(a+bx) dx$	395
3.90	$\int x^{-3+m} \sin^2(a+bx) dx$	398
3.91	$\int \left(\frac{x}{\csc^2(e+fx)} - \frac{1}{3}x\sqrt{\csc(e+fx)} \right) dx$	401
3.92	$\int \left(\frac{x^2}{\csc^2(e+fx)} - \frac{1}{3}x^2\sqrt{\csc(e+fx)} \right) dx$	404
3.93	$\int \left(\frac{x}{\csc^2(e+fx)} - \frac{3x}{5\sqrt{\csc(e+fx)}} \right) dx$	407
3.94	$\int \left(\frac{x}{\csc^2(e+fx)} - \frac{5}{21}x\sqrt{\csc(e+fx)} \right) dx$	410
3.95	$\int (c+dx)^3 (a+a \sin(e+fx)) dx$	413
3.96	$\int (c+dx)^2 (a+a \sin(e+fx)) dx$	417
3.97	$\int (c+dx) (a+a \sin(e+fx)) dx$	420
3.98	$\int \frac{a+a \sin(e+fx)}{c+dx} dx$	423
3.99	$\int \frac{a+a \sin(e+fx)}{(c+dx)^2} dx$	427
3.100	$\int \frac{a+a \sin(e+fx)}{(c+dx)^3} dx$	432
3.101	$\int (c+dx)^3 (a+a \sin(e+fx))^2 dx$	438
3.102	$\int (c+dx)^2 (a+a \sin(e+fx))^2 dx$	443

3.103	$\int (c + dx)(a + a \sin(e + fx))^2 dx$	447
3.104	$\int \frac{(a+a \sin(e+fx))^2}{c+dx} dx$	450
3.105	$\int \frac{(a+a \sin(e+fx))^2}{(c+dx)^2} dx$	457
3.106	$\int \frac{(a+a \sin(e+fx))^2}{(c+dx)^3} dx$	461
3.107	$\int \frac{(c+dx)^3}{a+a \sin(e+fx)} dx$	465
3.108	$\int \frac{(c+dx)^2}{a+a \sin(e+fx)} dx$	470
3.109	$\int \frac{c+dx}{a+a \sin(e+fx)} dx$	474
3.110	$\int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx$	477
3.111	$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx$	479
3.112	$\int \frac{(c+dx)^3}{(a+a \sin(e+fx))^2} dx$	481
3.113	$\int \frac{(c+dx)^2}{(a+a \sin(e+fx))^2} dx$	488
3.114	$\int \frac{c+dx}{(a+a \sin(e+fx))^2} dx$	493
3.115	$\int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx$	499
3.116	$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx$	502
3.117	$\int \frac{(c+dx)^3}{a-a \sin(e+fx)} dx$	506
3.118	$\int \frac{(c+dx)^2}{a-a \sin(e+fx)} dx$	511
3.119	$\int \frac{c+dx}{a-a \sin(e+fx)} dx$	515
3.120	$\int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx$	518
3.121	$\int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx$	520
3.122	$\int x^3 \sqrt{a + a \sin(c + dx)} dx$	522
3.123	$\int x^2 \sqrt{a + a \sin(c + dx)} dx$	525
3.124	$\int x \sqrt{a + a \sin(c + dx)} dx$	528
3.125	$\int \frac{\sqrt{a+a \sin(c+dx)}}{x} dx$	531
3.126	$\int \frac{\sqrt{a+a \sin(c+dx)}}{x^2} dx$	534
3.127	$\int \frac{\sqrt{a+a \sin(c+dx)}}{x^3} dx$	537
3.128	$\int x^3 (a + a \sin(e + fx))^{3/2} dx$	540
3.129	$\int x^2 (a + a \sin(e + fx))^{3/2} dx$	543
3.130	$\int x (a + a \sin(e + fx))^{3/2} dx$	546
3.131	$\int \frac{(a+a \sin(e+fx))^{3/2}}{x} dx$	549
3.132	$\int \frac{(a+a \sin(e+fx))^{3/2}}{x^2} dx$	552
3.133	$\int \frac{(a+a \sin(e+fx))^{3/2}}{x^3} dx$	555
3.134	$\int \frac{x^3}{\sqrt{a+a \sin(c+dx)}} dx$	559
3.135	$\int \frac{x^2}{\sqrt{a+a \sin(c+dx)}} dx$	563
3.136	$\int \frac{x}{\sqrt{a+a \sin(c+dx)}} dx$	567
3.137	$\int \frac{1}{x \sqrt{a+a \sin(c+dx)}} dx$	570
3.138	$\int \frac{1}{x^2 \sqrt{a+a \sin(c+dx)}} dx$	572
3.139	$\int \frac{x^3}{(a+a \sin(e+fx))^{3/2}} dx$	574
3.140	$\int \frac{x^2}{(a+a \sin(e+fx))^{3/2}} dx$	579
3.141	$\int \frac{x}{(a+a \sin(e+fx))^{3/2}} dx$	583
3.142	$\int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx$	587
3.143	$\int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx$	589

3.144	$\int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx$	591
3.145	$\int (c+dx)^m (a+a \sin(e+fx))^n dx$	593
3.146	$\int (c+dx)^m (a+a \sin(e+fx))^3 dx$	595
3.147	$\int (c+dx)^m (a+a \sin(e+fx))^2 dx$	599
3.148	$\int (c+dx)^m (a+a \sin(e+fx)) dx$	603
3.149	$\int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx$	606
3.150	$\int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx$	608
3.151	$\int (c+dx)^3 (a+b \sin(e+fx)) dx$	610
3.152	$\int (c+dx)^2 (a+b \sin(e+fx)) dx$	614
3.153	$\int (c+dx) (a+b \sin(e+fx)) dx$	617
3.154	$\int \frac{a+b \sin(e+fx)}{c+dx} dx$	620
3.155	$\int \frac{a+b \sin(e+fx)}{(c+dx)^2} dx$	624
3.156	$\int \frac{a+b \sin(e+fx)}{(c+dx)^3} dx$	629
3.157	$\int (c+dx)^3 (a+b \sin(e+fx))^2 dx$	635
3.158	$\int (c+dx)^2 (a+b \sin(e+fx))^2 dx$	640
3.159	$\int (c+dx) (a+b \sin(e+fx))^2 dx$	644
3.160	$\int \frac{(a+b \sin(e+fx))^2}{c+dx} dx$	647
3.161	$\int \frac{(a+b \sin(e+fx))^2}{(c+dx)^2} dx$	654
3.162	$\int \frac{(a+b \sin(e+fx))^2}{(c+dx)^3} dx$	658
3.163	$\int \frac{(c+dx)^3}{a+b \sin(e+fx)} dx$	662
3.164	$\int \frac{(c+dx)^2}{a+b \sin(e+fx)} dx$	667
3.165	$\int \frac{c+dx}{a+b \sin(e+fx)} dx$	671
3.166	$\int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx$	675
3.167	$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx$	677
3.168	$\int \frac{(c+dx)^3}{(a+b \sin(e+fx))^2} dx$	679
3.169	$\int \frac{(c+dx)^2}{(a+b \sin(e+fx))^2} dx$	686
3.170	$\int \frac{c+dx}{(a+b \sin(e+fx))^2} dx$	692
3.171	$\int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx$	697
3.172	$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx$	700
3.173	$\int (c+dx)^m (a+b \sin(e+fx))^n dx$	703
3.174	$\int (c+dx)^m (a+b \sin(e+fx))^3 dx$	705
3.175	$\int (c+dx)^m (a+b \sin(e+fx))^2 dx$	709
3.176	$\int (c+dx)^m (a+b \sin(e+fx)) dx$	713
3.177	$\int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx$	716
3.178	$\int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx$	718
3.179	$\int \frac{(e+fx)^3 \sin(c+dx)}{a+a \sin(c+dx)} dx$	720
3.180	$\int \frac{(e+fx)^2 \sin(c+dx)}{a+a \sin(c+dx)} dx$	725
3.181	$\int \frac{(e+fx) \sin(c+dx)}{a+a \sin(c+dx)} dx$	729
3.182	$\int \frac{\sin(c+dx)}{a+a \sin(c+dx)} dx$	733
3.183	$\int \frac{\sin(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	736
3.184	$\int \frac{\sin(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	738
3.185	$\int \frac{(e+fx)^3 \sin^2(c+dx)}{a+a \sin(c+dx)} dx$	740
3.186	$\int \frac{(e+fx)^2 \sin^2(c+dx)}{a+a \sin(c+dx)} dx$	748

3.187	$\int \frac{(e+fx) \sin^2(c+dx)}{a+a \sin(c+dx)} dx$	753
3.188	$\int \frac{\sin^2(c+dx)}{a+a \sin(c+dx)} dx$	758
3.189	$\int \frac{\sin^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	761
3.190	$\int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	763
3.191	$\int \frac{(e+fx)^3 \sin^3(c+dx)}{a+a \sin(c+dx)} dx$	765
3.192	$\int \frac{(e+fx)^2 \sin^3(c+dx)}{a+a \sin(c+dx)} dx$	771
3.193	$\int \frac{(e+fx) \sin^3(c+dx)}{a+a \sin(c+dx)} dx$	776
3.194	$\int \frac{\sin^3(c+dx)}{a+a \sin(c+dx)} dx$	782
3.195	$\int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	785
3.196	$\int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	787
3.197	$\int \frac{(e+fx)^3 \csc(c+dx)}{a+a \sin(c+dx)} dx$	789
3.198	$\int \frac{(e+fx)^2 \csc(c+dx)}{a+a \sin(c+dx)} dx$	796
3.199	$\int \frac{(e+fx) \csc(c+dx)}{a+a \sin(c+dx)} dx$	802
3.200	$\int \frac{\csc(c+dx)}{a+a \sin(c+dx)} dx$	806
3.201	$\int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	809
3.202	$\int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	811
3.203	$\int \frac{(e+fx)^3 \csc^2(c+dx)}{a+a \sin(c+dx)} dx$	813
3.204	$\int \frac{(e+fx)^2 \csc^2(c+dx)}{a+a \sin(c+dx)} dx$	823
3.205	$\int \frac{(e+fx) \csc^2(c+dx)}{a+a \sin(c+dx)} dx$	830
3.206	$\int \frac{\csc^2(c+dx)}{a+a \sin(c+dx)} dx$	835
3.207	$\int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	838
3.208	$\int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	840
3.209	$\int \frac{(e+fx)^3 \csc^3(c+dx)}{a+a \sin(c+dx)} dx$	842
3.210	$\int \frac{(e+fx)^2 \csc^3(c+dx)}{a+a \sin(c+dx)} dx$	852
3.211	$\int \frac{(e+fx) \csc^3(c+dx)}{a+a \sin(c+dx)} dx$	862
3.212	$\int \frac{\csc^3(c+dx)}{a+a \sin(c+dx)} dx$	868
3.213	$\int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	871
3.214	$\int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	873
3.215	$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx$	875
3.216	$\int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx$	877
3.217	$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$	879
3.218	$\int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx$	881
3.219	$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx$	883
3.220	$\int \frac{(e+fx)^3 \sin(c+dx)}{a+b \sin(c+dx)} dx$	885
3.221	$\int \frac{(e+fx)^2 \sin(c+dx)}{a+b \sin(c+dx)} dx$	890
3.222	$\int \frac{(e+fx) \sin(c+dx)}{a+b \sin(c+dx)} dx$	895
3.223	$\int \frac{\sin(c+dx)}{a+b \sin(c+dx)} dx$	899
3.224	$\int \frac{(e+fx)^3 \sin^2(c+dx)}{a+b \sin(c+dx)} dx$	902

3.225	$\int \frac{(e+fx)^2 \sin^2(c+dx)}{a+b \sin(c+dx)} dx$	908
3.226	$\int \frac{(e+fx) \sin^2(c+dx)}{a+b \sin(c+dx)} dx$	913
3.227	$\int \frac{\sin^2(c+dx)}{a+b \sin(c+dx)} dx$	918
3.228	$\int \frac{(e+fx)^3 \sin^3(c+dx)}{a+b \sin(c+dx)} dx$	922
3.229	$\int \frac{(e+fx)^2 \sin^3(c+dx)}{a+b \sin(c+dx)} dx$	929
3.230	$\int \frac{(e+fx) \sin^3(c+dx)}{a+b \sin(c+dx)} dx$	935
3.231	$\int \frac{\sin^3(c+dx)}{a+b \sin(c+dx)} dx$	940
3.232	$\int \frac{(e+fx)^3 \csc(c+dx)}{a+b \sin(c+dx)} dx$	944
3.233	$\int \frac{(e+fx)^2 \csc(c+dx)}{a+b \sin(c+dx)} dx$	950
3.234	$\int \frac{(e+fx) \csc(c+dx)}{a+b \sin(c+dx)} dx$	955
3.235	$\int \frac{\csc(c+dx)}{a+b \sin(c+dx)} dx$	960
3.236	$\int \frac{(e+fx)^3 \csc^2(c+dx)}{a+b \sin(c+dx)} dx$	963
3.237	$\int \frac{(e+fx)^2 \csc^2(c+dx)}{a+b \sin(c+dx)} dx$	970
3.238	$\int \frac{(e+fx) \csc^2(c+dx)}{a+b \sin(c+dx)} dx$	976
3.239	$\int \frac{\csc^2(c+dx)}{a+b \sin(c+dx)} dx$	981
3.240	$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx$	985
3.241	$\int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx$	987
3.242	$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$	989
3.243	$\int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx$	991
3.244	$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx$	993
3.245	$\int \frac{(e+fx) \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$	995
3.246	$\int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$	1001
3.247	$\int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$	1009
3.248	$\int \frac{(e+fx) \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$	1016
3.249	$\int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$	1023
3.250	$\int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$	1032
3.251	$\int \frac{(e+fx)^3 \cos(c+dx)}{a+a \sin(c+dx)} dx$	1042
3.252	$\int \frac{(e+fx)^2 \cos(c+dx)}{a+a \sin(c+dx)} dx$	1046
3.253	$\int \frac{(e+fx) \cos(c+dx)}{a+a \sin(c+dx)} dx$	1050
3.254	$\int \frac{\cos(c+dx)}{a+a \sin(c+dx)} dx$	1053
3.255	$\int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1056
3.256	$\int \frac{\cos(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1058
3.257	$\int \frac{(e+fx)^3 \cos^2(c+dx)}{a+a \sin(c+dx)} dx$	1060
3.258	$\int \frac{(e+fx)^2 \cos^2(c+dx)}{a+a \sin(c+dx)} dx$	1064
3.259	$\int \frac{(e+fx) \cos^2(c+dx)}{a+a \sin(c+dx)} dx$	1068
3.260	$\int \frac{\cos^2(c+dx)}{a+a \sin(c+dx)} dx$	1071
3.261	$\int \frac{\cos^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1074
3.262	$\int \frac{\cos^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1078

3.263	$\int \frac{(e+fx)^3 \cos^3(c+dx)}{a+a \sin(c+dx)} dx$	1081
3.264	$\int \frac{(e+fx)^2 \cos^3(c+dx)}{a+a \sin(c+dx)} dx$	1085
3.265	$\int \frac{(e+fx) \cos^3(c+dx)}{a+a \sin(c+dx)} dx$	1089
3.266	$\int \frac{\cos^3(c+dx)}{a+a \sin(c+dx)} dx$	1093
3.267	$\int \frac{\cos^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1096
3.268	$\int \frac{\cos^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1102
3.269	$\int \frac{(e+fx)^3 \sec(c+dx)}{a+a \sin(c+dx)} dx$	1106
3.270	$\int \frac{(e+fx)^2 \sec(c+dx)}{a+a \sin(c+dx)} dx$	1114
3.271	$\int \frac{(e+fx) \sec(c+dx)}{a+a \sin(c+dx)} dx$	1120
3.272	$\int \frac{\sec(c+dx)}{a+a \sin(c+dx)} dx$	1124
3.273	$\int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1127
3.274	$\int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1130
3.275	$\int \frac{(e+fx)^3 \sec^2(c+dx)}{a+a \sin(c+dx)} dx$	1133
3.276	$\int \frac{(e+fx)^2 \sec^2(c+dx)}{a+a \sin(c+dx)} dx$	1141
3.277	$\int \frac{(e+fx) \sec^2(c+dx)}{a+a \sin(c+dx)} dx$	1147
3.278	$\int \frac{\sec^2(c+dx)}{a+a \sin(c+dx)} dx$	1154
3.279	$\int \frac{\sec^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1157
3.280	$\int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1161
3.281	$\int \frac{(e+fx)^3 \sec^3(c+dx)}{a+a \sin(c+dx)} dx$	1163
3.282	$\int \frac{(e+fx)^2 \sec^3(c+dx)}{a+a \sin(c+dx)} dx$	1171
3.283	$\int \frac{(e+fx) \sec^3(c+dx)}{a+a \sin(c+dx)} dx$	1179
3.284	$\int \frac{\sec^3(c+dx)}{a+a \sin(c+dx)} dx$	1184
3.285	$\int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$	1187
3.286	$\int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$	1189
3.287	$\int \frac{(e+fx)^m \cos^4(c+dx)}{a+a \sin(c+dx)} dx$	1191
3.288	$\int \frac{(e+fx)^m \cos^3(c+dx)}{a+a \sin(c+dx)} dx$	1195
3.289	$\int \frac{(e+fx)^m \cos^2(c+dx)}{a+a \sin(c+dx)} dx$	1199
3.290	$\int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx$	1202
3.291	$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$	1204
3.292	$\int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx$	1206
3.293	$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx$	1208
3.294	$\int \frac{(e+fx)^3 \cos(c+dx)}{a+b \sin(c+dx)} dx$	1210
3.295	$\int \frac{(e+fx)^2 \cos(c+dx)}{a+b \sin(c+dx)} dx$	1215
3.296	$\int \frac{(e+fx) \cos(c+dx)}{a+b \sin(c+dx)} dx$	1219
3.297	$\int \frac{\cos(c+dx)}{a+b \sin(c+dx)} dx$	1223
3.298	$\int \frac{(e+fx)^3 \cos^2(c+dx)}{a+b \sin(c+dx)} dx$	1226
3.299	$\int \frac{(e+fx)^2 \cos^2(c+dx)}{a+b \sin(c+dx)} dx$	1232
3.300	$\int \frac{(e+fx) \cos^2(c+dx)}{a+b \sin(c+dx)} dx$	1237

3.301	$\int \frac{\cos^2(c+dx)}{a+b \sin(c+dx)} dx$	1242
3.302	$\int \frac{(e+fx)^3 \cos^3(c+dx)}{a+b \sin(c+dx)} dx$	1246
3.303	$\int \frac{(e+fx)^2 \cos^3(c+dx)}{a+b \sin(c+dx)} dx$	1253
3.304	$\int \frac{(e+fx) \cos^3(c+dx)}{a+b \sin(c+dx)} dx$	1259
3.305	$\int \frac{\cos^3(c+dx)}{a+b \sin(c+dx)} dx$	1265
3.306	$\int \frac{(e+fx)^3 \sec(c+dx)}{a+b \sin(c+dx)} dx$	1268
3.307	$\int \frac{(e+fx)^2 \sec(c+dx)}{a+b \sin(c+dx)} dx$	1275
3.308	$\int \frac{(e+fx) \sec(c+dx)}{a+b \sin(c+dx)} dx$	1281
3.309	$\int \frac{\sec(c+dx)}{a+b \sin(c+dx)} dx$	1287
3.310	$\int \frac{(e+fx)^3 \sec^2(c+dx)}{a+b \sin(c+dx)} dx$	1290
3.311	$\int \frac{(e+fx)^2 \sec^2(c+dx)}{a+b \sin(c+dx)} dx$	1297
3.312	$\int \frac{(e+fx) \sec^2(c+dx)}{a+b \sin(c+dx)} dx$	1304
3.313	$\int \frac{\sec^2(c+dx)}{a+b \sin(c+dx)} dx$	1309
3.314	$\int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx$	1313
3.315	$\int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx$	1315
3.316	$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$	1317
3.317	$\int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx$	1319
3.318	$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx$	1321
3.319	$\int \frac{(e+fx) \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$	1323
3.320	$\int \frac{(e+fx)^2 \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$	1326
3.321	$\int \frac{(e+fx)^3 \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$	1330
3.322	$\int \frac{(e+fx) \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$	1335
3.323	$\int \frac{(e+fx)^2 \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$	1339
3.324	$\int \frac{(e+fx)^3 \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$	1345
3.325	$\int \frac{(e+fx)^3 \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1352
3.326	$\int \frac{(e+fx)^2 \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1359
3.327	$\int \frac{(e+fx) \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1365
3.328	$\int \frac{\cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1370
3.329	$\int \frac{(e+fx)^3 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1374
3.330	$\int \frac{(e+fx)^2 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1382
3.331	$\int \frac{(e+fx) \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1388
3.332	$\int \frac{\cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1394
3.333	$\int \frac{(e+fx)^3 \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1397
3.334	$\int \frac{(e+fx)^2 \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1405
3.335	$\int \frac{(e+fx) \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1412
3.336	$\int \frac{\cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$	1418
3.337	$\int \frac{(e+fx)^3 \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1422
3.338	$\int \frac{(e+fx)^2 \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1430

3.339	$\int \frac{(e+fx) \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1437
3.340	$\int \frac{\cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1444
3.341	$\int \frac{(e+fx)^3 \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1447
3.342	$\int \frac{(e+fx)^2 \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1457
3.343	$\int \frac{(e+fx) \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1465
3.344	$\int \frac{\cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1472
3.345	$\int \frac{(e+fx)^3 \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1476
3.346	$\int \frac{(e+fx)^2 \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1486
3.347	$\int \frac{(e+fx) \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1493
3.348	$\int \frac{\cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$	1501

4 Listing of Grading functions

1505

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [348]. This is test number [66].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100. (348)	% 0. (0)
Mathematica	% 100. (348)	% 0. (0)
Maple	% 75.86 (264)	% 24.14 (84)
Maxima	% 55.17 (192)	% 44.83 (156)
Fricas	% 92.53 (322)	% 7.47 (26)
Sympy	% 28.45 (99)	% 71.55 (249)
Giac	% 44.83 (156)	% 55.17 (192)


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	100.	0.	0.	0.
Mathematica	79.02	16.67	4.31	0.
Maple	44.25	28.16	3.45	24.14
Maxima	19.25	20.69	15.23	44.83
Fricas	58.33	15.23	18.97	7.47
Sympy	28.45	0.	0.	71.55
Giac	33.33	2.01	9.48	55.17

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.4	218.88	0.8	117.5	1.
Mathematica	6.25	476.14	1.26	122.5	0.95
Maple	0.46	321.39	1.73	158.5	1.44
Maxima	1.55	786.39	4.1	318.	3.06
Fricas	2.13	1794.07	5.01	463.	3.33
Sympy	4.45	246.05	2.38	0.	0.
Giac	0.79	864.74	7.68	83.	1.46

1.4 list of integrals that has no closed form antiderivative

{26, 27, 31, 32, 36, 37, 65, 66, 71, 75, 76, 110, 111, 115, 116, 120, 121, 137, 138, 142, 143, 144, 145, 149, 150, 166, 167, 171, 172, 173, 177, 178, 183, 184, 189, 190, 195, 196, 201, 202, 207, 208, 213, 214, 215, 216, 217, 218, 219, 240, 241, 242, 243, 244, 255, 256, 273, 274, 279, 280, 285, 286, 290, 291, 292, 293, 314, 315, 316, 317, 318}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {23, 28, 29, 197, 203, 209, 210, 220, 221, 222, 224, 226, 228, 229, 230, 232, 234, 236, 237, 238, 245, 246, 247, 248, 249, 250, 269, 270, 275, 276, 282, 298, 299, 300, 304, 308, 310, 311, 312, 320, 321, 324, 325, 327, 329, 330, 331, 333, 335, 339, 341, 342, 343, 347}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

1.7 Timing

The command `AboluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This pecentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via sagemath) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    #what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount =1
```

For Sympy, called directly from Python, the following code is used


```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount =1
```

When these cas systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer, the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

High level overview of the CAS independent integration test build system

Nasser M. Abbasi
June 22, 2018

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 31, 32, 33, 36, 37, 45, 46, 47, 48, 49, 50, 51, 53, 54, 55, 56, 57, 58, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 183, 184, 186, 188, 189, 190, 191, 193, 194, 195, 196, 197, 198, 200, 201, 202, 206, 207, 208, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 227, 229, 230, 231, 232, 233, 235, 236, 237, 239, 240, 241, 242, 243, 244, 251, 252, 254, 255, 256, 257, 258, 259, 261, 262, 263, 264, 265, 266, 267, 268, 269, 272, 273, 274, 276, 277, 278, 279, 280, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 305, 309, 310, 311, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 325, 326, 328, 332, 333, 334, 335, 336, 340, 342, 343, 344, 348 }

B grade: { 28, 29, 34, 35, 52, 59, 181, 182, 185, 187, 192, 199, 203, 204, 205, 209, 210, 211, 226, 228, 234, 238, 245, 246, 247, 248, 249, 250, 253, 260, 270, 271, 275, 281, 282, 283, 300, 301, 302, 303, 304, 306, 307, 308, 312, 323, 324, 327, 329, 330, 331, 337, 338, 339, 341, 345, 346, 347 }

C grade: { 38, 39, 40, 41, 42, 43, 44, 60, 61, 62, 63, 64, 68, 132, 133 }

F grade: { }

2.1.3 Maple

A grade: { 4, 5, 6, 7, 12, 13, 14, 15, 19, 20, 21, 22, 26, 27, 30, 31, 32, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 71, 75, 76, 98, 99, 100, 104, 105, 106, 110, 111, 115, 116, 120, 121, 137, 138, 142, 143, 144, 145, 149, 150, 154, 155, 156, 160, 161, 162, 166, 167, 171, 172, 173, 177, 178, 182, 183, 184, 188, 189, 190, 195, 196, 200, 201, 202, 206, 207, 208, 212, 213, 214, 215, 216, 217, 218, 219, 223, 227, 235, 239, 240, 241, 242, 243, 244, 245, 248, 254, 255, 256, 259, 261, 262, 265, 266, 267, 268, 272, 273, 274, 276, 278, 279, 280, 284, 285, 286, 290, 291, 292, 293, 297, 305, 309, 313, 314, 315, 316, 317, 318, 328, 332, 340, 348 }

B grade: { 1, 2, 3, 8, 9, 10, 11, 16, 17, 18, 23, 24, 25, 28, 29, 33, 34, 35, 95, 96, 97, 101, 102, 103, 107, 108, 109, 112, 113, 114, 117, 118, 119, 151, 152, 153, 157, 158, 159, 165, 170, 179, 180, 181, 185, 186, 187, 191, 192, 193, 194, 197, 198, 199, 203, 204, 205, 209, 210, 211, 222, 226, 230, 231, 234, 238, 251, 252, 253, 257, 258, 260, 263, 264, 269, 270, 271, 275, 277, 281, 282, 283, 296, 300, 301, 304, 308, 312, 320, 323, 327, 331, 335, 336, 339, 343, 344, 347 }

C grade: { 77, 78, 79, 80, 81, 82, 83, 122, 123, 124, 319, 322 }

F grade: { 67, 68, 69, 70, 72, 73, 74, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 139, 140, 141, 146, 147, 148, 163, 164, 168, 169, 174, 175, 176, 220, 221, 224, 225, 228, 229, 232, 233, 236, 237, 246, 247, 249, 250, 287, 288, 289, 294, 295, 298, 299, 302, 303, 306, 307, 310, 311, 321, 324, 325, 326, 329, 330, 333, 334, 337, 338, 341, 342, 345, 346 }

2.1.4 Maxima

A grade: { 4, 19, 26, 27, 36, 37, 65, 66, 71, 75, 76, 103, 115, 116, 137, 138, 142, 143, 144, 145, 149, 150, 159, 166, 167, 171, 172, 173, 177, 178, 182, 200, 215, 216, 217, 218, 219, 240, 241, 242, 243, 244, 253, 254, 255, 256, 264, 265, 266, 272, 273, 274, 279, 284, 290, 291, 297, 305, 309, 314, 315, 316, 317, 318, 332, 340, 348 }

B grade: { 1, 2, 3, 8, 9, 10, 11, 16, 17, 18, 23, 24, 25, 28, 29, 30, 33, 34, 35, 95, 96, 97, 101, 102, 107, 108, 109, 112, 113, 114, 117, 118, 119, 151, 152, 153, 157, 158, 179, 180, 181, 185, 186, 187, 188, 194, 197, 198, 199, 203, 204, 205, 206, 210, 211, 212, 251, 252, 257, 258, 259, 260, 263, 269, 270, 271, 275, 276, 277, 278, 282, 283 }

C grade: { 5, 6, 7, 12, 13, 14, 15, 20, 21, 22, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 98, 99, 100, 104, 105, 106, 154, 155, 156, 160, 161, 162, 261, 262, 267, 268 }

F grade: { 31, 32, 67, 68, 69, 70, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 110, 111, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 139, 140, 141, 146, 147, 148, 163, 164, 165, 168, 169, 170, 174, 175, 176, 183, 184, 189, 190, 191, 192, 193, 195, 196, 201, 202, 207, 208, 209, 213, 214, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 245, 246, 247, 248, 249, 250, 280, 281, 285, 286, 287, 288, 289, 292, 293, 294, 295, 296, 298, 299, 300, 301, 302, 303, 304, 306, 307, 308, 310, 311, 312, 313, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 333, 334, 335, 336, 337, 338, 339, 341, 342, 343, 344, 345, 346, 347 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 16, 17, 18, 19, 20, 21, 26, 27, 30, 31, 32, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 69, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 110, 111, 114, 115, 116, 120, 121, 137, 138, 142, 143, 145, 146, 147, 148, 149,

150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 166, 167, 171, 172, 173, 174, 175, 176, 177, 178, 182, 183, 184, 188, 189, 190, 193, 194, 195, 196, 201, 202, 207, 208, 213, 214, 215, 216, 217, 218, 219, 223, 227, 231, 235, 240, 241, 242, 243, 244, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 272, 273, 274, 277, 278, 279, 280, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 297, 301, 305, 309, 313, 314, 315, 316, 317, 318, 319, 328, 332, 336, 340, 344, 348 }

B grade: { 7, 14, 15, 22, 25, 29, 35, 52, 106, 108, 109, 113, 118, 119, 165, 170, 180, 181, 186, 187, 192, 199, 200, 205, 206, 211, 212, 222, 226, 230, 234, 238, 239, 245, 248, 253, 271, 276, 283, 296, 300, 304, 308, 312, 320, 322, 323, 327, 331, 335, 339, 343, 347 }

C grade: { 23, 24, 28, 33, 34, 107, 112, 117, 163, 164, 168, 169, 179, 185, 191, 197, 198, 203, 204, 209, 210, 220, 221, 224, 225, 228, 229, 232, 233, 236, 237, 246, 247, 249, 250, 251, 252, 269, 270, 275, 281, 282, 294, 295, 298, 299, 302, 303, 306, 307, 310, 311, 321, 324, 325, 326, 329, 330, 333, 334, 337, 338, 341, 342, 345, 346 }

F grade: { 67, 68, 70, 91, 92, 93, 94, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 139, 140, 141, 144 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 16, 17, 18, 19, 26, 27, 31, 32, 36, 37, 60, 61, 62, 63, 64, 65, 66, 71, 75, 76, 95, 96, 97, 101, 102, 103, 109, 110, 111, 114, 115, 116, 119, 120, 121, 137, 138, 142, 143, 144, 149, 150, 151, 152, 153, 157, 158, 159, 166, 177, 181, 182, 183, 187, 188, 193, 194, 201, 202, 207, 208, 213, 214, 216, 217, 218, 241, 242, 243, 254, 255, 257, 258, 259, 260, 264, 265, 266, 273, 274, 279, 280, 285, 286, 290, 291, 292, 297, 315, 316, 317 }

B grade: { }

C grade: { }

F grade: { 5, 6, 7, 12, 13, 14, 15, 20, 21, 22, 23, 24, 25, 28, 29, 30, 33, 34, 35, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 67, 68, 69, 70, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 98, 99, 100, 104, 105, 106, 107, 108, 112, 113, 117, 118, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 139, 140, 141, 145, 146, 147, 148, 154, 155, 156, 160, 161, 162, 163, 164, 165, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 184, 185, 186, 189, 190, 191, 192, 195, 196, 197, 198, 199, 200, 203, 204, 205, 206, 209, 210, 211, 212, 215, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 256, 261, 262, 263, 267, 268, 269, 270, 271, 272, 275, 276, 277, 278, 281, 282, 283, 284, 287, 288, 289, 293, 294, 295, 296, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 16, 17, 18, 19, 26, 27, 31, 32, 36, 37, 65, 66, 71, 75, 76, 95, 96, 97, 101, 102, 103, 110, 111, 115, 116, 120, 121, 137, 138, 142, 143, 144, 145, 149, 150, 151, 152, 153, 157, 158, 159, 166, 167, 171, 172, 173, 177, 178, 182, 183, 184, 188, 189, 190, 194, 195, 196, 200, 201, 202, 206, 212, 215, 216, 217, 218, 219, 223, 227, 231, 235, 239, 240, 241, 242, 243, 244, 254, 255, 256, 260, 266, 272, 273, 274, 278, 280, 284, 286, 290, 291, 292, 293, 297, 301, 305, 309, 313, 314, 315, 316, 317, 318, 328, 332, 336, 340, 348 }

B grade: { 30, 109, 114, 119, 181, 277, 344 }

C grade: { 5, 6, 7, 12, 13, 14, 15, 20, 38, 39, 40, 41, 45, 46, 47, 48, 53, 54, 55, 56, 60, 61, 62, 98, 99, 100, 104, 154, 155, 156, 160, 261, 267 }

F grade: { 21, 22, 23, 24, 25, 28, 29, 33, 34, 35, 42, 43, 44, 49, 50, 51, 52, 57, 58, 59, 63, 64, 67, 68, 69, 70, 72, 73, 74, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 105, 106, 107, 108, 112, 113, 117, 118, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 139, 140, 141, 146, 147, 148, 161, 162, 163, 164, 165, 168, 169, 170, 174, 175, 176, 179, 180, 185, 186, 187, 191, 192, 193, 197, 198, 199, 203, 204, 205, 207, 208, 209, 210, 211, 213, 214, 220, 221, 222, 224, 225, 226, 228, 229, 230, 232, 233, 234, 236, 237, 238, 245, 246, 247, 248, 249, 250, 251, 252, 253, 257, 258,

259, 262, 263, 264, 265, 268, 269, 270, 271, 275, 276, 279, 281, 282, 283, 285, 287, 288, 289, 294, 295, 296, 298, 299, 300, 302, 303, 304, 306, 307, 308, 310, 311, 312, 319, 320, 321, 322, 323, 324, 325, 326, 327, 329, 330, 331, 333, 334, 335, 337, 338, 339, 341, 342, 343, 345, 346, 347 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	92	92	77	551	662	348	311	231
normalized size	1	1.	0.84	5.99	7.2	3.78	3.38	2.51
time (sec)	N/A	0.091	0.339	0.009	1.124	1.632	2.921	1.12

Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	62	308	385	230	202	150
normalized size	1	1.	0.87	4.34	5.42	3.24	2.85	2.11
time (sec)	N/A	0.065	0.205	0.007	1.079	1.667	1.356	1.119

Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	50	50	45	148	190	138	112	88
normalized size	1	1.	0.9	2.96	3.8	2.76	2.24	1.76
time (sec)	N/A	0.039	0.171	0.006	1.031	1.682	0.636	1.153

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	28	28	27	52	72	70	46	42
normalized size	1	1.	0.96	1.86	2.57	2.5	1.64	1.5
time (sec)	N/A	0.016	0.07	0.007	1.012	1.664	0.235	1.102

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	49	73	190	200	0	806
normalized size	1	1.	0.96	1.43	3.73	3.92	0.	15.8
time (sec)	N/A	0.098	0.095	0.009	1.269	1.611	0.	1.21

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	66	107	221	302	0	4131
normalized size	1	1.	0.92	1.49	3.07	4.19	0.	57.38
time (sec)	N/A	0.109	0.21	0.01	1.326	1.643	0.	1.295

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	87	145	269	471	0	7731
normalized size	1	1.	0.84	1.39	2.59	4.53	0.	74.34
time (sec)	N/A	0.139	0.664	0.008	1.525	1.838	0.	1.555

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	132	1030	992	593	660	300
normalized size	1	1.	0.82	6.4	6.16	3.68	4.1	1.86
time (sec)	N/A	0.103	0.638	0.048	1.146	1.771	6.157	1.166

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	106	587	597	394	456	207
normalized size	1	1.	0.79	4.38	4.46	2.94	3.4	1.54
time (sec)	N/A	0.074	0.42	0.007	1.07	1.7	3.24	1.136

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	77	289	313	247	264	127
normalized size	1	1.	0.81	3.04	3.29	2.6	2.78	1.34
time (sec)	N/A	0.054	0.302	0.007	1.025	1.776	1.461	1.124

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	52	112	130	130	126	65
normalized size	1	1.	0.95	2.04	2.36	2.36	2.29	1.18
time (sec)	N/A	0.027	0.146	0.006	1.009	1.644	0.629	1.118

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	78	78	65	105	216	238	0	826
normalized size	1	1.	0.83	1.35	2.77	3.05	0.	10.59
time (sec)	N/A	0.168	0.104	0.01	1.231	1.702	0.	1.233

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	81	81	75	156	231	325	0	3976
normalized size	1	1.	0.93	1.93	2.85	4.01	0.	49.09
time (sec)	N/A	0.139	0.399	0.009	1.322	1.819	0.	1.343

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	101	193	278	509	0	6940
normalized size	1	1.	0.89	1.71	2.46	4.5	0.	61.42
time (sec)	N/A	0.192	1.14	0.009	1.524	1.833	0.	1.616

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	B	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	122	229	346	733	0	10573
normalized size	1	1.	0.75	1.41	2.14	4.52	0.	65.27
time (sec)	N/A	0.181	1.218	0.008	1.886	1.93	0.	1.772

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	150	1023	1261	764	772	474
normalized size	1	1.	0.67	4.55	5.6	3.4	3.43	2.11
time (sec)	N/A	0.25	0.999	0.035	1.224	1.77	9.804	1.138

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	127	560	730	495	495	312
normalized size	1	1.	0.73	3.2	4.17	2.83	2.83	1.78
time (sec)	N/A	0.159	0.926	0.009	1.088	1.741	5.233	1.141

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	86	265	365	298	284	185
normalized size	1	1.	0.7	2.15	2.97	2.42	2.31	1.5
time (sec)	N/A	0.096	0.406	0.007	1.072	1.634	2.593	1.134

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	59	95	140	153	126	93
normalized size	1	1.	0.79	1.27	1.87	2.04	1.68	1.24
time (sec)	N/A	0.042	0.173	0.007	1.055	1.639	1.114	1.151

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	121	121	102	167	370	406	0	8500
normalized size	1	1.	0.84	1.38	3.06	3.36	0.	70.25
time (sec)	N/A	0.245	0.243	0.009	1.365	1.662	0.	1.759

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	175	240	406	595	0	0
normalized size	1	1.	1.21	1.66	2.8	4.1	0.	0.
time (sec)	N/A	0.242	1.051	0.01	1.818	1.997	0.	0.

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	B	F(-1)	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	184	184	221	313	454	919	0	0
normalized size	1	1.	1.2	1.7	2.47	4.99	0.	0.
time (sec)	N/A	0.354	0.796	0.01	1.973	1.98	0.	0.

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	185	185	221	633	953	2056	0	0
normalized size	1	1.	1.19	3.42	5.15	11.11	0.	0.
time (sec)	N/A	0.137	0.457	0.095	1.512	2.112	0.	0.

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	148	361	529	1330	0	0
normalized size	1	1.	1.2	2.93	4.3	10.81	0.	0.
time (sec)	N/A	0.088	0.32	0.048	1.327	1.938	0.	0.

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	134	151	235	721	0	0
normalized size	1	1.	2.	2.25	3.51	10.76	0.	0.
time (sec)	N/A	0.039	0.075	0.032	1.326	1.867	0.	0.

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.022	6.016	0.058	0.	0.	0.	0.

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.021	6.952	0.048	0.	0.	0.	0.

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	113	113	478	541	2228	1756	0	0
normalized size	1	1.	4.23	4.79	19.72	15.54	0.	0.
time (sec)	N/A	0.213	6.909	0.085	1.602	2.046	0.	0.

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	83	83	181	276	749	1026	0	0
normalized size	1	1.	2.18	3.33	9.02	12.36	0.	0.
time (sec)	N/A	0.136	4.827	0.043	1.462	1.795	0.	0.

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	29	29	52	39	293	119	0	1689
normalized size	1	1.	1.79	1.34	10.1	4.1	0.	58.24
time (sec)	N/A	0.028	0.084	0.007	1.005	1.703	0.	2.028

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.04	6.267	0.178	0.	0.	0.	0.

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.037	6.353	0.339	0.	0.	0.	0.

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	309	309	528	1056	5234	4091	0	0
normalized size	1	1.	1.71	3.42	16.94	13.24	0.	0.
time (sec)	N/A	0.226	5.103	0.125	6.517	2.684	0.	0.

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	180	180	471	548	2611	2379	0	0
normalized size	1	1.	2.62	3.04	14.51	13.22	0.	0.
time (sec)	N/A	0.136	7.439	0.077	2.349	2.26	0.	0.

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	292	246	1044	1191	0	0
normalized size	1	1.	2.68	2.26	9.58	10.93	0.	0.
time (sec)	N/A	0.067	1.822	0.054	1.646	1.984	0.	0.

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.039	31.357	2.163	0.	0.	0.	0.

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.038	34.8	3.402	0.	0.	0.	0.

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	195	195	124	233	891	467	0	1376
normalized size	1	1.	0.64	1.19	4.57	2.39	0.	7.06
time (sec)	N/A	0.434	0.111	0.012	1.881	1.774	0.	1.259

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	125	188	855	394	0	764
normalized size	1	1.	0.74	1.11	5.03	2.32	0.	4.49
time (sec)	N/A	0.242	0.1	0.007	1.83	1.796	0.	1.252

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	142	142	123	145	779	327	0	332
normalized size	1	1.	0.87	1.02	5.49	2.3	0.	2.34
time (sec)	N/A	0.176	0.094	0.007	1.834	1.765	0.	1.182

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	121	99	714	269	0	227
normalized size	1	1.	1.03	0.85	6.1	2.3	0.	1.94
time (sec)	N/A	0.133	0.054	0.014	1.777	1.719	0.	1.125

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	139	139	148	140	632	362	0	0
normalized size	1	1.	1.06	1.01	4.55	2.6	0.	0.
time (sec)	N/A	0.204	0.313	0.014	1.322	1.964	0.	0.

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	162	180	632	510	0	0
normalized size	1	1.	0.96	1.07	3.76	3.04	0.	0.
time (sec)	N/A	0.238	0.63	0.009	1.311	2.261	0.	0.

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	193	193	208	220	632	682	0	0
normalized size	1	1.	1.08	1.14	3.27	3.53	0.	0.
time (sec)	N/A	0.297	0.459	0.007	1.314	2.368	0.	0.

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	194	242	940	614	0	1419
normalized size	1	1.	0.84	1.05	4.07	2.66	0.	6.14
time (sec)	N/A	0.442	2.144	0.017	1.855	2.296	0.	1.348

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	203	203	175	197	899	478	0	772
normalized size	1	1.	0.86	0.97	4.43	2.35	0.	3.8
time (sec)	N/A	0.36	1.696	0.013	1.824	2.157	0.	1.26

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	149	150	826	367	0	331
normalized size	1	1.	0.94	0.95	5.23	2.32	0.	2.09
time (sec)	N/A	0.285	0.532	0.013	1.82	2.192	0.	1.208

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	126	108	747	281	0	220
normalized size	1	1.	0.97	0.83	5.75	2.16	0.	1.69
time (sec)	N/A	0.234	0.226	0.015	1.851	2.058	0.	1.183

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	135	135	149	145	640	340	0	0
normalized size	1	1.	1.1	1.07	4.74	2.52	0.	0.
time (sec)	N/A	0.254	0.384	0.013	1.323	2.121	0.	0.

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	158	189	644	502	0	0
normalized size	1	1.	0.93	1.11	3.79	2.95	0.	0.
time (sec)	N/A	0.328	1.399	0.014	1.291	2.331	0.	0.

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	244	230	644	745	0	0
normalized size	1	1.	1.13	1.06	2.98	3.45	0.	0.
time (sec)	N/A	0.336	2.003	0.013	1.302	2.455	0.	0.

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	C	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	661	273	644	941	0	0
normalized size	1	1.	2.68	1.11	2.61	3.81	0.	0.
time (sec)	N/A	0.419	4.638	0.015	1.294	2.895	0.	0.

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	410	410	542	476	1868	923	0	2726
normalized size	1	1.	1.32	1.16	4.56	2.25	0.	6.65
time (sec)	N/A	1.127	3.152	0.013	2.209	2.764	0.	1.629

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	354	354	389	384	1790	761	0	1513
normalized size	1	1.	1.1	1.08	5.06	2.15	0.	4.27
time (sec)	N/A	0.972	1.634	0.013	2.23	2.419	0.	1.493

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	304	304	266	296	1651	645	0	659
normalized size	1	1.	0.88	0.97	5.43	2.12	0.	2.17
time (sec)	N/A	0.498	0.804	0.01	2.144	2.32	0.	1.288

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	202	210	1527	552	0	446
normalized size	1	1.	0.79	0.82	5.94	2.15	0.	1.74
time (sec)	N/A	0.405	0.56	0.015	2.119	2.172	0.	1.221

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	270	270	300	288	1264	707	0	0
normalized size	1	1.	1.11	1.07	4.68	2.62	0.	0.
time (sec)	N/A	0.564	1.008	0.013	1.49	2.453	0.	0.

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	292	292	496	368	1265	963	0	0
normalized size	1	1.	1.7	1.26	4.33	3.3	0.	0.
time (sec)	N/A	0.71	2.426	0.011	1.519	2.663	0.	0.

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	C	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	356	356	1429	450	1265	1269	0	0
normalized size	1	1.	4.01	1.26	3.55	3.56	0.	0.
time (sec)	N/A	0.797	6.398	0.012	1.482	3.43	0.	0.

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	60	87	423	192	117	286
normalized size	1	1.	0.69	1.	4.86	2.21	1.34	3.29
time (sec)	N/A	0.109	0.013	0.01	1.762	2.293	126.238	1.155

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	69	65	379	149	85	238
normalized size	1	1.	1.06	1.	5.83	2.29	1.31	3.66
time (sec)	N/A	0.058	0.011	0.009	1.734	2.344	3.118	1.154

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	A	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	46	46	59	42	344	101	54	184
normalized size	1	1.	1.28	0.91	7.48	2.2	1.17	4.
time (sec)	N/A	0.034	0.008	0.007	1.665	2.043	1.381	1.156

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	64	60	231	149	80	0
normalized size	1	1.	1.	0.94	3.61	2.33	1.25	0.
time (sec)	N/A	0.065	0.023	0.007	1.157	2.229	7.55	0.

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	A	C	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	111	79	231	189	114	0
normalized size	1	1.	1.28	0.91	2.66	2.17	1.31	0.
time (sec)	N/A	0.093	0.085	0.006	1.174	2.281	145.307	0.

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.031	15.374	0.059	0.	0.	0.	0.

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.031	14.608	0.05	0.	0.	0.	0.

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	33	0	0	0	0	0
normalized size	1	1.	0.87	0.	0.	0.	0.	0.
time (sec)	N/A	0.061	0.408	0.119	0.	0.	0.	0.

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	185	0	0	0	0	0
normalized size	1	1.	2.98	0.	0.	0.	0.	0.
time (sec)	N/A	0.107	4.194	0.103	0.	0.	0.	0.

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	35	0	0	117	0	0
normalized size	1	1.	0.83	0.	0.	2.79	0.	0.
time (sec)	N/A	0.06	0.405	0.096	0.	1.723	0.	0.

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	58	0	0	0	0	0
normalized size	1	1.	0.7	0.	0.	0.	0.	0.
time (sec)	N/A	0.086	0.585	0.128	0.	0.	0.	0.

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.042	0.721	0.299	0.	0.	0.	0.

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	267	267	251	0	0	459	0	0
normalized size	1	1.	0.94	0.	0.	1.72	0.	0.
time (sec)	N/A	0.303	9.809	0.207	0.	1.908	0.	0.

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	211	0	0	340	0	0
normalized size	1	1.	1.3	0.	0.	2.1	0.	0.
time (sec)	N/A	0.217	0.612	0.138	0.	1.81	0.	0.

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	121	0	0	219	0	0
normalized size	1	1.	0.95	0.	0.	1.72	0.	0.
time (sec)	N/A	0.088	0.049	0.059	0.	1.826	0.	0.

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.019	5.716	0.04	0.	0.	0.	0.

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.037	1.115	0.048	0.	0.	0.	0.

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	79	454	0	149	0	0
normalized size	1	1.	1.	5.75	0.	1.89	0.	0.
time (sec)	N/A	0.077	0.019	0.119	0.	1.811	0.	0.

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	75	353	0	149	0	0
normalized size	1	1.	1.	4.71	0.	1.99	0.	0.
time (sec)	N/A	0.073	0.016	0.063	0.	1.712	0.	0.

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	79	290	0	149	0	0
normalized size	1	1.	1.	3.67	0.	1.89	0.	0.
time (sec)	N/A	0.071	0.016	0.063	0.	1.719	0.	0.

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	75	378	0	132	0	0
normalized size	1	1.	1.	5.04	0.	1.76	0.	0.
time (sec)	N/A	0.066	0.014	0.062	0.	1.79	0.	0.

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	69	69	63	426	0	138	0	0
normalized size	1	1.	0.91	6.17	0.	2.	0.	0.
time (sec)	N/A	0.068	0.02	0.065	0.	1.693	0.	0.

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	65	529	0	149	0	0
normalized size	1	1.	0.92	7.45	0.	2.1	0.	0.
time (sec)	N/A	0.071	0.019	0.072	0.	1.82	0.	0.

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	79	599	0	149	0	0
normalized size	1	1.	1.	7.58	0.	1.89	0.	0.
time (sec)	N/A	0.072	0.016	0.079	0.	1.766	0.	0.

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-1)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	118	0	0	235	0	0
normalized size	1	1.	1.22	0.	0.	2.42	0.	0.
time (sec)	N/A	0.162	0.329	0.072	0.	1.832	0.	0.

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	120	0	0	235	0	0
normalized size	1	1.	1.17	0.	0.	2.28	0.	0.
time (sec)	N/A	0.143	0.311	0.069	0.	1.773	0.	0.

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	116	0	0	235	0	0
normalized size	1	1.	1.17	0.	0.	2.37	0.	0.
time (sec)	N/A	0.143	0.305	0.125	0.	1.743	0.	0.

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	120	0	0	203	0	0
normalized size	1	1.	1.17	0.	0.	1.97	0.	0.
time (sec)	N/A	0.134	0.269	0.084	0.	1.759	0.	0.

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	99	0	0	193	0	0
normalized size	1	1.	1.19	0.	0.	2.33	0.	0.
time (sec)	N/A	0.13	0.231	0.113	0.	1.747	0.	0.

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	117	0	0	227	0	0
normalized size	1	1.	1.16	0.	0.	2.25	0.	0.
time (sec)	N/A	0.137	0.311	0.07	0.	1.737	0.	0.

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	97	97	121	0	0	235	0	0
normalized size	1	1.	1.25	0.	0.	2.42	0.	0.
time (sec)	N/A	0.173	0.364	0.072	0.	1.811	0.	0.

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	29	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.123	0.487	0.092	0.	0.	0.	0.

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	87	0	0	0	0	0
normalized size	1	1.	0.78	0.	0.	0.	0.	0.
time (sec)	N/A	0.209	0.556	0.082	0.	0.	0.	0.

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	29	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.106	0.447	0.085	0.	0.	0.	0.

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	57	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.133	2.228	0.089	0.	0.	0.	0.

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	123	482	624	362	264	212
normalized size	1	1.	1.37	5.36	6.93	4.02	2.93	2.36
time (sec)	N/A	0.118	0.843	0.016	1.036	1.791	1.865	1.167

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	81	241	323	228	151	128
normalized size	1	1.	1.19	3.54	4.75	3.35	2.22	1.88
time (sec)	N/A	0.088	0.499	0.012	1.013	1.743	0.864	1.124

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	51	90	126	126	68	63
normalized size	1	1.	1.13	2.	2.8	2.8	1.51	1.4
time (sec)	N/A	0.042	0.356	0.011	0.969	1.77	0.344	1.096

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	54	96	231	234	0	961
normalized size	1	1.	0.84	1.5	3.61	3.66	0.	15.02
time (sec)	N/A	0.15	0.294	0.014	1.207	1.661	0.	1.257

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	110	141	265	332	0	4251
normalized size	1	1.	1.25	1.6	3.01	3.77	0.	48.31
time (sec)	N/A	0.214	0.493	0.014	1.306	1.829	0.	1.341

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	104	177	358	517	0	8312
normalized size	1	1.	0.85	1.44	2.91	4.2	0.	67.58
time (sec)	N/A	0.257	0.672	0.017	1.442	1.753	0.	1.519

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	237	237	216	1135	1308	752	779	458
normalized size	1	1.	0.91	4.79	5.52	3.17	3.29	1.93
time (sec)	N/A	0.295	1.343	0.022	1.108	1.885	4.784	1.157

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	168	168	182	567	686	447	456	279
normalized size	1	1.	1.08	3.38	4.08	2.66	2.71	1.66
time (sec)	N/A	0.192	0.614	0.02	1.022	1.785	2.151	1.144

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	118	118	80	219	277	228	219	144
normalized size	1	1.	0.68	1.86	2.35	1.93	1.86	1.22
time (sec)	N/A	0.104	1.048	0.02	0.996	1.737	0.844	1.11

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	145	145	114	192	452	468	0	9516
normalized size	1	1.	0.79	1.32	3.12	3.23	0.	65.63
time (sec)	N/A	0.371	0.277	0.021	1.313	1.758	0.	1.624

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	162	162	206	274	500	682	0	0
normalized size	1	1.	1.27	1.69	3.09	4.21	0.	0.
time (sec)	N/A	0.333	0.587	0.026	1.514	2.013	0.	0.

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	B	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	225	225	353	347	641	1049	0	0
normalized size	1	1.	1.57	1.54	2.85	4.66	0.	0.
time (sec)	N/A	0.506	0.901	0.023	1.951	2.071	0.	0.

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	126	484	1315	2134	0	0
normalized size	1	1.	0.85	3.27	8.89	14.42	0.	0.
time (sec)	N/A	0.306	1.038	0.141	1.477	2.022	0.	0.

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	113	113	94	254	421	1196	0	0
normalized size	1	1.	0.83	2.25	3.73	10.58	0.	0.
time (sec)	N/A	0.218	0.654	0.07	1.353	1.814	0.	0.

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	51	122	228	251	272	940
normalized size	1	1.	0.85	2.03	3.8	4.18	4.53	15.67
time (sec)	N/A	0.064	0.15	0.043	0.985	1.77	1.125	1.241

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.061	4.765	0.133	0.	0.	0.	0.

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.065	4.619	0.325	0.	0.	0.	0.

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	309	309	257	807	4834	3872	0	0
normalized size	1	1.	0.83	2.61	15.64	12.53	0.	0.
time (sec)	N/A	0.377	1.904	0.641	4.041	2.695	0.	0.

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	243	243	175	421	1123	2074	0	0
normalized size	1	1.	0.72	1.73	4.62	8.53	0.	0.
time (sec)	N/A	0.287	2.202	0.495	2.214	2.064	0.	0.

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	225	233	1229	495	1246	4177
normalized size	1	1.	1.52	1.57	8.3	3.34	8.42	28.22
time (sec)	N/A	0.089	1.082	0.197	1.057	1.683	2.561	1.833

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.056	13.946	3.104	0.	0.	0.	0.

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.052	14.801	4.749	0.	0.	0.	0.

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	147	147	124	484	1326	2133	0	0
normalized size	1	1.	0.84	3.29	9.02	14.51	0.	0.
time (sec)	N/A	0.295	1.129	0.132	1.496	1.976	0.	0.

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	112	112	92	254	427	1195	0	0
normalized size	1	1.	0.82	2.27	3.81	10.67	0.	0.
time (sec)	N/A	0.212	0.723	0.087	1.351	1.878	0.	0.

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	47	123	228	251	272	941
normalized size	1	1.	0.8	2.08	3.86	4.25	4.61	15.95
time (sec)	N/A	0.066	0.151	0.06	1.01	1.632	1.105	1.289

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.075	4.902	0.136	0.	0.	0.	0.

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.064	4.718	0.322	0.	0.	0.	0.

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	108	145	0	0	0	0
normalized size	1	1.	0.9	1.21	0.	0.	0.	0.
time (sec)	N/A	0.141	0.288	0.103	0.	0.	0.	0.

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	92	119	0	0	0	0
normalized size	1	1.	0.94	1.21	0.	0.	0.	0.
time (sec)	N/A	0.103	0.21	0.054	0.	0.	0.	0.

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	58	58	76	93	0	0	0	0
normalized size	1	1.	1.31	1.6	0.	0.	0.	0.
time (sec)	N/A	0.068	0.154	0.053	0.	0.	0.	0.

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	101	101	83	0	0	0	0	0
normalized size	1	1.	0.82	0.	0.	0.	0.	0.
time (sec)	N/A	0.139	0.162	0.229	0.	0.	0.	0.

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	130	130	117	0	0	0	0	0
normalized size	1	1.	0.9	0.	0.	0.	0.	0.
time (sec)	N/A	0.153	0.3	0.056	0.	0.	0.	0.

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	153	0	0	0	0	0
normalized size	1	1.	0.88	0.	0.	0.	0.	0.
time (sec)	N/A	0.193	0.327	0.054	0.	0.	0.	0.

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	337	337	231	0	0	0	0	0
normalized size	1	1.	0.69	0.	0.	0.	0.	0.
time (sec)	N/A	0.23	1.113	0.064	0.	0.	0.	0.

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	271	271	191	0	0	0	0	0
normalized size	1	1.	0.7	0.	0.	0.	0.	0.
time (sec)	N/A	0.179	0.822	0.039	0.	0.	0.	0.

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	165	165	113	0	0	0	0	0
normalized size	1	1.	0.68	0.	0.	0.	0.	0.
time (sec)	N/A	0.091	0.681	0.036	0.	0.	0.	0.

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	221	221	127	0	0	0	0	0
normalized size	1	1.	0.57	0.	0.	0.	0.	0.
time (sec)	N/A	0.276	0.662	0.036	0.	0.	0.	0.

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	263	263	226	0	0	0	0	0
normalized size	1	1.	0.86	0.	0.	0.	0.	0.
time (sec)	N/A	0.3	0.916	0.037	0.	0.	0.	0.

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	C	F	F	F(-2)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	332	332	295	0	0	0	0	0
normalized size	1	1.	0.89	0.	0.	0.	0.	0.
time (sec)	N/A	0.376	0.876	0.036	0.	0.	0.	0.

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	417	417	306	0	0	0	0	0
normalized size	1	1.	0.73	0.	0.	0.	0.	0.
time (sec)	N/A	0.249	0.766	0.178	0.	0.	0.	0.

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	293	293	245	0	0	0	0	0
normalized size	1	1.	0.84	0.	0.	0.	0.	0.
time (sec)	N/A	0.183	0.594	0.064	0.	0.	0.	0.

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	231	0	0	0	0	0
normalized size	1	1.	1.32	0.	0.	0.	0.	0.
time (sec)	N/A	0.092	1.524	0.06	0.	0.	0.	0.

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.074	3.04	0.046	0.	0.	0.	0.

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.074	0.747	0.049	0.	0.	0.	0.

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	691	691	455	0	0	0	0	0
normalized size	1	1.	0.66	0.	0.	0.	0.	0.
time (sec)	N/A	0.354	2.807	0.036	0.	0.	0.	0.

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	435	435	352	0	0	0	0	0
normalized size	1	1.	0.81	0.	0.	0.	0.	0.
time (sec)	N/A	0.235	2.031	0.039	0.	0.	0.	0.

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	249	249	308	0	0	0	0	0
normalized size	1	1.	1.24	0.	0.	0.	0.	0.
time (sec)	N/A	0.128	2.545	0.038	0.	0.	0.	0.

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.083	32.865	0.039	0.	0.	0.	0.

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.08	17.471	0.036	0.	0.	0.	0.

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	F(-2)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	20	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	2.97	0.073	0.	0.	0.	0.

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.048	1.096	0.329	0.	0.	0.	0.

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	449	449	376	0	0	934	0	0
normalized size	1	1.	0.84	0.	0.	2.08	0.	0.
time (sec)	N/A	0.605	0.845	0.279	0.	2.135	0.	0.

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	299	299	260	0	0	636	0	0
normalized size	1	1.	0.87	0.	0.	2.13	0.	0.
time (sec)	N/A	0.369	0.285	0.193	0.	1.979	0.	0.

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	199	0	0	319	0	0
normalized size	1	1.	1.34	0.	0.	2.16	0.	0.
time (sec)	N/A	0.144	2.714	0.093	0.	1.899	0.	0.

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.055	0.881	0.1	0.	0.	0.	0.

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.053	9.125	0.137	0.	0.	0.	0.

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	124	482	624	362	264	212
normalized size	1	1.	1.38	5.36	6.93	4.02	2.93	2.36
time (sec)	N/A	0.123	0.432	0.011	1.05	1.697	1.754	1.463

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	84	241	323	228	151	128
normalized size	1	1.	1.24	3.54	4.75	3.35	2.22	1.88
time (sec)	N/A	0.086	0.314	0.008	0.994	1.69	0.814	1.499

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	43	90	126	126	68	63
normalized size	1	1.	0.96	2.	2.8	2.8	1.51	1.4
time (sec)	N/A	0.042	0.109	0.006	0.973	1.627	0.343	1.751

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	57	96	231	234	0	961
normalized size	1	1.	0.89	1.5	3.61	3.66	0.	15.02
time (sec)	N/A	0.124	0.15	0.01	1.238	1.77	0.	1.924

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	88	88	72	141	265	332	0	4251
normalized size	1	1.	0.82	1.6	3.01	3.77	0.	48.31
time (sec)	N/A	0.155	0.349	0.012	1.28	1.832	0.	1.472

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	94	177	358	517	0	8312
normalized size	1	1.	0.76	1.44	2.91	4.2	0.	67.58
time (sec)	N/A	0.19	0.814	0.01	1.466	2.163	0.	1.466

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	250	250	232	1125	1295	805	779	501
normalized size	1	1.	0.93	4.5	5.18	3.22	3.12	2.
time (sec)	N/A	0.267	1.298	0.016	1.135	2.175	4.599	1.121

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	249	561	678	495	456	309
normalized size	1	1.	1.37	3.08	3.73	2.72	2.51	1.7
time (sec)	N/A	0.192	0.726	0.013	1.05	2.084	2.068	1.126

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	96	216	273	252	219	161
normalized size	1	1.	0.83	1.86	2.35	2.17	1.89	1.39
time (sec)	N/A	0.098	0.673	0.013	0.995	2.037	0.846	1.101

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	156	156	134	213	451	482	0	9986
normalized size	1	1.	0.86	1.37	2.89	3.09	0.	64.01
time (sec)	N/A	0.324	0.292	0.019	1.288	2.197	0.	1.602

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	232	301	498	693	0	0
normalized size	1	1.	1.27	1.64	2.72	3.79	0.	0.
time (sec)	N/A	0.334	0.596	0.018	1.501	2.264	0.	0.

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	245	245	395	374	640	1057	0	0
normalized size	1	1.	1.61	1.53	2.61	4.31	0.	0.
time (sec)	N/A	0.424	1.229	0.023	1.877	2.509	0.	0.

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	495	495	401	0	0	5222	0	0
normalized size	1	1.	0.81	0.	0.	10.55	0.	0.
time (sec)	N/A	0.969	0.235	0.401	0.	3.675	0.	0.

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	367	367	296	0	0	3729	0	0
normalized size	1	1.	0.81	0.	0.	10.16	0.	0.
time (sec)	N/A	0.822	0.191	0.283	0.	3.143	0.	0.

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	234	234	182	492	0	2461	0	0
normalized size	1	1.	0.78	2.1	0.	10.52	0.	0.
time (sec)	N/A	0.453	0.041	0.104	0.	3.589	0.	0.

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.064	0.402	0.063	0.	0.	0.	0.

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.061	0.333	0.073	0.	0.	0.	0.

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	925	925	742	0	0	11266	0	0
normalized size	1	1.	0.8	0.	0.	12.18	0.	0.
time (sec)	N/A	1.655	3.228	1.56	0.	7.286	0.	0.

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	671	671	530	0	0	7017	0	0
normalized size	1	1.	0.79	0.	0.	10.46	0.	0.
time (sec)	N/A	1.205	1.675	1.273	0.	4.367	0.	0.

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	305	305	236	641	0	3549	0	0
normalized size	1	1.	0.77	2.1	0.	11.64	0.	0.
time (sec)	N/A	0.55	0.988	0.789	0.	3.468	0.	0.

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.059	32.793	3.118	0.	0.	0.	0.

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.057	94.238	5.75	0.	0.	0.	0.

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.051	0.933	0.375	0.	0.	0.	0.

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	607	607	415	0	0	1045	0	0
normalized size	1	1.	0.68	0.	0.	1.72	0.	0.
time (sec)	N/A	0.764	5.657	0.285	0.	2.171	0.	0.

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	318	318	268	0	0	662	0	0
normalized size	1	1.	0.84	0.	0.	2.08	0.	0.
time (sec)	N/A	0.392	3.932	0.198	0.	1.972	0.	0.

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	148	148	138	0	0	319	0	0
normalized size	1	1.	0.93	0.	0.	2.16	0.	0.
time (sec)	N/A	0.149	0.188	0.073	0.	1.827	0.	0.

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.057	0.387	0.078	0.	0.	0.	0.

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.055	3.429	0.189	0.	0.	0.	0.

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	164	164	261	526	1766	2414	0	0
normalized size	1	1.	1.59	3.21	10.77	14.72	0.	0.
time (sec)	N/A	0.34	1.83	0.182	2.087	2.249	0.	0.

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	129	129	213	282	545	1378	0	0
normalized size	1	1.	1.65	2.19	4.22	10.68	0.	0.
time (sec)	N/A	0.257	1.252	0.108	1.896	1.986	0.	0.

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	76	76	199	446	369	363	466	1042
normalized size	1	1.	2.62	5.87	4.86	4.78	6.13	13.71
time (sec)	N/A	0.095	0.497	0.076	1.472	1.792	1.954	1.53

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	28	28	72	41	68	142	90	43
normalized size	1	1.	2.57	1.46	2.43	5.07	3.21	1.54
time (sec)	N/A	0.038	0.108	0.023	1.424	1.74	1.55	1.125

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.048	8.577	0.173	0.	0.	0.	0.

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.047	8.375	0.238	0.	0.	0.	0.

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	247	247	1314	748	6209	2984	0	0
normalized size	1	1.	5.32	3.03	25.14	12.08	0.	0.
time (sec)	N/A	0.472	3.001	0.296	3.069	2.598	0.	0.

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	188	188	295	408	815	1674	0	0
normalized size	1	1.	1.57	2.17	4.34	8.9	0.	0.
time (sec)	N/A	0.348	2.568	0.336	2.458	2.183	0.	0.

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	111	111	236	216	2379	481	2086	0
normalized size	1	1.	2.13	1.95	21.43	4.33	18.79	0.
time (sec)	N/A	0.16	0.787	0.116	1.578	1.727	4.422	0.

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	45	45	85	64	174	186	478	104
normalized size	1	1.	1.89	1.42	3.87	4.13	10.62	2.31
time (sec)	N/A	0.082	0.139	0.026	1.457	1.661	3.377	1.101

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.072	8.563	0.369	0.	0.	0.	0.

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	9.674	0.639	0.	0.	0.	0.

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	382	382	538	974	0	3534	0	0
normalized size	1	1.	1.41	2.55	0.	9.25	0.	0.
time (sec)	N/A	0.621	2.628	0.18	0.	2.783	0.	0.

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	278	278	830	538	0	1960	0	0
normalized size	1	1.	2.99	1.94	0.	7.05	0.	0.
time (sec)	N/A	0.493	2.867	0.447	0.	2.322	0.	0.

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	158	158	298	662	0	625	4869	0
normalized size	1	1.	1.89	4.19	0.	3.96	30.82	0.
time (sec)	N/A	0.22	1.469	0.149	0.	1.884	9.982	0.

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	117	163	286	247	1127	123
normalized size	1	1.	1.56	2.17	3.81	3.29	15.03	1.64
time (sec)	N/A	0.062	0.198	0.027	1.468	1.792	7.614	1.101

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	6.205	0.657	0.	0.	0.	0.

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	5.845	0.973	0.	0.	0.	0.

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	352	352	443	1151	3750	6904	0	0
normalized size	1	1.	1.26	3.27	10.65	19.61	0.	0.
time (sec)	N/A	0.469	2.569	0.285	3.41	3.22	0.	0.

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	249	249	330	643	1904	4084	0	0
normalized size	1	1.	1.33	2.58	7.65	16.4	0.	0.
time (sec)	N/A	0.33	2.03	0.137	1.812	2.618	0.	0.

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	134	134	300	245	698	1654	0	0
normalized size	1	1.	2.24	1.83	5.21	12.34	0.	0.
time (sec)	N/A	0.157	1.064	0.144	1.453	2.101	0.	0.

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	48	40	69	293	0	51
normalized size	1	1.	1.26	1.05	1.82	7.71	0.	1.34
time (sec)	N/A	0.054	0.066	0.036	1.005	1.604	0.	1.18

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.06	10.959	3.595	0.	0.	0.	0.

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.055	12.578	7.668	0.	0.	0.	0.

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	463	463	1013	1705	10242	10928	0	0
normalized size	1	1.	2.19	3.68	22.12	23.6	0.	0.
time (sec)	N/A	0.776	10.745	0.307	15.895	3.97	0.	0.

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	327	327	693	942	5003	6126	0	0
normalized size	1	1.	2.12	2.88	15.3	18.73	0.	0.
time (sec)	N/A	0.509	8.34	0.187	4.048	2.812	0.	0.

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	169	169	396	351	1727	2284	0	0
normalized size	1	1.	2.34	2.08	10.22	13.51	0.	0.
time (sec)	N/A	0.189	1.706	0.185	2.008	2.343	0.	0.

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	57	77	151	433	0	119
normalized size	1	1.	1.12	1.51	2.96	8.49	0.	2.33
time (sec)	N/A	0.077	0.186	0.042	0.991	1.843	0.	1.174

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.069	23.375	3.372	0.	0.	0.	0.

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.068	43.655	7.221	0.	0.	0.	0.

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	C	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	600	600	1485	2257	0	17747	0	0
normalized size	1	1.	2.48	3.76	0.	29.58	0.	0.
time (sec)	N/A	1.108	31.369	0.286	0.	5.571	0.	0.

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	392	392	951	1215	8266	9528	0	0
normalized size	1	1.	2.43	3.1	21.09	24.31	0.	0.
time (sec)	N/A	0.722	17.498	0.231	13.379	3.546	0.	0.

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	216	216	484	468	2817	3522	0	0
normalized size	1	1.	2.24	2.17	13.04	16.31	0.	0.
time (sec)	N/A	0.283	3.575	0.227	4.081	2.375	0.	0.

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	82	82	85	115	212	636	0	151
normalized size	1	1.	1.04	1.4	2.59	7.76	0.	1.84
time (sec)	N/A	0.09	0.511	0.05	0.985	1.811	0.	1.138

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.067	73.533	7.305	0.	0.	0.	0.

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.066	150.7	9.902	0.	0.	0.	0.

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.062	7.328	0.325	0.	0.	0.	0.

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.039	1.739	0.134	0.	0.	0.	0.

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.051	0.763	0.105	0.	0.	0.	0.

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.041	5.396	0.083	0.	0.	0.	0.

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.065	9.897	0.106	0.	0.	0.	0.

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	544	544	956	0	0	5493	0	0
normalized size	1	1.	1.76	0.	0.	10.1	0.	0.
time (sec)	N/A	0.968	3.295	0.843	0.	3.319	0.	0.

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	408	408	445	0	0	3943	0	0
normalized size	1	1.	1.09	0.	0.	9.66	0.	0.
time (sec)	N/A	0.859	2.056	0.664	0.	3.06	0.	0.

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	267	267	299	548	0	2583	0	0
normalized size	1	1.	1.12	2.05	0.	9.67	0.	0.
time (sec)	N/A	0.585	1.587	0.141	0.	3.139	0.	0.

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	57	57	59	70	0	510	0	104
normalized size	1	1.	1.04	1.23	0.	8.95	0.	1.82
time (sec)	N/A	0.068	0.11	0.	0.	1.892	0.	1.103

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	643	643	1020	0	0	6095	0	0
normalized size	1	1.	1.59	0.	0.	9.48	0.	0.
time (sec)	N/A	1.176	6.673	0.894	0.	4.403	0.	0.

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	479	479	531	0	0	4311	0	0
normalized size	1	1.	1.11	0.	0.	9.	0.	0.
time (sec)	N/A	1.038	3.187	0.976	0.	3.451	0.	0.

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	311	311	709	625	0	2770	0	0
normalized size	1	1.	2.28	2.01	0.	8.91	0.	0.
time (sec)	N/A	0.551	6.734	0.296	0.	3.259	0.	0.

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	71	96	0	609	0	134
normalized size	1	1.	0.95	1.28	0.	8.12	0.	1.79
time (sec)	N/A	0.106	0.18	0.027	0.	1.875	0.	1.121

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	802	802	1923	0	0	6724	0	0
normalized size	1	1.	2.4	0.	0.	8.38	0.	0.
time (sec)	N/A	1.341	5.506	0.207	0.	5.399	0.	0.

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	592	592	1166	0	0	4691	0	0
normalized size	1	1.	1.97	0.	0.	7.92	0.	0.
time (sec)	N/A	1.18	4.439	0.388	0.	4.033	0.	0.

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	382	382	752	710	0	2938	0	0
normalized size	1	1.	1.97	1.86	0.	7.69	0.	0.
time (sec)	N/A	0.666	8.038	0.43	0.	3.596	0.	0.

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	107	107	97	216	0	768	0	204
normalized size	1	1.	0.91	2.02	0.	7.18	0.	1.91
time (sec)	N/A	0.186	0.247	0.028	0.	2.272	0.	1.12

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	732	732	894	0	0	8263	0	0
normalized size	1	1.	1.22	0.	0.	11.29	0.	0.
time (sec)	N/A	1.117	2.603	0.864	0.	4.776	0.	0.

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	528	528	573	0	0	5696	0	0
normalized size	1	1.	1.09	0.	0.	10.79	0.	0.
time (sec)	N/A	0.946	1.69	0.642	0.	3.985	0.	0.

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	325	325	764	660	0	3510	0	0
normalized size	1	1.	2.35	2.03	0.	10.8	0.	0.
time (sec)	N/A	0.615	6.392	0.169	0.	3.939	0.	0.

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	67	67	77	69	0	698	0	112
normalized size	1	1.	1.15	1.03	0.	10.42	0.	1.67
time (sec)	N/A	0.083	0.07	0.001	0.	2.755	0.	1.495

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	882	882	1680	0	0	10330	0	0
normalized size	1	1.	1.9	0.	0.	11.71	0.	0.
time (sec)	N/A	1.551	43.034	2.592	0.	7.455	0.	0.

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	639	639	911	0	0	6947	0	0
normalized size	1	1.	1.43	0.	0.	10.87	0.	0.
time (sec)	N/A	1.206	11.921	2.214	0.	4.929	0.	0.

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	370	370	933	766	0	4132	0	0
normalized size	1	1.	2.52	2.07	0.	11.17	0.	0.
time (sec)	N/A	0.616	11.258	0.194	0.	4.488	0.	0.

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	B	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	83	83	111	109	0	944	0	176
normalized size	1	1.	1.34	1.31	0.	11.37	0.	2.12
time (sec)	N/A	0.128	0.445	0.001	0.	2.705	0.	1.269

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.068	7.663	0.296	0.	0.	0.	0.

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.042	0.798	0.154	0.	0.	0.	0.

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.054	0.306	0.067	0.	0.	0.	0.

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.042	36.304	0.079	0.	0.	0.	0.

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.068	6.386	0.108	0.	0.	0.	0.

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	574	574	2141	750	0	3528	0	0
normalized size	1	1.	3.73	1.31	0.	6.15	0.	0.
time (sec)	N/A	1.617	15.405	0.917	0.	4.064	0.	0.

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1106	1106	3757	0	0	7002	0	0
normalized size	1	1.	3.4	0.	0.	6.33	0.	0.
time (sec)	N/A	2.557	24.825	1.519	0.	4.888	0.	0.

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1512	1512	5444	0	0	11271	0	0
normalized size	1	1.	3.6	0.	0.	7.45	0.	0.
time (sec)	N/A	3.066	21.997	1.612	0.	7.113	0.	0.

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	A	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	751	751	2408	1084	0	5449	0	0
normalized size	1	1.	3.21	1.44	0.	7.26	0.	0.
time (sec)	N/A	2.955	15.461	1.699	0.	5.517	0.	0.

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1584	1584	13567	0	0	12407	0	0
normalized size	1	1.	8.57	0.	0.	7.83	0.	0.
time (sec)	N/A	5.943	25.016	3.147	0.	7.469	0.	0.

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	2348	2348	11204	0	0	22152	0	0
normalized size	1	1.	4.77	0.	0.	9.43	0.	0.
time (sec)	N/A	8.374	22.235	1.711	0.	13.021	0.	0.

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	151	151	276	679	689	1189	0	0
normalized size	1	1.	1.83	4.5	4.56	7.87	0.	0.
time (sec)	N/A	0.234	1.407	0.184	1.395	2.03	0.	0.

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	221	421	396	772	0	0
normalized size	1	1.	1.94	3.69	3.47	6.77	0.	0.
time (sec)	N/A	0.211	0.99	0.131	1.674	1.796	0.	0.

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	A	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	79	79	246	203	157	425	0	0
normalized size	1	1.	3.11	2.57	1.99	5.38	0.	0.
time (sec)	N/A	0.125	0.507	0.148	1.365	1.949	0.	0.

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	16	16	16	19	24	39	24	26
normalized size	1	1.	1.	1.19	1.5	2.44	1.5	1.62
time (sec)	N/A	0.025	0.011	0.012	0.996	1.718	0.491	1.149

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.047	3.064	0.181	0.	0.	0.	0.

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.047	3.91	0.217	0.	0.	0.	0.

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	102	436	721	329	1232	0
normalized size	1	1.	1.03	4.4	7.28	3.32	12.44	0.
time (sec)	N/A	0.144	0.643	0.066	1.634	1.668	12.786	0.

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	A	F(-2)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	74	215	417	209	770	0
normalized size	1	1.	0.99	2.87	5.56	2.79	10.27	0.
time (sec)	N/A	0.115	0.423	0.059	1.563	1.756	8.523	0.

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	51	51	53	78	204	117	439	0
normalized size	1	1.	1.04	1.53	4.	2.29	8.61	0.
time (sec)	N/A	0.064	0.505	0.058	1.523	1.602	5.38	0.

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	19	19	97	43	70	38	119	46
normalized size	1	1.	5.11	2.26	3.68	2.	6.26	2.42
time (sec)	N/A	0.042	0.139	0.048	1.592	1.598	3.262	1.117

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	72	72	58	102	220	230	0	967
normalized size	1	1.	0.81	1.42	3.06	3.19	0.	13.43
time (sec)	N/A	0.201	0.275	0.054	1.321	1.736	0.	1.359

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	80	132	232	315	0	0
normalized size	1	1.	0.84	1.39	2.44	3.32	0.	0.
time (sec)	N/A	0.2	0.416	0.053	1.417	1.611	0.	0.

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	219	219	132	737	772	570	0	0
normalized size	1	1.	0.6	3.37	3.53	2.6	0.	0.
time (sec)	N/A	0.243	1.145	0.063	1.196	1.697	0.	0.

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	A	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	161	161	95	339	390	327	1705	0
normalized size	1	1.	0.59	2.11	2.42	2.03	10.59	0.
time (sec)	N/A	0.173	0.796	0.062	1.095	1.726	17.459	0.

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	91	91	52	114	154	167	787	0
normalized size	1	1.	0.57	1.25	1.69	1.84	8.65	0.
time (sec)	N/A	0.091	0.886	0.054	1.036	1.633	10.783	0.

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	24	28	34	61	158	34
normalized size	1	1.	0.75	0.88	1.06	1.91	4.94	1.06
time (sec)	N/A	0.046	0.042	0.016	1.01	1.636	7.359	1.147

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	C
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	128	128	105	161	378	412	0	6518
normalized size	1	1.	0.82	1.26	2.95	3.22	0.	50.92
time (sec)	N/A	0.296	0.386	0.051	1.407	1.72	0.	2.105

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	C	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	175	175	203	230	414	610	0	0
normalized size	1	1.	1.16	1.31	2.37	3.49	0.	0.
time (sec)	N/A	0.334	0.572	0.049	1.619	1.926	0.	0.

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	502	502	865	1265	5164	4439	0	0
normalized size	1	1.	1.72	2.52	10.29	8.84	0.	0.
time (sec)	N/A	0.488	8.759	0.26	5.559	3.157	0.	0.

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	278	278	670	677	2596	2646	0	0
normalized size	1	1.	2.41	2.44	9.34	9.52	0.	0.
time (sec)	N/A	0.267	8.018	0.181	2.286	2.646	0.	0.

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	655	303	986	1339	0	0
normalized size	1	1.	3.81	1.76	5.73	7.78	0.	0.
time (sec)	N/A	0.139	2.933	0.214	1.625	2.111	0.	0.

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	37	37	30	54	63	163	0	78
normalized size	1	1.	0.81	1.46	1.7	4.41	0.	2.11
time (sec)	N/A	0.051	0.037	0.052	0.982	1.699	0.	1.208

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.045	13.839	1.774	0.	0.	0.	0.

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.046	22.11	3.25	0.	0.	0.	0.

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	475	475	1117	1124	6893	3767	0	0
normalized size	1	1.	2.35	2.37	14.51	7.93	0.	0.
time (sec)	N/A	0.594	8.759	0.338	6.673	3.117	0.	0.

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	343	343	637	573	1800	2186	0	0
normalized size	1	1.	1.86	1.67	5.25	6.37	0.	0.
time (sec)	N/A	0.378	6.61	0.236	2.926	2.357	0.	0.

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	B	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	152	152	231	466	1505	417	0	8986
normalized size	1	1.	1.52	3.07	9.9	2.74	0.	59.12
time (sec)	N/A	0.145	1.052	0.172	1.134	1.738	0.	3.821

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	B	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	45	70	174	131	0	90
normalized size	1	1.	1.07	1.67	4.14	3.12	0.	2.14
time (sec)	N/A	0.051	0.052	0.05	1.004	1.603	0.	1.171

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.066	18.86	3.027	0.	0.	0.	0.

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.067	24.846	5.532	0.	0.	0.	0.

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-1)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	698	698	1901	2161	0	6093	0	0
normalized size	1	1.	2.72	3.1	0.	8.73	0.	0.
time (sec)	N/A	0.735	9.986	0.325	0.	4.698	0.	0.

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	431	431	1468	1119	7104	3775	0	0
normalized size	1	1.	3.41	2.6	16.48	8.76	0.	0.
time (sec)	N/A	0.398	8.926	0.361	40.691	3.19	0.	0.

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	B	B	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	241	241	1171	483	2665	2080	0	0
normalized size	1	1.	4.86	2.	11.06	8.63	0.	0.
time (sec)	N/A	0.191	6.595	0.378	4.788	2.483	0.	0.

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	75	90	123	336	0	130
normalized size	1	1.	0.97	1.17	1.6	4.36	0.	1.69
time (sec)	N/A	0.08	0.103	0.058	0.966	1.748	0.	1.235

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	F(-1)
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.072	34.35	5.279	0.	0.	0.	0.

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-1)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.072	51.992	1.749	0.	0.	0.	0.

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	449	449	405	0	0	861	0	0
normalized size	1	1.	0.9	0.	0.	1.92	0.	0.
time (sec)	N/A	0.643	4.717	0.199	0.	1.99	0.	0.

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	277	277	253	0	0	468	0	0
normalized size	1	1.	0.91	0.	0.	1.69	0.	0.
time (sec)	N/A	0.319	2.511	0.19	0.	2.	0.	0.

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	154	154	220	0	0	306	0	0
normalized size	1	1.	1.43	0.	0.	1.99	0.	0.
time (sec)	N/A	0.177	0.984	0.116	0.	1.81	0.	0.

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.044	7.704	0.088	0.	0.	0.	0.

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.064	0.333	0.	0.	0.	0.	0.

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.044	9.267	0.126	0.	0.	0.	0.

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	F(-2)	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.074	13.544	0.165	0.	0.	0.	0.

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	432	432	410	0	0	4316	0	0
normalized size	1	1.	0.95	0.	0.	9.99	0.	0.
time (sec)	N/A	0.608	0.186	0.921	0.	2.985	0.	0.

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	320	320	302	0	0	3082	0	0
normalized size	1	1.	0.94	0.	0.	9.63	0.	0.
time (sec)	N/A	0.513	0.172	0.716	0.	2.673	0.	0.

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	212	212	197	1006	0	1986	0	0
normalized size	1	1.	0.93	4.75	0.	9.37	0.	0.
time (sec)	N/A	0.285	0.049	0.162	0.	2.876	0.	0.

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	A	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	18	18	18	19	24	42	41	26
normalized size	1	1.	1.	1.06	1.33	2.33	2.28	1.44
time (sec)	N/A	0.026	0.007	0.	0.953	1.574	0.58	1.216

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	618	618	1025	0	0	5505	0	0
normalized size	1	1.	1.66	0.	0.	8.91	0.	0.
time (sec)	N/A	1.068	3.474	1.177	0.	3.825	0.	0.

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	460	460	536	0	0	3931	0	0
normalized size	1	1.	1.17	0.	0.	8.55	0.	0.
time (sec)	N/A	0.929	2.623	0.956	0.	3.145	0.	0.

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	298	298	716	1123	0	2564	0	0
normalized size	1	1.	2.4	3.77	0.	8.6	0.	0.
time (sec)	N/A	0.535	6.919	0.337	0.	3.222	0.	0.

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	70	70	398	142	0	498	0	128
normalized size	1	1.	5.69	2.03	0.	7.11	0.	1.83
time (sec)	N/A	0.116	2.123	0.001	0.	1.852	0.	1.149

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	737	737	2452	0	0	6086	0	0
normalized size	1	1.	3.33	0.	0.	8.26	0.	0.
time (sec)	N/A	0.881	10.121	1.418	0.	4.347	0.	0.

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	548	548	2397	0	0	4139	0	0
normalized size	1	1.	4.37	0.	0.	7.55	0.	0.
time (sec)	N/A	0.733	5.02	1.442	0.	3.335	0.	0.

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	351	351	2165	1750	0	2533	0	0
normalized size	1	1.	6.17	4.99	0.	7.22	0.	0.
time (sec)	N/A	0.409	14.457	0.773	0.	3.219	0.	0.

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	54	72	74	128	0	76
normalized size	1	1.	0.89	1.18	1.21	2.1	0.	1.25
time (sec)	N/A	0.068	0.077	0.001	0.946	1.737	0.	1.185

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	937	937	2496	0	0	7549	0	0
normalized size	1	1.	2.66	0.	0.	8.06	0.	0.
time (sec)	N/A	1.618	9.836	0.914	0.	3.97	0.	0.

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	667	667	1561	0	0	5157	0	0
normalized size	1	1.	2.34	0.	0.	7.73	0.	0.
time (sec)	N/A	1.143	5.548	0.7	0.	3.329	0.	0.

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	413	413	2743	861	0	3094	0	0
normalized size	1	1.	6.64	2.08	0.	7.49	0.	0.
time (sec)	N/A	0.635	16.59	0.254	0.	3.779	0.	0.

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	64	76	86	158	0	96
normalized size	1	1.	0.85	1.01	1.15	2.11	0.	1.28
time (sec)	N/A	0.081	0.061	0.002	0.946	2.256	0.	1.192

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	923	923	1438	0	0	9469	0	0
normalized size	1	1.	1.56	0.	0.	10.26	0.	0.
time (sec)	N/A	1.937	9.375	2.507	0.	7.736	0.	0.

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	659	659	1122	0	0	6276	0	0
normalized size	1	1.	1.7	0.	0.	9.52	0.	0.
time (sec)	N/A	1.434	7.901	3.475	0.	5.222	0.	0.

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	349	349	842	1542	0	3087	0	0
normalized size	1	1.	2.41	4.42	0.	8.85	0.	0.
time (sec)	N/A	0.795	9.709	0.359	0.	3.955	0.	0.

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	152	117	0	684	0	144
normalized size	1	1.	1.81	1.39	0.	8.14	0.	1.71
time (sec)	N/A	0.101	0.263	0.002	0.	2.182	0.	1.657

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.071	4.552	0.243	0.	0.	0.	0.

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.046	3.3	0.151	0.	0.	0.	0.

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	22	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.058	0.11	0.	0.	0.	0.	0.

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.044	139.158	0.079	0.	0.	0.	0.

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	N/A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	30	0	0	0	0	0	0	0
normalized size	1	0.	0.	0.	0.	0.	0.	0.
time (sec)	N/A	0.067	6.208	0.129	0.	0.	0.	0.

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	A	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	73	194	0	736	0	0
normalized size	1	1.	0.95	2.52	0.	9.56	0.	0.
time (sec)	N/A	0.072	0.446	0.889	0.	2.076	0.	0.

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	280	280	311	606	0	3263	0	0
normalized size	1	1.	1.11	2.16	0.	11.65	0.	0.
time (sec)	N/A	0.528	3.089	0.892	0.	3.851	0.	0.

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	418	418	446	0	0	5299	0	0
normalized size	1	1.	1.07	0.	0.	12.68	0.	0.
time (sec)	N/A	0.885	2.373	1.598	0.	3.71	0.	0.

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	C	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	116	116	112	349	0	1364	0	0
normalized size	1	1.	0.97	3.01	0.	11.76	0.	0.
time (sec)	N/A	0.097	1.115	1.747	0.	2.033	0.	0.

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	357	357	1104	946	0	5252	0	0
normalized size	1	1.	3.09	2.65	0.	14.71	0.	0.
time (sec)	N/A	0.611	14.813	1.967	0.	4.332	0.	0.

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	753	753	2311	0	0	10630	0	0
normalized size	1	1.	3.07	0.	0.	14.12	0.	0.
time (sec)	N/A	1.274	19.517	1.497	0.	6.018	0.	0.

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	765	765	1194	0	0	7471	0	0
normalized size	1	1.	1.56	0.	0.	9.77	0.	0.
time (sec)	N/A	1.426	2.241	2.293	0.	3.967	0.	0.

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	557	557	607	0	0	5239	0	0
normalized size	1	1.	1.09	0.	0.	9.41	0.	0.
time (sec)	N/A	1.19	1.75	1.974	0.	3.303	0.	0.

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	351	351	812	1207	0	3267	0	0
normalized size	1	1.	2.31	3.44	0.	9.31	0.	0.
time (sec)	N/A	0.66	6.798	0.306	0.	3.314	0.	0.

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	F(-2)	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	75	75	90	137	0	640	0	127
normalized size	1	1.	1.2	1.83	0.	8.53	0.	1.69
time (sec)	N/A	0.184	0.112	0.003	0.	2.053	0.	2.167

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	763	763	4014	0	0	7961	0	0
normalized size	1	1.	5.26	0.	0.	10.43	0.	0.
time (sec)	N/A	1.359	10.63	4.033	0.	5.837	0.	0.

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	566	566	1834	0	0	5391	0	0
normalized size	1	1.	3.24	0.	0.	9.52	0.	0.
time (sec)	N/A	1.122	9.363	3.634	0.	3.794	0.	0.

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	379	379	2209	1721	0	3194	0	0
normalized size	1	1.	5.83	4.54	0.	8.43	0.	0.
time (sec)	N/A	0.631	14.832	1.253	0.	3.548	0.	0.

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	53	68	73	131	0	76
normalized size	1	1.	0.9	1.15	1.24	2.22	0.	1.29
time (sec)	N/A	0.108	0.075	0.073	0.967	1.967	0.	1.258

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1138	1138	1181	0	0	9441	0	0
normalized size	1	1.	1.04	0.	0.	8.3	0.	0.
time (sec)	N/A	2.107	6.635	3.191	0.	7.698	0.	0.

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	825	825	1254	0	0	6433	0	0
normalized size	1	1.	1.52	0.	0.	7.8	0.	0.
time (sec)	N/A	1.633	4.984	3.208	0.	5.15	0.	0.

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	524	524	934	1901	0	3862	0	0
normalized size	1	1.	1.78	3.63	0.	7.37	0.	0.
time (sec)	N/A	0.899	11.814	1.073	0.	4.032	0.	0.

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	124	124	143	334	0	853	0	247
normalized size	1	1.	1.15	2.69	0.	6.88	0.	1.99
time (sec)	N/A	0.28	0.281	0.083	0.	3.043	0.	2.088

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	852	852	2974	0	0	9106	0	0
normalized size	1	1.	3.49	0.	0.	10.69	0.	0.
time (sec)	N/A	1.782	46.364	2.659	0.	5.069	0.	0.

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	616	616	1833	0	0	6120	0	0
normalized size	1	1.	2.98	0.	0.	9.94	0.	0.
time (sec)	N/A	1.387	14.007	2.075	0.	3.539	0.	0.

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	386	386	2314	1732	0	3592	0	0
normalized size	1	1.	5.99	4.49	0.	9.31	0.	0.
time (sec)	N/A	0.784	14.746	0.381	0.	3.487	0.	0.

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	54	72	77	166	0	97
normalized size	1	1.	0.9	1.2	1.28	2.77	0.	1.62
time (sec)	N/A	0.123	0.094	0.003	0.974	1.951	0.	1.157

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	1144	1144	3860	0	0	10645	0	0
normalized size	1	1.	3.37	0.	0.	9.31	0.	0.
time (sec)	N/A	2.656	42.502	3.043	0.	8.591	0.	0.

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	F	F(-2)	C	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	840	840	951	0	0	7205	0	0
normalized size	1	1.	1.13	0.	0.	8.58	0.	0.
time (sec)	N/A	2.152	10.812	3.44	0.	5.342	0.	0.

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	B	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	517	517	1019	1890	0	4292	0	0
normalized size	1	1.	1.97	3.66	0.	8.3	0.	0.
time (sec)	N/A	1.142	11.949	1.136	0.	4.273	0.	0.

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	B	F(-2)	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	104	104	146	249	0	981	0	298
normalized size	1	1.	1.4	2.39	0.	9.43	0.	2.87
time (sec)	N/A	0.27	0.802	0.076	0.	2.953	0.	1.819

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	1432	1432	3944	0	0	11439	0	0
normalized size	1	1.	2.75	0.	0.	7.99	0.	0.
time (sec)	N/A	2.947	44.867	4.713	0.	9.775	0.	0.

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	F	F(-2)	C	F(-1)	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	1051	1051	5156	0	0	7509	0	0
normalized size	1	1.	4.91	0.	0.	7.14	0.	0.
time (sec)	N/A	2.241	13.575	4.864	0.	5.624	0.	0.

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	B	B	F(-2)	B	F(-1)	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD
size	641	641	2504	2485	0	4313	0	0
normalized size	1	1.	3.91	3.88	0.	6.73	0.	0.
time (sec)	N/A	1.225	15.217	2.569	0.	4.428	0.	0.

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac
grade	A	A	A	A	A	A	F(-1)	A
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	96	96	86	124	123	317	0	142
normalized size	1	1.	0.9	1.29	1.28	3.3	0.	1.48
time (sec)	N/A	0.155	0.192	0.073	0.983	2.17	0.	2.194

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [249] had the largest ratio of [0.6154]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	2	1.	14	0.143
2	A	4	2	1.	14	0.143
3	A	3	2	1.	14	0.143
4	A	2	2	1.	12	0.167
5	A	3	3	1.	14	0.214
6	A	4	4	1.	14	0.286
7	A	5	4	1.	14	0.286
8	A	6	4	1.	16	0.25
9	A	4	3	1.	16	0.188
10	A	4	4	1.	16	0.25
11	A	2	1	1.	14	0.071
12	A	5	4	1.	16	0.25
13	A	5	5	1.	16	0.312
14	A	7	6	1.	16	0.375
15	A	7	7	1.	16	0.438
16	A	12	4	1.	16	0.25
17	A	8	4	1.	16	0.25
18	A	6	4	1.	16	0.25
19	A	3	3	1.	14	0.214
20	A	8	4	1.	16	0.25
21	A	8	4	1.	16	0.25
22	A	12	5	1.	16	0.312
23	A	9	5	1.	14	0.357
24	A	7	4	1.	14	0.286
25	A	5	3	1.	12	0.25
26	A	0	0	0.	0	0.
27	A	0	0	0.	0	0.
28	A	6	6	1.	16	0.375
29	A	5	5	1.	16	0.312
30	A	2	2	1.	14	0.143
31	A	0	0	0.	0	0.
32	A	0	0	0.	0	0.
33	A	15	8	1.	16	0.5
34	A	9	6	1.	16	0.375
35	A	6	4	1.	14	0.286

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
36	A	0	0	0.	0	0.
37	A	0	0	0.	0	0.
38	A	8	6	1.	16	0.375
39	A	7	6	1.	16	0.375
40	A	6	6	1.	16	0.375
41	A	5	5	1.	16	0.312
42	A	6	6	1.	16	0.375
43	A	7	6	1.	16	0.375
44	A	8	6	1.	16	0.375
45	A	10	9	1.	18	0.5
46	A	9	8	1.	18	0.444
47	A	8	7	1.	18	0.389
48	A	7	6	1.	18	0.333
49	A	7	7	1.	18	0.389
50	A	9	8	1.	18	0.444
51	A	9	9	1.	18	0.5
52	A	11	8	1.	18	0.444
53	A	23	8	1.	18	0.444
54	A	20	8	1.	18	0.444
55	A	14	7	1.	18	0.389
56	A	12	6	1.	18	0.333
57	A	12	6	1.	18	0.333
58	A	18	7	1.	18	0.389
59	A	19	8	1.	18	0.444
60	A	4	3	1.	12	0.25
61	A	3	3	1.	12	0.25
62	A	2	2	1.	12	0.167
63	A	3	3	1.	12	0.25
64	A	4	3	1.	12	0.25
65	A	0	0	0.	0	0.
66	A	0	0	0.	0	0.
67	A	2	1	1.	25	0.04
68	A	3	2	1.	29	0.069
69	A	2	1	1.	28	0.036
70	A	3	1	1.	28	0.036
71	A	0	0	0.	0	0.
72	A	8	3	1.	16	0.188
73	A	5	3	1.	16	0.188
74	A	3	2	1.	14	0.143
75	A	0	0	0.	0	0.
76	A	0	0	0.	0	0.
77	A	3	2	1.	12	0.167
78	A	3	2	1.	12	0.167
79	A	3	2	1.	12	0.167

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
80	A	3	2	1.	10	0.2
81	A	3	2	1.	12	0.167
82	A	3	2	1.	12	0.167
83	A	3	2	1.	12	0.167
84	A	5	3	1.	14	0.214
85	A	5	3	1.	14	0.214
86	A	5	3	1.	14	0.214
87	A	5	3	1.	12	0.25
88	A	5	3	1.	14	0.214
89	A	5	3	1.	14	0.214
90	A	5	3	1.	14	0.214
91	A	4	2	1.	28	0.071
92	A	7	5	1.	32	0.156
93	A	4	2	1.	28	0.071
94	A	5	2	1.	28	0.071
95	A	6	3	1.	18	0.167
96	A	5	3	1.	18	0.167
97	A	4	3	1.	16	0.188
98	A	5	4	1.	18	0.222
99	A	6	5	1.	18	0.278
100	A	7	5	1.	18	0.278
101	A	10	6	1.	20	0.3
102	A	9	7	1.	20	0.35
103	A	6	4	1.	18	0.222
104	A	9	5	1.	20	0.25
105	A	9	5	1.	20	0.25
106	A	15	8	1.	20	0.4
107	A	7	7	1.	20	0.35
108	A	6	6	1.	20	0.3
109	A	3	3	1.	18	0.167
110	A	0	0	0.	0	0.
111	A	0	0	0.	0	0.
112	A	10	9	1.	20	0.45
113	A	9	9	1.	20	0.45
114	A	4	4	1.	18	0.222
115	A	0	0	0.	0	0.
116	A	0	0	0.	0	0.
117	A	7	7	1.	21	0.333
118	A	6	6	1.	21	0.286
119	A	3	3	1.	19	0.158
120	A	0	0	0.	0	0.
121	A	0	0	0.	0	0.
122	A	5	3	1.	18	0.167
123	A	4	3	1.	18	0.167

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
124	A	3	3	1.	16	0.188
125	A	4	4	1.	18	0.222
126	A	5	5	1.	18	0.278
127	A	6	5	1.	18	0.278
128	A	9	5	1.	18	0.278
129	A	7	5	1.	18	0.278
130	A	4	4	1.	16	0.25
131	A	9	5	1.	18	0.278
132	A	9	5	1.	18	0.278
133	A	13	6	1.	18	0.333
134	A	10	6	1.	18	0.333
135	A	8	5	1.	18	0.278
136	A	6	4	1.	16	0.25
137	A	0	0	0.	0	0.
138	A	0	0	0.	0	0.
139	A	16	9	1.	18	0.5
140	A	10	7	1.	18	0.389
141	A	7	5	1.	16	0.312
142	A	0	0	0.	0	0.
143	A	0	0	0.	0	0.
144	A	0	0	0.	0	0.
145	A	0	0	0.	0	0.
146	A	12	5	1.	20	0.25
147	A	9	5	1.	20	0.25
148	A	5	3	1.	18	0.167
149	A	0	0	0.	0	0.
150	A	0	0	0.	0	0.
151	A	6	3	1.	18	0.167
152	A	5	3	1.	18	0.167
153	A	4	3	1.	16	0.188
154	A	5	4	1.	18	0.222
155	A	6	5	1.	18	0.278
156	A	7	5	1.	18	0.278
157	A	10	6	1.	20	0.3
158	A	9	7	1.	20	0.35
159	A	6	4	1.	18	0.222
160	A	10	5	1.	20	0.25
161	A	11	7	1.	20	0.35
162	A	14	8	1.	20	0.4
163	A	12	7	1.	20	0.35
164	A	10	6	1.	20	0.3
165	A	8	5	1.	18	0.278
166	A	0	0	0.	0	0.
167	A	0	0	0.	0	0.

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
168	A	22	9	1.	20	0.45
169	A	18	10	1.	20	0.5
170	A	11	8	1.	18	0.444
171	A	0	0	0.	0	0.
172	A	0	0	0.	0	0.
173	A	0	0	0.	0	0.
174	A	18	5	1.	20	0.25
175	A	10	5	1.	20	0.25
176	A	5	3	1.	18	0.167
177	A	0	0	0.	0	0.
178	A	0	0	0.	0	0.
179	A	9	9	1.	26	0.346
180	A	8	8	1.	26	0.308
181	A	5	4	1.	24	0.167
182	A	2	2	1.	19	0.105
183	A	0	0	0.	0	0.
184	A	0	0	0.	0	0.
185	A	14	11	1.	28	0.393
186	A	12	10	1.	28	0.357
187	A	8	6	1.	26	0.231
188	A	4	4	1.	21	0.19
189	A	0	0	0.	0	0.
190	A	0	0	0.	0	0.
191	A	19	13	1.	28	0.464
192	A	17	13	1.	28	0.464
193	A	11	7	1.	26	0.269
194	A	2	2	1.	21	0.095
195	A	0	0	0.	0	0.
196	A	0	0	0.	0	0.
197	A	17	10	1.	26	0.385
198	A	14	11	1.	26	0.423
199	A	9	7	1.	24	0.292
200	A	3	3	1.	19	0.158
201	A	0	0	0.	0	0.
202	A	0	0	0.	0	0.
203	A	24	10	1.	28	0.357
204	A	20	11	1.	28	0.393
205	A	12	7	1.	26	0.269
206	A	5	5	1.	21	0.238
207	A	0	0	0.	0	0.
208	A	0	0	0.	0	0.
209	A	40	13	1.	28	0.464
210	A	30	13	1.	28	0.464
211	A	19	8	1.	26	0.308

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
212	A	6	6	1.	21	0.286
213	A	0	0	0.	0	0.
214	A	0	0	0.	0	0.
215	A	0	0	0.	0	0.
216	A	0	0	0.	0	0.
217	A	0	0	0.	0	0.
218	A	0	0	0.	0	0.
219	A	0	0	0.	0	0.
220	A	14	9	1.	26	0.346
221	A	12	8	1.	26	0.308
222	A	10	6	1.	24	0.25
223	A	4	4	1.	19	0.21
224	A	19	11	1.	28	0.393
225	A	16	10	1.	28	0.357
226	A	13	8	1.	26	0.308
227	A	6	6	1.	21	0.286
228	A	24	13	1.	28	0.464
229	A	21	13	1.	28	0.464
230	A	16	9	1.	26	0.346
231	A	6	6	1.	21	0.286
232	A	22	9	1.	26	0.346
233	A	18	8	1.	26	0.308
234	A	14	7	1.	24	0.292
235	A	5	5	1.	19	0.263
236	A	29	11	1.	28	0.393
237	A	24	12	1.	28	0.429
238	A	17	9	1.	26	0.346
239	A	7	7	1.	21	0.333
240	A	0	0	0.	0	0.
241	A	0	0	0.	0	0.
242	A	0	0	0.	0	0.
243	A	0	0	0.	0	0.
244	A	0	0	0.	0	0.
245	A	21	9	1.	24	0.375
246	A	30	11	1.	26	0.423
247	A	36	10	1.	26	0.385
248	A	48	11	1.	24	0.458
249	A	73	16	1.	26	0.615
250	A	92	14	1.	26	0.538
251	A	6	6	1.	26	0.231
252	A	5	5	1.	26	0.192
253	A	4	4	1.	24	0.167
254	A	2	2	1.	19	0.105
255	A	0	0	0.	0	0.

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
256	A	0	0	0.	0	0.
257	A	6	4	1.	28	0.143
258	A	5	4	1.	28	0.143
259	A	4	3	1.	26	0.115
260	A	2	2	1.	21	0.095
261	A	5	5	1.	28	0.179
262	A	6	6	1.	28	0.214
263	A	10	8	1.	28	0.286
264	A	7	5	1.	28	0.179
265	A	6	6	1.	26	0.231
266	A	2	1	1.	21	0.048
267	A	9	6	1.	28	0.214
268	A	11	7	1.	28	0.25
269	A	22	13	1.	26	0.5
270	A	13	10	1.	26	0.385
271	A	10	8	1.	24	0.333
272	A	4	3	1.	19	0.158
273	A	0	0	0.	0	0.
274	A	0	0	0.	0	0.
275	A	20	12	1.	28	0.429
276	A	16	12	1.	28	0.429
277	A	7	7	1.	26	0.269
278	A	3	3	1.	21	0.143
279	A	0	0	0.	0	0.
280	A	0	0	0.	0	0.
281	A	32	16	1.	28	0.571
282	A	17	12	1.	28	0.429
283	A	11	7	1.	26	0.269
284	A	4	3	1.	21	0.143
285	A	0	0	0.	0	0.
286	A	0	0	0.	0	0.
287	A	14	6	1.	28	0.214
288	A	9	6	1.	28	0.214
289	A	5	4	1.	28	0.143
290	A	0	0	0.	0	0.
291	A	0	0	0.	0	0.
292	A	0	0	0.	0	0.
293	A	0	0	0.	0	0.
294	A	11	6	1.	26	0.231
295	A	9	5	1.	26	0.192
296	A	7	4	1.	24	0.167
297	A	2	2	1.	19	0.105
298	A	18	11	1.	28	0.393
299	A	15	10	1.	28	0.357

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
300	A	12	8	1.	26	0.308
301	A	5	5	1.	21	0.238
302	A	21	14	1.	28	0.5
303	A	16	10	1.	28	0.357
304	A	13	10	1.	26	0.385
305	A	3	2	1.	21	0.095
306	A	29	10	1.	26	0.385
307	A	24	9	1.	26	0.346
308	A	19	8	1.	24	0.333
309	A	6	4	1.	19	0.21
310	A	29	13	1.	28	0.464
311	A	24	14	1.	28	0.5
312	A	15	11	1.	26	0.423
313	A	5	5	1.	21	0.238
314	A	0	0	0.	0	0.
315	A	0	0	0.	0	0.
316	A	0	0	0.	0	0.
317	A	0	0	0.	0	0.
318	A	0	0	0.	0	0.
319	A	4	4	1.	24	0.167
320	A	9	6	1.	26	0.231
321	A	11	7	1.	26	0.269
322	A	6	6	1.	24	0.25
323	A	12	9	1.	26	0.346
324	A	19	11	1.	26	0.423
325	A	33	14	1.	32	0.438
326	A	27	13	1.	32	0.406
327	A	21	11	1.	30	0.367
328	A	6	6	1.	25	0.24
329	A	34	17	1.	34	0.5
330	A	26	13	1.	34	0.382
331	A	22	13	1.	32	0.406
332	A	4	3	1.	27	0.111
333	A	53	18	1.	34	0.529
334	A	41	18	1.	34	0.529
335	A	31	14	1.	32	0.438
336	A	6	6	1.	27	0.222
337	A	48	19	1.	34	0.559
338	A	37	17	1.	34	0.5
339	A	28	15	1.	32	0.469
340	A	4	3	1.	27	0.111
341	A	66	20	1.	36	0.556
342	A	53	22	1.	36	0.611
343	A	38	16	1.	34	0.471

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
344	A	6	6	1.	29	0.207
345	A	85	21	1.	36	0.583
346	A	60	20	1.	36	0.556
347	A	45	17	1.	34	0.5
348	A	4	3	1.	29	0.103

Chapter 3

Listing of integrals

3.1 $\int (c + dx)^4 \sin(a + bx) dx$

Optimal. Leaf size=92

$$\frac{24d^3(c + dx) \sin(a + bx)}{b^4} + \frac{12d^2(c + dx)^2 \cos(a + bx)}{b^3} + \frac{4d(c + dx)^3 \sin(a + bx)}{b^2} - \frac{24d^4 \cos(a + bx)}{b^5} - \frac{(c + dx)^4 \cos(a + bx)}{b}$$

[Out] $(-24*d^4*Cos[a + b*x])/b^5 + (12*d^2*(c + d*x)^2*Cos[a + b*x])/b^3 - ((c + d*x)^4*Cos[a + b*x])/b - (24*d^3*(c + d*x)*Sin[a + b*x])/b^4 + (4*d*(c + d*x)^3*Sin[a + b*x])/b^2$

Rubi [A] time = 0.0914089, antiderivative size = 92, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2638}

$$\frac{24d^3(c + dx) \sin(a + bx)}{b^4} + \frac{12d^2(c + dx)^2 \cos(a + bx)}{b^3} + \frac{4d(c + dx)^3 \sin(a + bx)}{b^2} - \frac{24d^4 \cos(a + bx)}{b^5} - \frac{(c + dx)^4 \cos(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^4*\text{Sin}[a + b*x], x]$

[Out] $(-24*d^4*Cos[a + b*x])/b^5 + (12*d^2*(c + d*x)^2*Cos[a + b*x])/b^3 - ((c + d*x)^4*Cos[a + b*x])/b - (24*d^3*(c + d*x)*Sin[a + b*x])/b^4 + (4*d*(c + d*x)^3*Sin[a + b*x])/b^2$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Sin}[e + f*x], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

$\text{Int}[\text{Sin}[c + d*x], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (c + dx)^4 \sin(a + bx) dx &= -\frac{(c + dx)^4 \cos(a + bx)}{b} + \frac{(4d) \int (c + dx)^3 \cos(a + bx) dx}{b} \\
&= -\frac{(c + dx)^4 \cos(a + bx)}{b} + \frac{4d(c + dx)^3 \sin(a + bx)}{b^2} - \frac{(12d^2) \int (c + dx)^2 \sin(a + bx) dx}{b^2} \\
&= \frac{12d^2(c + dx)^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^4 \cos(a + bx)}{b} + \frac{4d(c + dx)^3 \sin(a + bx)}{b^2} - \frac{(24d^3) \int (c + dx) \sin(a + bx) dx}{b^2} \\
&= \frac{12d^2(c + dx)^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^4 \cos(a + bx)}{b} - \frac{24d^3(c + dx) \sin(a + bx)}{b^4} + \frac{4d(c + dx)^3 \sin(a + bx)}{b^2} \\
&= -\frac{24d^4 \cos(a + bx)}{b^5} + \frac{12d^2(c + dx)^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^4 \cos(a + bx)}{b} - \frac{24d^3(c + dx) \sin(a + bx)}{b^4}
\end{aligned}$$

Mathematica [A] time = 0.339251, size = 77, normalized size = 0.84

$$\frac{4bd(c + dx) \sin(a + bx) (b^2(c + dx)^2 - 6d^2) - \cos(a + bx) (-12b^2d^2(c + dx)^2 + b^4(c + dx)^4 + 24d^4)}{b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^4*Sin[a + b*x], x]

[Out] (-(24*d^4 - 12*b^2*d^2*(c + d*x)^2 + b^4*(c + d*x)^4)*Cos[a + b*x]) + 4*b*d*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*Sin[a + b*x])/b^5

Maple [B] time = 0.009, size = 551, normalized size = 6.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^4*sin(b*x+a), x)

[Out] 1/b*(1/b^4*d^4*(-(b*x+a)^4*cos(b*x+a)+4*(b*x+a)^3*sin(b*x+a)+12*(b*x+a)^2*cos(b*x+a)-24*cos(b*x+a)-24*(b*x+a)*sin(b*x+a))-4/b^4*a*d^4*(-(b*x+a)^3*cos(b*x+a)+3*(b*x+a)^2*sin(b*x+a)-6*sin(b*x+a)+6*(b*x+a)*cos(b*x+a))+4/b^3*c*d^3*(-(b*x+a)^3*cos(b*x+a)+3*(b*x+a)^2*sin(b*x+a)-6*sin(b*x+a)+6*(b*x+a)*cos(b*x+a))+6/b^4*a^2*d^4*(-(b*x+a)^2*cos(b*x+a)+2*cos(b*x+a)+2*(b*x+a)*sin(b*x+a))-12/b^3*a*c*d^3*(-(b*x+a)^2*cos(b*x+a)+2*cos(b*x+a)+2*(b*x+a)*sin(b*x+a))+6/b^2*c^2*d^2*(-(b*x+a)^2*cos(b*x+a)+2*cos(b*x+a)+2*(b*x+a)*sin(b*x+a))-4/b^4*a^3*d^4*(sin(b*x+a)-(b*x+a)*cos(b*x+a))+12/b^3*a^2*c*d^3*(sin(b*x+a)-(b*x+a)*cos(b*x+a))-12/b^2*a*c^2*d^2*(sin(b*x+a)-(b*x+a)*cos(b*x+a))+4/b*c^3*d*(sin(b*x+a)-(b*x+a)*cos(b*x+a))-1/b^4*a^4*d^4*cos(b*x+a)+4/b^3*a^3*c*d^3*cos(b*x+a)-6/b^2*a^2*c^2*d^2*cos(b*x+a)+4/b*a*c^3*d*cos(b*x+a)-c^4*cos(b*x+a))

Maxima [B] time = 1.12448, size = 662, normalized size = 7.2

$$c^4 \cos(bx + a) - \frac{4ac^3d \cos(bx+a)}{b} + \frac{6a^2c^2d^2 \cos(bx+a)}{b^2} - \frac{4a^3cd^3 \cos(bx+a)}{b^3} + \frac{a^4d^4 \cos(bx+a)}{b^4} + \frac{4((bx+a) \cos(bx+a) - \sin(bx+a))c^3d}{b} - \frac{12((bx+a) \sin(bx+a) + \cos(bx+a))c^2d^2}{b^2} + \frac{12a^2d^3 \sin(bx+a)}{b^3} - \frac{4a^3d^4 \sin(bx+a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a),x, algorithm="maxima")

[Out]
$$-(c^4 \cos(bx + a) - 4ac^3d \cos(bx + a)/b + 6a^2c^2d^2 \cos(bx + a)/b^2 - 4a^3cd^3 \cos(bx + a)/b^3 + a^4d^4 \cos(bx + a)/b^4 + 4((bx + a) \cos(bx + a) - \sin(bx + a))c^3d/b - 12((bx + a) \cos(bx + a) - \sin(bx + a))a^2cd^2/b^2 + 12((bx + a) \cos(bx + a) - \sin(bx + a))a^3d^3/b^3 - 4((bx + a) \cos(bx + a) - \sin(bx + a))a^4d^4/b^4 + 6(((bx + a)^2 - 2) \cos(bx + a) - 2(bx + a) \sin(bx + a))c^2d^2/b^2 - 12(((bx + a)^2 - 2) \cos(bx + a) - 2(bx + a) \sin(bx + a))a^2cd^3/b^3 + 6(((bx + a)^2 - 2) \cos(bx + a) - 2(bx + a) \sin(bx + a))a^3d^4/b^4 + 4(((bx + a)^3 - 6bx - 6a) \cos(bx + a) - 3((bx + a)^2 - 2) \sin(bx + a))cd^3/b^3 - 4(((bx + a)^3 - 6bx - 6a) \cos(bx + a) - 3((bx + a)^2 - 2) \sin(bx + a))a^2d^4/b^4 + ((bx + a)^4 - 12(bx + a)^2 + 24) \cos(bx + a) - 4((bx + a)^3 - 6bx - 6a) \sin(bx + a) \cdot d^4/b^4)/b$$

Fricas [A] time = 1.63171, size = 348, normalized size = 3.78

$$\frac{(b^4d^4x^4 + 4b^4cd^3x^3 + b^4c^4 - 12b^2c^2d^2 + 24d^4 + 6(b^4c^2d^2 - 2b^2d^4)x^2 + 4(b^4c^3d - 6b^2cd^3)x) \cos(bx + a) - 4(b^3d^4x^4 + 4b^3cd^3x^3 + b^3c^4 - 12b^2c^2d^2 + 24d^4 + 6(b^4c^2d^2 - 2b^2d^4)x^2 + 4(b^4c^3d - 6b^2cd^3)x) \sin(bx + a)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a),x, algorithm="fricas")

[Out]
$$-((b^4d^4x^4 + 4b^4cd^3x^3 + b^4c^4 - 12b^2c^2d^2 + 24d^4 + 6(b^4c^2d^2 - 2b^2d^4)x^2 + 4(b^4c^3d - 6b^2cd^3)x) \cos(bx + a) - 4(b^3d^4x^4 + 3b^3cd^3x^3 + b^3c^4 - 12b^2c^2d^2 + 24d^4 + 6(b^4c^2d^2 - 2b^2d^4)x^2 + 4(b^4c^3d - 6b^2cd^3)x) \sin(bx + a))/b^5$$

Sympy [A] time = 2.92093, size = 311, normalized size = 3.38

$$\left\{ \begin{array}{l} -\frac{c^4 \cos(a+bx)}{b} - \frac{4c^3 dx \cos(a+bx)}{b} - \frac{6c^2 d^2 x^2 \cos(a+bx)}{b} - \frac{4cd^3 x^3 \cos(a+bx)}{b} - \frac{d^4 x^4 \cos(a+bx)}{b} + \frac{4c^3 d \sin(a+bx)}{b^2} + \frac{12c^2 d^2 x \sin(a+bx)}{b^2} + \frac{12cd^3 x^2 \sin(a+bx)}{b^2} \\ \left(c^4 x + 2c^3 dx^2 + 2c^2 d^2 x^3 + cd^3 x^4 + \frac{d^4 x^5}{5} \right) \sin(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**4*sin(b*x+a),x)

[Out]
$$\text{Piecewise}((-c^{**4} \cos(a + bx)/b - 4c^{**3} d x \cos(a + bx)/b - 6c^{**2} d^{**2} x^{**2} \cos(a + bx)/b - 4c d^{**3} x^{**3} \cos(a + bx)/b - d^{**4} x^{**4} \cos(a + bx)/b + 4c^{**3} d \sin(a + bx)/b^{**2} + 12c^{**2} d^{**2} x \sin(a + bx)/b^{**2} + 12c d^{**3} x^2 \sin(a + bx)/b^{**2} + 4d^{**4} x^3 \sin(a + bx)/b^{**2} + 12c^{**2} d^{**2} \cos(a + bx)/b^{**3} + 24c d^{**3} x \cos(a + bx)/b^{**3} + 12d^{**4} x^2 \cos(a + bx)/b^{**3} - 24c d^{**3} \sin(a + bx)/b^{**4} - 24d^{**4} x \sin(a + bx)/b^{**4} - 24d^{**4} \cos(a + bx)/b^{**5}, \text{Ne}(b, 0)), ((c^{**4} x + 2c^{**3} d x^{**2} + 2c^{**2} d^{**2} x^{**3} + c d^{**3} x^{**4} + d^{**4} x^{**5}/5) \sin(a), \text{True}))$$

Giac [A] time = 1.12011, size = 231, normalized size = 2.51

$$\frac{(b^4d^4x^4 + 4b^4cd^3x^3 + 6b^4c^2d^2x^2 + 4b^4c^3dx + b^4c^4 - 12b^2d^4x^2 - 24b^2cd^3x - 12b^2c^2d^2 + 24d^4) \cos(bx + a) - 4(b^3d^4x^4 + 4b^3cd^3x^3 + b^3c^4 - 12b^2c^2d^2 + 24d^4) \sin(bx + a)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^4*sin(b*x+a),x, algorithm="giac")
```

```
[Out] -(b^4*d^4*x^4 + 4*b^4*c*d^3*x^3 + 6*b^4*c^2*d^2*x^2 + 4*b^4*c^3*d*x + b^4*c^4 - 12*b^2*d^4*x^2 - 24*b^2*c*d^3*x - 12*b^2*c^2*d^2 + 24*d^4)*cos(b*x + a)/b^5 + 4*(b^3*d^4*x^3 + 3*b^3*c*d^3*x^2 + 3*b^3*c^2*d^2*x + b^3*c^3*d - 6*b*d^4*x - 6*b*c*d^3)*sin(b*x + a)/b^5
```

3.2 $\int (c + dx)^3 \sin(a + bx) dx$

Optimal. Leaf size=71

$$\frac{6d^2(c + dx) \cos(a + bx)}{b^3} + \frac{3d(c + dx)^2 \sin(a + bx)}{b^2} - \frac{6d^3 \sin(a + bx)}{b^4} - \frac{(c + dx)^3 \cos(a + bx)}{b}$$

[Out] $(6*d^2*(c + d*x)*Cos[a + b*x])/b^3 - ((c + d*x)^3*Cos[a + b*x])/b - (6*d^3*Sin[a + b*x])/b^4 + (3*d*(c + d*x)^2*Sin[a + b*x])/b^2$

Rubi [A] time = 0.0652611, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2637}

$$\frac{6d^2(c + dx) \cos(a + bx)}{b^3} + \frac{3d(c + dx)^2 \sin(a + bx)}{b^2} - \frac{6d^3 \sin(a + bx)}{b^4} - \frac{(c + dx)^3 \cos(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Sin[a + b*x], x]

[Out] $(6*d^2*(c + d*x)*Cos[a + b*x])/b^3 - ((c + d*x)^3*Cos[a + b*x])/b - (6*d^3*Sin[a + b*x])/b^4 + (3*d*(c + d*x)^2*Sin[a + b*x])/b^2$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^3 \sin(a + bx) dx &= -\frac{(c + dx)^3 \cos(a + bx)}{b} + \frac{(3d) \int (c + dx)^2 \cos(a + bx) dx}{b} \\ &= -\frac{(c + dx)^3 \cos(a + bx)}{b} + \frac{3d(c + dx)^2 \sin(a + bx)}{b^2} - \frac{(6d^2) \int (c + dx) \sin(a + bx) dx}{b^2} \\ &= \frac{6d^2(c + dx) \cos(a + bx)}{b^3} - \frac{(c + dx)^3 \cos(a + bx)}{b} + \frac{3d(c + dx)^2 \sin(a + bx)}{b^2} - \frac{(6d^3) \int \cos}{b} \\ &= \frac{6d^2(c + dx) \cos(a + bx)}{b^3} - \frac{(c + dx)^3 \cos(a + bx)}{b} - \frac{6d^3 \sin(a + bx)}{b^4} + \frac{3d(c + dx)^2 \sin(a + bx)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.205382, size = 62, normalized size = 0.87

$$\frac{3d \sin(a + bx) (b^2(c + dx)^2 - 2d^2) - b(c + dx) \cos(a + bx) (b^2(c + dx)^2 - 6d^2)}{b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Sin[a + b*x],x]

[Out] $(-(b*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*\text{Cos}[a + b*x]) + 3*d*(-2*d^2 + b^2*(c + d*x)^2)*\text{Sin}[a + b*x])/b^4$

Maple [B] time = 0.007, size = 308, normalized size = 4.3

$$\frac{1}{b} \left(\frac{d^3 \left(-(bx+a)^3 \cos(bx+a) + 3(bx+a)^2 \sin(bx+a) - 6 \sin(bx+a) + 6(bx+a) \cos(bx+a) \right)}{b^3} - 3 \frac{ad^3 \left(-(bx+a)^2 \cos(bx+a) + 2(bx+a) \sin(bx+a) - 2 \sin(bx+a) + 2(bx+a) \cos(bx+a) \right)}{b^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*sin(b*x+a),x)

[Out] $\frac{1}{b} \left(\frac{1}{b^3} d^3 \left(-(bx+a)^3 \cos(bx+a) + 3(bx+a)^2 \sin(bx+a) - 6 \sin(bx+a) + 6(bx+a) \cos(bx+a) \right) - \frac{3}{b^3} a d^3 \left(-(bx+a)^2 \cos(bx+a) + 2(bx+a) \sin(bx+a) - 2 \sin(bx+a) + 2(bx+a) \cos(bx+a) \right) + \frac{3}{b^2} c d^2 \left(-(bx+a)^2 \cos(bx+a) + 2(bx+a) \sin(bx+a) - 2 \sin(bx+a) + 2(bx+a) \cos(bx+a) \right) + \frac{3}{b^3} a^2 d^3 \left(\sin(bx+a) - (bx+a) \cos(bx+a) \right) - \frac{6}{b^2} a c d^2 \left(\sin(bx+a) - (bx+a) \cos(bx+a) \right) + \frac{3}{b} c^2 d \left(\sin(bx+a) - (bx+a) \cos(bx+a) \right) + \frac{1}{b^3} a^3 d^3 \cos(bx+a) - \frac{3}{b^2} a^2 c d^2 \cos(bx+a) + \frac{3}{b} a c^2 d \cos(bx+a) - c^3 \cos(bx+a) \right)$

Maxima [B] time = 1.07908, size = 385, normalized size = 5.42

$$\frac{c^3 \cos(bx+a) - \frac{3ac^2d \cos(bx+a)}{b} + \frac{3a^2cd^2 \cos(bx+a)}{b^2} - \frac{a^3d^3 \cos(bx+a)}{b^3} + \frac{3((bx+a) \cos(bx+a) - \sin(bx+a))c^2d}{b} - \frac{6((bx+a) \cos(bx+a) - \sin(bx+a))ad^3}{b^2}}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a),x, algorithm="maxima")

[Out] $-(c^3 \cos(bx+a) - 3ac^2d \cos(bx+a)/b + 3a^2cd^2 \cos(bx+a)/b^2 - a^3d^3 \cos(bx+a)/b^3 + 3((bx+a) \cos(bx+a) - \sin(bx+a))c^2d/b - 6((bx+a) \cos(bx+a) - \sin(bx+a))ad^3/b^2 + 3((bx+a) \cos(bx+a) - \sin(bx+a))a^2d^3/b^3 + 3(((bx+a)^2 - 2) \cos(bx+a) - 2(bx+a) \sin(bx+a))c^2d/b^2 - 3(((bx+a)^2 - 2) \cos(bx+a) - 2(bx+a) \sin(bx+a))ad^3/b^3 + (((bx+a)^3 - 6bx - 6a) \cos(bx+a) - 3((bx+a)^2 - 2) \sin(bx+a))d^3/b^3)/b$

Fricas [A] time = 1.66707, size = 230, normalized size = 3.24

$$\frac{(b^3d^3x^3 + 3b^3cd^2x^2 + b^3c^3 - 6bcd^2 + 3(b^3c^2d - 2bd^3)x) \cos(bx+a) - 3(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \sin(bx+a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a),x, algorithm="fricas")

[Out] $-(b^3d^3x^3 + 3b^3cd^2x^2 + b^3c^3 - 6b^3cd^2 + 3(b^3c^2d - 2b^3cd^2)x) \cos(bx+a) - 3(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \sin(bx+a)$

$\sin(bx + a)/b^4$

Sympy [A] time = 1.35605, size = 202, normalized size = 2.85

$$\left\{ \begin{array}{l} -\frac{c^3 \cos(ax+bx)}{b} - \frac{3c^2 dx \cos(ax+bx)}{b} - \frac{3cd^2 x^2 \cos(ax+bx)}{b} - \frac{d^3 x^3 \cos(ax+bx)}{b} + \frac{3c^2 d \sin(ax+bx)}{b^2} + \frac{6cd^2 x \sin(ax+bx)}{b^2} + \frac{3d^3 x^2 \sin(ax+bx)}{b^2} + \frac{6cd^2 \cos(ax+bx)}{b^3} \\ \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \sin(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sin(b*x+a),x)

[Out] Piecewise((-c**3*cos(a + b*x)/b - 3*c**2*d*x*cos(a + b*x)/b - 3*c*d**2*x**2*cos(a + b*x)/b - d**3*x**3*cos(a + b*x)/b + 3*c**2*d*sin(a + b*x)/b**2 + 6*c*d**2*x*sin(a + b*x)/b**2 + 3*d**3*x**2*sin(a + b*x)/b**2 + 6*c*d**2*cos(a + b*x)/b**3 + 6*d**3*x*cos(a + b*x)/b**3 - 6*d**3*sin(a + b*x)/b**4, Ne(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*sin(a), True))

Giac [A] time = 1.11934, size = 150, normalized size = 2.11

$$\frac{(b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3 - 6 b d^3 x - 6 b c d^2) \cos(bx + a)}{b^4} + \frac{3(b^2 d^3 x^2 + 2 b^2 c d^2 x + b^2 c^2 d - 2 d^3) \sin(bx + a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a),x, algorithm="giac")

[Out] -(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3 - 6*b*d^3*x - 6*b*c*d^2)*cos(b*x + a)/b^4 + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d - 2*d^3)*sin(b*x + a)/b^4

3.3 $\int (c + dx)^2 \sin(a + bx) dx$

Optimal. Leaf size=50

$$\frac{2d(c + dx) \sin(a + bx)}{b^2} + \frac{2d^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^2 \cos(a + bx)}{b}$$

[Out] $(2*d^2*Cos[a + b*x])/b^3 - ((c + d*x)^2*Cos[a + b*x])/b + (2*d*(c + d*x)*Sin[a + b*x])/b^2$

Rubi [A] time = 0.0389583, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2638}

$$\frac{2d(c + dx) \sin(a + bx)}{b^2} + \frac{2d^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^2 \cos(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*Sin[a + b*x],x]

[Out] $(2*d^2*Cos[a + b*x])/b^3 - ((c + d*x)^2*Cos[a + b*x])/b + (2*d*(c + d*x)*Sin[a + b*x])/b^2$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \sin(a + bx) dx &= -\frac{(c + dx)^2 \cos(a + bx)}{b} + \frac{(2d) \int (c + dx) \cos(a + bx) dx}{b} \\ &= -\frac{(c + dx)^2 \cos(a + bx)}{b} + \frac{2d(c + dx) \sin(a + bx)}{b^2} - \frac{(2d^2) \int \sin(a + bx) dx}{b^2} \\ &= \frac{2d^2 \cos(a + bx)}{b^3} - \frac{(c + dx)^2 \cos(a + bx)}{b} + \frac{2d(c + dx) \sin(a + bx)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.170771, size = 45, normalized size = 0.9

$$\frac{2bd(c + dx) \sin(a + bx) - \cos(a + bx) (b^2(c + dx)^2 - 2d^2)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Sin[a + b*x],x]

[Out] $(-((-2*d^2 + b^2*(c + d*x)^2)*\text{Cos}[a + b*x]) + 2*b*d*(c + d*x)*\text{Sin}[a + b*x]) / b^3$

Maple [B] time = 0.006, size = 148, normalized size = 3.

$$\frac{1}{b} \left(\frac{d^2 \left(-(bx+a)^2 \cos(bx+a) + 2 \cos(bx+a) + 2(bx+a) \sin(bx+a) \right)}{b^2} - 2 \frac{ad^2 (\sin(bx+a) - (bx+a) \cos(bx+a))}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^2*sin(b*x+a),x)`

[Out] $1/b*(1/b^2*d^2*(-(b*x+a)^2*\cos(b*x+a)+2*\cos(b*x+a)+2*(b*x+a)*\sin(b*x+a))-2/b^2*a*d^2*(\sin(b*x+a)-(b*x+a)*\cos(b*x+a))+2/b*c*d*(\sin(b*x+a)-(b*x+a)*\cos(b*x+a))-1/b^2*a^2*d^2*\cos(b*x+a)+2/b*a*c*d*\cos(b*x+a)-c^2*\cos(b*x+a)$

Maxima [B] time = 1.03117, size = 190, normalized size = 3.8

$$\frac{c^2 \cos(bx+a) - \frac{2acd \cos(bx+a)}{b} + \frac{a^2 d^2 \cos(bx+a)}{b^2} + \frac{2((bx+a) \cos(bx+a) - \sin(bx+a))cd}{b} - \frac{2((bx+a) \cos(bx+a) - \sin(bx+a))ad^2}{b^2} + \frac{((bx+a)^2 - 2)}{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^2*sin(b*x+a),x, algorithm="maxima")`

[Out] $-(c^2*\cos(b*x + a) - 2*a*c*d*\cos(b*x + a)/b + a^2*d^2*\cos(b*x + a)/b^2 + 2*((b*x + a)*\cos(b*x + a) - \sin(b*x + a))*c*d/b - 2*((b*x + a)*\cos(b*x + a) - \sin(b*x + a))*a*d^2/b^2 + (((b*x + a)^2 - 2)*\cos(b*x + a) - 2*(b*x + a)*\sin(b*x + a))*d^2/b^2)/b$

Fricas [A] time = 1.6819, size = 138, normalized size = 2.76

$$\frac{(b^2 d^2 x^2 + 2 b^2 c d x + b^2 c^2 - 2 d^2) \cos(bx+a) - 2 (b d^2 x + b c d) \sin(bx+a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^2*sin(b*x+a),x, algorithm="fricas")`

[Out] $(-(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*\cos(b*x + a) - 2*(b*d^2*x + b*c*d)*\sin(b*x + a))/b^3$

Sympy [A] time = 0.636426, size = 112, normalized size = 2.24

$$\begin{cases} \frac{c^2 \cos(ax+bx)}{b} - \frac{2cdx \cos(ax+bx)}{b} - \frac{d^2 x^2 \cos(ax+bx)}{b} + \frac{2cd \sin(ax+bx)}{b^2} + \frac{2d^2 x \sin(ax+bx)}{b^2} + \frac{2d^2 \cos(ax+bx)}{b^3} & \text{for } b \neq 0 \\ \left(c^2 x + cd x^2 + \frac{d^2 x^3}{3} \right) \sin(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sin(b*x+a),x)

[Out] Piecewise((-c**2*cos(a + b*x)/b - 2*c*d*x*cos(a + b*x)/b - d**2*x**2*cos(a + b*x)/b + 2*c*d*sin(a + b*x)/b**2 + 2*d**2*x*sin(a + b*x)/b**2 + 2*d**2*cos(a + b*x)/b**3, Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*sin(a), True))

Giac [A] time = 1.15278, size = 88, normalized size = 1.76

$$-\frac{(b^2 d^2 x^2 + 2 b^2 c d x + b^2 c^2 - 2 d^2) \cos(bx + a)}{b^3} + \frac{2 (b d^2 x + b c d) \sin(bx + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a),x, algorithm="giac")

[Out] -(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*cos(b*x + a)/b^3 + 2*(b*d^2*x + b*c*d)*sin(b*x + a)/b^3

3.4 $\int (c + dx) \sin(a + bx) dx$

Optimal. Leaf size=28

$$\frac{d \sin(a + bx)}{b^2} - \frac{(c + dx) \cos(a + bx)}{b}$$

[Out] -(((c + d*x)*Cos[a + b*x])/b) + (d*Sin[a + b*x])/b^2

Rubi [A] time = 0.0162482, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3296, 2637}

$$\frac{d \sin(a + bx)}{b^2} - \frac{(c + dx) \cos(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Sin[a + b*x],x]

[Out] -(((c + d*x)*Cos[a + b*x])/b) + (d*Sin[a + b*x])/b^2

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx) \sin(a + bx) dx &= -\frac{(c + dx) \cos(a + bx)}{b} + \frac{d \int \cos(a + bx) dx}{b} \\ &= -\frac{(c + dx) \cos(a + bx)}{b} + \frac{d \sin(a + bx)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.0703575, size = 27, normalized size = 0.96

$$\frac{d \sin(a + bx) - b(c + dx) \cos(a + bx)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Sin[a + b*x],x]

[Out] (-b*(c + d*x)*Cos[a + b*x]) + d*Sin[a + b*x])/b^2

Maple [A] time = 0.007, size = 52, normalized size = 1.9

$$\frac{1}{b} \left(\frac{d(\sin(bx+a) - (bx+a)\cos(bx+a))}{b} + \frac{da \cos(bx+a)}{b} - c \cos(bx+a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sin(b*x+a),x)

[Out] 1/b*(1/b*d*(sin(b*x+a)-(b*x+a)*cos(b*x+a))+1/b*d*a*cos(b*x+a)-c*cos(b*x+a))

Maxima [A] time = 1.01222, size = 72, normalized size = 2.57

$$-\frac{c \cos(bx+a) - \frac{ad \cos(bx+a)}{b} + \frac{((bx+a) \cos(bx+a) - \sin(bx+a))d}{b}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a),x, algorithm="maxima")

[Out] -(c*cos(b*x + a) - a*d*cos(b*x + a)/b + ((b*x + a)*cos(b*x + a) - sin(b*x + a))*d/b)/b

Fricas [A] time = 1.66359, size = 70, normalized size = 2.5

$$-\frac{(bdx + bc) \cos(bx + a) - d \sin(bx + a)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a),x, algorithm="fricas")

[Out] -((b*d*x + b*c)*cos(b*x + a) - d*sin(b*x + a))/b^2

Sympy [A] time = 0.235433, size = 46, normalized size = 1.64

$$\begin{cases} -\frac{c \cos(a+bx)}{b} - \frac{dx \cos(a+bx)}{b} + \frac{d \sin(a+bx)}{b^2} & \text{for } b \neq 0 \\ \left(cx + \frac{dx^2}{2}\right) \sin(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a),x)

[Out] Piecewise((-c*cos(a + b*x)/b - d*x*cos(a + b*x)/b + d*sin(a + b*x)/b**2, Ne(b, 0)), ((c*x + d*x**2/2)*sin(a), True))

Giac [A] time = 1.1022, size = 42, normalized size = 1.5

$$-\frac{(bdx + bc) \cos(bx + a)}{b^2} + \frac{d \sin(bx + a)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] -(b*d*x + b*c)*cos(b*x + a)/b^2 + d*sin(b*x + a)/b^2
```

3.5 $\int \frac{\sin(a+bx)}{c+dx} dx$

Optimal. Leaf size=51

$$\frac{\sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d} + \frac{\cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

[Out] (CosIntegral[(b*c)/d + b*x]*Sin[a - (b*c)/d])/d + (Cos[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d

Rubi [A] time = 0.0982246, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3303, 3299, 3302}

$$\frac{\sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d} + \frac{\cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]/(c + d*x), x]

[Out] (CosIntegral[(b*c)/d + b*x]*Sin[a - (b*c)/d])/d + (Cos[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{c+dx} dx &= \cos\left(a - \frac{bc}{d}\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c+dx} dx + \sin\left(a - \frac{bc}{d}\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c+dx} dx \\ &= \frac{\text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{d} + \frac{\cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.0949448, size = 49, normalized size = 0.96

$$\frac{\sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right) + \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x), x]

[Out] (CosIntegral[(b*c)/d + b*x]*Sin[a - (b*c)/d] + Cos[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d

Maple [A] time = 0.009, size = 73, normalized size = 1.4

$$\frac{1}{d} \operatorname{Si}\left(bx + a + \frac{-da + cb}{d}\right) \cos\left(\frac{-da + cb}{d}\right) - \frac{1}{d} \operatorname{Ci}\left(bx + a + \frac{-da + cb}{d}\right) \sin\left(\frac{-da + cb}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c), x)

[Out] Si(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d-Ci(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d

Maxima [C] time = 1.26869, size = 190, normalized size = 3.73

$$\frac{b\left(i E_1\left(\frac{ibc+i(bx+a)d-id}{d}\right) - i E_1\left(-\frac{ibc+i(bx+a)d-id}{d}\right)\right) \cos\left(-\frac{bc-ad}{d}\right) + b\left(E_1\left(\frac{ibc+i(bx+a)d-id}{d}\right) + E_1\left(-\frac{ibc+i(bx+a)d-id}{d}\right)\right) \sin\left(-\frac{bc-ad}{d}\right)}{2bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c), x, algorithm="maxima")

[Out] -1/2*(b*(I*exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - I*exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) + b*(exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d)/(b*d)

Fricas [A] time = 1.61087, size = 200, normalized size = 3.92

$$\frac{\left(\operatorname{Ci}\left(\frac{bdx+bc}{d}\right) + \operatorname{Ci}\left(-\frac{bdx+bc}{d}\right)\right) \sin\left(-\frac{bc-ad}{d}\right) + 2 \cos\left(-\frac{bc-ad}{d}\right) \operatorname{Si}\left(\frac{bdx+bc}{d}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c), x, algorithm="fricas")

[Out] 1/2*((cos_integral((b*d*x + b*c)/d) + cos_integral(-(b*d*x + b*c)/d))*sin(-(b*c - a*d)/d) + 2*cos(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d)/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c),x)

[Out] Integral(sin(a + b*x)/(c + d*x), x)

Giac [C] time = 1.21009, size = 806, normalized size = 15.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c),x, algorithm="giac")

[Out]
$$\frac{1}{2} \cdot (\text{imag_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d)^2 - \text{imag_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d)^2 + 2 \cdot \sin_integral((b*d*x + b*c)/d) \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d)^2 + 2 \cdot \text{real_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d) + 2 \cdot \text{real_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d) - 2 \cdot \text{real_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a) \cdot \tan(1/2*b*c/d)^2 - 2 \cdot \text{real_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a) \cdot \tan(1/2*b*c/d)^2 - \text{imag_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a)^2 + \text{imag_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a)^2 - 2 \cdot \sin_integral((b*d*x + b*c)/d) \cdot \tan(1/2*a)^2 + 4 \cdot \text{imag_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a) \cdot \tan(1/2*b*c/d) - 4 \cdot \text{imag_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a) \cdot \tan(1/2*b*c/d) + 8 \cdot \sin_integral((b*d*x + b*c)/d) \cdot \tan(1/2*a) \cdot \tan(1/2*b*c/d) - \text{imag_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*b*c/d)^2 + \text{imag_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*b*c/d)^2 - 2 \cdot \sin_integral((b*d*x + b*c)/d) \cdot \tan(1/2*b*c/d)^2 + 2 \cdot \text{real_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*a) + 2 \cdot \text{real_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*a) - 2 \cdot \text{real_part}(\cos_integral(b*x + b*c/d)) \cdot \tan(1/2*b*c/d) - 2 \cdot \text{real_part}(\cos_integral(-b*x - b*c/d)) \cdot \tan(1/2*b*c/d) + \text{imag_part}(\cos_integral(b*x + b*c/d)) - \text{imag_part}(\cos_integral(-b*x - b*c/d)) + 2 \cdot \sin_integral((b*d*x + b*c)/d)) / (d \cdot \tan(1/2*a)^2 \cdot \tan(1/2*b*c/d)^2 + d \cdot \tan(1/2*a)^2 + d \cdot \tan(1/2*b*c/d)^2 + d)$$

3.6 $\int \frac{\sin(a+bx)}{(c+dx)^2} dx$

Optimal. Leaf size=72

$$\frac{b \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{\sin(a + bx)}{d(c + dx)}$$

[Out] (b*Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x])/d^2 - Sin[a + b*x]/(d*(c + d*x)) - (b*Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d^2

Rubi [A] time = 0.108748, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{b \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{\sin(a + bx)}{d(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]/(c + d*x)^2,x]

[Out] (b*Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x])/d^2 - Sin[a + b*x]/(d*(c + d*x)) - (b*Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d^2

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a+bx)}{(c+dx)^2} dx &= -\frac{\sin(a+bx)}{d(c+dx)} + \frac{b \int \frac{\cos(a+bx)}{c+dx} dx}{d} \\
&= -\frac{\sin(a+bx)}{d(c+dx)} + \frac{\left(b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d}+bx\right)}{c+dx} dx}{d} - \frac{\left(b \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{c+dx} dx}{d} \\
&= \frac{b \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d}+bx\right)}{d^2} - \frac{\sin(a+bx)}{d(c+dx)} - \frac{b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d}+bx\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.210034, size = 66, normalized size = 0.92

$$\frac{b \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(b\left(\frac{c}{d} + x\right)\right) - b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) - \frac{d \sin(a+bx)}{c+dx}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x)^2,x]

[Out] (b*Cos[a - (b*c)/d]*CosIntegral[b*(c/d + x)] - (d*Sin[a + b*x]/(c + d*x) - b*Sin[a - (b*c)/d]*SinIntegral[b*(c/d + x)])/d^2

Maple [A] time = 0.01, size = 107, normalized size = 1.5

$$b \left(-\frac{\sin(bx+a)}{((bx+a)d - da + cb)d} + \frac{1}{d} \left(\frac{1}{d} \text{Si}\left(bx+a + \frac{-da+cb}{d}\right) \sin\left(\frac{-da+cb}{d}\right) + \frac{1}{d} \text{Ci}\left(bx+a + \frac{-da+cb}{d}\right) \cos\left(\frac{-da+cb}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c)^2,x)

[Out] b*(-sin(b*x+a)/((b*x+a)*d-d*a+c*b)/d+(Si(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d+Ci(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d)/d

Maxima [C] time = 1.3256, size = 221, normalized size = 3.07

$$\frac{b^2 \left(i E_2 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) - i E_2 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos\left(-\frac{bc-ad}{d}\right) + b^2 \left(E_2 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + E_2 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \sin\left(-\frac{bc-ad}{d}\right)}{2(bcd + (bx+a)d^2 - ad^2)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^2,x, algorithm="maxima")

[Out] -1/2*(b^2*(I*exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - I*exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) + b^2*(exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d)/((b*c*d + (b*x + a)*d^2 - a*d^2)*b)

Fricas [A] time = 1.64332, size = 302, normalized size = 4.19

$$\frac{2(bdx + bc) \sin\left(-\frac{bc-ad}{d}\right) \text{Si}\left(\frac{bdx+bc}{d}\right) - \left((bdx + bc) \text{Ci}\left(\frac{bdx+bc}{d}\right) + (bdx + bc) \text{Ci}\left(-\frac{bdx+bc}{d}\right)\right) \cos\left(-\frac{bc-ad}{d}\right) + 2d \sin(bx + a)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^2,x, algorithm="fricas")

[Out] -1/2*(2*(b*d*x + b*c)*sin(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d) - ((b*d*x + b*c)*cos_integral((b*d*x + b*c)/d) + (b*d*x + b*c)*cos_integral(-(b*d*x + b*c)/d))*cos(-(b*c - a*d)/d) + 2*d*sin(b*x + a))/(d^3*x + c*d^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)**2,x)

[Out] Integral(sin(a + b*x)/(c + d*x)**2, x)

Giac [C] time = 1.29518, size = 4131, normalized size = 57.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^2,x, algorithm="giac")

[Out] 1/2*(b*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 2*b*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - 4*b*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*b*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + 4*b*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + b*c*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b*c*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - b*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2 - b*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2 + 4*b*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d) + 4*b*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d) - 2*b*c*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b*c*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - 4*b*c*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - b*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 - b*d*x*real_part(cos_integ

$$\begin{aligned}
& \text{ral}(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d)^2 + 2*b*c * \text{imag_part}(\cos_in \\
& \text{tegral}(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d)^2 - 2*b*c * \text{ima} \\
& \text{g_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d) \\
& ^2 + 4*b*c * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2* \\
& b*c/d)^2 + b*d*x * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(1/2* \\
& b*c/d)^2 + b*d*x * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(1/2 \\
& *b*c/d)^2 - 2*b*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan \\
& (1/2*a) + 2*b*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(\\
& 1/2*a) - 4*b*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*a) - \\
& b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 - b*c * \\
& \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 + 2*b*d*x \\
& * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) - 2*b*d \\
& *x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) + 4* \\
& b*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) + 4*b*c * \text{r} \\
& \text{eal_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d) \\
&) + 4*b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \text{t} \\
& \text{an}(1/2*b*c/d) - 2*b*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \text{t} \\
& \text{an}(1/2*b*c/d) + 2*b*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \\
& \tan(1/2*b*c/d) - 4*b*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a)^2 * \tan(1/2 \\
& *b*c/d) - b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b \\
& *c/d)^2 - b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2* \\
& b*c/d)^2 + 2*b*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2* \\
& b*c/d)^2 - 2*b*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2 \\
& *b*c/d)^2 + 4*b*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) * \tan(1/2*b*c/d) \\
& ^2 + b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 \\
& + b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 \\
& + b*d*x * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 + b*d*x * \text{real_pa} \\
& \text{rt}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 - 2*b*c * \text{imag_part}(\cos_integra \\
& \text{l}(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) + 2*b*c * \text{imag_part}(\cos_integral(-b \\
& *x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) - 4*b*c * \sin_integral((b*d*x + b*c)/d) \\
&) * \tan(1/2*b*x)^2 * \tan(1/2*a) - b*d*x * \text{real_part}(\cos_integral(b*x + b*c/d)) * \text{t} \\
& \text{n}(1/2*a)^2 - b*d*x * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 + 2*b \\
& *c * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) - 2*b \\
& *c * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) + 4* \\
& b*c * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) + 4*b*d*x * \text{r} \\
& \text{eal_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) + 4*b*d*x * \text{rea} \\
& \text{l_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) - 2*b*c * \text{imag_p} \\
& \text{art}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d) + 2*b*c * \text{imag_par} \\
& \text{t}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d) - 4*b*c * \sin_integ \\
& \text{ral}((b*d*x + b*c)/d) * \tan(1/2*a)^2 * \tan(1/2*b*c/d) - b*d*x * \text{real_part}(\cos_inte \\
& \text{gral}(b*x + b*c/d)) * \tan(1/2*b*c/d)^2 - b*d*x * \text{real_part}(\cos_integral(-b*x - b \\
& *c/d)) * \tan(1/2*b*c/d)^2 + 2*b*c * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/ \\
& 2*a) * \tan(1/2*b*c/d)^2 - 2*b*c * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2 \\
& *a) * \tan(1/2*b*c/d)^2 + 4*b*c * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) * \tan(1 \\
& /2*b*c/d)^2 + 4*d * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d)^2 + 4*d * \tan(1/2* \\
& b*x) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + b*c * \text{real_part}(\cos_integral(b*x + b*c/d) \\
&)) * \tan(1/2*b*x)^2 + b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^ \\
& 2 - 2*b*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) + 2*b*d*x * \text{imag_} \\
& \text{part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) - 4*b*d*x * \sin_integral((b*d*x + \\
& b*c)/d) * \tan(1/2*a) - b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 \\
& - b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 + 2*b*d*x * \text{imag_pa} \\
& \text{rt}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d) - 2*b*d*x * \text{imag_part}(\cos_integr \\
& \text{al}(-b*x - b*c/d)) * \tan(1/2*b*c/d) + 4*b*d*x * \sin_integral((b*d*x + b*c)/d) * \text{t} \\
& \text{n}(1/2*b*c/d) + 4*b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/ \\
& 2*b*c/d) + 4*b*c * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b \\
& *c/d) - b*c * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d)^2 - b*c * \text{rea} \\
& \text{l_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d)^2 + b*d*x * \text{real_part}(\cos_i \\
& \text{ntegral}(b*x + b*c/d)) + b*d*x * \text{real_part}(\cos_integral(-b*x - b*c/d)) - 2*b*c \\
& * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) + 2*b*c * \text{imag_part}(\cos_inte
\end{aligned}$$

```

gral(-b*x - b*c/d))*tan(1/2*a) - 4*b*c*sin_integral((b*d*x + b*c)/d)*tan(1/
2*a) + 4*d*tan(1/2*b*x)^2*tan(1/2*a) + 4*d*tan(1/2*b*x)*tan(1/2*a)^2 + 2*b*
c*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d) - 2*b*c*imag_part(cos
_integral(-b*x - b*c/d))*tan(1/2*b*c/d) + 4*b*c*sin_integral((b*d*x + b*c)/
d)*tan(1/2*b*c/d) - 4*d*tan(1/2*b*x)*tan(1/2*b*c/d)^2 - 4*d*tan(1/2*a)*tan(
1/2*b*c/d)^2 + b*c*real_part(cos_integral(b*x + b*c/d)) + b*c*real_part(cos
_integral(-b*x - b*c/d)) - 4*d*tan(1/2*b*x) - 4*d*tan(1/2*a))/(d^3*x*tan(1/
2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + c*d^2*tan(1/2*b*x)^2*tan(1/2*a)^2*
tan(1/2*b*c/d)^2 + d^3*x*tan(1/2*b*x)^2*tan(1/2*a)^2 + d^3*x*tan(1/2*b*x)^2
*tan(1/2*b*c/d)^2 + d^3*x*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + c*d^2*tan(1/2*b*x
)^2*tan(1/2*a)^2 + c*d^2*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + c*d^2*tan(1/2*a
)^2*tan(1/2*b*c/d)^2 + d^3*x*tan(1/2*b*x)^2 + d^3*x*tan(1/2*a)^2 + d^3*x*tan
(1/2*b*c/d)^2 + c*d^2*tan(1/2*b*x)^2 + c*d^2*tan(1/2*a)^2 + c*d^2*tan(1/2*b
*c/d)^2 + d^3*x + c*d^2)

```

3.7 $\int \frac{\sin(a+bx)}{(c+dx)^3} dx$

Optimal. Leaf size=104

$$\frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{2d^3} - \frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3} - \frac{b \cos(a + bx)}{2d^2(c + dx)} - \frac{\sin(a + bx)}{2d(c + dx)^2}$$

[Out] $-(b \cos[a + b x]) / (2 d^2 (c + d x)) - (b^2 \cos \text{Integral}[(b c) / d + b x] * \sin[a - (b c) / d]) / (2 d^3) - \sin[a + b x] / (2 d (c + d x)^2) - (b^2 \cos[a - (b c) / d] * \text{SinIntegral}[(b c) / d + b x]) / (2 d^3)$

Rubi [A] time = 0.139031, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{2d^3} - \frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3} - \frac{b \cos(a + bx)}{2d^2(c + dx)} - \frac{\sin(a + bx)}{2d(c + dx)^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\sin[a + b x] / (c + d x)^3, x]$

[Out] $-(b \cos[a + b x]) / (2 d^2 (c + d x)) - (b^2 \cos \text{Integral}[(b c) / d + b x] * \sin[a - (b c) / d]) / (2 d^3) - \sin[a + b x] / (2 d (c + d x)^2) - (b^2 \cos[a - (b c) / d] * \text{SinIntegral}[(b c) / d + b x]) / (2 d^3)$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a+bx)}{(c+dx)^3} dx &= -\frac{\sin(a+bx)}{2d(c+dx)^2} + \frac{b \int \frac{\cos(a+bx)}{(c+dx)^2} dx}{2d} \\
&= -\frac{b \cos(a+bx)}{2d^2(c+dx)} - \frac{\sin(a+bx)}{2d(c+dx)^2} - \frac{b^2 \int \frac{\sin(a+bx)}{c+dx} dx}{2d^2} \\
&= -\frac{b \cos(a+bx)}{2d^2(c+dx)} - \frac{\sin(a+bx)}{2d(c+dx)^2} - \frac{\left(b^2 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{2d^2} - \frac{\left(b^2 \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{2d^2} \\
&= -\frac{b \cos(a+bx)}{2d^2(c+dx)} - \frac{b^2 \text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{2d^3} - \frac{\sin(a+bx)}{2d(c+dx)^2} - \frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3}
\end{aligned}$$

Mathematica [A] time = 0.663772, size = 87, normalized size = 0.84

$$\frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(b\left(\frac{c}{d} + x\right)\right) + b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) + \frac{d(b(c+dx) \cos(a+bx) + d \sin(a+bx))}{(c+dx)^2}}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x)^3,x]

[Out] $-(b^2 \text{CosIntegral}[b(c/d + x)] \text{Sin}[a - (b*c)/d] + (d*(b*(c + d*x)*\text{Cos}[a + b*x] + d*\text{Sin}[a + b*x]))/(c + d*x)^2 + b^2 \text{Cos}[a - (b*c)/d] \text{SinIntegral}[b*(c/d + x)])/(2*d^3)$

Maple [A] time = 0.008, size = 145, normalized size = 1.4

$$b^2 \left(-\frac{\sin(bx+a)}{2((bx+a)d - da + cb)^2 d} + \frac{1}{2d} \left(-\frac{\cos(bx+a)}{((bx+a)d - da + cb)d} - \frac{1}{d} \left(\frac{1}{d} \text{Si}\left(bx+a + \frac{-da+cb}{d}\right) \cos\left(\frac{-da+cb}{d}\right) - \frac{1}{d} \text{Ci}\left(bx+a + \frac{-da+cb}{d}\right) \sin\left(\frac{-da+cb}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c)^3,x)

[Out] $b^2 * (-1/2 * \sin(b*x+a) / ((b*x+a)*d - d*a + c*b)^2 / d + 1/2 * (-\cos(b*x+a) / ((b*x+a)*d - d*a + c*b) / d - (\text{Si}(b*x+a + (-a*d + b*c)/d) * \cos((-a*d + b*c)/d) / d - \text{Ci}(b*x+a + (-a*d + b*c)/d) * \sin((-a*d + b*c)/d) / d) / d)$

Maxima [C] time = 1.52538, size = 269, normalized size = 2.59

$$\frac{b^3 \left(i E_3 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) - i E_3 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos\left(-\frac{bc-ad}{d}\right) + b^3 \left(E_3 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + E_3 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \sin\left(-\frac{bc-ad}{d}\right)}{2(b^2 c^2 d - 2abcd^2 + (bx+a)^2 d^3 + a^2 d^3 + 2(bc d^2 - ad^3)(bx+a))b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^3,x, algorithm="maxima")

[Out] $-1/2*(b^3*(I*\exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - I*\exp_integral_e(3, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*\cos(-(b*c - a*d)/d) + b^3$

```
*(exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_e(3,
-(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d))/((b^2*c^2*d - 2*a
*b*c*d^2 + (b*x + a)^2*d^3 + a^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*b)
```

Fricas [B] time = 1.83805, size = 471, normalized size = 4.53

$$\frac{2d^2 \sin(bx + a) + 2(b^2d^2x^2 + 2b^2cdx + b^2c^2) \cos\left(-\frac{bc-ad}{d}\right) \operatorname{Si}\left(\frac{bdx+bc}{d}\right) + 2(bd^2x + bcd) \cos(bx + a) + \left((b^2d^2x^2 + 2b^2cdx + b^2c^2) \cos(bx + a) + \left(\frac{bdx+bc}{d}\right) \operatorname{Si}\left(\frac{bdx+bc}{d}\right)\right)}{4(d^5x^2 + 2cd^4x + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] -1/4*(2*d^2*sin(b*x + a) + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(-(b*
c - a*d)/d)*sin_integral((b*d*x + b*c)/d) + 2*(b*d^2*x + b*c*d)*cos(b*x + a
) + ((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral((b*d*x + b*c)/d) +
(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral(-(b*d*x + b*c)/d))*sin(-
(b*c - a*d)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)**3,x)
```

```
[Out] Integral(sin(a + b*x)/(c + d*x)**3, x)
```

Giac [C] time = 1.55544, size = 7731, normalized size = 74.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] -1/4*(b^2*d^2*x^2*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1
/2*a)^2*tan(1/2*b*c/d)^2 - b^2*d^2*x^2*imag_part(cos_integral(-b*x - b*c/d)
)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 2*b^2*d^2*x^2*sin_integral
((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 2*b^2*d^2*
x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/
2*b*c/d) + 2*b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)
^2*tan(1/2*a)^2*tan(1/2*b*c/d) - 2*b^2*d^2*x^2*real_part(cos_integral(b*x +
b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*real_pa
rt(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 +
2*b^2*c*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)
^2*tan(1/2*b*c/d)^2 - 2*b^2*c*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan
(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 4*b^2*c*d*x*sin_integral((b*d*x
+ b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - b^2*d^2*x^2*imag_
```


$$\begin{aligned}
& \text{part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + b^2*d^2*x^2*i \\
& \text{mag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*b^2*d^2 \\
& *x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 4*b^2*d^2 \\
& *x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2 \\
& *b*c/d) - 4*b^2*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2 \\
& *\tan(1/2*a)*\tan(1/2*b*c/d) + 8*b^2*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan \\
& (1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 4*b^2*c*d*x*\text{real_part}(\cos_integra \\
& l(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 4*b^2*c*d*x*\text{re} \\
& \text{al_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c \\
& /d) - b^2*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1 \\
& /2*b*c/d)^2 + b^2*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x) \\
&)^2*\tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2* \\
& b*x)^2*\tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))* \\
& \tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\text{real_part}(\cos_inte \\
& gral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d)^2 + b^2*d^2*x^2 \\
& *\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 - b^2*d^2 \\
& *x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 \\
& + 2*b^2*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 \\
& + b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 \\
& *\tan(1/2*b*c/d)^2 - b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2* \\
& b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^2*c^2*\sin_integral((b*d*x + b*c) \\
& /d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^2*d^2*x^2*\text{real_part} \\
& (\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) + 2*b^2*d^2*x^2*\text{real_p} \\
& \text{art}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) - 2*b^2*c*d*x*i\text{ma} \\
& \text{g_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 2*b^2*c*d*x \\
& *\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 4*b^2*c \\
& *d*x*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*b^2*d^2 \\
& *x^2*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d) - 2 \\
& *b^2*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b \\
& *c/d) + 8*b^2*c*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan \\
& (1/2*a)*\tan(1/2*b*c/d) - 8*b^2*c*d*x*\text{imag_part}(\cos_integral(-b*x - b*c/d))* \\
& \tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 16*b^2*c*d*x*\sin_integral((b*d*x \\
& + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 2*b^2*d^2*x^2*\text{real_pa} \\
& \text{rt}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 2*b^2*d^2*x^2*\text{r} \\
& \text{eal_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 2*b^2*c^2 \\
& *\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2* \\
& b*c/d) + 2*b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan \\
& (1/2*a)^2*\tan(1/2*b*c/d) - 2*b^2*c*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d)) \\
& *\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 + 2*b^2*c*d*x*\text{imag_part}(\cos_integral(-b*x \\
& - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\sin_integral((b*d*x \\
& + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*\text{real_part}(\cos_in \\
& tegral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*\text{real_part} \\
& (\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b^2*c^2*\text{real_pa} \\
& \text{rt}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - \\
& 2*b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan \\
& (1/2*b*c/d)^2 + 2*b^2*c*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2* \\
& a)^2*\tan(1/2*b*c/d)^2 - 2*b^2*c*d*x*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan \\
& (1/2*a)^2*\tan(1/2*b*c/d)^2 + 4*b^2*c*d*x*\sin_integral((b*d*x + b*c)/d)*\tan \\
& (1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b*d^2*x*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2 \\
& *b*c/d)^2 + b^2*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2 \\
& - b^2*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2 + 2*b^2 \\
& *d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2 + 4*b^2*c*d*x*\text{real_pa} \\
& \text{rt}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) + 4*b^2*c*d*x*\text{real_} \\
& \text{part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) - b^2*d^2*x^2*i\text{m} \\
& \text{ag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2 + b^2*d^2*x^2*\text{imag_part}(\cos \\
& _integral(-b*x - b*c/d))*\tan(1/2*a)^2 - 2*b^2*d^2*x^2*\sin_integral((b*d*x + \\
& b*c)/d)*\tan(1/2*a)^2 - b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/ \\
& 2*b*x)^2*\tan(1/2*a)^2 + b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1 \\
& /2*b*x)^2*\tan(1/2*a)^2 - 2*b^2*c^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*
\end{aligned}$$

$$\begin{aligned}
& x)^2 \tan(1/2*a)^2 - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*b*x)^2 \tan(1/2*b*c/d) - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-b*x - b*c/d)) \\
& *\tan(1/2*b*x)^2 \tan(1/2*b*c/d) + 4*b^2*d^2*x^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) - 4*b^2*d^2*x^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d)) \\
& *\tan(1/2*a)*\tan(1/2*b*c/d) + 8*b^2*d^2*x^2*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(1/2*b*c/d) + 4*b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*x)^2 \tan(1/2*a)*\tan(1/2*b*c/d) - 4*b^2*c^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 \tan(1/2*a)*\tan(1/2*b*c/d) + 8*b^2 \\
& *c^2*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*b*x)^2 \tan(1/2*a)*\tan(1/2*b*c/d) + 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)^2 \tan(1/2*b*c/d) \\
& + 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)^2 \tan(1/2*b*c/d) - b^2*d^2*x^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*b*c/d)^2 + b^2*d^2*x^2 \\
& *\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*b*c/d)^2 - b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 + b^2*c^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 - 2*b^2*c^2*\text{sin_integral}((b*d*x + b*c)/d) \\
& *\tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-b*x - b*c/d)) \\
& *\tan(1/2*a)*\tan(1/2*b*c/d)^2 + b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)^2 \tan(1/2*b*c/d)^2 - b^2*c^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d)) \\
& *\tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*b^2*c^2*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*b^2*c*d*\tan(1/2*b*x)^2 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*b^2*c*d*x \\
& *\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*b*x)^2 - 2*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 + 4*b^2*c*d*x*\text{sin_integral}((b*d*x + b*c)/d) \\
& *\tan(1/2*b*x)^2 + 2*b^2*d^2*x^2*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a) + 2*b^2*d^2*x^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a) + 2*b^2*c^2*\text{real_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*x)^2 \tan(1/2*a) + 2*b^2*c^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 \tan(1/2*a) - 2*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)^2 + 2*b^2 \\
& *c*d*x*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)^2 - 4*b^2*c*d*x*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*a)^2 + 2*b*d^2*x*\tan(1/2*b*x)^2 \tan(1/2*a)^2 - 2*b^2*d^2*x^2 \\
& *\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*b*c/d) - 2*b^2*d^2*x^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*c/d) - 2*b^2*c^2*\text{real_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*x)^2 \tan(1/2*b*c/d) - 2*b^2*c^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 \tan(1/2*b*c/d) + 8*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a) \\
& *\tan(1/2*b*c/d) - 8*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) + 16*b^2*c*d*x*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(1/2*b*c/d) + 2*b^2*c^2 \\
& *\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)^2 \tan(1/2*b*c/d) + 2*b^2*c^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)^2 \tan(1/2*b*c/d) - 2*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*c/d)^2 + 2*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*b*c/d)^2 - 2*b*d^2*x*\tan(1/2*b*x)^2 \\
& *\tan(1/2*b*c/d)^2 - 2*b^2*c^2*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b^2*c^2*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 8*b*d^2*x \\
& *\tan(1/2*b*x)*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b*d^2*x*\tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + b^2*d^2*x^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)) - b^2*d^2*x^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d)) \\
& + 2*b^2*d^2*x^2*\text{sin_integral}((b*d*x + b*c)/d) + b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*b*x)^2 - b^2*c^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*x)^2 + 2*b^2*c^2*\text{sin_integral}((b*d*x + b*c)/d) \\
& *\tan(1/2*b*x)^2 + 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\tan(1/2*a) + 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a) - b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*a)^2 + b^2*c^2*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*a)^2 - 2*b^2*c^2*\text{sin_integral}((b*d*x + b*c)/d)*\tan(1/2*a)^2 + 2*b*c*d*\tan(1/2*b*x)^2 \tan(1/2*a)^2 - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(b*x + b*c/d)) \\
& *\tan(1/2*b*c/d) - 4*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\tan(1/2*b*c/d) + 4*b^2*c^2*\text{imag_part}(\text{cos_integral}(b*x + b*c/d)
\end{aligned}$$

$$\begin{aligned}
&)) \tan(1/2*a) \tan(1/2*b*c/d) - 4*b^2*c^2 \operatorname{imag_part}(\cos_integral(-b*x - b*c/d)) \tan(1/2*a) \tan(1/2*b*c/d) + 8*b^2*c^2 \operatorname{sin_integral}((b*d*x + b*c)/d) \tan(1/2*a) \tan(1/2*b*c/d) - b^2*c^2 \operatorname{imag_part}(\cos_integral(b*x + b*c/d)) \tan(1/2*b*c/d)^2 + b^2*c^2 \operatorname{imag_part}(\cos_integral(-b*x - b*c/d)) \tan(1/2*b*c/d)^2 - 2*b^2*c^2 \operatorname{sin_integral}((b*d*x + b*c)/d) \tan(1/2*b*c/d)^2 - 2*b*c*d \tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 - 8*b*c*d \tan(1/2*b*x) \tan(1/2*a) \tan(1/2*b*c/d)^2 - 4*d^2 \tan(1/2*b*x)^2 \tan(1/2*a) \tan(1/2*b*c/d)^2 - 2*b*c*d \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 - 4*d^2 \tan(1/2*b*x) \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*b^2*c*d*x \operatorname{imag_part}(\cos_integral(b*x + b*c/d)) - 2*b^2*c*d*x \operatorname{imag_part}(\cos_integral(-b*x - b*c/d)) + 4*b^2*c*d*x \operatorname{sin_integral}((b*d*x + b*c)/d) - 2*b*d^2*x \tan(1/2*b*x)^2 + 2*b^2*c^2 \operatorname{real_part}(\cos_integral(b*x + b*c/d)) \tan(1/2*a) + 2*b^2*c^2 \operatorname{real_part}(\cos_integral(-b*x - b*c/d)) \tan(1/2*a) - 8*b*d^2*x \tan(1/2*b*x) \tan(1/2*a) - 2*b*d^2*x \tan(1/2*a)^2 - 2*b^2*c^2 \operatorname{real_part}(\cos_integral(b*x + b*c/d)) \tan(1/2*b*c/d) - 2*b^2*c^2 \operatorname{real_part}(\cos_integral(-b*x - b*c/d)) \tan(1/2*b*c/d) + 2*b*d^2*x \tan(1/2*b*c/d)^2 + b^2*c^2 \operatorname{imag_part}(\cos_integral(b*x + b*c/d)) - b^2*c^2 \operatorname{imag_part}(\cos_integral(-b*x - b*c/d)) + 2*b^2*c^2 \operatorname{sin_integral}((b*d*x + b*c)/d) - 2*b*c*d \tan(1/2*b*x)^2 - 8*b*c*d \tan(1/2*b*x) \tan(1/2*a) - 4*d^2 \tan(1/2*b*x)^2 \tan(1/2*a) - 2*b*c*d \tan(1/2*a)^2 - 4*d^2 \tan(1/2*b*x) \tan(1/2*a)^2 + 2*b*c*d \tan(1/2*b*c/d)^2 + 4*d^2 \tan(1/2*b*x) \tan(1/2*b*c/d)^2 + 4*d^2 \tan(1/2*a) \tan(1/2*b*c/d)^2 + 2*b*d^2*x + 2*b*c*d + 4*d^2 \tan(1/2*b*x) + 4*d^2 \tan(1/2*a)) / (d^5*x^2 \tan(1/2*b*x)^2 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*c*d^4*x \tan(1/2*b*x)^2 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + d^5*x^2 \tan(1/2*b*x)^2 \tan(1/2*a)^2 + d^5*x^2 \tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 + d^5*x^2 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + c^2*d^3 \tan(1/2*b*x)^2 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*c*d^4*x \tan(1/2*b*x)^2 \tan(1/2*a)^2 + 2*c*d^4*x \tan(1/2*b*c/d)^2 + 2*c*d^4*x \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + d^5*x^2 \tan(1/2*b*x)^2 + d^5*x^2 \tan(1/2*a)^2 + c^2*d^3 \tan(1/2*b*x)^2 \tan(1/2*a)^2 + d^5*x^2 \tan(1/2*b*c/d)^2 + c^2*d^3 \tan(1/2*b*x)^2 \tan(1/2*b*c/d)^2 + c^2*d^3 \tan(1/2*a)^2 \tan(1/2*b*c/d)^2 + 2*c*d^4*x \tan(1/2*b*x)^2 + 2*c*d^4*x \tan(1/2*a)^2 + 2*c*d^4*x \tan(1/2*b*c/d)^2 + d^5*x^2 + c^2*d^3 \tan(1/2*b*x)^2 + c^2*d^3 \tan(1/2*a)^2 + c^2*d^3 \tan(1/2*b*c/d)^2 + 2*c*d^4*x + c^2*d^3)
\end{aligned}$$

3.8 $\int (c + dx)^4 \sin^2(a + bx) dx$

Optimal. Leaf size=161

$$-\frac{3d^3(c + dx)\sin^2(a + bx)}{2b^4} + \frac{3d^2(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b^3} + \frac{d(c + dx)^3 \sin^2(a + bx)}{b^2} - \frac{3d^4 \sin(a + bx) \cos(a + bx)}{4b^5}$$

[Out] $(3*d^4*x)/(4*b^4) - (d*(c + d*x)^3)/(2*b^2) + (c + d*x)^5/(10*d) - (3*d^4*\cos[a + b*x]*\sin[a + b*x])/(4*b^5) + (3*d^2*(c + d*x)^2*\cos[a + b*x]*\sin[a + b*x])/(2*b^3) - ((c + d*x)^4*\cos[a + b*x]*\sin[a + b*x])/(2*b) - (3*d^3*(c + d*x)*\sin[a + b*x]^2)/(2*b^4) + (d*(c + d*x)^3*\sin[a + b*x]^2)/b^2$

Rubi [A] time = 0.102801, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3311, 32, 2635, 8}

$$-\frac{3d^3(c + dx)\sin^2(a + bx)}{2b^4} + \frac{3d^2(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b^3} + \frac{d(c + dx)^3 \sin^2(a + bx)}{b^2} - \frac{3d^4 \sin(a + bx) \cos(a + bx)}{4b^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^4*Sin[a + b*x]^2,x]

[Out] $(3*d^4*x)/(4*b^4) - (d*(c + d*x)^3)/(2*b^2) + (c + d*x)^5/(10*d) - (3*d^4*\cos[a + b*x]*\sin[a + b*x])/(4*b^5) + (3*d^2*(c + d*x)^2*\cos[a + b*x]*\sin[a + b*x])/(2*b^3) - ((c + d*x)^4*\cos[a + b*x]*\sin[a + b*x])/(2*b) - (3*d^3*(c + d*x)*\sin[a + b*x]^2)/(2*b^4) + (d*(c + d*x)^3*\sin[a + b*x]^2)/b^2$

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned}
\int (c+dx)^4 \sin^2(a+bx) dx &= -\frac{(c+dx)^4 \cos(a+bx) \sin(a+bx)}{2b} + \frac{d(c+dx)^3 \sin^2(a+bx)}{b^2} + \frac{1}{2} \int (c+dx)^4 dx - \frac{(3d^2}{2} \\
&= \frac{(c+dx)^5}{10d} + \frac{3d^2(c+dx)^2 \cos(a+bx) \sin(a+bx)}{2b^3} - \frac{(c+dx)^4 \cos(a+bx) \sin(a+bx)}{2b} - \\
&= -\frac{d(c+dx)^3}{2b^2} + \frac{(c+dx)^5}{10d} - \frac{3d^4 \cos(a+bx) \sin(a+bx)}{4b^5} + \frac{3d^2(c+dx)^2 \cos(a+bx) \sin(a+bx)}{2b^3} \\
&= \frac{3d^4 x}{4b^4} - \frac{d(c+dx)^3}{2b^2} + \frac{(c+dx)^5}{10d} - \frac{3d^4 \cos(a+bx) \sin(a+bx)}{4b^5} + \frac{3d^2(c+dx)^2 \cos(a+bx) \sin(a+bx)}{2b^3}
\end{aligned}$$

Mathematica [A] time = 0.63842, size = 132, normalized size = 0.82

$$\frac{-10 \sin(2(a+bx)) (-6b^2 d^2 (c+dx)^2 + 2b^4 (c+dx)^4 + 3d^4) - 20bd(c+dx) \cos(2(a+bx)) (2b^2 (c+dx)^2 - 3d^2) + 8b^5 x}{80b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^4*Sin[a + b*x]^2,x]

[Out] (8*b^5*x*(5*c^4 + 10*c^3*d*x + 10*c^2*d^2*x^2 + 5*c*d^3*x^3 + d^4*x^4) - 20*b*d*(c + d*x)*(-3*d^2 + 2*b^2*(c + d*x)^2)*Cos[2*(a + b*x)] - 10*(3*d^4 - 6*b^2*d^2*(c + d*x)^2 + 2*b^4*(c + d*x)^4)*Sin[2*(a + b*x)])/(80*b^5)

Maple [B] time = 0.048, size = 1030, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^4*sin(b*x+a)^2,x)

[Out] 1/b*(1/b^4*d^4*((b*x+a)^4*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-(b*x+a)^3*cos(b*x+a)^2+3*(b*x+a)^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/2*(b*x+a)*cos(b*x+a)^2-3/4*cos(b*x+a)*sin(b*x+a)-3/4*b*x-3/4*a-(b*x+a)^3-2/5*(b*x+a)^5)-4/b^4*a*d^4*((b*x+a)^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/4*(b*x+a)^2*cos(b*x+a)^2+3/2*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/8*(b*x+a)^2-3/8*sin(b*x+a)^2-3/8*(b*x+a)^4)+4/b^3*c*d^3*((b*x+a)^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/4*(b*x+a)^2*cos(b*x+a)^2+3/2*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/8*(b*x+a)^2-3/8*sin(b*x+a)^2-3/8*(b*x+a)^4)+6/b^4*a^2*d^4*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)-12/b^3*a*c*d^3*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)+6/b^2*c^2*d^2*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)-4/b^4*a^3*d^4*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+12/b^3*a^2*c*d^3*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)-12/b^2*a*c^2*d^2*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+4/b*c^3*d*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+1/b^4*a^4*d^4*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-4/b^3*a^3*c*d^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+6/b^2*a^2*c^2*d^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-4/b*a*c^3*d*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c^4*(-1/2*cos(b*x+a)*sin(b*x+a)+

$1/2*b*x+1/2*a)$

Maxima [B] time = 1.14591, size = 992, normalized size = 6.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a)^2,x, algorithm="maxima")

[Out] $1/40*(10*(2*b*x + 2*a - \sin(2*b*x + 2*a))*c^4 - 40*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a*c^3*d/b + 60*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a^2*c^2*d^2/b^2 - 40*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a^3*c*d^3/b^3 + 10*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a^4*d^4/b^4 + 20*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*c^3*d/b - 60*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*a*c^2*d^2/b^2 + 60*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*a^2*c*d^3/b^3 - 20*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*a^3*d^4/b^4 + 10*(4*(b*x + a)^3 - 6*(b*x + a)*\cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*c^2*d^2/b^2 - 20*(4*(b*x + a)^3 - 6*(b*x + a)*\cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*a*c*d^3/b^3 + 10*(4*(b*x + a)^3 - 6*(b*x + a)*\cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*a^2*d^4/b^4 + 10*(2*(b*x + a)^4 - 3*(2*(b*x + a)^2 - 1)*\cos(2*b*x + 2*a) - 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*\sin(2*b*x + 2*a))*c*d^3/b^3 - 10*(2*(b*x + a)^4 - 3*(2*(b*x + a)^2 - 1)*\cos(2*b*x + 2*a) - 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*\sin(2*b*x + 2*a))*a*d^4/b^4 + (4*(b*x + a)^5 - 10*(2*(b*x + a)^3 - 3*b*x - 3*a)*\cos(2*b*x + 2*a) - 5*(2*(b*x + a)^4 - 6*(b*x + a)^2 + 3)*\sin(2*b*x + 2*a))*d^4/b^4)/b$

Fricas [A] time = 1.77142, size = 593, normalized size = 3.68

$2b^5d^4x^5 + 10b^5cd^3x^4 + 10(2b^5c^2d^2 + b^3d^4)x^3 + 10(2b^5c^3d + 3b^3cd^3)x^2 - 10(2b^3d^4x^3 + 6b^3cd^3x^2 + 2b^3c^3d - 3bcd^3 +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a)^2,x, algorithm="fricas")

[Out] $1/20*(2*b^5*d^4*x^5 + 10*b^5*c*d^3*x^4 + 10*(2*b^5*c^2*d^2 + b^3*d^4)*x^3 + 10*(2*b^5*c^3*d + 3*b^3*c*d^3)*x^2 - 10*(2*b^3*d^4*x^3 + 6*b^3*c*d^3*x^2 + 2*b^3*c^3*d - 3*b*c*d^3 + 3*(2*b^3*c^2*d^2 - b*d^4)*x)*\cos(b*x + a)^2 - 5*(2*b^4*d^4*x^4 + 8*b^4*c*d^3*x^3 + 2*b^4*c^2*d^2 - 6*b^2*c^2*d^2 + 3*d^4 + 6*(2*b^4*c^2*d^2 - b^2*d^4)*x^2 + 4*(2*b^4*c^3*d - 3*b^2*c*d^3)*x)*\cos(b*x + a)*\sin(b*x + a) + 5*(2*b^5*c^4 + 6*b^3*c^2*d^2 - 3*b*d^4)*x)/b^5$

Sympy [A] time = 6.1568, size = 660, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**4*sin(b*x+a)**2,x)

```
[Out] Piecewise((c**4*x*sin(a + b*x)**2/2 + c**4*x*cos(a + b*x)**2/2 + c**3*d*x**2*sin(a + b*x)**2 + c**3*d*x**2*cos(a + b*x)**2 + c**2*d**2*x**3*sin(a + b*x)**2 + c**2*d**2*x**3*cos(a + b*x)**2 + c*d**3*x**4*sin(a + b*x)**2/2 + c*d**3*x**4*cos(a + b*x)**2/2 + d**4*x**5*sin(a + b*x)**2/10 + d**4*x**5*cos(a + b*x)**2/10 - c**4*sin(a + b*x)*cos(a + b*x)/(2*b) - 2*c**3*d*x*sin(a + b*x)*cos(a + b*x)/b - 3*c**2*d**2*x**2*sin(a + b*x)*cos(a + b*x)/b - 2*c*d**3*x**3*sin(a + b*x)*cos(a + b*x)/b - d**4*x**4*sin(a + b*x)*cos(a + b*x)/(2*b) + c**3*d*sin(a + b*x)**2/b**2 + 3*c**2*d**2*x*sin(a + b*x)**2/(2*b**2) - 3*c**2*d**2*x*cos(a + b*x)**2/(2*b**2) + 3*c*d**3*x**2*sin(a + b*x)**2/(2*b**2) - 3*c*d**3*x**2*cos(a + b*x)**2/(2*b**2) + d**4*x**3*sin(a + b*x)**2/(2*b**2) - d**4*x**3*cos(a + b*x)**2/(2*b**2) + 3*c**2*d**2*sin(a + b*x)*cos(a + b*x)/(2*b**3) + 3*c*d**3*x*sin(a + b*x)*cos(a + b*x)/b**3 + 3*d**4*x**2*sin(a + b*x)*cos(a + b*x)/(2*b**3) - 3*c*d**3*sin(a + b*x)**2/(2*b**4) - 3*d**4*x*sin(a + b*x)**2/(4*b**4) + 3*d**4*x*cos(a + b*x)**2/(4*b**4) - 3*d**4*sin(a + b*x)*cos(a + b*x)/(4*b**5), Ne(b, 0)), ((c**4*x + 2*c**3*d*x**2 + 2*c**2*d**2*x**3 + c*d**3*x**4 + d**4*x**5/5)*sin(a)**2, True))
```

Giac [A] time = 1.16633, size = 300, normalized size = 1.86

$$\frac{1}{10}d^4x^5 + \frac{1}{2}cd^3x^4 + c^2d^2x^3 + c^3dx^2 + \frac{1}{2}c^4x - \frac{(2b^3d^4x^3 + 6b^3cd^3x^2 + 6b^3c^2d^2x + 2b^3c^3d - 3bd^4x - 3bcd^3)\cos(2bx)}{4b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^4*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] 1/10*d^4*x^5 + 1/2*c*d^3*x^4 + c^2*d^2*x^3 + c^3*d*x^2 + 1/2*c^4*x - 1/4*(2*b^3*d^4*x^3 + 6*b^3*c*d^3*x^2 + 6*b^3*c^2*d^2*x + 2*b^3*c^3*d - 3*b*d^4*x - 3*b*c*d^3)*cos(2*b*x + 2*a)/b^5 - 1/8*(2*b^4*d^4*x^4 + 8*b^4*c*d^3*x^3 + 12*b^4*c^2*d^2*x^2 + 8*b^4*c^3*d*x + 2*b^4*c^4 - 6*b^2*d^4*x^2 - 12*b^2*c*d^3*x - 6*b^2*c^2*d^2 + 3*d^4)*sin(2*b*x + 2*a)/b^5
```

3.9 $\int (c + dx)^3 \sin^2(a + bx) dx$

Optimal. Leaf size=134

$$\frac{3d^2(c + dx) \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{3d(c + dx)^2 \sin^2(a + bx)}{4b^2} - \frac{3d^3 \sin^2(a + bx)}{8b^4} - \frac{(c + dx)^3 \sin(a + bx) \cos(a + bx)}{2b}$$

[Out] $(-3*c*d^2*x)/(4*b^2) - (3*d^3*x^2)/(8*b^2) + (c + d*x)^4/(8*d) + (3*d^2*(c + d*x)*Cos[a + b*x]*Sin[a + b*x])/(4*b^3) - ((c + d*x)^3*Cos[a + b*x]*Sin[a + b*x])/(2*b) - (3*d^3*Sin[a + b*x]^2)/(8*b^4) + (3*d*(c + d*x)^2*Sin[a + b*x]^2)/(4*b^2)$

Rubi [A] time = 0.0742275, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3311, 32, 3310}

$$\frac{3d^2(c + dx) \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{3d(c + dx)^2 \sin^2(a + bx)}{4b^2} - \frac{3d^3 \sin^2(a + bx)}{8b^4} - \frac{(c + dx)^3 \sin(a + bx) \cos(a + bx)}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Sin[a + b*x]^2,x]

[Out] $(-3*c*d^2*x)/(4*b^2) - (3*d^3*x^2)/(8*b^2) + (c + d*x)^4/(8*d) + (3*d^2*(c + d*x)*Cos[a + b*x]*Sin[a + b*x])/(4*b^3) - ((c + d*x)^3*Cos[a + b*x]*Sin[a + b*x])/(2*b) - (3*d^3*Sin[a + b*x]^2)/(8*b^4) + (3*d*(c + d*x)^2*Sin[a + b*x]^2)/(4*b^2)$

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned} \int (c+dx)^3 \sin^2(a+bx) dx &= -\frac{(c+dx)^3 \cos(a+bx) \sin(a+bx)}{2b} + \frac{3d(c+dx)^2 \sin^2(a+bx)}{4b^2} + \frac{1}{2} \int (c+dx)^3 dx - \frac{(3d}{2} \\ &= \frac{(c+dx)^4}{8d} + \frac{3d^2(c+dx) \cos(a+bx) \sin(a+bx)}{4b^3} - \frac{(c+dx)^3 \cos(a+bx) \sin(a+bx)}{2b} - \frac{3d}{2} \\ &= -\frac{3cd^2x}{4b^2} - \frac{3d^3x^2}{8b^2} + \frac{(c+dx)^4}{8d} + \frac{3d^2(c+dx) \cos(a+bx) \sin(a+bx)}{4b^3} - \frac{(c+dx)^3 \cos(a+bx) \sin(a+bx)}{2b} \end{aligned}$$

Mathematica [A] time = 0.419724, size = 106, normalized size = 0.79

$$\frac{-2b(c+dx) \sin(2(a+bx)) (2b^2(c+dx)^2 - 3d^2) - 3d \cos(2(a+bx)) (2b^2(c+dx)^2 - d^2) + 2b^4x (6c^2dx + 4c^3 + 4cd^2x^2)}{16b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Sin[a + b*x]^2,x]

[Out] (2*b^4*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) - 3*d*(-d^2 + 2*b^2*(c + d*x)^2)*Cos[2*(a + b*x)] - 2*b*(c + d*x)*(-3*d^2 + 2*b^2*(c + d*x)^2)*Sin[2*(a + b*x)])/(16*b^4)

Maple [B] time = 0.007, size = 587, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*sin(b*x+a)^2,x)

[Out] 1/b*(1/b^3*d^3*((b*x+a)^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/4*(b*x+a)^2*cos(b*x+a)^2+3/2*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/8*(b*x+a)^2-3/8*sin(b*x+a)^2-3/8*(b*x+a)^4)-3/b^3*a*d^3*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)+3/b^2*c*d^2*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)+3/b^3*a^2*d^3*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)-6/b^2*a*c*d^2*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+3/b*c^2*d*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)-1/b^3*a^3*d^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/b^2*a^2*c*d^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/b*a*c^2*d*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c^3*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a))

Maxima [B] time = 1.06971, size = 597, normalized size = 4.46

$$\frac{4(2bx+2a-\sin(2bx+2a))c^3 - \frac{12(2bx+2a-\sin(2bx+2a))ac^2d}{b} + \frac{12(2bx+2a-\sin(2bx+2a))a^2cd^2}{b^2} - \frac{4(2bx+2a-\sin(2bx+2a))a^3d^3}{b^3} + \dots}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{16}*(4*(2*b*x + 2*a - \sin(2*b*x + 2*a))*c^3 - 12*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a*c^2*d/b + 12*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a^2*c*d^2/b^2 - 4*(2*b*x + 2*a - \sin(2*b*x + 2*a))*a^3*d^3/b^3 + 6*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*c^2*d/b - 12*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*a*c*d^2/b^2 + 6*(2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*a^2*d^3/b^3 + 2*(4*(b*x + a)^3 - 6*(b*x + a)*\cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*c*d^2/b^2 - 2*(4*(b*x + a)^3 - 6*(b*x + a)*\cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*a*d^3/b^3 + (2*(b*x + a)^4 - 3*(2*(b*x + a)^2 - 1)*\cos(2*b*x + 2*a) - 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*\sin(2*b*x + 2*a))*d^3/b^3)/b$

Fricas [A] time = 1.70047, size = 394, normalized size = 2.94

$$\frac{b^4 d^3 x^4 + 4 b^4 c d^2 x^3 + 3 (2 b^4 c^2 d + b^2 d^3) x^2 - 3 (2 b^2 d^3 x^2 + 4 b^2 c d^2 x + 2 b^2 c^2 d - d^3) \cos(bx + a)^2 - 2 (2 b^3 d^3 x^3 + 6 b^3 c d^2 x^2 + 6 b^3 c^2 d x + 2 b^3 c^3) \sin(bx + a)^2}{8 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{8}*(b^4*d^3*x^4 + 4*b^4*c*d^2*x^3 + 3*(2*b^4*c^2*d + b^2*d^3)*x^2 - 3*(2*b^2*d^3*x^2 + 4*b^2*c*d^2*x + 2*b^2*c^2*d - d^3)*\cos(b*x + a)^2 - 2*(2*b^3*d^3*x^3 + 6*b^3*c*d^2*x^2 + 6*b^3*c^2*d*x + 2*b^3*c^3)*\sin(b*x + a)^2 + 2*(2*b^4*c^3 + 3*b^2*c*d^2)*x)/b^4$

Sympy [A] time = 3.23952, size = 456, normalized size = 3.4

$$\left\{ \frac{c^3 x \sin^2(a+bx)}{2} + \frac{c^3 x \cos^2(a+bx)}{2} + \frac{3c^2 dx^2 \sin^2(a+bx)}{4} + \frac{3c^2 dx^2 \cos^2(a+bx)}{4} + \frac{cd^2 x^3 \sin^2(a+bx)}{2} + \frac{cd^2 x^3 \cos^2(a+bx)}{2} + \frac{d^3 x^4 \sin^2(a+bx)}{8} + \frac{d^3 x^4 \cos^2(a+bx)}{8} \right\} \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \sin^2(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sin(b*x+a)**2,x)

[Out] Piecewise((c**3*x*sin(a + b*x)**2/2 + c**3*x*cos(a + b*x)**2/2 + 3*c**2*d*x**2*sin(a + b*x)**2/4 + 3*c**2*d*x**2*cos(a + b*x)**2/4 + c*d**2*x**3*sin(a + b*x)**2/2 + c*d**2*x**3*cos(a + b*x)**2/2 + d**3*x**4*sin(a + b*x)**2/8 + d**3*x**4*cos(a + b*x)**2/8 - c**3*sin(a + b*x)*cos(a + b*x)/(2*b) - 3*c**2*d*x*sin(a + b*x)*cos(a + b*x)/(2*b) - 3*c*d**2*x**2*sin(a + b*x)*cos(a + b*x)/(2*b) - d**3*x**3*sin(a + b*x)*cos(a + b*x)/(2*b) + 3*c**2*d*sin(a + b*x)**2/(4*b**2) + 3*c*d**2*x*sin(a + b*x)**2/(4*b**2) - 3*c*d**2*x*cos(a + b*x)**2/(4*b**2) + 3*d**3*x**2*sin(a + b*x)**2/(8*b**2) - 3*d**3*x**2*cos(a + b*x)**2/(8*b**2) + 3*c*d**2*sin(a + b*x)*cos(a + b*x)/(4*b**3) + 3*d**3*x*sin(a + b*x)*cos(a + b*x)/(4*b**3) - 3*d**3*sin(a + b*x)**2/(8*b**4), Ne(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*sin(a)**2, True))

Giac [A] time = 1.13585, size = 207, normalized size = 1.54

$$\frac{1}{8}d^3x^4 + \frac{1}{2}cd^2x^3 + \frac{3}{4}c^2dx^2 + \frac{1}{2}c^3x - \frac{3(2b^2d^3x^2 + 4b^2cd^2x + 2b^2c^2d - d^3)\cos(2bx + 2a)}{16b^4} - \frac{(2b^3d^3x^3 + 6b^3cd^2x^2}{16b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a)^2,x, algorithm="giac")

[Out] 1/8*d^3*x^4 + 1/2*c*d^2*x^3 + 3/4*c^2*d*x^2 + 1/2*c^3*x - 3/16*(2*b^2*d^3*x^2 + 4*b^2*c*d^2*x + 2*b^2*c^2*d - d^3)*cos(2*b*x + 2*a)/b^4 - 1/8*(2*b^3*d^3*x^3 + 6*b^3*c*d^2*x^2 + 6*b^3*c^2*d*x + 2*b^3*c^3 - 3*b*d^3*x - 3*b*c*d^2)*sin(2*b*x + 2*a)/b^4

3.10 $\int (c + dx)^2 \sin^2(a + bx) dx$

Optimal. Leaf size=95

$$\frac{d(c + dx) \sin^2(a + bx)}{2b^2} + \frac{d^2 \sin(a + bx) \cos(a + bx)}{4b^3} - \frac{(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b} - \frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d}$$

[Out] $-(d^2 x)/(4b^2) + (c + dx)^3/(6d) + (d^2 \cos[a + bx] \sin[a + bx])/(4b^3) - ((c + dx)^2 \cos[a + bx] \sin[a + bx])/(2b) + (d(c + dx) \sin[a + bx])^2/(2b^2)$

Rubi [A] time = 0.0538203, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3311, 32, 2635, 8}

$$\frac{d(c + dx) \sin^2(a + bx)}{2b^2} + \frac{d^2 \sin(a + bx) \cos(a + bx)}{4b^3} - \frac{(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b} - \frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*Sin[a + b*x]^2,x]

[Out] $-(d^2 x)/(4b^2) + (c + dx)^3/(6d) + (d^2 \cos[a + bx] \sin[a + bx])/(4b^3) - ((c + dx)^2 \cos[a + bx] \sin[a + bx])/(2b) + (d(c + dx) \sin[a + bx])^2/(2b^2)$

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*cos[c + d*x]
*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \sin^2(a + bx) dx &= -\frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} + \frac{d(c + dx) \sin^2(a + bx)}{2b^2} + \frac{1}{2} \int (c + dx)^2 dx - \frac{d^2 \int \sin^2(a + bx) dx}{2b^2} \\ &= \frac{(c + dx)^3}{6d} + \frac{d^2 \cos(a + bx) \sin(a + bx)}{4b^3} - \frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} + \frac{d(c + dx) \sin^2(a + bx)}{2b^2} \\ &= -\frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d} + \frac{d^2 \cos(a + bx) \sin(a + bx)}{4b^3} - \frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} + \frac{d(c + dx) \sin^2(a + bx)}{2b^2} \end{aligned}$$

Mathematica [A] time = 0.301784, size = 77, normalized size = 0.81

$$\frac{-3 \sin(2(a + bx)) (2b^2(c + dx)^2 - d^2) - 6bd(c + dx) \cos(2(a + bx)) + 4b^3x(3c^2 + 3cdx + d^2x^2)}{24b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Sin[a + b*x]^2,x]

[Out] (4*b^3*x*(3*c^2 + 3*c*d*x + d^2*x^2) - 6*b*d*(c + d*x)*Cos[2*(a + b*x)] - 3*(-d^2 + 2*b^2*(c + d*x)^2)*Sin[2*(a + b*x)])/(24*b^3)

Maple [B] time = 0.007, size = 289, normalized size = 3.

$$\frac{1}{b} \left(\frac{d^2}{b^2} \left((bx + a)^2 \left(-\frac{\cos(bx + a) \sin(bx + a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) - \frac{(bx + a) (\cos(bx + a))^2}{2} + \frac{\cos(bx + a) \sin(bx + a)}{4} + \frac{bx}{4} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*sin(b*x+a)^2,x)

[Out] 1/b*(1/b^2*d^2*((b*x+a)^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/2*(b*x+a)*cos(b*x+a)^2+1/4*cos(b*x+a)*sin(b*x+a)+1/4*b*x+1/4*a-1/3*(b*x+a)^3)-2/b^2*a*d^2*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+2/b*c*d*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)+1/b^2*a^2*d^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-2/b*a*c*d*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c^2*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a))

Maxima [B] time = 1.02537, size = 313, normalized size = 3.29

$$\frac{6(2bx + 2a - \sin(2bx + 2a))c^2 - \frac{12(2bx + 2a - \sin(2bx + 2a))acd}{b} + \frac{6(2bx + 2a - \sin(2bx + 2a))a^2d^2}{b^2} + \frac{6(2(bx + a)^2 - 2(bx + a)\sin(2bx + 2a) - \cos(2bx + 2a))}{b}}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^2,x, algorithm="maxima")

[Out] 1/24*(6*(2*b*x + 2*a - sin(2*b*x + 2*a))*c^2 - 12*(2*b*x + 2*a - sin(2*b*x + 2*a))*a*c*d/b + 6*(2*b*x + 2*a - sin(2*b*x + 2*a))*a^2*d^2/b^2 + 6*(2*(b*x + a)^2 - 2*(b*x + a)*sin(2*b*x + 2*a) - cos(2*b*x + 2*a))*c*d/b - 6*(2*(b*x + a)^2 - 2*(b*x + a)*sin(2*b*x + 2*a) - cos(2*b*x + 2*a))*a*d^2/b^2 + (4*(b*x + a)^3 - 6*(b*x + a)*cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*sin(2*b

$*x + 2*a)) * d^2 / b^2) / b$

Fricas [A] time = 1.7763, size = 247, normalized size = 2.6

$$\frac{2b^3d^2x^3 + 6b^3cdx^2 - 6(bd^2x + bcd)\cos(bx + a)^2 - 3(2b^2d^2x^2 + 4b^2cdx + 2b^2c^2 - d^2)\cos(bx + a)\sin(bx + a) + 3(2b^2d^2x^2 + 4b^2cdx + 2b^2c^2 - d^2)\cos(bx + a)\sin(bx + a) + 3(2b^2d^2x^2 + 4b^2cdx + 2b^2c^2 - d^2)\cos(bx + a)\sin(bx + a)}{12b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{12} * (2 * b^3 * d^2 * x^3 + 6 * b^3 * c * d * x^2 - 6 * (b * d^2 * x + b * c * d) * \cos(b * x + a)^2 - 3 * (2 * b^2 * d^2 * x^2 + 4 * b^2 * c * d * x + 2 * b^2 * c^2 - d^2) * \cos(b * x + a) * \sin(b * x + a) + 3 * (2 * b^2 * d^2 * x^2 + 4 * b^2 * c * d * x + 2 * b^2 * c^2 - d^2) * \cos(b * x + a) * \sin(b * x + a) + 3 * (2 * b^2 * d^2 * x^2 + 4 * b^2 * c * d * x + 2 * b^2 * c^2 - d^2) * \cos(b * x + a) * \sin(b * x + a)) / b^3$

Sympy [A] time = 1.46087, size = 264, normalized size = 2.78

$$\left\{ \begin{array}{l} \frac{c^2 x \sin^2(a+bx)}{2} + \frac{c^2 x \cos^2(a+bx)}{2} + \frac{cdx^2 \sin^2(a+bx)}{2} + \frac{cdx^2 \cos^2(a+bx)}{2} + \frac{d^2 x^3 \sin^2(a+bx)}{6} + \frac{d^2 x^3 \cos^2(a+bx)}{6} - \frac{c^2 \sin(a+bx) \cos(a+bx)}{2b} - \frac{cdx \sin(a+bx) \cos(a+bx)}{2b} \\ \left(c^2 x + cdx^2 + \frac{d^2 x^3}{3} \right) \sin^2(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sin(b*x+a)**2,x)

[Out] Piecewise((c**2*x*sin(a + b*x)**2/2 + c**2*x*cos(a + b*x)**2/2 + c*d*x**2*sin(a + b*x)**2/2 + c*d*x**2*cos(a + b*x)**2/2 + d**2*x**3*sin(a + b*x)**2/6 + d**2*x**3*cos(a + b*x)**2/6 - c**2*sin(a + b*x)*cos(a + b*x)/(2*b) - c*d*x*sin(a + b*x)*cos(a + b*x)/b - d**2*x**2*sin(a + b*x)*cos(a + b*x)/(2*b) + c*d*sin(a + b*x)**2/(2*b**2) + d**2*x*sin(a + b*x)**2/(4*b**2) - d**2*x*cos(a + b*x)**2/(4*b**2) + d**2*sin(a + b*x)*cos(a + b*x)/(4*b**3), Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*sin(a)**2, True))

Giac [A] time = 1.12363, size = 127, normalized size = 1.34

$$\frac{1}{6} d^2 x^3 + \frac{1}{2} c d x^2 + \frac{1}{2} c^2 x - \frac{(b d^2 x + b c d) \cos(2 b x + 2 a)}{4 b^3} - \frac{(2 b^2 d^2 x^2 + 4 b^2 c d x + 2 b^2 c^2 - d^2) \sin(2 b x + 2 a)}{8 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^2,x, algorithm="giac")

[Out] $\frac{1}{6} * d^2 * x^3 + \frac{1}{2} * c * d * x^2 + \frac{1}{2} * c^2 * x - \frac{1}{4} * (b * d^2 * x + b * c * d) * \cos(2 * b * x + 2 * a) / b^3 - \frac{1}{8} * (2 * b^2 * d^2 * x^2 + 4 * b^2 * c * d * x + 2 * b^2 * c^2 - d^2) * \sin(2 * b * x + 2 * a) / b^3$

3.11 $\int (c + dx) \sin^2(a + bx) dx$

Optimal. Leaf size=55

$$\frac{d \sin^2(a + bx)}{4b^2} - \frac{(c + dx) \sin(a + bx) \cos(a + bx)}{2b} + \frac{cx}{2} + \frac{dx^2}{4}$$

[Out] $(c*x)/2 + (d*x^2)/4 - ((c + d*x)*Cos[a + b*x]*Sin[a + b*x])/(2*b) + (d*Sin[a + b*x]^2)/(4*b^2)$

Rubi [A] time = 0.0268548, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {3310}

$$\frac{d \sin^2(a + bx)}{4b^2} - \frac{(c + dx) \sin(a + bx) \cos(a + bx)}{2b} + \frac{cx}{2} + \frac{dx^2}{4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Sin[a + b*x]^2,x]

[Out] $(c*x)/2 + (d*x^2)/4 - ((c + d*x)*Cos[a + b*x]*Sin[a + b*x])/(2*b) + (d*Sin[a + b*x]^2)/(4*b^2)$

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned} \int (c + dx) \sin^2(a + bx) dx &= -\frac{(c + dx) \cos(a + bx) \sin(a + bx)}{2b} + \frac{d \sin^2(a + bx)}{4b^2} + \frac{1}{2} \int (c + dx) dx \\ &= \frac{cx}{2} + \frac{dx^2}{4} - \frac{(c + dx) \cos(a + bx) \sin(a + bx)}{2b} + \frac{d \sin^2(a + bx)}{4b^2} \end{aligned}$$

Mathematica [A] time = 0.146112, size = 52, normalized size = 0.95

$$\frac{2b(-(c + dx) \sin(2(a + bx)) + 2ac + bx(2c + dx)) - d \cos(2(a + bx))}{8b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Sin[a + b*x]^2,x]

[Out] $(-(d*\Cos[2*(a + b*x)]) + 2*b*(2*a*c + b*x*(2*c + d*x) - (c + d*x)*Sin[2*(a + b*x)]))/(8*b^2)$

Maple [B] time = 0.006, size = 112, normalized size = 2.

$$\frac{1}{b} \left(\frac{d}{b} \left((bx+a) \left(-\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) - \frac{(bx+a)^2}{4} + \frac{(\sin(bx+a))^2}{4} \right) - \frac{da}{b} \left(-\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sin(b*x+a)^2,x)

[Out] 1/b*(1/b*d*((b*x+a)*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2+1/4*sin(b*x+a)^2)-1/b*d*a*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c*(-1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a))

Maxima [B] time = 1.00875, size = 130, normalized size = 2.36

$$\frac{2(2bx+2a-\sin(2bx+2a))c - \frac{2(2bx+2a-\sin(2bx+2a))ad}{b} + \frac{(2(bx+a)^2-2(bx+a)\sin(2bx+2a)-\cos(2bx+2a))d}{b}}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] 1/8*(2*(2*b*x + 2*a - sin(2*b*x + 2*a))*c - 2*(2*b*x + 2*a - sin(2*b*x + 2*a))*a*d/b + (2*(b*x + a)^2 - 2*(b*x + a)*sin(2*b*x + 2*a) - cos(2*b*x + 2*a))*d/b)/b

Fricas [A] time = 1.64362, size = 130, normalized size = 2.36

$$\frac{b^2 dx^2 + 2b^2 cx - d \cos(bx+a)^2 - 2(bdx+bc) \cos(bx+a) \sin(bx+a)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)^2,x, algorithm="fricas")

[Out] 1/4*(b^2*d*x^2 + 2*b^2*c*x - d*cos(b*x + a)^2 - 2*(b*d*x + b*c)*cos(b*x + a)*sin(b*x + a))/b^2

Sympy [A] time = 0.629207, size = 126, normalized size = 2.29

$$\left\{ \begin{array}{l} \frac{cx \sin^2(a+bx)}{2} + \frac{cx \cos^2(a+bx)}{2} + \frac{dx^2 \sin^2(a+bx)}{4} + \frac{dx^2 \cos^2(a+bx)}{4} - \frac{c \sin(a+bx) \cos(a+bx)}{2b} - \frac{dx \sin(a+bx) \cos(a+bx)}{2b} + \frac{d \sin^2(a+bx)}{4b^2} \\ \left(cx + \frac{dx^2}{2} \right) \sin^2(a) \end{array} \right. \text{ for } b \neq 0$$

otherwise

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)**2,x)

[Out] Piecewise((c*x*sin(a + b*x)**2/2 + c*x*cos(a + b*x)**2/2 + d*x**2*sin(a + b*x)**2/4 + d*x**2*cos(a + b*x)**2/4 - c*sin(a + b*x)*cos(a + b*x)/(2*b) - d*x*sin(a + b*x)*cos(a + b*x)/(2*b) + d*sin(a + b*x)**2/(4*b**2), Ne(b, 0)),


```
((c*x + d*x**2/2)*sin(a)**2, True))
```

Giac [A] time = 1.1177, size = 65, normalized size = 1.18

$$\frac{1}{4} dx^2 + \frac{1}{2} cx - \frac{d \cos(2bx + 2a)}{8b^2} - \frac{(bdx + bc) \sin(2bx + 2a)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] 1/4*d*x^2 + 1/2*c*x - 1/8*d*cos(2*b*x + 2*a)/b^2 - 1/4*(b*d*x + b*c)*sin(2*
b*x + 2*a)/b^2
```

3.12 $\int \frac{\sin^2(a+bx)}{c+dx} dx$

Optimal. Leaf size=78

$$-\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c + dx)}{2d}$$

[Out] $-(\text{Cos}[2*a - (2*b*c)/d]*\text{CosIntegral}[(2*b*c)/d + 2*b*x])/(2*d) + \text{Log}[c + d*x]/(2*d) + (\text{Sin}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x])/(2*d)$

Rubi [A] time = 0.168239, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3312, 3303, 3299, 3302}

$$-\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*x]^2/(c + d*x), x]$

[Out] $-(\text{Cos}[2*a - (2*b*c)/d]*\text{CosIntegral}[(2*b*c)/d + 2*b*x])/(2*d) + \text{Log}[c + d*x]/(2*d) + (\text{Sin}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x])/(2*d)$

Rule 3312

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)} \sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (\text{!RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2(a+bx)}{c+dx} dx &= \int \left(\frac{1}{2(c+dx)} - \frac{\cos(2a+2bx)}{2(c+dx)} \right) dx \\
&= \frac{\log(c+dx)}{2d} - \frac{1}{2} \int \frac{\cos(2a+2bx)}{c+dx} dx \\
&= \frac{\log(c+dx)}{2d} - \frac{1}{2} \cos\left(2a - \frac{2bc}{d}\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx + \frac{1}{2} \sin\left(2a - \frac{2bc}{d}\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx \\
&= -\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c+dx)}{2d} + \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.104045, size = 65, normalized size = 0.83

$$\frac{-\cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2b(c+dx)}{d}\right) + \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2b(c+dx)}{d}\right) + \log(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x), x]

[Out] $-(\text{Cos}[2*a - (2*b*c)/d] * \text{CosIntegral}[(2*b*(c + d*x))/d]) + \text{Log}[c + d*x] + \text{Sin}[2*a - (2*b*c)/d] * \text{SinIntegral}[(2*b*(c + d*x))/d]) / (2*d)$

Maple [A] time = 0.01, size = 105, normalized size = 1.4

$$\frac{\ln((bx+a)d - da + cb)}{2d} - \frac{1}{2d} \text{Si}\left(2bx + 2a + 2\frac{-da + cb}{d}\right) \sin\left(2\frac{-da + cb}{d}\right) - \frac{1}{2d} \text{Ci}\left(2bx + 2a + 2\frac{-da + cb}{d}\right) \cos\left(2\frac{-da + cb}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^2/(d*x+c), x)

[Out] $1/2 * \ln((b*x+a)*d - d*a + c*b) / d - 1/2 * \text{Si}(2*b*x + 2*a + 2*(-a*d + b*c) / d) * \sin(2*(-a*d + b*c) / d) - 1/2 * \text{Ci}(2*b*x + 2*a + 2*(-a*d + b*c) / d) * \cos(2*(-a*d + b*c) / d) / d$

Maxima [C] time = 1.23145, size = 216, normalized size = 2.77

$$\frac{b \left(E_1\left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) + E_1\left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) \right) \cos\left(-\frac{2(bc-ad)}{d}\right) + b \left(-i E_1\left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) + i E_1\left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) \right) \sin\left(-\frac{2(bc-ad)}{d}\right)}{4bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c), x, algorithm="maxima")

[Out] $1/4 * (b * (\exp_integral_e(1, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d) / d) + \exp_integral_e(1, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d) / d)) * \cos(-2*(b*c - a*d) / d) + b * (-I * \exp_integral_e(1, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d) / d) + I * \exp_integral_e(1, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d) / d)) * \sin(-2*(b*c - a*d) / d) + 2*b * \log(b*c + (b*x + a)*d - a*d)) / (b*d)$

Fricas [A] time = 1.70157, size = 238, normalized size = 3.05

$$\frac{\left(\operatorname{Ci}\left(\frac{2(bdx+bc)}{d}\right) + \operatorname{Ci}\left(-\frac{2(bdx+bc)}{d}\right)\right) \cos\left(-\frac{2(bc-ad)}{d}\right) - 2 \sin\left(-\frac{2(bc-ad)}{d}\right) \operatorname{Si}\left(\frac{2(bdx+bc)}{d}\right) - 2 \log(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c),x, algorithm="fricas")

[Out] -1/4*((cos_integral(2*(b*d*x + b*c)/d) + cos_integral(-2*(b*d*x + b*c)/d))*cos(-2*(b*c - a*d)/d) - 2*sin(-2*(b*c - a*d)/d)*sin_integral(2*(b*d*x + b*c)/d) - 2*log(d*x + c))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c),x)

[Out] Integral(sin(a + b*x)**2/(c + d*x), x)

Giac [C] time = 1.2331, size = 826, normalized size = 10.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c),x, algorithm="giac")

[Out] 1/4*(2*log(abs(d*x + c))*tan(a)^2*tan(b*c/d)^2 - real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 - real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + 2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*tan(b*c/d) - 2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan(b*c/d) + 4*sin_integral(2*(b*d*x + b*c)/d)*tan(a)^2*tan(b*c/d) - 2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c/d)^2 + 2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*c/d)^2 - 4*sin_integral(2*(b*d*x + b*c)/d)*tan(a)*tan(b*c/d)^2 + 2*log(abs(d*x + c))*tan(a)^2 + real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2 + real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2 - 4*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c/d) - 4*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*c/d) + 2*log(abs(d*x + c))*tan(b*c/d)^2 + real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/d)^2 + real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*c/d)^2 + 2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a) - 2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a) + 4*sin_integral(2*(b*d*x + b*c)/d)*tan(a) - 2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/d) + 2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*c/d) - 4*sin_integral(2*(b*d*x + b*c)/d)*tan(b*c/d) + 2*log(abs(d*x + c)) - real_part(cos_integral(2*b*x + 2*b*c/d)) - real_part(cos_integral(-2*b*x - 2*b*c/d)))/(d*tan(a)^2*tan(b*c/d)^2 + d*tan(a)^2 + d*tan(b*c/d)^2 + d)

3.13 $\int \frac{\sin^2(a+bx)}{(c+dx)^2} dx$

Optimal. Leaf size=81

$$\frac{b \sin\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^2} + \frac{b \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{\sin^2(a+bx)}{d(c+dx)}$$

[Out] (b*CosIntegral[(2*b*c)/d + 2*b*x]*Sin[2*a - (2*b*c)/d])/d^2 - Sin[a + b*x]^2/(d*(c + d*x)) + (b*Cos[2*a - (2*b*c)/d]*SinIntegral[(2*b*c)/d + 2*b*x])/d^2

Rubi [A] time = 0.139409, antiderivative size = 81, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3313, 12, 3303, 3299, 3302}

$$\frac{b \sin\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^2} + \frac{b \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{\sin^2(a+bx)}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^2/(c + d*x)^2,x]

[Out] (b*CosIntegral[(2*b*c)/d + 2*b*x]*Sin[2*a - (2*b*c)/d])/d^2 - Sin[a + b*x]^2/(d*(c + d*x)) + (b*Cos[2*a - (2*b*c)/d]*SinIntegral[(2*b*c)/d + 2*b*x])/d^2

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

c*f, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^2(a+bx)}{(c+dx)^2} dx &= -\frac{\sin^2(a+bx)}{d(c+dx)} + \frac{(2b) \int \frac{\sin(2a+2bx)}{2(c+dx)} dx}{d} \\
 &= -\frac{\sin^2(a+bx)}{d(c+dx)} + \frac{b \int \frac{\sin(2a+2bx)}{c+dx} dx}{d} \\
 &= -\frac{\sin^2(a+bx)}{d(c+dx)} + \frac{\left(b \cos\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d} + \frac{\left(b \sin\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d} \\
 &= \frac{b \operatorname{Ci}\left(\frac{2bc}{d} + 2bx\right) \sin\left(2a - \frac{2bc}{d}\right)}{d^2} - \frac{\sin^2(a+bx)}{d(c+dx)} + \frac{b \cos\left(2a - \frac{2bc}{d}\right) \operatorname{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2}
 \end{aligned}$$

Mathematica [A] time = 0.398654, size = 75, normalized size = 0.93

$$\frac{b \sin\left(2a - \frac{2bc}{d}\right) \operatorname{CosIntegral}\left(\frac{2b(c+dx)}{d}\right) + b \cos\left(2a - \frac{2bc}{d}\right) \operatorname{Si}\left(\frac{2b(c+dx)}{d}\right) - \frac{d \sin^2(a+bx)}{c+dx}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x)^2,x]

[Out] (b*CosIntegral[(2*b*(c + d*x))/d]*Sin[2*a - (2*b*c)/d] - (d*Sin[a + b*x]^2)/(c + d*x) + b*Cos[2*a - (2*b*c)/d]*SinIntegral[(2*b*(c + d*x))/d])/d^2

Maple [A] time = 0.009, size = 156, normalized size = 1.9

$$\frac{1}{b} \left(-\frac{b^2}{(2(bx+a)d - 2da + 2cb)d} - \frac{b^2}{4} \left(-2 \frac{\cos(2bx + 2a)}{((bx+a)d - da + cb)d} - 2 \frac{1}{d} \left(2 \frac{1}{d} \operatorname{Si}\left(2bx + 2a + 2 \frac{-da + cb}{d}\right) \cos\left(2 \frac{-da + cb}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^2/(d*x+c)^2,x)

[Out] 1/b*(-1/2*b^2/((b*x+a)*d-d*a+c*b)/d-1/4*b^2*(-2*cos(2*b*x+2*a)/((b*x+a)*d-d*a+c*b)/d-2*(2*Si(2*b*x+2*a+2*(-a*d+b*c)/d)*cos(2*(-a*d+b*c)/d)/d-2*Ci(2*b*x+2*a+2*(-a*d+b*c)/d)*sin(2*(-a*d+b*c)/d)/d)/d)

Maxima [C] time = 1.32235, size = 231, normalized size = 2.85

$$\frac{16b^2 \left(E_2\left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) + E_2\left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) \right) \cos\left(-\frac{2(bc-ad)}{d}\right) - b^2 \left(16i E_2\left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) - 16i E_2\left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d}\right) \right)}{64(bcd + (bx+a)d^2 - ad^2)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^2,x, algorithm="maxima")

```
[Out] 1/64*(16*b^2*(exp_integral_e(2, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d) +
exp_integral_e(2, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d))*cos(-2*(b*c -
a*d)/d) - b^2*(16*I*exp_integral_e(2, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)
/d) - 16*I*exp_integral_e(2, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d))*sin
(-2*(b*c - a*d)/d) - 32*b^2)/((b*c*d + (b*x + a)*d^2 - a*d^2)*b)
```

Fricas [A] time = 1.81944, size = 325, normalized size = 4.01

$$\frac{2d \cos(bx + a)^2 + 2(bdx + bc) \cos\left(-\frac{2(bc-ad)}{d}\right) \operatorname{Si}\left(\frac{2(bdx+bc)}{d}\right) + \left((bdx + bc) \operatorname{Ci}\left(\frac{2(bdx+bc)}{d}\right) + (bdx + bc) \operatorname{Ci}\left(-\frac{2(bdx+bc)}{d}\right)\right)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^2/(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/2*(2*d*cos(b*x + a)^2 + 2*(b*d*x + b*c)*cos(-2*(b*c - a*d)/d)*sin_integra
l(2*(b*d*x + b*c)/d) + ((b*d*x + b*c)*cos_integral(2*(b*d*x + b*c)/d) + (b*
d*x + b*c)*cos_integral(-2*(b*d*x + b*c)/d))*sin(-2*(b*c - a*d)/d) - 2*d)/(
d^3*x + c*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**2/(d*x+c)**2,x)
```

```
[Out] Integral(sin(a + b*x)**2/(c + d*x)**2, x)
```

Giac [C] time = 1.34291, size = 3976, normalized size = 49.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^2/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] 1/2*(b*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan
(b*c/d)^2 - b*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(
a)^2*tan(b*c/d)^2 + 2*b*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(
a)^2*tan(b*c/d)^2 + 2*b*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*
x)^2*tan(a)^2*tan(b*c/d) + 2*b*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d)
)*tan(b*x)^2*tan(a)^2*tan(b*c/d) - 2*b*d*x*real_part(cos_integral(2*b*x + 2
*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 - 2*b*d*x*real_part(cos_integral(-2
*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 + b*c*imag_part(cos_integra
l(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - b*c*imag_part(cos_in
tegral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 2*b*c*sin_inte
gral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - b*d*x*imag_part(
cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2 + b*d*x*imag_part(cos_in
```

$$\begin{aligned} & \text{tegral}(-2*b*x - 2*b*c/d)*\tan(b*x)^2*\tan(a)^2 - 2*b*d*x*\sin_integral(2*(b*d \\ & *x + b*c)/d)*\tan(b*x)^2*\tan(a)^2 + 4*b*d*x*imag_part(\cos_integral(2*b*x + 2 \\ & *b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) - 4*b*d*x*imag_part(\cos_integral(-2*b \\ & *x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 8*b*d*x*\sin_integral(2*(b*d*x \\ & + b*c)/d)*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 2*b*c*real_part(\cos_integral(2*b* \\ & x + 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) + 2*b*c*real_part(\cos_integral \\ & (-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) - b*d*x*imag_part(\cos_in \\ & tegral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 + b*d*x*imag_part(\cos_inte \\ & gral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b*d*x*\sin_integral(2*(b \\ & *d*x + b*c)/d)*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b*c*real_part(\cos_integral(2*b*x \\ & + 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 - 2*b*c*real_part(\cos_integral(\\ & -2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 + b*d*x*imag_part(\cos_int \\ & egral(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d)^2 - b*d*x*imag_part(\cos_integra \\ & l(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d)^2 + 2*b*d*x*\sin_integral(2*(b*d*x \\ & + b*c)/d)*\tan(a)^2*\tan(b*c/d)^2 + 2*b*d*x*real_part(\cos_integral(2*b*x + 2* \\ & b*c/d))*\tan(b*x)^2*\tan(a) + 2*b*d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d \\ &))*\tan(b*x)^2*\tan(a) - b*c*imag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x \\ &)^2*\tan(a)^2 + b*c*imag_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan \\ & (a)^2 - 2*b*c*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)^2 - 2*b*d*x \\ & *real_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d) - 2*b*d*x*r \\ & eal_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d) + 4*b*c*imag \\ & _part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) - 4*b*c*i \\ & mag_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 8*b \\ & *c*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 2*b*d*x*r \\ & eal_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d) + 2*b*d*x*real \\ & _part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d) - b*c*imag_part(co \\ & s_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 + b*c*imag_part(\cos_in \\ & tegral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b*c*\sin_integral(2*(b \\ & *d*x + b*c)/d)*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b*d*x*real_part(\cos_integral(2*b \\ & *x + 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 2*b*d*x*real_part(\cos_integral(-2*b*x \\ & - 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 + b*c*imag_part(\cos_integral(2*b*x + 2*b*c/ \\ & d))*\tan(a)^2*\tan(b*c/d)^2 - b*c*imag_part(\cos_integral(-2*b*x - 2*b*c/d))*t \\ & an(a)^2*\tan(b*c/d)^2 + 2*b*c*\sin_integral(2*(b*d*x + b*c)/d)*\tan(a)^2*\tan(b \\ & *c/d)^2 + b*d*x*imag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2 - b*d*x \\ & *imag_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2 + 2*b*d*x*\sin_integra \\ & l(2*(b*d*x + b*c)/d)*\tan(b*x)^2 + 2*b*c*real_part(\cos_integral(2*b*x + 2*b* \\ & c/d))*\tan(b*x)^2*\tan(a) + 2*b*c*real_part(\cos_integral(-2*b*x - 2*b*c/d))*t \\ & an(b*x)^2*\tan(a) - b*d*x*imag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2 \\ & + b*d*x*imag_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2 - 2*b*d*x*\sin_in \\ & tegral(2*(b*d*x + b*c)/d)*\tan(a)^2 - 2*b*c*real_part(\cos_integral(2*b*x + 2 \\ & *b*c/d))*\tan(b*x)^2*\tan(b*c/d) - 2*b*c*real_part(\cos_integral(-2*b*x - 2*b* \\ & c/d))*\tan(b*x)^2*\tan(b*c/d) + 4*b*d*x*imag_part(\cos_integral(2*b*x + 2*b*c/ \\ & d))*\tan(a)*\tan(b*c/d) - 4*b*d*x*imag_part(\cos_integral(-2*b*x - 2*b*c/d))*t \\ & an(a)*\tan(b*c/d) + 8*b*d*x*\sin_integral(2*(b*d*x + b*c)/d)*\tan(a)*\tan(b*c/d \\ &) + 2*b*c*real_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d) + 2* \\ & b*c*real_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d) - b*d*x*i \\ & mag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 + b*d*x*imag_part(\cos_ \\ & integral(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2*b*d*x*\sin_integral(2*(b*d*x + \\ & b*c)/d)*\tan(b*c/d)^2 - 2*b*c*real_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a \\ &)*\tan(b*c/d)^2 - 2*b*c*real_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)*\tan \\ & (b*c/d)^2 + b*c*imag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2 - b*c*i \\ & mag_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2 + 2*b*c*\sin_integral(2* \\ & (b*d*x + b*c)/d)*\tan(b*x)^2 + 2*b*d*x*real_part(\cos_integral(2*b*x + 2*b*c/ \\ & d))*\tan(a) + 2*b*d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a) - b*c \\ & *imag_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2 + b*c*imag_part(\cos_inte \\ & gral(-2*b*x - 2*b*c/d))*\tan(a)^2 - 2*b*c*\sin_integral(2*(b*d*x + b*c)/d)*t \\ & an(a)^2 - 2*b*d*x*real_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d) - 2*b* \\ & d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 4*b*c*imag_part(\\ & \cos_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d) - 4*b*c*imag_part(\cos_inte
\end{aligned}$$

$$\begin{aligned} & \text{gral}(-2*b*x - 2*b*c/d)*\tan(a)*\tan(b*c/d) + 8*b*c*\sin_integral(2*(b*d*x + b \\ & *c)/d)*\tan(a)*\tan(b*c/d) - b*c*\text{imag_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan \\ & (b*c/d)^2 + b*c*\text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2* \\ & b*c*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*c/d)^2 - 2*d*\tan(b*x)^2*\tan(b*c/d \\ &)^2 - 4*d*\tan(b*x)*\tan(a)*\tan(b*c/d)^2 - 2*d*\tan(a)^2*\tan(b*c/d)^2 + b*d*x* \\ & \text{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) - b*d*x*\text{imag_part}(\cos_integral(-2* \\ & b*x - 2*b*c/d)) + 2*b*d*x*\sin_integral(2*(b*d*x + b*c)/d) + 2*b*c*\text{real_part} \\ & (\cos_integral(2*b*x + 2*b*c/d))*\tan(a) + 2*b*c*\text{real_part}(\cos_integral(-2*b* \\ & x - 2*b*c/d))*\tan(a) - 2*b*c*\text{real_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(b \\ & *c/d) - 2*b*c*\text{real_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d) + b*c*\text{im} \\ & \text{ag_part}(\cos_integral(2*b*x + 2*b*c/d)) - b*c*\text{imag_part}(\cos_integral(-2*b*x \\ & - 2*b*c/d)) + 2*b*c*\sin_integral(2*(b*d*x + b*c)/d) - 2*d*\tan(b*x)^2 - 4*d* \\ & \tan(b*x)*\tan(a) - 2*d*\tan(a)^2)/(d^3*x*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + c \\ & *d^2*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + d^3*x*\tan(b*x)^2*\tan(a)^2 + d^3*x*t \\ & \tan(b*x)^2*\tan(b*c/d)^2 + d^3*x*\tan(a)^2*\tan(b*c/d)^2 + c*d^2*\tan(b*x)^2*\tan \\ & (a)^2 + c*d^2*\tan(b*x)^2*\tan(b*c/d)^2 + c*d^2*\tan(a)^2*\tan(b*c/d)^2 + d^3*x \\ & *\tan(b*x)^2 + d^3*x*\tan(a)^2 + d^3*x*\tan(b*c/d)^2 + c*d^2*\tan(b*x)^2 + c*d^ \\ & 2*\tan(a)^2 + c*d^2*\tan(b*c/d)^2 + d^3*x + c*d^2) \end{aligned}$$

3.14 $\int \frac{\sin^2(a+bx)}{(c+dx)^3} dx$

Optimal. Leaf size=113

$$\frac{b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^3} - \frac{b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^3} - \frac{b \sin(a+bx) \cos(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2}$$

[Out] (b^2*cos[2*a - (2*b*c)/d]*CosIntegral[(2*b*c)/d + 2*b*x])/d^3 - (b*cos[a + b*x]*Sin[a + b*x])/(d^2*(c + d*x)) - Sin[a + b*x]^2/(2*d*(c + d*x)^2) - (b^2*Sin[2*a - (2*b*c)/d]*SinIntegral[(2*b*c)/d + 2*b*x])/d^3

Rubi [A] time = 0.191813, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3314, 31, 3312, 3303, 3299, 3302}

$$\frac{b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^3} - \frac{b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^3} - \frac{b \sin(a+bx) \cos(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^2/(c + d*x)^3,x]

[Out] (b^2*cos[2*a - (2*b*c)/d]*CosIntegral[(2*b*c)/d + 2*b*x])/d^3 - (b*cos[a + b*x]*Sin[a + b*x])/(d^2*(c + d*x)) - Sin[a + b*x]^2/(2*d*(c + d*x)^2) - (b^2*Sin[2*a - (2*b*c)/d]*SinIntegral[(2*b*c)/d + 2*b*x])/d^3

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 31

```
Int[((a_.) + (b_.)*(x_))^(n_), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)^(n_)] , x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a+bx)}{(c+dx)^3} dx &= -\frac{b \cos(a+bx) \sin(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2} + \frac{b^2 \int \frac{1}{c+dx} dx}{d^2} - \frac{(2b^2) \int \frac{\sin^2(a+bx)}{c+dx} dx}{d^2} \\ &= \frac{b^2 \log(c+dx)}{d^3} - \frac{b \cos(a+bx) \sin(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2} - \frac{(2b^2) \int \left(\frac{1}{2(c+dx)} - \frac{\cos(2a+2bx)}{2(c+dx)} \right) dx}{d^2} \\ &= -\frac{b \cos(a+bx) \sin(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2} + \frac{b^2 \int \frac{\cos(2a+2bx)}{c+dx} dx}{d^2} \\ &= -\frac{b \cos(a+bx) \sin(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2} + \frac{\left(b^2 \cos\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d^2} - \frac{\left(b^2 \sin\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d^2} \\ &= \frac{b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{d^3} - \frac{b \cos(a+bx) \sin(a+bx)}{d^2(c+dx)} - \frac{\sin^2(a+bx)}{2d(c+dx)^2} - \frac{b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^3} \end{aligned}$$

Mathematica [A] time = 1.1399, size = 101, normalized size = 0.89

$$\frac{-2b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2b(c+dx)}{d}\right) + 2b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2b(c+dx)}{d}\right) + \frac{d(b(c+dx) \sin(2(a+bx)) + d \sin^2(a+bx))}{(c+dx)^2}}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x)^3,x]

[Out] $-\left(-2b^2 \cos\left[2a - \frac{2bc}{d}\right] \text{CosIntegral}\left[\frac{2b(c+dx)}{d}\right] + d(d \sin[a + b*x]^2 + b(c+dx) \sin[2(a+b*x)])\right)/(c+d*x)^2 + 2b^2 \sin\left[2a - \frac{2bc}{d}\right] \text{Si}\left[\frac{2b(c+dx)}{d}\right]/(2d^3)$

Maple [A] time = 0.009, size = 193, normalized size = 1.7

$$\frac{1}{b} \left(-\frac{b^3}{4((bx+a)d - da + cb)^2 d} - \frac{b^3}{4} \left(-\frac{\cos(2bx+2a)}{((bx+a)d - da + cb)^2 d} - \frac{1}{d} \left(-2 \frac{\sin(2bx+2a)}{((bx+a)d - da + cb)d} + 2 \frac{1}{d} \text{Si}\left(2bx + \frac{2a}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^2/(d*x+c)^3,x)

[Out] $\frac{1}{b} \left(-\frac{1}{4} b^3 / ((b*x+a)*d - d*a + c*b)^2 / d - \frac{1}{4} b^3 * (-\cos(2*b*x+2*a)) / ((b*x+a)*d - d*a + c*b)^2 / d - \frac{2*\sin(2*b*x+2*a)}{((b*x+a)*d - d*a + c*b)/d} + 2*(2*\text{Si}(2*b*x+2*a+2*(-a*d+b*c)/d)*\sin(2*(-a*d+b*c)/d)/d + 2*\text{Ci}(2*b*x+2*a+2*(-a*d+b*c)/d)*\cos(2*(-a*d+b*c)/d) \right) / (d^3)$

$d+b*c)/d)/d)/d)/d))$

Maxima [C] time = 1.52385, size = 278, normalized size = 2.46

$$\frac{16b^3 \left(E_3 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) + E_3 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right) \cos \left(-\frac{2(bc-ad)}{d} \right) - b^3 \left(16i E_3 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) - 16i E_3 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right)}{64 \left(b^2 c^2 d - 2 abcd^2 + (bx+a)^2 d^3 + a^2 d^3 + 2 (bcd^2 - ad^3)(bx+a) \right) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^3,x, algorithm="maxima")

[Out] $\frac{1}{64} * (16 * b^3 * (\exp_integral_e(3, (2 * I * b * c + 2 * I * (b * x + a) * d - 2 * I * a * d) / d) + \exp_integral_e(3, -(2 * I * b * c + 2 * I * (b * x + a) * d - 2 * I * a * d) / d)) * \cos(-2 * (b * c - a * d) / d) - b^3 * (16 * I * \exp_integral_e(3, (2 * I * b * c + 2 * I * (b * x + a) * d - 2 * I * a * d) / d) - 16 * I * \exp_integral_e(3, -(2 * I * b * c + 2 * I * (b * x + a) * d - 2 * I * a * d) / d)) * \sin(-2 * (b * c - a * d) / d) - 16 * b^3) / ((b^2 * c^2 * d - 2 * a * b * c * d^2 + (b * x + a)^2 * d^3 + a^2 * d^3 + 2 * (b * c * d^2 - a * d^3) * (b * x + a)) * b)$

Fricas [B] time = 1.83332, size = 509, normalized size = 4.5

$$\frac{d^2 \cos(bx+a)^2 - 2(bd^2x + bcd) \cos(bx+a) \sin(bx+a) - 2(b^2d^2x^2 + 2b^2cdx + b^2c^2) \sin\left(-\frac{2(bc-ad)}{d}\right) \operatorname{Si}\left(\frac{2(bdx+bc)}{d}\right) - d^2}{2(d^5x^2 + 2cd^4x + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^3,x, algorithm="fricas")

[Out] $\frac{1}{2} * (d^2 * \cos(b * x + a)^2 - 2 * (b * d^2 * x + b * c * d) * \cos(b * x + a) * \sin(b * x + a) - 2 * (b^2 * d^2 * x^2 + 2 * b^2 * c * d * x + b^2 * c^2) * \sin(-2 * (b * c - a * d) / d) * \sin_integral(2 * (b * d * x + b * c) / d) - d^2 + ((b^2 * d^2 * x^2 + 2 * b^2 * c * d * x + b^2 * c^2) * \cos_integral(2 * (b * d * x + b * c) / d) + (b^2 * d^2 * x^2 + 2 * b^2 * c * d * x + b^2 * c^2) * \cos_integral(-2 * (b * d * x + b * c) / d)) * \cos(-2 * (b * c - a * d) / d)) / (d^5 * x^2 + 2 * c * d^4 * x + c^2 * d^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**3,x)

[Out] Integral(sin(a + b*x)**2/(c + d*x)**3, x)

Giac [C] time = 1.61643, size = 6940, normalized size = 61.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{2} * (b^2 * d^2 * x^2 * \text{real_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) \\ & \quad + \tan(b * c / d)^2 + b^2 * d^2 * x^2 * \text{real_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan \\ & \quad (b * x)^2 * \tan(a)^2 * \tan(b * c / d)^2 - 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(2 * b * x \\ & \quad + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d) + 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_in \\ & \quad tegral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d) - 4 * b^2 * d^2 * x^2 * \text{si} \\ & \quad \text{nin_integral}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d) + 2 * b^2 * d^2 * x^2 \\ & \quad * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 - \\ & \quad 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \\ & \quad \tan(b * c / d)^2 + 4 * b^2 * d^2 * x^2 * \text{sin_integral}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan \\ & \quad (a) * \tan(b * c / d)^2 + 2 * b^2 * c * d * x * \text{real_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan \\ & \quad (b * x)^2 * \tan(a)^2 * \tan(b * c / d)^2 + 2 * b^2 * c * d * x * \text{real_part}(\cos_integral(-2 * b * x - \\ & \quad 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d)^2 - b^2 * d^2 * x^2 * \text{real_part}(\cos_int \\ & \quad egral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 - b^2 * d^2 * x^2 * \text{real_part}(\cos_int \\ & \quad egral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 + 4 * b^2 * d^2 * x^2 * \text{real_part}(\cos_ \\ & \quad integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d) + 4 * b^2 * d^2 * x^2 * \text{rea} \\ & \quad \text{l_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d) - 4 * b^2 \\ & \quad * c * d * x * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c \\ & \quad / d) + 4 * b^2 * c * d * x * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan \\ & \quad (a)^2 * \tan(b * c / d) - 8 * b^2 * c * d * x * \text{sin_integral}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan \\ & \quad (a)^2 * \tan(b * c / d) - b^2 * d^2 * x^2 * \text{real_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan \\ & \quad (b * x)^2 * \tan(b * c / d)^2 - b^2 * d^2 * x^2 * \text{real_part}(\cos_integral(-2 * b * x - 2 * b * c / d \\ & \quad)) * \tan(b * x)^2 * \tan(b * c / d)^2 + 4 * b^2 * c * d * x * \text{imag_part}(\cos_integral(2 * b * x + 2 * b \\ & \quad * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 - 4 * b^2 * c * d * x * \text{imag_part}(\cos_integral \\ & \quad (-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 + 8 * b^2 * c * d * x * \text{sin_integra} \\ & \quad \text{l}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 + b^2 * d^2 * x^2 * \text{real_part} \\ & \quad (\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(a)^2 * \tan(b * c / d)^2 + b^2 * d^2 * x^2 * \text{real_pa} \\ & \quad \text{rt}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(a)^2 * \tan(b * c / d)^2 + b^2 * c^2 * \text{real_par} \\ & \quad \text{t}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d)^2 + b^2 * c^2 \\ & \quad * \text{real_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d)^2 \\ & \quad - 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) \\ & \quad + 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) \\ & \quad) - 4 * b^2 * d^2 * x^2 * \text{sin_integral}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan(a) - 2 * b^2 \\ & \quad * c * d * x * \text{real_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 - 2 * b^2 \\ & \quad * c * d * x * \text{real_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a)^2 + 2 * b^2 \\ & \quad * d^2 * x^2 * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(b * c / d) - \\ & \quad 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(b * c / \\ & \quad d) + 4 * b^2 * d^2 * x^2 * \text{sin_integral}(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan(b * c / d) + \\ & \quad 8 * b^2 * c * d * x * \text{real_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan \\ & \quad (b * c / d) + 8 * b^2 * c * d * x * \text{real_part}(\cos_integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan \\ & \quad (a) * \tan(b * c / d) - 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan \\ & \quad (a)^2 * \tan(b * c / d) + 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d) \\ & \quad) * \tan(a)^2 * \tan(b * c / d) - 4 * b^2 * d^2 * x^2 * \text{sin_integral}(2 * (b * d * x + b * c) / d) * \tan(a) \\ & \quad ^2 * \tan(b * c / d) - 2 * b^2 * c^2 * \text{imag_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(b * x \\ & \quad)^2 * \tan(a)^2 * \tan(b * c / d) + 2 * b^2 * c^2 * \text{imag_part}(\cos_integral(-2 * b * x - 2 * b * c / d \\ & \quad)) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d) - 4 * b^2 * c^2 * \text{sin_integral}(2 * (b * d * x + b * c) / \\ & \quad d) * \tan(b * x)^2 * \tan(a)^2 * \tan(b * c / d) - 2 * b^2 * c * d * x * \text{real_part}(\cos_integral(2 * b * \\ & \quad x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(b * c / d)^2 - 2 * b^2 * c * d * x * \text{real_part}(\cos_integral \\ & \quad (-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(b * c / d)^2 + 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_in \\ & \quad tegral(2 * b * x + 2 * b * c / d)) * \tan(a) * \tan(b * c / d)^2 - 2 * b^2 * d^2 * x^2 * \text{imag_part}(\cos_ \\ & \quad integral(-2 * b * x - 2 * b * c / d)) * \tan(a) * \tan(b * c / d)^2 + 4 * b^2 * d^2 * x^2 * \text{sin_integra} \\ & \quad \text{l}(2 * (b * d * x + b * c) / d) * \tan(a) * \tan(b * c / d)^2 + 2 * b^2 * c^2 * \text{imag_part}(\cos_integral \\ & \quad (2 * b * x + 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 - 2 * b^2 * c^2 * \text{imag_part}(\cos \\ & \quad _integral(-2 * b * x - 2 * b * c / d)) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 + 4 * b^2 * c^2 * \text{sin} \\ & \quad _integral(2 * (b * d * x + b * c) / d) * \tan(b * x)^2 * \tan(a) * \tan(b * c / d)^2 + 2 * b^2 * c * d * x * \text{r} \\ & \quad \text{eal_part}(\cos_integral(2 * b * x + 2 * b * c / d)) * \tan(a)^2 * \tan(b * c / d)^2 + 2 * b^2 * c * d * x \end{aligned}$$

```

*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + b^2*d^2*
x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2 + b^2*d^2*x^2*real_
part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2 - 4*b^2*c*d*x*imag_part(cos
_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a) + 4*b^2*c*d*x*imag_part(cos_i
ntegral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a) - 8*b^2*c*d*x*sin_integral(2*(
b*d*x + b*c)/d)*tan(b*x)^2*tan(a) - b^2*d^2*x^2*real_part(cos_integral(2*b*
x + 2*b*c/d))*tan(a)^2 - b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/
d))*tan(a)^2 - b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*
tan(a)^2 - b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan
(a)^2 + 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan
(b*c/d) - 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*
tan(b*c/d) + 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(b*c
/d) + 4*b^2*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c
/d) + 4*b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*
c/d) + 4*b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)
*tan(b*c/d) + 4*b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^
2*tan(a)*tan(b*c/d) - 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*
tan(a)^2*tan(b*c/d) + 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))
*tan(a)^2*tan(b*c/d) - 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(a)^2
*tan(b*c/d) - b^2*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/
d)^2 - b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*c/d)^2 -
b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2 -
b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2
+ 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c/d)^2
- 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*c/d)^2
+ 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(a)*tan(b*c/d)^2 + 2*b*d^
2*x*tan(b*x)^2*tan(a)*tan(b*c/d)^2 + b^2*c^2*real_part(cos_integral(2*b*x +
2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + b^2*c^2*real_part(cos_integral(-2*b*x -
2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + 2*b*d^2*x*tan(b*x)*tan(a)^2*tan(b*c/d)^2
+ 2*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2 + 2*b^2*c
*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2 - 2*b^2*d^2*x^2*i
mag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a) + 2*b^2*d^2*x^2*imag_part(co
s_integral(-2*b*x - 2*b*c/d))*tan(a) - 4*b^2*d^2*x^2*sin_integral(2*(b*d*x
+ b*c)/d)*tan(a) - 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b
*x)^2*tan(a) + 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)
^2*tan(a) - 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a) - 2
*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2 - 2*b^2*c*d*x*
real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2 + 2*b^2*d^2*x^2*imag_par
t(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/d) - 2*b^2*d^2*x^2*imag_part(cos_i
ntegral(-2*b*x - 2*b*c/d))*tan(b*c/d) + 4*b^2*d^2*x^2*sin_integral(2*(b*d*x
+ b*c)/d)*tan(b*c/d) + 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*
tan(b*x)^2*tan(b*c/d) - 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))
*tan(b*x)^2*tan(b*c/d) + 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)
^2*tan(b*c/d) + 8*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)
*tan(b*c/d) + 8*b^2*c*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*
tan(b*c/d) - 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*ta
n(b*c/d) + 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan
(b*c/d) - 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*tan(a)^2*tan(b*c/d) - 2
*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/d)^2 - 2*b^2*c*
d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*c/d)^2 + 2*b^2*c^2*imag
_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c/d)^2 - 2*b^2*c^2*imag_p
art(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*c/d)^2 + 4*b^2*c^2*sin_int
egral(2*(b*d*x + b*c)/d)*tan(a)*tan(b*c/d)^2 + 2*b*c*d*tan(b*x)^2*tan(a)*ta
n(b*c/d)^2 + 2*b*c*d*tan(b*x)*tan(a)^2*tan(b*c/d)^2 + b^2*d^2*x^2*real_part
(cos_integral(2*b*x + 2*b*c/d)) + b^2*d^2*x^2*real_part(cos_integral(-2*b*x
- 2*b*c/d)) + b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2
+ b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2 - 4*b^2*c*d*
x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a) + 4*b^2*c*d*x*imag_part(c
os_integral(-2*b*x - 2*b*c/d))*tan(a) - 8*b^2*c*d*x*sin_integral(2*(b*d*x +

```

$$\begin{aligned}
& b*c/d)*\tan(a) + 2*b*d^2*x*\tan(b*x)^2*\tan(a) - b^2*c^2*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)^2 - b^2*c^2*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)^2 + 2*b*d^2*x*\tan(b*x)*\tan(a)^2 + 4*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(b*c/d) - 4*b^2*c*d*x*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 8*b^2*c*d*x*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(b*c/d) + 4*b^2*c^2*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d) + 4*b^2*c^2*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d) - b^2*c^2*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 - b^2*c^2*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2*b*d^2*x*\tan(b*x)*\tan(b*c/d)^2 - 2*b*d^2*x*\tan(a)*\tan(b*c/d)^2 + 2*b^2*c*d*x*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d)) + 2*b^2*c*d*x*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d)) - 2*b^2*c^2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a) + 2*b^2*c^2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a) - 4*b^2*c^2*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(a) + 2*b*c*d*\tan(b*x)^2*\tan(a) + 2*b*c*d*\tan(b*x)*\tan(a)^2 + 2*b^2*c^2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(b*c/d) - 2*b^2*c^2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 4*b^2*c^2*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(b*c/d) - 2*b*c*d*\tan(b*x)*\tan(b*c/d)^2 - d^2*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b*c*d*\tan(a)*\tan(b*c/d)^2 - 2*d^2*\tan(b*x)*\tan(a)*\tan(b*c/d)^2 - d^2*\tan(a)^2*\tan(b*c/d)^2 + b^2*c^2*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d)) + b^2*c^2*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d)) - 2*b*d^2*x*\tan(b*x) - 2*b*d^2*x*\tan(a) - 2*b*c*d*\tan(b*x) - d^2*\tan(b*x)^2 - 2*b*c*d*\tan(a) - 2*d^2*\tan(b*x)*\tan(a) - d^2*\tan(a)^2)/(d^5*x^2*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + d^5*x^2*\tan(b*x)^2*\tan(a)^2 + d^5*x^2*\tan(b*x)^2*\tan(b*c/d)^2 + d^5*x^2*\tan(a)^2*\tan(b*c/d)^2 + c^2*d^3*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(b*x)^2*\tan(a)^2 + 2*c*d^4*x*\tan(b*x)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(a)^2*\tan(b*c/d)^2 + d^5*x^2*\tan(b*x)^2 + d^5*x^2*\tan(a)^2 + c^2*d^3*\tan(b*x)^2*\tan(a)^2 + d^5*x^2*\tan(b*c/d)^2 + c^2*d^3*\tan(b*x)^2*\tan(b*c/d)^2 + c^2*d^3*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(b*x)^2 + 2*c*d^4*x*\tan(a)^2 + 2*c*d^4*x*\tan(b*c/d)^2 + d^5*x^2 + c^2*d^3*\tan(b*x)^2 + c^2*d^3*\tan(a)^2 + c^2*d^3*\tan(b*c/d)^2 + 2*c*d^4*x + c^2*d^3)
\end{aligned}$$

3.15 $\int \frac{\sin^2(a+bx)}{(c+dx)^4} dx$

Optimal. Leaf size=162

$$\frac{2b^3 \sin\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{3d^4} - \frac{2b^3 \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{3d^4} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} - \frac{b \sin(a+bx) \cos(a+bx)}{3d^2(c+dx)}$$

[Out] $-b^2/(3*d^3*(c+d*x)) - (2*b^3*\text{CosIntegral}[(2*b*c)/d + 2*b*x]*\text{Sin}[2*a - (2*b*c)/d])/(3*d^4) - (b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(3*d^2*(c+d*x)^2) - \text{Sin}[a + b*x]^2/(3*d*(c+d*x)^3) + (2*b^2*\text{Sin}[a + b*x]^2)/(3*d^3*(c+d*x)) - (2*b^3*\text{Cos}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x])/(3*d^4)$

Rubi [A] time = 0.180895, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {3314, 32, 3313, 12, 3303, 3299, 3302}

$$\frac{2b^3 \sin\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{3d^4} - \frac{2b^3 \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{3d^4} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} - \frac{b \sin(a+bx) \cos(a+bx)}{3d^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^2/(c + d*x)^4, x]

[Out] $-b^2/(3*d^3*(c+d*x)) - (2*b^3*\text{CosIntegral}[(2*b*c)/d + 2*b*x]*\text{Sin}[2*a - (2*b*c)/d])/(3*d^4) - (b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(3*d^2*(c+d*x)^2) - \text{Sin}[a + b*x]^2/(3*d*(c+d*x)^3) + (2*b^2*\text{Sin}[a + b*x]^2)/(3*d^3*(c+d*x)) - (2*b^3*\text{Cos}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x])/(3*d^4)$

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)^(n_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a+bx)}{(c+dx)^4} dx &= -\frac{b \cos(a+bx) \sin(a+bx)}{3d^2(c+dx)^2} - \frac{\sin^2(a+bx)}{3d(c+dx)^3} + \frac{b^2 \int \frac{1}{(c+dx)^2} dx}{3d^2} - \frac{(2b^2) \int \frac{\sin^2(a+bx)}{(c+dx)^2} dx}{3d^2} \\ &= -\frac{b^2}{3d^3(c+dx)} - \frac{b \cos(a+bx) \sin(a+bx)}{3d^2(c+dx)^2} - \frac{\sin^2(a+bx)}{3d(c+dx)^3} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} - \frac{(4b^3) \int \frac{\sin(2a+2bx)}{2(c+dx)} dx}{3d^3} \\ &= -\frac{b^2}{3d^3(c+dx)} - \frac{b \cos(a+bx) \sin(a+bx)}{3d^2(c+dx)^2} - \frac{\sin^2(a+bx)}{3d(c+dx)^3} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} - \frac{(2b^3) \int \frac{\sin(2a+2bx)}{c+dx} dx}{3d^3} \\ &= -\frac{b^2}{3d^3(c+dx)} - \frac{b \cos(a+bx) \sin(a+bx)}{3d^2(c+dx)^2} - \frac{\sin^2(a+bx)}{3d(c+dx)^3} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} - \frac{(2b^3 \cos(2a - \frac{2bc}{d})) \int \frac{\sin(2a+2bx)}{c+dx} dx}{3d^3} \\ &= -\frac{b^2}{3d^3(c+dx)} - \frac{2b^3 \operatorname{Ci}\left(\frac{2bc}{d} + 2bx\right) \sin\left(2a - \frac{2bc}{d}\right)}{3d^4} - \frac{b \cos(a+bx) \sin(a+bx)}{3d^2(c+dx)^2} - \frac{\sin^2(a+bx)}{3d(c+dx)^3} + \frac{2b^2 \sin^2(a+bx)}{3d^3(c+dx)} \end{aligned}$$

Mathematica [A] time = 1.21809, size = 122, normalized size = 0.75

$$\frac{4b^3 \sin\left(2a - \frac{2bc}{d}\right) \operatorname{CosIntegral}\left(\frac{2b(c+dx)}{d}\right) + \frac{d(\cos(2(a+bx))(2b^2(c+dx)^2 - d^2) + d(b(c+dx) \sin(2(a+bx)) + d))}{(c+dx)^3} + 4b^3 \cos\left(2a - \frac{2bc}{d}\right) \operatorname{Si}\left(\frac{2b(c+dx)}{d}\right)}{6d^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]^2/(c + d*x)^4, x]
```

```
[Out] -(4*b^3*CosIntegral[(2*b*(c + d*x))/d]*Sin[2*a - (2*b*c)/d] + (d*((-d^2 + 2
*b^2*(c + d*x)^2)*Cos[2*(a + b*x)] + d*(d + b*(c + d*x)*Sin[2*(a + b*x)])))/
/(c + d*x)^3 + 4*b^3*Cos[2*a - (2*b*c)/d]*SinIntegral[(2*b*(c + d*x))/d])/
(6*d^4)
```

Maple [A] time = 0.008, size = 229, normalized size = 1.4

$$\frac{1}{b} \left(-\frac{b^4}{6((bx+a)d - da + cb)^3 d} - \frac{b^4}{4} \left(-\frac{2 \cos(2bx + 2a)}{3((bx+a)d - da + cb)^3 d} - \frac{2}{3d} \left(-\frac{\sin(2bx + 2a)}{((bx+a)d - da + cb)^2 d} + \frac{1}{d} \left(-2 \frac{\cos(2bx + 2a)}{((bx+a)d - da + cb)} \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b*x+a)^2/(d*x+c)^4,x)`

[Out] $\frac{1}{b} \left(-\frac{1}{6} b^4 \left(\frac{(b*x+a)*d-d*a+c*b}{d} \right)^3 \frac{1}{d} - \frac{1}{4} b^4 \left(-\frac{2}{3} \cos(2*b*x+2*a) \right) \left(\frac{(b*x+a)*d-d*a+c*b}{d} \right)^2 \frac{1}{d} - \frac{2}{3} \left(-\sin(2*b*x+2*a) \right) \left(\frac{(b*x+a)*d-d*a+c*b}{d} \right) \frac{1}{d} + \left(-2 \cos(2*b*x+2*a) \right) \left(\frac{(b*x+a)*d-d*a+c*b}{d} \right) \frac{1}{d} - 2 \left(2 \operatorname{Si}(2*b*x+2*a+2*(-a*d+b*c)/d) \right) \cos(2*(-a*d+b*c)/d) \frac{1}{d} - 2 \operatorname{Ci}(2*b*x+2*a+2*(-a*d+b*c)/d) \sin(2*(-a*d+b*c)/d) \frac{1}{d} \frac{1}{d} \frac{1}{d} \frac{1}{d} \right)$

Maxima [C] time = 1.88609, size = 346, normalized size = 2.14

$$\frac{3b^4 \left(E_4 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) + E_4 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right) \cos \left(-\frac{2(bc-ad)}{d} \right) - b^4 \left(3i E_4 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) - 3i E_4 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right) \sin \left(-\frac{2(bc-ad)}{d} \right)}{12 \left(b^3 c^3 d - 3 a b^2 c^2 d^2 + 3 a^2 b c d^3 + (b x + a)^3 d^4 - a^3 d^4 + 3 \left(b c d^3 - a d^4 \right) (b x + a)^2 + 3 \left(b^2 c^2 d^2 - 2 a b c d^3 + a^2 d^4 \right) (b x + a) \right) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*x+a)^2/(d*x+c)^4,x, algorithm="maxima")`

[Out] $\frac{1}{12} \left(3b^4 \left(\exp_{\text{integral_e}}(4, (2I*b*c + 2I*(b*x + a)*d - 2I*a*d)/d) + \exp_{\text{integral_e}}(4, -(2I*b*c + 2I*(b*x + a)*d - 2I*a*d)/d) \right) \cos(-2*(b*c - a*d)/d) - b^4 \left(3I \exp_{\text{integral_e}}(4, (2I*b*c + 2I*(b*x + a)*d - 2I*a*d)/d) - 3I \exp_{\text{integral_e}}(4, -(2I*b*c + 2I*(b*x + a)*d - 2I*a*d)/d) \right) \sin(-2*(b*c - a*d)/d) - 2*b^4 \left((b^3*c^3*d - 3*a*b^2*c^2*d^2 + 3*a^2*b*c*d^3 + (b*x + a)^3*d^4 - a^3*d^4 + 3*(b*c*d^3 - a*d^4)*(b*x + a)^2 + 3*(b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*(b*x + a)) * b \right) \right)$

Fricas [B] time = 1.92985, size = 733, normalized size = 4.52

$$\frac{b^2 d^3 x^2 + 2 b^2 c d^2 x + b^2 c^2 d - d^3 - \left(2 b^2 d^3 x^2 + 4 b^2 c d^2 x + 2 b^2 c^2 d - d^3 \right) \cos(bx + a)^2 - \left(b d^3 x + b c d^2 \right) \cos(bx + a) \sin(bx + a)}{\left(d^7 x^3 + 3 c d^6 x^2 + 3 c^2 d^5 x + c^3 d^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*x+a)^2/(d*x+c)^4,x, algorithm="fricas")`

[Out] $\frac{1}{3} \left(b^2 d^3 x^2 + 2 b^2 c d^2 x + b^2 c^2 d - d^3 - \left(2 b^2 d^3 x^2 + 4 b^2 c d^2 x + 2 b^2 c^2 d - d^3 \right) \cos(bx + a)^2 - \left(b d^3 x + b c d^2 \right) \cos(bx + a) \sin(bx + a) - 2 \left(b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3 \right) \cos(-2*(b*c - a*d)/d) \sin_{\text{integral}}(2*(b*d*x + b*c)/d) - \left(\left(b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3 \right) \cos_{\text{integral}}(2*(b*d*x + b*c)/d) + \left(b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3 \right) \cos_{\text{integral}}(-2*(b*d*x + b*c)/d) \right) \sin(-2*(b*c - a*d)/d) \right) / \left(d^7 x^3 + 3 c d^6 x^2 + 3 c^2 d^5 x + c^3 d^4 \right)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**2/(d*x+c)**4,x)
```

```
[Out] Integral(sin(a + b*x)**2/(c + d*x)**4, x)
```

Giac [C] time = 1.77156, size = 10573, normalized size = 65.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^2/(d*x+c)^4,x, algorithm="giac")
```

```
[Out] -1/3*(b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 2*b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 2*b^3*d^3*x^3*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d) + 2*b^3*d^3*x^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d) - 2*b^3*d^3*x^3*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 - 2*b^3*d^3*x^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 + 3*b^3*c*d^2*x^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - 3*b^3*c*d^2*x^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 6*b^3*c*d^2*x^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2 + b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2 - 2*b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2 + 4*b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d) - 4*b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d) + 8*b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)*tan(b*c/d) + 6*b^3*c*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d) + 6*b^3*c*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d) - b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2 + b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2 - 2*b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(b*c/d)^2 - 6*b^3*c*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 - 6*b^3*c*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d)^2 + b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 - b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + 2*b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*tan(a)^2*tan(b*c/d)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 - 3*b^3*c^2*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 6*b^3*c^2*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2*tan(b*c/d)^2 + 2*b^3*d^3*x^3*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a) + 2*b^3*d^3*x^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a) - 3*b^3*c*d^2*x^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)^2 + 3*b^3*c*d^2*x^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)^2 - 6*b^3*c*d^2*x^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)^2 - 2*b^3*d^3*x^3*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(b*c/d) - 2*b^3*d^3*x^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(b*c/d) + 12*b^3*c*d^2*x^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d) - 12*b^3*c*d^2*x^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a)*tan(b*c/d) + 24*b^3*c*d^2*x^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a)*tan(b*c/d) + 2*b^3*d^3*x^3*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*tan(b*c/d) + 2*b^3*d^3*x^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*
```

$$\begin{aligned}
& \tan(b*c/d) + 6*b^3*c^2*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x) \\
&)^2*\tan(a)^2*\tan(b*c/d) + 6*b^3*c^2*d*x*real_part(cos_integral(-2*b*x - 2*b \\
& *c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) - 3*b^3*c*d^2*x^2*imag_part(cos_integ \\
& ral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 + 3*b^3*c*d^2*x^2*imag_part(c \\
& os_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 - 6*b^3*c*d^2*x^2*si \\
& n_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(b*c/d)^2 - 2*b^3*d^3*x^3*real \\
& part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 2*b^3*d^3*x^3*rea \\
& l_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 6*b^3*c^2*d*x* \\
& real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 - 6 \\
& *b^3*c^2*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan \\
& (b*c/d)^2 + 3*b^3*c*d^2*x^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a) \\
&)^2*\tan(b*c/d)^2 - 3*b^3*c*d^2*x^2*imag_part(cos_integral(-2*b*x - 2*b*c/d) \\
&)*\tan(a)^2*\tan(b*c/d)^2 + 6*b^3*c*d^2*x^2*sin_integral(2*(b*d*x + b*c)/d)*\tan \\
& (a)^2*\tan(b*c/d)^2 + b^2*d^3*x^2*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + b^3*c \\
& ^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^ \\
& 2 - b^3*c^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan \\
& (b*c/d)^2 + 2*b^3*c^3*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)^2 \\
& *\tan(b*c/d)^2 + b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x) \\
& ^2 - b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2 + 2 \\
& *b^3*d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2 + 6*b^3*c*d^2*x^2*r \\
& eal_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a) + 6*b^3*c*d^2*x^2 \\
& *real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a) - b^3*d^3*x^3* \\
& imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2 + b^3*d^3*x^3*imag_part(c \\
& os_integral(-2*b*x - 2*b*c/d))*\tan(a)^2 - 2*b^3*d^3*x^3*sin_integral(2*(b*d \\
& *x + b*c)/d)*\tan(a)^2 - 3*b^3*c^2*d*x*imag_part(cos_integral(2*b*x + 2*b*c/ \\
& d))*\tan(b*x)^2*\tan(a)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(-2*b*x - 2*b \\
& *c/d))*\tan(b*x)^2*\tan(a)^2 - 6*b^3*c^2*d*x*sin_integral(2*(b*d*x + b*c)/d)* \\
& \tan(b*x)^2*\tan(a)^2 - 6*b^3*c*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/ \\
& d))*\tan(b*x)^2*\tan(b*c/d) - 6*b^3*c*d^2*x^2*real_part(cos_integral(-2*b*x - \\
& 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d) + 4*b^3*d^3*x^3*imag_part(cos_integral(2*b \\
& *x + 2*b*c/d))*\tan(a)*\tan(b*c/d) - 4*b^3*d^3*x^3*imag_part(cos_integral(-2* \\
& b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d) + 8*b^3*d^3*x^3*sin_integral(2*(b*d*x + b \\
& *c)/d)*\tan(a)*\tan(b*c/d) + 12*b^3*c^2*d*x*imag_part(cos_integral(2*b*x + 2* \\
& b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) - 12*b^3*c^2*d*x*imag_part(cos_integra \\
& l(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 24*b^3*c^2*d*x*sin_inte \\
& gral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)*\tan(b*c/d) + 6*b^3*c*d^2*x^2*real \\
& part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d) + 6*b^3*c*d^2*x^2* \\
& real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d) + 2*b^3*c^3*r \\
& eal_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) + 2* \\
& b^3*c^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b \\
& *c/d) - b^3*d^3*x^3*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 + \\
& b^3*d^3*x^3*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2*b^3 \\
& *d^3*x^3*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*c/d)^2 - 3*b^3*c^2*d*x*imag_ \\
& part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 + 3*b^3*c^2*d*x \\
& *imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(b*c/d)^2 - 6*b^3* \\
& c^2*d*x*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(b*c/d)^2 - 6*b^3*c*d \\
& ^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 6*b^3 \\
& *c*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - \\
& 2*b^3*c^3*real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b* \\
& c/d)^2 - 2*b^3*c^3*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan \\
& (a)*\tan(b*c/d)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan \\
& (a)^2*\tan(b*c/d)^2 - 3*b^3*c^2*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/ \\
& d))*\tan(a)^2*\tan(b*c/d)^2 + 6*b^3*c^2*d*x*sin_integral(2*(b*d*x + b*c)/d)*\tan \\
& (a)^2*\tan(b*c/d)^2 + 2*b^2*c*d^2*x*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 3*b \\
& ^3*c*d^2*x^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2 - 3*b^3*c* \\
& d^2*x^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2 + 6*b^3*c*d^2* \\
& x^2*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2 + 2*b^3*d^3*x^3*real_part(co \\
& s_integral(2*b*x + 2*b*c/d))*\tan(a) + 2*b^3*d^3*x^3*real_part(cos_integral(\\
& -2*b*x - 2*b*c/d))*\tan(a) + 6*b^3*c^2*d*x*real_part(cos_integral(2*b*x + 2*
\end{aligned}$$

$$\begin{aligned}
& b*c/d)) * \tan(b*x)^2 * \tan(a) + 6*b^3*c^2*d*x* \text{real_part}(\cos_integral(-2*b*x - \\
& *b*c/d)) * \tan(b*x)^2 * \tan(a) - 3*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(2*b*x + \\
& 2*b*c/d)) * \tan(a)^2 + 3*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c \\
& /d)) * \tan(a)^2 - 6*b^3*c*d^2*x^2* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(a)^2 + \\
& b^2*d^3*x^2 * \tan(b*x)^2 * \tan(a)^2 - b^3*c^3* \text{imag_part}(\cos_integral(2*b*x + 2* \\
& b*c/d)) * \tan(b*x)^2 * \tan(a)^2 + b^3*c^3* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c \\
& /d)) * \tan(b*x)^2 * \tan(a)^2 - 2*b^3*c^3* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(b* \\
& x)^2 * \tan(a)^2 - 2*b^3*d^3*x^3* \text{real_part}(\cos_integral(2*b*x + 2*b*c/d)) * \tan(\\
& b*c/d) - 2*b^3*d^3*x^3* \text{real_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*c/d) \\
& - 6*b^3*c^2*d*x* \text{real_part}(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b* \\
& c/d) - 6*b^3*c^2*d*x* \text{real_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan \\
& (b*c/d) + 12*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) * \tan(a) \\
&) * \tan(b*c/d) - 12*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan \\
& (a) * \tan(b*c/d) + 24*b^3*c*d^2*x^2* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(a) * \\
& \tan(b*c/d) + 4*b^3*c^3* \text{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \\
& \tan(a) * \tan(b*c/d) - 4*b^3*c^3* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan \\
& (b*x)^2 * \tan(a) * \tan(b*c/d) + 8*b^3*c^3* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(b \\
& *x)^2 * \tan(a) * \tan(b*c/d) + 6*b^3*c^2*d*x* \text{real_part}(\cos_integral(2*b*x + 2*b* \\
& c/d)) * \tan(a)^2 * \tan(b*c/d) + 6*b^3*c^2*d*x* \text{real_part}(\cos_integral(-2*b*x - 2 \\
& *b*c/d)) * \tan(a)^2 * \tan(b*c/d) - 3*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(2*b*x \\
& + 2*b*c/d)) * \tan(b*c/d)^2 + 3*b^3*c*d^2*x^2* \text{imag_part}(\cos_integral(-2*b*x - \\
& 2*b*c/d)) * \tan(b*c/d)^2 - 6*b^3*c*d^2*x^2* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan \\
& (b*c/d)^2 - b^2*d^3*x^2 * \tan(b*x)^2 * \tan(b*c/d)^2 - b^3*c^3* \text{imag_part}(\cos_i \\
& ntegral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d)^2 + b^3*c^3* \text{imag_part}(\cos_i \\
& ntegral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d)^2 - 2*b^3*c^3* \text{sin_integral} \\
& (2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan(b*c/d)^2 - 6*b^3*c^2*d*x* \text{real_part}(\cos_i \\
& ntegral(2*b*x + 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 - 6*b^3*c^2*d*x* \text{real_part}(\cos \\
& _integral(-2*b*x - 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 - 4*b^2*d^3*x^2 * \tan(b*x) * \tan \\
& (a) * \tan(b*c/d)^2 - b^2*d^3*x^2 * \tan(a)^2 * \tan(b*c/d)^2 + b^3*c^3* \text{imag_part} \\
& (\cos_integral(2*b*x + 2*b*c/d)) * \tan(a)^2 * \tan(b*c/d)^2 - b^3*c^3* \text{imag_part}(\cos \\
& _integral(-2*b*x - 2*b*c/d)) * \tan(a)^2 * \tan(b*c/d)^2 + 2*b^3*c^3* \text{sin_integra} \\
& l(2*(b*d*x + b*c)/d) * \tan(a)^2 * \tan(b*c/d)^2 + b^2*c^2*d * \tan(b*x)^2 * \tan(a)^2 * \\
& \tan(b*c/d)^2 + b^3*d^3*x^3* \text{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) - b^3*d \\
& ^3*x^3* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d)) + 2*b^3*d^3*x^3* \text{sin_integr} \\
& al(2*(b*d*x + b*c)/d) + 3*b^3*c^2*d*x* \text{imag_part}(\cos_integral(2*b*x + 2*b*c/d) \\
&)) * \tan(b*x)^2 - 3*b^3*c^2*d*x* \text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan \\
& (b*x)^2 + 6*b^3*c^2*d*x* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(b*x)^2 + 6*b^3 \\
& *c*d^2*x^2* \text{real_part}(\cos_integral(2*b*x + 2*b*c/d)) * \tan(a) + 6*b^3*c*d^2*x^2 \\
& * \text{real_part}(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(a) + 2*b^3*c^3* \text{real_part}(\cos_in \\
& tegral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a) + 2*b^3*c^3* \text{real_part}(\cos_in \\
& tegral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a) - 3*b^3*c^2*d*x* \text{imag_part}(\cos_i \\
& ntegral(2*b*x + 2*b*c/d)) * \tan(a)^2 + 3*b^3*c^2*d*x* \text{imag_part}(\cos_integral(- \\
& 2*b*x - 2*b*c/d)) * \tan(a)^2 - 6*b^3*c^2*d*x* \text{sin_integral}(2*(b*d*x + b*c)/d) * \\
& \tan(a)^2 + 2*b^2*c*d^2*x * \tan(b*x)^2 * \tan(a)^2 - 6*b^3*c*d^2*x^2* \text{real_part}(\cos \\
& _integral(2*b*x + 2*b*c/d)) * \tan(b*c/d) - 6*b^3*c*d^2*x^2* \text{real_part}(\cos_int \\
& egral(-2*b*x - 2*b*c/d)) * \tan(b*c/d) - 2*b^3*c^3* \text{real_part}(\cos_integral(2*b* \\
& x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d) - 2*b^3*c^3* \text{real_part}(\cos_integral(-2*b \\
& *x - 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d) + 12*b^3*c^2*d*x* \text{imag_part}(\cos_integra \\
& l(2*b*x + 2*b*c/d)) * \tan(a) * \tan(b*c/d) - 12*b^3*c^2*d*x* \text{imag_part}(\cos_integr \\
& al(-2*b*x - 2*b*c/d)) * \tan(a) * \tan(b*c/d) + 24*b^3*c^2*d*x* \text{sin_integral}(2*(b* \\
& d*x + b*c)/d) * \tan(a) * \tan(b*c/d) + 2*b^3*c^3* \text{real_part}(\cos_integral(2*b*x + \\
& 2*b*c/d)) * \tan(a)^2 * \tan(b*c/d) + 2*b^3*c^3* \text{real_part}(\cos_integral(-2*b*x - 2 \\
& *b*c/d)) * \tan(a)^2 * \tan(b*c/d) - 3*b^3*c^2*d*x* \text{imag_part}(\cos_integral(2*b*x + \\
& 2*b*c/d)) * \tan(b*c/d)^2 + 3*b^3*c^2*d*x* \text{imag_part}(\cos_integral(-2*b*x - 2*b \\
& *c/d)) * \tan(b*c/d)^2 - 6*b^3*c^2*d*x* \text{sin_integral}(2*(b*d*x + b*c)/d) * \tan(b*c \\
& /d)^2 - 2*b^2*c*d^2*x * \tan(b*x)^2 * \tan(b*c/d)^2 - 2*b^3*c^3* \text{real_part}(\cos_int \\
& egral(2*b*x + 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 - 2*b^3*c^3* \text{real_part}(\cos_integ \\
& ral(-2*b*x - 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 - 8*b^2*c*d^2*x * \tan(b*x) * \tan(a) * \\
& \tan(b*c/d)^2 - b*d^3*x * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 - 2*b^2*c*d^2*x * \tan(a)
\end{aligned}$$

$$\begin{aligned}
&)^2 \tan(b*c/d)^2 - b*d^3*x*\tan(b*x)*\tan(a)^2*\tan(b*c/d)^2 + 3*b^3*c*d^2*x^2 \\
&* \operatorname{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) - 3*b^3*c*d^2*x^2*\operatorname{imag_part}(\cos_i \\
&ntegral(-2*b*x - 2*b*c/d)) + 6*b^3*c*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d \\
&) - b^2*d^3*x^2*\tan(b*x)^2 + b^3*c^3*\operatorname{imag_part}(\cos_integral(2*b*x + 2*b*c/d \\
&))*\tan(b*x)^2 - b^3*c^3*\operatorname{imag_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^ \\
&2 + 2*b^3*c^3*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2 + 6*b^3*c^2*d*x*re \\
&al_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a) + 6*b^3*c^2*d*x*real_part(\cos \\
&_integral(-2*b*x - 2*b*c/d))*\tan(a) - 4*b^2*d^3*x^2*\tan(b*x)*\tan(a) - b^2*d \\
&^3*x^2*\tan(a)^2 - b^3*c^3*\operatorname{imag_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2 \\
&+ b^3*c^3*\operatorname{imag_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2 - 2*b^3*c^3*s \\
&in_integral(2*(b*d*x + b*c)/d)*\tan(a)^2 + b^2*c^2*d*\tan(b*x)^2*\tan(a)^2 - 6 \\
&*b^3*c^2*d*x*real_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d) - 6*b^3*c^ \\
&2*d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 4*b^3*c^3*\operatorname{imag} \\
&_part(\cos_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d) - 4*b^3*c^3*\operatorname{imag_par} \\
&t(\cos_integral(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d) + 8*b^3*c^3*\sin_integra \\
&l(2*(b*d*x + b*c)/d)*\tan(a)*\tan(b*c/d) + b^2*d^3*x^2*\tan(b*c/d)^2 - b^3*c^3 \\
&* \operatorname{imag_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 + b^3*c^3*\operatorname{imag_part} \\
&(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2*b^3*c^3*\sin_integral(2*(b* \\
&d*x + b*c)/d)*\tan(b*c/d)^2 - b^2*c^2*d*\tan(b*x)^2*\tan(b*c/d)^2 - 4*b^2*c^2* \\
&d*\tan(b*x)*\tan(a)*\tan(b*c/d)^2 - b*c*d^2*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 - b \\
&^2*c^2*d*\tan(a)^2*\tan(b*c/d)^2 - b*c*d^2*\tan(b*x)*\tan(a)^2*\tan(b*c/d)^2 + 3 \\
&*b^3*c^2*d*x*\operatorname{imag_part}(\cos_integral(2*b*x + 2*b*c/d)) - 3*b^3*c^2*d*x*\operatorname{imag} \\
&_part(\cos_integral(-2*b*x - 2*b*c/d)) + 6*b^3*c^2*d*x*\sin_integral(2*(b*d*x \\
&+ b*c)/d) - 2*b^2*c*d^2*x*\tan(b*x)^2 + 2*b^3*c^3*real_part(\cos_integral(2*b \\
&*x + 2*b*c/d))*\tan(a) + 2*b^3*c^3*real_part(\cos_integral(-2*b*x - 2*b*c/d)) \\
&*\tan(a) - 8*b^2*c*d^2*x*\tan(b*x)*\tan(a) - b*d^3*x*\tan(b*x)^2*\tan(a) - 2*b^2 \\
&*c*d^2*x*\tan(a)^2 - b*d^3*x*\tan(b*x)*\tan(a)^2 - 2*b^3*c^3*real_part(\cos_int \\
&egral(2*b*x + 2*b*c/d))*\tan(b*c/d) - 2*b^3*c^3*real_part(\cos_integral(-2*b* \\
&x - 2*b*c/d))*\tan(b*c/d) + 2*b^2*c*d^2*x*\tan(b*c/d)^2 + b*d^3*x*\tan(b*x)*\tan \\
&(b*c/d)^2 + b*d^3*x*\tan(a)*\tan(b*c/d)^2 + b^2*d^3*x^2 + b^3*c^3*\operatorname{imag_part} \\
&(\cos_integral(2*b*x + 2*b*c/d)) - b^3*c^3*\operatorname{imag_part}(\cos_integral(-2*b*x - 2* \\
&b*c/d)) + 2*b^3*c^3*\sin_integral(2*(b*d*x + b*c)/d) - b^2*c^2*d*\tan(b*x)^2 \\
&- 4*b^2*c^2*d*\tan(b*x)*\tan(a) - b*c*d^2*\tan(b*x)^2*\tan(a) - b^2*c^2*d*\tan(a \\
&)^2 - b*c*d^2*\tan(b*x)*\tan(a)^2 + b^2*c^2*d*\tan(b*c/d)^2 + b*c*d^2*\tan(b*x) \\
&*\tan(b*c/d)^2 + d^3*\tan(b*x)^2*\tan(b*c/d)^2 + b*c*d^2*\tan(a)*\tan(b*c/d)^2 + \\
&2*d^3*\tan(b*x)*\tan(a)*\tan(b*c/d)^2 + d^3*\tan(a)^2*\tan(b*c/d)^2 + 2*b^2*c*d \\
&^2*x + b*d^3*x*\tan(b*x) + b*d^3*x*\tan(a) + b^2*c^2*d + b*c*d^2*\tan(b*x) + d \\
&^3*\tan(b*x)^2 + b*c*d^2*\tan(a) + 2*d^3*\tan(b*x)*\tan(a) + d^3*\tan(a)^2)/(d^7 \\
&*x^3*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 3*c*d^6*x^2*\tan(b*x)^2*\tan(a)^2*\tan \\
&(b*c/d)^2 + d^7*x^3*\tan(b*x)^2*\tan(a)^2 + d^7*x^3*\tan(b*x)^2*\tan(b*c/d)^2 + \\
&d^7*x^3*\tan(a)^2*\tan(b*c/d)^2 + 3*c^2*d^5*x*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) \\
&^2 + 3*c*d^6*x^2*\tan(b*x)^2*\tan(a)^2 + 3*c*d^6*x^2*\tan(b*x)^2*\tan(b*c/d)^2 \\
&+ 3*c*d^6*x^2*\tan(a)^2*\tan(b*c/d)^2 + c^3*d^4*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d \\
&)^2 + d^7*x^3*\tan(b*x)^2 + d^7*x^3*\tan(a)^2 + 3*c^2*d^5*x*\tan(b*x)^2*\tan(a) \\
&^2 + d^7*x^3*\tan(b*c/d)^2 + 3*c^2*d^5*x*\tan(b*x)^2*\tan(b*c/d)^2 + 3*c^2*d^5 \\
&*x*\tan(a)^2*\tan(b*c/d)^2 + 3*c*d^6*x^2*\tan(b*x)^2 + 3*c*d^6*x^2*\tan(a)^2 + \\
&c^3*d^4*\tan(b*x)^2*\tan(a)^2 + 3*c*d^6*x^2*\tan(b*c/d)^2 + c^3*d^4*\tan(b*x)^2 \\
&*\tan(b*c/d)^2 + c^3*d^4*\tan(a)^2*\tan(b*c/d)^2 + d^7*x^3 + 3*c^2*d^5*x*\tan(b \\
&*x)^2 + 3*c^2*d^5*x*\tan(a)^2 + 3*c^2*d^5*x*\tan(b*c/d)^2 + 3*c*d^6*x^2 + c^3 \\
&*d^4*\tan(b*x)^2 + c^3*d^4*\tan(a)^2 + c^3*d^4*\tan(b*c/d)^2 + 3*c^2*d^5*x + c \\
&^3*d^4)
\end{aligned}$$

3.16 $\int (c + dx)^4 \sin^3(a + bx) dx$

Optimal. Leaf size=225

$$\frac{8d^3(c + dx) \sin^3(a + bx)}{27b^4} - \frac{160d^3(c + dx) \sin(a + bx)}{9b^4} + \frac{80d^2(c + dx)^2 \cos(a + bx)}{9b^3} + \frac{4d^2(c + dx)^2 \sin^2(a + bx) \cos(a + bx)}{9b^3}$$

```
[Out] (-488*d^4*Cos[a + b*x])/(27*b^5) + (80*d^2*(c + d*x)^2*Cos[a + b*x])/(9*b^3)
- (2*(c + d*x)^4*Cos[a + b*x])/(3*b) + (8*d^4*Cos[a + b*x]^3)/(81*b^5) -
(160*d^3*(c + d*x)*Sin[a + b*x])/(9*b^4) + (8*d*(c + d*x)^3*SIN[a + b*x])/(
3*b^2) + (4*d^2*(c + d*x)^2*Cos[a + b*x]*Sin[a + b*x]^2)/(9*b^3) - ((c + d*
x)^4*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) - (8*d^3*(c + d*x)*Sin[a + b*x]^3)/
(27*b^4) + (4*d*(c + d*x)^3*SIN[a + b*x]^3)/(9*b^2)
```

Rubi [A] time = 0.250075, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3311, 3296, 2638, 2633}

$$\frac{8d^3(c + dx) \sin^3(a + bx)}{27b^4} - \frac{160d^3(c + dx) \sin(a + bx)}{9b^4} + \frac{80d^2(c + dx)^2 \cos(a + bx)}{9b^3} + \frac{4d^2(c + dx)^2 \sin^2(a + bx) \cos(a + bx)}{9b^3}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^4*Sin[a + b*x]^3,x]
```

```
[Out] (-488*d^4*Cos[a + b*x])/(27*b^5) + (80*d^2*(c + d*x)^2*Cos[a + b*x])/(9*b^3)
- (2*(c + d*x)^4*Cos[a + b*x])/(3*b) + (8*d^4*Cos[a + b*x]^3)/(81*b^5) -
(160*d^3*(c + d*x)*Sin[a + b*x])/(9*b^4) + (8*d*(c + d*x)^3*SIN[a + b*x])/(
3*b^2) + (4*d^2*(c + d*x)^2*Cos[a + b*x]*Sin[a + b*x]^2)/(9*b^3) - ((c + d*
x)^4*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) - (8*d^3*(c + d*x)*Sin[a + b*x]^3)/
(27*b^4) + (4*d*(c + d*x)^3*SIN[a + b*x]^3)/(9*b^2)
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol]
:> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol]
:> -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol]
:> -Dist[d^(-1), Subst[Int[Expand
[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
```

&& IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned}
 \int (c + dx)^4 \sin^3(a + bx) dx &= -\frac{(c + dx)^4 \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{4d(c + dx)^3 \sin^3(a + bx)}{9b^2} + \frac{2}{3} \int (c + dx)^4 \sin(a + bx) dx \\
 &= -\frac{2(c + dx)^4 \cos(a + bx)}{3b} + \frac{4d^2(c + dx)^2 \cos(a + bx) \sin^2(a + bx)}{9b^3} - \frac{(c + dx)^4 \cos(a + bx) \sin(a + bx)}{3b} \\
 &= \frac{8d^2(c + dx)^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^4 \cos(a + bx)}{3b} + \frac{8d(c + dx)^3 \sin(a + bx)}{3b^2} + \frac{4d^2(c + dx)^2 \sin(a + bx)}{9b^3} \\
 &= -\frac{8d^4 \cos(a + bx)}{27b^5} + \frac{80d^2(c + dx)^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^4 \cos(a + bx)}{3b} + \frac{8d^4 \cos^3(a + bx)}{81b^5} \\
 &= -\frac{56d^4 \cos(a + bx)}{27b^5} + \frac{80d^2(c + dx)^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^4 \cos(a + bx)}{3b} + \frac{8d^4 \cos^3(a + bx)}{81b^5} \\
 &= -\frac{488d^4 \cos(a + bx)}{27b^5} + \frac{80d^2(c + dx)^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^4 \cos(a + bx)}{3b} + \frac{8d^4 \cos^3(a + bx)}{81b^5}
 \end{aligned}$$

Mathematica [A] time = 0.999195, size = 150, normalized size = 0.67

$$\frac{-243 \cos(a + bx) (-12b^2 d^2 (c + dx)^2 + b^4 (c + dx)^4 + 24d^4) + \cos(3(a + bx)) (-36b^2 d^2 (c + dx)^2 + 27b^4 (c + dx)^4 + 8d^4)}{324b^5}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^4*Sin[a + b*x]^3,x]

[Out] (-243*(24*d^4 - 12*b^2*d^2*(c + d*x)^2 + b^4*(c + d*x)^4)*Cos[a + b*x] + (8*d^4 - 36*b^2*d^2*(c + d*x)^2 + 27*b^4*(c + d*x)^4)*Cos[3*(a + b*x)] - 24*b*d*(c + d*x)*(24*d^2 - 39*b^2*(c + d*x)^2 + (-2*d^2 + 3*b^2*(c + d*x)^2)*Cos[2*(a + b*x)])*Sin[a + b*x])/(324*b^5)

Maple [B] time = 0.035, size = 1023, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^4*sin(b*x+a)^3,x)

[Out] 1/b*(1/b^4*d^4*(-1/3*(b*x+a)^4*(2+sin(b*x+a)^2)*cos(b*x+a)+8/3*(b*x+a)^3*sin(b*x+a)+8*(b*x+a)^2*cos(b*x+a)-160/9*cos(b*x+a)-160/9*(b*x+a)*sin(b*x+a)+4/9*(b*x+a)^3*sin(b*x+a)^3+4/9*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)-8/27*(b*x+a)*sin(b*x+a)^3-8/81*(2+sin(b*x+a)^2)*cos(b*x+a))-4/b^4*a*d^4*(-1/3*(b*x+a)^3*(2+sin(b*x+a)^2)*cos(b*x+a)+2*(b*x+a)^2*sin(b*x+a)-40/9*sin(b*x+a)+4*(b*x+a)*cos(b*x+a)+1/3*(b*x+a)^2*sin(b*x+a)^3+2/9*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)-2/27*sin(b*x+a)^3)+4/b^3*c*d^3*(-1/3*(b*x+a)^3*(2+sin(b*x+a)^2)*cos(b*x+a)+2*(b*x+a)^2*sin(b*x+a)-40/9*sin(b*x+a)+4*(b*x+a)*cos(b*x+a)+1/3*(b*x+a)^2*sin(b*x+a)^3+2/9*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)-2/27*sin(b*x+a)^3)+6/b^4*a^2*d^4*(-1/3*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)+4/3*cos(b*x+a)+4/3*(b*x+a)*sin(b*x+a)+2/9*(b*x+a)*sin(b*x+a)^3+2/27*(2+sin(b*x+a)^2)*cos(b*x+a))-12/b^3*a*c*d^3*(-1/3*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)+4/3*cos(b*x+a)+4/3*(b*x+a)*sin(b*x+a)+2/9*(b*x+a)*sin(b*x+a)^3+2/27*(2+sin(b*x+a)^2)*cos(b*x+a))

$$a^2) \cos(bx+a) + 6/b^2 c^2 d^2 (-1/3 (bx+a)^2 (2+\sin(bx+a))^2 \cos(bx+a) + 4/3 \cos(bx+a) + 4/3 (bx+a) \sin(bx+a) + 2/9 (bx+a) \sin(bx+a)^3 + 2/27 (2+\sin(bx+a)^2) \cos(bx+a) - 4/b^4 a^3 d^4 (-1/3 (bx+a) (2+\sin(bx+a))^2 \cos(bx+a) + 1/9 \sin(bx+a)^3 + 2/3 \sin(bx+a)) + 12/b^3 a^2 c d^3 (-1/3 (bx+a) (2+\sin(bx+a)^2) \cos(bx+a) + 1/9 \sin(bx+a)^3 + 2/3 \sin(bx+a)) - 12/b^2 a c^2 d^2 (-1/3 (bx+a) (2+\sin(bx+a))^2 \cos(bx+a) + 1/9 \sin(bx+a)^3 + 2/3 \sin(bx+a)) + 4/b c^3 d (-1/3 (bx+a) (2+\sin(bx+a))^2 \cos(bx+a) + 1/9 \sin(bx+a)^3 + 2/3 \sin(bx+a)) - 1/3 b^4 a^4 d^4 (2+\sin(bx+a)^2) \cos(bx+a) + 4/3 b^3 a^3 c d^3 (2+\sin(bx+a)^2) \cos(bx+a) - 2/b^2 a^2 c^2 d^2 (2+\sin(bx+a)^2) \cos(bx+a) + 4/3 b a c^3 d (2+\sin(bx+a)^2) \cos(bx+a) - 1/3 c^4 (2+\sin(bx+a)^2) \cos(bx+a)$$

Maxima [B] time = 1.22366, size = 1261, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a)^3,x, algorithm="maxima")

[Out] $1/324*(108*(\cos(bx+a))^3 - 3*\cos(bx+a))*c^4 - 432*(\cos(bx+a))^3 - 3*\cos(bx+a))*a*c^3*d/b + 648*(\cos(bx+a))^3 - 3*\cos(bx+a))*a^2*c^2*d^2/b^2 - 432*(\cos(bx+a))^3 - 3*\cos(bx+a))*a^3*c*d^3/b^3 + 108*(\cos(bx+a))^3 - 3*\cos(bx+a))*a^4*d^4/b^4 + 36*(3*(bx+a)*\cos(3*bx+3*a) - 27*(bx+a)*\cos(bx+a) - \sin(3*bx+3*a) + 27*\sin(bx+a))*c^3*d/b - 108*(3*(bx+a)*\cos(3*bx+3*a) - 27*(bx+a)*\cos(bx+a) - \sin(3*bx+3*a) + 27*\sin(bx+a))*a*c^2*d^2/b^2 + 108*(3*(bx+a)*\cos(3*bx+3*a) - 27*(bx+a)*\cos(bx+a) - \sin(3*bx+3*a) + 27*\sin(bx+a))*a^2*c*d^3/b^3 - 36*(3*(bx+a)*\cos(3*bx+3*a) - 27*(bx+a)*\cos(bx+a) - \sin(3*bx+3*a) + 27*\sin(bx+a))*a^3*d^4/b^4 + 18*((9*(bx+a)^2 - 2)*\cos(3*bx+3*a) - 81*((bx+a)^2 - 2)*\cos(bx+a) - 6*(bx+a)*\sin(3*bx+3*a) + 162*(bx+a)*\sin(bx+a))*c^2*d^2/b^2 - 36*((9*(bx+a)^2 - 2)*\cos(3*bx+3*a) - 81*((bx+a)^2 - 2)*\cos(bx+a) - 6*(bx+a)*\sin(3*bx+3*a) + 162*(bx+a)*\sin(bx+a))*a*c*d^3/b^3 + 18*((9*(bx+a)^2 - 2)*\cos(3*bx+3*a) - 81*((bx+a)^2 - 2)*\cos(bx+a) - 6*(bx+a)*\sin(3*bx+3*a) + 162*(bx+a)*\sin(bx+a))*a^2*d^4/b^4 + 12*(3*(3*(bx+a)^3 - 2*bx - 2*a)*\cos(3*bx+3*a) - 81*((bx+a)^3 - 6*bx - 6*a)*\cos(bx+a) - (9*(bx+a)^2 - 2)*\sin(3*bx+3*a) + 243*((bx+a)^2 - 2)*\sin(bx+a))*c*d^3/b^3 - 12*(3*(3*(bx+a)^3 - 2*bx - 2*a)*\cos(3*bx+3*a) - 81*((bx+a)^3 - 6*bx - 6*a)*\cos(bx+a) - (9*(bx+a)^2 - 2)*\sin(3*bx+3*a) + 243*((bx+a)^2 - 2)*\sin(bx+a))*a*d^4/b^4 + ((27*(bx+a)^4 - 36*(bx+a)^2 + 8)*\cos(3*bx+3*a) - 243*((bx+a)^4 - 12*(bx+a)^2 + 24)*\cos(bx+a) - 12*(3*(bx+a)^3 - 2*bx - 2*a)*\sin(3*bx+3*a) + 972*((bx+a)^3 - 6*bx - 6*a)*\sin(bx+a))*d^4/b^4)/b$

Fricas [A] time = 1.7696, size = 764, normalized size = 3.4

$$(27b^4d^4x^4 + 108b^4cd^3x^3 + 27b^4c^4 - 36b^2c^2d^2 + 8d^4 + 18(9b^4c^2d^2 - 2b^2d^4)x^2 + 36(3b^4c^3d - 2b^2cd^3)x) \cos(bx + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a)^3,x, algorithm="fricas")

[Out] $1/81*((27*b^4*d^4*x^4 + 108*b^4*c*d^3*x^3 + 27*b^4*c^4 - 36*b^2*c^2*d^2 + 8*d^4 + 18*(9*b^4*c^2*d^2 - 2*b^2*d^4)*x^2 + 36*(3*b^4*c^3*d - 2*b^2*c*d^3)*$

$$x) \cos(bx + a)^3 - 3(27b^4d^4x^4 + 108b^4cd^3x^3 + 27b^4c^4 - 252b^2c^2d^2 + 488d^4 + 18(9b^4c^2d^2 - 14b^2d^4)x^2 + 36(3b^4c^3d - 14b^2cd^3)x) \cos(bx + a) + 12(21b^3d^4x^3 + 63b^3cd^3x^2 + 21b^3c^3d - 122b^2cd^3 - (3b^3d^4x^3 + 9b^3cd^3x^2 + 3b^3c^3d - 2b^2cd^3 + (9b^3c^2d^2 - 2bd^4)x) \cos(bx + a)^2 + (63b^3c^2d^2 - 122bd^4)x) \sin(bx + a) / b^5$$

Sympy [A] time = 9.80385, size = 772, normalized size = 3.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**4*sin(b*x+a)**3,x)

[Out] Piecewise((-c**4*sin(a + b*x)**2*cos(a + b*x)/b - 2*c**4*cos(a + b*x)**3/(3*b) - 4*c**3*d*x*sin(a + b*x)**2*cos(a + b*x)/b - 8*c**3*d*x*cos(a + b*x)**3/(3*b) - 6*c**2*d**2*x**2*sin(a + b*x)**2*cos(a + b*x)/b - 4*c**2*d**2*x**2*cos(a + b*x)**3/b - 4*c*d**3*x**3*sin(a + b*x)**2*cos(a + b*x)/b - 8*c*d**3*x**3*cos(a + b*x)**3/(3*b) - d**4*x**4*sin(a + b*x)**2*cos(a + b*x)/b - 2*d**4*x**4*cos(a + b*x)**3/(3*b) + 28*c**3*d*sin(a + b*x)**3/(9*b**2) + 8*c**3*d*sin(a + b*x)*cos(a + b*x)**2/(3*b**2) + 28*c**2*d**2*x*sin(a + b*x)**3/(3*b**2) + 8*c**2*d**2*x*sin(a + b*x)*cos(a + b*x)**2/b**2 + 28*c*d**3*x**2*sin(a + b*x)**3/(3*b**2) + 8*c*d**3*x**2*sin(a + b*x)*cos(a + b*x)**2/b**2 + 28*d**4*x**3*sin(a + b*x)**3/(9*b**2) + 8*d**4*x**3*sin(a + b*x)*cos(a + b*x)**2/(3*b**2) + 28*c**2*d**2*sin(a + b*x)**2*cos(a + b*x)/(3*b**3) + 80*c**2*d**2*cos(a + b*x)**3/(9*b**3) + 56*c*d**3*x*sin(a + b*x)**2*cos(a + b*x)/(3*b**3) + 160*c*d**3*x*cos(a + b*x)**3/(9*b**3) + 28*d**4*x**2*sin(a + b*x)**2*cos(a + b*x)/(3*b**3) + 80*d**4*x**2*cos(a + b*x)**3/(9*b**3) - 488*c*d**3*sin(a + b*x)**3/(27*b**4) - 160*c*d**3*sin(a + b*x)*cos(a + b*x)**2/(9*b**4) - 488*d**4*x*sin(a + b*x)**3/(27*b**4) - 160*d**4*x*sin(a + b*x)*cos(a + b*x)**2/(9*b**4) - 488*d**4*sin(a + b*x)**2*cos(a + b*x)/(27*b**5) - 1456*d**4*cos(a + b*x)**3/(81*b**5), Ne(b, 0)), ((c**4*x + 2*c**3*d*x**2 + 2*c**2*d**2*x**3 + c*d**3*x**4 + d**4*x**5/5)*sin(a)**3, True))

Giac [A] time = 1.13816, size = 474, normalized size = 2.11

$$\frac{(27b^4d^4x^4 + 108b^4cd^3x^3 + 162b^4c^2d^2x^2 + 108b^4c^3dx + 27b^4c^4 - 36b^2d^4x^2 - 72b^2cd^3x - 36b^2c^2d^2 + 8d^4) \cos(3bx + 3a)}{324b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*sin(b*x+a)^3,x, algorithm="giac")

[Out] 1/324*(27*b^4*d^4*x^4 + 108*b^4*c*d^3*x^3 + 162*b^4*c^2*d^2*x^2 + 108*b^4*c^3*d*x + 27*b^4*c^4 - 36*b^2*d^4*x^2 - 72*b^2*c*d^3*x - 36*b^2*c^2*d^2 + 8*d^4)*cos(3*b*x + 3*a)/b^5 - 3/4*(b^4*d^4*x^4 + 4*b^4*c*d^3*x^3 + 6*b^4*c^2*d^2*x^2 + 4*b^4*c^3*d*x + b^4*c^4 - 12*b^2*d^4*x^2 - 24*b^2*c*d^3*x - 12*b^2*c^2*d^2 + 24*d^4)*cos(b*x + a)/b^5 - 1/27*(3*b^3*d^4*x^3 + 9*b^3*c*d^3*x^2 + 9*b^3*c^2*d^2*x + 3*b^3*c^3*d - 2*b*d^4*x - 2*b*c*d^3)*sin(3*b*x + 3*a)/b^5 + 3*(b^3*d^4*x^3 + 3*b^3*c*d^3*x^2 + 3*b^3*c^2*d^2*x + b^3*c^3*d - 6*b*d^4*x - 6*b*c*d^3)*sin(b*x + a)/b^5

3.17 $\int (c + dx)^3 \sin^3(a + bx) dx$

Optimal. Leaf size=175

$$\frac{40d^2(c + dx) \cos(a + bx)}{9b^3} + \frac{2d^2(c + dx) \sin^2(a + bx) \cos(a + bx)}{9b^3} + \frac{d(c + dx)^2 \sin^3(a + bx)}{3b^2} + \frac{2d(c + dx)^2 \sin(a + bx)}{b^2}$$

```
[Out] (40*d^2*(c + d*x)*Cos[a + b*x])/(9*b^3) - (2*(c + d*x)^3*Cos[a + b*x])/(3*b)
) - (40*d^3*Sin[a + b*x])/(9*b^4) + (2*d*(c + d*x)^2*Sin[a + b*x])/b^2 + (2
*d^2*(c + d*x)*Cos[a + b*x]*Sin[a + b*x]^2)/(9*b^3) - ((c + d*x)^3*Cos[a +
b*x]*Sin[a + b*x]^2)/(3*b) - (2*d^3*Sin[a + b*x]^3)/(27*b^4) + (d*(c + d*x)
^2*Sin[a + b*x]^3)/(3*b^2)
```

Rubi [A] time = 0.158704, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3311, 3296, 2637, 3310}

$$\frac{40d^2(c + dx) \cos(a + bx)}{9b^3} + \frac{2d^2(c + dx) \sin^2(a + bx) \cos(a + bx)}{9b^3} + \frac{d(c + dx)^2 \sin^3(a + bx)}{3b^2} + \frac{2d(c + dx)^2 \sin(a + bx)}{b^2}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^3*Sin[a + b*x]^3,x]
```

```
[Out] (40*d^2*(c + d*x)*Cos[a + b*x])/(9*b^3) - (2*(c + d*x)^3*Cos[a + b*x])/(3*b)
) - (40*d^3*Sin[a + b*x])/(9*b^4) + (2*d*(c + d*x)^2*Sin[a + b*x])/b^2 + (2
*d^2*(c + d*x)*Cos[a + b*x]*Sin[a + b*x]^2)/(9*b^3) - ((c + d*x)^3*Cos[a +
b*x]*Sin[a + b*x]^2)/(3*b) - (2*d^3*Sin[a + b*x]^3)/(27*b^4) + (d*(c + d*x)
^2*Sin[a + b*x]^3)/(3*b^2)
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol]
:> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol]
:> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

]

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 \sin^3(a + bx) dx &= -\frac{(c + dx)^3 \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d(c + dx)^2 \sin^3(a + bx)}{3b^2} + \frac{2}{3} \int (c + dx)^3 \sin(a + bx) dx \\
&= -\frac{2(c + dx)^3 \cos(a + bx)}{3b} + \frac{2d^2(c + dx) \cos(a + bx) \sin^2(a + bx)}{9b^3} - \frac{(c + dx)^3 \cos(a + bx) \sin(a + bx)}{3b} \\
&= \frac{4d^2(c + dx) \cos(a + bx)}{9b^3} - \frac{2(c + dx)^3 \cos(a + bx)}{3b} + \frac{2d(c + dx)^2 \sin(a + bx)}{b^2} + \frac{2d^2(c + dx) \sin(a + bx)}{b^2} \\
&= \frac{40d^2(c + dx) \cos(a + bx)}{9b^3} - \frac{2(c + dx)^3 \cos(a + bx)}{3b} - \frac{4d^3 \sin(a + bx)}{9b^4} + \frac{2d(c + dx)^2 \sin(a + bx)}{b^2} \\
&= \frac{40d^2(c + dx) \cos(a + bx)}{9b^3} - \frac{2(c + dx)^3 \cos(a + bx)}{3b} - \frac{40d^3 \sin(a + bx)}{9b^4} + \frac{2d(c + dx)^2 \sin(a + bx)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.92572, size = 127, normalized size = 0.73

$$\frac{-162b(c + dx) \cos(a + bx) (b^2(c + dx)^2 - 6d^2) + 6b(c + dx) \cos(3(a + bx)) (3b^2(c + dx)^2 - 2d^2) - 4d \sin(a + bx) (\cos(2(a + bx)) - 1)}{216b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Sin[a + b*x]^3,x]

[Out] (-162*b*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + 6*b*(c + d*x)*(-2*d^2 + 3*b^2*(c + d*x)^2)*Cos[3*(a + b*x)] - 4*d*(242*d^2 - 117*b^2*(c + d*x)^2 + (-2*d^2 + 9*b^2*(c + d*x)^2)*Cos[2*(a + b*x)])*Sin[a + b*x]/(216*b^4)

Maple [B] time = 0.009, size = 560, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*sin(b*x+a)^3,x)

[Out] 1/b*(1/b^3*d^3*(-1/3*(b*x+a)^3*(2+sin(b*x+a)^2)*cos(b*x+a)+2*(b*x+a)^2*sin(b*x+a)-40/9*sin(b*x+a)+4*(b*x+a)*cos(b*x+a)+1/3*(b*x+a)^2*sin(b*x+a)^3+2/9*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)-2/27*sin(b*x+a)^3)-3/b^3*a*d^3*(-1/3*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)+4/3*cos(b*x+a)+4/3*(b*x+a)*sin(b*x+a)+2/9*(b*x+a)*sin(b*x+a)^3+2/27*(2+sin(b*x+a)^2)*cos(b*x+a))+3/b^2*c*d^2*(-1/3*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)+4/3*cos(b*x+a)+4/3*(b*x+a)*sin(b*x+a)+2/9*(b*x+a)*sin(b*x+a)^3+2/27*(2+sin(b*x+a)^2)*cos(b*x+a))+3/b^3*a^2*d^3*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))-6/b^2*a*c*d^2*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))+3/b*c^2*d*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))+1/3/b^3*a^3*d^3*(2+sin(b*x+a)^2)*cos(b*x+a)-1/b^2*a^2*c*d^2*(2+sin(b*x+a)^2)*cos(b*x+a)+1/b*a*c^2*d*(2+sin(b*x+a)^2)*cos(b*x+a)-1/3*c^3*(2+sin(b*x+a)^2)*cos(b*x+a))

Maxima [B] time = 1.08757, size = 730, normalized size = 4.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a)^3,x, algorithm="maxima")

[Out]
$$\frac{1}{108}(36(\cos(bx+a)^3 - 3\cos(bx+a))c^3 - 108(\cos(bx+a)^3 - 3\cos(bx+a))a^2c^2d/b + 108(\cos(bx+a)^3 - 3\cos(bx+a))a^3d^2/b^2 - 36(\cos(bx+a)^3 - 3\cos(bx+a))a^3d^3/b^3 + 9(3(bx+a)\cos(3bx+3a) - 27(bx+a)\cos(bx+a) - \sin(3bx+3a) + 27\sin(bx+a))c^2d/b - 18(3(bx+a)\cos(3bx+3a) - 27(bx+a)\cos(bx+a) - \sin(3bx+3a) + 27\sin(bx+a))a^2d^2/b^2 + 9(3(bx+a)\cos(3bx+3a) - 27(bx+a)\cos(bx+a) - \sin(3bx+3a) + 27\sin(bx+a))a^3d^3/b^3 + 3((9(bx+a)^2 - 2)\cos(3bx+3a) - 81((bx+a)^2 - 2)\cos(bx+a) - 6(bx+a)\sin(3bx+3a) + 162(bx+a)\sin(bx+a))c^2d^2/b^2 - 3((9(bx+a)^2 - 2)\cos(3bx+3a) - 81((bx+a)^2 - 2)\cos(bx+a) - 6(bx+a)\sin(3bx+3a) + 162(bx+a)\sin(bx+a))a^2d^3/b^3 + (3(3(bx+a)^3 - 2bx - 2a)\cos(3bx+3a) - 81((bx+a)^3 - 6bx - 6a)\cos(bx+a) - (9(bx+a)^2 - 2)\sin(3bx+3a) + 243((bx+a)^2 - 2)\sin(bx+a))d^3/b^3)/b$$

Fricas [A] time = 1.74108, size = 495, normalized size = 2.83

$$3(3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 2bcd^2 + (9b^3c^2d - 2bd^3)x)\cos(bx+a)^3 - 9(3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 14bcd^2 + (9b^3c^2d - 2bd^3)x)\sin(bx+a)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sin(b*x+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{27}(3(3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 2b^3cd^2 + (9b^3c^2d - 2bd^3)x)\cos(bx+a)^3 - 9(3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 14b^3cd^2 + (9b^3c^2d - 2bd^3)x)\cos(bx+a) + (63b^2d^3x^2 + 126b^2cd^2x + 63b^2c^2d - 122d^3 - (9b^2d^3x^2 + 18b^2cd^2x + 9b^2c^2d - 2d^3)\cos(bx+a)^2)\sin(bx+a))/b^4$$

Sympy [A] time = 5.23282, size = 495, normalized size = 2.83

$$\left\{ \frac{c^3 \sin^2(ax+bx) \cos(ax+bx)}{b} - \frac{2c^3 \cos^3(ax+bx)}{b} - \frac{3c^2 dx \sin^2(ax+bx) \cos(ax+bx)}{b} - \frac{2c^2 dx \cos^3(ax+bx)}{b} - \frac{3cd^2 x^2 \sin^2(ax+bx) \cos(ax+bx)}{b} - \frac{2cd^2 x^2 \cos^3(ax+bx)}{b} \right\} \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \sin^3(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sin(b*x+a)**3,x)

[Out]
$$\text{Piecewise}((-c**3*\sin(a + b*x)**2*\cos(a + b*x)/b - 2*c**3*\cos(a + b*x)**3/(3*b) - 3*c**2*d*x*\sin(a + b*x)**2*\cos(a + b*x)/b - 2*c**2*d*x*\cos(a + b*x)**3/b - 3*c*d**2*x**2*\sin(a + b*x)**2*\cos(a + b*x)/b - 2*c*d**2*x**2*\cos(a + b*x)**3/b - d**3*x**3*\sin(a + b*x)**2*\cos(a + b*x)/b - 2*d**3*x**3*\cos(a + b*x)**3/(3*b) + 7*c**2*d*\sin(a + b*x)**3/(3*b**2) + 2*c**2*d*\sin(a + b*x)*\cos(a + b*x)**2/b**2 + 14*c*d**2*x*\sin(a + b*x)**3/(3*b**2) + 4*c*d**2*x*\sin(a + b*x)**2/b**2 - 2*d**3*x**3*\cos(a + b*x)**3/(3*b**2) + 2*c**2*d*\sin(a + b*x)*\cos(a + b*x)**2/b**2 - 2*c*d**2*x**2*\cos(a + b*x)**3/b - 2*c**2*d*x*\cos(a + b*x)**3/b - 3*c*d**2*x**2*\sin(a + b*x)**2*\cos(a + b*x)/b - 3*c**2*d*x*\sin(a + b*x)**2*\cos(a + b*x)/b - 2*c**3*\cos(a + b*x)**3/(3*b) - 2*c**3*\sin(a + b*x)**2*\cos(a + b*x)/b)/b^4$$

```
(a + b*x)*cos(a + b*x)**2/b**2 + 7*d**3*x**2*sin(a + b*x)**3/(3*b**2) + 2*d
**3*x**2*sin(a + b*x)*cos(a + b*x)**2/b**2 + 14*c*d**2*sin(a + b*x)**2*cos(
a + b*x)/(3*b**3) + 40*c*d**2*cos(a + b*x)**3/(9*b**3) + 14*d**3*x*sin(a +
b*x)**2*cos(a + b*x)/(3*b**3) + 40*d**3*x*cos(a + b*x)**3/(9*b**3) - 122*d*
**3*sin(a + b*x)**3/(27*b**4) - 40*d**3*sin(a + b*x)*cos(a + b*x)**2/(9*b**4
), Ne(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*sin(a
)**3, True))
```

Giac [A] time = 1.1414, size = 312, normalized size = 1.78

$$\frac{(3b^3d^3x^3 + 9b^3cd^2x^2 + 9b^3c^2dx + 3b^3c^3 - 2bd^3x - 2bcd^2)\cos(3bx + 3a)}{36b^4} - \frac{3(b^3d^3x^3 + 3b^3cd^2x^2 + 3b^3c^2dx + b^3c^3 - 2bd^3x - 2bcd^2)\cos(bx + a)}{4b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*sin(b*x+a)^3,x, algorithm="giac")
```

```
[Out] 1/36*(3*b^3*d^3*x^3 + 9*b^3*c*d^2*x^2 + 9*b^3*c^2*d*x + 3*b^3*c^3 - 2*b*d^3
*x - 2*b*c*d^2)*cos(3*b*x + 3*a)/b^4 - 3/4*(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 +
3*b^3*c^2*d*x + b^3*c^3 - 6*b*d^3*x - 6*b*c*d^2)*cos(b*x + a)/b^4 - 1/108*
(9*b^2*d^3*x^2 + 18*b^2*c*d^2*x + 9*b^2*c^2*d - 2*d^3)*sin(3*b*x + 3*a)/b^4
+ 9/4*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d - 2*d^3)*sin(b*x + a)/b^4
```

3.18 $\int (c + dx)^2 \sin^3(a + bx) dx$

Optimal. Leaf size=123

$$\frac{2d(c + dx) \sin^3(a + bx)}{9b^2} + \frac{4d(c + dx) \sin(a + bx)}{3b^2} - \frac{2d^2 \cos^3(a + bx)}{27b^3} + \frac{14d^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^2 \cos(a + bx)}{3b} - \frac{2(c + dx) \sin^3(a + bx)}{3b^2}$$

[Out] (14*d^2*Cos[a + b*x])/(9*b^3) - (2*(c + d*x)^2*Cos[a + b*x])/(3*b) - (2*d^2*Cos[a + b*x]^3)/(27*b^3) + (4*d*(c + d*x)*Sin[a + b*x])/(3*b^2) - ((c + d*x)^2*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (2*d*(c + d*x)*Sin[a + b*x]^3)/(9*b^2)

Rubi [A] time = 0.0960181, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3311, 3296, 2638, 2633}

$$\frac{2d(c + dx) \sin^3(a + bx)}{9b^2} + \frac{4d(c + dx) \sin(a + bx)}{3b^2} - \frac{2d^2 \cos^3(a + bx)}{27b^3} + \frac{14d^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^2 \cos(a + bx)}{3b} - \frac{2(c + dx) \sin^3(a + bx)}{3b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*Sin[a + b*x]^3,x]

[Out] (14*d^2*Cos[a + b*x])/(9*b^3) - (2*(c + d*x)^2*Cos[a + b*x])/(3*b) - (2*d^2*Cos[a + b*x]^3)/(27*b^3) + (4*d*(c + d*x)*Sin[a + b*x])/(3*b^2) - ((c + d*x)^2*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (2*d*(c + d*x)*Sin[a + b*x]^3)/(9*b^2)

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx)^2 \sin^3(a + bx) dx &= -\frac{(c + dx)^2 \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{2d(c + dx) \sin^3(a + bx)}{9b^2} + \frac{2}{3} \int (c + dx)^2 \sin(a + bx) dx \\
&= -\frac{2(c + dx)^2 \cos(a + bx)}{3b} - \frac{(c + dx)^2 \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{2d(c + dx) \sin^3(a + bx)}{9b^2} + \frac{2}{3} \int (c + dx)^2 \sin(a + bx) dx \\
&= \frac{2d^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^2 \cos(a + bx)}{3b} - \frac{2d^2 \cos^3(a + bx)}{27b^3} + \frac{4d(c + dx) \sin(a + bx)}{3b^2} - \frac{2}{3} \int (c + dx)^2 \sin(a + bx) dx \\
&= \frac{14d^2 \cos(a + bx)}{9b^3} - \frac{2(c + dx)^2 \cos(a + bx)}{3b} - \frac{2d^2 \cos^3(a + bx)}{27b^3} + \frac{4d(c + dx) \sin(a + bx)}{3b^2} - \frac{2}{3} \int (c + dx)^2 \sin(a + bx) dx
\end{aligned}$$

Mathematica [A] time = 0.405903, size = 86, normalized size = 0.7

$$\frac{-81 \cos(a + bx) (b^2(c + dx)^2 - 2d^2) + \cos(3(a + bx)) (9b^2(c + dx)^2 - 2d^2) - 6bd(c + dx)(\sin(3(a + bx)) - 27 \sin(a + bx))}{108b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Sin[a + b*x]^3,x]

[Out] (-81*(-2*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + (-2*d^2 + 9*b^2*(c + d*x)^2)*Cos[3*(a + b*x)] - 6*b*d*(c + d*x)*(-27*Sin[a + b*x] + Sin[3*(a + b*x)]))/(108*b^3)

Maple [B] time = 0.007, size = 265, normalized size = 2.2

$$\frac{1}{b} \left(\frac{d^2}{b^2} \left(-\frac{(bx + a)^2 (2 + (\sin(bx + a))^2) \cos(bx + a)}{3} + \frac{4 \cos(bx + a)}{3} + \frac{(4bx + 4a) \sin(bx + a)}{3} + \frac{(2bx + 2a) (\sin(bx + a))^3}{9} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*sin(b*x+a)^3,x)

[Out] 1/b*(1/b^2*d^2*(-1/3*(b*x+a)^2*(2+sin(b*x+a)^2)*cos(b*x+a)+4/3*cos(b*x+a)+4/3*(b*x+a)*sin(b*x+a)+2/9*(b*x+a)*sin(b*x+a)^3+2/27*(2+sin(b*x+a)^2)*cos(b*x+a))-2/b^2*a*d^2*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))+2/b*c*d*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))-1/3/b^2*a^2*d^2*(2+sin(b*x+a)^2)*cos(b*x+a)+2/3/b*a*c*d*(2+sin(b*x+a)^2)*cos(b*x+a)-1/3*c^2*(2+sin(b*x+a)^2)*cos(b*x+a)

Maxima [B] time = 1.07171, size = 365, normalized size = 2.97

$$\frac{36 (\cos(bx + a)^3 - 3 \cos(bx + a))c^2 - \frac{72 (\cos(bx+a)^3 - 3 \cos(bx+a))acd}{b} + \frac{36 (\cos(bx+a)^3 - 3 \cos(bx+a))a^2d^2}{b^2} + \frac{6(3(bx+a) \cos(3bx+3a) - 27 \cos(bx+a))}{b^3}}{108}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^3,x, algorithm="maxima")

[Out] 1/108*(36*(cos(b*x + a)^3 - 3*cos(b*x + a))*c^2 - 72*(cos(b*x + a)^3 - 3*cos(b*x + a))*a*c*d/b + 36*(cos(b*x + a)^3 - 3*cos(b*x + a))*a^2*d^2/b^2 + 6*

$$(3*(b*x + a)*\cos(3*b*x + 3*a) - 27*(b*x + a)*\cos(b*x + a) - \sin(3*b*x + 3*a) + 27*\sin(b*x + a))*c*d/b - 6*(3*(b*x + a)*\cos(3*b*x + 3*a) - 27*(b*x + a)*\cos(b*x + a) - \sin(3*b*x + 3*a) + 27*\sin(b*x + a))*a*d^2/b^2 + ((9*(b*x + a)^2 - 2)*\cos(3*b*x + 3*a) - 81*((b*x + a)^2 - 2)*\cos(b*x + a) - 6*(b*x + a)*\sin(3*b*x + 3*a) + 162*(b*x + a)*\sin(b*x + a))*d^2/b^2)/b$$

Fricas [A] time = 1.63428, size = 298, normalized size = 2.42

$$\frac{(9b^2d^2x^2 + 18b^2cdx + 9b^2c^2 - 2d^2)\cos(bx + a)^3 - 3(9b^2d^2x^2 + 18b^2cdx + 9b^2c^2 - 14d^2)\cos(bx + a) + 6(7bd^2x + 7b^2cd - (bd^2x + b^2cd)\cos(bx + a)^2)\sin(bx + a)}{27b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^3,x, algorithm="fricas")

[Out] 1/27*((9*b^2*d^2*x^2 + 18*b^2*c*d*x + 9*b^2*c^2 - 2*d^2)*cos(b*x + a)^3 - 3*(9*b^2*d^2*x^2 + 18*b^2*c*d*x + 9*b^2*c^2 - 14*d^2)*cos(b*x + a) + 6*(7*b*d^2*x + 7*b*c*d - (b*d^2*x + b*c*d)*cos(b*x + a)^2)*sin(b*x + a))/b^3

Sympy [A] time = 2.5926, size = 284, normalized size = 2.31

$$\left\{ \frac{c^2 \sin^2(a+bx) \cos(a+bx)}{b} - \frac{2c^2 \cos^3(a+bx)}{3b} - \frac{2cdx \sin^2(a+bx) \cos(a+bx)}{b} - \frac{4cdx \cos^3(a+bx)}{3b} - \frac{d^2x^2 \sin^2(a+bx) \cos(a+bx)}{b} - \frac{2d^2x^2 \cos^3(a+bx)}{3b} \right\} \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \sin^3(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sin(b*x+a)**3,x)

[Out] Piecewise((-c**2*sin(a + b*x)**2*cos(a + b*x)/b - 2*c**2*cos(a + b*x)**3/(3*b) - 2*c*d*x*sin(a + b*x)**2*cos(a + b*x)/b - 4*c*d*x*cos(a + b*x)**3/(3*b) - d**2*x**2*sin(a + b*x)**2*cos(a + b*x)/b - 2*d**2*x**2*cos(a + b*x)**3/(3*b) + 14*c*d*sin(a + b*x)**3/(9*b**2) + 4*c*d*sin(a + b*x)*cos(a + b*x)**2/(3*b**2) + 14*d**2*x*sin(a + b*x)**3/(9*b**2) + 4*d**2*x*sin(a + b*x)*cos(a + b*x)**2/(3*b**2) + 14*d**2*sin(a + b*x)**2*cos(a + b*x)/(9*b**3) + 40*d**2*cos(a + b*x)**3/(27*b**3), Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*sin(a)**3, True))

Giac [A] time = 1.13405, size = 185, normalized size = 1.5

$$\frac{(9b^2d^2x^2 + 18b^2cdx + 9b^2c^2 - 2d^2)\cos(3bx + 3a)}{108b^3} - \frac{3(b^2d^2x^2 + 2b^2cdx + b^2c^2 - 2d^2)\cos(bx + a)}{4b^3} - \frac{(bd^2x + bcd)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sin(b*x+a)^3,x, algorithm="giac")

[Out] 1/108*(9*b^2*d^2*x^2 + 18*b^2*c*d*x + 9*b^2*c^2 - 2*d^2)*cos(3*b*x + 3*a)/b^3 - 3/4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*cos(b*x + a)/b^3 - 1/18*(b*d^2*x + b*c*d)*sin(3*b*x + 3*a)/b^3 + 3/2*(b*d^2*x + b*c*d)*sin(b*x + a)/b^3

3.19 $\int (c + dx) \sin^3(a + bx) dx$

Optimal. Leaf size=75

$$\frac{d \sin^3(a + bx)}{9b^2} + \frac{2d \sin(a + bx)}{3b^2} - \frac{2(c + dx) \cos(a + bx)}{3b} - \frac{(c + dx) \sin^2(a + bx) \cos(a + bx)}{3b}$$

[Out] $(-2*(c + d*x)*Cos[a + b*x])/(3*b) + (2*d*Sin[a + b*x])/(3*b^2) - ((c + d*x)*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (d*Sin[a + b*x]^3)/(9*b^2)$

Rubi [A] time = 0.0418427, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3310, 3296, 2637}

$$\frac{d \sin^3(a + bx)}{9b^2} + \frac{2d \sin(a + bx)}{3b^2} - \frac{2(c + dx) \cos(a + bx)}{3b} - \frac{(c + dx) \sin^2(a + bx) \cos(a + bx)}{3b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)*Sin[a + b*x]^3, x]$

[Out] $(-2*(c + d*x)*Cos[a + b*x])/(3*b) + (2*d*Sin[a + b*x])/(3*b^2) - ((c + d*x)*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (d*Sin[a + b*x]^3)/(9*b^2)$

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx) \sin^3(a + bx) dx &= -\frac{(c + dx) \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d \sin^3(a + bx)}{9b^2} + \frac{2}{3} \int (c + dx) \sin(a + bx) dx \\ &= -\frac{2(c + dx) \cos(a + bx)}{3b} - \frac{(c + dx) \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d \sin^3(a + bx)}{9b^2} + \frac{(2d) \int \cos(a + bx) dx}{3b} \\ &= -\frac{2(c + dx) \cos(a + bx)}{3b} + \frac{2d \sin(a + bx)}{3b^2} - \frac{(c + dx) \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d \sin^3(a + bx)}{9b^2} \end{aligned}$$

Mathematica [A] time = 0.172696, size = 59, normalized size = 0.79

$$\frac{-27b(c + dx) \cos(a + bx) + 3b(c + dx) \cos(3(a + bx)) + d(27 \sin(a + bx) - \sin(3(a + bx)))}{36b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Sin[a + b*x]^3,x]

[Out] (-27*b*(c + d*x)*Cos[a + b*x] + 3*b*(c + d*x)*Cos[3*(a + b*x)] + d*(27*Sin[a + b*x] - Sin[3*(a + b*x)]))/(36*b^2)

Maple [A] time = 0.007, size = 95, normalized size = 1.3

$$\frac{1}{b} \left(\frac{d}{b} \left(-\frac{(bx+a)(2+(\sin(bx+a))^2)\cos(bx+a)}{3} + \frac{(\sin(bx+a))^3}{9} + \frac{2\sin(bx+a)}{3} \right) + \frac{da(2+(\sin(bx+a))^2)\cos(bx+a)}{3b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sin(b*x+a)^3,x)

[Out] 1/b*(1/b*d*(-1/3*(b*x+a)*(2+sin(b*x+a)^2)*cos(b*x+a)+1/9*sin(b*x+a)^3+2/3*sin(b*x+a))+1/3/b*d*a*(2+sin(b*x+a)^2)*cos(b*x+a)-1/3*c*(2+sin(b*x+a)^2)*cos(b*x+a))

Maxima [A] time = 1.05489, size = 140, normalized size = 1.87

$$\frac{12(\cos(bx+a)^3 - 3\cos(bx+a))c - \frac{12(\cos(bx+a)^3 - 3\cos(bx+a))ad}{b} + \frac{(3(bx+a)\cos(3bx+3a) - 27(bx+a)\cos(bx+a) - \sin(3bx+3a) + 27\sin(bx+a))d}{b}}{36b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)^3,x, algorithm="maxima")

[Out] 1/36*(12*(cos(b*x + a)^3 - 3*cos(b*x + a))*c - 12*(cos(b*x + a)^3 - 3*cos(b*x + a))*a*d/b + (3*(b*x + a)*cos(3*b*x + 3*a) - 27*(b*x + a)*cos(b*x + a) - sin(3*b*x + 3*a) + 27*sin(b*x + a))*d/b)/b

Fricas [A] time = 1.63869, size = 153, normalized size = 2.04

$$\frac{3(bdx + bc)\cos(bx + a)^3 - 9(bdx + bc)\cos(bx + a) - (d\cos(bx + a)^2 - 7d)\sin(bx + a)}{9b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)^3,x, algorithm="fricas")

[Out] 1/9*(3*(b*d*x + b*c)*cos(b*x + a)^3 - 9*(b*d*x + b*c)*cos(b*x + a) - (d*cos(b*x + a)^2 - 7*d)*sin(b*x + a))/b^2

Sympy [A] time = 1.11446, size = 126, normalized size = 1.68

$$\left\{ \begin{array}{l} \frac{c \sin^2(a+bx) \cos(a+bx)}{3b} - \frac{2c \cos^3(a+bx)}{3b} - \frac{dx \sin^2(a+bx) \cos(a+bx)}{b} - \frac{2dx \cos^3(a+bx)}{3b} + \frac{7d \sin^3(a+bx)}{9b^2} + \frac{2d \sin(a+bx) \cos^2(a+bx)}{3b^2} \\ \left(cx + \frac{dx^2}{2} \right) \sin^3(a) \end{array} \right. \text{ for } b \text{ other}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)**3,x)

[Out] Piecewise((-c*sin(a + b*x)**2*cos(a + b*x)/b - 2*c*cos(a + b*x)**3/(3*b) - d*x*sin(a + b*x)**2*cos(a + b*x)/b - 2*d*x*cos(a + b*x)**3/(3*b) + 7*d*sin(a + b*x)**3/(9*b**2) + 2*d*sin(a + b*x)*cos(a + b*x)**2/(3*b**2), Ne(b, 0)), ((c*x + d*x**2/2)*sin(a)**3, True))

Giac [A] time = 1.15119, size = 93, normalized size = 1.24

$$\frac{(bdx + bc) \cos(3bx + 3a)}{12b^2} - \frac{3(bdx + bc) \cos(bx + a)}{4b^2} - \frac{d \sin(3bx + 3a)}{36b^2} + \frac{3d \sin(bx + a)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sin(b*x+a)^3,x, algorithm="giac")

[Out] 1/12*(b*d*x + b*c)*cos(3*b*x + 3*a)/b^2 - 3/4*(b*d*x + b*c)*cos(b*x + a)/b^2 - 1/36*d*sin(3*b*x + 3*a)/b^2 + 3/4*d*sin(b*x + a)/b^2

3.20 $\int \frac{\sin^3(a+bx)}{c+dx} dx$

Optimal. Leaf size=121

$$\frac{\sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d} + \frac{3 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d} + \frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} - \cos$$

```
[Out] -(CosIntegral[(3*b*c)/d + 3*b*x]*Sin[3*a - (3*b*c)/d])/(4*d) + (3*CosIntegral[(b*c)/d + b*x]*Sin[a - (b*c)/d])/(4*d) + (3*Cos[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/(4*d) - (Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*c)/d + 3*b*x])/(4*d)
```

Rubi [A] time = 0.245183, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3312, 3303, 3299, 3302}

$$\frac{\sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d} + \frac{3 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d} + \frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} - \cos$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^3/(c + d*x), x]
```

```
[Out] -(CosIntegral[(3*b*c)/d + 3*b*x]*Sin[3*a - (3*b*c)/d])/(4*d) + (3*CosIntegral[(b*c)/d + b*x]*Sin[a - (b*c)/d])/(4*d) + (3*Cos[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/(4*d) - (Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*c)/d + 3*b*x])/(4*d)
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a+bx)}{c+dx} dx &= \int \left(\frac{3\sin(a+bx)}{4(c+dx)} - \frac{\sin(3a+3bx)}{4(c+dx)} \right) dx \\
&= -\left(\frac{1}{4} \int \frac{\sin(3a+3bx)}{c+dx} dx \right) + \frac{3}{4} \int \frac{\sin(a+bx)}{c+dx} dx \\
&= -\left(\frac{1}{4} \cos\left(3a - \frac{3bc}{d}\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{c+dx} dx \right) + \frac{1}{4} \left(3 \cos\left(a - \frac{bc}{d}\right) \right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c+dx} dx - \frac{1}{4} \sin\left(3a - \frac{3bc}{d}\right) \\
&= -\frac{\text{Ci}\left(\frac{3bc}{d} + 3bx\right) \sin\left(3a - \frac{3bc}{d}\right)}{4d} + \frac{3\text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{4d} + \frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} - \frac{\cos\left(3a - \frac{3bc}{d}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.243051, size = 102, normalized size = 0.84

$$\frac{\sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3b(c+dx)}{d}\right) - 3 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(b\left(\frac{c}{d} + x\right)\right) - 3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) + \cos\left(3a - \frac{3bc}{d}\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^3/(c + d*x),x]

[Out] -(CosIntegral[(3*b*(c + d*x))/d]*Sin[3*a - (3*b*c)/d] - 3*CosIntegral[b*(c/d + x)]*Sin[a - (b*c)/d] - 3*Cos[a - (b*c)/d]*SinIntegral[b*(c/d + x)] + Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d])/(4*d)

Maple [A] time = 0.009, size = 167, normalized size = 1.4

$$\frac{1}{b} \left(-\frac{b}{12} \left(3 \frac{1}{d} \text{Si} \left(3bx + 3a + 3 \frac{-da + cb}{d} \right) \cos \left(3 \frac{-da + cb}{d} \right) - 3 \frac{1}{d} \text{Ci} \left(3bx + 3a + 3 \frac{-da + cb}{d} \right) \sin \left(3 \frac{-da + cb}{d} \right) \right) + \frac{3b}{4} \left(\frac{1}{d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^3/(d*x+c),x)

[Out] 1/b*(-1/12*b*(3*Si(3*b*x+3*a+3*(-a*d+b*c)/d)*cos(3*(-a*d+b*c)/d)/d-3*Ci(3*b*x+3*a+3*(-a*d+b*c)/d)*sin(3*(-a*d+b*c)/d)/d+3/4*b*(Si(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d-Ci(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d)

Maxima [C] time = 1.36547, size = 370, normalized size = 3.06

$$b \left(-3i E_1 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + 3i E_1 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) + b \left(i E_1 \left(\frac{3ibc+3i(bx+a)d-3iad}{d} \right) - i E_1 \left(-\frac{3ibc+3i(bx+a)d-3iad}{d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c),x, algorithm="maxima")

[Out] 1/8*(b*(-3*I*exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + 3*I*exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) + b*(I*exp_integral_e(1, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) - I*exp_inte

```

gral_e(1, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*cos(-3*(b*c - a*d)/d)
- 3*b*(exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_
e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d) + b*(exp_inte
gral_e(1, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) + exp_integral_e(1, -(3*
I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*sin(-3*(b*c - a*d)/d))/(b*d)

```

Fricas [A] time = 1.6618, size = 406, normalized size = 3.36

$$\frac{3 \left(\text{Ci} \left(\frac{bdx+bc}{d} \right) + \text{Ci} \left(-\frac{bdx+bc}{d} \right) \right) \sin \left(-\frac{bc-ad}{d} \right) - \left(\text{Ci} \left(\frac{3(bdx+bc)}{d} \right) + \text{Ci} \left(-\frac{3(bdx+bc)}{d} \right) \right) \sin \left(-\frac{3(bc-ad)}{d} \right) - 2 \cos \left(-\frac{3(bc-ad)}{d} \right) \text{Si} \left(\frac{3(bc-ad)}{d} \right)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c),x, algorithm="fricas")
```

```
[Out] 1/8*(3*(cos_integral((b*d*x + b*c)/d) + cos_integral(-(b*d*x + b*c)/d))*sin
(-(b*c - a*d)/d) - (cos_integral(3*(b*d*x + b*c)/d) + cos_integral(-3*(b*d*
x + b*c)/d))*sin(-3*(b*c - a*d)/d) - 2*cos(-3*(b*c - a*d)/d)*sin_integral(3
*(b*d*x + b*c)/d) + 6*cos(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d))/d

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^3(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**3/(d*x+c),x)
```

```
[Out] Integral(sin(a + b*x)**3/(c + d*x), x)
```

Giac [C] time = 1.75939, size = 8500, normalized size = 70.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c),x, algorithm="giac")
```

```
[Out] -1/8*(imag_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*a)^2*tan(1/2*a)^2*ta
n(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 - 3*imag_part(cos_integral(b*x + b*c/d))*ta
n(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 + 3*imag_part(cos
_integral(-b*x - b*c/d))*tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2
*b*c/d)^2 - imag_part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)^2*tan(1/2*
a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 + 2*sin_integral(3*(b*d*x + b*c)/d)*
tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 - 6*sin_integra
l((b*d*x + b*c)/d)*tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d
)^2 - 6*real_part(cos_integral(b*x + b*c/d))*tan(3/2*a)^2*tan(1/2*a)^2*tan(
3/2*b*c/d)^2*tan(1/2*b*c/d) - 6*real_part(cos_integral(-b*x - b*c/d))*tan(3
/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d) + 2*real_part(cos_inte
gral(3*b*x + 3*b*c/d))*tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)*tan(1/2*b*c
/d)^2 + 2*real_part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)^2*tan(1/2*a)

```


$$\begin{aligned}
& 2*\text{real_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)*\text{tan} \\
& (1/2*b*c/d)^2 + 2*\text{real_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan} \\
& (3/2*b*c/d)*\text{tan}(1/2*b*c/d)^2 - 2*\text{real_part}(\text{cos_integral}(3*b*x + 3*b*c/d))* \\
& \text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)*\text{tan}(1/2*b*c/d)^2 - 2*\text{real_part}(\text{cos_integral}(-3* \\
& b*x - 3*b*c/d))*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)*\text{tan}(1/2*b*c/d)^2 - 2*\text{real_part} \\
& (\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 \\
& - 2*\text{real_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(3/2*b*c/d)^2* \\
& \text{tan}(1/2*b*c/d)^2 + 6*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(1/2*a)*\text{tan}(3/ \\
& 2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 + 6*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(1 \\
& /2*a)*\text{tan}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 - \text{imag_part}(\text{cos_integral}(3*b*x + 3* \\
& b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*a)^2 + 3*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))* \\
& \text{tan}(3/2*a)^2*\text{tan}(1/2*a)^2 - 3*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(3/2 \\
& *a)^2*\text{tan}(1/2*a)^2 + \text{imag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)^2 \\
& *\text{tan}(1/2*a)^2 - 2*\text{sin_integral}(3*(b*d*x + b*c)/d)*\text{tan}(3/2*a)^2*\text{tan}(1/2*a)^2 \\
& + 6*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan}(3/2*a)^2*\text{tan}(1/2*a)^2 + 4*\text{imag_part} \\
& (\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d) - 4*i \\
& \text{mag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(1/2*a)^2*\text{tan}(3/2*b* \\
& c/d) + 8*\text{sin_integral}(3*(b*d*x + b*c)/d)*\text{tan}(3/2*a)*\text{tan}(1/2*a)^2*\text{tan}(3/2*b* \\
& c/d) + \text{imag_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d) \\
& ^2 - 3*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)^2 + \\
& 3*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)^2 - \text{im} \\
& \text{ag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)^2 + 2*s \\
& \text{in_integral}(3*(b*d*x + b*c)/d)*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)^2 - 6*\text{sin_integr} \\
& \text{al}((b*d*x + b*c)/d)*\text{tan}(3/2*a)^2*\text{tan}(3/2*b*c/d)^2 - \text{imag_part}(\text{cos_integral} \\
& (3*b*x + 3*b*c/d))*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)^2 + 3*\text{imag_part}(\text{cos_integral} \\
& (b*x + b*c/d))*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)^2 - 3*\text{imag_part}(\text{cos_integral}(-b*x \\
& - b*c/d))*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)^2 + \text{imag_part}(\text{cos_integral}(-3*b*x - \\
& 3*b*c/d))*\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)^2 - 2*\text{sin_integral}(3*(b*d*x + b*c)/d) \\
& *\text{tan}(1/2*a)^2*\text{tan}(3/2*b*c/d)^2 + 6*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan}(1/2*a) \\
& ^2*\text{tan}(3/2*b*c/d)^2 - 12*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(3/2*a)^2* \\
& \text{tan}(1/2*a)*\text{tan}(1/2*b*c/d) + 12*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(3/ \\
& 2*a)^2*\text{tan}(1/2*a)*\text{tan}(1/2*b*c/d) - 24*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan}(3/2 \\
& *a)^2*\text{tan}(1/2*a)*\text{tan}(1/2*b*c/d) - 12*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\text{t} \\
& \text{an}(1/2*a)*\text{tan}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d) + 12*\text{imag_part}(\text{cos_integral}(-b*x \\
& - b*c/d))*\text{tan}(1/2*a)*\text{tan}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d) - 24*\text{sin_integral}((b*d \\
& *x + b*c)/d)*\text{tan}(1/2*a)*\text{tan}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d) - \text{imag_part}(\text{cos_int} \\
& \text{egral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*b*c/d)^2 + 3*\text{imag_part}(\text{cos_int} \\
& \text{egral}(b*x + b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*b*c/d)^2 - 3*\text{imag_part}(\text{cos_integra} \\
& \text{l}(-b*x - b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*b*c/d)^2 + \text{imag_part}(\text{cos_integral}(-3* \\
& b*x - 3*b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*b*c/d)^2 - 2*\text{sin_integral}(3*(b*d*x + b \\
& *c)/d)*\text{tan}(3/2*a)^2*\text{tan}(1/2*b*c/d)^2 + 6*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan} \\
& (3/2*a)^2*\text{tan}(1/2*b*c/d)^2 + \text{imag_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(1/ \\
& 2*a)^2*\text{tan}(1/2*b*c/d)^2 - 3*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(1/2*a) \\
& ^2*\text{tan}(1/2*b*c/d)^2 + 3*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(1/2*a)^2* \\
& \text{tan}(1/2*b*c/d)^2 - \text{imag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(1/2*a)^2*t \\
& \text{an}(1/2*b*c/d)^2 + 2*\text{sin_integral}(3*(b*d*x + b*c)/d)*\text{tan}(1/2*a)^2*\text{tan}(1/2*b* \\
& c/d)^2 - 6*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan}(1/2*a)^2*\text{tan}(1/2*b*c/d)^2 + 4* \\
& \text{imag_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(3/2*b*c/d)*\text{tan}(1/2* \\
& b*c/d)^2 - 4*\text{imag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(3/2*b \\
& *c/d)*\text{tan}(1/2*b*c/d)^2 + 8*\text{sin_integral}(3*(b*d*x + b*c)/d)*\text{tan}(3/2*a)*\text{tan}(3 \\
& /2*b*c/d)*\text{tan}(1/2*b*c/d)^2 - \text{imag_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3 \\
& /2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 + 3*\text{imag_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(3 \\
& /2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 - 3*\text{imag_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan} \\
& (3/2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 + \text{imag_part}(\text{cos_integral}(-3*b*x - 3*b*c/d))*\text{t} \\
& \text{an}(3/2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 - 2*\text{sin_integral}(3*(b*d*x + b*c)/d)*\text{tan}(3/ \\
& 2*b*c/d)^2*\text{tan}(1/2*b*c/d)^2 + 6*\text{sin_integral}((b*d*x + b*c)/d)*\text{tan}(3/2*b*c/d) \\
& ^2*\text{tan}(1/2*b*c/d)^2 - 6*\text{real_part}(\text{cos_integral}(b*x + b*c/d))*\text{tan}(3/2*a)^2* \\
& \text{tan}(1/2*a) - 6*\text{real_part}(\text{cos_integral}(-b*x - b*c/d))*\text{tan}(3/2*a)^2*\text{tan}(1/2*a) \\
&) + 2*\text{real_part}(\text{cos_integral}(3*b*x + 3*b*c/d))*\text{tan}(3/2*a)*\text{tan}(1/2*a)^2 + 2*
\end{aligned}$$

```

real_part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)*tan(1/2*a)^2 + 2*real_
part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*a)^2*tan(3/2*b*c/d) + 2*real_pa
rt(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)^2*tan(3/2*b*c/d) - 2*real_par
t(cos_integral(3*b*x + 3*b*c/d))*tan(1/2*a)^2*tan(3/2*b*c/d) - 2*real_part(
cos_integral(-3*b*x - 3*b*c/d))*tan(1/2*a)^2*tan(3/2*b*c/d) - 2*real_part(c
os_integral(3*b*x + 3*b*c/d))*tan(3/2*a)*tan(3/2*b*c/d)^2 - 2*real_part(cos
_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)*tan(3/2*b*c/d)^2 - 6*real_part(cos_
integral(b*x + b*c/d))*tan(1/2*a)*tan(3/2*b*c/d)^2 - 6*real_part(cos_integr
al(-b*x - b*c/d))*tan(1/2*a)*tan(3/2*b*c/d)^2 + 6*real_part(cos_integral(b*
x + b*c/d))*tan(3/2*a)^2*tan(1/2*b*c/d) + 6*real_part(cos_integral(-b*x - b
*c/d))*tan(3/2*a)^2*tan(1/2*b*c/d) - 6*real_part(cos_integral(b*x + b*c/d))
*tan(1/2*a)^2*tan(1/2*b*c/d) - 6*real_part(cos_integral(-b*x - b*c/d))*tan(
1/2*a)^2*tan(1/2*b*c/d) + 6*real_part(cos_integral(b*x + b*c/d))*tan(3/2*b*
c/d)^2*tan(1/2*b*c/d) + 6*real_part(cos_integral(-b*x - b*c/d))*tan(3/2*b*c
/d)^2*tan(1/2*b*c/d) + 2*real_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*a
)*tan(1/2*b*c/d)^2 + 2*real_part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a)
*tan(1/2*b*c/d)^2 + 6*real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)*tan(1
/2*b*c/d)^2 + 6*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)*tan(1/2*b*
c/d)^2 - 2*real_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*b*c/d)*tan(1/2*
b*c/d)^2 - 2*real_part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*b*c/d)*tan(1
/2*b*c/d)^2 - imag_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*a)^2 - 3*ima
g_part(cos_integral(b*x + b*c/d))*tan(3/2*a)^2 + 3*imag_part(cos_integral(-
b*x - b*c/d))*tan(3/2*a)^2 + imag_part(cos_integral(-3*b*x - 3*b*c/d))*tan(
3/2*a)^2 - 2*sin_integral(3*(b*d*x + b*c)/d)*tan(3/2*a)^2 - 6*sin_integral(
(b*d*x + b*c)/d)*tan(3/2*a)^2 + imag_part(cos_integral(3*b*x + 3*b*c/d))*ta
n(1/2*a)^2 + 3*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2 - 3*imag_p
art(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2 - imag_part(cos_integral(-3*b*
x - 3*b*c/d))*tan(1/2*a)^2 + 2*sin_integral(3*(b*d*x + b*c)/d)*tan(1/2*a)^2
+ 6*sin_integral((b*d*x + b*c)/d)*tan(1/2*a)^2 + 4*imag_part(cos_integral(
3*b*x + 3*b*c/d))*tan(3/2*a)*tan(3/2*b*c/d) - 4*imag_part(cos_integral(-3*b
*x - 3*b*c/d))*tan(3/2*a)*tan(3/2*b*c/d) + 8*sin_integral(3*(b*d*x + b*c)/d
)*tan(3/2*a)*tan(3/2*b*c/d) - imag_part(cos_integral(3*b*x + 3*b*c/d))*tan(
3/2*b*c/d)^2 - 3*imag_part(cos_integral(b*x + b*c/d))*tan(3/2*b*c/d)^2 + 3*
imag_part(cos_integral(-b*x - b*c/d))*tan(3/2*b*c/d)^2 + imag_part(cos_inte
gral(-3*b*x - 3*b*c/d))*tan(3/2*b*c/d)^2 - 2*sin_integral(3*(b*d*x + b*c)/d
)*tan(3/2*b*c/d)^2 - 6*sin_integral((b*d*x + b*c)/d)*tan(3/2*b*c/d)^2 - 12*
imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) + 12*imag_pa
rt(cos_integral(-b*x - b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) - 24*sin_integral(
(b*d*x + b*c)/d)*tan(1/2*a)*tan(1/2*b*c/d) + imag_part(cos_integral(3*b*x +
3*b*c/d))*tan(1/2*b*c/d)^2 + 3*imag_part(cos_integral(b*x + b*c/d))*tan(1/
2*b*c/d)^2 - 3*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d)^2 - ima
g_part(cos_integral(-3*b*x - 3*b*c/d))*tan(1/2*b*c/d)^2 + 2*sin_integral(3*
(b*d*x + b*c)/d)*tan(1/2*b*c/d)^2 + 6*sin_integral((b*d*x + b*c)/d)*tan(1/2
*b*c/d)^2 + 2*real_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*a) + 2*real_
part(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*a) - 6*real_part(cos_integral(
b*x + b*c/d))*tan(1/2*a) - 6*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*
a) - 2*real_part(cos_integral(3*b*x + 3*b*c/d))*tan(3/2*b*c/d) - 2*real_par
t(cos_integral(-3*b*x - 3*b*c/d))*tan(3/2*b*c/d) + 6*real_part(cos_integral
(b*x + b*c/d))*tan(1/2*b*c/d) + 6*real_part(cos_integral(-b*x - b*c/d))*tan
(1/2*b*c/d) + imag_part(cos_integral(3*b*x + 3*b*c/d)) - 3*imag_part(cos_in
tegral(b*x + b*c/d)) + 3*imag_part(cos_integral(-b*x - b*c/d)) - imag_part(
cos_integral(-3*b*x - 3*b*c/d)) + 2*sin_integral(3*(b*d*x + b*c)/d) - 6*sin
_integral((b*d*x + b*c)/d))/(d*tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2*t
an(1/2*b*c/d)^2 + d*tan(3/2*a)^2*tan(1/2*a)^2*tan(3/2*b*c/d)^2 + d*tan(3/2*
a)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + d*tan(3/2*a)^2*tan(3/2*b*c/d)^2*tan(1/
2*b*c/d)^2 + d*tan(1/2*a)^2*tan(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 + d*tan(3/2*a
)^2*tan(1/2*a)^2 + d*tan(3/2*a)^2*tan(3/2*b*c/d)^2 + d*tan(1/2*a)^2*tan(3/2
*b*c/d)^2 + d*tan(3/2*a)^2*tan(1/2*b*c/d)^2 + d*tan(1/2*a)^2*tan(1/2*b*c/d)
^2 + d*tan(3/2*b*c/d)^2*tan(1/2*b*c/d)^2 + d*tan(3/2*a)^2 + d*tan(1/2*a)^2

```

$$+ d \cdot \tan(3/2 \cdot b \cdot c / d)^2 + d \cdot \tan(1/2 \cdot b \cdot c / d)^2 + d$$

3.21 $\int \frac{\sin^3(a+bx)}{(c+dx)^2} dx$

Optimal. Leaf size=145

$$\frac{3b \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d^2} - \frac{3b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d^2} + \frac{3b \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{4d^2}$$

[Out] (3*b*Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x])/(4*d^2) - (3*b*Cos[3*a - (3*b*c)/d]*CosIntegral[(3*b*c)/d + 3*b*x])/(4*d^2) - Sin[a + b*x]^3/(d*(c + d*x)) - (3*b*Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/(4*d^2) + (3*b*Sin[3*a - (3*b*c)/d]*SinIntegral[(3*b*c)/d + 3*b*x])/(4*d^2)

Rubi [A] time = 0.242383, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3313, 3303, 3299, 3302}

$$\frac{3b \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d^2} - \frac{3b \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d^2} + \frac{3b \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^3/(c + d*x)^2, x]

[Out] (3*b*Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x])/(4*d^2) - (3*b*Cos[3*a - (3*b*c)/d]*CosIntegral[(3*b*c)/d + 3*b*x])/(4*d^2) - Sin[a + b*x]^3/(d*(c + d*x)) - (3*b*Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/(4*d^2) + (3*b*Sin[3*a - (3*b*c)/d]*SinIntegral[(3*b*c)/d + 3*b*x])/(4*d^2)

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a+bx)}{(c+dx)^2} dx &= -\frac{\sin^3(a+bx)}{d(c+dx)} + \frac{(3b) \int \left(\frac{\cos(a+bx)}{4(c+dx)} - \frac{\cos(3a+3bx)}{4(c+dx)} \right) dx}{d} \\
&= -\frac{\sin^3(a+bx)}{d(c+dx)} + \frac{(3b) \int \frac{\cos(a+bx)}{c+dx} dx}{4d} - \frac{(3b) \int \frac{\cos(3a+3bx)}{c+dx} dx}{4d} \\
&= -\frac{\sin^3(a+bx)}{d(c+dx)} - \frac{\left(3b \cos\left(3a - \frac{3bc}{d}\right)\right) \int \frac{\cos\left(\frac{3bc}{d} + 3bx\right)}{c+dx} dx}{4d} + \frac{\left(3b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{4d} + \frac{(3b \sin\left(a - \frac{bc}{d}\right)) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{4d} \\
&= \frac{3b \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{4d^2} - \frac{\sin^3(a+bx)}{d(c+dx)} - \frac{3b \sin\left(a - \frac{bc}{d}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 1.05066, size = 175, normalized size = 1.21

$$3b(c+dx) \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(b\left(\frac{c}{d} + x\right)\right) - 3b(c+dx) \cos\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3b(c+dx)}{d}\right) - 3b(c+dx) \sin\left(a - \frac{bc}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^3/(c + d*x)^2, x]

[Out] (3*b*(c + d*x)*Cos[a - (b*c)/d]*CosIntegral[b*(c/d + x)] - 3*b*(c + d*x)*Cos[3*a - (3*b*c)/d]*CosIntegral[(3*b*(c + d*x))/d] - 3*d*Cos[b*x]*Sin[a] + d*Cos[3*b*x]*Sin[3*a] - 3*d*Cos[a]*Sin[b*x] + d*Cos[3*a]*Sin[3*b*x] - 3*b*(c + d*x)*Sin[a - (b*c)/d]*SinIntegral[b*(c/d + x)] + 3*b*(c + d*x)*Sin[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d])/(4*d^2*(c + d*x))

Maple [A] time = 0.01, size = 240, normalized size = 1.7

$$\frac{1}{b} \left(-\frac{b^2}{12} \left(-3 \frac{\sin(3bx + 3a)}{((bx+a)d - da + cb)d} + 3 \frac{1}{d} \left(3 \frac{1}{d} \text{Si}\left(3bx + 3a + 3 \frac{-da + cb}{d}\right) \sin\left(3 \frac{-da + cb}{d}\right) + 3 \frac{1}{d} \text{Ci}\left(3bx + 3a + 3 \frac{-da + cb}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^3/(d*x+c)^2, x)

[Out] 1/b*(-1/12*b^2*(-3*sin(3*b*x+3*a)/((b*x+a)*d-d*a+c*b)/d+3*(3*Si(3*b*x+3*a+3*(-a*d+b*c)/d)*sin(3*(-a*d+b*c)/d)/d+3*Ci(3*b*x+3*a+3*(-a*d+b*c)/d)*cos(3*(-a*d+b*c)/d)/d)/d)+3/4*b^2*(-sin(b*x+a)/((b*x+a)*d-d*a+c*b)/d+(Si(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d+Ci(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d)/d)

Maxima [C] time = 1.81778, size = 406, normalized size = 2.8

$$b^2 \left(-3i E_2 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + 3i E_2 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos\left(-\frac{bc-ad}{d}\right) + b^2 \left(i E_2 \left(\frac{3ibc+3i(bx+a)d-3iad}{d} \right) - i E_2 \left(-\frac{3ibc+3i(bx+a)d-3iad}{d} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^2,x, algorithm="maxima")

[Out] $\frac{1}{8} * (b^2 * (-3 * I * \exp_integral_e(2, (I * b * c + I * (b * x + a) * d - I * a * d) / d) + 3 * I * \exp_integral_e(2, -(I * b * c + I * (b * x + a) * d - I * a * d) / d)) * \cos(-(b * c - a * d) / d) + b^2 * (I * \exp_integral_e(2, (3 * I * b * c + 3 * I * (b * x + a) * d - 3 * I * a * d) / d) - I * \exp_integral_e(2, -(3 * I * b * c + 3 * I * (b * x + a) * d - 3 * I * a * d) / d)) * \cos(-3 * (b * c - a * d) / d) - 3 * b^2 * (\exp_integral_e(2, (I * b * c + I * (b * x + a) * d - I * a * d) / d) + \exp_integral_e(2, -(I * b * c + I * (b * x + a) * d - I * a * d) / d)) * \sin(-(b * c - a * d) / d) + b^2 * (\exp_integral_e(2, (3 * I * b * c + 3 * I * (b * x + a) * d - 3 * I * a * d) / d) + \exp_integral_e(2, -(3 * I * b * c + 3 * I * (b * x + a) * d - 3 * I * a * d) / d)) * \sin(-3 * (b * c - a * d) / d)) / ((b * c * d + (b * x + a) * d^2 - a * d^2) * b)$

Fricas [A] time = 1.99735, size = 595, normalized size = 4.1

$$6(bdx + bc) \sin\left(-\frac{3(bc-ad)}{d}\right) \text{Si}\left(\frac{3(bdx+bc)}{d}\right) - 6(bdx + bc) \sin\left(-\frac{bc-ad}{d}\right) \text{Si}\left(\frac{bdx+bc}{d}\right) + 3\left((bdx + bc) \text{Ci}\left(\frac{bdx+bc}{d}\right) + (bdx + bc) \text{Ci}\left(\frac{bdx+bc}{d}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^2,x, algorithm="fricas")

[Out] $\frac{1}{8} * (6 * (b * d * x + b * c) * \sin(-3 * (b * c - a * d) / d) * \sin_integral(3 * (b * d * x + b * c) / d) - 6 * (b * d * x + b * c) * \sin(-(b * c - a * d) / d) * \sin_integral((b * d * x + b * c) / d) + 3 * ((b * d * x + b * c) * \cos_integral((b * d * x + b * c) / d) + (b * d * x + b * c) * \cos_integral(-(b * d * x + b * c) / d)) * \cos(-(b * c - a * d) / d) - 3 * ((b * d * x + b * c) * \cos_integral(3 * (b * d * x + b * c) / d) + (b * d * x + b * c) * \cos_integral(-3 * (b * d * x + b * c) / d)) * \cos(-3 * (b * c - a * d) / d) + 8 * (d * \cos(b * x + a)^2 - d) * \sin(b * x + a)) / (d^3 * x + c * d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^3(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**3/(d*x+c)**2,x)

[Out] Integral(sin(a + b*x)**3/(c + d*x)**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^2,x, algorithm="giac")

[Out] Timed out

3.22 $\int \frac{\sin^3(a+bx)}{(c+dx)^3} dx$

Optimal. Leaf size=184

$$\frac{9b^2 \sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{8d^3} - \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{8d^3} - \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{8d^3}$$

[Out] $(9*b^2*\text{CosIntegral}[(3*b*c)/d + 3*b*x]*\text{Sin}[3*a - (3*b*c)/d])/(8*d^3) - (3*b^2*\text{CosIntegral}[(b*c)/d + b*x]*\text{Sin}[a - (b*c)/d])/(8*d^3) - (3*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(2*d^2*(c + d*x)) - \text{Sin}[a + b*x]^3/(2*d*(c + d*x)^2) - (3*b^2*\text{Cos}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(8*d^3) + (9*b^2*\text{Cos}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*c)/d + 3*b*x])/(8*d^3)$

Rubi [A] time = 0.353643, antiderivative size = 184, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3314, 3303, 3299, 3302, 3312}

$$\frac{9b^2 \sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{8d^3} - \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{8d^3} - \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{8d^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^3/(c + d*x)^3,x]

[Out] $(9*b^2*\text{CosIntegral}[(3*b*c)/d + 3*b*x]*\text{Sin}[3*a - (3*b*c)/d])/(8*d^3) - (3*b^2*\text{CosIntegral}[(b*c)/d + b*x]*\text{Sin}[a - (b*c)/d])/(8*d^3) - (3*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(2*d^2*(c + d*x)) - \text{Sin}[a + b*x]^3/(2*d*(c + d*x)^2) - (3*b^2*\text{Cos}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(8*d^3) + (9*b^2*\text{Cos}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*c)/d + 3*b*x])/(8*d^3)$

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(a+bx)}{(c+dx)^3} dx &= -\frac{3b \cos(a+bx) \sin^2(a+bx)}{2d^2(c+dx)} - \frac{\sin^3(a+bx)}{2d(c+dx)^2} + \frac{(3b^2) \int \frac{\sin(a+bx)}{c+dx} dx}{d^2} - \frac{(9b^2) \int \frac{\sin^3(a+bx)}{c+dx} dx}{2d^2} \\ &= -\frac{3b \cos(a+bx) \sin^2(a+bx)}{2d^2(c+dx)} - \frac{\sin^3(a+bx)}{2d(c+dx)^2} - \frac{(9b^2) \int \left(\frac{3 \sin(a+bx)}{4(c+dx)} - \frac{\sin(3a+3bx)}{4(c+dx)} \right) dx}{2d^2} + \frac{(3b^2 \cos(a - \frac{bc}{d})) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^3} \\ &= \frac{3b^2 \text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{d^3} - \frac{3b \cos(a+bx) \sin^2(a+bx)}{2d^2(c+dx)} - \frac{\sin^3(a+bx)}{2d(c+dx)^2} + \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^3} \\ &= \frac{3b^2 \text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{d^3} - \frac{3b \cos(a+bx) \sin^2(a+bx)}{2d^2(c+dx)} - \frac{\sin^3(a+bx)}{2d(c+dx)^2} + \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^3} \\ &= \frac{9b^2 \text{Ci}\left(\frac{3bc}{d} + 3bx\right) \sin\left(3a - \frac{3bc}{d}\right)}{8d^3} - \frac{3b^2 \text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{8d^3} - \frac{3b \cos(a+bx) \sin^2(a+bx)}{2d^2(c+dx)} - \frac{\sin^3(a+bx)}{2d(c+dx)^2} \end{aligned}$$

Mathematica [A] time = 0.79574, size = 221, normalized size = 1.2

$$6b^2(c+dx)^2 \left(3 \sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3b(c+dx)}{d}\right) - \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(b\left(\frac{c}{d} + x\right)\right) - \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]^3/(c + d*x)^3,x]
```

```
[Out] (-6*d*Cos[b*x]*(b*(c + d*x)*Cos[a] + d*Sin[a]) + 2*d*Cos[3*b*x]*(3*b*(c + d*x)*Cos[3*a] + d*Sin[3*a]) + 6*d*(-(d*Cos[a]) + b*(c + d*x)*Sin[a])*Sin[b*x] + 2*d*(d*Cos[3*a] - 3*b*(c + d*x)*Sin[3*a])*Sin[3*b*x] + 6*b^2*(c + d*x)^2*(3*CosIntegral[(3*b*(c + d*x))/d]*Sin[3*a - (3*b*c)/d] - CosIntegral[b*(c/d + x)]*Sin[a - (b*c)/d] - Cos[a - (b*c)/d]*SinIntegral[b*(c/d + x)] + 3*Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d]))/(16*d^3*(c + d*x)^2)
```

Maple [A] time = 0.01, size = 313, normalized size = 1.7

$$\frac{1}{b} \left(-\frac{b^3}{12} \left(-\frac{3 \sin(3bx+3a)}{2((bx+a)d - da + cb)^2 d} + \frac{3}{2d} \left(-3 \frac{\cos(3bx+3a)}{((bx+a)d - da + cb)d} - 3 \frac{1}{d} \left(3 \frac{1}{d} \text{Si}\left(3bx+3a+3\frac{-da+cb}{d}\right) \cos\left(3\frac{-da+cb}{d}\right) \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)^3/(d*x+c)^3,x)
```



```
[Out] 1/b*(-1/12*b^3*(-3/2*sin(3*b*x+3*a)/((b*x+a)*d-d*a+c*b)^2/d+3/2*(-3*cos(3*b*x+3*a)/((b*x+a)*d-d*a+c*b)/d-3*(3*Si(3*b*x+3*a+3*(-a*d+b*c)/d)*cos(3*(-a*d+b*c)/d)/d-3*Ci(3*b*x+3*a+3*(-a*d+b*c)/d)*sin(3*(-a*d+b*c)/d)/d)/d)+3/4*b^3*(-1/2*sin(b*x+a)/((b*x+a)*d-d*a+c*b)^2/d+1/2*(-cos(b*x+a)/((b*x+a)*d-d*a+c*b)/d-(Si(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d-Ci(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d)/d)
```

Maxima [C] time = 1.97265, size = 454, normalized size = 2.47

$$\frac{b^3 \left(-3i E_3 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + 3i E_3 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) + b^3 \left(i E_3 \left(\frac{3ibc+3i(bx+a)d-3iad}{d} \right) - i E_3 \left(-\frac{3ibc+3i(bx+a)d-3iad}{d} \right) \right)}{8(b^2c^2d - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^3,x, algorithm="maxima")
```

```
[Out] 1/8*(b^3*(-3*I*exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + 3*I*exp_integral_e(3, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) + b^3*(I*exp_integral_e(3, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) - I*exp_integral_e(3, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*cos(-3*(b*c - a*d)/d) - 3*b^3*(exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_e(3, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d) + b^3*(exp_integral_e(3, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) + exp_integral_e(3, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*sin(-3*(b*c - a*d)/d)/((b^2*c^2*d - 2*a*b*c*d^2 + (b*x + a)^2*d^3 + a^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*b)
```

Fricas [B] time = 1.97958, size = 919, normalized size = 4.99

$$24(bd^2x + bcd) \cos(bx + a)^3 + 18(b^2d^2x^2 + 2b^2cdx + b^2c^2) \cos\left(-\frac{3(bc-ad)}{d}\right) \text{Si}\left(\frac{3(bdx+bc)}{d}\right) - 6(b^2d^2x^2 + 2b^2cdx + b^2c^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/16*(24*(b*d^2*x + b*c*d)*cos(b*x + a)^3 + 18*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(-3*(b*c - a*d)/d)*sin_integral(3*(b*d*x + b*c)/d) - 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d) - 24*(b*d^2*x + b*c*d)*cos(b*x + a) + 8*(d^2*cos(b*x + a)^2 - d^2)*sin(b*x + a) - 3*((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral((b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral(-(b*d*x + b*c)/d))*sin(-(b*c - a*d)/d) + 9*((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral(3*(b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral(-3*(b*d*x + b*c)/d))*sin(-3*(b*c - a*d)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**3/(d*x+c)**3,x)
```

```
[Out] Timed out
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

3.23 $\int (c + dx)^3 \csc(a + bx) dx$

Optimal. Leaf size=185

$$-\frac{6d^2(c+dx)\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3} + \frac{3id(c+dx)^2\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{3id(c+dx)^2\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2}$$

[Out] $(-2*(c + d*x)^3*\text{ArcTanh}[E^{(I*(a + b*x))}])/b + ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2 - (6*d^2*(c + d*x)*\text{PolyLog}[3, -E^{(I*(a + b*x))}])/b^3 + (6*d^2*(c + d*x)*\text{PolyLog}[3, E^{(I*(a + b*x))}])/b^3 - ((6*I)*d^3*\text{PolyLog}[4, -E^{(I*(a + b*x))}])/b^4 + ((6*I)*d^3*\text{PolyLog}[4, E^{(I*(a + b*x))}])/b^4$

Rubi [A] time = 0.136988, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4183, 2531, 6609, 2282, 6589}

$$-\frac{6d^2(c+dx)\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{6d^2(c+dx)\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3} + \frac{3id(c+dx)^2\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{3id(c+dx)^2\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Csc[a + b*x], x]

[Out] $(-2*(c + d*x)^3*\text{ArcTanh}[E^{(I*(a + b*x))}])/b + ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2 - (6*d^2*(c + d*x)*\text{PolyLog}[3, -E^{(I*(a + b*x))}])/b^3 + (6*d^2*(c + d*x)*\text{PolyLog}[3, E^{(I*(a + b*x))}])/b^3 - ((6*I)*d^3*\text{PolyLog}[4, -E^{(I*(a + b*x))}])/b^4 + ((6*I)*d^3*\text{PolyLog}[4, E^{(I*(a + b*x))}])/b^4$

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^3 \csc(a + bx) dx &= -\frac{2(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{(3d) \int (c + dx)^2 \log(1 - e^{i(a+bx)}) dx}{b} + \frac{(3d) \int (c + dx)^2 \log(1 + e^{i(a+bx)}) dx}{b} \\ &= -\frac{2(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{6d^2 \int (c + dx) \log(1 - e^{i(a+bx)}) dx}{b^2} \\ &= -\frac{2(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{6d^2 \int (c + dx) \log(1 + e^{i(a+bx)}) dx}{b^2} \\ &= -\frac{2(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{6d^2 \int (c + dx) \log(1 - e^{i(a+bx)}) dx}{b^2} \\ &= -\frac{2(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{6d^2 \int (c + dx) \log(1 + e^{i(a+bx)}) dx}{b^2} \end{aligned}$$

Mathematica [A] time = 0.457009, size = 221, normalized size = 1.19

$$\frac{3id(b^2(c + dx)^2 \text{PolyLog}(2, -\cos(a + bx) - i \sin(a + bx)) + 2ibd(c + dx) \text{PolyLog}(3, -\cos(a + bx) - i \sin(a + bx)) - 2d^2 \int (c + dx) \log(1 - e^{i(a+bx)}) dx)}{b^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c + d*x)^3*Csc[a + b*x],x]
```

```
[Out] (-2*b^3*(c + d*x)^3*ArcTanh[Cos[a + b*x] + I*Sin[a + b*x]] + (3*I)*d*(b^2*(c + d*x)^2*PolyLog[2, -Cos[a + b*x] - I*Sin[a + b*x]] + (2*I)*b*d*(c + d*x)*PolyLog[3, -Cos[a + b*x] - I*Sin[a + b*x]] - 2*d^2*PolyLog[4, -Cos[a + b*x] - I*Sin[a + b*x]]) - (3*I)*d*(b^2*(c + d*x)^2*PolyLog[2, Cos[a + b*x] + I*Sin[a + b*x]] + (2*I)*b*d*(c + d*x)*PolyLog[3, Cos[a + b*x] + I*Sin[a + b*x]] - 2*d^2*PolyLog[4, Cos[a + b*x] + I*Sin[a + b*x]])/b^4
```

Maple [B] time = 0.095, size = 633, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^3*csc(b*x+a),x)
```

```
[Out] -6/b^3*c*d^2*polylog(3,-exp(I*(b*x+a)))+2/b^4*d^3*a^3*arctanh(exp(I*(b*x+a)))+6/b^3*c*d^2*polylog(3,exp(I*(b*x+a)))+6/b^3*d^3*polylog(3,exp(I*(b*x+a)))*x-6/b^3*d^3*polylog(3,-exp(I*(b*x+a)))*x+3/b*c*d^2*ln(1-exp(I*(b*x+a)))*x
```

$$\begin{aligned} &^2+3/b*c^2*d*\ln(1-\exp(I*(b*x+a)))*x+3/b^2*c^2*d*\ln(1-\exp(I*(b*x+a)))*a-3/b* \\ &c^2*d*\ln(\exp(I*(b*x+a))+1)*x-3/b^3*c*d^2*a^2*\ln(1-\exp(I*(b*x+a)))-3/b^2*c^2 \\ &*d*\ln(\exp(I*(b*x+a))+1)*a+3*I/b^2*c^2*d*polylog(2,-\exp(I*(b*x+a)))-3*I/b^2* \\ &c^2*d*polylog(2,\exp(I*(b*x+a)))-3*I/b^2*d^3*polylog(2,\exp(I*(b*x+a)))*x^2+3 \\ &*I/b^2*d^3*polylog(2,-\exp(I*(b*x+a)))*x^2-1/b*d^3*\ln(\exp(I*(b*x+a))+1)*x^3+ \\ &3/b^3*c*d^2*a^2*\ln(\exp(I*(b*x+a))+1)-3/b*c*d^2*\ln(\exp(I*(b*x+a))+1)*x^2-1/b \\ &^4*d^3*\ln(\exp(I*(b*x+a))+1)*a^3-6/b^3*c*d^2*a^2*\operatorname{arctanh}(\exp(I*(b*x+a)))+6/b \\ &^2*c^2*d*a*\operatorname{arctanh}(\exp(I*(b*x+a)))+1/b*d^3*\ln(1-\exp(I*(b*x+a)))*x^3+1/b^4*d \\ &^3*\ln(1-\exp(I*(b*x+a)))*a^3-2/b*c^3*\operatorname{arctanh}(\exp(I*(b*x+a)))+6*I/b^2*c*d^2*p \\ &olylog(2,-\exp(I*(b*x+a)))*x-6*I/b^2*c*d^2*polylog(2,\exp(I*(b*x+a)))*x+6*I*d \\ &^3*polylog(4,\exp(I*(b*x+a)))/b^4-6*I*d^3*polylog(4,-\exp(I*(b*x+a)))/b^4 \end{aligned}$$

Maxima [B] time = 1.5116, size = 953, normalized size = 5.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*csc(b*x+a),x, algorithm="maxima")

[Out]
$$\begin{aligned} &-1/2*(2*c^3*\log(\cot(b*x + a) + \csc(b*x + a)) - 6*a*c^2*d*\log(\cot(b*x + a) + \\ &\csc(b*x + a))/b + 6*a^2*c*d^2*\log(\cot(b*x + a) + \csc(b*x + a))/b^2 - 2*a^3 \\ &*d^3*\log(\cot(b*x + a) + \csc(b*x + a))/b^3 + (12*I*d^3*polylog(4, -e^{(I*b*x \\ &+ I*a)}) - 12*I*d^3*polylog(4, e^{(I*b*x + I*a)}) + (2*I*(b*x + a)^3*d^3 + (6* \\ &I*b*c*d^2 - 6*I*a*d^3)*(b*x + a)^2 + (6*I*b^2*c^2*d - 12*I*a*b*c*d^2 + 6*I* \\ &a^2*d^3)*(b*x + a))*\operatorname{arctan2}(\sin(b*x + a), \cos(b*x + a) + 1) + (2*I*(b*x + a) \\ &)^3*d^3 + (6*I*b*c*d^2 - 6*I*a*d^3)*(b*x + a)^2 + (6*I*b^2*c^2*d - 12*I*a*b \\ &*c*d^2 + 6*I*a^2*d^3)*(b*x + a))*\operatorname{arctan2}(\sin(b*x + a), -\cos(b*x + a) + 1) + \\ &(-6*I*b^2*c^2*d + 12*I*a*b*c*d^2 - 6*I*(b*x + a)^2*d^3 - 6*I*a^2*d^3 + (-1 \\ &2*I*b*c*d^2 + 12*I*a*d^3)*(b*x + a))*\operatorname{dilog}(-e^{(I*b*x + I*a)}) + (6*I*b^2*c^2 \\ &*d - 12*I*a*b*c*d^2 + 6*I*(b*x + a)^2*d^3 + 6*I*a^2*d^3 + (12*I*b*c*d^2 - 1 \\ &2*I*a*d^3)*(b*x + a))*\operatorname{dilog}(e^{(I*b*x + I*a)}) + ((b*x + a)^3*d^3 + 3*(b*c*d^2 \\ &- a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*(b*x + a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) - ((b*x + a)^3*d^3 \\ &+ 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)* \\ &(b*x + a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) + 12*(\\ &b*c*d^2 + (b*x + a)*d^3 - a*d^3)*polylog(3, -e^{(I*b*x + I*a)}) - 12*(b*c*d^2 \\ &+ (b*x + a)*d^3 - a*d^3)*polylog(3, e^{(I*b*x + I*a)})/b^3)/b \end{aligned}$$

Fricas [C] time = 2.1118, size = 2056, normalized size = 11.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*csc(b*x+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} &1/2*(6*I*d^3*polylog(4, \cos(b*x + a) + I*\sin(b*x + a)) - 6*I*d^3*polylog(4, \\ &\cos(b*x + a) - I*\sin(b*x + a)) + 6*I*d^3*polylog(4, -\cos(b*x + a) + I*\sin(b*x + a)) - 6*I*d^3*polylog(4, -\cos(b*x + a) - I*\sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d)*\operatorname{dilog}(\cos(b*x + a) + I*\sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d)*\operatorname{dilog}(\cos(b*x + a) - I*\sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d)*\operatorname{dilog}(-\cos(b*x + a) + I*\sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d)*\operatorname{dilog}(-\cos(b*x + a) - I*\sin(b*x + a)) - (b^3*d^3*x^3 + 3* \end{aligned}$$

$$\begin{aligned} & b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3) \log(\cos(bx + a) + I \sin(bx + a) \\ & + 1) - (b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + b^3 c^3) \log(\cos(bx \\ & + a) - I \sin(bx + a) + 1) + (b^3 c^3 - 3 a b^2 c^2 d + 3 a^2 b c d^2 - a \\ & ^3 d^3) \log(-1/2 \cos(bx + a) + 1/2 I \sin(bx + a) + 1/2) + (b^3 c^3 - 3 a b \\ & ^2 c^2 d + 3 a^2 b c d^2 - a^3 d^3) \log(-1/2 \cos(bx + a) - 1/2 I \sin(bx \\ & + a) + 1/2) + (b^3 d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + 3 a b^2 c^2 \\ & d - 3 a^2 b c d^2 + a^3 d^3) \log(-\cos(bx + a) + I \sin(bx + a) + 1) + (b^3 \\ & * d^3 x^3 + 3 b^3 c d^2 x^2 + 3 b^3 c^2 d x + 3 a b^2 c^2 d - 3 a^2 b c d^2 \\ & + a^3 d^3) \log(-\cos(bx + a) - I \sin(bx + a) + 1) + 6 (b d^3 x + b c d^2) * \\ & \text{polylog}(3, \cos(bx + a) + I \sin(bx + a)) + 6 (b d^3 x + b c d^2) * \text{polylog}(3 \\ & , \cos(bx + a) - I \sin(bx + a)) - 6 (b d^3 x + b c d^2) * \text{polylog}(3, -\cos(bx \\ & + a) + I \sin(bx + a)) - 6 (b d^3 x + b c d^2) * \text{polylog}(3, -\cos(bx + a) - \\ & I \sin(bx + a)) / b^4 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^3 \csc(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*csc(b*x+a),x)

[Out] Integral((c + d*x)**3*csc(a + b*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^3 \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*csc(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^3*csc(b*x + a), x)

3.24 $\int (c + dx)^2 \csc(a + bx) dx$

Optimal. Leaf size=123

$$\frac{2id(c + dx)\text{PolyLog}(2, -e^{i(a+bx)})}{b^2} - \frac{2id(c + dx)\text{PolyLog}(2, e^{i(a+bx)})}{b^2} - \frac{2d^2\text{PolyLog}(3, -e^{i(a+bx)})}{b^3} + \frac{2d^2\text{PolyLog}(3, e^{i(a+bx)})}{b^3}$$

```
[Out] (-2*(c + d*x)^2*ArcTanh[E^(I*(a + b*x))])/b + ((2*I)*d*(c + d*x)*PolyLog[2,
-E^(I*(a + b*x))])/b^2 - ((2*I)*d*(c + d*x)*PolyLog[2, E^(I*(a + b*x))])/b
^2 - (2*d^2*PolyLog[3, -E^(I*(a + b*x))])/b^3 + (2*d^2*PolyLog[3, E^(I*(a +
b*x))])/b^3
```

Rubi [A] time = 0.0882635, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4183, 2531, 2282, 6589}

$$\frac{2id(c + dx)\text{PolyLog}(2, -e^{i(a+bx)})}{b^2} - \frac{2id(c + dx)\text{PolyLog}(2, e^{i(a+bx)})}{b^2} - \frac{2d^2\text{PolyLog}(3, -e^{i(a+bx)})}{b^3} + \frac{2d^2\text{PolyLog}(3, e^{i(a+bx)})}{b^3}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^2*Csc[a + b*x], x]
```

```
[Out] (-2*(c + d*x)^2*ArcTanh[E^(I*(a + b*x))])/b + ((2*I)*d*(c + d*x)*PolyLog[2,
-E^(I*(a + b*x))])/b^2 - ((2*I)*d*(c + d*x)*PolyLog[2, E^(I*(a + b*x))])/b
^2 - (2*d^2*PolyLog[3, -E^(I*(a + b*x))])/b^3 + (2*d^2*PolyLog[3, E^(I*(a +
b*x))])/b^3
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
```

, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int (c+dx)^2 \csc(a+bx) dx &= -\frac{2(c+dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{(2d) \int (c+dx) \log(1-e^{i(a+bx)}) dx}{b} + \frac{(2d) \int (c+dx) \log(1+e^{i(a+bx)}) dx}{b} \\ &= -\frac{2(c+dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c+dx)\text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{2id(c+dx)\text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{(2d^2) \int (c+dx) \log(1-e^{i(a+bx)}) dx}{b^2} \\ &= -\frac{2(c+dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c+dx)\text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{2id(c+dx)\text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{(2d^2) \int (c+dx) \log(1-e^{i(a+bx)}) dx}{b^2} \\ &= -\frac{2(c+dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c+dx)\text{Li}_2(-e^{i(a+bx)})}{b^2} - \frac{2id(c+dx)\text{Li}_2(e^{i(a+bx)})}{b^2} - \frac{2d^2 \int (c+dx) \log(1-e^{i(a+bx)}) dx}{b^2} \end{aligned}$$

Mathematica [A] time = 0.319925, size = 148, normalized size = 1.2

$$\frac{2id(b(c+dx)\text{PolyLog}(2,-e^{i(a+bx)})+id\text{PolyLog}(3,-e^{i(a+bx)}))}{b^2} + \frac{2d(d\text{PolyLog}(3,e^{i(a+bx)})-ib(c+dx)\text{PolyLog}(2,e^{i(a+bx)}))}{b^2} + (c+dx)^2 \log(1-e^{i(a+bx)}) - \frac{\dots}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Csc[a + b*x],x]

[Out] ((c + d*x)^2*Log[1 - E^(I*(a + b*x))] - (c + d*x)^2*Log[1 + E^(I*(a + b*x))] + ((2*I)*d*(b*(c + d*x)*PolyLog[2, -E^(I*(a + b*x))] + I*d*PolyLog[3, -E^(I*(a + b*x))]))/b^2 + (2*d*((-I)*b*(c + d*x)*PolyLog[2, E^(I*(a + b*x))] + d*PolyLog[3, E^(I*(a + b*x))]))/b^2)/b

Maple [B] time = 0.048, size = 361, normalized size = 2.9

$$2 \frac{d^2 \text{polylog}(3, e^{i(bx+a)})}{b^3} - 2 \frac{d^2 \text{polylog}(3, -e^{i(bx+a)})}{b^3} - 2 \frac{c^2 \text{Artanh}(e^{i(bx+a)})}{b} - 2 \frac{a^2 d^2 \text{Artanh}(e^{i(bx+a)})}{b^3} - \frac{2 icd \text{polylog}(3, e^{i(bx+a)})}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*csc(b*x+a),x)

[Out] 2*d^2*polylog(3,exp(I*(b*x+a)))/b^3-2*d^2*polylog(3,-exp(I*(b*x+a)))/b^3-2/b*c^2*arctanh(exp(I*(b*x+a)))-2/b^3*d^2*a^2*arctanh(exp(I*(b*x+a)))-2*I/b^2*c*d*polylog(2,exp(I*(b*x+a)))+4/b^2*c*d*a*arctanh(exp(I*(b*x+a)))+2*I/b^2*d^2*polylog(2,-exp(I*(b*x+a)))*x+1/b*d^2*ln(1-exp(I*(b*x+a)))*x^2-1/b^3*d^2*ln(1-exp(I*(b*x+a)))*a^2+2*I/b^2*c*d*polylog(2,-exp(I*(b*x+a)))-1/b*d^2*ln(exp(I*(b*x+a))+1)*x^2+1/b^3*d^2*ln(exp(I*(b*x+a))+1)*a^2-2*I/b^2*d^2*polylog(2,exp(I*(b*x+a)))*x-2/b*c*d*ln(exp(I*(b*x+a))+1)*x-2/b^2*c*d*ln(exp(I*(b*x+a))+1)*a+2/b*c*d*ln(1-exp(I*(b*x+a)))*x+2/b^2*c*d*ln(1-exp(I*(b*x+a)))*a

Maxima [B] time = 1.32668, size = 529, normalized size = 4.3

$$2c^2 \log(\cot(bx+a) + \csc(bx+a)) - \frac{4acd \log(\cot(bx+a) + \csc(bx+a))}{b} + \frac{2a^2 d^2 \log(\cot(bx+a) + \csc(bx+a))}{b^2} + \frac{4d^2 \text{Li}_3(-e^{i(bx+a)}) - 4d^2 \text{Li}_3(e^{i(bx+a)})}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a),x, algorithm="maxima")

[Out] $-1/2*(2*c^2*\log(\cot(b*x + a) + \csc(b*x + a)) - 4*a*c*d*\log(\cot(b*x + a) + \csc(b*x + a))/b + 2*a^2*d^2*\log(\cot(b*x + a) + \csc(b*x + a))/b^2 + (4*d^2*\text{polylog}(3, -e^{(I*b*x + I*a)}) - 4*d^2*\text{polylog}(3, e^{(I*b*x + I*a)}) + (2*I*(b*x + a)^2*d^2 + (4*I*b*c*d - 4*I*a*d^2)*(b*x + a))*\arctan2(\sin(b*x + a), \cos(b*x + a) + 1) + (2*I*(b*x + a)^2*d^2 + (4*I*b*c*d - 4*I*a*d^2)*(b*x + a))*\arctan2(\sin(b*x + a), -\cos(b*x + a) + 1) + (-4*I*b*c*d - 4*I*(b*x + a)*d^2 + 4*I*a*d^2)*\text{dilog}(-e^{(I*b*x + I*a)}) + (4*I*b*c*d + 4*I*(b*x + a)*d^2 - 4*I*a*d^2)*\text{dilog}(e^{(I*b*x + I*a)}) + ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) - ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1))/b^2)/b$

Fricas [C] time = 1.9378, size = 1330, normalized size = 10.81

$2d^2\text{polylog}(3, \cos(bx + a) + i \sin(bx + a)) + 2d^2\text{polylog}(3, \cos(bx + a) - i \sin(bx + a)) - 2d^2\text{polylog}(3, -\cos(bx + a) + i \sin(bx + a)) - 2d^2\text{polylog}(3, -\cos(bx + a) - i \sin(bx + a))$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a),x, algorithm="fricas")

[Out] $1/2*(2*d^2*\text{polylog}(3, \cos(b*x + a) + I*\sin(b*x + a)) + 2*d^2*\text{polylog}(3, \cos(b*x + a) - I*\sin(b*x + a)) - 2*d^2*\text{polylog}(3, -\cos(b*x + a) + I*\sin(b*x + a)) - 2*d^2*\text{polylog}(3, -\cos(b*x + a) - I*\sin(b*x + a)) + (-2*I*b*d^2*x - 2*I*b*c*d)*\text{dilog}(\cos(b*x + a) + I*\sin(b*x + a)) + (2*I*b*d^2*x + 2*I*b*c*d)*\text{dilog}(\cos(b*x + a) - I*\sin(b*x + a)) + (-2*I*b*d^2*x - 2*I*b*c*d)*\text{dilog}(-\cos(b*x + a) + I*\sin(b*x + a)) + (2*I*b*d^2*x + 2*I*b*c*d)*\text{dilog}(-\cos(b*x + a) - I*\sin(b*x + a)) - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\log(\cos(b*x + a) + I*\sin(b*x + a) + 1) - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\log(\cos(b*x + a) - I*\sin(b*x + a) + 1) + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(-1/2*\cos(b*x + a) + 1/2*I*\sin(b*x + a) + 1/2) + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(-1/2*\cos(b*x + a) - 1/2*I*\sin(b*x + a) + 1/2) + (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\log(-\cos(b*x + a) + I*\sin(b*x + a) + 1) + (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\log(-\cos(b*x + a) - I*\sin(b*x + a) + 1))/b^3$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^2 \csc(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*csc(b*x+a),x)

[Out] Integral((c + d*x)**2*csc(a + b*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^2 \csc (bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2*csc(b*x+a),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^2*csc(b*x + a), x)
```

3.25 $\int (c + dx) \csc(a + bx) dx$

Optimal. Leaf size=67

$$\frac{id\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{id\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2} - \frac{2(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b}$$

[Out] $(-2*(c + d*x)*\text{ArcTanh}[E^{(I*(a + b*x))}])/b + (I*d*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - (I*d*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2$

Rubi [A] time = 0.0394014, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4183, 2279, 2391}

$$\frac{id\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{id\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2} - \frac{2(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)*\text{Csc}[a + b*x], x]$

[Out] $(-2*(c + d*x)*\text{ArcTanh}[E^{(I*(a + b*x))}])/b + (I*d*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - (I*d*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2$

Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /;$ FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_.)))^{(n_.)}})], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)})^n)], x] /;$ FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /;$ FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int (c + dx) \csc(a + bx) dx &= -\frac{2(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{d \int \log\left(1 - e^{i(a+bx)}\right) dx}{b} + \frac{d \int \log\left(1 + e^{i(a+bx)}\right) dx}{b} \\ &= -\frac{2(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} + \frac{(id) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{i(a+bx)}\right)}{b^2} - \frac{(id) \text{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{i(a+bx)}\right)}{b^2} \\ &= -\frac{2(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} + \frac{id\text{Li}_2\left(-e^{i(a+bx)}\right)}{b^2} - \frac{id\text{Li}_2\left(e^{i(a+bx)}\right)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.0751643, size = 134, normalized size = 2.

$$\frac{d\left(i\left(\text{PolyLog}\left(2,-e^{i(a+bx)}\right)-\text{PolyLog}\left(2,e^{i(a+bx)}\right)\right)+\left(a+bx\right)\left(\log\left(1-e^{i(a+bx)}\right)-\log\left(1+e^{i(a+bx)}\right)\right)-a\log\left(\tan\left(\frac{1}{2}(a+bx)\right)\right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Csc[a + b*x], x]

[Out] -((c*Log[Cos[a/2 + (b*x)/2]])/b) + (c*Log[Sin[a/2 + (b*x)/2]])/b + (d*((a + b*x)*(Log[1 - E^(I*(a + b*x))] - Log[1 + E^(I*(a + b*x))]) - a*Log[Tan[(a + b*x)/2]]) + I*(PolyLog[2, -E^(I*(a + b*x))] - PolyLog[2, E^(I*(a + b*x))])/b^2

Maple [B] time = 0.032, size = 151, normalized size = 2.3

$$-2\frac{c\text{Arctanh}\left(e^{i(bx+a)}\right)}{b} + \frac{d\ln\left(1-e^{i(bx+a)}\right)x}{b} + \frac{d\ln\left(1-e^{i(bx+a)}\right)a}{b^2} - \frac{id\text{polylog}\left(2,e^{i(bx+a)}\right)}{b^2} - \frac{d\ln\left(e^{i(bx+a)}+1\right)x}{b} - \frac{d\ln\left(e^{i(bx+a)}+1\right)a}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*csc(b*x+a), x)

[Out] -2/b*c*arctanh(exp(I*(b*x+a)))+1/b*d*ln(1-exp(I*(b*x+a)))*x+1/b^2*d*ln(1-exp(I*(b*x+a)))*a-I*d*polylog(2,exp(I*(b*x+a)))/b^2-1/b*d*ln(exp(I*(b*x+a))+1)*x-1/b^2*d*ln(exp(I*(b*x+a))+1)*a+I*d*polylog(2,-exp(I*(b*x+a)))/b^2+2/b^2*d*a*arctanh(exp(I*(b*x+a)))

Maxima [B] time = 1.32574, size = 235, normalized size = 3.51

$$\frac{2i b d x \arctan(\sin(bx + a), -\cos(bx + a) + 1) - 2i b c \arctan(\sin(bx + a), \cos(bx + a) - 1) + (2i b d x + 2i b c) \arctan(\sin(bx + a), \cos(bx + a) + 1) - 2i d \text{dilog}(-e^{i(bx+a)}) + 2i d \text{dilog}(e^{i(bx+a)}) + (b d x + b c) \log(\cos(bx + a)^2 + \sin(bx + a)^2 + 2 \cos(bx + a) + 1) - (b d x + b c) \log(\cos(bx + a)^2 + \sin(bx + a)^2 - 2 \cos(bx + a) + 1)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a), x, algorithm="maxima")

[Out] -1/2*(2*I*b*d*x*arctan2(sin(b*x + a), -cos(b*x + a) + 1) - 2*I*b*c*arctan2(sin(b*x + a), cos(b*x + a) - 1) + (2*I*b*d*x + 2*I*b*c)*arctan2(sin(b*x + a), cos(b*x + a) + 1) - 2*I*d*dilog(-e^(I*b*x + I*a)) + 2*I*d*dilog(e^(I*b*x + I*a)) + (b*d*x + b*c)*log(cos(b*x + a)^2 + sin(b*x + a)^2 + 2*cos(b*x + a) + 1) - (b*d*x + b*c)*log(cos(b*x + a)^2 + sin(b*x + a)^2 - 2*cos(b*x + a) + 1))/b^2

Fricas [B] time = 1.86689, size = 721, normalized size = 10.76

$$-i d \text{Li}_2(\cos(bx + a) + i \sin(bx + a)) + i d \text{Li}_2(\cos(bx + a) - i \sin(bx + a)) - i d \text{Li}_2(-\cos(bx + a) + i \sin(bx + a)) + i d \text{Li}_2(-\cos(bx + a) - i \sin(bx + a))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*csc(b*x+a),x, algorithm="fricas")
```

```
[Out] 1/2*(-I*d*dilog(cos(b*x + a) + I*sin(b*x + a)) + I*d*dilog(cos(b*x + a) - I
*sin(b*x + a)) - I*d*dilog(-cos(b*x + a) + I*sin(b*x + a)) + I*d*dilog(-cos
(b*x + a) - I*sin(b*x + a)) - (b*d*x + b*c)*log(cos(b*x + a) + I*sin(b*x +
a) + 1) - (b*d*x + b*c)*log(cos(b*x + a) - I*sin(b*x + a) + 1) + (b*c - a*d
)*log(-1/2*cos(b*x + a) + 1/2*I*sin(b*x + a) + 1/2) + (b*c - a*d)*log(-1/2*
cos(b*x + a) - 1/2*I*sin(b*x + a) + 1/2) + (b*d*x + a*d)*log(-cos(b*x + a)
+ I*sin(b*x + a) + 1) + (b*d*x + a*d)*log(-cos(b*x + a) - I*sin(b*x + a) +
1))/b^2
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx) \csc(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*csc(b*x+a),x)
```

```
[Out] Integral((c + d*x)*csc(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c) \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*csc(b*x+a),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)*csc(b*x + a), x)
```

$$3.26 \quad \int \frac{\csc(a+bx)}{c+dx} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable}\left(\frac{\csc(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]/(c + d*x), x]

Rubi [A] time = 0.0221008, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]/(c + d*x), x]

[Out] Defer[Int][Csc[a + b*x]/(c + d*x), x]

Rubi steps

$$\int \frac{\csc(a+bx)}{c+dx} dx = \int \frac{\csc(a+bx)}{c+dx} dx$$

Mathematica [A] time = 6.01612, size = 0, normalized size = 0.

$$\int \frac{\csc(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]/(c + d*x), x]

[Out] Integrate[Csc[a + b*x]/(c + d*x), x]

Maple [A] time = 0.058, size = 0, normalized size = 0.

$$\int \frac{\csc(bx+a)}{dx+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)/(d*x+c), x)

[Out] int(csc(b*x+a)/(d*x+c), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c),x, algorithm="maxima")

[Out] integrate(csc(b*x + a)/(d*x + c), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx + a)}{dx + c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c),x, algorithm="fricas")

[Out] integral(csc(b*x + a)/(d*x + c), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c),x)

[Out] Integral(csc(a + b*x)/(c + d*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c),x, algorithm="giac")

[Out] integrate(csc(b*x + a)/(d*x + c), x)

$$3.27 \quad \int \frac{\csc(a+bx)}{(c+dx)^2} dx$$

Optimal. Leaf size=16

$$\text{Unintegrable}\left(\frac{\csc(a+bx)}{(c+dx)^2}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]/(c + d*x)^2, x]

Rubi [A] time = 0.0214692, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]/(c + d*x)^2, x]

[Out] Defer[Int][Csc[a + b*x]/(c + d*x)^2, x]

Rubi steps

$$\int \frac{\csc(a+bx)}{(c+dx)^2} dx = \int \frac{\csc(a+bx)}{(c+dx)^2} dx$$

Mathematica [A] time = 6.95177, size = 0, normalized size = 0.

$$\int \frac{\csc(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]/(c + d*x)^2, x]

[Out] Integrate[Csc[a + b*x]/(c + d*x)^2, x]

Maple [A] time = 0.048, size = 0, normalized size = 0.

$$\int \frac{\csc(bx+a)}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)/(d*x+c)^2, x)

[Out] int(csc(b*x+a)/(d*x+c)^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^2,x, algorithm="maxima")

[Out] integrate(csc(b*x + a)/(d*x + c)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx + a)}{d^2x^2 + 2cdx + c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^2,x, algorithm="fricas")

[Out] integral(csc(b*x + a)/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)**2,x)

[Out] Integral(csc(a + b*x)/(c + d*x)**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^2,x, algorithm="giac")

[Out] integrate(csc(b*x + a)/(d*x + c)^2, x)

3.28 $\int (c + dx)^3 \csc^2(a + bx) dx$

Optimal. Leaf size=113

$$-\frac{3id^2(c + dx)\text{PolyLog}\left(2, e^{2i(a+bx)}\right)}{b^3} + \frac{3d^3\text{PolyLog}\left(3, e^{2i(a+bx)}\right)}{2b^4} + \frac{3d(c + dx)^2 \log\left(1 - e^{2i(a+bx)}\right)}{b^2} - \frac{(c + dx)^3 \cot(a + bx)}{b}$$

[Out] $((-I)*(c + d*x)^3)/b - ((c + d*x)^3*\text{Cot}[a + b*x])/b + (3*d*(c + d*x)^2*\text{Log}[1 - E^((2*I)*(a + b*x))])/b^2 - ((3*I)*d^2*(c + d*x)*\text{PolyLog}[2, E^((2*I)*(a + b*x))])/b^3 + (3*d^3*\text{PolyLog}[3, E^((2*I)*(a + b*x))])/(2*b^4)$

Rubi [A] time = 0.213008, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4184, 3717, 2190, 2531, 2282, 6589}

$$-\frac{3id^2(c + dx)\text{PolyLog}\left(2, e^{2i(a+bx)}\right)}{b^3} + \frac{3d^3\text{PolyLog}\left(3, e^{2i(a+bx)}\right)}{2b^4} + \frac{3d(c + dx)^2 \log\left(1 - e^{2i(a+bx)}\right)}{b^2} - \frac{(c + dx)^3 \cot(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Csc[a + b*x]^2,x]

[Out] $((-I)*(c + d*x)^3)/b - ((c + d*x)^3*\text{Cot}[a + b*x])/b + (3*d*(c + d*x)^2*\text{Log}[1 - E^((2*I)*(a + b*x))])/b^2 - ((3*I)*d^2*(c + d*x)*\text{PolyLog}[2, E^((2*I)*(a + b*x))])/b^3 + (3*d^3*\text{PolyLog}[3, E^((2*I)*(a + b*x))])/(2*b^4)$

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/ (b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_) * x)) *
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^3 \csc^2(a + bx) dx &= -\frac{(c + dx)^3 \cot(a + bx)}{b} + \frac{(3d) \int (c + dx)^2 \cot(a + bx) dx}{b} \\ &= -\frac{i(c + dx)^3}{b} - \frac{(c + dx)^3 \cot(a + bx)}{b} - \frac{(6id) \int \frac{e^{2i(a+bx)}(c+dx)^2}{1-e^{2i(a+bx)}} dx}{b} \\ &= -\frac{i(c + dx)^3}{b} - \frac{(c + dx)^3 \cot(a + bx)}{b} + \frac{3d(c + dx)^2 \log(1 - e^{2i(a+bx)})}{b^2} - \frac{(6d^2) \int (c + dx) \log(1 - e^{2i(a+bx)}) dx}{b^2} \\ &= -\frac{i(c + dx)^3}{b} - \frac{(c + dx)^3 \cot(a + bx)}{b} + \frac{3d(c + dx)^2 \log(1 - e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(e^{2i(a+bx)})}{b^3} \\ &= -\frac{i(c + dx)^3}{b} - \frac{(c + dx)^3 \cot(a + bx)}{b} + \frac{3d(c + dx)^2 \log(1 - e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(e^{2i(a+bx)})}{b^3} \\ &= -\frac{i(c + dx)^3}{b} - \frac{(c + dx)^3 \cot(a + bx)}{b} + \frac{3d(c + dx)^2 \log(1 - e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(e^{2i(a+bx)})}{b^3} \end{aligned}$$

Mathematica [B] time = 6.90861, size = 478, normalized size = 4.23

$$3cd^2 \csc(a) \sec(a) \frac{\tan(a) \left(i \text{PolyLog} \left(2, e^{2i(\tan^{-1}(\tan(a))+bx)} \right) + ibx(2 \tan^{-1}(\tan(a)) - \pi) - 2(\tan^{-1}(\tan(a))+bx) \log \left(1 - e^{2i(\tan^{-1}(\tan(a))+bx)} \right) \right) + 2 \tan^{-1}(\tan(a))}{\sqrt{\tan^2(a)+1}}$$

$$b^3 \sqrt{\sec^2(a) (\sin^2(a) + \cos^2(a))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(c + d*x)^3*Csc[a + b*x]^2,x]
```

```
[Out] -(d^3*E^(I*a)*Csc[a]*((2*b^3*x^3)/E^((2*I)*a) + (3*I)*b^2*(1 - E^((-2*I)*a))
)*x^2*Log[1 - E^((-I)*(a + b*x))] + (3*I)*b^2*(1 - E^((-2*I)*a))*x^2*Log[1
+ E^((-I)*(a + b*x))] - (6*(-1 + E^((2*I)*a))*(b*x*PolyLog[2, -E^((-I)*(a +
b*x))] - I*PolyLog[3, -E^((-I)*(a + b*x))])/E^((2*I)*a) - (6*(-1 + E^((2*
I)*a))*(b*x*PolyLog[2, E^((-I)*(a + b*x))] - I*PolyLog[3, E^((-I)*(a + b*x)
)]))/E^((2*I)*a))/(2*b^4) + (3*c^2*d*Csc[a]*(-(b*x*Cos[a]) + Log[Cos[b*x]*
Sin[a] + Cos[a]*Sin[b*x]]*Sin[a]))/(b^2*(Cos[a]^2 + Sin[a]^2)) + (Csc[a]*Cs
c[a + b*x]*(c^3*Sin[b*x] + 3*c^2*d*x*Sin[b*x] + 3*c*d^2*x^2*Sin[b*x] + d^3*
x^3*Sin[b*x]))/b - (3*c*d^2*Csc[a]*Sec[a]*(b^2*E^(I*ArcTan[Tan[a]])*x^2 + (
(I*b*x*(-Pi + 2*ArcTan[Tan[a]]) - Pi*Log[1 + E^((-2*I)*b*x]) - 2*(b*x + Arc
Tan[Tan[a]])*Log[1 - E^((2*I)*(b*x + ArcTan[Tan[a]])])) + Pi*Log[Cos[b*x]] +
2*ArcTan[Tan[a]]*Log[Sin[b*x + ArcTan[Tan[a]]]]) + I*PolyLog[2, E^((2*I)*(b
*x + ArcTan[Tan[a]])]))*Tan[a])/Sqrt[1 + Tan[a]^2]))/(b^3*Sqrt[Sec[a]^2*(Co
s[a]^2 + Sin[a]^2]))
```

Maple [B] time = 0.085, size = 541, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^3*csc(b*x+a)^2,x)`

[Out] $3*d/b^2*c^2*\ln(\exp(I*(b*x+a))-1)+3*d/b^2*c^2*\ln(\exp(I*(b*x+a))+1)-6*d/b^2*c^2*\ln(\exp(I*(b*x+a))) - 6*d^3/b^4*a^2*\ln(\exp(I*(b*x+a)))+3*d^3/b^4*a^2*\ln(\exp(I*(b*x+a))-1)+3*d^3/b^2*\ln(\exp(I*(b*x+a))+1)*x^2+3*d^3/b^2*\ln(1-\exp(I*(b*x+a)))*x^2-3*d^3/b^4*\ln(1-\exp(I*(b*x+a)))*a^2-2*I*d^3/b*x^3+4*I*d^3/b^4*a^3-2*I*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/b/(\exp(2*I*(b*x+a))-1)+6*d^3/b^4*\text{polylog}(3,\exp(I*(b*x+a)))+6*d^3/b^4*\text{polylog}(3,-\exp(I*(b*x+a)))-6*I*d^2/b^3*c*\text{polylog}(2,-\exp(I*(b*x+a)))-6*I*d^2/b*c*x^2-6*I*d^2/b^3*c*a^2-6*I*d^3/b^3*\text{polylog}(2,-\exp(I*(b*x+a)))*x-6*I*d^3/b^3*\text{polylog}(2,\exp(I*(b*x+a)))*x-6*I*d^2/b^3*c*\text{polylog}(2,\exp(I*(b*x+a)))+6*I*d^3/b^3*a^2*x-6*d^2/b^3*c*a*\ln(\exp(I*(b*x+a))-1)+6*d^2/b^2*c*\ln(\exp(I*(b*x+a))+1)*x+6*d^2/b^2*c*\ln(1-\exp(I*(b*x+a)))*x+6*d^2/b^3*c*\ln(1-\exp(I*(b*x+a)))*a-12*I*d^2/b^2*c*a*x+12*d^2/b^3*c*a*\ln(\exp(I*(b*x+a)))$

Maxima [B] time = 1.60182, size = 2228, normalized size = 19.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3*csc(b*x+a)^2,x, algorithm="maxima")`

[Out] $1/2*(3*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) + (\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) - 4*(b*x + a)*\sin(2*b*x + 2*a))*c^2*d/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*b) - 6*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) + (\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) - 4*(b*x + a)*\sin(2*b*x + 2*a))*a*c*d^2/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*b^2) + 3*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) + (\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) - 4*(b*x + a)*\sin(2*b*x + 2*a))*a^2*d^3/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a)^2 - 2*\cos(2*b*x + 2*a) + 1)*b^3) - 2*c^3/\tan(b*x + a) + 6*a*c^2*d/(b*\tan(b*x + a)) - 6*a^2*c*d^2/(b^2*\tan(b*x + a)) + 2*a^3*d^3/(b^3*\tan(b*x + a)) - 2*((6*(b*x + a)^2*d^3 + 12*(b*c*d^2 - a*d^3)*(b*x + a) - 6*((b*x + a)^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*\cos(2*b*x + 2*a) - (6*I*(b*x + a)^2*d^3 + (12*I*b*c*d^2 - 12*I*a*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*\arctan2(\sin(b*x + a), \cos(b*x + a) + 1) - (6*(b*x + a)^2*d^3 + 12*(b*c*d^2 - a*d^3)*(b*x + a) - 6*((b*x + a)^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*\cos(2*b*x + 2*a) + (-6*I*(b*x + a)^2*d^3 + (-12*I*b*c*d^2 + 12*I*a*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*\arctan2(\sin(b*x + a), -\cos(b*x + a) + 1) + 4*((b*x + a)^3*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2)*\cos(2*b*x + 2*a) - (12*b*c*d^2 + 12*(b*x + a)*d^3 - 12*a*d^3 - 12*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\cos(2*b*x + 2*a) + (-12*I*b*c*d^2 - 12*I*(b*x + a)*d^3 + 12*I*a*d^3)*\sin(2*b*x + 2*a))$

```

n(2*b*x + 2*a))*dilog(-e^(I*b*x + I*a)) - (12*b*c*d^2 + 12*(b*x + a)*d^3 -
12*a*d^3 - 12*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*cos(2*b*x + 2*a) + (-12*I*b
*c*d^2 - 12*I*(b*x + a)*d^3 + 12*I*a*d^3)*sin(2*b*x + 2*a))*dilog(e^(I*b*x
+ I*a)) - (3*I*(b*x + a)^2*d^3 + (6*I*b*c*d^2 - 6*I*a*d^3)*(b*x + a) + (-3*
I*(b*x + a)^2*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a))*cos(2*b*x + 2*a)
+ 3*((b*x + a)^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*sin(2*b*x + 2*a))*log
(cos(b*x + a)^2 + sin(b*x + a)^2 + 2*cos(b*x + a) + 1) - (3*I*(b*x + a)^2*d
^3 + (6*I*b*c*d^2 - 6*I*a*d^3)*(b*x + a) + (-3*I*(b*x + a)^2*d^3 + (-6*I*b*
c*d^2 + 6*I*a*d^3)*(b*x + a))*cos(2*b*x + 2*a) + 3*((b*x + a)^2*d^3 + 2*(b
*c*d^2 - a*d^3)*(b*x + a))*sin(2*b*x + 2*a))*log(cos(b*x + a)^2 + sin(b*x +
a)^2 - 2*cos(b*x + a) + 1) - (-12*I*d^3*cos(2*b*x + 2*a) + 12*d^3*sin(2*b*x
+ 2*a) + 12*I*d^3)*polylog(3, -e^(I*b*x + I*a)) - (-12*I*d^3*cos(2*b*x + 2
*a) + 12*d^3*sin(2*b*x + 2*a) + 12*I*d^3)*polylog(3, e^(I*b*x + I*a)) - (-4
*I*(b*x + a)^3*d^3 + (-12*I*b*c*d^2 + 12*I*a*d^3)*(b*x + a)^2)*sin(2*b*x +
2*a))/(-2*I*b^3*cos(2*b*x + 2*a) + 2*b^3*sin(2*b*x + 2*a) + 2*I*b^3))/b

```

Fricas [C] time = 2.04648, size = 1756, normalized size = 15.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*csc(b*x+a)^2,x, algorithm="fricas")
```

```

[Out] 1/2*(6*d^3*polylog(3, cos(b*x + a) + I*sin(b*x + a))*sin(b*x + a) + 6*d^3*p
olylog(3, cos(b*x + a) - I*sin(b*x + a))*sin(b*x + a) + 6*d^3*polylog(3, -c
os(b*x + a) + I*sin(b*x + a))*sin(b*x + a) + 6*d^3*polylog(3, -cos(b*x + a)
- I*sin(b*x + a))*sin(b*x + a) + (-6*I*b*d^3*x - 6*I*b*c*d^2)*dilog(cos(b*
x + a) + I*sin(b*x + a))*sin(b*x + a) + (6*I*b*d^3*x + 6*I*b*c*d^2)*dilog(c
os(b*x + a) - I*sin(b*x + a))*sin(b*x + a) + (6*I*b*d^3*x + 6*I*b*c*d^2)*di
log(-cos(b*x + a) + I*sin(b*x + a))*sin(b*x + a) + (-6*I*b*d^3*x - 6*I*b*c*
d^2)*dilog(-cos(b*x + a) - I*sin(b*x + a))*sin(b*x + a) + 3*(b^2*d^3*x^2 +
2*b^2*c*d^2*x + b^2*c^2*d)*log(cos(b*x + a) + I*sin(b*x + a) + 1)*sin(b*x +
a) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d)*log(cos(b*x + a) - I*sin(
b*x + a) + 1)*sin(b*x + a) + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*log(-1/2
*cos(b*x + a) + 1/2*I*sin(b*x + a) + 1/2)*sin(b*x + a) + 3*(b^2*c^2*d - 2*a
*b*c*d^2 + a^2*d^3)*log(-1/2*cos(b*x + a) - 1/2*I*sin(b*x + a) + 1/2)*sin(
b*x + a) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + 2*a*b*c*d^2 - a^2*d^3)*log(-cos(
b*x + a) + I*sin(b*x + a) + 1)*sin(b*x + a) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*
x + 2*a*b*c*d^2 - a^2*d^3)*log(-cos(b*x + a) - I*sin(b*x + a) + 1)*sin(b*x
+ a) - 2*(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3)*cos(b*x
+ a))/(b^4*sin(b*x + a))

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^3 \csc^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**3*csc(b*x+a)**2,x)
```

```
[Out] Integral((c + d*x)**3*csc(a + b*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^3 \csc(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*csc(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3*csc(b*x + a)^2, x)
```

3.29 $\int (c + dx)^2 \csc^2(a + bx) dx$

Optimal. Leaf size=83

$$-\frac{id^2 \text{PolyLog}\left(2, e^{2i(a+bx)}\right)}{b^3} + \frac{2d(c+dx) \log\left(1 - e^{2i(a+bx)}\right)}{b^2} - \frac{(c+dx)^2 \cot(a+bx)}{b} - \frac{i(c+dx)^2}{b}$$

[Out] $((-I)*(c + d*x)^2)/b - ((c + d*x)^2*\text{Cot}[a + b*x])/b + (2*d*(c + d*x)*\text{Log}[1 - E^{((2*I)*(a + b*x))}])/b^2 - (I*d^2*\text{PolyLog}[2, E^{((2*I)*(a + b*x))}])/b^3$

Rubi [A] time = 0.135961, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {4184, 3717, 2190, 2279, 2391}

$$-\frac{id^2 \text{PolyLog}\left(2, e^{2i(a+bx)}\right)}{b^3} + \frac{2d(c+dx) \log\left(1 - e^{2i(a+bx)}\right)}{b^2} - \frac{(c+dx)^2 \cot(a+bx)}{b} - \frac{i(c+dx)^2}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2*\text{Csc}[a + b*x]^2, x]$

[Out] $((-I)*(c + d*x)^2)/b - ((c + d*x)^2*\text{Cot}[a + b*x])/b + (2*d*(c + d*x)*\text{Log}[1 - E^{((2*I)*(a + b*x))}])/b^2 - (I*d^2*\text{PolyLog}[2, E^{((2*I)*(a + b*x))}])/b^3$

Rule 4184

$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cot}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 3717

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\tan[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{(m+1)})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m*\text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}/(1 + \text{E}^{(2*I*k*Pi)}*\text{E}^{(2*I*(e + f*x))}), x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{IntegerQ}[4*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}}/((a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_.)))^{(n_.)}})], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.))^{(n_.)}]/(x_.), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int (c+dx)^2 \csc^2(a+bx) dx &= -\frac{(c+dx)^2 \cot(a+bx)}{b} + \frac{(2d) \int (c+dx) \cot(a+bx) dx}{b} \\
&= -\frac{i(c+dx)^2}{b} - \frac{(c+dx)^2 \cot(a+bx)}{b} - \frac{(4id) \int \frac{e^{2i(a+bx)}(c+dx)}{1-e^{2i(a+bx)}} dx}{b} \\
&= -\frac{i(c+dx)^2}{b} - \frac{(c+dx)^2 \cot(a+bx)}{b} + \frac{2d(c+dx) \log(1-e^{2i(a+bx)})}{b^2} - \frac{(2d^2) \int \log(1-e^{2i(a+bx)}) dx}{b^2} \\
&= -\frac{i(c+dx)^2}{b} - \frac{(c+dx)^2 \cot(a+bx)}{b} + \frac{2d(c+dx) \log(1-e^{2i(a+bx)})}{b^2} + \frac{(id^2) \text{Subst}\left(\int \frac{\log(1-e^{2ix})}{x} dx\right)}{b^3} \\
&= -\frac{i(c+dx)^2}{b} - \frac{(c+dx)^2 \cot(a+bx)}{b} + \frac{2d(c+dx) \log(1-e^{2i(a+bx)})}{b^2} - \frac{id^2 \text{Li}_2(e^{2i(a+bx)})}{b^3}
\end{aligned}$$

Mathematica [B] time = 4.82682, size = 181, normalized size = 2.18

$$\csc(a) \left(d^2 \left(-\sin(a) \left(i \text{PolyLog} \left(2, e^{2i(\tan^{-1}(\tan(a))+bx)} \right) \right) - ibx \left(\pi - 2 \tan^{-1}(\tan(a)) \right) - 2 \left(\tan^{-1}(\tan(a)) + bx \right) \log \left(1 - e^{2i(\tan^{-1}(\tan(a))+bx)} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + d*x)^2*Csc[a + b*x]^2,x]

[Out] (Csc[a]*(-2*b*c*d*(b*x*Cos[a] - Log[Sin[a + b*x]]*Sin[a]) + d^2*(-(b^2*E^(I*ArcTan[Tan[a]])*x^2*Cos[a]*Sqrt[Sec[a]^2]) - ((-I)*b*x*(Pi - 2*ArcTan[Tan[a]]) - Pi*Log[1 + E^((-2*I)*b*x)] - 2*(b*x + ArcTan[Tan[a]])*Log[1 - E^((2*I)*(b*x + ArcTan[Tan[a]])]) + Pi*Log[Cos[b*x]] + 2*ArcTan[Tan[a]]*Log[Sin[b*x + ArcTan[Tan[a]]]]) + I*PolyLog[2, E^((2*I)*(b*x + ArcTan[Tan[a]])])]*Sin[a]) + b^2*(c + d*x)^2*Csc[a + b*x]*Sin[b*x])/b^3

Maple [B] time = 0.043, size = 276, normalized size = 3.3

$$\frac{-2i(d^2x^2 + 2cdx + c^2)}{b(e^{2i(bx+a)} - 1)} - 4 \frac{cd \ln(e^{i(bx+a)})}{b^2} + 2 \frac{cd \ln(e^{i(bx+a)} - 1)}{b^2} + 2 \frac{cd \ln(e^{i(bx+a)} + 1)}{b^2} - \frac{2id^2x^2}{b} - \frac{4id^2ax}{b^2} - \frac{2id^2a^2}{b^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*csc(b*x+a)^2,x)

[Out] -2*I*(d^2*x^2+2*c*d*x+c^2)/b/(exp(2*I*(b*x+a))-1)-4*d/b^2*c*ln(exp(I*(b*x+a)))+2*d/b^2*c*ln(exp(I*(b*x+a))-1)+2*d/b^2*c*ln(exp(I*(b*x+a))+1)-2*I*d^2/b*x^2-4*I*d^2/b^2*a*x-2*I*d^2/b^3*a^2+2*d^2/b^2*ln(1-exp(I*(b*x+a)))*x+2*d^2/b^3*ln(1-exp(I*(b*x+a)))*a-2*I*d^2/b^3*polylog(2,exp(I*(b*x+a)))+2*d^2/b^2*ln(exp(I*(b*x+a))+1)*x-2*I*d^2/b^3*polylog(2,-exp(I*(b*x+a)))+4*d^2/b^3*a*ln(exp(I*(b*x+a)))-2*d^2/b^3*a*ln(exp(I*(b*x+a))-1)

Maxima [B] time = 1.46171, size = 749, normalized size = 9.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a)^2,x, algorithm="maxima")

[Out] $-(2*b^2*c^2 + (2*b*d^2*x + 2*b*c*d - 2*(b*d^2*x + b*c*d)*\cos(2*b*x + 2*a) - (2*I*b*d^2*x + 2*I*b*c*d)*\sin(2*b*x + 2*a))*\arctan2(\sin(b*x + a), \cos(b*x + a) + 1) - (2*b*c*d*\cos(2*b*x + 2*a) + 2*I*b*c*d*\sin(2*b*x + 2*a) - 2*b*c*d)*\arctan2(\sin(b*x + a), \cos(b*x + a) - 1) + (2*b*d^2*x*\cos(2*b*x + 2*a) + 2*I*b*d^2*x*\sin(2*b*x + 2*a) - 2*b*d^2*x)*\arctan2(\sin(b*x + a), -\cos(b*x + a) + 1) + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x)*\cos(2*b*x + 2*a) + (2*d^2*\cos(2*b*x + 2*a) + 2*I*d^2*\sin(2*b*x + 2*a) - 2*d^2)*\operatorname{dilog}(-e^{(I*b*x + I*a)}) + (2*d^2*\cos(2*b*x + 2*a) + 2*I*d^2*\sin(2*b*x + 2*a) - 2*d^2)*\operatorname{dilog}(e^{(I*b*x + I*a)}) - (I*b*d^2*x + I*b*c*d + (-I*b*d^2*x - I*b*c*d)*\cos(2*b*x + 2*a) + (b*d^2*x + b*c*d)*\sin(2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos(b*x + a) + 1) - (I*b*d^2*x + I*b*c*d + (-I*b*d^2*x - I*b*c*d)*\cos(2*b*x + 2*a) + (b*d^2*x + b*c*d)*\sin(2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) - (-2*I*b^2*d^2*x^2 - 4*I*b^2*c*d*x)*\sin(2*b*x + 2*a))/(-I*b^3*\cos(2*b*x + 2*a) + b^3*\sin(2*b*x + 2*a) + I*b^3)$

Fricas [B] time = 1.79532, size = 1026, normalized size = 12.36

$-i d^2 \operatorname{Li}_2(\cos(bx + a) + i \sin(bx + a)) \sin(bx + a) + i d^2 \operatorname{Li}_2(\cos(bx + a) - i \sin(bx + a)) \sin(bx + a) + i d^2 \operatorname{Li}_2(-\cos(bx + a) + i \sin(bx + a)) \sin(bx + a) - i d^2 \operatorname{Li}_2(-\cos(bx + a) - i \sin(bx + a)) \sin(bx + a)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a)^2,x, algorithm="fricas")

[Out] $(-I*d^2*\operatorname{dilog}(\cos(b*x + a) + I*\sin(b*x + a))*\sin(b*x + a) + I*d^2*\operatorname{dilog}(\cos(b*x + a) - I*\sin(b*x + a))*\sin(b*x + a) + I*d^2*\operatorname{dilog}(-\cos(b*x + a) + I*\sin(b*x + a))*\sin(b*x + a) - I*d^2*\operatorname{dilog}(-\cos(b*x + a) - I*\sin(b*x + a))*\sin(b*x + a) + (b*d^2*x + b*c*d)*\log(\cos(b*x + a) + I*\sin(b*x + a) + 1)*\sin(b*x + a) + (b*d^2*x + b*c*d)*\log(\cos(b*x + a) - I*\sin(b*x + a) + 1)*\sin(b*x + a) + (b*c*d - a*d^2)*\log(-1/2*\cos(b*x + a) + 1/2*I*\sin(b*x + a) + 1/2)*\sin(b*x + a) + (b*c*d - a*d^2)*\log(-1/2*\cos(b*x + a) - 1/2*I*\sin(b*x + a) + 1/2)*\sin(b*x + a) + (b*d^2*x + a*d^2)*\log(-\cos(b*x + a) + I*\sin(b*x + a) + 1)*\sin(b*x + a) + (b*d^2*x + a*d^2)*\log(-\cos(b*x + a) - I*\sin(b*x + a) + 1)*\sin(b*x + a) - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\cos(b*x + a))/(b^3*\sin(b*x + a))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^2 \csc^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*csc(b*x+a)**2,x)

[Out] Integral((c + d*x)**2*csc(a + b*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^2 \csc(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2*csc(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^2*csc(b*x + a)^2, x)
```

3.30 $\int (c + dx) \csc^2(a + bx) dx$

Optimal. Leaf size=29

$$\frac{d \log(\sin(a + bx))}{b^2} - \frac{(c + dx) \cot(a + bx)}{b}$$

[Out] -(((c + d*x)*Cot[a + b*x])/b) + (d*Log[Sin[a + b*x]])/b^2

Rubi [A] time = 0.0276419, antiderivative size = 29, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4184, 3475}

$$\frac{d \log(\sin(a + bx))}{b^2} - \frac{(c + dx) \cot(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Csc[a + b*x]^2,x]

[Out] -(((c + d*x)*Cot[a + b*x])/b) + (d*Log[Sin[a + b*x]])/b^2

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx) \csc^2(a + bx) dx &= -\frac{(c + dx) \cot(a + bx)}{b} + \frac{d \int \cot(a + bx) dx}{b} \\ &= -\frac{(c + dx) \cot(a + bx)}{b} + \frac{d \log(\sin(a + bx))}{b^2} \end{aligned}$$

Mathematica [A] time = 0.0835127, size = 52, normalized size = 1.79

$$\frac{d \log(\sin(a + bx))}{b^2} - \frac{c \cot(a + bx)}{b} - \frac{dx \cot(a)}{b} + \frac{dx \csc(a) \sin(bx) \csc(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Csc[a + b*x]^2,x]

[Out] -((d*x*Cot[a])/b) - (c*Cot[a + b*x])/b + (d*Log[Sin[a + b*x]])/b^2 + (d*x*Csc[a]*Csc[a + b*x]*Sin[b*x])/b

Maple [A] time = 0.007, size = 39, normalized size = 1.3

$$-\frac{d \cot (bx+a)x}{b} + \frac{d \ln (\sin (bx+a))}{b^2} - \frac{c \cot (bx+a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*csc(b*x+a)^2,x)

[Out] -1/b*d*cot(b*x+a)*x+d*ln(sin(b*x+a))/b^2-1/b*c*cot(b*x+a)

Maxima [B] time = 1.00505, size = 293, normalized size = 10.1

$$\frac{((\cos(2bx+2a)^2+\sin(2bx+2a)^2-2\cos(2bx+2a)+1)\log(\cos(bx+a)^2+\sin(bx+a)^2+2\cos(bx+a)+1)+(\cos(2bx+2a)^2+\sin(2bx+2a)^2-2\cos(2bx+2a)+1)\log(\cos(bx+a)^2+\sin(bx+a)^2+2\cos(bx+a)+1))}{(\cos(2bx+2a)^2+\sin(2bx+2a)^2-2\cos(2bx+2a)+1)b}$$

2b

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*(((cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 - 2*cos(2*b*x + 2*a) + 1)*log(cos(b*x + a)^2 + sin(b*x + a)^2 + 2*cos(b*x + a) + 1) + (cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 - 2*cos(2*b*x + 2*a) + 1)*log(cos(b*x + a)^2 + sin(b*x + a)^2 - 2*cos(b*x + a) + 1) - 4*(b*x + a)*sin(2*b*x + 2*a))*d/((cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 - 2*cos(2*b*x + 2*a) + 1)*b) - 2*c/tan(b*x + a) + 2*a*d/(b*tan(b*x + a)))/b

Fricas [A] time = 1.70285, size = 119, normalized size = 4.1

$$\frac{d \log \left(\frac{1}{2} \sin (bx+a) \right) \sin (bx+a) - (bdx+bc) \cos (bx+a)}{b^2 \sin (bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)^2,x, algorithm="fricas")

[Out] (d*log(1/2*sin(b*x + a))*sin(b*x + a) - (b*d*x + b*c)*cos(b*x + a))/(b^2*sin(b*x + a))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c+dx) \csc^2(a+bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)**2,x)

[Out] Integral((c + d*x)*csc(a + b*x)**2, x)

Giac [B] time = 2.02759, size = 1689, normalized size = 58.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)^2,x, algorithm="giac")

[Out] $\frac{1}{2}*(b*d*x*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + b*c*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - b*d*x*\tan(1/2*b*x)^2 - 4*b*d*x*\tan(1/2*b*x)*\tan(1/2*a) + d*\log(16*(\tan(1/2*a)^4 + 2*\tan(1/2*a)^2 + 1)/(\tan(1/2*b*x)^8*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^6*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^7*\tan(1/2*a) - 2*\tan(1/2*b*x)^6*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^5*\tan(1/2*a)^3 + 2*\tan(1/2*b*x)^4*\tan(1/2*a)^4 + \tan(1/2*b*x)^6 - 2*\tan(1/2*b*x)^5*\tan(1/2*a) - 6*\tan(1/2*b*x)^4*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)^3*\tan(1/2*a)^3 + \tan(1/2*b*x)^2*\tan(1/2*a)^4 + 2*\tan(1/2*b*x)^4 + 2*\tan(1/2*b*x)^3*\tan(1/2*a) - 2*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)*\tan(1/2*a)^3 + \tan(1/2*b*x)^2 + 2*\tan(1/2*b*x)*\tan(1/2*a) + \tan(1/2*a)^2))*\tan(1/2*b*x)^2*\tan(1/2*a) - b*d*x*\tan(1/2*a)^2 + d*\log(16*(\tan(1/2*a)^4 + 2*\tan(1/2*a)^2 + 1)/(\tan(1/2*b*x)^8*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^6*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^7*\tan(1/2*a) - 2*\tan(1/2*b*x)^6*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^5*\tan(1/2*a)^3 + 2*\tan(1/2*b*x)^4*\tan(1/2*a)^4 + \tan(1/2*b*x)^6 - 2*\tan(1/2*b*x)^5*\tan(1/2*a) - 6*\tan(1/2*b*x)^4*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)^3*\tan(1/2*a)^3 + \tan(1/2*b*x)^2*\tan(1/2*a)^4 + 2*\tan(1/2*b*x)^4 + 2*\tan(1/2*b*x)^3*\tan(1/2*a) - 2*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)*\tan(1/2*a)^3 + \tan(1/2*b*x)^2 + 2*\tan(1/2*b*x)*\tan(1/2*a) + \tan(1/2*a)^2))*\tan(1/2*b*x)*\tan(1/2*a)^2 - b*c*\tan(1/2*b*x)^2 - 4*b*c*\tan(1/2*b*x)*\tan(1/2*a) - b*c*\tan(1/2*a)^2 + b*d*x - d*\log(16*(\tan(1/2*a)^4 + 2*\tan(1/2*a)^2 + 1)/(\tan(1/2*b*x)^8*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^6*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^7*\tan(1/2*a) - 2*\tan(1/2*b*x)^6*\tan(1/2*a)^2 + 2*\tan(1/2*b*x)^5*\tan(1/2*a)^3 + 2*\tan(1/2*b*x)^4*\tan(1/2*a)^4 + \tan(1/2*b*x)^6 - 2*\tan(1/2*b*x)^5*\tan(1/2*a) - 6*\tan(1/2*b*x)^4*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)^3*\tan(1/2*a)^3 + \tan(1/2*b*x)^2*\tan(1/2*a)^4 + 2*\tan(1/2*b*x)^4 + 2*\tan(1/2*b*x)^3*\tan(1/2*a) - 2*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*\tan(1/2*b*x)*\tan(1/2*a)^3 + \tan(1/2*b*x)^2 + 2*\tan(1/2*b*x)*\tan(1/2*a) + \tan(1/2*a)^2))*\tan(1/2*a) + b*c)/(b^2*\tan(1/2*b*x)^2*\tan(1/2*a) + b^2*\tan(1/2*b*x)*\tan(1/2*a)^2 - b^2*\tan(1/2*b*x) - b^2*\tan(1/2*a))$

$$3.31 \quad \int \frac{\csc^2(a+bx)}{c+dx} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\csc^2(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]^2/(c + d*x), x]

Rubi [A] time = 0.0402203, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]^2/(c + d*x), x]

[Out] Defer[Int][Csc[a + b*x]^2/(c + d*x), x]

Rubi steps

$$\int \frac{\csc^2(a+bx)}{c+dx} dx = \int \frac{\csc^2(a+bx)}{c+dx} dx$$

Mathematica [A] time = 6.26745, size = 0, normalized size = 0.

$$\int \frac{\csc^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]^2/(c + d*x), x]

[Out] Integrate[Csc[a + b*x]^2/(c + d*x), x]

Maple [A] time = 0.178, size = 0, normalized size = 0.

$$\int \frac{(\csc(bx+a))^2}{dx+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)^2/(d*x+c), x)

[Out] int(csc(b*x+a)^2/(d*x+c), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx+a)^2}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c),x, algorithm="fricas")

[Out] integral(csc(b*x + a)^2/(d*x + c), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(a+bx)}{c+dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)**2/(d*x+c),x)

[Out] Integral(csc(a + b*x)**2/(c + d*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx+a)^2}{dx+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c),x, algorithm="giac")

[Out] integrate(csc(b*x + a)^2/(d*x + c), x)

$$3.32 \quad \int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\csc^2(a+bx)}{(c+dx)^2}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]^2/(c + d*x)^2, x]

Rubi [A] time = 0.0374365, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]^2/(c + d*x)^2, x]

[Out] Defer[Int][Csc[a + b*x]^2/(c + d*x)^2, x]

Rubi steps

$$\int \frac{\csc^2(a+bx)}{(c+dx)^2} dx = \int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$$

Mathematica [A] time = 6.35265, size = 0, normalized size = 0.

$$\int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]^2/(c + d*x)^2, x]

[Out] Integrate[Csc[a + b*x]^2/(c + d*x)^2, x]

Maple [A] time = 0.339, size = 0, normalized size = 0.

$$\int \frac{(\csc(bx+a))^2}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)^2/(d*x+c)^2, x)

[Out] int(csc(b*x+a)^2/(d*x+c)^2, x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c)^2,x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx+a)^2}{d^2x^2+2cdx+c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c)^2,x, algorithm="fricas")

[Out] integral(csc(b*x + a)^2/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(a+bx)}{(c+dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)**2/(d*x+c)**2,x)

[Out] Integral(csc(a + b*x)**2/(c + d*x)**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx+a)^2}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^2/(d*x+c)^2,x, algorithm="giac")

[Out] integrate(csc(b*x + a)^2/(d*x + c)^2, x)

3.33 $\int (c + dx)^3 \csc^3(a + bx) dx$

Optimal. Leaf size=309

$$-\frac{3d^2(c+dx)\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{3d^2(c+dx)\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3} + \frac{3id(c+dx)^2\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{2b^2} - \frac{3id(c+dx)^2\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{2b^2}$$

[Out] $(-6*d^2*(c + d*x)*\text{ArcTanh}[E^{(I*(a + b*x))}])/b^3 - ((c + d*x)^3*\text{ArcTanh}[E^{(I*(a + b*x))}])/b - (3*d*(c + d*x)^2*\text{Csc}[a + b*x])/(2*b^2) - ((c + d*x)^3*\text{Cot}[a + b*x]*\text{Csc}[a + b*x])/(2*b) + (((3*I)*d^3*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^4 + (((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - ((3*I)*d^3*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^4 - (((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2 - (3*d^2*(c + d*x)*\text{PolyLog}[3, -E^{(I*(a + b*x))}])/b^3 + (3*d^2*(c + d*x)*\text{PolyLog}[3, E^{(I*(a + b*x))}])/b^3 - ((3*I)*d^3*\text{PolyLog}[4, -E^{(I*(a + b*x))}])/b^4 + ((3*I)*d^3*\text{PolyLog}[4, E^{(I*(a + b*x))}])/b^4$

Rubi [A] time = 0.226242, antiderivative size = 309, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4186, 4183, 2279, 2391, 2531, 6609, 2282, 6589}

$$-\frac{3d^2(c+dx)\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{3d^2(c+dx)\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3} + \frac{3id(c+dx)^2\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{2b^2} - \frac{3id(c+dx)^2\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Csc[a + b*x]^3, x]

[Out] $(-6*d^2*(c + d*x)*\text{ArcTanh}[E^{(I*(a + b*x))}])/b^3 - ((c + d*x)^3*\text{ArcTanh}[E^{(I*(a + b*x))}])/b - (3*d*(c + d*x)^2*\text{Csc}[a + b*x])/(2*b^2) - ((c + d*x)^3*\text{Cot}[a + b*x]*\text{Csc}[a + b*x])/(2*b) + (((3*I)*d^3*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^4 + (((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, -E^{(I*(a + b*x))}])/b^2 - ((3*I)*d^3*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^4 - (((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, E^{(I*(a + b*x))}])/b^2 - (3*d^2*(c + d*x)*\text{PolyLog}[3, -E^{(I*(a + b*x))}])/b^3 + (3*d^2*(c + d*x)*\text{PolyLog}[3, E^{(I*(a + b*x))}])/b^3 - ((3*I)*d^3*\text{PolyLog}[4, -E^{(I*(a + b*x))}])/b^4 + ((3*I)*d^3*\text{PolyLog}[4, E^{(I*(a + b*x))}])/b^4$

Rule 4186

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^n*((c_.) + (d_.)*(x_.))^m, x_Symbol] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^m, x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_)^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 \csc^3(a + bx) dx &= -\frac{3d(c + dx)^2 \csc(a + bx)}{2b^2} - \frac{(c + dx)^3 \cot(a + bx) \csc(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^3 \csc(a + bx) dx \\
&= -\frac{6d^2(c + dx) \tanh^{-1}(e^{i(a+bx)})}{b^3} - \frac{(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \csc(a + bx)}{2b^2} \\
&= -\frac{6d^2(c + dx) \tanh^{-1}(e^{i(a+bx)})}{b^3} - \frac{(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \csc(a + bx)}{2b^2} \\
&= -\frac{6d^2(c + dx) \tanh^{-1}(e^{i(a+bx)})}{b^3} - \frac{(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \csc(a + bx)}{2b^2} \\
&= -\frac{6d^2(c + dx) \tanh^{-1}(e^{i(a+bx)})}{b^3} - \frac{(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \csc(a + bx)}{2b^2} \\
&= -\frac{6d^2(c + dx) \tanh^{-1}(e^{i(a+bx)})}{b^3} - \frac{(c + dx)^3 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \csc(a + bx)}{2b^2}
\end{aligned}$$

Mathematica [A] time = 5.10294, size = 528, normalized size = 1.71

$$\frac{-3id(b^2(c+dx)^2+2d^2)\text{PolyLog}(2,-e^{i(a+bx)})+3id(b^2(c+dx)^2+2d^2)\text{PolyLog}(2,e^{i(a+bx)})+6bcd^2\text{PolyLog}(3,-e^{i(a+bx)})}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Csc[a + b*x]^3,x]

[Out] $-(b^2(c+dx)^2(3d+b(c+dx))*\text{Cot}[a+bx])*\text{Csc}[a+bx] - b^3c^3\text{Log}[1-E^{i(a+bx)}] - 6b^3cd^2\text{Log}[1-E^{i(a+bx)}] - 3b^3c^2dx\text{Log}[1-E^{i(a+bx)}] - 6b^3d^3x\text{Log}[1-E^{i(a+bx)}] - 3b^3c^2d^2x^2\text{Log}[1-E^{i(a+bx)}] - b^3d^3x^3\text{Log}[1-E^{i(a+bx)}] + b^3c^3\text{Log}[1+E^{i(a+bx)}] + 6b^3cd^2\text{Log}[1+E^{i(a+bx)}] + 3b^3c^2dx\text{Log}[1+E^{i(a+bx)}] + 6b^3d^3x\text{Log}[1+E^{i(a+bx)}] + 3b^3c^2d^2x^2\text{Log}[1+E^{i(a+bx)}] + b^3d^3x^3\text{Log}[1+E^{i(a+bx)}] - (3I)d(2d^2+b^2(c+dx)^2)\text{PolyLog}[2,-E^{i(a+bx)}] + (3I)d(2d^2+b^2(c+dx)^2)\text{PolyLog}[2,E^{i(a+bx)}] + 6b^3cd^2\text{PolyLog}[3,-E^{i(a+bx)}] + 6b^3d^3x\text{PolyLog}[3,-E^{i(a+bx)}] - 6b^3cd^2\text{PolyLog}[3,E^{i(a+bx)}] - 6b^3d^3x\text{PolyLog}[3,E^{i(a+bx)}] + (6I)d^3\text{PolyLog}[4,-E^{i(a+bx)}] - (6I)d^3\text{PolyLog}[4,E^{i(a+bx)}] / (2b^4)$

Maple [B] time = 0.125, size = 1056, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*csc(b*x+a)^3,x)

[Out] $-3/b^3c^3d^2\text{polylog}(3,-\exp(i(b*x+a)))+1/b^4d^3a^3\text{arctanh}(\exp(i(b*x+a)))+3/b^3c^3d^2\text{polylog}(3,\exp(i(b*x+a)))+3/b^3d^3\text{polylog}(3,\exp(i(b*x+a)))x-3/b^3d^3\text{polylog}(3,-\exp(i(b*x+a)))x+3/2/b^3cd^2\ln(1-\exp(i(b*x+a)))x^2+3/2/b^3c^2d\ln(1-\exp(i(b*x+a)))x+3/2/b^2c^2d\ln(1-\exp(i(b*x+a)))a-3/2/b^2c^2d\ln(\exp(i(b*x+a))+1)x-3/2/b^3cd^2a^2\ln(1-\exp(i(b*x+a)))-3/2/b^2c^2d\ln(\exp(i(b*x+a))+1)a-1/2/b^3d^3\ln(\exp(i(b*x+a))+1)x^3+3/2/b^3cd^2a^2\ln(\exp(i(b*x+a))+1)-3/2/b^3cd^2\ln(\exp(i(b*x+a))+1)x^2-1/2/b^4d^3\ln(\exp(i(b*x+a))+1)a^3-3/b^3cd^2a^2\text{arctanh}(\exp(i(b*x+a)))+3/b^2c^2da\text{arctanh}(\exp(i(b*x+a)))+1/2/b^3d^3\ln(1-\exp(i(b*x+a)))x^3+1/2/b^4d^3\ln(1-\exp(i(b*x+a)))a^3+1/b^2/(\exp(2i(b*x+a))-1)^2(d^3x^3b^3\exp(3i(b*x+a))+3c^3d^2x^2b^3\exp(3i(b*x+a))+3c^2d^2xb^3\exp(3i(b*x+a)))+d^3x^3b^3\exp(i(b*x+a))+c^3b^3\exp(3i(b*x+a))+3c^3d^2x^2b^3\exp(i(b*x+a))-3I*d^3x^2\exp(3i(b*x+a))+3c^2d^2xb^3\exp(i(b*x+a))-6I*c^2d^2x\exp(3i(b*x+a))+c^3b^3\exp(i(b*x+a))-3I*c^2d^2\exp(3i(b*x+a))+3I*d^3x^2\exp(i(b*x+a))+6I*c^2d^2x\exp(i(b*x+a))+3I*c^2d^2\exp(i(b*x+a))-3I/b^2\text{polylog}(2,\exp(i(b*x+a)))c^3d^2x+3I/b^2\text{polylog}(2,-\exp(i(b*x+a)))c^3d^2x+3/2I/b^2d^3\text{polylog}(2,-\exp(i(b*x+a)))x^2-3/2I/b^2d^3\text{polylog}(2,\exp(i(b*x+a)))x^2-3/2I/b^2c^2d\text{polylog}(2,\exp(i(b*x+a)))+3/2I/b^2c^2d\text{polylog}(2,-\exp(i(b*x+a)))-1/b^3c^3\text{arctanh}(\exp(i(b*x+a)))-3/b^3d^3\ln(\exp(i(b*x+a))+1)x-3/b^4d^3\ln(\exp(i(b*x+a))+1)a+3/b^3d^3\ln(1-\exp(i(b*x+a)))x+3/b^4d^3\ln(1-\exp(i(b*x+a)))a-6/b^3cd^2\text{arctanh}(\exp(i(b*x+a)))+6/b^4d^3a\text{arctanh}(\exp(i(b*x+a)))+3I*d^3\text{polylog}(2,-\exp(i(b*x+a)))/b^4+3I*d^3\text{polylog}(4,\exp(i(b*x+a)))/b^4-3I*d^3\text{polylog}(2,\exp(i(b*x+a)))/b^4-3I*d^3\text{polylog}(4,-\exp(i(b*x+a)))/b^4$

Maxima [B] time = 6.51747, size = 5234, normalized size = 16.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*csc(b*x+a)^3,x, algorithm="maxima")

[Out] $\frac{1}{4}c^3 \frac{2\cos(bx+a)}{(\cos(bx+a)^2-1)} - \log(\cos(bx+a)+1) + \log(\cos(bx+a)-1) - 3ac^2d \frac{2\cos(bx+a)}{(\cos(bx+a)^2-1)} - \log(\cos(bx+a)+1) + \log(\cos(bx+a)-1) / b + 3a^2c^2d^2 \frac{2\cos(bx+a)}{(\cos(bx+a)^2-1)} - \log(\cos(bx+a)+1) + \log(\cos(bx+a)-1) / b^2 - a^3d^3 \frac{2\cos(bx+a)}{(\cos(bx+a)^2-1)} - \log(\cos(bx+a)+1) + \log(\cos(bx+a)-1) / b^3 - 4((2(bx+a)^3d^3 + 12b^2cd^2 - 12a^2d^3 + 6(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a)^2 + 6(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a) + 2((bx+a)^3d^3 + 6b^2cd^2 - 6a^2d^3 + 3(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a)^2 + 3(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a))\cos(4bx+4a) - 4((bx+a)^3d^3 + 6b^2cd^2 - 6a^2d^3 + 3(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a))\cos(2bx+2a) + (2I(bx+a)^3d^3 + 12Ib^2cd^2 - 12Ia^2d^3 + (6Ib^2c^2d - 6Ia^2d^3)(bx+a)^2 + (6Ib^2c^2d - 12Iab^2cd^2 + (6Ia^2+12I)d^3)(bx+a))\sin(4bx+4a) + (-4I(bx+a)^3d^3 - 24Ib^2cd^2 + 24Ia^2d^3 + (-12Ib^2c^2d + 12Ia^2d^3)(bx+a)^2 + (-12Ib^2c^2d + 24Iab^2cd^2 + (-12Ia^2 - 24I)d^3)(bx+a))\sin(2bx+2a))\arctan2(\sin(bx+a), \cos(bx+a)+1) - (12b^2cd^2 - 12a^2d^3 + 12(b^2c^2d - a^2d^3)\cos(4bx+4a) - 24(b^2c^2d - a^2d^3)\cos(2bx+2a) - (-12Ib^2c^2d + 12Ia^2d^3)\sin(4bx+4a) - (24Ib^2c^2d - 24Ia^2d^3)\sin(2bx+2a))\arctan2(\sin(bx+a), \cos(bx+a)-1) + (2(bx+a)^3d^3 + 6(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a)^2 + 6(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a) + 2((bx+a)^3d^3 + 3(b^2c^2d - a^2d^3)(bx+a)^2 + 3(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a))\cos(4bx+4a) - 4((bx+a)^3d^3 + 3(b^2c^2d - a^2d^3)(bx+a)^2 + 3(b^2c^2d - 2ab^2cd^2 + (a^2+2)d^3)(bx+a))\cos(2bx+2a) + (2I(bx+a)^3d^3 + (6Ib^2c^2d - 6Ia^2d^3)(bx+a)^2 + (6Ib^2c^2d - 12Iab^2cd^2 + (6Ia^2+12I)d^3)(bx+a))\sin(4bx+4a) + (-4I(bx+a)^3d^3 + (-12Ib^2c^2d + 12Ia^2d^3)(bx+a)^2 + (-12Ib^2c^2d + 24Iab^2cd^2 + (-12Ia^2 - 24I)d^3)(bx+a))\sin(2bx+2a))\arctan2(\sin(bx+a), -\cos(bx+a)+1) + (4I(bx+a)^3d^3 + 12b^2c^2d - 24ab^2cd^2 + 12a^2d^3 - 12(-Ib^2c^2d + (Ia-1)d^3)(bx+a)^2 + (12Ib^2c^2d - 24(Ia-1)b^2cd^2 + (12Ia^2 - 24a)d^3)(bx+a))\cos(3bx+3a) + (4I(bx+a)^3d^3 - 12b^2c^2d + 24ab^2cd^2 - 12a^2d^3 - 12(-Ib^2c^2d + (Ia+1)d^3)(bx+a)^2 + (12Ib^2c^2d - 24(Ia+1)b^2cd^2 + (12Ia^2+24a)d^3)(bx+a))\cos(bx+a) - (6b^2c^2d - 12ab^2cd^2 + 6(bx+a)^2d^3 + 6(a^2+2)d^3 + 12(b^2c^2d - a^2d^3)(bx+a) + 6(b^2c^2d - 2ab^2cd^2 + (bx+a)^2d^3 + (a^2+2)d^3 + 2(b^2c^2d - a^2d^3)(bx+a))\cos(4bx+4a) - 12(b^2c^2d - 2ab^2cd^2 + (bx+a)^2d^3 + (a^2+2)d^3 + 2(b^2c^2d - a^2d^3)(bx+a))\cos(2bx+2a) - (-6Ib^2c^2d + 12Iab^2cd^2 - 6I(bx+a)^2d^3 + (-6Ia^2 - 12I)d^3 + (-12Ib^2c^2d + 12Ia^2d^3)(bx+a))\sin(4bx+4a) - (12Ib^2c^2d - 24Iab^2cd^2 + 12I(bx+a)^2d^3 + (12Ia^2+24I)d^3 + (24Ib^2c^2d - 24Ia^2d^3)(bx+a))\sin(2bx+2a))\operatorname{dilog}(-e^{Ibx+Ia}) + (6b^2c^2d - 12ab^2cd^2 + 6(bx+a)^2d^3 + 6(a^2+2)d^3 + 12(b^2c^2d - a^2d^3)(bx+a) + 6(b^2c^2d - 2ab^2cd^2 + (bx+a)^2d^3 + (a^2+2)d^3 + 2(b^2c^2d - a^2d^3)(bx+a))\cos(4bx+4a) - 12(b^2c^2d - 2ab^2cd^2 + (bx+a)^2d^3 + (a^2+2)d^3 + 2(b^2c^2d - a^2d^3)(bx+a))\cos(2bx+2a) + (6Ib^2c^2d - 12Iab^2cd^2 + 6I(bx+a)^2d^3 + (6Ia^2+12I)d^3 + (12Ib^2c^2d - 12Ia^2d^3)(bx+a))\sin(4bx+4a) + (-12Ib^2c^2d + 24Iab^2cd^2 - 12I($

$$\begin{aligned}
& b*x + a)^2*d^3 + (-12*I*a^2 - 24*I)*d^3 + (-24*I*b*c*d^2 + 24*I*a*d^3)*(b*x \\
& + a))*\sin(2*b*x + 2*a))*\operatorname{dilog}(e^{(I*b*x + I*a)}) + (-I*(b*x + a)^3*d^3 - 6*I \\
& *b*c*d^2 + 6*I*a*d^3 + (-3*I*b*c*d^2 + 3*I*a*d^3)*(b*x + a)^2 + (-3*I*b^2*c \\
& ^2*d + 6*I*a*b*c*d^2 + (-3*I*a^2 - 6*I)*d^3)*(b*x + a) + (-I*(b*x + a)^3*d^3 \\
& - 6*I*b*c*d^2 + 6*I*a*d^3 + (-3*I*b*c*d^2 + 3*I*a*d^3)*(b*x + a)^2 + (-3* \\
& I*b^2*c^2*d + 6*I*a*b*c*d^2 + (-3*I*a^2 - 6*I)*d^3)*(b*x + a))*\cos(4*b*x + \\
& 4*a) + (2*I*(b*x + a)^3*d^3 + 12*I*b*c*d^2 - 12*I*a*d^3 + (6*I*b*c*d^2 - 6* \\
& I*a*d^3)*(b*x + a)^2 + (6*I*b^2*c^2*d - 12*I*a*b*c*d^2 + (6*I*a^2 + 12*I)*d \\
& ^3)*(b*x + a))*\cos(2*b*x + 2*a) + ((b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + \\
& 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3 \\
&)*(b*x + a))*\sin(4*b*x + 4*a) - 2*((b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + \\
& 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3 \\
&)*(b*x + a))*\sin(2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\cos \\
& (b*x + a) + 1) + (I*(b*x + a)^3*d^3 + 6*I*b*c*d^2 - 6*I*a*d^3 + (3*I*b*c*d \\
& ^2 - 3*I*a*d^3)*(b*x + a)^2 + (3*I*b^2*c^2*d - 6*I*a*b*c*d^2 + (3*I*a^2 + 6 \\
& *I)*d^3)*(b*x + a) + (I*(b*x + a)^3*d^3 + 6*I*b*c*d^2 - 6*I*a*d^3 + (3*I*b* \\
& c*d^2 - 3*I*a*d^3)*(b*x + a)^2 + (3*I*b^2*c^2*d - 6*I*a*b*c*d^2 + (3*I*a^2 \\
& + 6*I)*d^3)*(b*x + a))*\cos(4*b*x + 4*a) + (-2*I*(b*x + a)^3*d^3 - 12*I*b*c* \\
& d^2 + 12*I*a*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a)^2 + (-6*I*b^2*c^2*d \\
& + 12*I*a*b*c*d^2 + (-6*I*a^2 - 12*I)*d^3)*(b*x + a))*\cos(2*b*x + 2*a) - ((\\
& b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3* \\
& (b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(4*b*x + 4*a) + 2*(\\
& (b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3 \\
& *(b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*\log \\
& (\cos(b*x + a)^2 + \sin(b*x + a)^2 - 2*\cos(b*x + a) + 1) + (12*d^3*\cos(4*b*x \\
& + 4*a) - 24*d^3*\cos(2*b*x + 2*a) + 12*I*d^3*\sin(4*b*x + 4*a) - 24*I*d^3*\sin \\
& (2*b*x + 2*a) + 12*d^3)*\operatorname{polylog}(4, -e^{(I*b*x + I*a)}) - (12*d^3*\cos(4*b*x + \\
& 4*a) - 24*d^3*\cos(2*b*x + 2*a) + 12*I*d^3*\sin(4*b*x + 4*a) - 24*I*d^3*\sin(2 \\
& *b*x + 2*a) + 12*d^3)*\operatorname{polylog}(4, e^{(I*b*x + I*a)}) + (-12*I*b*c*d^2 - 12*I*(\\
& b*x + a)*d^3 + 12*I*a*d^3 + (-12*I*b*c*d^2 - 12*I*(b*x + a)*d^3 + 12*I*a*d^3 \\
&)*\cos(4*b*x + 4*a) + (24*I*b*c*d^2 + 24*I*(b*x + a)*d^3 - 24*I*a*d^3)*\cos(\\
& 2*b*x + 2*a) + 12*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(4*b*x + 4*a) - 24*(\\
& b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(2*b*x + 2*a))*\operatorname{polylog}(3, -e^{(I*b*x + I \\
& *a)}) + (12*I*b*c*d^2 + 12*I*(b*x + a)*d^3 - 12*I*a*d^3 + (12*I*b*c*d^2 + 12 \\
& *I*(b*x + a)*d^3 - 12*I*a*d^3)*\cos(4*b*x + 4*a) + (-24*I*b*c*d^2 - 24*I*(b* \\
& x + a)*d^3 + 24*I*a*d^3)*\cos(2*b*x + 2*a) - 12*(b*c*d^2 + (b*x + a)*d^3 - a \\
& *d^3)*\sin(4*b*x + 4*a) + 24*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(2*b*x + 2 \\
& *a))*\operatorname{polylog}(3, e^{(I*b*x + I*a)}) - (4*(b*x + a)^3*d^3 - 12*I*b^2*c^2*d + 24 \\
& *I*a*b*c*d^2 - 12*I*a^2*d^3 + (12*b*c*d^2 - (12*a + 12*I)*d^3)*(b*x + a)^2 \\
& + (12*b^2*c^2*d - (24*a + 24*I)*b*c*d^2 + 12*(a^2 + 2*I*a)*d^3)*(b*x + a))* \\
& \sin(3*b*x + 3*a) - (4*(b*x + a)^3*d^3 + 12*I*b^2*c^2*d - 24*I*a*b*c*d^2 + 1 \\
& 2*I*a^2*d^3 + (12*b*c*d^2 - (12*a - 12*I)*d^3)*(b*x + a)^2 + (12*b^2*c^2*d \\
& - (24*a - 24*I)*b*c*d^2 + 12*(a^2 - 2*I*a)*d^3)*(b*x + a))*\sin(b*x + a))/(- \\
& 4*I*b^3*\cos(4*b*x + 4*a) + 8*I*b^3*\cos(2*b*x + 2*a) + 4*b^3*\sin(4*b*x + 4*a \\
&) - 8*b^3*\sin(2*b*x + 2*a) - 4*I*b^3))/b
\end{aligned}$$

Fricas [C] time = 2.68417, size = 4091, normalized size = 13.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*csc(b*x+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3)*\cos(b*x + a) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d + 6*I*d^3 + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d - 6*I*d^3)*\cos(b*x + a)^2)*\operatorname{dil}$

```

og(cos(b*x + a) + I*sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3
*I*b^2*c^2*d - 6*I*d^3 + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d
+ 6*I*d^3)*cos(b*x + a)^2)*dilog(cos(b*x + a) - I*sin(b*x + a)) + (3*I*b^2
*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d + 6*I*d^3 + (-3*I*b^2*d^3*x^2 -
6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d - 6*I*d^3)*cos(b*x + a)^2)*dilog(-cos(b*x +
a) + I*sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d
- 6*I*d^3 + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d + 6*I*d^3)*
cos(b*x + a)^2)*dilog(-cos(b*x + a) - I*sin(b*x + a)) + (b^3*d^3*x^3 + 3*b^
3*c*d^2*x^2 + b^3*c^3 + 6*b*c*d^2 - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + b^3*c^
3 + 6*b*c*d^2 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2 + 3*(b^3*c^2*d +
2*b*d^3)*x)*log(cos(b*x + a) + I*sin(b*x + a) + 1) + (b^3*d^3*x^3 + 3*b^3*c
*d^2*x^2 + b^3*c^3 + 6*b*c*d^2 - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + b^3*c^3 +
6*b*c*d^2 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2 + 3*(b^3*c^2*d + 2*b
*d^3)*x)*log(cos(b*x + a) - I*sin(b*x + a) + 1) - (b^3*c^3 - 3*a*b^2*c^2*d
+ 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6*a)*d^3 - (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2
+ 2)*b*c*d^2 - (a^3 + 6*a)*d^3)*cos(b*x + a)^2)*log(-1/2*cos(b*x + a) + 1/
2*I*sin(b*x + a) + 1/2) - (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 -
(a^3 + 6*a)*d^3 - (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6
*a)*d^3)*cos(b*x + a)^2)*log(-1/2*cos(b*x + a) - 1/2*I*sin(b*x + a) + 1/2)
- (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6
*a)*d^3 - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 +
(a^3 + 6*a)*d^3 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2 + 3*(b^3*c^2*d
+ 2*b*d^3)*x)*log(-cos(b*x + a) + I*sin(b*x + a) + 1) - (b^3*d^3*x^3 + 3*b^
3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 - (b^3*d^3*x^
3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 + 3*(
b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2 + 3*(b^3*c^2*d + 2*b*d^3)*x)*log(-co
s(b*x + a) - I*sin(b*x + a) + 1) + (6*I*d^3*cos(b*x + a)^2 - 6*I*d^3)*polyl
og(4, cos(b*x + a) + I*sin(b*x + a)) + (-6*I*d^3*cos(b*x + a)^2 + 6*I*d^3)*
polylog(4, cos(b*x + a) - I*sin(b*x + a)) + (6*I*d^3*cos(b*x + a)^2 - 6*I*d
^3)*polylog(4, -cos(b*x + a) + I*sin(b*x + a)) + (-6*I*d^3*cos(b*x + a)^2 +
6*I*d^3)*polylog(4, -cos(b*x + a) - I*sin(b*x + a)) - 6*(b*d^3*x + b*c*d^2
- (b*d^3*x + b*c*d^2)*cos(b*x + a)^2)*polylog(3, cos(b*x + a) + I*sin(b*x
+ a)) - 6*(b*d^3*x + b*c*d^2 - (b*d^3*x + b*c*d^2)*cos(b*x + a)^2)*polylog(
3, cos(b*x + a) - I*sin(b*x + a)) + 6*(b*d^3*x + b*c*d^2 - (b*d^3*x + b*c*d
^2)*cos(b*x + a)^2)*polylog(3, -cos(b*x + a) + I*sin(b*x + a)) + 6*(b*d^3*x
+ b*c*d^2 - (b*d^3*x + b*c*d^2)*cos(b*x + a)^2)*polylog(3, -cos(b*x + a) -
I*sin(b*x + a)) + 6*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d)*sin(b*x + a)
)/(b^4*cos(b*x + a)^2 - b^4)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^3 \csc^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*csc(b*x+a)**3,x)

[Out] Integral((c + d*x)**3*csc(a + b*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^3 \csc(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*csc(b*x+a)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3*csc(b*x + a)^3, x)
```


3.34 $\int (c + dx)^2 \csc^3(a + bx) dx$

Optimal. Leaf size=180

$$\frac{id(c + dx)\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{id(c + dx)\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2} - \frac{d^2\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{d^2\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3}$$

```
[Out] -(((c + d*x)^2*ArcTanh[E^(I*(a + b*x))])/b) - (d^2*ArcTanh[Cos[a + b*x]])/b
^3 - (d*(c + d*x)*Csc[a + b*x])/b^2 - ((c + d*x)^2*Cot[a + b*x]*Csc[a + b*x
])/ (2*b) + (I*d*(c + d*x)*PolyLog[2, -E^(I*(a + b*x))])/b^2 - (I*d*(c + d*x
)*PolyLog[2, E^(I*(a + b*x))])/b^2 - (d^2*PolyLog[3, -E^(I*(a + b*x))])/b^3
+ (d^2*PolyLog[3, E^(I*(a + b*x))])/b^3
```

Rubi [A] time = 0.136007, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4186, 3770, 4183, 2531, 2282, 6589}

$$\frac{id(c + dx)\text{PolyLog}\left(2, -e^{i(a+bx)}\right)}{b^2} - \frac{id(c + dx)\text{PolyLog}\left(2, e^{i(a+bx)}\right)}{b^2} - \frac{d^2\text{PolyLog}\left(3, -e^{i(a+bx)}\right)}{b^3} + \frac{d^2\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^2*Csc[a + b*x]^3,x]
```

```
[Out] -(((c + d*x)^2*ArcTanh[E^(I*(a + b*x))])/b) - (d^2*ArcTanh[Cos[a + b*x]])/b
^3 - (d*(c + d*x)*Csc[a + b*x])/b^2 - ((c + d*x)^2*Cot[a + b*x]*Csc[a + b*x
])/ (2*b) + (I*d*(c + d*x)*PolyLog[2, -E^(I*(a + b*x))])/b^2 - (I*d*(c + d*x
)*PolyLog[2, E^(I*(a + b*x))])/b^2 - (d^2*PolyLog[3, -E^(I*(a + b*x))])/b^3
+ (d^2*PolyLog[3, E^(I*(a + b*x))])/b^3
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_.))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
```

)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \csc^3(a + bx) dx &= -\frac{d(c + dx) \csc(a + bx)}{b^2} - \frac{(c + dx)^2 \cot(a + bx) \csc(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^2 \csc(a + bx) dx \\ &= -\frac{(c + dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{d^2 \tanh^{-1}(\cos(a + bx))}{b^3} - \frac{d(c + dx) \csc(a + bx)}{b^2} - \frac{(c + dx)^2}{b^2} \\ &= -\frac{(c + dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{d^2 \tanh^{-1}(\cos(a + bx))}{b^3} - \frac{d(c + dx) \csc(a + bx)}{b^2} - \frac{(c + dx)^2}{b^2} \\ &= -\frac{(c + dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{d^2 \tanh^{-1}(\cos(a + bx))}{b^3} - \frac{d(c + dx) \csc(a + bx)}{b^2} - \frac{(c + dx)^2}{b^2} \\ &= -\frac{(c + dx)^2 \tanh^{-1}(e^{i(a+bx)})}{b} - \frac{d^2 \tanh^{-1}(\cos(a + bx))}{b^3} - \frac{d(c + dx) \csc(a + bx)}{b^2} - \frac{(c + dx)^2}{b^2} \end{aligned}$$

Mathematica [B] time = 7.43912, size = 471, normalized size = 2.62

$$\frac{2ibd(c + dx)\text{PolyLog}\left(2, -e^{i(a+bx)}\right) - 2ibd(c + dx)\text{PolyLog}\left(2, e^{i(a+bx)}\right) - 2d^2\text{PolyLog}\left(3, -e^{i(a+bx)}\right) + 2d^2\text{PolyLog}\left(3, e^{i(a+bx)}\right)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Csc[a + b*x]^3,x]

[Out] -((d*(c + d*x)*Csc[a])/b^2) + ((-c^2 - 2*c*d*x - d^2*x^2)*Csc[a/2 + (b*x)/2]^2)/(8*b) + (b^2*c^2*Log[1 - E^(I*(a + b*x))] + 2*d^2*Log[1 - E^(I*(a + b*x))] + 2*b^2*c*d*x*Log[1 - E^(I*(a + b*x))] + b^2*d^2*x^2*Log[1 - E^(I*(a + b*x))]) - b^2*c^2*Log[1 + E^(I*(a + b*x))] - 2*d^2*Log[1 + E^(I*(a + b*x))] - 2*b^2*c*d*x*Log[1 + E^(I*(a + b*x))] - b^2*d^2*x^2*Log[1 + E^(I*(a + b*x))] + (2*I)*b*d*(c + d*x)*PolyLog[2, -E^(I*(a + b*x))] - (2*I)*b*d*(c + d*x)*PolyLog[2, E^(I*(a + b*x))] - 2*d^2*PolyLog[3, -E^(I*(a + b*x))] + 2*d^2*PolyLog[3, E^(I*(a + b*x))]/(2*b^3) + ((c^2 + 2*c*d*x + d^2*x^2)*Sec[a/2 + (b*x)/2]^2)/(8*b) + (Sec[a/2]*Sec[a/2 + (b*x)/2]*(-(c*d*Sin[(b*x)/2]) - d^2*x*Sin[(b*x)/2]))/(2*b^2) + (Csc[a/2]*Csc[a/2 + (b*x)/2]*(c*d*Sin[(b*x)/2] + d^2*x*Sin[(b*x)/2]))/(2*b^2)

Maple [B] time = 0.077, size = 548, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)^2*\text{csc}(b*x+a)^3,x)$

[Out] $\frac{1}{b^2} \frac{(\exp(2I(b*x+a))-1)^2 (d^2 x^2 b \exp(3I(b*x+a)) + 2cdx b \exp(3I(b*x+a)) + c^2 b \exp(3I(b*x+a)) + d^2 x^2 b \exp(I(b*x+a)) + 2cdx b \exp(I(b*x+a)) - 2I d^2 x \exp(3I(b*x+a)) + c^2 b \exp(I(b*x+a)) - 2I d c \exp(3I(b*x+a)) + 2I d^2 x \exp(I(b*x+a)) + 2I d c \exp(I(b*x+a))) + d^2 \text{polylog}(3, \exp(I(b*x+a)))}{b^3} - \frac{d^2 \text{polylog}(3, -\exp(I(b*x+a)))}{b^3} - \frac{2}{b^3} \frac{d^2 \text{arctanh}(\exp(I(b*x+a)))}{b^3} - \frac{1}{b^3} \frac{d^2 \text{arctanh}(\exp(I(b*x+a)))}{b^3} - \frac{1}{2} \frac{d^2 \ln(1-\exp(I(b*x+a))) a^2 + 1/2 d^2 \ln(\exp(I(b*x+a))+1) a^2 + 2/b^2 c d a \text{arctanh}(\exp(I(b*x+a))) - I/b^2 \text{polylog}(2, \exp(I(b*x+a))) d^2 x + I/b^2 \text{polylog}(2, -\exp(I(b*x+a))) d^2 x + 1/2 b d^2 \ln(1-\exp(I(b*x+a))) x^2 + I/b^2 c d \text{polylog}(2, -\exp(I(b*x+a))) - 1/2 b d^2 \ln(\exp(I(b*x+a))+1) x^2 - I/b^2 c d \text{polylog}(2, \exp(I(b*x+a))) + 1/b^2 c d \ln(1-\exp(I(b*x+a))) x + 1/b^2 c d \ln(\exp(I(b*x+a))+1) a}{b^3}$

Maxima [B] time = 2.34856, size = 2611, normalized size = 14.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)^2*\text{csc}(b*x+a)^3,x, \text{algorithm}=\text{"maxima"})$

[Out] $\frac{1}{4} (c^2 (2 \cos(b*x+a) / (\cos(b*x+a)^2 - 1) - \log(\cos(b*x+a) + 1) + \log(\cos(b*x+a) - 1)) - 2 a c d (2 \cos(b*x+a) / (\cos(b*x+a)^2 - 1) - \log(\cos(b*x+a) + 1) + \log(\cos(b*x+a) - 1))) / b + a^2 d^2 (2 \cos(b*x+a) / (\cos(b*x+a)^2 - 1) - \log(\cos(b*x+a) + 1) + \log(\cos(b*x+a) - 1)) / b^2 - 4 ((2 (b*x+a)^2 d^2 + 4 (b*c*d - a*d^2) (b*x+a) + 4 d^2 + 2 ((b*x+a)^2 d^2 + 2 (b*c*d - a*d^2) (b*x+a) + 2 d^2) \cos(4*b*x + 4*a) - 4 ((b*x+a)^2 d^2 + 2 (b*c*d - a*d^2) (b*x+a) + 2 d^2) \cos(2*b*x + 2*a) + (2 I (b*x+a)^2 d^2 + (4 I b*c*d - 4 I a*d^2) (b*x+a) + 4 I d^2) \sin(4*b*x + 4*a) + (-4 I (b*x+a)^2 d^2 + (-8 I b*c*d + 8 I a*d^2) (b*x+a) - 8 I d^2) \sin(2*b*x + 2*a)) \arctan2(\sin(b*x+a), \cos(b*x+a) + 1) - (4 d^2 \cos(4*b*x + 4*a) - 8 d^2 \cos(2*b*x + 2*a) + 4 I d^2 \sin(4*b*x + 4*a) - 8 I d^2 \sin(2*b*x + 2*a) + 4 d^2) \arctan2(\sin(b*x+a), \cos(b*x+a) - 1) + (2 (b*x+a)^2 d^2 + 4 (b*c*d - a*d^2) (b*x+a) + 2 ((b*x+a)^2 d^2 + 2 (b*c*d - a*d^2) (b*x+a)) \cos(4*b*x + 4*a) - 4 ((b*x+a)^2 d^2 + 2 (b*c*d - a*d^2) (b*x+a)) \cos(2*b*x + 2*a) + (2 I (b*x+a)^2 d^2 + (4 I b*c*d - 4 I a*d^2) (b*x+a)) \sin(4*b*x + 4*a) + (-4 I (b*x+a)^2 d^2 + (-8 I b*c*d + 8 I a*d^2) (b*x+a)) \sin(2*b*x + 2*a)) \arctan2(\sin(b*x+a), -\cos(b*x+a) + 1) + (4 I (b*x+a)^2 d^2 + 8 b*c*d - 8 a*d^2 - 8 (-I b*c*d + (I a - 1) d^2) (b*x+a)) \cos(3*b*x + 3*a) + (4 I (b*x+a)^2 d^2 - 8 b*c*d + 8 a*d^2 - 8 (-I b*c*d + (I a + 1) d^2) (b*x+a)) \cos(b*x+a) - (4 b*c*d + 4 (b*x+a) d^2 - 4 a*d^2 + 4 (b*c*d + (b*x+a) d^2 - a*d^2) \cos(4*b*x + 4*a) - 8 (b*c*d + (b*x+a) d^2 - a*d^2) \cos(2*b*x + 2*a) - (-4 I b*c*d - 4 I (b*x+a) d^2 + 4 I a*d^2) \sin(4*b*x + 4*a) - (8 I b*c*d + 8 I (b*x+a) d^2 - 8 I a*d^2) \sin(2*b*x + 2*a)) \text{dilog}(-e^{I(b*x+a)}) + (4 b*c*d + 4 (b*x+a) d^2 - 4 a*d^2 + 4 (b*c*d + (b*x+a) d^2 - a*d^2) \cos(4*b*x + 4*a) - 8 (b*c*d + (b*x+a) d^2 - a*d^2) \cos(2*b*x + 2*a) + (4 I b*c*d + 4 I (b*x+a) d^2 - 4 I a*d^2$

$$\begin{aligned}
& d^2 \sin(4bx + 4a) + (-8Ib^2cd - 8I(bx + a)d^2 + 8Ia^2d^2) \sin(2bx + 2a) \\
& + \operatorname{dilog}(e^{Ibx + Ia}) + (-I(bx + a)^2d^2 + (-2Ib^2cd + 2Ia^2d^2)(bx + a) - 2I^2d^2 + (-I(bx + a)^2d^2 + (-2Ib^2cd + 2Ia^2d^2)(bx + a) - 2I^2d^2) \cos(4bx + 4a) \\
& + (2I(bx + a)^2d^2 + (4Ib^2cd - 4Ia^2d^2)(bx + a) + 4I^2d^2) \cos(2bx + 2a) + ((bx + a)^2d^2 + 2(b^2cd - a^2d^2)(bx + a) + 2d^2) \sin(4bx + 4a) \\
& - 2((bx + a)^2d^2 + 2(b^2cd - a^2d^2)(bx + a) + 2d^2) \sin(2bx + 2a) \log(\cos(bx + a)^2 + \sin(bx + a)^2 + 2\cos(bx + a) + 1) \\
& + (I(bx + a)^2d^2 + (2Ib^2cd - 2Ia^2d^2)(bx + a) + 2I^2d^2 + (I(bx + a)^2d^2 + (2Ib^2cd - 2Ia^2d^2)(bx + a) + 2I^2d^2) \cos(4bx + 4a) \\
& + (-2I(bx + a)^2d^2 + (-4Ib^2cd + 4Ia^2d^2)(bx + a) - 4I^2d^2) \cos(2bx + 2a) - ((bx + a)^2d^2 + 2(b^2cd - a^2d^2)(bx + a) + 2d^2) \sin(4bx + 4a) \\
& + 2((bx + a)^2d^2 + 2(b^2cd - a^2d^2)(bx + a) + 2d^2) \sin(2bx + 2a) \log(\cos(bx + a)^2 + \sin(bx + a)^2 - 2\cos(bx + a) + 1) \\
& + (-4I^2d^2 \cos(4bx + 4a) + 8I^2d^2 \cos(2bx + 2a) + 4d^2 \sin(4bx + 4a) - 8d^2 \sin(2bx + 2a) - 4I^2d^2) \operatorname{polylog}(3, -e^{Ibx + Ia}) \\
& + (4I^2d^2 \cos(4bx + 4a) - 8I^2d^2 \cos(2bx + 2a) - 4d^2 \sin(4bx + 4a) + 8d^2 \sin(2bx + 2a) + 4I^2d^2) \operatorname{polylog}(3, e^{Ibx + Ia}) \\
& - (4(bx + a)^2d^2 - 8Ib^2cd + 8Ia^2d^2 + (8b^2cd - (8a + 8I)d^2)(bx + a)) \sin(3bx + 3a) - (4(bx + a)^2d^2 + 8Ib^2cd - 8Ia^2d^2 + (8b^2cd - (8a - 8I)d^2)(bx + a)) \sin(bx + a) \\
& / (-4Ib^2 \cos(4bx + 4a) + 8Ib^2 \cos(2bx + 2a) + 4b^2 \sin(4bx + 4a) - 8b^2 \sin(2bx + 2a) - 4Ib^2) / b
\end{aligned}$$

Fricas [C] time = 2.25953, size = 2379, normalized size = 13.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a)^3,x, algorithm="fricas")

$$\begin{aligned}
\text{[Out]} & 1/4*(2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\cos(b*x + a) + (2*I*b*d^2*x + 2*I*b*c*d + (-2*I*b*d^2*x - 2*I*b*c*d)*\cos(b*x + a)^2)*\operatorname{dilog}(\cos(b*x + a) + I*\sin(b*x + a)) \\
& + (-2*I*b*d^2*x - 2*I*b*c*d + (2*I*b*d^2*x + 2*I*b*c*d)*\cos(b*x + a)^2)*\operatorname{dilog}(\cos(b*x + a) - I*\sin(b*x + a)) \\
& + (2*I*b*d^2*x + 2*I*b*c*d + (-2*I*b*d^2*x - 2*I*b*c*d)*\cos(b*x + a)^2)*\operatorname{dilog}(-\cos(b*x + a) + I*\sin(b*x + a)) \\
& + (-2*I*b*d^2*x - 2*I*b*c*d + (2*I*b*d^2*x + 2*I*b*c*d)*\cos(b*x + a)^2)*\operatorname{dilog}(-\cos(b*x + a) - I*\sin(b*x + a)) \\
& + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 2*d^2)*\cos(b*x + a)^2 + 2*d^2) \log(\cos(b*x + a) + I*\sin(b*x + a) + 1) \\
& + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 2*d^2)*\cos(b*x + a)^2 + 2*d^2) \log(\cos(b*x + a) - I*\sin(b*x + a) + 1) \\
& - (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2 - (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2)*\cos(b*x + a)^2) \log(-1/2*\cos(b*x + a) + 1/2*I*\sin(b*x + a) + 1/2) \\
& - (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2 - (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2)*\cos(b*x + a)^2) \log(-1/2*\cos(b*x + a) - 1/2*I*\sin(b*x + a) + 1/2) \\
& - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2 - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\cos(b*x + a)^2) \log(-\cos(b*x + a) + I*\sin(b*x + a) + 1) \\
& - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2 - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\cos(b*x + a)^2) \log(-\cos(b*x + a) - I*\sin(b*x + a) + 1) \\
& + 2*(d^2*\cos(b*x + a)^2 - d^2) \operatorname{polylog}(3, \cos(b*x + a) + I*\sin(b*x + a)) + 2*(d^2*\cos(b*x + a)^2 - d^2) \operatorname{polylog}(3, \cos(b*x + a) - I*\sin(b*x + a)) \\
& - 2*(d^2*\cos(b*x + a)^2 - d^2) \operatorname{polylog}(3, -\cos(b*x + a) + I*\sin(b*x + a)) - 2*(d^2*\cos(b*x + a)^2 - d^2) \operatorname{polylog}(3, -\cos(b*x + a) - I*\sin(b*x + a)) \\
& + 4*(b*d^2*x + b*c*d)*\sin(b*x + a) / (b^3*\cos(b*x + a)^2 - b^3)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^2 \csc^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*csc(b*x+a)**3,x)

[Out] Integral((c + d*x)**2*csc(a + b*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^2 \csc(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*csc(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)^2*csc(b*x + a)^3, x)

3.35 $\int (c + dx) \csc^3(a + bx) dx$

Optimal. Leaf size=109

$$\frac{idPolyLog\left(2, -e^{i(a+bx)}\right)}{2b^2} - \frac{idPolyLog\left(2, e^{i(a+bx)}\right)}{2b^2} - \frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b}$$

[Out] -(((c + d*x)*ArcTanh[E^(I*(a + b*x))])/b) - (d*Csc[a + b*x])/(2*b^2) - ((c + d*x)*Cot[a + b*x]*Csc[a + b*x])/(2*b) + ((I/2)*d*PolyLog[2, -E^(I*(a + b*x))])/b^2 - ((I/2)*d*PolyLog[2, E^(I*(a + b*x))])/b^2

Rubi [A] time = 0.0666484, antiderivative size = 109, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4185, 4183, 2279, 2391}

$$\frac{idPolyLog\left(2, -e^{i(a+bx)}\right)}{2b^2} - \frac{idPolyLog\left(2, e^{i(a+bx)}\right)}{2b^2} - \frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Csc[a + b*x]^3, x]

[Out] -(((c + d*x)*ArcTanh[E^(I*(a + b*x))])/b) - (d*Csc[a + b*x])/(2*b^2) - ((c + d*x)*Cot[a + b*x]*Csc[a + b*x])/(2*b) + ((I/2)*d*PolyLog[2, -E^(I*(a + b*x))])/b^2 - ((I/2)*d*PolyLog[2, E^(I*(a + b*x))])/b^2

Rule 4185

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :> -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_.)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.))]/(x_.), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int (c + dx) \csc^3(a + bx) dx &= -\frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b} + \frac{1}{2} \int (c + dx) \csc(a + bx) dx \\
&= -\frac{(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b} - \frac{d \int \log}{2} \\
&= -\frac{(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b} + \frac{(id) \text{Sul}}{2} \\
&= -\frac{(c + dx) \tanh^{-1}\left(e^{i(a+bx)}\right)}{b} - \frac{d \csc(a + bx)}{2b^2} - \frac{(c + dx) \cot(a + bx) \csc(a + bx)}{2b} + \frac{id \text{Li}_2}{2}
\end{aligned}$$

Mathematica [B] time = 1.82193, size = 292, normalized size = 2.68

$$\frac{d \left(i \left(\text{PolyLog} \left(2, -e^{i(a+bx)} \right) - \text{PolyLog} \left(2, e^{i(a+bx)} \right) \right) + (a + bx) \left(\log \left(1 - e^{i(a+bx)} \right) - \log \left(1 + e^{i(a+bx)} \right) \right) - a \log \left(\tan \left(\frac{1}{2}(a + bx) \right) \right) \right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Csc[a + b*x]^3,x]

[Out] $-(d*x*Csc[a/2 + (b*x)/2]^2)/(8*b) - (c*Csc[(a + b*x)/2]^2)/(8*b) - (c*Log[Cos[(a + b*x)/2]])/(2*b) + (c*Log[Sin[(a + b*x)/2]])/(2*b) + (d*((a + b*x)*(Log[1 - E^(I*(a + b*x))] - Log[1 + E^(I*(a + b*x))] - a*Log[Tan[(a + b*x)/2]] + I*(PolyLog[2, -E^(I*(a + b*x))] - PolyLog[2, E^(I*(a + b*x))])))/(2*b^2) + (d*x*Sec[a/2 + (b*x)/2]^2)/(8*b) + (c*Sec[(a + b*x)/2]^2)/(8*b) + (d*Csc[a/2]*Csc[a/2 + (b*x)/2]*Sin[(b*x)/2])/(4*b^2) - (d*Sec[a/2]*Sec[a/2 + (b*x)/2]*Sin[(b*x)/2])/(4*b^2)$

Maple [B] time = 0.054, size = 246, normalized size = 2.3

$$\frac{dxbe^{3i(bx+a)} + cbe^{3i(bx+a)} + dxbe^{i(bx+a)} + cbe^{i(bx+a)} - ide^{3i(bx+a)} + ide^{i(bx+a)}}{b^2(e^{2i(bx+a)} - 1)^2} - \frac{c \text{Artanh}(e^{i(bx+a)})}{b} + \frac{d \ln(1 - e^{i(bx+a)})}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*csc(b*x+a)^3,x)

[Out] $1/b^2/(\exp(2*I*(b*x+a))-1)^2*(d*x*b*\exp(3*I*(b*x+a))+c*b*\exp(3*I*(b*x+a))+d*x*b*\exp(I*(b*x+a))+c*b*\exp(I*(b*x+a))-I*d*\exp(3*I*(b*x+a))+I*d*\exp(I*(b*x+a)))-1/b*c*\text{arctanh}(\exp(I*(b*x+a)))+1/2/b*d*\ln(1-\exp(I*(b*x+a)))*x+1/2/b^2*d*\ln(1-\exp(I*(b*x+a)))*a-1/2*I*d*\text{polylog}(2,\exp(I*(b*x+a)))/b^2-1/2/b*d*\ln(\exp(I*(b*x+a))+1)*x-1/2/b^2*d*\ln(\exp(I*(b*x+a))+1)*a+1/2*I*d*\text{polylog}(2,-\exp(I*(b*x+a)))/b^2+1/b^2*d*a*\text{arctanh}(\exp(I*(b*x+a)))$

Maxima [B] time = 1.64639, size = 1044, normalized size = 9.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)^3,x, algorithm="maxima")

```
[Out] -((2*b*d*x + 2*b*c + 2*(b*d*x + b*c))*cos(4*b*x + 4*a) - 4*(b*d*x + b*c)*cos(2*b*x + 2*a) + (2*I*b*d*x + 2*I*b*c)*sin(4*b*x + 4*a) + (-4*I*b*d*x - 4*I*b*c)*sin(2*b*x + 2*a))*arctan2(sin(b*x + a), cos(b*x + a) + 1) - (2*b*c*cos(4*b*x + 4*a) - 4*b*c*cos(2*b*x + 2*a) + 2*I*b*c*sin(4*b*x + 4*a) - 4*I*b*c*sin(2*b*x + 2*a) + 2*b*c)*arctan2(sin(b*x + a), cos(b*x + a) - 1) + (2*b*d*x*cos(4*b*x + 4*a) - 4*b*d*x*cos(2*b*x + 2*a) + 2*I*b*d*x*sin(4*b*x + 4*a) - 4*I*b*d*x*sin(2*b*x + 2*a) + 2*b*d*x)*arctan2(sin(b*x + a), -cos(b*x + a) + 1) + (4*I*b*d*x + 4*I*b*c + 4*d)*cos(3*b*x + 3*a) + (4*I*b*d*x + 4*I*b*c - 4*d)*cos(b*x + a) - (2*d*cos(4*b*x + 4*a) - 4*d*cos(2*b*x + 2*a) + 2*I*d*sin(4*b*x + 4*a) - 4*I*d*sin(2*b*x + 2*a) + 2*d)*dilog(-e^(I*b*x + I*a)) + (2*d*cos(4*b*x + 4*a) - 4*d*cos(2*b*x + 2*a) + 2*I*d*sin(4*b*x + 4*a) - 4*I*d*sin(2*b*x + 2*a) + 2*d)*dilog(e^(I*b*x + I*a)) + (-I*b*d*x - I*b*c + (-I*b*d*x - I*b*c)*cos(4*b*x + 4*a) + (2*I*b*d*x + 2*I*b*c)*cos(2*b*x + 2*a) + (b*d*x + b*c)*sin(4*b*x + 4*a) - 2*(b*d*x + b*c)*sin(2*b*x + 2*a))*log(cos(b*x + a)^2 + sin(b*x + a)^2 + 2*cos(b*x + a) + 1) + (I*b*d*x + I*b*c + (I*b*d*x + I*b*c)*cos(4*b*x + 4*a) + (-2*I*b*d*x - 2*I*b*c)*cos(2*b*x + 2*a) - (b*d*x + b*c)*sin(4*b*x + 4*a) + 2*(b*d*x + b*c)*sin(2*b*x + 2*a))*log(cos(b*x + a)^2 + sin(b*x + a)^2 - 2*cos(b*x + a) + 1) - (4*b*d*x + 4*b*c - 4*I*d)*sin(3*b*x + 3*a) - (4*b*d*x + 4*b*c + 4*I*d)*sin(b*x + a))/(-4*I*b^2*cos(4*b*x + 4*a) + 8*I*b^2*cos(2*b*x + 2*a) + 4*b^2*sin(4*b*x + 4*a) - 8*b^2*sin(2*b*x + 2*a) - 4*I*b^2)
```

Fricas [B] time = 1.98429, size = 1191, normalized size = 10.93

$$2(bdx + bc) \cos(bx + a) + (-id \cos(bx + a)^2 + id) \text{Li}_2(\cos(bx + a) + i \sin(bx + a)) + (id \cos(bx + a)^2 - id) \text{Li}_2(\cos(bx + a) - i \sin(bx + a))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*csc(b*x+a)^3,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(b*d*x + b*c)*cos(b*x + a) + (-I*d*cos(b*x + a)^2 + I*d)*dilog(cos(b*x + a) + I*sin(b*x + a)) + (I*d*cos(b*x + a)^2 - I*d)*dilog(cos(b*x + a) - I*sin(b*x + a)) + (-I*d*cos(b*x + a)^2 + I*d)*dilog(-cos(b*x + a) + I*sin(b*x + a)) + (I*d*cos(b*x + a)^2 - I*d)*dilog(-cos(b*x + a) - I*sin(b*x + a)) + (b*d*x - (b*d*x + b*c)*cos(b*x + a)^2 + b*c)*log(cos(b*x + a) + I*sin(b*x + a) + 1) + (b*d*x - (b*d*x + b*c)*cos(b*x + a)^2 + b*c)*log(cos(b*x + a) - I*sin(b*x + a) + 1) + ((b*c - a*d)*cos(b*x + a)^2 - b*c + a*d)*log(-1/2*cos(b*x + a) + 1/2*I*sin(b*x + a) + 1/2) + ((b*c - a*d)*cos(b*x + a)^2 - b*c + a*d)*log(-1/2*cos(b*x + a) - 1/2*I*sin(b*x + a) + 1/2) - (b*d*x - (b*d*x + a*d)*cos(b*x + a)^2 + a*d)*log(-cos(b*x + a) + I*sin(b*x + a) + 1) - (b*d*x - (b*d*x + a*d)*cos(b*x + a)^2 + a*d)*log(-cos(b*x + a) - I*sin(b*x + a) + 1) + 2*d*sin(b*x + a))/(b^2*cos(b*x + a)^2 - b^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx) \csc^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*csc(b*x+a)**3,x)
```

```
[Out] Integral((c + d*x)*csc(a + b*x)**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c) \csc (bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*csc(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)*csc(b*x + a)^3, x)

$$3.36 \quad \int \frac{\csc^3(a+bx)}{c+dx} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\csc^3(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]^3/(c + d*x), x]

Rubi [A] time = 0.0390921, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^3(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]^3/(c + d*x), x]

[Out] Defer[Int][Csc[a + b*x]^3/(c + d*x), x]

Rubi steps

$$\int \frac{\csc^3(a+bx)}{c+dx} dx = \int \frac{\csc^3(a+bx)}{c+dx} dx$$

Mathematica [A] time = 31.3571, size = 0, normalized size = 0.

$$\int \frac{\csc^3(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]^3/(c + d*x), x]

[Out] Integrate[Csc[a + b*x]^3/(c + d*x), x]

Maple [A] time = 2.163, size = 0, normalized size = 0.

$$\int \frac{(\csc(bx+a))^3}{dx+c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)^3/(d*x+c), x)

[Out] int(csc(b*x+a)^3/(d*x+c), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^3/(d*x+c),x, algorithm="maxima")

[Out] (((b*d*x + b*c)*cos(3*b*x + 3*a) + (b*d*x + b*c)*cos(b*x + a) - d*sin(3*b*x + 3*a) + d*sin(b*x + a))*cos(4*b*x + 4*a) + (b*d*x + b*c - 2*(b*d*x + b*c)*cos(2*b*x + 2*a) - 2*d*sin(2*b*x + 2*a))*cos(3*b*x + 3*a) - 2*((b*d*x + b*c)*cos(b*x + a) + d*sin(b*x + a))*cos(2*b*x + 2*a) + (b*d*x + b*c)*cos(b*x + a) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(4*b*x + 4*a)^2 + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a)^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))*integrate(1/2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 2*d^2)*sin(b*x + a)/(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(b*x + a)^2 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(b*x + a)^2 + 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(b*x + a)), x) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(4*b*x + 4*a)^2 + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a)^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))*integrate(1/2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 2*d^2)*sin(b*x + a)/(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(b*x + a)^2 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(b*x + a)^2 - 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(b*x + a)), x) + (d*cos(3*b*x + 3*a) - d*cos(b*x + a) + (b*d*x + b*c)*sin(3*b*x + 3*a) + (b*d*x + b*c)*sin(b*x + a))*sin(4*b*x + 4*a) + (2*d*cos(2*b*x + 2*a) - 2*(b*d*x + b*c)*sin(2*b*x + 2*a) - d)*sin(3*b*x + 3*a) + 2*(d*cos(b*x + a) - (b*d*x + b*c)*sin(b*x + a))*sin(2*b*x + 2*a) + d*sin(b*x + a))/(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(4*b*x + 4*a)^2 + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a)^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(2*b*x + 2*a))

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx+a)^3}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^3/(d*x+c),x, algorithm="fricas")

[Out] `integral(csc(b*x + a)^3/(d*x + c), x)`

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^3(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(b*x+a)**3/(d*x+c),x)`

[Out] `Integral(csc(a + b*x)**3/(c + d*x), x)`

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^3(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(b*x+a)^3/(d*x+c),x, algorithm="giac")`

[Out] `integrate(csc(b*x + a)^3/(d*x + c), x)`

$$3.37 \quad \int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\csc^3(a+bx)}{(c+dx)^2}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]^3/(c + d*x)^2, x]

Rubi [A] time = 0.0376024, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]^3/(c + d*x)^2, x]

[Out] Defer[Int][Csc[a + b*x]^3/(c + d*x)^2, x]

Rubi steps

$$\int \frac{\csc^3(a+bx)}{(c+dx)^2} dx = \int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$$

Mathematica [A] time = 34.7999, size = 0, normalized size = 0.

$$\int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]^3/(c + d*x)^2, x]

[Out] Integrate[Csc[a + b*x]^3/(c + d*x)^2, x]

Maple [A] time = 3.402, size = 0, normalized size = 0.

$$\int \frac{(\csc(bx+a))^3}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)^3/(d*x+c)^2, x)

[Out] int(csc(b*x+a)^3/(d*x+c)^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^3/(d*x+c)^2,x, algorithm="maxima")

[Out] (((b*d*x + b*c)*cos(3*b*x + 3*a) + (b*d*x + b*c)*cos(b*x + a) - 2*d*sin(3*b*x + 3*a) + 2*d*sin(b*x + a))*cos(4*b*x + 4*a) + (b*d*x + b*c - 2*(b*d*x + b*c))*cos(2*b*x + 2*a) - 4*d*sin(2*b*x + 2*a))*cos(3*b*x + 3*a) - 2*((b*d*x + b*c)*cos(b*x + a) + 2*d*sin(b*x + a))*cos(2*b*x + 2*a) + (b*d*x + b*c)*cos(b*x + a) + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(4*b*x + 4*a)^2 + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a)^2 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 - 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a))*integrate(1/2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 6*d^2)*sin(b*x + a)/(b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4 + (b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4))*cos(b*x + a)^2 + (b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4)*sin(b*x + a)^2 + 2*(b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4)*cos(b*x + a)), x) + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(4*b*x + 4*a)^2 + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a)^2 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 - 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a))*integrate(1/2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 + 6*d^2)*sin(b*x + a)/(b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4 + (b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4))*cos(b*x + a)^2 + (b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4)*sin(b*x + a)^2 - 2*(b^2*d^4*x^4 + 4*b^2*c*d^3*x^3 + 6*b^2*c^2*d^2*x^2 + 4*b^2*c^3*d*x + b^2*c^4)*cos(b*x + a)), x) + (2*d*cos(3*b*x + 3*a) - 2*d*cos(b*x + a) + (b*d*x + b*c)*sin(3*b*x + 3*a) + (b*d*x + b*c)*sin(b*x + a))*sin(4*b*x + 4*a) + 2*(2*d*cos(2*b*x + 2*a) - (b*d*x + b*c)*sin(2*b*x + 2*a) - d*sin(3*b*x + 3*a) + 2*(2*d*cos(b*x + a) - (b*d*x + b*c)*sin(b*x + a))*sin(2*b*x + 2*a) + 2*d*sin(b*x + a))/(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(4*b*x + 4*a)^2 + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a)^2 + (b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)^2 - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(4*b*x + 4*a)*sin(2*b*x + 2*a) + 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*sin(2*b*x + 2*a)^2 + 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3 - 2*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3))*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) - 4*(b^2*d^3*x^3 + 3*b^2*c*d^2*x^2 + 3*b^2*c^2*d*x + b^2*c^3)*cos(2*b*x + 2*a))

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx+a)^3}{d^2x^2+2cdx+c^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^3/(d*x+c)^2,x, algorithm="fricas")

[Out] integral(csc(b*x + a)^3/(d^2*x^2 + 2*c*d*x + c^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^3(a+bx)}{(c+dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)**3/(d*x+c)**2,x)

[Out] Integral(csc(a + b*x)**3/(c + d*x)**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx+a)^3}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)^3/(d*x+c)^2,x, algorithm="giac")

[Out] integrate(csc(b*x + a)^3/(d*x + c)^2, x)

3.38 $\int (c + dx)^{5/2} \sin(a + bx) dx$

Optimal. Leaf size=195

$$-\frac{15\sqrt{\frac{\pi}{2}}d^{5/2}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15\sqrt{\frac{\pi}{2}}d^{5/2}\sin\left(a - \frac{bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15d^2\sqrt{c+dx}\cos(a+bx)}{4b^3} + \frac{5d^2\sqrt{c+dx}\sin(a+bx)}{4b^3}$$

[Out] $(15*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(4*b^3) - ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x])/b - (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(4*b^{(7/2)}) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(4*b^{(7/2)}) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x])/(2*b^2)$

Rubi [A] time = 0.434107, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$-\frac{15\sqrt{\frac{\pi}{2}}d^{5/2}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15\sqrt{\frac{\pi}{2}}d^{5/2}\sin\left(a - \frac{bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15d^2\sqrt{c+dx}\cos(a+bx)}{4b^3} + \frac{5d^2\sqrt{c+dx}\sin(a+bx)}{4b^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(5/2)}*\text{Sin}[a + b*x], x]$

[Out] $(15*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(4*b^3) - ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x])/b - (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(4*b^{(7/2)}) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(4*b^{(7/2)}) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x])/(2*b^2)$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Sin}[e + f*x], x] \text{ :> } -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] \text{ ; FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 3306

$\text{Int}[\text{Sin}[e + f*x]/\text{Sqrt}[c + d*x], x] \text{ :> } \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] \text{ ; FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\text{Sin}[e + f*x]/\text{Sqrt}[c + d*x], x] \text{ :> } \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] \text{ ; FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[d*(e + f*x)^2], x] \text{ :> } \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ ; FreeQ}\{d, e, f, x\}$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^{5/2} \sin(a + bx) dx &= -\frac{(c + dx)^{5/2} \cos(a + bx)}{b} + \frac{(5d) \int (c + dx)^{3/2} \cos(a + bx) dx}{2b} \\ &= -\frac{(c + dx)^{5/2} \cos(a + bx)}{b} + \frac{5d(c + dx)^{3/2} \sin(a + bx)}{2b^2} - \frac{(15d^2) \int \sqrt{c + dx} \sin(a + bx) dx}{4b^2} \\ &= \frac{15d^2 \sqrt{c + dx} \cos(a + bx)}{4b^3} - \frac{(c + dx)^{5/2} \cos(a + bx)}{b} + \frac{5d(c + dx)^{3/2} \sin(a + bx)}{2b^2} - \frac{(15d^3)}{4b^2} \int \sqrt{c + dx} \sin(a + bx) dx \\ &= \frac{15d^2 \sqrt{c + dx} \cos(a + bx)}{4b^3} - \frac{(c + dx)^{5/2} \cos(a + bx)}{b} + \frac{5d(c + dx)^{3/2} \sin(a + bx)}{2b^2} - \frac{(15d^3)}{4b^2} \int \sqrt{c + dx} \sin(a + bx) dx \\ &= \frac{15d^2 \sqrt{c + dx} \cos(a + bx)}{4b^3} - \frac{(c + dx)^{5/2} \cos(a + bx)}{b} + \frac{5d(c + dx)^{3/2} \sin(a + bx)}{2b^2} - \frac{(15d^2)}{4b^2} \int \sqrt{c + dx} \sin(a + bx) dx \\ &= \frac{15d^2 \sqrt{c + dx} \cos(a + bx)}{4b^3} - \frac{(c + dx)^{5/2} \cos(a + bx)}{b} - \frac{15d^{5/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{4b^{7/2}} \end{aligned}$$

Mathematica [C] time = 0.111448, size = 124, normalized size = 0.64

$$\frac{d^2 \sqrt{c + dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2in} \Gamma\left(\frac{7}{2}, -\frac{ib(c+dx)}{d}\right)}{\sqrt{-\frac{ib(c+dx)}{d}}} + \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{7}{2}, \frac{ib(c+dx)}{d}\right)}{\sqrt{\frac{ib(c+dx)}{d}}} \right)}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Sin[a + b*x], x]

[Out] (d^2*Sqrt[c + d*x]*((E^((2*I)*a))*Gamma[7/2, ((-I)*b*(c + d*x))/d])/Sqrt[((-I)*b*(c + d*x))/d] + (E^(((2*I)*b*c)/d))*Gamma[7/2, (I*b*(c + d*x))/d])/Sqrt[(I*b*(c + d*x))/d])/((2*b^3*E^((I*(b*c + a*d))/d))

Maple [A] time = 0.012, size = 233, normalized size = 1.2

$$2 \frac{1}{d} \left(-1/2 \frac{d(dx+c)^{5/2}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + 5/2 \frac{d}{b} \left(1/2 \frac{d(dx+c)^{3/2}}{b} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - 3/2 \frac{d}{b} \left(-1/2 \frac{d(dx+c)^{1/2}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*sin(b*x+a), x)

```
[Out] 2/d*(-1/2/b*d*(d*x+c)^(5/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+5/2/b*d*(1/2/b*d
*(d*x+c)^(3/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-3/2/b*d*(-1/2/b*d*(d*x+c)^(1/
2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/4/b*d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos
((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(
(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))
```

Maxima [C] time = 1.88066, size = 891, normalized size = 4.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(5/2)*sin(b*x+a),x, algorithm="maxima")
```

```
[Out] 1/32*(80*(d*x + c)^(3/2)*b*d^2*sqrt(abs(b)/abs(d))*sin(((d*x + c)*b - b*c +
a*d)/d) - 8*(4*(d*x + c)^(5/2)*b^2*d*sqrt(abs(b)/abs(d)) - 15*sqrt(d*x + c
)*d^3*sqrt(abs(b)/abs(d)))*cos(((d*x + c)*b - b*c + a*d)/d) - ((15*sqrt(pi)
*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 15*sqrt(pi)
*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 15*I*sq
rt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 15*I*
sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^
3*cos(-(b*c - a*d)/d) - (15*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2
*arctan2(0, d/sqrt(d^2))) + 15*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) +
1/2*arctan2(0, d/sqrt(d^2))) + 15*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b)
+ 1/2*arctan2(0, d/sqrt(d^2))) - 15*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b
) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c
)*sqrt(I*b/d)) - ((15*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2
(0, d/sqrt(d^2))) + 15*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arcta
n2(0, d/sqrt(d^2))) + 15*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*ar
ctan2(0, d/sqrt(d^2))) - 15*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/
2*arctan2(0, d/sqrt(d^2))))*d^3*cos(-(b*c - a*d)/d) - (-15*I*sqrt(pi)*cos(1
/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 15*I*sqrt(pi)*co
s(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 15*sqrt(pi)*
sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 15*sqrt(pi)
*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sin(-(
b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)))/(b^3*d*sqrt(abs(b)/abs(d)))
```

Fricas [A] time = 1.77434, size = 467, normalized size = 2.39

$$\frac{15\sqrt{2}\pi d^3\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{bc-ad}{d}\right)C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)-15\sqrt{2}\pi d^3\sqrt{\frac{b}{\pi d}}S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{bc-ad}{d}\right)+2\sqrt{dx+c}\left(4b^3d^2\right)}{8b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(5/2)*sin(b*x+a),x, algorithm="fricas")
```

```
[Out] -1/8*(15*sqrt(2)*pi*d^3*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt
(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 15*sqrt(2)*pi*d^3*sqrt(b/(pi*d))*fresne
l_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) + 2*sqrt(d*
x + c)*((4*b^3*d^2*x^2 + 8*b^3*c*d*x + 4*b^3*c^2 - 15*b*d^2)*cos(b*x + a) -
10*(b^2*d^2*x + b^2*c*d)*sin(b*x + a))/b^4
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(5/2)*sin(b*x+a),x)

[Out] Timed out

Giac [C] time = 1.25858, size = 1376, normalized size = 7.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/16*(4*(\sqrt{2}*\sqrt{\pi})*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(I* \\ & b*d/\sqrt{b^2*d^2+1})/d)*e^{(I*b*c-I*a*d)/d}/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2+1}*b) \\ & +\sqrt{2}*\sqrt{\pi})*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(-I*b*d/\sqrt{b^2*d^2+1})/d \\ & *e^{((-I*b*c+I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2+1}*b)+2*\sqrt{d*x+c})*d} \\ & *e^{(I*(d*x+c)*b-I*b*c+I*a*d)/d}/b+2*\sqrt{d*x+c}*d*e^{((-I*(d*x+c)*b+I*b*c-I*a*d)/d)/b} \\ & *c^2+d^2*((I*\sqrt{2}*\sqrt{\pi})*(-4*I*b^2*c^2*d+12*b*c*d^2+15*I*d^3)*d*\operatorname{erf}(-1/2* \\ & *\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(I*b*d/\sqrt{b^2*d^2+1})/d)*e^{(I*b*c-I*a*d)/d} \\ & /(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2+1}*b^3)-2*I*(4*I*(d*x+c)^{(5/2)}*b^2*d-8*I*(d*x+c)^{(3/2)}*b^2*c*d \\ & +4*I*\sqrt{d*x+c}*b^2*c^2*d+10*(d*x+c)^{(3/2)}*b*d^2-12*\sqrt{d*x+c}*b*c*d^2-15*I*\sqrt{d*x+c}*d^3)*e \\ & ^{((-I*(d*x+c)*b+I*b*c-I*a*d)/d)/b^3}/d^2+(I*\sqrt{2}*\sqrt{\pi})*(-4*I*b^2*c^2*d-12*b*c*d^2+15*I*d^3) \\ & *d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(-I*b*d/\sqrt{b^2*d^2+1})/d)*e^{((-I*b*c+I*a*d)/d)}/ \\ & (\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2+1}*b^3)-2*I*(4*I*(d*x+c)^{(5/2)}*b^2*d-8*I*(d*x+c)^{(3/2)}*b^2*c*d \\ & +4*I*\sqrt{d*x+c}*b^2*c^2*d-10*(d*x+c)^{(3/2)}*b*d^2+12*\sqrt{d*x+c}*b*c*d^2-15*I*\sqrt{d*x+c}*d^3) \\ & *e^{(I*(d*x+c)*b-I*b*c+I*a*d)/d}/b^3)/d^2+4*(I*\sqrt{2}*\sqrt{\pi})*(2*I*b*c*d-3*d^2)*d*\operatorname{erf}(-1/2* \\ & *\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(I*b*d/\sqrt{b^2*d^2+1})/d)*e^{(I*b*c-I*a*d)/d}/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2+1})*b^2) \\ & +I*\sqrt{2}*\sqrt{\pi}*(2*I*b*c*d+3*d^2)*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(-I*b*d/\sqrt{b^2*d^2+1})/d \\ & *e^{((-I*b*c+I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2+1})*b^2)-2*I*(2*I*(d*x+c)^{(3/2)}*b*d-2*I*\sqrt{d*x+c}*b*c*d-3*\sqrt{d*x+c})*d^2} \\ & *e^{(I*(d*x+c)*b-I*b*c+I*a*d)/d}/b^2-2*I*(2*I*(d*x+c)^{(3/2)}*b*d-2*I*\sqrt{d*x+c}*b*c*d+3*\sqrt{d*x+c})*d^2)*e^{((-I*(d*x+c)*b+I*b*c-I*a*d)/d)/b^2} \\ & *c)/d \end{aligned}$$

3.39 $\int (c + dx)^{3/2} \sin(a + bx) dx$

Optimal. Leaf size=170

$$\frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\sin\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\cos\left(a - \frac{bc}{d}\right)\text{S}\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3d\sqrt{c+dx}\sin(a+bx)}{2b^2} - \frac{(c+dx)^{3/2}\sin(a+bx)}{b}$$

[Out] -(((c + d*x)^(3/2)*Cos[a + b*x])/b) - (3*d^(3/2)*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]/(2*b^(5/2))) - (3*d^(3/2)*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(2*b^(5/2)) + (3*d*Sqrt[c + d*x]*Sin[a + b*x])/(2*b^2)

Rubi [A] time = 0.242042, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\sin\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\cos\left(a - \frac{bc}{d}\right)\text{S}\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3d\sqrt{c+dx}\sin(a+bx)}{2b^2} - \frac{(c+dx)^{3/2}\sin(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^(3/2)*Sin[a + b*x], x]

[Out] -(((c + d*x)^(3/2)*Cos[a + b*x])/b) - (3*d^(3/2)*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]/(2*b^(5/2))) - (3*d^(3/2)*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(2*b^(5/2)) + (3*d*Sqrt[c + d*x]*Sin[a + b*x])/(2*b^2)

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int (c+dx)^{3/2} \sin(a+bx) dx &= -\frac{(c+dx)^{3/2} \cos(a+bx)}{b} + \frac{(3d) \int \sqrt{c+dx} \cos(a+bx) dx}{2b} \\ &= -\frac{(c+dx)^{3/2} \cos(a+bx)}{b} + \frac{3d\sqrt{c+dx} \sin(a+bx)}{2b^2} - \frac{(3d^2) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{4b^2} \\ &= -\frac{(c+dx)^{3/2} \cos(a+bx)}{b} + \frac{3d\sqrt{c+dx} \sin(a+bx)}{2b^2} - \frac{\left(3d^2 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{4b^2} \\ &= -\frac{(c+dx)^{3/2} \cos(a+bx)}{b} + \frac{3d\sqrt{c+dx} \sin(a+bx)}{2b^2} - \frac{\left(3d \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx}{d}\right) dx\right)}{2b^2} \\ &= -\frac{(c+dx)^{3/2} \cos(a+bx)}{b} - \frac{3d^{3/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} - \frac{3d^{3/2} \sqrt{\frac{\pi}{2}} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} \end{aligned}$$

Mathematica [C] time = 0.100351, size = 125, normalized size = 0.74

$$\frac{id\sqrt{c+dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia} \Gamma\left(\frac{5}{2}, -\frac{ib(c+dx)}{d}\right)}{\sqrt{-\frac{ib(c+dx)}{d}}} - \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{5}{2}, \frac{ib(c+dx)}{d}\right)}{\sqrt{\frac{ib(c+dx)}{d}}} \right)}{2b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^(3/2)*Sin[a + b*x], x]
```

```
[Out] ((-I/2)*d*Sqrt[c + d*x]*((E^((2*I)*a)*Gamma[5/2, ((-I)*b*(c + d*x))/d])/Sqr
t[(-I)*b*(c + d*x)/d] - (E^((2*I)*b*c)/d)*Gamma[5/2, (I*b*(c + d*x))/d])
/Sqrt[(I*b*(c + d*x)/d)]/(b^2*E^((I*(b*c + a*d))/d))
```

Maple [A] time = 0.007, size = 188, normalized size = 1.1

$$2 \frac{1}{d} \left(-1/2 \frac{d(dx+c)^{3/2}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + 3/2 \frac{d}{b} \left(1/2 \frac{d\sqrt{dx+c}}{b} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - 1/4 \frac{d\sqrt{2}\sqrt{\pi}}{b} \left(\cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^(3/2)*sin(b*x+a), x)
```

```
[Out] 2/d*(-1/2/b*d*(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+3/2/b*d*(1/2/b*d
*(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/4/b*d*2^(1/2)*Pi^(1/2)/(b/d
```

```
)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))
```

Maxima [C] time = 1.82981, size = 855, normalized size = 5.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(3/2)*sin(b*x+a),x, algorithm="maxima")
```

```
[Out] -1/16*(16*(d*x + c)^(3/2)*b*d*sqrt(abs(b)/abs(d))*cos(((d*x + c)*b - b*c + a*d)/d) - 24*sqrt(d*x + c)*d^2*sqrt(abs(b)/abs(d))*sin(((d*x + c)*b - b*c + a*d)/d) - ((-3*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^2*cos(-(b*c - a*d)/d) - (3*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^2*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) - ((3*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^2*cos(-(b*c - a*d)/d) - (3*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^2*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)))/(b^2*d*sqrt(abs(b)/abs(d)))
```

Fricas [A] time = 1.79597, size = 394, normalized size = 2.32

$$\frac{3\sqrt{2}\pi d^2\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{bc-ad}{d}\right)S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)+3\sqrt{2}\pi d^2\sqrt{\frac{b}{\pi d}}C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{bc-ad}{d}\right)-2(3bd\sin(bx+a))}{4b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(3/2)*sin(b*x+a),x, algorithm="fricas")
```

```
[Out] -1/4*(3*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 3*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) - 2*(3*b*d*sin(b*x + a) - 2*(b^2*d*x + b^2*c)*cos(b*x + a))*sqrt(d*x + c))/b^3
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^{\frac{3}{2}} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(3/2)*sin(b*x+a),x)

[Out] Integral((c + d*x)**(3/2)*sin(a + b*x), x)

Giac [C] time = 1.25184, size = 764, normalized size = 4.49

$$2 \left[\frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} + \frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc+iad}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} + \frac{2\sqrt{dx+c}d e^{\left(\frac{i(dx+c)b-ibc+iad}{d}\right)}}{b} + \frac{2\sqrt{dx+c}}{b} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(2*(\sqrt{2}*\sqrt{\pi})*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(I*b \\ & *d/\sqrt{b^2*d^2}+1)/d)*e^{((I*b*c-I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} \\ & ^2+1)*b)} + \sqrt{2}*\sqrt{\pi}*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c} \\ & *(-I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((-I*b*c+I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} \\ & ^2+1)*b)} + 2*\sqrt{d*x+c}*d*e^{((I*(d*x+c)*b-I*b*c+I*a*d)/d)/b} + 2*\sqrt{d*x+c} \\ & *d*e^{((-I*(d*x+c)*b+I*b*c-I*a*d)/d)/b}*c + I*\sqrt{2}*\sqrt{\pi}*(2*I*b*c*d-3*d^2) \\ & *d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((I*b*c-I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} \\ & ^2+1)*b^2)} + I*\sqrt{2}*\sqrt{\pi}*(2*I*b*c*d+3*d^2)*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c} \\ & *(-I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((-I*b*c+I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2}+1)*b^2)} \\ & - 2*I*(2*I*(d*x+c)^{(3/2)}*b*d-2*I*\sqrt{d*x+c}*b*c*d-3*\sqrt{d*x+c}*d^2)*e^{((I*(d*x+c)*b-I*b*c+I*a*d)/d)/b^2} \\ & - 2*I*(2*I*(d*x+c)^{(3/2)}*b*d-2*I*\sqrt{d*x+c}*b*c*d+3*\sqrt{d*x+c}*d^2)*e^{((-I*(d*x+c)*b+I*b*c-I*a*d)/d)/b^2}/d \end{aligned}$$

3.40 $\int \sqrt{c + dx} \sin(a + bx) dx$

Optimal. Leaf size=142

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} - \frac{\sqrt{c + dx} \cos(a + bx)}{b}$$

[Out] -((Sqrt[c + d*x]*Cos[a + b*x])/b) + (Sqrt[d]*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/b^(3/2) - (Sqrt[d]*Sqrt[Pi/2]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/b^(3/2)

Rubi [A] time = 0.175986, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} - \frac{\sqrt{c + dx} \cos(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Sin[a + b*x], x]

[Out] -((Sqrt[c + d*x]*Cos[a + b*x])/b) + (Sqrt[d]*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/b^(3/2) - (Sqrt[d]*Sqrt[Pi/2]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/b^(3/2)

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304


```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{c+dx} \sin(a+bx) dx &= -\frac{\sqrt{c+dx} \cos(a+bx)}{b} + \frac{d \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{2b} \\ &= -\frac{\sqrt{c+dx} \cos(a+bx)}{b} + \frac{\left(d \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx - \left(d \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{2b} \\ &= -\frac{\sqrt{c+dx} \cos(a+bx)}{b} + \frac{\cos\left(a - \frac{bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right) - \sin\left(a - \frac{bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{b} \\ &= -\frac{\sqrt{c+dx} \cos(a+bx)}{b} + \frac{\sqrt{d} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) - \sqrt{d} \sqrt{\frac{\pi}{2}} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.0938248, size = 123, normalized size = 0.87

$$\frac{\sqrt{c+dx} e^{-\frac{i(ad+bc)}{d}} \left(-\frac{e^{2ia} \Gamma\left(\frac{3}{2}, -\frac{ib(c+dx)}{d}\right)}{\sqrt{-\frac{ib(c+dx)}{d}}} - \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{3}{2}, \frac{ib(c+dx)}{d}\right)}{\sqrt{\frac{ib(c+dx)}{d}}} \right)}{2b}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[c + d*x]*Sin[a + b*x], x]
```

```
[Out] (Sqrt[c + d*x]*(-(E^((2*I)*a)*Gamma[3/2, ((-I)*b*(c + d*x))/d])/Sqrt[((-I)*b*(c + d*x))/d]) - (E^(((2*I)*b*c)/d)*Gamma[3/2, (I*b*(c + d*x))/d])/Sqrt[(I*b*(c + d*x))/d])/(2*b*E^((I*(b*c + a*d))/d))
```

Maple [A] time = 0.007, size = 145, normalized size = 1.

$$2 \frac{1}{d} \left(-\frac{1}{2} \frac{d\sqrt{dx+c}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + \frac{1}{4} \frac{d\sqrt{2}\sqrt{\pi}}{b} \left(\cos\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) - \sin\left(\frac{da-cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{dx+c}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^(1/2)*sin(b*x+a), x)
```

```
[Out] 2/d*(-1/2/b*d*(d*x+c)^(1/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/4/b*d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2))*(d*x+c)^(1/2)*b/d-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2))*(d*x+c)^(1/2)*b/d))
```

Maxima [C] time = 1.83438, size = 779, normalized size = 5.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/8*(8*\sqrt{d*x + c}*d*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(((d*x + c)*b - b*c + a*d)/d) \\ & - ((\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) \\ & + \sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) \\ & - I*\sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) \\ & + I*\sqrt{\pi})*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) \\ &))*d*\cos(-(b*c - a*d)/d) - (I*\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2 \\ & *\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2 \\ & *\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2* \\ & \arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi})*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*a \\ & rctan2(0, d/\sqrt{d^2}))) *d*\sin(-(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{I*b/ \\ & d}) - ((\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2} \\ &)) + \sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2} \\ &)) + I*\sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2} \\ &)) - I*\sqrt{\pi})*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2} \\ &)))) *d*\cos(-(b*c - a*d)/d) - (-I*\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + \\ & 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + \\ & 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1 \\ & /2*\arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi})*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/ \\ & 2*\arctan2(0, d/\sqrt{d^2}))) *d*\sin(-(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{(- \\ & I*b/d}))/ (b*d*\sqrt{\text{abs}(b)/\text{abs}(d)}) \end{aligned}$$

Fricas [A] time = 1.76481, size = 327, normalized size = 2.3

$$\frac{\sqrt{2}\pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - \sqrt{2}\pi d \sqrt{\frac{b}{\pi d}} S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{bc-ad}{d}\right) - 2\sqrt{dx+c} b \cos(bx+a)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/2*(\sqrt{2}*\pi*d*\sqrt{b/(\pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) \\ & - \sqrt{2}*\pi*d*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) \\ &)*\sin(-(b*c - a*d)/d) - 2*\sqrt{d*x + c}*b*\cos(b*x + a))/b^2 \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c + dx} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)*sin(b*x+a),x)

[Out] Integral(sqrt(c + d*x)*sin(a + b*x), x)

Giac [C] time = 1.18217, size = 332, normalized size = 2.34

$$\frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} + \frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{-ibc+id}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} + \frac{2\sqrt{dx+c}de^{\left(\frac{i(dx+c)b-ibc+id}{d}\right)}}{b} + \frac{2\sqrt{dx+c}de^{\left(\frac{-i(dx+c)b+ibc-id}{d}\right)}}{b}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a),x, algorithm="giac")

[Out] $-1/4*(\sqrt{2}*\sqrt{\pi})*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{(I*b*c - I*a*d)/d}/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1)*b) + \sqrt{2}*\sqrt{\pi})*d^2*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-I*b*c + I*a*d)/d)}/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1)*b) + 2*\sqrt{d*x + c}*d*e^{(I*(d*x + c)*b - I*b*c + I*a*d)/d}/b + 2*\sqrt{d*x + c}*d*e^{((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b}/d$

3.41 $\int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx$

Optimal. Leaf size=117

$$\frac{\sqrt{2\pi} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b}\sqrt{d}} + \frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b}\sqrt{d}}$$

[Out] (Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(Sqrt[b]*Sqrt[d]) + (Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(Sqrt[b]*Sqrt[d])

Rubi [A] time = 0.132519, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{2\pi} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b}\sqrt{d}} + \frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]/Sqrt[c + d*x],x]

[Out] (Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(Sqrt[b]*Sqrt[d]) + (Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(Sqrt[b]*Sqrt[d])

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

```
Int[Cos[(d_.)*(e_.) + (f_.)*(x_.)^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
1C[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx &= \cos\left(a - \frac{bc}{d}\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{\sqrt{c+dx}} dx + \sin\left(a - \frac{bc}{d}\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{\sqrt{c+dx}} dx \\ &= \frac{\left(2 \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d} + \frac{\left(2 \sin\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d} \\ &= \frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b}\sqrt{d}} + \frac{\sqrt{2\pi} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{\sqrt{b}\sqrt{d}} \end{aligned}$$

Mathematica [C] time = 0.0538371, size = 121, normalized size = 1.03

$$\frac{e^{-\frac{i(ad+bc)}{d}} \left(e^{2ia} \sqrt{-\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) + e^{\frac{2ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) \right)}{2b\sqrt{c+dx}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]/Sqrt[c + d*x], x]
```

```
[Out] -(E^((2*I)*a)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d] +
E^(((2*I)*b*c)/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d])/((
2*b*E^((I*(b*c + a*d))/d)*Sqrt[c + d*x])
```

Maple [A] time = 0.014, size = 99, normalized size = 0.9

$$\frac{\sqrt{2}\sqrt{\pi}}{d} \left(\cos\left(\frac{da-cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2}b}{\sqrt{\pi}d} \sqrt{dx+c} \frac{1}{\sqrt{\frac{b}{d}}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}b}{\sqrt{\pi}d} \sqrt{dx+c} \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \frac{1}{\sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)/(d*x+c)^(1/2), x)
```

```
[Out] 1/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)
)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)
/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))
```

Maxima [C] time = 1.77746, size = 714, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(1/2), x, algorithm="maxima")
```

```
[Out] -1/4*((( -I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (((I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)))/(d*sqrt(abs(b)/abs(d)))
```

Fricas [A] time = 1.71886, size = 269, normalized size = 2.3

$$\frac{\sqrt{2}\pi\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{bc-ad}{d}\right)S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + \sqrt{2}\pi\sqrt{\frac{b}{\pi d}}C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{bc-ad}{d}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] (sqrt(2)*pi*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + sqrt(2)*pi*sqrt(b/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d))/b
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)**(1/2),x)
```

```
[Out] Integral(sin(a + b*x)/sqrt(c + d*x), x)
```

Giac [C] time = 1.12505, size = 227, normalized size = 1.94

$$\frac{i\sqrt{2}\sqrt{\pi d}\operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)} - \frac{i\sqrt{2}\sqrt{\pi d}\operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{-ibc+id}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] -1/2*(I*sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/
sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2)
+ 1)) - I*sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*
b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^
2*d^2) + 1))/d
```

$$3.42 \quad \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=139

$$\frac{2\sqrt{2\pi}\sqrt{b}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{2\pi}\sqrt{b}\sin\left(a - \frac{bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sin(a+bx)}{d\sqrt{c+dx}}$$

[Out] (2*Sqrt[b]*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) - (2*Sqrt[b]*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(3/2) - (2*Sin[a + b*x])/(d*Sqrt[c + d*x])

Rubi [A] time = 0.204376, antiderivative size = 139, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{2\pi}\sqrt{b}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{2\pi}\sqrt{b}\sin\left(a - \frac{bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sin(a+bx)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]/(c + d*x)^(3/2), x]

[Out] (2*Sqrt[b]*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) - (2*Sqrt[b]*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(3/2) - (2*Sin[a + b*x])/(d*Sqrt[c + d*x])

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx &= -\frac{2\sin(a+bx)}{d\sqrt{c+dx}} + \frac{(2b) \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{d} \\ &= -\frac{2\sin(a+bx)}{d\sqrt{c+dx}} + \frac{\left(2b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{d} - \frac{\left(2b \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{d} \\ &= -\frac{2\sin(a+bx)}{d\sqrt{c+dx}} + \frac{\left(4b \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} - \frac{\left(4b \sin\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} \\ &= \frac{2\sqrt{b}\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{b}\sqrt{2\pi} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{d^{3/2}} - \frac{2\sin(a+bx)}{d\sqrt{c+dx}} \end{aligned}$$

Mathematica [C] time = 0.312954, size = 148, normalized size = 1.06

$$\frac{ie^{-\frac{i(ad+bc)}{d}} \left(-e^{2ia} \sqrt{-\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) + e^{\frac{2ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) + 2ie^{\frac{i(ad+bc)}{d}} \sin(a+bx)\right)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x)^(3/2), x]

[Out] (I*(-(E^((2*I)*a)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d]) + E^(((2*I)*b*c)/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d] + (2*I)*E^((I*(b*c + a*d))/d)*Sin[a + b*x])/(d*E^((I*(b*c + a*d))/d)*Sqrt[c + d*x])

Maple [A] time = 0.014, size = 140, normalized size = 1.

$$2 \frac{1}{d} \left(-\frac{1}{\sqrt{dx+c}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + \frac{b\sqrt{2}\sqrt{\pi}}{d} \left(\cos\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}}{\sqrt{\pi}d}, \frac{1}{\sqrt{\frac{b}{d}}}\right) - \sin\left(\frac{da-cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{dx+c}}{\sqrt{\pi}d}, \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c)^(3/2), x)

[Out] 2/d*(-1/(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+b/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)) - 2/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2))

$(1/2)*b/d)-\sin((a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}))$

Maxima [C] time = 1.32221, size = 632, normalized size = 4.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] $-1/4*((I*\text{gamma}(-1/2, I*(d*x + c)*b/d) - I*\text{gamma}(-1/2, -I*(d*x + c)*b/d))*\cos(1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (I*\text{gamma}(-1/2, I*(d*x + c)*b/d) - I*\text{gamma}(-1/2, -I*(d*x + c)*b/d))*\cos(-1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) - (\text{gamma}(-1/2, I*(d*x + c)*b/d) + \text{gamma}(-1/2, -I*(d*x + c)*b/d))*\sin(1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (\text{gamma}(-1/2, I*(d*x + c)*b/d) + \text{gamma}(-1/2, -I*(d*x + c)*b/d))*\sin(-1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))))*\cos(-(b*c - a*d)/d) + ((\text{gamma}(-1/2, I*(d*x + c)*b/d) + \text{gamma}(-1/2, -I*(d*x + c)*b/d))*\cos(1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (\text{gamma}(-1/2, I*(d*x + c)*b/d) + \text{gamma}(-1/2, -I*(d*x + c)*b/d))*\cos(-1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (I*\text{gamma}(-1/2, I*(d*x + c)*b/d) - I*\text{gamma}(-1/2, -I*(d*x + c)*b/d))*\sin(1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (-I*\text{gamma}(-1/2, I*(d*x + c)*b/d) + I*\text{gamma}(-1/2, -I*(d*x + c)*b/d))*\sin(-1/4*\text{pi} + 1/2*\text{arctan2}(0, b) + 1/2*\text{arctan2}(0, d/\text{sqrt}(d^2))))*\sin(-(b*c - a*d)/d))*\text{sqrt}((d*x + c)*\text{abs}(b)/\text{abs}(d))/(\text{sqrt}(d*x + c)*d)$

Fricas [A] time = 1.964, size = 362, normalized size = 2.6

$$\frac{2\left(\sqrt{2}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{bc-ad}{d}\right)C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - \sqrt{2}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}}S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{bc-ad}{d}\right) - \sqrt{dx+c}\right)}{d^2x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $2*(\text{sqrt}(2)*(pi*d*x + pi*c)*\text{sqrt}(b/(pi*d))*\cos(-(b*c - a*d)/d)*\text{fresnel_cos}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(pi*d))) - \text{sqrt}(2)*(pi*d*x + pi*c)*\text{sqrt}(b/(pi*d))*\text{fresnel_sin}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(pi*d)))*\sin(-(b*c - a*d)/d) - \text{sqrt}(d*x + c)*\sin(b*x + a))/(d^2*x + c*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{(c + dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)**(3/2),x)

[Out] Integral(sin(a + b*x)/(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)/(d*x + c)^(3/2), x)

3.43 $\int \frac{\sin(a+bx)}{(c+dx)^{5/2}} dx$

Optimal. Leaf size=168

$$\frac{4\sqrt{2\pi}b^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4\sqrt{2\pi}b^{3/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4b \cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2 \sin(a+bx)}{3d(c+dx)^{3/2}}$$

[Out] $(-4*b*\text{Cos}[a + b*x])/(3*d^2*\text{Sqrt}[c + d*x]) - (4*b^{(3/2)}*\text{Sqrt}[2*Pi]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(3*d^{(5/2)}) - (4*b^{(3/2)}*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(3*d^{(5/2)}) - (2*\text{Sin}[a + b*x])/(3*d*(c + d*x)^{(3/2)})$

Rubi [A] time = 0.238313, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{4\sqrt{2\pi}b^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4\sqrt{2\pi}b^{3/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4b \cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2 \sin(a+bx)}{3d(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*x]/(c + d*x)^{(5/2)}, x]$

[Out] $(-4*b*\text{Cos}[a + b*x])/(3*d^2*\text{Sqrt}[c + d*x]) - (4*b^{(3/2)}*\text{Sqrt}[2*Pi]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(3*d^{(5/2)}) - (4*b^{(3/2)}*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(3*d^{(5/2)}) - (2*\text{Sin}[a + b*x])/(3*d*(c + d*x)^{(3/2)})$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}*\text{Sin}[e + f*x]/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{LtQ}[m, -1]$

Rule 3306

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[2/Pi]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{2\sin(a+bx)}{3d(c+dx)^{3/2}} + \frac{(2b) \int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx}{3d} \\ &= -\frac{4b\cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2\sin(a+bx)}{3d(c+dx)^{3/2}} - \frac{(4b^2) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{3d^2} \\ &= -\frac{4b\cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2\sin(a+bx)}{3d(c+dx)^{3/2}} - \frac{(4b^2\cos(a-\frac{bc}{d})) \int \frac{\sin(\frac{bc}{d}+bx)}{\sqrt{c+dx}} dx}{3d^2} - \frac{(4b^2\sin(a-\frac{bc}{d})) \int \frac{\cos(\frac{bc}{d})}{\sqrt{c+dx}} dx}{3d^2} \\ &= -\frac{4b\cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2\sin(a+bx)}{3d(c+dx)^{3/2}} - \frac{(8b^2\cos(a-\frac{bc}{d})) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{3d^3} - \frac{(8b^2\sin(a-\frac{bc}{d})) \int \frac{\cos(\frac{bc}{d})}{\sqrt{c+dx}} dx}{3d^2} \\ &= -\frac{4b\cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{4b^{3/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4b^{3/2}\sqrt{2\pi}C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)\sin\left(a-\frac{bc}{d}\right)}{3d^{5/2}} \end{aligned}$$

Mathematica [C] time = 0.629594, size = 162, normalized size = 0.96

$$\frac{2\left(-d\sin(a+bx) - b(c+dx)\left(e^{-i(a+bx)}\left(-e^{\frac{ib(c+dx)}{d}}\sqrt{\frac{ib(c+dx)}{d}}\Gamma\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) + e^{2i(a+bx)} + 1\right) - e^{i\left(a-\frac{bc}{d}\right)}\sqrt{-\frac{ib(c+dx)}{d}}\Gamma\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right)\right)\right)}{3d^2(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x)^(5/2), x]

[Out] (2*(-(b*(c + d*x))*(-E^(I*(a - (b*c)/d))*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d]) + (1 + E^((2*I)*(a + b*x)) - E^((I*b*(c + d*x))/d))*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d])/E^(I*(a + b*x))) - d*Sin[a + b*x])/(3*d^2*(c + d*x)^(3/2))

Maple [A] time = 0.009, size = 180, normalized size = 1.1

$$2\frac{1}{d}\left(-\frac{1}{3}\frac{1}{(dx+c)^{3/2}}\sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + 2/3\frac{b}{d}\left(-\frac{1}{\sqrt{dx+c}}\cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - \frac{b\sqrt{2}\sqrt{\pi}}{d}\left(\cos\left(\frac{da-cb}{d}\right) - \sin\left(\frac{da-cb}{d}\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c)^(5/2), x)

```
[Out] 2/d*(-1/3/(d*x+c)^(3/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+2/3*b/d*(-1/(d*x+c)^(1/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-b/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))
```

Maxima [C] time = 1.31056, size = 632, normalized size = 3.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] -1/4*(((I*gamma(-3/2, I*(d*x + c)*b/d) - I*gamma(-3/2, -I*(d*x + c)*b/d))*cos(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-3/2, I*(d*x + c)*b/d) - I*gamma(-3/2, -I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) - (gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*sin(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) + ((gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*cos(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-3/2, I*(d*x + c)*b/d) - I*gamma(-3/2, -I*(d*x + c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (-I*gamma(-3/2, I*(d*x + c)*b/d) + I*gamma(-3/2, -I*(d*x + c)*b/d))*sin(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*sin(-(b*c - a*d)/d))*((d*x + c)*abs(b)/abs(d))^(3/2)/((d*x + c)^(3/2)*d)
```

Fricas [A] time = 2.26133, size = 510, normalized size = 3.04

$$\frac{2\left(2\sqrt{2}\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{b c - a d}{d}\right)S\left(\sqrt{2}\sqrt{d x + c}\sqrt{\frac{b}{\pi d}}\right) + 2\sqrt{2}\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)\sqrt{\frac{b}{\pi d}}C\left(\sqrt{2}\sqrt{d x + c}\sqrt{\frac{b}{\pi d}}\right)\right)}{3\left(d^4 x^2 + 2 c d^3 x + c^2 d^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] -2/3*(2*sqrt(2)*(pi*b*d^2*x^2 + 2*pi*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 2*sqrt(2)*(pi*b*d^2*x^2 + 2*pi*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) + sqrt(d*x + c)*(2*(b*d*x + b*c)*cos(b*x + a) + d*sin(b*x + a)))/(d^4*x^2 + 2*c*d^3*x + c^2*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(a + bx)}{(c + dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)**(5/2),x)
```

```
[Out] Integral(sin(a + b*x)/(c + d*x)**(5/2), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)/(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sin(b*x + a)/(d*x + c)^(5/2), x)
```

3.44 $\int \frac{\sin(a+bx)}{(c+dx)^{7/2}} dx$

Optimal. Leaf size=193

$$\frac{8\sqrt{2\pi}b^{5/2} \cos\left(a - \frac{bc}{d}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8\sqrt{2\pi}b^{5/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^2 \sin(a+bx)}{15d^3\sqrt{c+dx}} - \frac{4b \cos(a+bx)}{15d^2(c+dx)}$$

[Out] $(-4*b*\operatorname{Cos}[a + b*x])/(15*d^2*(c + d*x)^{(3/2)}) - (8*b^{(5/2)}*\operatorname{Sqrt}[2*Pi]*\operatorname{Cos}[a - (b*c)/d]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d])])/(15*d^{(7/2)}) + (8*b^{(5/2)}*\operatorname{Sqrt}[2*Pi]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d])]*\operatorname{Sin}[a - (b*c)/d])/(15*d^{(7/2)}) - (2*\operatorname{Sin}[a + b*x])/(5*d*(c + d*x)^{(5/2)}) + (8*b^2*\operatorname{Sin}[a + b*x])/(15*d^3*\operatorname{Sqrt}[c + d*x])$

Rubi [A] time = 0.296832, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{8\sqrt{2\pi}b^{5/2} \cos\left(a - \frac{bc}{d}\right) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8\sqrt{2\pi}b^{5/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^2 \sin(a+bx)}{15d^3\sqrt{c+dx}} - \frac{4b \cos(a+bx)}{15d^2(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b*x]/(c + d*x)^{(7/2)}, x]$

[Out] $(-4*b*\operatorname{Cos}[a + b*x])/(15*d^2*(c + d*x)^{(3/2)}) - (8*b^{(5/2)}*\operatorname{Sqrt}[2*Pi]*\operatorname{Cos}[a - (b*c)/d]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d])])/(15*d^{(7/2)}) + (8*b^{(5/2)}*\operatorname{Sqrt}[2*Pi]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi]*\operatorname{Sqrt}[c + d*x])/(\operatorname{Sqrt}[d])]*\operatorname{Sin}[a - (b*c)/d])/(15*d^{(7/2)}) - (2*\operatorname{Sin}[a + b*x])/(5*d*(c + d*x)^{(5/2)}) + (8*b^2*\operatorname{Sin}[a + b*x])/(15*d^3*\operatorname{Sqrt}[c + d*x])$

Rule 3297

$\operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Sin}[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3306

$\operatorname{Int}[\operatorname{sin}[(e + f*x)/\operatorname{Sqrt}[c + d*x]], x] := \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/\operatorname{Sqrt}[c + d*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

$\operatorname{Int}[\operatorname{sin}[(e + f*x)/\operatorname{Sqrt}[c + d*x]], x] := \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[\operatorname{Sin}[(f*x^2)/d], x], x, \operatorname{Sqrt}[c + d*x]], x] /;$ FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx)}{(c+dx)^{7/2}} dx &= -\frac{2\sin(a+bx)}{5d(c+dx)^{5/2}} + \frac{(2b) \int \frac{\cos(a+bx)}{(c+dx)^{5/2}} dx}{5d} \\ &= -\frac{4b\cos(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2\sin(a+bx)}{5d(c+dx)^{5/2}} - \frac{(4b^2) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx}{15d^2} \\ &= -\frac{4b\cos(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2\sin(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\sin(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(8b^3) \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{15d^3} \\ &= -\frac{4b\cos(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2\sin(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\sin(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(8b^3\cos(a-\frac{bc}{d})) \int \frac{\cos(\frac{bc}{d}+bx)}{\sqrt{c+dx}} dx}{15d^3} + \frac{(8b^3\sin(a-\frac{bc}{d})) \int \frac{\sin(\frac{bc}{d}+bx)}{\sqrt{c+dx}} dx}{15d^3} \\ &= -\frac{4b\cos(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2\sin(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\sin(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(16b^3\cos(a-\frac{bc}{d})) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, \frac{bx}{\sqrt{c+dx}}\right)}{15d^4} \\ &= -\frac{4b\cos(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{8b^{5/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^{5/2}\sqrt{2\pi}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)\sin\left(a-\frac{bc}{d}\right)}{15d^{7/2}} \end{aligned}$$

Mathematica [C] time = 0.458893, size = 208, normalized size = 1.08

$$\frac{i\left(b(c+dx)\left(2e^{i\left(a-\frac{bc}{d}\right)}\left(e^{\frac{ib(c+dx)}{d}}(2b(c+dx)-id)-2id\left(-\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2},-\frac{ib(c+dx)}{d}\right)\right)-ie^{-i(a+bx)}\left(4de^{\frac{ib(c+dx)}{d}}\left(\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2},-\frac{ib(c+dx)}{d}\right)\right)\right)}{15d^3(c+dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]/(c + d*x)^(7/2), x]

[Out] ((-I/15)*(b*(c + d*x)*(2*E^(I*(a - (b*c)/d))*(E^((I*b*(c + d*x))/d))*((-I)*d + 2*b*(c + d*x)) - (2*I)*d*(((-I)*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((-I)*b*(c + d*x))/d]) - (I*(2*d - (4*I)*b*(c + d*x) + 4*d*E^((I*b*(c + d*x))/d))*(I*b*(c + d*x))/d)^(3/2)*Gamma[1/2, (I*b*(c + d*x))/d])/E^(I*(a + b*x)) - (6*I)*d^2*Sin[a + b*x])/(d^3*(c + d*x)^(5/2))

Maple [A] time = 0.007, size = 220, normalized size = 1.1

$$2 \frac{1}{d} \left(-\frac{1}{5} \frac{1}{(dx+c)^{5/2}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + 2/5 \frac{b}{d} \left(-\frac{1}{3} \frac{1}{(dx+c)^{3/2}} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - 2/3 \frac{b}{d} \left(-\frac{1}{\sqrt{dx+c}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)/(d*x+c)^(7/2),x)

[Out] 2/d*(-1/5/(d*x+c)^(5/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+2/5*b/d*(-1/3/(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-2/3*b/d*(-1/(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+b/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))

Maxima [C] time = 1.31408, size = 632, normalized size = 3.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(7/2),x, algorithm="maxima")

[Out] -1/4*((I*gamma(-5/2, I*(d*x + c)*b/d) - I*gamma(-5/2, -I*(d*x + c)*b/d))*cos(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-5/2, I*(d*x + c)*b/d) - I*gamma(-5/2, -I*(d*x + c)*b/d))*cos(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) - (gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*sin(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + (gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*sin(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) + ((gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*cos(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + (gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*cos(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-5/2, I*(d*x + c)*b/d) - I*gamma(-5/2, -I*(d*x + c)*b/d))*sin(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + (-I*gamma(-5/2, I*(d*x + c)*b/d) + I*gamma(-5/2, -I*(d*x + c)*b/d))*sin(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))))*sin(-(b*c - a*d)/d))*((d*x + c)*abs(b)/abs(d))^(5/2)/((d*x + c)^(5/2)*d)

Fricas [A] time = 2.36828, size = 682, normalized size = 3.53

$$2 \left(4 \sqrt{2} (\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) - 4 \sqrt{2} (\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(7/2),x, algorithm="fricas")

[Out] -2/15*(4*sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(dx + c)*sqrt(b/(pi*d))) - 4*sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*

$$\frac{\pi b^2 c^2 d x + \pi b^2 c^3 \sqrt{b/(pi d)} \operatorname{fresnel_sin}(\sqrt{2} \sqrt{d x + c}) \sqrt{b/(pi d)} \sin(-(b c - a d)/d) + \sqrt{d x + c} (2 (b d^2 x + b c d) \cos(b x + a) - (4 b^2 d^2 x^2 + 8 b^2 c d x + 4 b^2 c^2 - 3 d^2) \sin(b x + a))}{d^6 x^3 + 3 c d^5 x^2 + 3 c^2 d^4 x + c^3 d^3}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)**(7/2), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)}{(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)/(d*x+c)^(7/2), x, algorithm="giac")

[Out] integrate(sin(b*x + a)/(d*x + c)^(7/2), x)

3.45 $\int (c + dx)^{5/2} \sin^2(a + bx) dx$

Optimal. Leaf size=231

$$\frac{15\sqrt{\pi}d^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{128b^{7/2}} - \frac{15\sqrt{\pi}d^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} + \frac{15d^2\sqrt{c+dx} \sin(2a + 2bx)}{64b^3} +$$

[Out] $(-5*d*(c + d*x)^{(3/2)}/(16*b^2) + (c + d*x)^{(7/2)}/(7*d) - (15*d^{(5/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(128*b^{(7/2)}) - (15*d^{(5/2)*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(128*b^{(7/2)}) - ((c + d*x)^{(5/2)*Cos[a + b*x]*Sin[a + b*x]}/(2*b) + (5*d*(c + d*x)^{(3/2)*Sin[a + b*x]^2}/(8*b^2) + (15*d^2*Sqrt[c + d*x]*Sin[2*a + 2*b*x])/(64*b^3)$

Rubi [A] time = 0.442284, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {3311, 32, 3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{15\sqrt{\pi}d^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{128b^{7/2}} - \frac{15\sqrt{\pi}d^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} + \frac{15d^2\sqrt{c+dx} \sin(2a + 2bx)}{64b^3} +$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^(5/2)*Sin[a + b*x]^2,x]

[Out] $(-5*d*(c + d*x)^{(3/2)}/(16*b^2) + (c + d*x)^{(7/2)}/(7*d) - (15*d^{(5/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(128*b^{(7/2)}) - (15*d^{(5/2)*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(128*b^{(7/2)}) - ((c + d*x)^{(5/2)*Cos[a + b*x]*Sin[a + b*x]}/(2*b) + (5*d*(c + d*x)^{(3/2)*Sin[a + b*x]^2}/(8*b^2) + (15*d^2*Sqrt[c + d*x]*Sin[2*a + 2*b*x])/(64*b^3)$

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[

$e + f*x]$, $x]$, $x]$ /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^{5/2} \sin^2(a + bx) dx &= -\frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} + \frac{1}{2} \int (c + dx)^{5/2} dx \\ &= \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} - \frac{(15d^2)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{5d(c + dx)^{3/2} \sin^2(a + bx)}{8b^2} \\ &= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} - \frac{15d^{5/2} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} - \frac{15d^{5/2} \sqrt{\pi} C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} \end{aligned}$$

Mathematica [A] time = 2.14366, size = 194, normalized size = 0.84

$$\sqrt{\frac{b}{d}} \left(2\sqrt{\frac{b}{d}} \sqrt{c + dx} (-7d \sin(2(a + bx)) (16b^2(c + dx)^2 - 15d^2) - 140bd^2(c + dx) \cos(2(a + bx)) + 64b^3(c + dx)^3) - 105 \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Sin[a + b*x]^2,x]

[Out] (Sqrt[b/d]*(-105*d^3*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] - 105*d^3*Sqrt[Pi]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] + 2*Sqrt[b/d]*Sqrt[c + d*x]*(64*b^3*(c + d*x)^3 - 140*b*d^2*(c + d*x)*Cos[2*(a + b*x)] - 7*d*(-15*d^2 + 16*b^2*(c + d*x)^2)*Sin[2*(a + b*x)]))/ (896*b^4)

Maple [A] time = 0.017, size = 242, normalized size = 1.1

$$2 \frac{1}{d} \left(\frac{1}{14} (dx + c)^{7/2} - \frac{1}{8} \frac{d(dx + c)^{5/2}}{b} \sin \left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d} \right) + \frac{5}{8} \frac{d}{b} \left(-\frac{1}{4} \frac{d(dx + c)^{3/2}}{b} \cos \left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d} \right) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*sin(b*x+a)^2,x)

[Out] 2/d*(1/14*(d*x+c)^(7/2)-1/8/b*d*(d*x+c)^(5/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+5/8/b*d*(-1/4/b*d*(d*x+c)^(3/2)*cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+3/4/b*d*(1/4/b*d*(d*x+c)^(1/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-1/8/b*d*Pi^(1/2)/(b/d)^(1/2)*(cos(2*(a*d-b*c)/d)*FresnelS(2/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin(2*(a*d-b*c)/d)*FresnelC(2/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))

Maxima [C] time = 1.85487, size = 940, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] 1/7168*sqrt(2)*(512*sqrt(2)*(d*x + c)^(7/2)*b^3*sqrt(abs(b)/abs(d)) - 1120*sqrt(2)*(d*x + c)^(3/2)*b*d^2*sqrt(abs(b)/abs(d))*cos(2*((d*x + c)*b - b*c + a*d)/d) - ((105*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 105*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*cos(-2*(b*c - a*d)/d) + (105*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 105*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sin(-2*(b*c - a*d)/d)*erf(sqrt(d*x + c)*sqrt(2*I*b/d)) - ((-105*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 105*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 105*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*cos(-2*(b*c - a*d)/d) + (105*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 105*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3

) + 1/2*arctan2(0, d/sqrt(d^2))) - 105*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sin(-2*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-2*I*b/d)) - 56*(16*sqrt(2)*(d*x + c)^(5/2)*b^2*d*sqrt(abs(b)/abs(d)) - 15*sqrt(2)*sqrt(d*x + c)*d^3*sqrt(abs(b)/abs(d)))*sin(2*((d*x + c)*b - b*c + a*d)/d))/(b^3*d*sqrt(abs(b)/abs(d)))

Fricas [A] time = 2.29634, size = 614, normalized size = 2.66

$$105 \pi d^4 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 105 \pi d^4 \sqrt{\frac{b}{\pi d}} C\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) - 4(32b^4d^3x^3 + 9$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^2,x, algorithm="fricas")

[Out] -1/896*(105*pi*d^4*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d))) + 105*pi*d^4*sqrt(b/(pi*d))*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-2*(b*c - a*d)/d) - 4*(32*b^4*d^3*x^3 + 96*b^4*c*d^2*x^2 + 32*b^4*c^3 + 70*b^2*c*d^2 - 140*(b^2*d^3*x + b^2*c*d^2)*cos(b*x + a)^2 - 7*(16*b^3*d^3*x^2 + 32*b^3*c*d^2*x + 16*b^3*c^2*d - 15*b*d^3)*cos(b*x + a)*sin(b*x + a) + 2*(48*b^4*c^2*d + 35*b^2*d^3)*x)*sqrt(d*x + c))/(b^4*d)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(5/2)*sin(b*x+a)**2,x)

[Out] Timed out

Giac [C] time = 1.34768, size = 1419, normalized size = 6.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^2,x, algorithm="giac")

[Out] -1/26880*(560*(3*I*sqrt(pi)*d^2*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) - 3*I*sqrt(pi)*d^2*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) - 16*(d*x + c)^(3/2) - 6*I*sqrt(d*x + c)*d*e^((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b + 6*I*sqrt(d*x + c)*d*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b)*c^2 - d^2*(256*(15*(d*x + c)^(7/2) - 42*(d*x + c)^(5/2)*c + 35*(d*x + c)^(3/2)*c^2)/d^2 + 105*(sqrt(pi)*(-16*I*b^2*c^2*d + 24*b*c*d^2 + 15*I*d^3)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*(16*I*(d*x

$$\begin{aligned}
& + c)^{5/2} * b^2 * d - 32 * I * (d * x + c)^{3/2} * b^2 * c * d + 16 * I * \sqrt{d * x + c} * b^2 * c^2 * d \\
& + 20 * (d * x + c)^{3/2} * b * d^2 - 24 * \sqrt{d * x + c} * b * c * d^2 - 15 * I * \sqrt{d * x + c} * d^3 \\
& * e^{((-2 * I * (d * x + c) * b + 2 * I * b * c - 2 * I * a * d) / d) / b^3} / d^2 + 105 * (\sqrt{\pi} * (16 * I * b^2 * c^2 * d + 24 * b * c * d^2 - 15 * I * d^3) * d * \operatorname{erf}(-\sqrt{b * d} * \sqrt{d * x + c}) \\
& * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((-2 * I * b * c + 2 * I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^3)} \\
& - 2 * (-16 * I * (d * x + c)^{5/2} * b^2 * d + 32 * I * (d * x + c)^{3/2} * b^2 * c * d - 16 * I * \sqrt{d * x + c} * b^2 * c^2 * d + 20 * (d * x + c)^{3/2} * b * d^2 - \\
& 24 * \sqrt{d * x + c} * b * c * d^2 + 15 * I * \sqrt{d * x + c} * d^3) * e^{((2 * I * (d * x + c) * b - 2 * I * b * c + 2 * I * a * d) / d) / b^3} / d^2 \\
& - 56 * (192 * (d * x + c)^{5/2} - 320 * (d * x + c)^{3/2} * c + 15 * \sqrt{\pi} * (4 * I * b * c * d - 3 * d^2) * d * \operatorname{erf}(-\sqrt{b * d} * \sqrt{d * x + c}) * (I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((2 * I * b * c - 2 * I * a * d) / d) / (\sqrt{b * d} * (I * b * d / \sqrt{b^2 * d^2} + 1) * b^2)} \\
& + 15 * \sqrt{\pi} * (-4 * I * b * c * d - 3 * d^2) * d * \operatorname{erf}(-\sqrt{b * d} * \sqrt{d * x + c}) * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((-2 * I * b * c + 2 * I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^2)} \\
& - 30 * (-4 * I * (d * x + c)^{3/2} * b * d + 4 * I * \sqrt{d * x + c} * b * c * d + 3 * \sqrt{d * x + c} * d^2) * e^{((2 * I * (d * x + c) * b - 2 * I * b * c + 2 * I * a * d) / d) / b^2} \\
& - 30 * (4 * I * (d * x + c)^{3/2} * b * d - 4 * I * \sqrt{d * x + c} * b * c * d + 3 * \sqrt{d * x + c} * d^2) * e^{((-2 * I * (d * x + c) * b + 2 * I * b * c - 2 * I * a * d) / d) / b^2} * c) / d
\end{aligned}$$

3.46 $\int (c + dx)^{3/2} \sin^2(a + bx) dx$

Optimal. Leaf size=203

$$\frac{3\sqrt{\pi}d^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{32b^{5/2}} - \frac{3\sqrt{\pi}d^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} + \frac{3d\sqrt{c+dx} \sin^2(a+bx)}{8b^2} - \frac{(c+dx)^{5/2}}{5d} + \frac{(3d)^{3/2} \sqrt{\pi} \cos[2a - (2bc)/d] \text{FresnelC}[(2\sqrt{b}\sqrt{c+dx})/(\sqrt{d}\sqrt{\pi})]}{(32b^{5/2})} - \frac{(3d)^{3/2} \sqrt{\pi} \text{FresnelS}[(2\sqrt{b}\sqrt{c+dx})/(\sqrt{d}\sqrt{\pi})] \sin[2a - (2bc)/d]}{(32b^{5/2})} - \frac{(c+dx)^{3/2} \cos[a+bx] \sin[a+bx]}{(2b)} + \frac{(3d\sqrt{c+dx} \sin[a+bx])^2}{(8b^2)}$$

[Out] $(-3*d*\text{Sqrt}[c + d*x])/(16*b^2) + (c + d*x)^{(5/2)}/(5*d) + (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}] * \text{Cos}[2*a - (2*b*c)/d] * \text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/(32*b^{(5/2)}) - (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])] * \text{Sin}[2*a - (2*b*c)/d])/(32*b^{(5/2)}) - ((c + d*x)^{(3/2)} * \text{Cos}[a + b*x] * \text{Sin}[a + b*x])/(2*b) + (3*d*\text{Sqrt}[c + d*x] * \text{Sin}[a + b*x]^2)/(8*b^2)$

Rubi [A] time = 0.359744, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\pi}d^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{32b^{5/2}} - \frac{3\sqrt{\pi}d^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} + \frac{3d\sqrt{c+dx} \sin^2(a+bx)}{8b^2} - \frac{(c+dx)^{5/2}}{5d} + \frac{(3d)^{3/2} \sqrt{\pi} \cos[2a - (2bc)/d] \text{FresnelC}[(2\sqrt{b}\sqrt{c+dx})/(\sqrt{d}\sqrt{\pi})]}{(32b^{5/2})} - \frac{(3d)^{3/2} \sqrt{\pi} \text{FresnelS}[(2\sqrt{b}\sqrt{c+dx})/(\sqrt{d}\sqrt{\pi})] \sin[2a - (2bc)/d]}{(32b^{5/2})} - \frac{(c+dx)^{3/2} \cos[a+bx] \sin[a+bx]}{(2b)} + \frac{(3d\sqrt{c+dx} \sin[a+bx])^2}{(8b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(3/2)} * \text{Sin}[a + b*x]^2, x]$

[Out] $(-3*d*\text{Sqrt}[c + d*x])/(16*b^2) + (c + d*x)^{(5/2)}/(5*d) + (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}] * \text{Cos}[2*a - (2*b*c)/d] * \text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/(32*b^{(5/2)}) - (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}] * \text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])] * \text{Sin}[2*a - (2*b*c)/d])/(32*b^{(5/2)}) - ((c + d*x)^{(3/2)} * \text{Cos}[a + b*x] * \text{Sin}[a + b*x])/(2*b) + (3*d*\text{Sqrt}[c + d*x] * \text{Sin}[a + b*x]^2)/(8*b^2)$

Rule 3311

$\text{Int}[(c + d*x)^m * \text{Sin}[e + f*x]^n, x] \rightarrow \text{Simp}[(d*m*(c + d*x)^{(m-1)} * (b*\text{Sin}[e + f*x])^n) / (f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)^m * (b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Dist}[(d^2*m*(m-1))/(f^2*n^2), \text{Int}[(c + d*x)^{(m-2)} * (b*\text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b*(c + d*x)^m * \text{Cos}[e + f*x] * (b*\text{Sin}[e + f*x])^{(n-1)}) / (f*n), x]) /;$
 $\text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{GtQ}[m, 1]$

Rule 32

$\text{Int}[(a + b*x)^m, x] \rightarrow \text{Simp}[(a + b*x)^{(m+1)} / (b*(m+1)), x] /;$
 $\text{FreeQ}\{a, b, m\}, x \ \&\& \ \text{NeQ}[m, -1]$

Rule 3312

$\text{Int}[(c + d*x)^m * \text{Sin}[e + f*x]^n, x] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m * \text{Sin}[e + f*x]^n, x], x] /;$
 $\text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3306

$\text{Int}[\text{Sin}[e + f*x] / \text{Sqrt}[c + d*x], x] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x] / \text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x] / \text{Sqrt}[c + d*x], x], x] /;$
 $\text{FreeQ}\{c, d,$

`e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]`

Rule 3305

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rubi steps

$$\begin{aligned} \int (c + dx)^{3/2} \sin^2(a + bx) dx &= -\frac{(c + dx)^{3/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{3d\sqrt{c + dx} \sin^2(a + bx)}{8b^2} + \frac{1}{2} \int (c + dx)^{3/2} dx - \frac{(3a^2)}{2\sqrt{c + dx}} \\ &= \frac{(c + dx)^{5/2}}{5d} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{3d\sqrt{c + dx} \sin^2(a + bx)}{8b^2} - \frac{(3d^2) \int \left(\frac{1}{2\sqrt{c + dx}}\right)}{2\sqrt{c + dx}} \\ &= -\frac{3d\sqrt{c + dx}}{16b^2} + \frac{(c + dx)^{5/2}}{5d} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{3d\sqrt{c + dx} \sin^2(a + bx)}{8b^2} \\ &= -\frac{3d\sqrt{c + dx}}{16b^2} + \frac{(c + dx)^{5/2}}{5d} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{3d\sqrt{c + dx} \sin^2(a + bx)}{8b^2} \\ &= -\frac{3d\sqrt{c + dx}}{16b^2} + \frac{(c + dx)^{5/2}}{5d} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{3d\sqrt{c + dx} \sin^2(a + bx)}{8b^2} \\ &= -\frac{3d\sqrt{c + dx}}{16b^2} + \frac{(c + dx)^{5/2}}{5d} + \frac{3d^{3/2}\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} - \frac{3d^{3/2}\sqrt{\pi} S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} \end{aligned}$$

Mathematica [A] time = 1.69637, size = 175, normalized size = 0.86

$$\frac{\sqrt{\frac{b}{d}} \left(15\sqrt{\pi} d^2 \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) - 15\sqrt{\pi} d^2 \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) + 2\sqrt{\frac{b}{d}}\sqrt{c+dx} (4b(c+dx)(4b(c+dx)) \right)}{160b^3}$$

Antiderivative was successfully verified.

`[In] Integrate[(c + d*x)^(3/2)*Sin[a + b*x]^2,x]`

`[Out] (Sqrt[b/d]*(15*d^2*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] - 15*d^2*Sqrt[Pi]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])`

$$\frac{1}{\sqrt{\pi}} \sin[2a - (2bc)/d] + 2\sqrt{b/d} \sqrt{c + dx} (-15d^2 \cos[2(a + bx)] + 4b(c + dx)(4b(c + dx) - 5d \sin[2(a + bx)])) / (160b^3)$$

Maple [A] time = 0.013, size = 197, normalized size = 1.

$$2 \frac{1}{d} \left(\frac{1}{10} (dx + c)^{5/2} - \frac{1}{8} \frac{d(dx + c)^{3/2}}{b} \sin \left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d} \right) + \frac{3}{8} \frac{d}{b} \left(-\frac{1}{4} \frac{d\sqrt{dx + c}}{b} \cos \left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(3/2)*sin(b*x+a)^2,x)

[Out] $2/d*(1/10*(d*x+c)^{(5/2)} - 1/8/b*d*(d*x+c)^{(3/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d) + 3/8/b*d*(-1/4/b*d*(d*x+c)^{(1/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d) + 1/8/b*d*\pi^{(1/2)}/(b/d)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelC}(2/\pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d) - \sin(2*(a*d-b*c)/d)*\text{FresnelS}(2/\pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

Maxima [C] time = 1.82384, size = 899, normalized size = 4.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] $1/1280*\sqrt{2}*(128*\sqrt{2}*(d*x + c)^{(5/2)}*b^2*\sqrt{\text{abs}(b)/\text{abs}(d)}) - 160*\sqrt{2}*(d*x + c)^{(3/2)}*b*d*\sqrt{\text{abs}(b)/\text{abs}(d)}*\sin(2*((d*x + c)*b - b*c + a*d)/d) - 120*\sqrt{2}*\sqrt{d*x + c}*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(2*((d*x + c)*b - b*c + a*d)/d) + ((15*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 15*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\cos(-2*(b*c - a*d)/d) - (15*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 15*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))*d^2*\sin(-2*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{2*I*b/d}) + ((15*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 15*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))*d^2*\cos(-2*(b*c - a*d)/d) - (-15*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 15*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 15*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 15*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))*d^2*\sin(-2*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{-2*I*b/d}))/b^2*d*\sqrt{\text{abs}(b)/\text{abs}(d)}$

Fricas [A] time = 2.15745, size = 478, normalized size = 2.35

$$\frac{15 \pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) - 15 \pi d^3 \sqrt{\frac{b}{\pi d}} S\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) + 2(16 b^3 d^2 x^2 + 32 b^3 c d x)}{160 b^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^2,x, algorithm="fricas")

[Out] 1/160*(15*pi*d^3*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d))) - 15*pi*d^3*sqrt(b/(pi*d))*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-2*(b*c - a*d)/d) + 2*(16*b^3*d^2*x^2 + 32*b^3*c*d*x + 16*b^3*c^2 - 30*b*d^2*cos(b*x + a)^2 + 15*b*d^2 - 40*(b^2*d^2*x + b^2*c*d)*cos(b*x + a)*sin(b*x + a)*sqrt(d*x + c))/(b^3*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^{\frac{3}{2}} \sin^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(3/2)*sin(b*x+a)**2,x)

[Out] Integral((c + d*x)**(3/2)*sin(a + b*x)**2, x)

Giac [C] time = 1.26014, size = 772, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^2,x, algorithm="giac")

[Out] 1/960*(192*(d*x + c)^(5/2) - 320*(d*x + c)^(3/2)*c - 20*(3*I*sqrt(pi)*d^2*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) - 3*I*sqrt(pi)*d^2*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) - 16*(d*x + c)^(3/2) - 6*I*sqrt(d*x + c)*d*e^((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b + 6*I*sqrt(d*x + c)*d*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b)*c + 15*sqrt(pi)*(4*I*b*c*d - 3*d^2)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 15*sqrt(pi)*(-4*I*b*c*d - 3*d^2)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b^2) - 30*(-4*I*(d*x + c)^(3/2)*b*d + 4*I*sqrt(d*x + c)*b*c*d + 3*sqrt(d*x + c)*d^2)*e^((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b^2 - 30*(4*I*(d*x + c)^(3/2)*b*d - 4*I*sqrt(d*x + c)*b*c*d + 3*sqrt(d*x + c)*d^2)*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b^2)/d

3.47 $\int \sqrt{c + dx} \sin^2(a + bx) dx$

Optimal. Leaf size=158

$$\frac{\sqrt{\pi}\sqrt{d} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{8b^{3/2}} + \frac{\sqrt{\pi}\sqrt{d} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{8b^{3/2}} - \frac{\sqrt{c + dx} \sin(2a + 2bx)}{4b} + \frac{(c + dx)}{3d}$$

[Out] (c + d*x)^(3/2)/(3*d) + (Sqrt[d]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(8*b^(3/2)) + (Sqrt[d]*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(8*b^(3/2)) - (Sqrt[c + d*x]*Sin[2*a + 2*b*x])/(4*b)

Rubi [A] time = 0.284661, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\pi}\sqrt{d} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{8b^{3/2}} + \frac{\sqrt{\pi}\sqrt{d} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{8b^{3/2}} - \frac{\sqrt{c + dx} \sin(2a + 2bx)}{4b} + \frac{(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Sin[a + b*x]^2,x]

[Out] (c + d*x)^(3/2)/(3*d) + (Sqrt[d]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(8*b^(3/2)) + (Sqrt[d]*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(8*b^(3/2)) - (Sqrt[c + d*x]*Sin[2*a + 2*b*x])/(4*b)

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{c+dx} \sin^2(a+bx) dx &= \int \left(\frac{1}{2} \sqrt{c+dx} - \frac{1}{2} \sqrt{c+dx} \cos(2a+2bx) \right) dx \\ &= \frac{(c+dx)^{3/2}}{3d} - \frac{1}{2} \int \sqrt{c+dx} \cos(2a+2bx) dx \\ &= \frac{(c+dx)^{3/2}}{3d} - \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} + \frac{d \int \frac{\sin(2a+2bx)}{\sqrt{c+dx}} dx}{8b} \\ &= \frac{(c+dx)^{3/2}}{3d} - \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} + \frac{\left(d \cos\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{8b} + \frac{\left(d \sin\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{8b} \\ &= \frac{(c+dx)^{3/2}}{3d} - \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} + \frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{4b} \\ &= \frac{(c+dx)^{3/2}}{3d} + \frac{\sqrt{d}\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{8b^{3/2}} + \frac{\sqrt{d}\sqrt{\pi} C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{8b^{3/2}} - \frac{\sqrt{d}\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{8b^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.531776, size = 149, normalized size = 0.94

$$\frac{3\sqrt{\pi}d \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) + 3\sqrt{\pi}d \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) + 2\sqrt{\frac{b}{d}}\sqrt{c+dx}(4b(c+dx) - 3d \sin(2(a - \frac{2bc}{d})))}{24d^2 \left(\frac{b}{d}\right)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[c + d*x]*Sin[a + b*x]^2, x]
```

```
[Out] (3*d*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + 3*d*Sqrt[Pi]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] + 2*Sqrt[b/d]*Sqrt[c + d*x]*(4*b*(c + d*x) - 3*d*Sin[2*(a + b*x)]))/(24*(b/d)^(3/2)*d^2)
```

Maple [A] time = 0.013, size = 150, normalized size = 1.

$$2 \frac{1}{d} \left(\frac{1}{6} (dx+c)^{3/2} - \frac{1}{8} \frac{d\sqrt{dx+c}}{b} \sin\left(2 \frac{(dx+c)b}{d} + 2 \frac{da-cb}{d}\right) + \frac{1}{16} \frac{d\sqrt{\pi}}{b} \left(\cos\left(2 \frac{da-cb}{d}\right) \text{FresnelS}\left(2 \frac{\sqrt{dx+cb}}{d\sqrt{\pi}}\right) - \sin\left(2 \frac{da-cb}{d}\right) \text{FresnelC}\left(2 \frac{\sqrt{dx+cb}}{d\sqrt{\pi}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)*sin(b*x+a)^2,x)`

[Out] $2/d*(1/6*(d*x+c)^{(3/2)}-1/8/b*d*(d*x+c)^{(1/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+1/16/b*d*Pi^{(1/2)/(b/d)^{(1/2)}*(cos(2*(a*d-b*c)/d)*FresnelS(2/Pi^{(1/2)/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d)+sin(2*(a*d-b*c)/d)*FresnelC(2/Pi^{(1/2)/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}))}$

Maxima [C] time = 1.81975, size = 826, normalized size = 5.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)*sin(b*x+a)^2,x, algorithm="maxima")`

[Out] $1/192*\sqrt{2}*(32*\sqrt{2}*(d*x + c)^{(3/2)*b*\sqrt{abs(b)/abs(d)}} - 24*\sqrt{2})*\sqrt{d*x + c}*d*\sqrt{abs(b)/abs(d)}*\sin(2*((d*x + c)*b - b*c + a*d)/d) - ((-3*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * d*\cos(-2*(b*c - a*d)/d) - (3*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * d*\sin(-2*(b*c - a*d)/d))*erf(\sqrt{d*x + c}*\sqrt{2*I*b/d}) - ((3*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * d*\cos(-2*(b*c - a*d)/d) - (3*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * d*\sin(-2*(b*c - a*d)/d))*erf(\sqrt{d*x + c}*\sqrt{-2*I*b/d}))/ (b*d*\sqrt{abs(b)/abs(d)})$

Fricas [A] time = 2.19164, size = 367, normalized size = 2.32

$$\frac{3\pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + 3\pi d^2 \sqrt{\frac{b}{\pi d}} C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) + 4(2b^2 dx - 3bd \cos(bx+a))}{24b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)*sin(b*x+a)^2,x, algorithm="fricas")`

[Out] $1/24*(3*\pi*d^2*\sqrt{b/(pi*d)}*\cos(-2*(b*c - a*d)/d)*fresnel_sin(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)}) + 3*\pi*d^2*\sqrt{b/(pi*d)}*\cos(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)})*\sin(-2*(b*c - a*d)/d) + 4*(2*b^2*d*x - 3*b*d*\cos(b*x + a)*\sin(b*x + a) + 2*b^2*c)*\sqrt{d*x + c}))/ (b^2*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c + dx} \sin^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)*sin(b*x+a)**2,x)

[Out] Integral(sqrt(c + d*x)*sin(a + b*x)**2, x)

Giac [C] time = 1.20764, size = 331, normalized size = 2.09

$$\frac{3i \sqrt{\pi} d^2 \operatorname{erf}\left(-\frac{\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{2i bc-2i ad}{d}\right)} - 3i \sqrt{\pi} d^2 \operatorname{erf}\left(-\frac{\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{-2i bc+2i ad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} - \frac{3i \sqrt{\pi} d^2 \operatorname{erf}\left(-\frac{\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{-2i bc+2i ad}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)b} - 16(dx+c)^{\frac{3}{2}} - \frac{6i \sqrt{dx+cd} e^{\left(\frac{2i(dx+c)b-2i bc+2i ad}{d}\right)}}{b}$$

$48 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a)^2,x, algorithm="giac")

[Out] $-1/48*(3*I*\sqrt{\pi)*d^2*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((2*I*b*c - 2*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1)*b)} - 3*I*\sqrt{\pi)*d^2*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-2*I*b*c + 2*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1)*b)} - 16*(d*x + c)^{(3/2)} - 6*I*\sqrt{d*x + c}*d*e^{((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b} + 6*I*\sqrt{d*x + c}*d*e^{((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b)/d$

$$3.48 \quad \int \frac{\sin^2(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=130

$$-\frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{c+dx}}{d}$$

[Out] Sqrt[c + d*x]/d - (Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(2*Sqrt[b]*Sqrt[d]) + (Sqrt[Pi]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(2*Sqrt[b]*Sqrt[d])

Rubi [A] time = 0.234267, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3312, 3306, 3305, 3351, 3304, 3352}

$$-\frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{c+dx}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^2/Sqrt[c + d*x], x]

[Out] Sqrt[c + d*x]/d - (Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(2*Sqrt[b]*Sqrt[d]) + (Sqrt[Pi]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(2*Sqrt[b]*Sqrt[d])

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a + bx)}{\sqrt{c + dx}} dx &= \int \left(\frac{1}{2\sqrt{c + dx}} - \frac{\cos(2a + 2bx)}{2\sqrt{c + dx}} \right) dx \\ &= \frac{\sqrt{c + dx}}{d} - \frac{1}{2} \int \frac{\cos(2a + 2bx)}{\sqrt{c + dx}} dx \\ &= \frac{\sqrt{c + dx}}{d} - \frac{1}{2} \cos\left(2a - \frac{2bc}{d}\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx + \frac{1}{2} \sin\left(2a - \frac{2bc}{d}\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx \\ &= \frac{\sqrt{c + dx}}{d} - \frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} + \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} \\ &= \frac{\sqrt{c + dx}}{d} - \frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{\pi} S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{2\sqrt{b}\sqrt{d}} \end{aligned}$$

Mathematica [A] time = 0.225902, size = 126, normalized size = 0.97

$$\frac{\sqrt{\frac{b}{d}} \left(-\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) + \sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) + 2\sqrt{\frac{b}{d}}\sqrt{c + dx} \right)}{2b}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]^2/Sqrt[c + d*x], x]
```

```
[Out] (Sqrt[b/d]*(2*Sqrt[b/d]*Sqrt[c + d*x] - Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*Fresne
lC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + Sqrt[Pi]*FresnelS[(2*Sqrt[b/d]*
Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d]))/(2*b)
```

Maple [A] time = 0.015, size = 108, normalized size = 0.8

$$2 \frac{1}{d} \left(\frac{1}{2} \sqrt{dx + c} - \frac{1}{4} \sqrt{\pi} \left(\cos\left(2 \frac{da - cb}{d}\right) \text{FresnelC}\left(2 \frac{\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) - \sin\left(2 \frac{da - cb}{d}\right) \text{FresnelS}\left(2 \frac{\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)^2/(d*x+c)^(1/2), x)
```

```
[Out] 2/d*(1/2*(d*x+c)^(1/2)-1/4*Pi^(1/2)/(b/d)^(1/2)*(cos(2*(a*d-b*c)/d)*Fresnel
C(2/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(2*(a*d-b*c)/d)*FresnelS(2/P
i^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))
```

Maxima [C] time = 1.85129, size = 747, normalized size = 5.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(1/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/16*\sqrt{2}*(((\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) - I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * \cos(-2*(b*c - a*d)/d) - (I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * \sin(-2*(b*c - a*d)/d) * \operatorname{erf}(\sqrt{d*x + c}) * \sqrt{2*I*b/d} + ((\sqrt{\pi})*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * \cos(-2*(b*c - a*d)/d) - (-I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi})*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))) * \sin(-2*(b*c - a*d)/d) * \operatorname{erf}(\sqrt{d*x + c}) * \sqrt{-2*I*b/d} - 8*\sqrt{2}*\sqrt{d*x + c}*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)})/(d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}) \end{aligned}$$

Fricas [A] time = 2.05816, size = 281, normalized size = 2.16

$$\frac{\pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - \pi d \sqrt{\frac{b}{\pi d}} S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) - 2\sqrt{dx+cb}}{2bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(1/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(\pi*d*\sqrt{b/(\pi*d)})*\cos(-2*(b*c - a*d)/d)*\operatorname{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - \pi*d*\sqrt{b/(\pi*d)}*\operatorname{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) * \sin(-2*(b*c - a*d)/d) - 2*\sqrt{d*x + c}*b/(b*d) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**(1/2),x)

[Out] Integral(sin(a + b*x)**2/sqrt(c + d*x), x)

Giac [C] time = 1.18342, size = 220, normalized size = 1.69

$$\frac{\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{2ibc-2iad}{d}\right)} + \sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{-2ibc+2iad}{d}\right)}}{\frac{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}} + 4\sqrt{dx+c}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(1/2),x, algorithm="giac")

[Out] 1/4*(sqrt(pi)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + sqrt(pi)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)) + 4*sqrt(d*x + c)/d

$$3.49 \quad \int \frac{\sin^2(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=135

$$\frac{2\sqrt{\pi}\sqrt{b}\sin\left(2a - \frac{2bc}{d}\right)\text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{d^{3/2}} + \frac{2\sqrt{\pi}\sqrt{b}\cos\left(2a - \frac{2bc}{d}\right)S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{d^{3/2}} - \frac{2\sin^2(a+bx)}{d\sqrt{c+dx}}$$

[Out] (2*Sqrt[b]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/d^(3/2) + (2*Sqrt[b]*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/d^(3/2) - (2*Sin[a + b*x]^2)/(d*Sqrt[c + d*x])

Rubi [A] time = 0.253951, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3313, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{\pi}\sqrt{b}\sin\left(2a - \frac{2bc}{d}\right)\text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{d^{3/2}} + \frac{2\sqrt{\pi}\sqrt{b}\cos\left(2a - \frac{2bc}{d}\right)S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{d^{3/2}} - \frac{2\sin^2(a+bx)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^2/(c + d*x)^(3/2), x]

[Out] (2*Sqrt[b]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/d^(3/2) + (2*Sqrt[b]*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/d^(3/2) - (2*Sin[a + b*x]^2)/(d*Sqrt[c + d*x])

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a + bx)}{(c + dx)^{3/2}} dx &= -\frac{2 \sin^2(a + bx)}{d\sqrt{c + dx}} + \frac{(4b) \int \frac{\sin(2a + 2bx)}{2\sqrt{c + dx}} dx}{d} \\ &= -\frac{2 \sin^2(a + bx)}{d\sqrt{c + dx}} + \frac{(2b) \int \frac{\sin(2a + 2bx)}{\sqrt{c + dx}} dx}{d} \\ &= -\frac{2 \sin^2(a + bx)}{d\sqrt{c + dx}} + \frac{\left(2b \cos\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx}{d} + \frac{\left(2b \sin\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx}{d} \\ &= -\frac{2 \sin^2(a + bx)}{d\sqrt{c + dx}} + \frac{\left(4b \cos\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d^2} + \frac{\left(4b \sin\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d^2} \\ &= \frac{2\sqrt{b}\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c + dx}}{\sqrt{d}\sqrt{\pi}}\right)}{d^{3/2}} + \frac{2\sqrt{b}\sqrt{\pi} C\left(\frac{2\sqrt{b}\sqrt{c + dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{d^{3/2}} - \frac{2 \sin^2(a + bx)}{d\sqrt{c + dx}} \end{aligned}$$

Mathematica [A] time = 0.383539, size = 149, normalized size = 1.1

$$\frac{2\sqrt{\pi}\sqrt{\frac{b}{d}}\sqrt{c + dx} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c + dx}}{\sqrt{\pi}}\right) + 2\sqrt{\pi}\sqrt{\frac{b}{d}}\sqrt{c + dx} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c + dx}}{\sqrt{\pi}}\right) + \cos(2(a + bx))}{d\sqrt{c + dx}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]2/(c + d*x)(3/2), x]
```

```
[Out] (-1 + Cos[2*(a + b*x)] + 2*Sqrt[b/d]*Sqrt[Pi]*Sqrt[c + d*x]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + 2*Sqrt[b/d]*Sqrt[Pi]*Sqrt[c + d*x]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d])/(d*Sqrt[c + d*x])
```

Maple [A] time = 0.013, size = 145, normalized size = 1.1

$$2 \frac{1}{d} \left(-1/2 \frac{1}{\sqrt{dx + c}} + 1/2 \frac{1}{\sqrt{dx + c}} \cos\left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d}\right) + \frac{b\sqrt{\pi}}{d} \left(\cos\left(2 \frac{da - cb}{d}\right) \text{FresnelS}\left(2 \frac{\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) + \sin\left(2 \frac{da - cb}{d}\right) \text{FresnelC}\left(2 \frac{\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b*x+a)^2/(d*x+c)^(3/2),x)`

[Out] $2/d*(-1/2/(d*x+c)^{(1/2)}+1/2/(d*x+c)^{(1/2)}*\cos(2*(d*x+c)*b+2*(a*d-b*c)/d)+b/d*\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelS}(2/\text{Pi}^{(1/2)}/(b/d)^{(1/2)})*(d*x+c)^{(1/2)}*b/d)+\sin(2*(a*d-b*c)/d)*\text{FresnelC}(2/\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

Maxima [C] time = 1.3232, size = 640, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*x+a)^2/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $1/8*(\sqrt{2}*((\gamma(-1/2, 2*I*(d*x + c)*b/d) + \gamma(-1/2, -2*I*(d*x + c)*b/d))*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + (\gamma(-1/2, 2*I*(d*x + c)*b/d) + \gamma(-1/2, -2*I*(d*x + c)*b/d))*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + (I*\gamma(-1/2, 2*I*(d*x + c)*b/d) - I*\gamma(-1/2, -2*I*(d*x + c)*b/d))*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + (-I*\gamma(-1/2, 2*I*(d*x + c)*b/d) + I*\gamma(-1/2, -2*I*(d*x + c)*b/d))*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))*\cos(-2*(b*c - a*d)/d) + ((-I*\gamma(-1/2, 2*I*(d*x + c)*b/d) + I*\gamma(-1/2, -2*I*(d*x + c)*b/d))*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + (-I*\gamma(-1/2, 2*I*(d*x + c)*b/d) + I*\gamma(-1/2, -2*I*(d*x + c)*b/d))*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + (\gamma(-1/2, 2*I*(d*x + c)*b/d) + \gamma(-1/2, -2*I*(d*x + c)*b/d))*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - (\gamma(-1/2, 2*I*(d*x + c)*b/d) + \gamma(-1/2, -2*I*(d*x + c)*b/d))*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2}))*\sin(-2*(b*c - a*d)/d))*\sqrt{(d*x + c)*\text{abs}(b)/\text{abs}(d)} - 8)/(\sqrt{d*x + c}*d)$

Fricas [A] time = 2.12082, size = 340, normalized size = 2.52

$$\frac{2\left(\left(\pi dx + \pi c\right)\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{2(bc-ad)}{d}\right)S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + \left(\pi dx + \pi c\right)\sqrt{\frac{b}{\pi d}}C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{2(bc-ad)}{d}\right) + \sqrt{dx+c}\right)}{d^2x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*x+a)^2/(d*x+c)^(3/2),x, algorithm="fricas")`

[Out] $2*((\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + (\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}))*\sin(-2*(b*c - a*d)/d) + \sqrt{d*x + c}*(\cos(b*x + a)^2 - 1)/(d^2*x + c*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{(c + dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**(3/2),x)

[Out] Integral(sin(a + b*x)**2/(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(bx + a)}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)^2/(d*x + c)^(3/2), x)

3.50 $\int \frac{\sin^2(a+bx)}{(c+dx)^{5/2}} dx$

Optimal. Leaf size=170

$$\frac{8\sqrt{\pi}b^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{3d^{5/2}} - \frac{8\sqrt{\pi}b^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} - \frac{8b \sin(a+bx) \cos(a+bx)}{3d^2\sqrt{c+dx}}$$

```
[Out] (8*b^(3/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])
/(Sqrt[d]*Sqrt[Pi])]/(3*d^(5/2)) - (8*b^(3/2)*Sqrt[Pi]*FresnelS[(2*Sqrt[b]
*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(3*d^(5/2)) - (8*
b*Cos[a + b*x]*Sin[a + b*x])/(3*d^2*Sqrt[c + d*x]) - (2*Sin[a + b*x]^2)/(3*
d*(c + d*x)^(3/2))
```

Rubi [A] time = 0.328234, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{8\sqrt{\pi}b^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{3d^{5/2}} - \frac{8\sqrt{\pi}b^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} - \frac{8b \sin(a+bx) \cos(a+bx)}{3d^2\sqrt{c+dx}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^2/(c + d*x)^(5/2), x]
```

```
[Out] (8*b^(3/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])
/(Sqrt[d]*Sqrt[Pi])]/(3*d^(5/2)) - (8*b^(3/2)*Sqrt[Pi]*FresnelS[(2*Sqrt[b]
*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(3*d^(5/2)) - (8*
b*Cos[a + b*x]*Sin[a + b*x])/(3*d^2*Sqrt[c + d*x]) - (2*Sin[a + b*x]^2)/(3*
d*(c + d*x)^(3/2))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
```

$*e - c*f)/d$, Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{(8b^2) \int \frac{1}{\sqrt{c+dx}} dx}{3d^2} - \frac{(16b^2) \int \frac{\sin^2(a+bx)}{\sqrt{c+dx}} dx}{3d^2} \\ &= \frac{16b^2 \sqrt{c+dx}}{3d^3} - \frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{3d(c+dx)^{3/2}} - \frac{(16b^2) \int \left(\frac{1}{2\sqrt{c+dx}} - \frac{\cos(2a+2bx)}{2\sqrt{c+dx}} \right) dx}{3d^2} \\ &= -\frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{(8b^2) \int \frac{\cos(2a+2bx)}{\sqrt{c+dx}} dx}{3d^2} \\ &= -\frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{\left(8b^2 \cos\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{3d^2} - \frac{\left(8b^2 \sin\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{3d^2} \\ &= -\frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{\left(16b^2 \cos\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{3d^3} - \frac{\left(16b^2 \sin\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{3d^3} \\ &= \frac{8b^{3/2} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} - \frac{8b^{3/2} \sqrt{\pi} S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{3d^{5/2}} - \frac{8b \cos(a+bx) \sin(a+bx)}{3d^2 \sqrt{c+dx}} \end{aligned}$$

Mathematica [A] time = 1.39855, size = 158, normalized size = 0.93

$$\frac{2 \left(4\sqrt{\pi} b \sqrt{\frac{b}{d}} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) - 4\sqrt{\pi} b \sqrt{\frac{b}{d}} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) - \frac{\sin(a+bx)(4b(c+dx) \cos(a+bx) + d \sin(a+bx))}{(c+dx)^{3/2}} \right)}{3d^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x)^(5/2), x]

```
[Out] (2*(4*b*Sqrt[b/d]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] - 4*b*Sqrt[b/d]*Sqrt[Pi]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] - (Sin[a + b*x]*(4*b*(c + d*x)*Cos[a + b*x] + d*Sin[a + b*x]))/(c + d*x)^(3/2)))/(3*d^2)
```

Maple [A] time = 0.014, size = 189, normalized size = 1.1

$$2 \frac{1}{d} \left(-\frac{1}{6} (dx+c)^{-3/2} + \frac{1}{6} \frac{1}{(dx+c)^{3/2}} \cos \left(2 \frac{(dx+c)b}{d} + 2 \frac{da-cb}{d} \right) + 2/3 \frac{b}{d} \left(-\frac{1}{\sqrt{dx+c}} \sin \left(2 \frac{(dx+c)b}{d} + 2 \frac{da-cb}{d} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)^2/(d*x+c)^(5/2),x)
```

```
[Out] 2/d*(-1/6/(d*x+c)^(3/2)+1/6/(d*x+c)^(3/2)*cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+2/3*b/d*(-1/(d*x+c)^(1/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+2*b/d*Pi^(1/2)/((b/d)^(1/2)*(cos(2*(a*d-b*c)/d)*FresnelC(2/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(2*(a*d-b*c)/d)*FresnelS(2/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))
```

Maxima [C] time = 1.29074, size = 644, normalized size = 3.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] 1/12*(sqrt(2)*((3*(gamma(-3/2, 2*I*(d*x + c)*b/d) + gamma(-3/2, -2*I*(d*x + c)*b/d))*cos(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-3/2, 2*I*(d*x + c)*b/d) + gamma(-3/2, -2*I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (3*I*gamma(-3/2, 2*I*(d*x + c)*b/d) - 3*I*gamma(-3/2, -2*I*(d*x + c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (-3*I*gamma(-3/2, 2*I*(d*x + c)*b/d) + 3*I*gamma(-3/2, -2*I*(d*x + c)*b/d))*sin(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*cos(-2*(b*c - a*d)/d) + ((-3*I*gamma(-3/2, 2*I*(d*x + c)*b/d) + 3*I*gamma(-3/2, -2*I*(d*x + c)*b/d))*cos(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (-3*I*gamma(-3/2, 2*I*(d*x + c)*b/d) + 3*I*gamma(-3/2, -2*I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-3/2, 2*I*(d*x + c)*b/d) + gamma(-3/2, -2*I*(d*x + c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) - 3*(gamma(-3/2, 2*I*(d*x + c)*b/d) + gamma(-3/2, -2*I*(d*x + c)*b/d))*sin(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*sin(-2*(b*c - a*d)/d))*((d*x + c)*abs(b)/abs(d))^(3/2) - 4)/((d*x + c)^(3/2)*d)
```

Fricas [A] time = 2.33142, size = 502, normalized size = 2.95

$$\frac{2 \left(4 \left(\pi b d^2 x^2 + 2 \pi b c d x + \pi b c^2 \right) \sqrt{\frac{b}{\pi d}} \cos \left(-\frac{2(bc-ad)}{d} \right) C \left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}} \right) - 4 \left(\pi b d^2 x^2 + 2 \pi b c d x + \pi b c^2 \right) \sqrt{\frac{b}{\pi d}} S \left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}} \right) \right)}{3 \left(d^4 x^2 + 2 c d^3 x + c^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="fricas")

[Out] $\frac{2}{3} \cdot (4 \cdot (\pi \cdot b \cdot d^2 \cdot x^2 + 2 \cdot \pi \cdot b \cdot c \cdot d \cdot x + \pi \cdot b \cdot c^2) \cdot \sqrt{b / (\pi \cdot d)}) \cdot \cos(-2 \cdot (b \cdot c - a \cdot d) / d) \cdot \text{fresnel_cos}(2 \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{b / (\pi \cdot d)}) - 4 \cdot (\pi \cdot b \cdot d^2 \cdot x^2 + 2 \cdot \pi \cdot b \cdot c \cdot d \cdot x + \pi \cdot b \cdot c^2) \cdot \sqrt{b / (\pi \cdot d)}) \cdot \text{fresnel_sin}(2 \cdot \sqrt{d \cdot x + c}) \cdot \sqrt{b / (\pi \cdot d)}) \cdot \sin(-2 \cdot (b \cdot c - a \cdot d) / d) + (d \cdot \cos(b \cdot x + a)^2 - 4 \cdot (b \cdot d \cdot x + b \cdot c) \cdot \cos(b \cdot x + a) \cdot \sin(b \cdot x + a) - d) \cdot \sqrt{d \cdot x + c}) / (d^4 \cdot x^2 + 2 \cdot c \cdot d^3 \cdot x + c^2 \cdot d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(a + bx)}{(c + dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**(5/2),x)

[Out] Integral(sin(a + b*x)**2/(c + d*x)**(5/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(bx + a)}{(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)^2/(d*x + c)^(5/2), x)

3.51 $\int \frac{\sin^2(a+bx)}{(c+dx)^{7/2}} dx$

Optimal. Leaf size=216

$$\frac{32\sqrt{\pi}b^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{15d^{7/2}} - \frac{32\sqrt{\pi}b^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{8b \sin(a+bx)}{15d^2\sqrt{c+dx}}$$

[Out] $(-16*b^2)/(15*d^3*\text{Sqrt}[c + d*x]) - (32*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]])/ (15*d^(7/2)) - (32*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])* \text{Sin}[2*a - (2*b*c)/d])/ (15*d^(7/2)) - (8*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/ (15*d^2*(c + d*x)^(3/2)) - (2*\text{Sin}[a + b*x]^2)/(5*d*(c + d*x)^(5/2)) + (32*b^2*\text{Sin}[a + b*x]^2)/(15*d^3*\text{Sqrt}[c + d*x])$

Rubi [A] time = 0.335769, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {3314, 32, 3313, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{32\sqrt{\pi}b^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{15d^{7/2}} - \frac{32\sqrt{\pi}b^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{8b \sin(a+bx)}{15d^2\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*x]^2/(c + d*x)^(7/2), x]$

[Out] $(-16*b^2)/(15*d^3*\text{Sqrt}[c + d*x]) - (32*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]])/ (15*d^(7/2)) - (32*b^(5/2)*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])* \text{Sin}[2*a - (2*b*c)/d])/ (15*d^(7/2)) - (8*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/ (15*d^2*(c + d*x)^(3/2)) - (2*\text{Sin}[a + b*x]^2)/(5*d*(c + d*x)^(5/2)) + (32*b^2*\text{Sin}[a + b*x]^2)/(15*d^3*\text{Sqrt}[c + d*x])$

Rule 3314

$\text{Int}[(c + d*x)^m * \sin(e + f*x)^n, x] \rightarrow \text{Simp}[(c + d*x)^{m+1} * (b * \sin(e + f*x))^n / (d * (m + 1)), x] + (\text{Dist}[(b^2 * f^2 * n * (n - 1)) / (d^2 * (m + 1) * (m + 2)), \text{Int}[(c + d*x)^{m+2} * (b * \sin(e + f*x))^{n-2}, x], x] - \text{Dist}[(f^2 * n^2) / (d^2 * (m + 1) * (m + 2)), \text{Int}[(c + d*x)^{m+2} * (b * \sin(e + f*x))^n, x], x] - \text{Simp}[(b * f * n * (c + d*x)^{m+2} * \text{Cos}[e + f*x] * (b * \sin(e + f*x))^{n-1}) / (d^2 * (m + 1) * (m + 2)), x]) /;$ FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 32

$\text{Int}[(a + b*x)^m, x] \rightarrow \text{Simp}[(a + b*x)^{m+1} / (b * (m + 1)), x] /;$ FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3313

$\text{Int}[(c + d*x)^m * \sin(e + f*x)^n, x] \rightarrow \text{Simp}[(c + d*x)^{m+1} * \text{Sin}[e + f*x]^n / (d * (m + 1)), x] - \text{Dist}[(f * n) / (d * (m + 1)), \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^{m+1}, \text{Cos}[e + f*x] * \text{Sin}[e + f*x]^{n-1}, x], x], x] /;$ FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 3306

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/\text{Sqrt}[c + d*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_)]/\text{Sqrt}[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a+bx)}{(c+dx)^{7/2}} dx &= -\frac{8b \cos(a+bx) \sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2 \sin^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{(8b^2) \int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} - \frac{(16b^2) \int \frac{\sin^2(a+bx)}{(c+dx)^{3/2}} dx}{15d^2} \\ &= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{8b \cos(a+bx) \sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2 \sin^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(64b^3) \int \frac{\sin(2a+2bx)}{2\sqrt{c+dx}} dx}{15d^3} \\ &= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{8b \cos(a+bx) \sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2 \sin^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(32b^3) \int \frac{\sin(2a+2bx)}{\sqrt{c+dx}} dx}{15d^3} \\ &= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{8b \cos(a+bx) \sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2 \sin^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(32b^3 \cos(2a+2bx))}{15d^3} \\ &= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{8b \cos(a+bx) \sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{2 \sin^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2 \sin^2(a+bx)}{15d^3\sqrt{c+dx}} - \frac{(64b^3 \cos(2a+2bx))}{15d^3} \\ &= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{32b^{5/2} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} - \frac{32b^{5/2} \sqrt{\pi} C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{15d^{7/2}} - \frac{8b^3 \cos(2a+2bx)}{15d^3} \end{aligned}$$

Mathematica [A] time = 2.0029, size = 244, normalized size = 1.13

$$16b^2c^2 \cos(2(a + bx)) + 32b^2cdx \cos(2(a + bx)) + 16b^2d^2x^2 \cos(2(a + bx)) + 32\sqrt{\pi}bd \left(\frac{b}{d}\right)^{3/2} (c + dx)^{5/2} \sin\left(2a - \frac{2bc}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x)^(7/2), x]

[Out] $-(3*d^2 + 16*b^2*c^2*\text{Cos}[2*(a + b*x)] - 3*d^2*\text{Cos}[2*(a + b*x)] + 32*b^2*c*d*x*\text{Cos}[2*(a + b*x)] + 16*b^2*d^2*x^2*\text{Cos}[2*(a + b*x)] + 32*b*(b/d)^{(3/2)*d*\text{Sqrt}[Pi]*(c + d*x)^{(5/2)*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b/d]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[Pi]] + 32*b*(b/d)^{(3/2)*d*\text{Sqrt}[Pi]*(c + d*x)^{(5/2)*\text{FresnelC}[(2*\text{Sqrt}[b/d]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[Pi]]*\text{Sin}[2*a - (2*b*c)/d] + 4*b*c*d*\text{Sin}[2*(a + b*x)] + 4*b*d^2*x*\text{Sin}[2*(a + b*x)])/(15*d^3*(c + d*x)^{(5/2)}$

Maple [A] time = 0.013, size = 230, normalized size = 1.1

$$2 \frac{1}{d} \left(-1/10 (dx + c)^{-5/2} + 1/10 \frac{1}{(dx + c)^{5/2}} \cos\left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d}\right) + 2/5 \frac{b}{d} \left(-1/3 \frac{1}{(dx + c)^{3/2}} \sin\left(2 \frac{(dx + c)b}{d} + 2 \frac{da - cb}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^2/(d*x+c)^(7/2), x)

[Out] $2/d*(-1/10/(d*x+c)^{(5/2)}+1/10/(d*x+c)^{(5/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+2/5*b/d*(-1/3/(d*x+c)^{(3/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+4/3*b/d*(-1/(d*x+c)^{(1/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-2*b/d*Pi^{(1/2)}/(b/d)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelS}(2/Pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\sin(2*(a*d-b*c)/d)*\text{FresnelC}(2/Pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))))$

Maxima [C] time = 1.30236, size = 644, normalized size = 2.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(7/2), x, algorithm="maxima")

[Out] $1/10*(\text{sqrt}(2)*((5*(\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) + \text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\cos(5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))) + 5*(\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) + \text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\cos(-5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))) + (5*I*\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) - 5*I*\text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\sin(5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))) + (-5*I*\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) + 5*I*\text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\sin(-5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))))*\cos(-2*(b*c - a*d)/d) + ((-5*I*\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) + 5*I*\text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\cos(5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))) + (-5*I*\text{gamma}(-5/2, 2*I*(d*x + c)*b/d) + 5*I*\text{gamma}(-5/2, -2*I*(d*x + c)*b/d))*\cos(-5/4*pi + 5/2*\arctan2(0, b) + 5/2*\arctan2(0, d/\text{sqrt}(d^2))) + 5*(\text{gamma}(-5/2, 2*I*(d*x + c)*b/d)$

) + gamma(-5/2, -2*I*(d*x + c)*b/d)*sin(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) - 5*(gamma(-5/2, 2*I*(d*x + c)*b/d) + gamma(-5/2, -2*I*(d*x + c)*b/d))*sin(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) * sin(-2*(b*c - a*d)/d) * ((d*x + c)*abs(b)/abs(d))^(5/2) - 2)/((d*x + c)^(5/2)*d)

Fricas [A] time = 2.45532, size = 745, normalized size = 3.45

$$2 \left(16 \left(\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3 \right) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 16 \left(\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(7/2),x, algorithm="fricas")

[Out] -2/15*(16*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d))) + 16*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-2*(b*c - a*d)/d) - (8*b^2*d^2*x^2 + 16*b^2*c*d*x + 8*b^2*c^2 - (16*b^2*d^2*x^2 + 32*b^2*c*d*x + 16*b^2*c^2 - 3*d^2)*cos(b*x + a)^2 - 4*(b*d^2*x + b*c*d)*cos(b*x + a)*sin(b*x + a) - 3*d^2)*sqrt(d*x + c))/(d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**(7/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx+a)^2}{(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)^2/(d*x + c)^(7/2), x)

3.52 $\int \frac{\sin^2(a+bx)}{(c+dx)^{9/2}} dx$

Optimal. Leaf size=247

$$\frac{128\sqrt{\pi}b^{7/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{105d^{9/2}} + \frac{128\sqrt{\pi}b^{7/2} \sin\left(2a - \frac{2bc}{d}\right) \text{S}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} + \frac{32b^2 \sin^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{128}{105d^3(c+dx)^{3/2}}$$

```
[Out] (-16*b^2)/(105*d^3*(c + d*x)^(3/2)) - (128*b^(7/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]/(105*d^(9/2)) + (128*b^(7/2)*Sqrt[Pi]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(105*d^(9/2)) - (8*b*Cos[a + b*x]*Sin[a + b*x])/(35*d^2*(c + d*x)^(5/2)) + (128*b^3*Cos[a + b*x]*Sin[a + b*x])/(105*d^4*Sqrt[c + d*x]) - (2*Sin[a + b*x]^2)/(7*d*(c + d*x)^(7/2)) + (32*b^2*Sin[a + b*x]^2)/(105*d^3*(c + d*x)^(3/2))
```

Rubi [A] time = 0.419004, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{128\sqrt{\pi}b^{7/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{105d^{9/2}} + \frac{128\sqrt{\pi}b^{7/2} \sin\left(2a - \frac{2bc}{d}\right) \text{S}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} + \frac{32b^2 \sin^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{128}{105d^3(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^2/(c + d*x)^(9/2), x]
```

```
[Out] (-16*b^2)/(105*d^3*(c + d*x)^(3/2)) - (128*b^(7/2)*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]/(105*d^(9/2)) + (128*b^(7/2)*Sqrt[Pi]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(105*d^(9/2)) - (8*b*Cos[a + b*x]*Sin[a + b*x])/(35*d^2*(c + d*x)^(5/2)) + (128*b^3*Cos[a + b*x]*Sin[a + b*x])/(105*d^4*Sqrt[c + d*x]) - (2*Sin[a + b*x]^2)/(7*d*(c + d*x)^(7/2)) + (32*b^2*Sin[a + b*x]^2)/(105*d^3*(c + d*x)^(3/2))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)^(n_)], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(a+bx)}{(c+dx)^{9/2}} dx &= -\frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} - \frac{2 \sin^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{(8b^2) \int \frac{1}{(c+dx)^{5/2}} dx}{35d^2} - \frac{(16b^2) \int \frac{\sin^2(a+bx)}{(c+dx)^{5/2}} dx}{35d^2} \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{128b^3 \cos(a+bx) \sin(a+bx)}{105d^4 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{7d(c+dx)^{7/2}} + \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{256b^4 \sqrt{c+dx}}{105d^5} - \frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{128b^3 \cos(a+bx) \sin(a+bx)}{105d^4 \sqrt{c+dx}} \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{128b^3 \cos(a+bx) \sin(a+bx)}{105d^4 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{7d(c+dx)^{7/2}} + \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{128b^3 \cos(a+bx) \sin(a+bx)}{105d^4 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{7d(c+dx)^{7/2}} + \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{8b \cos(a+bx) \sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{128b^3 \cos(a+bx) \sin(a+bx)}{105d^4 \sqrt{c+dx}} - \frac{2 \sin^2(a+bx)}{7d(c+dx)^{7/2}} + \\ &= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{128b^{7/2} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} + \frac{128b^{7/2} \sqrt{\pi} S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{105d^{9/2}} \end{aligned}$$

Mathematica [B] time = 4.63769, size = 661, normalized size = 2.68

$$\cos(2a) \left(2 \cos\left(\frac{2bc}{d}\right) \left(15d^3 \cos\left(\frac{2b(c+dx)}{d}\right) - 4b(c+dx) \left(3d^2 \sin\left(\frac{2b(c+dx)}{d}\right) + 4b(c+dx) \left(8\sqrt{\pi} b \sqrt{\frac{b}{d}} (c+dx)^{3/2} \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \right) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^2/(c + d*x)^(9/2),x]

[Out]
$$\begin{aligned} & (-30*d^3 + \cos[2*a]*(4*\cos[(b*c)/d]*\sin[(b*c)/d]*(15*d^3*\sin[(2*b*(c + d*x))/d] \\ & + 4*b*(c + d*x)*(3*d^2*\cos[(2*b*(c + d*x))/d] - 4*b*(c + d*x)*(4*b*(c + d*x)*\cos[(2*b*(c + d*x))/d] \\ & + 8*b*\sqrt{b/d}*\sqrt{\pi}*(c + d*x)^{(3/2)}*\text{FresnelS}[(2*\sqrt{b/d}*\sqrt{c + d*x})/\sqrt{\pi}] + d*\sin[(2*b*(c + d*x))/d])) \\ & + 2*\cos[(2*b*c)/d]*(15*d^3*\cos[(2*b*(c + d*x))/d] - 4*b*(c + d*x)*(3*d^2*\sin[(2*b*(c + d*x))/d] \\ & + 4*b*(c + d*x)*(d*\cos[(2*b*(c + d*x))/d] + 8*b*\sqrt{b/d}*\sqrt{\pi}*(c + d*x)^{(3/2)}*\text{FresnelC}[(2*\sqrt{b/d}*\sqrt{c + d*x})/\sqrt{\pi}] \\ & - 4*b*(c + d*x)*\sin[(2*b*(c + d*x))/d])))) - 2*\cos[a]*\sin[a]*(2*(\cos[(b*c)/d] - \sin[(b*c)/d])*(\cos[(b*c)/d] + \sin[(b*c)/d]) \\ & *(15*d^3*\sin[(2*b*(c + d*x))/d] + 4*b*(c + d*x)*(3*d^2*\cos[(2*b*(c + d*x))/d] - 4*b*(c + d*x)*(4*b*(c + d*x)*\cos[(2*b*(c + d*x))/d] \\ & + 8*b*\sqrt{b/d}*\sqrt{\pi}*(c + d*x)^{(3/2)}*\text{FresnelS}[(2*\sqrt{b/d}*\sqrt{c + d*x})/\sqrt{\pi}] + d*\sin[(2*b*(c + d*x))/d])) \\ & - 2*\sin[(2*b*c)/d]*(15*d^3*\cos[(2*b*(c + d*x))/d] - 4*b*(c + d*x)*(3*d^2*\sin[(2*b*(c + d*x))/d] \\ & + 4*b*(c + d*x)*(d*\cos[(2*b*(c + d*x))/d] + 8*b*\sqrt{b/d}*\sqrt{\pi}*(c + d*x)^{(3/2)}*\text{FresnelC}[(2*\sqrt{b/d}*\sqrt{c + d*x})/\sqrt{\pi}] \\ & - 4*b*(c + d*x)*\sin[(2*b*(c + d*x))/d])))))/(210*d^4*(c + d*x)^{(7/2)}) \end{aligned}$$

Maple [A] time = 0.015, size = 273, normalized size = 1.1

$$2 \frac{1}{d} \left(-1/14 (dx+c)^{-7/2} + 1/14 \frac{1}{(dx+c)^{7/2}} \cos \left(2 \frac{(dx+c)b}{d} + 2 \frac{da-cb}{d} \right) + 2/7 \frac{b}{d} \left(-1/5 \frac{1}{(dx+c)^{5/2}} \sin \left(2 \frac{(dx+c)b}{d} + \dots \right) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^2/(d*x+c)^(9/2),x)

[Out]
$$\begin{aligned} & 2/d*(-1/14/(d*x+c)^{(7/2)}+1/14/(d*x+c)^{(7/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d) \\ & +2/7*b/d*(-1/5/(d*x+c)^{(5/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+4/5*b/d*(-1/3/(d*x+c)^{(3/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-4/3*b/d*(-1/(d*x+c)^{(1/2)}* \\ & \sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+2*b/d*\pi^{(1/2)/(b/d)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelC}(2/\pi^{(1/2)/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}-\sin(2*(a*d-b*c)/d)* \\ & \text{FresnelS}(2/\pi^{(1/2)/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}))) \end{aligned}$$

Maxima [C] time = 1.29426, size = 644, normalized size = 2.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/7*(\sqrt{2})*((7*(\gamma(-7/2, 2*I*(d*x + c)*b/d) + \gamma(-7/2, -2*I*(d*x + c)*b/d))*\cos(7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) \\ & + 7*(\gamma(-7/2, 2*I*(d*x + c)*b/d) + \gamma(-7/2, -2*I*(d*x + c)*b/d))*\cos(-7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) \\ & + (7*I*\gamma(-7/2, 2*I*(d*x + c)*b/d) - 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d))*\sin(7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) \\ & + (-7*I*\gamma(-7/2, 2*I*(d*x + c)*b/d) + 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d))*\sin(-7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2}))) \\ & *\cos(-2*(b*c - a*d)/d) + ((-7*I*\gamma(-7/2, 2*I*(d*x + c)*b/d) + 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d))*\sin(7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) \\ & + (-7*I*\gamma(-7/2, 2*I*(d*x + c)*b/d) + 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d))*\sin(-7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2}))) \end{aligned}$$

$$\begin{aligned} & /2, 2*I*(d*x + c)*b/d + 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d)*\cos(7/4*\pi + \\ & 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) + (-7*I*\gamma(-7/2, 2*I*(d \\ & *x + c)*b/d + 7*I*\gamma(-7/2, -2*I*(d*x + c)*b/d)*\cos(-7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) + 7*(\gamma(-7/2, 2*I*(d*x + c)*b/d) \\ & + \gamma(-7/2, -2*I*(d*x + c)*b/d))*\sin(7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2})) - 7*(\gamma(-7/2, 2*I*(d*x + c)*b/d) + \gamma(-7/2, -2 \\ & *I*(d*x + c)*b/d))*\sin(-7/4*\pi + 7/2*\arctan2(0, b) + 7/2*\arctan2(0, d/\sqrt{d^2}))*\sin(-2*(b*c - a*d)/d)*((d*x + c)*\text{abs}(b)/\text{abs}(d))^{(7/2) - 1}/((d*x + \\ & c)^{(7/2)*d} \end{aligned}$$

Fricas [B] time = 2.89485, size = 941, normalized size = 3.81

$$2 \left(64 \left(\pi b^3 d^4 x^4 + 4 \pi b^3 c d^3 x^3 + 6 \pi b^3 c^2 d^2 x^2 + 4 \pi b^3 c^3 d x + \pi b^3 c^4 \right) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 64 \left(\pi b^3 d^4 x^4 \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -2/105*(64*(\pi*b^3*d^4*x^4 + 4*\pi*b^3*c*d^3*x^3 + 6*\pi*b^3*c^2*d^2*x^2 + 4* \\ & \pi*b^3*c^3*d*x + \pi*b^3*c^4)*\sqrt{b/(\pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_c} \\ & \text{os}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 64*(\pi*b^3*d^4*x^4 + 4*\pi*b^3*c*d^3*x^ \\ & 3 + 6*\pi*b^3*c^2*d^2*x^2 + 4*\pi*b^3*c^3*d*x + \pi*b^3*c^4)*\sqrt{b/(\pi*d)}*\text{fr} \\ & \text{esnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-2*(b*c - a*d)/d) - (8*b^2*d^ \\ & 3*x^2 + 16*b^2*c*d^2*x + 8*b^2*c^2*d - 15*d^3 - (16*b^2*d^3*x^2 + 32*b^2*c* \\ & d^2*x + 16*b^2*c^2*d - 15*d^3)*\cos(b*x + a)^2 + 4*(16*b^3*d^3*x^3 + 48*b^3* \\ & c*d^2*x^2 + 16*b^3*c^3 - 3*b*c*d^2 + 3*(16*b^3*c^2*d - b*d^3)*x)*\cos(b*x + \\ & a)*\sin(b*x + a))*\sqrt{d*x + c})/(d^8*x^4 + 4*c*d^7*x^3 + 6*c^2*d^6*x^2 + 4* \\ & c^3*d^5*x + c^4*d^4) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**2/(d*x+c)**(9/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^2(bx+a)}{(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)^2/(d*x + c)^(9/2), x)

3.53 $\int (c + dx)^{5/2} \sin^3(a + bx) dx$

Optimal. Leaf size=410

$$\frac{45\sqrt{\frac{\pi}{2}}d^{5/2}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}} + \frac{5\sqrt{\frac{\pi}{6}}d^{5/2}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{144b^{7/2}} - \frac{5\sqrt{\frac{\pi}{6}}d^{5/2}\sin\left(3a - \frac{3bc}{d}\right)}{144b^{7/2}}$$

[Out] $(45*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(16*b^3) - (2*(c + d*x)^{(5/2)}*\text{Cos}[a + b*x])/(3*b) - (5*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[3*a + 3*b*x])/(144*b^3) - (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(16*b^{(7/2)}) + (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(144*b^{(7/2)}) - (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(144*b^{(7/2)}) + (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(16*b^{(7/2)}) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x])/(3*b^2) - ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(3*b) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x]^3)/(18*b^2)$

Rubi [A] time = 1.12658, antiderivative size = 410, normalized size of antiderivative = 1., number of steps used = 23, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 3296, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{45\sqrt{\frac{\pi}{2}}d^{5/2}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}} + \frac{5\sqrt{\frac{\pi}{6}}d^{5/2}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{144b^{7/2}} - \frac{5\sqrt{\frac{\pi}{6}}d^{5/2}\sin\left(3a - \frac{3bc}{d}\right)}{144b^{7/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(5/2)}*\text{Sin}[a + b*x]^3, x]$

[Out] $(45*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(16*b^3) - (2*(c + d*x)^{(5/2)}*\text{Cos}[a + b*x])/(3*b) - (5*d^2*\text{Sqrt}[c + d*x]*\text{Cos}[3*a + 3*b*x])/(144*b^3) - (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(16*b^{(7/2)}) + (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(144*b^{(7/2)}) - (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(144*b^{(7/2)}) + (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(16*b^{(7/2)}) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x])/(3*b^2) - ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(3*b) + (5*d*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x]^3)/(18*b^2)$

Rule 3311

$\text{Int}[(c + d*x)^m*\text{Sin}[e + f*x]^n, x] := \text{Simp}[(d*m*(c + d*x)^{(m-1)}*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)^m*(b*\text{Sin}[e + f*x])^{n-2}, x], x] - \text{Dist}[(d^2*m*(m-1))/(f^2*n^2), \text{Int}[(c + d*x)^{(m-2)}*(b*\text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b*(c + d*x)^m*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{n-1})/(f*n), x]) /;$
 $\text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{GtQ}[m, 1]$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Cos}[e + f*x], x] := -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$
 $\text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^{5/2} \sin^3(a + bx) dx &= -\frac{(c + dx)^{5/2} \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{5d(c + dx)^{3/2} \sin^3(a + bx)}{18b^2} + \frac{2}{3} \int (c + dx)^{5/2} \sin(a + bx) dx \\
&= -\frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{5d(c + dx)^{3/2} \sin^3(a + bx)}{18b^2} \\
&= -\frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} + \frac{5d(c + dx)^{3/2} \sin(a + bx)}{3b^2} - \frac{(c + dx)^{5/2} \cos(a + bx) \sin^2(a + bx)}{3b} \\
&= \frac{45d^2 \sqrt{c + dx} \cos(a + bx)}{16b^3} - \frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} - \frac{5d^2 \sqrt{c + dx} \cos(3a + 3bx)}{144b^3} + \frac{5d(c + dx)^{3/2} \sin^3(a + bx)}{18b^2} \\
&= \frac{45d^2 \sqrt{c + dx} \cos(a + bx)}{16b^3} - \frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} - \frac{5d^2 \sqrt{c + dx} \cos(3a + 3bx)}{144b^3} + \frac{5d(c + dx)^{3/2} \sin^3(a + bx)}{18b^2} \\
&= \frac{45d^2 \sqrt{c + dx} \cos(a + bx)}{16b^3} - \frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} - \frac{5d^2 \sqrt{c + dx} \cos(3a + 3bx)}{144b^3} + \frac{5d(c + dx)^{3/2} \sin^3(a + bx)}{18b^2} \\
&= \frac{45d^2 \sqrt{c + dx} \cos(a + bx)}{16b^3} - \frac{2(c + dx)^{5/2} \cos(a + bx)}{3b} - \frac{5d^2 \sqrt{c + dx} \cos(3a + 3bx)}{144b^3} - \frac{45d^5 \sin^5(a + bx)}{18b^2}
\end{aligned}$$

Mathematica [A] time = 3.1518, size = 542, normalized size = 1.32

$$-648b^3c^2\sqrt{c+dx}\cos(ax+bx)+72b^3c^2\sqrt{c+dx}\cos(3(ax+bx))-648b^3d^2x^2\sqrt{c+dx}\cos(ax+bx)+72b^3d^2x^2\sqrt{c+dx}\cos(3(ax+bx))$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Sin[a + b*x]^3,x]

[Out] $(-648*b^3*c^2*\sqrt{c+d*x}*\cos[a+b*x]+2430*b*d^2*\sqrt{c+d*x}*\cos[a+b*x]-1296*b^3*c*d*x*\sqrt{c+d*x}*\cos[a+b*x]-648*b^3*d^2*x^2*\sqrt{c+d*x}*\cos[a+b*x]+72*b^3*c^2*\sqrt{c+d*x}*\cos[3*(a+b*x)]-30*b*d^2*\sqrt{c+d*x}*\cos[3*(a+b*x)]+144*b^3*c*d*x*\sqrt{c+d*x}*\cos[3*(a+b*x)]+72*b^3*d^2*x^2*\sqrt{c+d*x}*\cos[3*(a+b*x)]-1215*\sqrt{b/d}*d^3*\sqrt{2*\pi}*\cos[a-(b*c)/d]*\text{FresnelC}[\sqrt{b/d}*\sqrt{2/\pi}*\sqrt{c+d*x}]+5*\sqrt{b/d}*d^3*\sqrt{6*\pi}*\cos[3*a-(3*b*c)/d]*\text{FresnelC}[\sqrt{b/d}*\sqrt{6/\pi}*\sqrt{c+d*x}]-5*\sqrt{b/d}*d^3*\sqrt{6*\pi}*\text{FresnelS}[\sqrt{b/d}*\sqrt{6/\pi}*\sqrt{c+d*x}]*\sin[3*a-(3*b*c)/d]+1215*\sqrt{b/d}*d^3*\sqrt{2*\pi}*\text{FresnelS}[\sqrt{b/d}*\sqrt{2/\pi}*\sqrt{c+d*x}]*\sin[a-(b*c)/d]+1620*b^2*c*d*\sqrt{c+d*x}*\sin[a+b*x]+1620*b^2*d^2*x*\sqrt{c+d*x}*\sin[a+b*x]-60*b^2*c*d*\sqrt{c+d*x}*\sin[3*(a+b*x)]-60*b^2*d^2*x*\sqrt{c+d*x}*\sin[3*(a+b*x)])/(864*b^4)$

Maple [A] time = 0.013, size = 476, normalized size = 1.2

$$2\frac{1}{d}\left(-3/8\frac{d(dx+c)^{5/2}}{b}\cos\left(\frac{(dx+c)b}{d}+\frac{da-cb}{d}\right)+\frac{15d}{8b}\left(\frac{1}{2}\frac{d(dx+c)^{3/2}}{b}\sin\left(\frac{(dx+c)b}{d}+\frac{da-cb}{d}\right)-\frac{3}{2}\frac{d}{b}\left(-\frac{1}{2}\frac{d(dx+c)^{5/2}}{b}\cos\left(\frac{(dx+c)b}{d}+\frac{da-cb}{d}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*sin(b*x+a)^3,x)

[Out] $2/d*(-3/8/b*d*(d*x+c)^(5/2)*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+15/8/b*d*(1/2/b*d*(d*x+c)^(3/2)*\sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-3/2/b*d*(-1/2/b*d*(d*x+c)^(1/2)*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/4/b*d*2^(1/2)*\pi^(1/2)/(b/d)^(1/2)*(\cos((a*d-b*c)/d)*\text{FresnelC}(2^(1/2)/\pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-\sin((a*d-b*c)/d)*\text{FresnelS}(2^(1/2)/\pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))+1/24/b*d*(d*x+c)^(5/2)*\cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-5/24/b*d*(1/6/b*d*(d*x+c)^(3/2)*\sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/2/b*d*(-1/6/b*d*(d*x+c)^(1/2)*\cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)+1/36/b*d*2^(1/2)*\pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(\cos(3*(a*d-b*c)/d)*\text{FresnelC}(2^(1/2)/\pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-\sin(3*(a*d-b*c)/d)*\text{FresnelS}(2^(1/2)/\pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))))$

Maxima [C] time = 2.20947, size = 1868, normalized size = 4.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^3,x, algorithm="maxima")

```
[Out] -1/3456*sqrt(3)*(80*sqrt(3)*(d*x + c)^(3/2)*b*d^2*abs(b)*sin(3*((d*x + c)*b
- b*c + a*d)/d)/abs(d) - 2160*sqrt(3)*(d*x + c)^(3/2)*b*d^2*abs(b)*sin(((d
*x + c)*b - b*c + a*d)/d)/abs(d) - 8*(12*sqrt(3)*(d*x + c)^(5/2)*b^2*d*abs(
b)/abs(d) - 5*sqrt(3)*sqrt(d*x + c)*d^3*abs(b)/abs(d))*cos(3*((d*x + c)*b -
b*c + a*d)/d) + 216*(4*sqrt(3)*(d*x + c)^(5/2)*b^2*d*abs(b)/abs(d) - 15*sq
rt(3)*sqrt(d*x + c)*d^3*abs(b)/abs(d))*cos(((d*x + c)*b - b*c + a*d)/d) - (
(5*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) +
5*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2)))
- 5*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))
) + 5*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^
2))))*d^3*sqrt(abs(b)/abs(d))*cos(-3*(b*c - a*d)/d) - (5*I*sqrt(pi)*cos(1/4
*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 5*I*sqrt(pi)*cos(-
1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 5*sqrt(pi)*sin(
1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 5*sqrt(pi)*sin(
-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sqrt(abs(b)
/abs(d))*sin(-3*(b*c - a*d)/d)*erf(sqrt(d*x + c)*sqrt(3*I*b/d)) + (sqrt(3)
*(405*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))
) + 405*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^
2))) - 405*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqr
t(d^2))) + 405*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0,
d/sqrt(d^2))))*d^3*sqrt(abs(b)/abs(d))*cos(-(b*c - a*d)/d) + sqrt(3)*(-405*
I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) -
405*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2)
)) - 405*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^
2))) + 405*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt
(d^2))))*d^3*sqrt(abs(b)/abs(d))*sin(-(b*c - a*d)/d)*erf(sqrt(d*x + c)*sqr
t(I*b/d)) + (sqrt(3)*(405*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arc
tan2(0, d/sqrt(d^2))) + 405*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*
arctan2(0, d/sqrt(d^2))) + 405*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) +
1/2*arctan2(0, d/sqrt(d^2))) - 405*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0,
b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sqrt(abs(b)/abs(d))*cos(-(b*c - a*d)
/d) + sqrt(3)*(405*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(
0, d/sqrt(d^2))) + 405*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arc
tan2(0, d/sqrt(d^2))) - 405*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*a
rctan2(0, d/sqrt(d^2))) + 405*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/
2*arctan2(0, d/sqrt(d^2))))*d^3*sqrt(abs(b)/abs(d))*sin(-(b*c - a*d)/d)*er
f(sqrt(d*x + c)*sqrt(-I*b/d)) - ((5*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b)
+ 1/2*arctan2(0, d/sqrt(d^2))) + 5*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b)
+ 1/2*arctan2(0, d/sqrt(d^2))) + 5*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0,
b) + 1/2*arctan2(0, d/sqrt(d^2))) - 5*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2
(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*d^3*sqrt(abs(b)/abs(d))*cos(-3*(b*c
- a*d)/d) - (-5*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0,
d/sqrt(d^2))) - 5*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(
0, d/sqrt(d^2))) + 5*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(
0, d/sqrt(d^2))) - 5*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2
(0, d/sqrt(d^2))))*d^3*sqrt(abs(b)/abs(d))*sin(-3*(b*c - a*d)/d))*erf(sqrt(
d*x + c)*sqrt(-3*I*b/d))*abs(d)/(b^3*d*abs(b))
```

Fricas [A] time = 2.76394, size = 923, normalized size = 2.25

$$5\sqrt{6}\pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 1215\sqrt{2}\pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + 1215\sqrt{2}\pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^3,x, algorithm="fricas")


```
[Out] 1/864*(5*sqrt(6)*pi*d^3*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_cos(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 1215*sqrt(2)*pi*d^3*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 1215*sqrt(2)*pi*d^3*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) *sin(-(b*c - a*d)/d) - 5*sqrt(6)*pi*d^3*sqrt(b/(pi*d))*fresnel_sin(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) *sin(-3*(b*c - a*d)/d) + 24*((12*b^3*d^2*x^2 + 24*b^3*c*d*x + 12*b^3*c^2 - 5*b*d^2)*cos(b*x + a)^3 - 3*(12*b^3*d^2*x^2 + 24*b^3*c*d*x + 12*b^3*c^2 - 35*b*d^2)*cos(b*x + a) + 10*(7*b^2*d^2*x + 7*b^2*c*d - (b^2*d^2*x + b^2*c*d)*cos(b*x + a)^2)*sin(b*x + a)*sqrt(d*x + c))/b^4
```

Sympy [F-1] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**(5/2)*sin(b*x+a)**3,x)
```

```
[Out] Timed out
```

Giac [C] time = 1.62919, size = 2726, normalized size = 6.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(5/2)*sin(b*x+a)^3,x, algorithm="giac")
```

```
[Out] 1/1728*(12*(sqrt(6)*sqrt(pi)*d^2*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c))*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((3*I*b*c - 3*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) - 27*sqrt(2)*sqrt(pi)*d^2*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) - 27*sqrt(2)*sqrt(pi)*d^2*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) + sqrt(6)*sqrt(pi)*d^2*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-3*I*b*c + 3*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) + 6*sqrt(d*x + c)*d*e^((3*I*(d*x + c)*b - 3*I*b*c + 3*I*a*d)/d)/b - 54*sqrt(d*x + c)*d*e^((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b - 54*sqrt(d*x + c)*d*e^((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b + 6*sqrt(d*x + c)*d*e^((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/d)/b)*c^2 - d^2*((I*sqrt(6)*sqrt(pi))*(12*I*b^2*c^2*d - 12*b*c*d^2 - 5*I*d^3)*d*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((3*I*b*c - 3*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 6*I*(-12*I*(d*x + c)^(5/2)*b^2*d + 24*I*(d*x + c)^(3/2)*b^2*c*d - 12*I*sqrt(d*x + c)*b^2*c^2*d - 10*(d*x + c)^(3/2)*b*d^2 + 12*sqrt(d*x + c)*b*c*d^2 + 5*I*sqrt(d*x + c)*d^3)*e^((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/d)/b^3)/d^2 + 27*(I*sqrt(2)*sqrt(pi))*(-12*I*b^2*c^2*d + 36*b*c*d^2 + 45*I*d^3)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*I*(12*I*(d*x + c)^(5/2)*b^2*d - 24*I*(d*x + c)^(3/2)*b^2*c*d + 12*I*sqrt(d*x + c)*b^2*c^2*d + 30*(d*x + c)^(3/2)*b*d^2 - 36*sqrt(d*x + c)*b*c*d^2 - 45*I*sqrt(d*x + c)*d^3)*e^((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b^3)/d^2 + 27*(I*sqrt(2)*sqrt(pi))*(-12*I*b^2*c^2*d - 36*b*c*d^2 + 45*I*d^3)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt
```

$$\begin{aligned}
& (dx + c) * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d * e^{((-I * b * c + I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^3) - 2 * I * (12 * I * (dx + c)^{(5/2}) * b^2 * d - 24 * I * (dx + c)^{(3/2}) * b^2 * c * d + 12 * I * \sqrt{dx + c} * b^2 * c^2 * d - 30 * (dx + c)^{(3/2}) * b * d^2 + 36 * \sqrt{dx + c} * b * c * d^2 - 45 * I * \sqrt{dx + c} * d^3) * e^{((I * (dx + c) * b - I * b * c + I * a * d) / d) / b^3} / d^2 + (I * \sqrt{6} * \sqrt{\pi}) * (12 * I * b^2 * c^2 * d + 12 * b * c * d^2 - 5 * I * d^3) * d * \operatorname{erf}(-1/2 * \sqrt{6} * \sqrt{b * d} * \sqrt{dx + c} * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((-3 * I * b * c + 3 * I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^3) - 6 * I * (-12 * I * (dx + c)^{(5/2}) * b^2 * d + 24 * I * (dx + c)^{(3/2}) * b^2 * c * d - 12 * I * \sqrt{dx + c} * b^2 * c^2 * d + 10 * (dx + c)^{(3/2}) * b * d^2 - 12 * \sqrt{dx + c} * b * c * d^2 + 5 * I * \sqrt{dx + c} * d^3) * e^{((3 * I * (dx + c) * b - 3 * I * b * c + 3 * I * a * d) / d) / b^3} / d^2) - 12 * (I * \sqrt{6} * \sqrt{\pi}) * (-2 * I * b * c * d + d^2) * d * \operatorname{erf}(-1/2 * \sqrt{6} * \sqrt{b * d} * \sqrt{dx + c} * (I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((3 * I * b * c - 3 * I * a * d) / d) / (\sqrt{b * d} * (I * b * d / \sqrt{b^2 * d^2} + 1) * b^2) + 9 * I * \sqrt{2} * \sqrt{\pi}) * (6 * I * b * c * d - 9 * d^2) * d * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{b * d} * \sqrt{dx + c} * (I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((I * b * c - I * a * d) / d) / (\sqrt{b * d} * (I * b * d / \sqrt{b^2 * d^2} + 1) * b^2) + 9 * I * \sqrt{2} * \sqrt{\pi}) * (6 * I * b * c * d + 9 * d^2) * d * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{b * d} * \sqrt{dx + c} * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((-I * b * c + I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^2) + I * \sqrt{6} * \sqrt{\pi}) * (-2 * I * b * c * d - d^2) * d * \operatorname{erf}(-1/2 * \sqrt{6} * \sqrt{b * d} * \sqrt{dx + c} * (-I * b * d / \sqrt{b^2 * d^2} + 1) / d) * e^{((-3 * I * b * c + 3 * I * a * d) / d) / (\sqrt{b * d} * (-I * b * d / \sqrt{b^2 * d^2} + 1) * b^2) - 6 * I * (-2 * I * (dx + c)^{(3/2}) * b * d + 2 * I * \sqrt{dx + c} * b * c * d + \sqrt{dx + c} * d^2) * e^{((3 * I * (dx + c) * b - 3 * I * b * c + 3 * I * a * d) / d) / b^2 - 18 * I * (6 * I * (dx + c)^{(3/2}) * b * d - 6 * I * \sqrt{dx + c} * b * c * d - 9 * \sqrt{dx + c} * d^2) * e^{((I * (dx + c) * b - I * b * c + I * a * d) / d) / b^2 - 18 * I * (6 * I * (dx + c)^{(3/2}) * b * d - 6 * I * \sqrt{dx + c} * b * c * d + 9 * \sqrt{dx + c} * d^2) * e^{((-I * (dx + c) * b + I * b * c - I * a * d) / d) / b^2 - 6 * I * (-2 * I * (dx + c)^{(3/2}) * b * d + 2 * I * \sqrt{dx + c} * b * c * d - \sqrt{dx + c} * d^2) * e^{((-3 * I * (dx + c) * b + 3 * I * b * c - 3 * I * a * d) / d) / b^2) * c) / d
\end{aligned}$$

3.54 $\int (c + dx)^{3/2} \sin^3(a + bx) dx$

Optimal. Leaf size=354

$$\frac{\sqrt{\frac{\pi}{6}} d^{3/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}} - \frac{9\sqrt{\frac{\pi}{2}} d^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{8b^{5/2}} - \frac{9\sqrt{\frac{\pi}{2}} d^{3/2} \cos\left(a - \frac{bc}{d}\right)}{8b^{5/2}}$$

```
[Out] (-2*(c + d*x)^(3/2)*Cos[a + b*x])/(3*b) - (9*d^(3/2)*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(8*b^(5/2)) + (d^(3/2)*Sqrt[Pi/6]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(24*b^(5/2)) + (d^(3/2)*Sqrt[Pi/6]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/(24*b^(5/2)) - (9*d^(3/2)*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(8*b^(5/2)) + (d*Sqrt[c + d*x]*Sin[a + b*x])/b^2 - ((c + d*x)^(3/2)*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (d*Sqrt[c + d*x]*Sin[a + b*x]^3)/(6*b^2)
```

Rubi [A] time = 0.97218, antiderivative size = 354, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 3296, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{\sqrt{\frac{\pi}{6}} d^{3/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}} - \frac{9\sqrt{\frac{\pi}{2}} d^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{8b^{5/2}} - \frac{9\sqrt{\frac{\pi}{2}} d^{3/2} \cos\left(a - \frac{bc}{d}\right)}{8b^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^(3/2)*Sin[a + b*x]^3,x]
```

```
[Out] (-2*(c + d*x)^(3/2)*Cos[a + b*x])/(3*b) - (9*d^(3/2)*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(8*b^(5/2)) + (d^(3/2)*Sqrt[Pi/6]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(24*b^(5/2)) + (d^(3/2)*Sqrt[Pi/6]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/(24*b^(5/2)) - (9*d^(3/2)*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(8*b^(5/2)) + (d*Sqrt[c + d*x]*Sin[a + b*x])/b^2 - ((c + d*x)^(3/2)*Cos[a + b*x]*Sin[a + b*x]^2)/(3*b) + (d*Sqrt[c + d*x]*Sin[a + b*x]^3)/(6*b^2)
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Ccos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Ccos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Ccos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^{3/2} \sin^3(a + bx) dx &= -\frac{(c + dx)^{3/2} \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d\sqrt{c + dx} \sin^3(a + bx)}{6b^2} + \frac{2}{3} \int (c + dx)^{3/2} \sin(a + bx) dx \\
&= -\frac{2(c + dx)^{3/2} \cos(a + bx)}{3b} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin^2(a + bx)}{3b} + \frac{d\sqrt{c + dx} \sin^3(a + bx)}{6b^2} \\
&= -\frac{2(c + dx)^{3/2} \cos(a + bx)}{3b} + \frac{d\sqrt{c + dx} \sin(a + bx)}{b^2} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin^2(a + bx)}{3b} \\
&= -\frac{2(c + dx)^{3/2} \cos(a + bx)}{3b} + \frac{d\sqrt{c + dx} \sin(a + bx)}{b^2} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin^2(a + bx)}{3b} \\
&= -\frac{2(c + dx)^{3/2} \cos(a + bx)}{3b} + \frac{d\sqrt{c + dx} \sin(a + bx)}{b^2} - \frac{(c + dx)^{3/2} \cos(a + bx) \sin^2(a + bx)}{3b} \\
&= -\frac{2(c + dx)^{3/2} \cos(a + bx)}{3b} - \frac{9d^{3/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{8b^{5/2}} + \frac{d^{3/2} \sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right)}{24b^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.63445, size = 389, normalized size = 1.1

$$\sqrt{6\pi d} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c + dx}\right) - 81\sqrt{2\pi d} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c + dx}\right) - 81\sqrt{2\pi d} \cos\left(a - \frac{bc}{d}\right) \text{FresnelS}\left(\sqrt{\frac{2}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c + dx}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(3/2)*Sin[a + b*x]^3,x]

[Out] (-108*b*c*Sqrt[b/d]*Sqrt[c + d*x]*Cos[a + b*x] - 108*b*Sqrt[b/d]*d*x*Sqrt[c + d*x]*Cos[a + b*x] + 12*b*c*Sqrt[b/d]*Sqrt[c + d*x]*Cos[3*(a + b*x)] + 12*b*Sqrt[b/d]*d*x*Sqrt[c + d*x]*Cos[3*(a + b*x)] - 81*d*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]] + d*Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]] + d*Sqrt[6*Pi]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]*Sin[3*a - (3*b*c)/d] - 81*d*Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]*Sin[a - (b*c)/d] + 162*Sqrt[b/d]*d*Sqrt[c + d*x]*Sin[a + b*x] - 6*Sqrt[b/d]*d*Sqrt[c + d*x]*Sin[3*(a + b*x)])/(144*b^2*Sqrt[b/d])

Maple [A] time = 0.013, size = 384, normalized size = 1.1

$$2 \frac{1}{d} \left(-3/8 \frac{d(dx+c)^{3/2}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + \frac{9d}{8b} \left(1/2 \frac{d\sqrt{dx+c}}{b} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - 1/4 \frac{d\sqrt{2}\sqrt{\pi}}{b} \left(\cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(3/2)*sin(b*x+a)^3,x)

[Out] 2/d*(-3/8/b*d*(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+9/8/b*d*(1/2/b*d*(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/4/b*d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))+1/24/b*d*(d*x+c)^(3/2)*cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/8/b*d*(1/6/b*d*(d*x+c)^(1/2)*sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/36/b*d*2^(1/2)*Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(cos(3*(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin(3*(a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))

Maxima [C] time = 2.22983, size = 1790, normalized size = 5.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^3,x, algorithm="maxima")

[Out] 1/576*sqrt(3)*(16*sqrt(3)*(d*x + c)^(3/2)*b*d*abs(b)*cos(3*((d*x + c)*b - b*c + a*d)/d)/abs(d) - 144*sqrt(3)*(d*x + c)^(3/2)*b*d*abs(b)*cos(((d*x + c)*b - b*c + a*d)/d)/abs(d) - 8*sqrt(3)*sqrt(d*x + c)*d^2*abs(b)*sin(3*((d*x + c)*b - b*c + a*d)/d)/abs(d) + 216*sqrt(3)*sqrt(d*x + c)*d^2*abs(b)*sin(((d*x + c)*b - b*c + a*d)/d)/abs(d) - ((-I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(

$0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(-3*(b*c - a*d)/d) - (\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\sin(-3*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c})*\sqrt{\text{abs}(b)/\text{abs}(d)} - (\sqrt{3}*(27*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 27*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(-(b*c - a*d)/d) + \sqrt{3}*(27*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 27*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\sin(-(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c})*\sqrt{\text{abs}(b)/\text{abs}(d)} - (\sqrt{3}*(-27*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 27*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 27*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(-(b*c - a*d)/d) + \sqrt{3}*(27*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 27*I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 27*I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\sin(-(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c})*\sqrt{-\text{abs}(b)/\text{abs}(d)} - ((I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - \sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\cos(-3*(b*c - a*d)/d) - (\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + \sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) + I*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})) - I*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, b) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\sqrt{\text{abs}(b)/\text{abs}(d)}*\sin(-3*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c})*\sqrt{\text{abs}(b)/\text{abs}(d)})*\text{abs}(d)/(b^2*d*\text{abs}(b))$

Fricas [A] time = 2.41929, size = 761, normalized size = 2.15

$$\sqrt{6}\pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 81\sqrt{2}\pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 81\sqrt{2}\pi d^2 \sqrt{\frac{b}{\pi d}} C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^3,x, algorithm="fricas")

[Out] $1/144*(\sqrt{6}*\pi*d^2*\sqrt{b/(\pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 81*\sqrt{2}*\pi*d^2*\sqrt{b/(\pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 81*\sqrt{2}*\pi*d^2*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-(b*c - a*d)/d) + \sqrt{6}*\pi*d^2*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-3*(b*c - a*d)/d) + 24*(2*(b^2*d*x + b^2*c)*\cos(b*x + a)^3 - 6*(b^2*d*x + b^2*c)*\cos(b*x + a) - (b*d*\cos(b*x + a))^2 - 7*$

$b*d*\sin(b*x + a)*\sqrt{d*x + c})/b^3$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(3/2)*sin(b*x+a)**3,x)

[Out] Timed out

Giac [C] time = 1.49296, size = 1513, normalized size = 4.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*sin(b*x+a)^3,x, algorithm="giac")

[Out]
$$\frac{1}{288} \cdot (2 \cdot (\sqrt{6} \cdot \sqrt{\pi}) \cdot d^2 \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{6} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((3 \cdot I \cdot b \cdot c - 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b} - 27 \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot d^2 \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{2} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((I \cdot b \cdot c - I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b} - 27 \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot d^2 \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{2} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((-I \cdot b \cdot c + I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b} + \sqrt{6} \cdot \sqrt{\pi}) \cdot d^2 \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{6} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((-3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b} + 6 \cdot \sqrt{d \cdot x + c}) \cdot d \cdot e^{((3 \cdot I \cdot (d \cdot x + c) \cdot b - 3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot a \cdot d) / d) / b} - 54 \cdot \sqrt{d \cdot x + c}) \cdot d \cdot e^{((I \cdot (d \cdot x + c) \cdot b - I \cdot b \cdot c + I \cdot a \cdot d) / d) / b} - 54 \cdot \sqrt{d \cdot x + c}) \cdot d \cdot e^{((-I \cdot (d \cdot x + c) \cdot b + I \cdot b \cdot c - I \cdot a \cdot d) / d) / b} + 6 \cdot \sqrt{d \cdot x + c}) \cdot d \cdot e^{((-3 \cdot I \cdot (d \cdot x + c) \cdot b + 3 \cdot I \cdot b \cdot c - 3 \cdot I \cdot a \cdot d) / d) / b} \cdot c - I \cdot \sqrt{6} \cdot \sqrt{\pi}) \cdot (-2 \cdot I \cdot b \cdot c \cdot d + d^2) \cdot d \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{6} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((3 \cdot I \cdot b \cdot c - 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b^2} - 9 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot (6 \cdot I \cdot b \cdot c \cdot d - 9 \cdot d^2) \cdot d \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{2} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((I \cdot b \cdot c - I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b^2} - 9 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi}) \cdot (6 \cdot I \cdot b \cdot c \cdot d + 9 \cdot d^2) \cdot d \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{2} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((-I \cdot b \cdot c + I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b^2} - I \cdot \sqrt{6} \cdot \sqrt{\pi}) \cdot (-2 \cdot I \cdot b \cdot c \cdot d - d^2) \cdot d \cdot \operatorname{erf}(-\frac{1}{2} \sqrt{6} \sqrt{b \cdot d}) \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d \cdot e^{((-3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) \cdot b^2} + 6 \cdot I \cdot (-2 \cdot I \cdot (d \cdot x + c)^{3/2} \cdot b \cdot d + 2 \cdot I \cdot \sqrt{d \cdot x + c}) \cdot b \cdot c \cdot d + \sqrt{d \cdot x + c}) \cdot d^2 \cdot e^{((3 \cdot I \cdot (d \cdot x + c) \cdot b - 3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot a \cdot d) / d) / b^2} + 18 \cdot I \cdot (6 \cdot I \cdot (d \cdot x + c)^{3/2} \cdot b \cdot d - 6 \cdot I \cdot \sqrt{d \cdot x + c}) \cdot b \cdot c \cdot d - 9 \cdot \sqrt{d \cdot x + c}) \cdot d^2 \cdot e^{((I \cdot (d \cdot x + c) \cdot b - I \cdot b \cdot c + I \cdot a \cdot d) / d) / b^2} + 18 \cdot I \cdot (6 \cdot I \cdot (d \cdot x + c)^{3/2} \cdot b \cdot d - 6 \cdot I \cdot \sqrt{d \cdot x + c}) \cdot b \cdot c \cdot d + 9 \cdot \sqrt{d \cdot x + c}) \cdot d^2 \cdot e^{((-I \cdot (d \cdot x + c) \cdot b + I \cdot b \cdot c - I \cdot a \cdot d) / d) / b^2} + 6 \cdot I \cdot (-2 \cdot I \cdot (d \cdot x + c)^{3/2} \cdot b \cdot d + 2 \cdot I \cdot \sqrt{d \cdot x + c}) \cdot b \cdot c \cdot d - \sqrt{d \cdot x + c}) \cdot d^2 \cdot e^{((-3 \cdot I \cdot (d \cdot x + c) \cdot b + 3 \cdot I \cdot b \cdot c - 3 \cdot I \cdot a \cdot d) / d) / b^2} / d$$

3.55 $\int \sqrt{c + dx} \sin^3(a + bx) dx$

Optimal. Leaf size=304

$$\frac{3\sqrt{\frac{\pi}{2}}\sqrt{d}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} - \frac{\sqrt{\frac{\pi}{6}}\sqrt{d}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}} + \frac{\sqrt{\frac{\pi}{6}}\sqrt{d}\sin\left(3a - \frac{3bc}{d}\right)\text{S}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}}$$

[Out] $(-3*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(4*b) + (\text{Sqrt}[c + d*x]*\text{Cos}[3*a + 3*b*x])/(12*b) + (3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(4*b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(12*b^{(3/2)}) + (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(12*b^{(3/2)}) - (3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(4*b^{(3/2)})$

Rubi [A] time = 0.497779, antiderivative size = 304, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}\sqrt{d}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} - \frac{\sqrt{\frac{\pi}{6}}\sqrt{d}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}} + \frac{\sqrt{\frac{\pi}{6}}\sqrt{d}\sin\left(3a - \frac{3bc}{d}\right)\text{S}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Sin[a + b*x]^3,x]

[Out] $(-3*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(4*b) + (\text{Sqrt}[c + d*x]*\text{Cos}[3*a + 3*b*x])/(12*b) + (3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(4*b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(12*b^{(3/2)}) + (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(12*b^{(3/2)}) - (3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(4*b^{(3/2)})$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3305


```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \sqrt{c+dx} \sin^3(a+bx) dx &= \int \left(\frac{3}{4} \sqrt{c+dx} \sin(a+bx) - \frac{1}{4} \sqrt{c+dx} \sin(3a+3bx) \right) dx \\ &= -\left(\frac{1}{4} \int \sqrt{c+dx} \sin(3a+3bx) dx \right) + \frac{3}{4} \int \sqrt{c+dx} \sin(a+bx) dx \\ &= -\frac{3\sqrt{c+dx} \cos(a+bx)}{4b} + \frac{\sqrt{c+dx} \cos(3a+3bx)}{12b} - \frac{d \int \frac{\cos(3a+3bx)}{\sqrt{c+dx}} dx}{24b} + \frac{(3d) \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{8b} \\ &= -\frac{3\sqrt{c+dx} \cos(a+bx)}{4b} + \frac{\sqrt{c+dx} \cos(3a+3bx)}{12b} - \frac{\left(d \cos\left(3a - \frac{3bc}{d}\right) \right) \int \frac{\cos\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c+dx}} dx}{24b} \\ &= -\frac{3\sqrt{c+dx} \cos(a+bx)}{4b} + \frac{\sqrt{c+dx} \cos(3a+3bx)}{12b} - \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{3bx^2}{d}\right) dx\right)}{12b} \\ &= -\frac{3\sqrt{c+dx} \cos(a+bx)}{4b} + \frac{\sqrt{c+dx} \cos(3a+3bx)}{12b} + \frac{3\sqrt{d} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.804446, size = 266, normalized size = 0.88

$$\frac{27\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c+dx}\right) - \sqrt{6\pi} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c+dx}\right) + \sqrt{6\pi} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelS}\left(\sqrt{\frac{6}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c+dx}\right)}{(72*b*\text{Sqrt}[b/d])}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[c + d*x]*Sin[a + b*x]^3, x]
```

```
[Out] (-54*Sqrt[b/d]*Sqrt[c + d*x]*Cos[a + b*x] + 6*Sqrt[b/d]*Sqrt[c + d*x]*Cos[3
*(a + b*x)] + 27*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*
Sqrt[c + d*x]] - Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[6/
Pi]*Sqrt[c + d*x]] + Sqrt[6*Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]
]*Sin[3*a - (3*b*c)/d] - 27*Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c
+ d*x]]*Sin[a - (b*c)/d])/(72*b*Sqrt[b/d])
```

Maple [A] time = 0.01, size = 296, normalized size = 1.

$$2 \frac{1}{d} \left(-\frac{3}{8} \frac{d\sqrt{dx+c}}{b} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + \frac{3}{16} \frac{d\sqrt{2}\sqrt{\pi}}{b} \left(\cos\left(\frac{da-cb}{d}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}}{\sqrt{\pi}d} \frac{1}{\sqrt{\frac{b}{d}}}\right) - \sin\left(\frac{da-cb}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)*sin(b*x+a)^3,x)`

[Out] $2/d*(-3/8/b*d*(d*x+c)^{(1/2)}*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+3/16/b*d*2^{(1/2)}*\Pi^{(1/2)}/(b/d)^{(1/2)}*(\cos((a*d-b*c)/d)*\operatorname{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}-\sin((a*d-b*c)/d)*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}))+1/24/b*d*(d*x+c)^{(1/2)}*\cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/144/b*d*2^{(1/2)}*\Pi^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(\cos(3*(a*d-b*c)/d)*\operatorname{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}-\sin(3*(a*d-b*c)/d)*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)*b/d}))$

Maxima [C] time = 2.144, size = 1651, normalized size = 5.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)*sin(b*x+a)^3,x, algorithm="maxima")`

[Out] $1/288*\sqrt{3}*(8*\sqrt{3}*\sqrt{d*x+c}*d*\operatorname{abs}(b)*\cos(3*((d*x+c)*b-b*c+a*d)/d)/\operatorname{abs}(d)-72*\sqrt{3}*\sqrt{d*x+c}*d*\operatorname{abs}(b)*\cos(((d*x+c)*b-b*c+a*d)/d)/\operatorname{abs}(d)-((\sqrt{\pi})*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-I*\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+I*\sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2})))*d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}*\cos(-3*(b*c-a*d)/d)-(I*\sqrt{\pi}*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+I*\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))- \sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2})))*d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}*\sin(-3*(b*c-a*d)/d)*\operatorname{erf}(\sqrt{d*x+c})*\sqrt{3*I*b/d}+(\sqrt{3}*(9*\sqrt{\pi})*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-9*I*\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*I*\sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2})))*d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}*\cos(-(b*c-a*d)/d)+\sqrt{3}*(-9*I*\sqrt{\pi}*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-9*I*\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-9*\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*\sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2})))*d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}*\sin(-(b*c-a*d)/d)*\operatorname{erf}(\sqrt{d*x+c})*\sqrt{I*b/d}+(\sqrt{3}*(9*\sqrt{\pi})*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*I*\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-9*I*\sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2})))*d*\sqrt{\operatorname{abs}(b)/\operatorname{abs}(d)}*\cos(-(b*c-a*d)/d)+\sqrt{3}*(9*I*\sqrt{\pi}*\cos(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*I*\sqrt{\pi}*\cos(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))-9*\sqrt{\pi}*\sin(1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))+9*\sqrt{\pi}*\sin(-1/4*\pi+1/2*\arctan2(0,b)+1/2*\arctan2(0,d/\sqrt{d^2}))) - 9*\sqrt{\pi})*$

```

sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 9*sqrt(pi)*
sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) * d*sqrt(abs(
b)/abs(d))*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)) - ((sqrt(pi)
)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*
cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)
*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)
*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2)))) * d*sqrt(abs(
b)/abs(d))*cos(-3*(b*c - a*d)/d) - (-I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0
, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(
0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0,
b) + 1/2*arctan2(0, d/sqrt(d^2))) - sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0,
b) + 1/2*arctan2(0, d/sqrt(d^2)))) * d*sqrt(abs(b)/abs(d))*sin(-3*(b*c - a*d)
/d))*erf(sqrt(d*x + c)*sqrt(-3*I*b/d)))*abs(d)/(b*d*abs(b))

```

Fricas [A] time = 2.31985, size = 645, normalized size = 2.12

$$\frac{\sqrt{6}\pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 27\sqrt{2}\pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + 27\sqrt{2}\pi d \sqrt{\frac{b}{\pi d}} S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a)^3,x, algorithm="fricas")

```

[Out] -1/72*(sqrt(6)*pi*d*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_cos(sqrt(6)
)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 27*sqrt(2)*pi*d*sqrt(b/(pi*d))*cos(-(b*c
- a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 27*sqrt(2)*pi
*d*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b
*c - a*d)/d) - sqrt(6)*pi*d*sqrt(b/(pi*d))*fresnel_sin(sqrt(6)*sqrt(d*x + c
)*sqrt(b/(pi*d)))*sin(-3*(b*c - a*d)/d) - 24*(b*cos(b*x + a)^3 - 3*b*cos(b*
x + a))*sqrt(d*x + c))/b^2

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c+dx} \sin^3(a+bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)*sin(b*x+a)**3,x)

[Out] Integral(sqrt(c + d*x)*sin(a + b*x)**3, x)

Giac [C] time = 1.28787, size = 659, normalized size = 2.17

$$\frac{\sqrt{6}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{6}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}}+1\right)}{2d}\right) e^{\left(\frac{3ibc-3iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}}+1\right)b} - \frac{27\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}}+1\right)b} - \frac{27\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}}+1\right)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*sin(b*x+a)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{144} \cdot \sqrt{6} \cdot \sqrt{\pi} \cdot d^2 \cdot \operatorname{erf}\left(-\frac{1}{2}\sqrt{6}\sqrt{b*d}\sqrt{d*x+c}\right) \cdot \frac{I*b*d}{\sqrt{b^2*d^2+1}} \cdot \frac{1}{d} \cdot e^{\frac{(3I*b*c-3I*a*d)}{d}} \cdot \frac{1}{\sqrt{b*d} \cdot \frac{I*b*d}{\sqrt{b^2*d^2+1}} \cdot b} \\ & - 27 \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot d^2 \cdot \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{b*d}\sqrt{d*x+c}\right) \cdot \frac{I*b*d}{\sqrt{b^2*d^2+1}} \cdot \frac{1}{d} \cdot e^{\frac{(I*b*c-I*a*d)}{d}} \cdot \frac{1}{\sqrt{b*d} \cdot \frac{I*b*d}{\sqrt{b^2*d^2+1}} \cdot b} \\ & - 27 \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot d^2 \cdot \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{b*d}\sqrt{d*x+c}\right) \cdot \frac{-I*b*d}{\sqrt{b^2*d^2+1}} \cdot \frac{1}{d} \cdot e^{\frac{(-I*b*c+I*a*d)}{d}} \cdot \frac{1}{\sqrt{b*d} \cdot \frac{-I*b*d}{\sqrt{b^2*d^2+1}} \cdot b} \\ & + \sqrt{6} \cdot \sqrt{\pi} \cdot d^2 \cdot \operatorname{erf}\left(-\frac{1}{2}\sqrt{6}\sqrt{b*d}\sqrt{d*x+c}\right) \cdot \frac{-I*b*d}{\sqrt{b^2*d^2+1}} \cdot \frac{1}{d} \cdot e^{\frac{(-3I*b*c+3I*a*d)}{d}} \cdot \frac{1}{\sqrt{b*d} \cdot \frac{-I*b*d}{\sqrt{b^2*d^2+1}} \cdot b} \\ & + 6 \cdot \sqrt{d*x+c} \cdot d \cdot e^{\frac{(3I*(d*x+c)*b-3I*b*c+3I*a*d)}{d}} \cdot \frac{1}{b} - 54 \cdot \sqrt{d*x+c} \cdot d \cdot e^{\frac{(I*(d*x+c)*b-I*b*c+I*a*d)}{d}} \cdot \frac{1}{b} \\ & - 54 \cdot \sqrt{d*x+c} \cdot d \cdot e^{\frac{(-I*(d*x+c)*b+I*b*c-I*a*d)}{d}} \cdot \frac{1}{b} + 6 \cdot \sqrt{d*x+c} \cdot d \cdot e^{\frac{(-3I*(d*x+c)*b+3I*b*c-3I*a*d)}{d}} \cdot \frac{1}{b} \end{aligned}$$

$$3.56 \quad \int \frac{\sin^3(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=257

$$\frac{\sqrt{\frac{\pi}{6}} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{3\sqrt{\frac{\pi}{2}} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}}$$

```
[Out] (3*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi/6]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi/6]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/ (2*Sqrt[b]*Sqrt[d]) + (3*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(2*Sqrt[b]*Sqrt[d])
```

Rubi [A] time = 0.404988, antiderivative size = 257, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{6}} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{3\sqrt{\frac{\pi}{2}} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^3/Sqrt[c + d*x], x]
```

```
[Out] (3*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi/6]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi/6]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/ (2*Sqrt[b]*Sqrt[d]) + (3*Sqrt[Pi/2]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(2*Sqrt[b]*Sqrt[d])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(a + bx)}{\sqrt{c + dx}} dx &= \int \left(\frac{3 \sin(a + bx)}{4\sqrt{c + dx}} - \frac{\sin(3a + 3bx)}{4\sqrt{c + dx}} \right) dx \\ &= -\left(\frac{1}{4} \int \frac{\sin(3a + 3bx)}{\sqrt{c + dx}} dx \right) + \frac{3}{4} \int \frac{\sin(a + bx)}{\sqrt{c + dx}} dx \\ &= -\left(\frac{1}{4} \cos\left(3a - \frac{3bc}{d}\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c + dx}} dx \right) + \frac{1}{4} \left(3 \cos\left(a - \frac{bc}{d}\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{\sqrt{c + dx}} dx - \frac{1}{4} \sin\left(3a - \frac{3bc}{d}\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c + dx}} dx \right) \\ &= -\frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{3bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{2d} + \frac{\left(3 \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{2d} \\ &= \frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\frac{\pi}{6}} C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(3a - \frac{3bc}{d}\right)}{2\sqrt{b}\sqrt{d}} \end{aligned}$$

Mathematica [A] time = 0.559629, size = 202, normalized size = 0.79

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{\frac{b}{d}} \left(\sqrt{3} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{6}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c + dx}\right) - 9 \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{\frac{b}{d}} \sqrt{c + dx}\right) - 9 \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right) \right)}{6b}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*x]^3/Sqrt[c + d*x], x]
```

```
[Out] -(Sqrt[b/d]*Sqrt[Pi/2]*(-9*Cos[a - (b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]] + Sqrt[3]*Cos[3*a - (3*b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]] + Sqrt[3]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]*Sin[3*a - (3*b*c)/d] - 9*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]*Sin[a - (b*c)/d]))/(6*b)
```

Maple [A] time = 0.015, size = 210, normalized size = 0.8

$$2 \frac{1}{d} \left(3/8 \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da - cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) + \sin\left(\frac{da - cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx + cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}}\right) \right) \right) \frac{1}{\sqrt{\frac{b}{d}}} - 1/24 \sqrt{\frac{b}{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b*x+a)^3/(d*x+c)^(1/2),x)
```

```
[Out] 2/d*(3/8*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))-1/24*2^(1/2)*Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(cos(3*(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)+sin(3*(a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))
```

Maxima [C] time = 2.1193, size = 1527, normalized size = 5.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/48*sqrt(3)*(((I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*cos(-3*(b*c - a*d)/d) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(3*I*b/d)) + (sqrt(3)*(3*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*cos(-(b*c - a*d)/d) + sqrt(3)*(3*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (sqrt(3)*(-3*I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*cos(-(b*c - a*d)/d) + sqrt(3)*(3*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)) + ((I*sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*cos(-3*(b*c - a*d)/d) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sqrt(abs(b)/abs(d))*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x +
```

$c) \cdot \sqrt{-3 \cdot I \cdot b/d}) \cdot \text{abs}(d) / (d \cdot \text{abs}(b))$

Fricas [A] time = 2.17241, size = 552, normalized size = 2.15

$$\frac{\sqrt{6}\pi\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 9\sqrt{2}\pi\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 9\sqrt{2}\pi\sqrt{\frac{b}{\pi d}} C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)}{12b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] $-1/12 \cdot (\sqrt{6} \cdot \pi \cdot \sqrt{b/(pi \cdot d)}) \cdot \cos(-3 \cdot (b \cdot c - a \cdot d)/d) \cdot \text{fresnel_sin}(\sqrt{6} \cdot \sqrt{d \cdot x + c} \cdot \sqrt{b/(pi \cdot d)}) - 9 \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/(pi \cdot d)} \cdot \cos(-(b \cdot c - a \cdot d)/d) \cdot \text{fresnel_sin}(\sqrt{2} \cdot \sqrt{d \cdot x + c} \cdot \sqrt{b/(pi \cdot d)}) - 9 \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/(pi \cdot d)} \cdot \text{fresnel_cos}(\sqrt{2} \cdot \sqrt{d \cdot x + c} \cdot \sqrt{b/(pi \cdot d)}) \cdot \sin(-(b \cdot c - a \cdot d)/d) + \sqrt{6} \cdot \pi \cdot \sqrt{b/(pi \cdot d)} \cdot \text{fresnel_cos}(\sqrt{6} \cdot \sqrt{d \cdot x + c} \cdot \sqrt{b/(pi \cdot d)}) \cdot \sin(-3 \cdot (b \cdot c - a \cdot d)/d) / b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^3(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**3/(d*x+c)**(1/2),x)

[Out] Integral(sin(a + b*x)**3/sqrt(c + d*x), x)

Giac [C] time = 1.22059, size = 446, normalized size = 1.74

$$\frac{i\sqrt{6}\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{6}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{3ibc-3iad}{d}\right)} + 9i\sqrt{2}\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)} - 9i\sqrt{2}\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)} + \frac{9i\sqrt{2}\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)} - \frac{9i\sqrt{2}\sqrt{\pi d} \operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}$$

24d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(1/2),x, algorithm="giac")

[Out] $-1/24 \cdot (-I \cdot \sqrt{6} \cdot \sqrt{\pi} \cdot d \cdot \operatorname{erf}(-1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot d} \cdot \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d) \cdot e^{((3 \cdot I \cdot b \cdot c - 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d} \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1))} + 9 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot d \cdot \operatorname{erf}(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d} \cdot \sqrt{d \cdot x + c}) \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d) \cdot e^{((I \cdot b \cdot c - I \cdot a \cdot d) / d) / (\sqrt{b \cdot d} \cdot (I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1))} - 9 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot d \cdot \operatorname{erf}(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d} \cdot \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d) \cdot e^{((-I \cdot b \cdot c + I \cdot a \cdot d) / d) / (\sqrt{b \cdot d} \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1))} + I \cdot \sqrt{6} \cdot \sqrt{\pi} \cdot d \cdot \operatorname{erf}(-1/2 \cdot \sqrt{6} \cdot \sqrt{b \cdot d} \cdot \sqrt{d \cdot x + c}) \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1) / d) \cdot e^{((-3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot a \cdot d) / d) / (\sqrt{b \cdot d} \cdot (-I \cdot b \cdot d / \sqrt{b^2 \cdot d^2} + 1))} / d$

$$3.57 \quad \int \frac{\sin^3(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=270

$$\frac{3\sqrt{\frac{\pi}{2}}\sqrt{b}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{\sqrt{\frac{3\pi}{2}}\sqrt{b}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{\sqrt{\frac{3\pi}{2}}\sqrt{b}\sin\left(3a - \frac{3bc}{d}\right)}{d^{3/2}}$$

```
[Out] (3*Sqrt[b]*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) - (Sqrt[b]*Sqrt[(3*Pi)/2]*Cos[3*a - (3*b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) + (Sqrt[b]*Sqrt[(3*Pi)/2]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/d^(3/2) - (3*Sqrt[b]*Sqrt[Pi/2]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(3/2) - (2*Sin[a + b*x]^3)/(d*Sqrt[c + d*x])
```

Rubi [A] time = 0.563834, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3313, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}}\sqrt{b}\cos\left(a - \frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{\sqrt{\frac{3\pi}{2}}\sqrt{b}\cos\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{\sqrt{\frac{3\pi}{2}}\sqrt{b}\sin\left(3a - \frac{3bc}{d}\right)}{d^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^3/(c + d*x)^(3/2), x]
```

```
[Out] (3*Sqrt[b]*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) - (Sqrt[b]*Sqrt[(3*Pi)/2]*Cos[3*a - (3*b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(3/2) + (Sqrt[b]*Sqrt[(3*Pi)/2]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/d^(3/2) - (3*Sqrt[b]*Sqrt[Pi/2]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(3/2) - (2*Sin[a + b*x]^3)/(d*Sqrt[c + d*x])
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
```

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x²)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(a+bx)}{(c+dx)^{3/2}} dx &= -\frac{2\sin^3(a+bx)}{d\sqrt{c+dx}} + \frac{(6b) \int \left(\frac{\cos(a+bx)}{4\sqrt{c+dx}} - \frac{\cos(3a+3bx)}{4\sqrt{c+dx}} \right) dx}{d} \\ &= -\frac{2\sin^3(a+bx)}{d\sqrt{c+dx}} + \frac{(3b) \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{2d} - \frac{(3b) \int \frac{\cos(3a+3bx)}{\sqrt{c+dx}} dx}{2d} \\ &= -\frac{2\sin^3(a+bx)}{d\sqrt{c+dx}} - \frac{\left(3b \cos\left(3a - \frac{3bc}{d}\right)\right) \int \frac{\cos\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c+dx}} dx}{2d} + \frac{\left(3b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{\sqrt{c+dx}} dx}{2d} + \frac{(3b \sin(a+bx)) \int \frac{1}{\sqrt{c+dx}} dx}{2d} \\ &= -\frac{2\sin^3(a+bx)}{d\sqrt{c+dx}} - \frac{\left(3b \cos\left(3a - \frac{3bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{3bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} + \frac{\left(3b \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} + \frac{(3b \sin(a+bx)) \int \frac{1}{\sqrt{c+dx}} dx}{2d} \\ &= \frac{3\sqrt{b}\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{\sqrt{b}\sqrt{\frac{3\pi}{2}} \cos\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} + \frac{\sqrt{b}\sqrt{\frac{3\pi}{2}} S\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} \end{aligned}$$

Mathematica [A] time = 1.00836, size = 300, normalized size = 1.11

$$\frac{3\sqrt{2\pi}\sqrt{\frac{b}{d}}\sqrt{c+dx} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{\frac{b}{d}}\sqrt{c+dx}\right) - \sqrt{6\pi}\sqrt{\frac{b}{d}}\sqrt{c+dx} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\frac{b}{d}}\sqrt{c+dx}\right) + \sqrt{b}\sqrt{\frac{3\pi}{2}} S\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]³/(c + d*x)^(3/2), x]

[Out] (3*Sqrt[b/d]*Sqrt[2*Pi]*Sqrt[c + d*x]*Cos[a - (b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]] - Sqrt[b/d]*Sqrt[6*Pi]*Sqrt[c + d*x]*Cos[3*a - (3*b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]] + Sqrt[b/d]*Sqrt[6*Pi]*Sqrt[c + d*x]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]*Sin[3*a - (3*b*c)/d] - 3*Sqrt[b/d]*Sqrt[2*Pi]*Sqrt[c + d*x]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]*Sin[a - (b*c)/d] - 3*Sin[a + b*x] + Sin[3*(a + b*x)])/(2*d*Sqrt[c + d*x])

Maple [A] time = 0.013, size = 288, normalized size = 1.1

$$2 \frac{1}{d} \left(-3/4 \frac{1}{\sqrt{dx+c}} \sin \left(\frac{(dx+c)b}{d} + \frac{da-cb}{d} \right) + 3/4 \frac{b\sqrt{2}\sqrt{\pi}}{d} \left(\cos \left(\frac{da-cb}{d} \right) \operatorname{FresnelC} \left(\frac{\sqrt{2}\sqrt{dx+cb}}{\sqrt{\pi d}} \frac{1}{\sqrt{\frac{b}{d}}} \right) - \sin \left(\frac{da-cb}{d} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^3/(d*x+c)^(3/2),x)

[Out] 2/d*(-3/4/(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+3/4*b/d*2^(1/2)*Pi^(1/2)/(b/d)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))+1/4/(d*x+c)^(1/2)*sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/4*b/d*2^(1/2)*Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(cos(3*(a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(3*(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(b/d)^(1/2)*(d*x+c)^(1/2)*b/d))

Maxima [C] time = 1.49037, size = 1264, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/16*(sqrt(3)*(((I*gamma(-1/2, 3*I*(d*x + c)*b/d) - I*gamma(-1/2, -3*I*(d*x + c)*b/d))*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-1/2, 3*I*(d*x + c)*b/d) - I*gamma(-1/2, -3*I*(d*x + c)*b/d))*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - (gamma(-1/2, 3*I*(d*x + c)*b/d) + gamma(-1/2, -3*I*(d*x + c)*b/d))*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (gamma(-1/2, 3*I*(d*x + c)*b/d) + gamma(-1/2, -3*I*(d*x + c)*b/d))*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*cos(-3*(b*c - a*d)/d) + ((gamma(-1/2, 3*I*(d*x + c)*b/d) + gamma(-1/2, -3*I*(d*x + c)*b/d))*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (gamma(-1/2, 3*I*(d*x + c)*b/d) + gamma(-1/2, -3*I*(d*x + c)*b/d))*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (I*gamma(-1/2, 3*I*(d*x + c)*b/d) - I*gamma(-1/2, -3*I*(d*x + c)*b/d))*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (-I*gamma(-1/2, 3*I*(d*x + c)*b/d) + I*gamma(-1/2, -3*I*(d*x + c)*b/d))*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*sin(-3*(b*c - a*d)/d))*sqrt((d*x + c)*abs(b)/abs(d)) + (((-3*I*gamma(-1/2, I*(d*x + c)*b/d) + 3*I*gamma(-1/2, -I*(d*x + c)*b/d))*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + (-3*I*gamma(-1/2, I*(d*x + c)*b/d) + 3*I*gamma(-1/2, -I*(d*x + c)*b/d))*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-1/2, I*(d*x + c)*b/d) + gamma(-1/2, -I*(d*x + c)*b/d))*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - 3*(gamma(-1/2, I*(d*x + c)*b/d) + gamma(-1/2, -I*(d*x + c)*b/d))*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) - (3*(gamma(-1/2, I*(d*x + c)*b/d) + gamma(-1/2, -I*(d*x + c)*b/d))*cos(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-1/2, I*(d*x + c)*b/d) + gamma(-1/2, -I*(d*x + c)*b/d))*cos(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - (-3*I*gamma(-1/2, I*(d*x + c)*b/d) + 3*I*gamma(-1/2, -I*(d*x + c)*b/d))*sin(1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))) - (3*I*gamma(-1/2, I*(d*x + c)*b/d) - 3*I*gamma(-1/2, -I*(d*x + c)*b/d))*sin(-1/4*pi + 1/2*arctan2(0, b) + 1/2*arctan2(0, d/sqrt(d^2))))*s

$\ln(-(b*c - a*d)/d))*\sqrt{(d*x + c)*\text{abs}(b)/\text{abs}(d))}/(\sqrt{(d*x + c)*d})$

Fricas [A] time = 2.45337, size = 707, normalized size = 2.62

$$\sqrt{6}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6}\sqrt{dx + c}\sqrt{\frac{b}{\pi d}}\right) - 3\sqrt{2}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx + c}\sqrt{\frac{b}{\pi d}}\right) + 3\sqrt{2}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}} \sin\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx + c}\sqrt{\frac{b}{\pi d}}\right) - 3\sqrt{2}(\pi dx + \pi c)\sqrt{\frac{b}{\pi d}} \sin\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2}\sqrt{dx + c}\sqrt{\frac{b}{\pi d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $-1/2*(\sqrt{6}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_cos}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 3*\sqrt{2}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + 3*\sqrt{2}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-(b*c - a*d)/d) - \sqrt{6}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-3*(b*c - a*d)/d) - 4*\sqrt{d*x + c}*(\cos(b*x + a)^2 - 1)*\sin(b*x + a))/(d^2*x + c*d)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^3(a + bx)}{(c + dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)**3/(d*x+c)**(3/2),x)

[Out] Integral(sin(a + b*x)**3/(c + d*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)^3}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(sin(b*x + a)^3/(d*x + c)^(3/2), x)

$$3.58 \quad \int \frac{\sin^3(a+bx)}{(c+dx)^{5/2}} dx$$

Optimal. Leaf size=292

$$\frac{\sqrt{6\pi}b^{3/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{2\pi}b^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{2\pi}b^{3/2} \cos\left(a - \frac{bc}{d}\right)}{d^{5/2}}$$

```
[Out] -((b^(3/2)*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(5/2)) + (b^(3/2)*Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(5/2) + (b^(3/2)*Sqrt[6*Pi]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/d^(5/2) - (b^(3/2)*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(5/2) - (4*b*Cos[a + b*x]*Sin[a + b*x]^2)/(d^2*Sqrt[c + d*x]) - (2*Sin[a + b*x]^3)/(3*d*(c + d*x)^(3/2))
```

Rubi [A] time = 0.710384, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3314, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{\sqrt{6\pi}b^{3/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{2\pi}b^{3/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{2\pi}b^{3/2} \cos\left(a - \frac{bc}{d}\right)}{d^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[a + b*x]^3/(c + d*x)^(5/2), x]
```

```
[Out] -((b^(3/2)*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(5/2)) + (b^(3/2)*Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/d^(5/2) + (b^(3/2)*Sqrt[6*Pi]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/d^(5/2) - (b^(3/2)*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/d^(5/2) - (4*b*Cos[a + b*x]*Sin[a + b*x]^2)/(d^2*Sqrt[c + d*x]) - (2*Sin[a + b*x]^3)/(3*d*(c + d*x)^(3/2))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{4b \cos(a+bx) \sin^2(a+bx)}{d^2 \sqrt{c+dx}} - \frac{2 \sin^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{(8b^2) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{d^2} - \frac{(12b^2) \int \frac{\sin^3(a+bx)}{\sqrt{c+dx}} dx}{d^2} \\
&= -\frac{4b \cos(a+bx) \sin^2(a+bx)}{d^2 \sqrt{c+dx}} - \frac{2 \sin^3(a+bx)}{3d(c+dx)^{3/2}} - \frac{(12b^2) \int \left(\frac{3 \sin(a+bx)}{4\sqrt{c+dx}} - \frac{\sin(3a+3bx)}{4\sqrt{c+dx}} \right) dx}{d^2} + \frac{(8b^2 \cos(a+bx) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx)}{d^2} \\
&= -\frac{4b \cos(a+bx) \sin^2(a+bx)}{d^2 \sqrt{c+dx}} - \frac{2 \sin^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{(3b^2) \int \frac{\sin(3a+3bx)}{\sqrt{c+dx}} dx}{d^2} - \frac{(9b^2) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{d^2} + \frac{(16b^2) \int \frac{\sin^3(a+bx)}{\sqrt{c+dx}} dx}{d^2} \\
&= \frac{8b^{3/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{8b^{3/2} \sqrt{2\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{d^{5/2}} - \frac{4b \cos(a+bx) \sin^2(a+bx)}{d^2 \sqrt{c+dx}} \\
&= \frac{8b^{3/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{8b^{3/2} \sqrt{2\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{d^{5/2}} - \frac{4b \cos(a+bx) \sin^2(a+bx)}{d^2 \sqrt{c+dx}} \\
&= -\frac{b^{3/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{b^{3/2} \sqrt{6\pi} \cos\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{b^{3/2} \sqrt{6\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(3a - \frac{3bc}{d}\right)}{d^{5/2}}
\end{aligned}$$

Mathematica [A] time = 2.42588, size = 496, normalized size = 1.7

$$\frac{6\sqrt{6\pi}bdx\sqrt{\frac{b}{d}}\sqrt{c+dx}\sin\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\frac{b}{d}}\sqrt{c+dx}\right) + 6\sqrt{6\pi}bc\sqrt{\frac{b}{d}}\sqrt{c+dx}\sin\left(3a - \frac{3bc}{d}\right)\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{\frac{b}{d}}\sqrt{c+dx}\right)}{d^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^3/(c + d*x)^(5/2),x]

[Out] $(-6*b*c*\text{Cos}[a + b*x] - 6*b*d*x*\text{Cos}[a + b*x] + 6*b*c*\text{Cos}[3*(a + b*x)] + 6*b*d*x*\text{Cos}[3*(a + b*x)] - 6*b*\text{Sqrt}[b/d]*\text{Sqrt}[2*\text{Pi}]*(c + d*x)^{(3/2)}*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[\text{Sqrt}[b/d]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x]] + 6*b*\text{Sqrt}[b/d]*\text{Sqrt}[6*\text{Pi}]*\text{Sqrt}[c + d*x]^{(3/2)}*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelS}[\text{Sqrt}[b/d]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x]] + 6*b*c*\text{Sqrt}[b/d]*\text{Sqrt}[6*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[3*a - (3*b*c)/d] + 6*b*\text{Sqrt}[b/d]*d*\text{Sqrt}[6*\text{Pi}]*x*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[3*a - (3*b*c)/d] - 6*b*c*\text{Sqrt}[b/d]*\text{Sqrt}[2*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[a - (b*c)/d] - 6*b*\text{Sqrt}[b/d]*d*\text{Sqrt}[2*\text{Pi}]*x*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[a - (b*c)/d] - 3*d*\text{Sin}[a + b*x] + d*\text{Sin}[3*(a + b*x)])/(6*d^2*(c + d*x)^{(3/2)})$

Maple [A] time = 0.011, size = 368, normalized size = 1.3

$$2 \frac{1}{d} \left(-1/4 \frac{1}{(dx+c)^{3/2}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) + 1/2 \frac{b}{d} \left(-\frac{1}{\sqrt{dx+c}} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) - \frac{b\sqrt{2}\sqrt{\pi}}{d} \cos\left(\frac{da-cb}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x+a)^3/(d*x+c)^(5/2),x)

[Out] $2/d*(-1/4/(d*x+c)^{(3/2)}*\text{sin}(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/2*b/d*(-1/(d*x+c)^{(1/2)}*\text{cos}(1/d*(d*x+c)*b+(a*d-b*c)/d)-b/d*2^{(1/2)}*\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(\text{cos}((a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\text{sin}((a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))+1/12/(d*x+c)^{(3/2)}*\text{sin}(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/2*b/d*(-1/(d*x+c)^{(1/2)}*\text{cos}(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-b/d*2^{(1/2)}*\text{Pi}^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(\text{cos}(3*(a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\text{sin}(3*(a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(b/d)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

Maxima [C] time = 1.51922, size = 1265, normalized size = 4.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="maxima")

[Out] $1/16*(3*\text{sqrt}(3)*(((I*\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) - I*\text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{cos}(3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (I*\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) - I*\text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{cos}(-3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) - (\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) + \text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{sin}(3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) + \text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{sin}(-3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))))*\text{cos}(-3*(b*c - a*d)/d) + ((\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) + \text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{cos}(3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) + \text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{cos}(-3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (I*\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) - I*\text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{sin}(3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))) + (I*\text{gamma}(-3/2, 3*I*(d*x + c)*b/d) - I*\text{gamma}(-3/2, -3*I*(d*x + c)*b/d))*\text{sin}(-3/4*\text{pi} + 3/2*\text{arctan2}(0, b) + 3/2*\text{arctan2}(0, d/\text{sqrt}(d^2))))$

```

c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + (
-I*gamma(-3/2, 3*I*(d*x + c)*b/d) + I*gamma(-3/2, -3*I*(d*x + c)*b/d))*sin(
-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*sin(-3*(b*c - a
*d)/d))*((d*x + c)*abs(b)/abs(d))^(3/2) + (((-3*I*gamma(-3/2, I*(d*x + c)*b
/d) + 3*I*gamma(-3/2, -I*(d*x + c)*b/d))*cos(3/4*pi + 3/2*arctan2(0, b) + 3
/2*arctan2(0, d/sqrt(d^2))) + (-3*I*gamma(-3/2, I*(d*x + c)*b/d) + 3*I*gamma
(-3/2, -I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0,
d/sqrt(d^2))) + 3*(gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)
*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) - 3*(g
amma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*sin(-3/4*pi +
3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))))*cos(-(b*c - a*d)/d) - (3*
(gamma(-3/2, I*(d*x + c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*cos(3/4*pi +
3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-3/2, I*(d*x +
c)*b/d) + gamma(-3/2, -I*(d*x + c)*b/d))*cos(-3/4*pi + 3/2*arctan2(0, b) +
3/2*arctan2(0, d/sqrt(d^2))) - (-3*I*gamma(-3/2, I*(d*x + c)*b/d) + 3*I*ga
mma(-3/2, -I*(d*x + c)*b/d))*sin(3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0
, d/sqrt(d^2))) - (3*I*gamma(-3/2, I*(d*x + c)*b/d) - 3*I*gamma(-3/2, -I*(d
*x + c)*b/d))*sin(-3/4*pi + 3/2*arctan2(0, b) + 3/2*arctan2(0, d/sqrt(d^2)
))*sin(-(b*c - a*d)/d))*((d*x + c)*abs(b)/abs(d))^(3/2))/((d*x + c)^(3/2)*d
)

```

Fricas [A] time = 2.66328, size = 963, normalized size = 3.3

$$3\sqrt{6}(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2)\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 3\sqrt{2}(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2)\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{b*c - a*d}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] 1/3*(3*sqrt(6)*(pi*b*d^2*x^2 + 2*pi*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*cos(
-3*(b*c - a*d)/d)*fresnel_sin(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 3*sqrt(
2)*(pi*b*d^2*x^2 + 2*pi*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*cos(-(b*c - a*d)
/d)*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 3*sqrt(2)*(pi*b*d^
2*x^2 + 2*pi*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d
*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) + 3*sqrt(6)*(pi*b*d^2*x^2 + 2*p
i*b*c*d*x + pi*b*c^2)*sqrt(b/(pi*d))*fresnel_cos(sqrt(6)*sqrt(d*x + c)*sqrt
(b/(pi*d)))*sin(-3*(b*c - a*d)/d) + 2*(6*(b*d*x + b*c)*cos(b*x + a)^3 - 6*(
b*d*x + b*c)*cos(b*x + a) + (d*cos(b*x + a)^2 - d)*sin(b*x + a))*sqrt(d*x +
c))/(d^4*x^2 + 2*c*d^3*x + c^2*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin^3(a + bx)}{(c + dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**3/(d*x+c)**(5/2),x)
```

```
[Out] Integral(sin(a + b*x)**3/(c + d*x)**(5/2), x)
```


Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx + a)^3}{(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sin(b*x + a)^3/(d*x + c)^(5/2), x)
```

$$3.59 \quad \int \frac{\sin^3(a+bx)}{(c+dx)^{7/2}} dx$$

Optimal. Leaf size=356

$$\frac{2\sqrt{2\pi}b^{5/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{6\sqrt{6\pi}b^{5/2} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} - \frac{6\sqrt{6\pi}b^{5/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}}$$

[Out] $(-2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(5*d^{(7/2)}) + (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(5*d^{(7/2)}) - (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(5*d^{(7/2)}) + (2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(5*d^{(7/2)}) - (16*b^2*\text{Sin}[a + b*x])/(5*d^3*\text{Sqrt}[c + d*x]) - (4*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(5*d^2*(c + d*x)^{(3/2)}) - (2*\text{Sin}[a + b*x]^3)/(5*d*(c + d*x)^{(5/2)}) + (24*b^2*\text{Sin}[a + b*x]^3)/(5*d^3*\text{Sqrt}[c + d*x])$

Rubi [A] time = 0.796731, antiderivative size = 356, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 3297, 3306, 3305, 3351, 3304, 3352, 3313}

$$\frac{2\sqrt{2\pi}b^{5/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{6\sqrt{6\pi}b^{5/2} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} - \frac{6\sqrt{6\pi}b^{5/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x]^3/(c + d*x)^(7/2), x]

[Out] $(-2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(5*d^{(7/2)}) + (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(5*d^{(7/2)}) - (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[3*a - (3*b*c)/d])/(5*d^{(7/2)}) + (2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(5*d^{(7/2)}) - (16*b^2*\text{Sin}[a + b*x])/(5*d^3*\text{Sqrt}[c + d*x]) - (4*b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]^2)/(5*d^2*(c + d*x)^{(3/2)}) - (2*\text{Sin}[a + b*x]^3)/(5*d*(c + d*x)^{(5/2)}) + (24*b^2*\text{Sin}[a + b*x]^3)/(5*d^3*\text{Sqrt}[c + d*x])$

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := D
ist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d
, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a+bx)}{(c+dx)^{7/2}} dx &= -\frac{4b \cos(a+bx) \sin^2(a+bx)}{5d^2(c+dx)^{3/2}} - \frac{2 \sin^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{(8b^2) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} - \frac{(12b^2) \int \frac{\sin^3(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} \\
&= -\frac{16b^2 \sin(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{4b \cos(a+bx) \sin^2(a+bx)}{5d^2(c+dx)^{3/2}} - \frac{2 \sin^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \sin^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{(16b^3) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} \\
&= -\frac{16b^2 \sin(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{4b \cos(a+bx) \sin^2(a+bx)}{5d^2(c+dx)^{3/2}} - \frac{2 \sin^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \sin^3(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{(18b^3) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} \\
&= -\frac{16b^2 \sin(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{4b \cos(a+bx) \sin^2(a+bx)}{5d^2(c+dx)^{3/2}} - \frac{2 \sin^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \sin^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{(18b^3 \cos(a+bx) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx)}{5d^2} \\
&= \frac{16b^{5/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} - \frac{16b^{5/2} \sqrt{2\pi} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{5d^{7/2}} - \frac{16b^2 \sin(a+bx)}{5d^3 \sqrt{c+dx}} \\
&= -\frac{2b^{5/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{6b^{5/2} \sqrt{6\pi} \cos\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} - \frac{6b^{5/2} \sqrt{6\pi} S\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(3a - \frac{3bc}{d}\right)}{5d^{7/2}}
\end{aligned}$$

Mathematica [B] time = 6.39826, size = 1429, normalized size = 4.01

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x]^3/(c + d*x)^(7/2), x]

[Out] (3*(Cos[a]*((2*(b/d)^(5/2)*Sin[(b*c)/d]*(Cos[(b*(c + d*x))/d]/((b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x]) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d) - (2*(b/d)^(5/2)*Cos[(b*c)/d]*(Sin[(b*(c + d*x))/d]/((b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(Cos[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x])))/3))/(5*d)) + Sin[a]*((-2*(b/d)^(5/2)*Cos[(b*c)/d]*(Cos[(b*(c + d*x))/d]/((b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x]) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d) - (2*(b/d)^(5/2)*Sin[(b*c)/d]*(Sin[(b*(c + d*x))/d]/((b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(Cos[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x])))/3))/(5*d))))/4 + (-Cos[3*a]*((18*Sqrt[3]*(b/d)^(5/2)*Sin[(3*b*c)/d]*(Cos[(3*b*(c + d*x))/d]/(9*Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*x]) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]) + Sin[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d) - (18*Sqrt[3]*(b/d)^(5/2)*Cos[(3*b*c)/d]*(Sin[(3*b*(c + d*x))/d]/(9*Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(Cos[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]) + Sin[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*x])))/3))/(5*d)) - Sin[3*a]*((-18*Sqrt[3]*(b/d)^(5/2)*Cos[(3*b*c)/d]*(Cos[(3*b*(c + d*x))/d]/(9*Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*x]) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]) + Sin[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d)) + Sin[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d)


```

d/sqrt(d^2))) + 3*(gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)
*b/d))*sin(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) - 3*(g
amma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*sin(-5/4*pi +
5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) *cos(-(b*c - a*d)/d) - (3*
(gamma(-5/2, I*(d*x + c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*cos(5/4*pi +
5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2))) + 3*(gamma(-5/2, I*(d*x +
c)*b/d) + gamma(-5/2, -I*(d*x + c)*b/d))*cos(-5/4*pi + 5/2*arctan2(0, b) +
5/2*arctan2(0, d/sqrt(d^2))) - (-3*I*gamma(-5/2, I*(d*x + c)*b/d) + 3*I*ga
mma(-5/2, -I*(d*x + c)*b/d))*sin(5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0
, d/sqrt(d^2))) - (3*I*gamma(-5/2, I*(d*x + c)*b/d) - 3*I*gamma(-5/2, -I*(d
*x + c)*b/d))*sin(-5/4*pi + 5/2*arctan2(0, b) + 5/2*arctan2(0, d/sqrt(d^2)
))*sin(-(b*c - a*d)/d))*((d*x + c)*abs(b)/abs(d))^(5/2))/((d*x + c)^(5/2)*d
)

```

Fricas [A] time = 3.42978, size = 1269, normalized size = 3.56

$$2 \left(3 \sqrt{6} (\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - \sqrt{2} (\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^(7/2),x, algorithm="fricas")
```

```

[Out] 2/5*(3*sqrt(6)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi
*b^2*c^3)*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_cos(sqrt(6)*sqrt(d*x
+ c)*sqrt(b/(pi*d))) - sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi
*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(s
qrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c
*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)
)*sqrt(d*x + c)*sqrt(b/(pi*d))) *sin(-(b*c - a*d)/d) - 3*sqrt(6)*(pi*b^2*d^3
*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*f
resnel_sin(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) *sin(-3*(b*c - a*d)/d) + (2
*(b*d^2*x + b*c*d)*cos(b*x + a)^3 - 2*(b*d^2*x + b*c*d)*cos(b*x + a) + (4*b
^2*d^2*x^2 + 8*b^2*c*d*x + 4*b^2*c^2 - (12*b^2*d^2*x^2 + 24*b^2*c*d*x + 12*
b^2*c^2 - d^2)*cos(b*x + a)^2 - d^2)*sin(b*x + a))*sqrt(d*x + c))/(d^6*x^3
+ 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)**3/(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(bx+a)^3}{(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x+a)^3/(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate(sin(b*x + a)^3/(d*x + c)^(7/2), x)
```

3.60 $\int (dx)^{3/2} \sin(fx) dx$

Optimal. Leaf size=87

$$-\frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\mathcal{S}\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{2f^{5/2}} + \frac{3d\sqrt{dx}\sin(fx)}{2f^2} - \frac{(dx)^{3/2}\cos(fx)}{f}$$

[Out] -(((d*x)^(3/2)*Cos[f*x])/f) - (3*d^(3/2)*Sqrt[Pi/2]*FresnelS[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(2*f^(5/2)) + (3*d*Sqrt[d*x]*Sin[f*x])/(2*f^2)

Rubi [A] time = 0.109295, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3296, 3305, 3351}

$$-\frac{3\sqrt{\frac{\pi}{2}}d^{3/2}\mathcal{S}\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{2f^{5/2}} + \frac{3d\sqrt{dx}\sin(fx)}{2f^2} - \frac{(dx)^{3/2}\cos(fx)}{f}$$

Antiderivative was successfully verified.

[In] Int[(d*x)^(3/2)*Sin[f*x],x]

[Out] -(((d*x)^(3/2)*Cos[f*x])/f) - (3*d^(3/2)*Sqrt[Pi/2]*FresnelS[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(2*f^(5/2)) + (3*d*Sqrt[d*x]*Sin[f*x])/(2*f^2)

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d,
Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int (dx)^{3/2} \sin(fx) dx &= -\frac{(dx)^{3/2} \cos(fx)}{f} + \frac{(3d) \int \sqrt{dx} \cos(fx) dx}{2f} \\
&= -\frac{(dx)^{3/2} \cos(fx)}{f} + \frac{3d\sqrt{dx} \sin(fx)}{2f^2} - \frac{(3d^2) \int \frac{\sin(fx)}{\sqrt{dx}} dx}{4f^2} \\
&= -\frac{(dx)^{3/2} \cos(fx)}{f} + \frac{3d\sqrt{dx} \sin(fx)}{2f^2} - \frac{(3d) \text{Subst} \left(\int \sin\left(\frac{fx^2}{d}\right) dx, x, \sqrt{dx} \right)}{2f^2} \\
&= -\frac{(dx)^{3/2} \cos(fx)}{f} - \frac{3d^{3/2} \sqrt{\frac{\pi}{2}} S \left(\frac{\sqrt{f} \sqrt{\frac{2}{\pi}} \sqrt{dx}}{\sqrt{d}} \right)}{2f^{5/2}} + \frac{3d\sqrt{dx} \sin(fx)}{2f^2}
\end{aligned}$$

Mathematica [C] time = 0.0131099, size = 60, normalized size = 0.69

$$\frac{d^2 \left(\sqrt{-ifx} \Gamma\left(\frac{5}{2}, -ifx\right) + \sqrt{ifx} \Gamma\left(\frac{5}{2}, ifx\right) \right)}{2f^3 \sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(d*x)^(3/2)*Sin[f*x],x]

[Out] (d^2*(Sqrt[(-I)*f*x]*Gamma[5/2, (-I)*f*x] + Sqrt[I*f*x]*Gamma[5/2, I*f*x]))/(2*f^3*Sqrt[d*x])

Maple [A] time = 0.01, size = 87, normalized size = 1.

$$2 \frac{1}{d} \left(-1/2 \frac{d(dx)^{3/2} \cos(fx)}{f} + 3/2 \frac{d}{f} \left(1/2 \frac{\sqrt{dx} \sin(fx) d}{f} - 1/4 \frac{d\sqrt{2}\sqrt{\pi}}{f} \text{FresnelS} \left(\frac{\sqrt{2}\sqrt{dx}f}{\sqrt{\pi}d} \frac{1}{\sqrt{\frac{f}{d}}} \right) \frac{1}{\sqrt{\frac{f}{d}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(3/2)*sin(f*x),x)

[Out] 2/d*(-1/2*d/f*(d*x)^(3/2)*cos(f*x)+3/2*d/f*(1/2*d/f*(d*x)^(1/2)*sin(f*x)-1/4*d/f*2^(1/2)*Pi^(1/2)/(1/d*f)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*f)^(1/2))*(d*x)^(1/2)/d*f))

Maxima [C] time = 1.76174, size = 423, normalized size = 4.86

$$16 (dx)^{3/2} df \sqrt{\frac{|f|}{|d|}} \cos(fx) - \left(-3i \sqrt{\pi} \cos\left(\frac{1}{4} \pi + \frac{1}{2} \arctan(0, f) + \frac{1}{2} \arctan\left(0, \frac{d}{\sqrt{d^2}}\right)\right) - 3i \sqrt{\pi} \cos\left(-\frac{1}{4} \pi + \frac{1}{2} \arctan\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*sin(f*x),x, algorithm="maxima")

[Out] $-1/16*(16*(d*x)^{(3/2)}*d*f*\sqrt{\text{abs}(f)/\text{abs}(d)}*\cos(f*x) - (-3*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\text{erf}(\sqrt{d*x}*\sqrt{I*f/d}) - (3*I*\sqrt{\pi}*\cos(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*I*\sqrt{\pi}*\cos(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) - 3*\sqrt{\pi}*\sin(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})) + 3*\sqrt{\pi}*\sin(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\sqrt{d^2})))*d^2*\text{erf}(\sqrt{d*x}*\sqrt{-I*f/d}) - 24*\sqrt{d*x}*d^2*\sqrt{\text{abs}(f)/\text{abs}(d)}*\sin(f*x))/(d*f^2*\sqrt{\text{abs}(f)/\text{abs}(d)})$

Fricas [A] time = 2.29349, size = 192, normalized size = 2.21

$$\frac{3\sqrt{2}\pi d^2\sqrt{\frac{f}{\pi d}}S\left(\sqrt{2}\sqrt{dx}\sqrt{\frac{f}{\pi d}}\right) + 2(2df^2x\cos(fx) - 3df\sin(fx))\sqrt{dx}}{4f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)^(3/2)*sin(f*x),x, algorithm="fricas")`

[Out] $-1/4*(3*\sqrt{2}*\pi*d^2*\sqrt{f/(\pi*d)}*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x}*\sqrt{f/(\pi*d)}) + 2*(2*d*f^2*x*\cos(f*x) - 3*d*f*\sin(f*x))*\sqrt{d*x})/f^3$

Sympy [A] time = 126.238, size = 117, normalized size = 1.34

$$-\frac{7d^{\frac{3}{2}}x^{\frac{3}{2}}\cos(fx)\Gamma\left(\frac{7}{4}\right)}{4f\Gamma\left(\frac{11}{4}\right)} + \frac{21d^{\frac{3}{2}}\sqrt{x}\sin(fx)\Gamma\left(\frac{7}{4}\right)}{8f^2\Gamma\left(\frac{11}{4}\right)} - \frac{21\sqrt{2}\sqrt{\pi}d^{\frac{3}{2}}S\left(\frac{\sqrt{2}\sqrt{f}\sqrt{x}}{\sqrt{\pi}}\right)\Gamma\left(\frac{7}{4}\right)}{16f^{\frac{5}{2}}\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x)**(3/2)*sin(f*x),x)`

[Out] $-7*d^{(3/2)}*x^{(3/2)}*\cos(f*x)*\gamma(7/4)/(4*f*\gamma(11/4)) + 21*d^{(3/2)}*\sqrt{x}*\sin(f*x)*\gamma(7/4)/(8*f^2*\gamma(11/4)) - 21*\sqrt{2}*\sqrt{\pi}*d^{(3/2)}*\text{fresnels}(\sqrt{2}*\sqrt{f}*\sqrt{x}/\sqrt{\pi})*\gamma(7/4)/(16*f^{(5/2)}*\gamma(11/4))$

Giac [C] time = 1.15531, size = 286, normalized size = 3.29

$$\frac{3i\sqrt{2}\sqrt{\pi}d^3\text{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(\frac{idf}{\sqrt{d^2f^2}}+1\right)}{2d}\right)}{\sqrt{df}\left(\frac{idf}{\sqrt{d^2f^2}}+1\right)f^2} + \frac{3i\sqrt{2}\sqrt{\pi}d^3\text{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(-\frac{idf}{\sqrt{d^2f^2}}+1\right)}{2d}\right)}{\sqrt{df}\left(-\frac{idf}{\sqrt{d^2f^2}}+1\right)f^2} - \frac{2i(2i\sqrt{dx}d^2fx-3\sqrt{dx}d^2)e^{(ifx)}}{f^2} - \frac{2i(2i\sqrt{dx}d^2fx+3\sqrt{dx}d^2)e^{(-ifx)}}{f^2}$$

$8d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(3/2)*sin(f*x),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(-3*I*\sqrt{2}*\sqrt{\pi})*d^3*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{d*f}*\sqrt{d*x}*(I*d*f \\ & / \sqrt{d^2*f^2} + 1)/d) / (\sqrt{d*f}*(I*d*f/\sqrt{d^2*f^2} + 1)*f^2) + 3*I*\sqrt{2}*\sqrt{\pi} \\ & *d^3*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{d*f}*\sqrt{d*x}*(-I*d*f/\sqrt{d^2*f^2} + 1)/d) / (\sqrt{d*f}*(-I*d*f/\sqrt{d^2*f^2} + 1)*f^2) \\ & - 2*I*(2*I*\sqrt{d*x})*d^2*f*x - 3*\sqrt{d*x}*d^2)*e^{I*f*x}/f^2 - 2*I*(2*I*\sqrt{d*x})*d^2*f*x + 3*\sqrt{d*x} \\ & *d^2)*e^{-I*f*x}/f^2)/d \end{aligned}$$

3.61 $\int \sqrt{dx} \sin(fx) dx$

Optimal. Leaf size=65

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{f} \sqrt{dx}}{\sqrt{d}}\right)}{f^{3/2}} - \frac{\sqrt{dx} \cos(fx)}{f}$$

[Out] $-\left(\frac{\operatorname{Sqrt}[d*x]*\operatorname{Cos}[f*x]}{f}\right) + \left(\frac{\operatorname{Sqrt}[d]*\operatorname{Sqrt}[\pi/2]*\operatorname{FresnelC}\left[\left(\frac{\operatorname{Sqrt}[f]*\operatorname{Sqrt}[2/\pi]}{\operatorname{Sqrt}[d*x]}\right)/\operatorname{Sqrt}[d]\right]}{f^{3/2}}\right)$

Rubi [A] time = 0.0579075, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3296, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{f} \sqrt{dx}}{\sqrt{d}}\right)}{f^{3/2}} - \frac{\sqrt{dx} \cos(fx)}{f}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[d*x]*\operatorname{Sin}[f*x], x]$

[Out] $-\left(\frac{\operatorname{Sqrt}[d*x]*\operatorname{Cos}[f*x]}{f}\right) + \left(\frac{\operatorname{Sqrt}[d]*\operatorname{Sqrt}[\pi/2]*\operatorname{FresnelC}\left[\left(\frac{\operatorname{Sqrt}[f]*\operatorname{Sqrt}[2/\pi]}{\operatorname{Sqrt}[d*x]}\right)/\operatorname{Sqrt}[d]\right]}{f^{3/2}}\right)$

Rule 3296

$\operatorname{Int}[\left((c_{.}) + (d_{.})*(x_{.})\right)^{(m_{.})}*\sin\left[(e_{.}) + (f_{.})*(x_{.})\right], x_Symbol] \rightarrow -\operatorname{Simp}\left[\left((c + d*x)^m*\operatorname{Cos}[e + f*x]\right)/f, x\right] + \operatorname{Dist}\left[(d*m)/f, \operatorname{Int}\left[\left(c + d*x\right)^{(m-1)}*\operatorname{Cos}[e + f*x], x\right], x\right] /; \operatorname{FreeQ}\{c, d, e, f\}, x\} \&\& \operatorname{GtQ}[m, 0]$

Rule 3304

$\operatorname{Int}[\sin[\pi/2 + (e_{.}) + (f_{.})*(x_{.})]/\operatorname{Sqrt}[(c_{.}) + (d_{.})*(x_{.})], x_Symbol] \rightarrow \operatorname{Dist}\left[2/d, \operatorname{Subst}\left[\operatorname{Int}[\operatorname{Cos}[(f*x^2)/d], x], x, \operatorname{Sqrt}[c + d*x]\right], x\right] /; \operatorname{FreeQ}\{c, d, e, f\}, x\} \&\& \operatorname{ComplexFreeQ}[f] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3352

$\operatorname{Int}[\operatorname{Cos}[(d_{.})*((e_{.}) + (f_{.})*(x_{.}))^2], x_Symbol] \rightarrow \operatorname{Simp}\left[\left(\operatorname{Sqrt}[\pi/2]*\operatorname{FresnelC}\left[\operatorname{Sqrt}[2/\pi]*\operatorname{Rt}[d, 2]*(e + f*x)\right]\right)/(f*\operatorname{Rt}[d, 2]), x\right] /; \operatorname{FreeQ}\{d, e, f\}, x\}$

Rubi steps

$$\begin{aligned} \int \sqrt{dx} \sin(fx) dx &= -\frac{\sqrt{dx} \cos(fx)}{f} + \frac{d \int \frac{\cos(fx)}{\sqrt{dx}} dx}{2f} \\ &= -\frac{\sqrt{dx} \cos(fx)}{f} + \frac{\operatorname{Subst}\left(\int \cos\left(\frac{fx^2}{d}\right) dx, x, \sqrt{dx}\right)}{f} \\ &= -\frac{\sqrt{dx} \cos(fx)}{f} + \frac{\sqrt{d} \sqrt{\frac{\pi}{2}} \operatorname{C}\left(\frac{\sqrt{f} \sqrt{\frac{2}{\pi}} \sqrt{dx}}{\sqrt{d}}\right)}{f^{3/2}} \end{aligned}$$

Mathematica [C] time = 0.0114526, size = 69, normalized size = 1.06

$$\frac{\sqrt{dx}\Gamma\left(\frac{3}{2}, -ifx\right)}{2f\sqrt{-ifx}} - \frac{\sqrt{dx}\Gamma\left(\frac{3}{2}, ifx\right)}{2f\sqrt{ifx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[d*x]*Sin[f*x], x]

[Out] -(Sqrt[d*x]*Gamma[3/2, (-I)*f*x])/(2*f*Sqrt[(-I)*f*x]) - (Sqrt[d*x]*Gamma[3/2, I*f*x])/(2*f*Sqrt[I*f*x])

Maple [A] time = 0.009, size = 65, normalized size = 1.

$$2\frac{1}{d}\left(-1/2\frac{d\sqrt{dx}\cos(fx)}{f} + 1/4\frac{d\sqrt{2}\sqrt{\pi}}{f}\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx}f}{\sqrt{\pi d}}\frac{1}{\sqrt{\frac{f}{d}}}\right)\frac{1}{\sqrt{\frac{f}{d}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x)^(1/2)*sin(f*x), x)

[Out] 2/d*(-1/2*d/f*(d*x)^(1/2)*cos(f*x)+1/4*d/f*2^(1/2)*Pi^(1/2)/(1/d*f)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*f)^(1/2)*(d*x)^(1/2)/d*f))

Maxima [C] time = 1.7341, size = 379, normalized size = 5.83

$$8\sqrt{dx}d\sqrt{\frac{|f|}{|d|}}\cos(fx) - \left(\sqrt{\pi}\cos\left(\frac{1}{4}\pi + \frac{1}{2}\arctan\left(0, f\right) + \frac{1}{2}\arctan\left(0, \frac{d}{\sqrt{d^2}}\right)\right) + \sqrt{\pi}\cos\left(-\frac{1}{4}\pi + \frac{1}{2}\arctan\left(0, f\right) + \frac{1}{2}\arctan\left(0, \frac{d}{\sqrt{d^2}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)*sin(f*x), x, algorithm="maxima")

[Out] -1/8*(8*sqrt(d*x)*d*sqrt(abs(f)/abs(d))*cos(f*x) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))))*d*erf(sqrt(d*x)*sqrt(I*f/d)) - (sqrt(pi)*cos(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + sqrt(pi)*cos(-1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + I*sqrt(pi)*sin(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) - I*sqrt(pi)*sin(-1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))))*d*erf(sqrt(d*x)*sqrt(-I*f/d)))/(d*f*sqrt(abs(f)/abs(d)))

Fricas [A] time = 2.34448, size = 149, normalized size = 2.29

$$\frac{\sqrt{2}\pi d\sqrt{\frac{f}{\pi d}}C\left(\sqrt{2}\sqrt{dx}\sqrt{\frac{f}{\pi d}}\right) - 2\sqrt{dx}f\cos(fx)}{2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)*sin(f*x),x, algorithm="fricas")

[Out] $\frac{1}{2} * (\sqrt{2} * \pi * d * \sqrt{f / (\pi * d)}) * \text{fresnel_cos}(\sqrt{2} * \sqrt{d * x} * \sqrt{f / (\pi * d)}) - 2 * \sqrt{d * x} * f * \cos(f * x) / f^2$

Sympy [A] time = 3.11813, size = 85, normalized size = 1.31

$$-\frac{5\sqrt{d}\sqrt{x}\cos(fx)\Gamma\left(\frac{5}{4}\right)}{4f\Gamma\left(\frac{9}{4}\right)} + \frac{5\sqrt{2}\sqrt{\pi}\sqrt{d}C\left(\frac{\sqrt{2}\sqrt{f}\sqrt{x}}{\sqrt{\pi}}\right)\Gamma\left(\frac{5}{4}\right)}{8f^{\frac{3}{2}}\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)**(1/2)*sin(f*x),x)

[Out] $-5 * \sqrt{d} * \sqrt{x} * \cos(f * x) * \text{gamma}(5/4) / (4 * f * \text{gamma}(9/4)) + 5 * \sqrt{2} * \sqrt{\pi} * \sqrt{d} * \text{fresnelc}(\sqrt{2} * \sqrt{f} * \sqrt{x} / \sqrt{\pi}) * \text{gamma}(5/4) / (8 * f^{3/2} * \text{gamma}(9/4))$

Giac [C] time = 1.15394, size = 238, normalized size = 3.66

$$\frac{\frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(\frac{idf}{\sqrt{d^2f^2}+1}\right)}{2d}\right)}{\sqrt{df}\left(\frac{idf}{\sqrt{d^2f^2}+1}\right)f} + \frac{\sqrt{2}\sqrt{\pi}d^2 \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(-\frac{idf}{\sqrt{d^2f^2}+1}\right)}{2d}\right)}{\sqrt{df}\left(-\frac{idf}{\sqrt{d^2f^2}+1}\right)f} + \frac{2\sqrt{dx}de^{ifx}}{f} + \frac{2\sqrt{dx}de^{-ifx}}{f}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x)^(1/2)*sin(f*x),x, algorithm="giac")

[Out] $-1/4 * (\sqrt{2} * \sqrt{\pi}) * d^2 * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{d * f} * \sqrt{d * x}) * (I * d * f / \sqrt{d^2 * f^2} + 1) / d / (\sqrt{d * f} * (I * d * f / \sqrt{d^2 * f^2} + 1) * f) + \sqrt{2} * \sqrt{\pi} * d^2 * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{d * f} * \sqrt{d * x}) * (-I * d * f / \sqrt{d^2 * f^2} + 1) / d / (\sqrt{d * f} * (-I * d * f / \sqrt{d^2 * f^2} + 1) * f) + 2 * \sqrt{d * x} * d * e^{I * f * x} / f + 2 * \sqrt{d * x} * d * e^{-I * f * x} / f / d$

$$3.62 \quad \int \frac{\sin(fx)}{\sqrt{dx}} dx$$

Optimal. Leaf size=46

$$\frac{\sqrt{2\pi} S\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{f}}$$

[Out] (Sqrt[2*Pi]*FresnelS[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(Sqrt[d]*Sqrt[f])

Rubi [A] time = 0.0344381, antiderivative size = 46, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3305, 3351}

$$\frac{\sqrt{2\pi} S\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{f}}$$

Antiderivative was successfully verified.

[In] Int[Sin[f*x]/Sqrt[d*x], x]

[Out] (Sqrt[2*Pi]*FresnelS[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(Sqrt[d]*Sqrt[f])

Rule 3305

Int[sin[(e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sin(fx)}{\sqrt{dx}} dx &= \frac{2 \text{Subst}\left(\int \sin\left(\frac{fx^2}{d}\right) dx, x, \sqrt{dx}\right)}{d} \\ &= \frac{\sqrt{2\pi} S\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{\sqrt{d}\sqrt{f}} \end{aligned}$$

Mathematica [C] time = 0.0076831, size = 59, normalized size = 1.28

$$\frac{-\sqrt{-ifx}\Gamma\left(\frac{1}{2}, -ifx\right) - \sqrt{ifx}\Gamma\left(\frac{1}{2}, ifx\right)}{2f\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[f*x]/Sqrt[d*x],x]

[Out] $(-\text{Sqrt}[(-I)*f*x]*\text{Gamma}[1/2, (-I)*f*x]) - \text{Sqrt}[I*f*x]*\text{Gamma}[1/2, I*f*x])/(2*f*\text{Sqrt}[d*x])$

Maple [A] time = 0.007, size = 42, normalized size = 0.9

$$\frac{\sqrt{2}\sqrt{\pi}}{d}\text{FresnelS}\left(\frac{\sqrt{2}f}{\sqrt{\pi d}}\sqrt{dx}\frac{1}{\sqrt{\frac{f}{d}}}\right)\frac{1}{\sqrt{\frac{f}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(f*x)/(d*x)^(1/2),x)

[Out] $1/d*2^{(1/2)}*Pi^{(1/2)}/(1/d*f)^{(1/2)}*\text{FresnelS}(2^{(1/2)}/Pi^{(1/2)}/(1/d*f)^{(1/2)}*(d*x)^{(1/2)}/d*f)$

Maxima [C] time = 1.66492, size = 344, normalized size = 7.48

$(i\sqrt{\pi}\cos\left(\frac{1}{4}\pi + \frac{1}{2}\arctan(0,f) + \frac{1}{2}\arctan\left(0,\frac{d}{\sqrt{d^2}}\right)\right) + i\sqrt{\pi}\cos\left(-\frac{1}{4}\pi + \frac{1}{2}\arctan(0,f) + \frac{1}{2}\arctan\left(0,\frac{d}{\sqrt{d^2}}\right)\right) + \sqrt{\pi}s$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(1/2),x, algorithm="maxima")

[Out] $1/4*((I*\text{sqrt}(\pi)*\cos(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) + I*\text{sqrt}(\pi)*\cos(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) + \text{sqrt}(\pi)*\sin(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) - \text{sqrt}(\pi)*\sin(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))))*\text{erf}(\text{sqrt}(d*x)*\text{sqrt}(I*f/d)) + (-I*\text{sqrt}(\pi)*\cos(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) - I*\text{sqrt}(\pi)*\cos(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) + \text{sqrt}(\pi)*\sin(1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))) - \text{sqrt}(\pi)*\sin(-1/4*\pi + 1/2*\arctan2(0, f) + 1/2*\arctan2(0, d/\text{sqrt}(d^2))))*\text{erf}(\text{sqrt}(d*x)*\text{sqrt}(-I*f/d)))/(d*\text{sqrt}(\text{abs}(f)/\text{abs}(d)))$

Fricas [A] time = 2.04256, size = 101, normalized size = 2.2

$$\frac{\sqrt{2}\pi\sqrt{\frac{f}{\pi d}}S\left(\sqrt{2}\sqrt{dx}\sqrt{\frac{f}{\pi d}}\right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(1/2),x, algorithm="fricas")

[Out] $\sqrt{2} \pi \sqrt{f/(pi*d)} * \text{fresnel_sin}(\sqrt{2} \sqrt{d*x} \sqrt{f/(pi*d)}) / f$

Sympy [A] time = 1.38134, size = 54, normalized size = 1.17

$$\frac{3\sqrt{2}\sqrt{\pi}S\left(\frac{\sqrt{2}\sqrt{f}\sqrt{x}}{\sqrt{\pi}}\right)\Gamma\left(\frac{3}{4}\right)}{4\sqrt{d}\sqrt{f}\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(f*x)/(d*x)**(1/2), x)`

[Out] $3\sqrt{2}\sqrt{\pi} * \text{fresnels}(\sqrt{2}\sqrt{f}\sqrt{x}/\sqrt{\pi}) * \text{gamma}(3/4) / (4\sqrt{d}\sqrt{f}\text{gamma}(7/4))$

Giac [C] time = 1.15571, size = 184, normalized size = 4.

$$\frac{i\sqrt{2}\sqrt{\pi}d \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(\frac{idf}{\sqrt{d^2f^2}}+1\right)}{2d}\right)}{\sqrt{df}\left(\frac{idf}{\sqrt{d^2f^2}}+1\right)} - \frac{i\sqrt{2}\sqrt{\pi}d \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{df}\sqrt{dx}\left(-\frac{idf}{\sqrt{d^2f^2}}+1\right)}{2d}\right)}{\sqrt{df}\left(-\frac{idf}{\sqrt{d^2f^2}}+1\right)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(f*x)/(d*x)^(1/2), x, algorithm="giac")`

[Out] $-1/2 * (I\sqrt{2}\sqrt{\pi} * d * \operatorname{erf}(-1/2\sqrt{2}\sqrt{d*f}\sqrt{d*x}) * (I*d*f/\sqrt{d^2*f^2} + 1)/d) / (\sqrt{d*f} * (I*d*f/\sqrt{d^2*f^2} + 1)) - I\sqrt{2}\sqrt{\pi} * d * \operatorname{erf}(-1/2\sqrt{2}\sqrt{d*f}\sqrt{d*x}) * (-I*d*f/\sqrt{d^2*f^2} + 1)/d) / (\sqrt{d*f} * (-I*d*f/\sqrt{d^2*f^2} + 1)) / d$

3.63 $\int \frac{\sin(fx)}{(dx)^{3/2}} dx$

Optimal. Leaf size=64

$$\frac{2\sqrt{2\pi}\sqrt{f}\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{f}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sin(fx)}{d\sqrt{dx}}$$

[Out] (2*Sqrt[f]*Sqrt[2*Pi]*FresnelC[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/d^(3/2) - (2*Sin[f*x])/(d*Sqrt[d*x])

Rubi [A] time = 0.0649724, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3297, 3304, 3352}

$$\frac{2\sqrt{2\pi}\sqrt{f}\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{f}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sin(fx)}{d\sqrt{dx}}$$

Antiderivative was successfully verified.

[In] Int[Sin[f*x]/(d*x)^(3/2), x]

[Out] (2*Sqrt[f]*Sqrt[2*Pi]*FresnelC[(Sqrt[f]*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/d^(3/2) - (2*Sin[f*x])/(d*Sqrt[d*x])

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(fx)}{(dx)^{3/2}} dx &= -\frac{2 \sin(fx)}{d\sqrt{dx}} + \frac{(2f) \int \frac{\cos(fx)}{\sqrt{dx}} dx}{d} \\ &= -\frac{2 \sin(fx)}{d\sqrt{dx}} + \frac{(4f) \text{Subst}\left(\int \cos\left(\frac{fx^2}{d}\right) dx, x, \sqrt{dx}\right)}{d^2} \\ &= \frac{2\sqrt{f}\sqrt{2\pi}C\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2 \sin(fx)}{d\sqrt{dx}} \end{aligned}$$

Mathematica [C] time = 0.0226545, size = 64, normalized size = 1.

$$\frac{x\left(-i\sqrt{-ifx}\Gamma\left(\frac{1}{2}, -ifx\right) + i\sqrt{ifx}\Gamma\left(\frac{1}{2}, ifx\right) - 2\sin(fx)\right)}{(dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[f*x]/(d*x)^(3/2), x]

[Out] (x*((-I)*Sqrt[(-I)*f*x]*Gamma[1/2, (-I)*f*x] + I*Sqrt[I*f*x]*Gamma[1/2, I*f*x] - 2*Sin[f*x]))/(d*x)^(3/2)

Maple [A] time = 0.007, size = 60, normalized size = 0.9

$$2\frac{1}{d}\left(-\frac{\sin(fx)}{\sqrt{dx}} + \frac{f\sqrt{2}\sqrt{\pi}}{d}\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx}f}{\sqrt{\pi}d}, \frac{1}{\sqrt{f}}\right)\frac{1}{\sqrt{\frac{f}{d}}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(f*x)/(d*x)^(3/2), x)

[Out] 2/d*(-sin(f*x)/(d*x)^(1/2)+1/d*f*2^(1/2)*Pi^(1/2)/(1/d*f)^(1/2)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*f)^(1/2)*(d*x)^(1/2)/d*f))

Maxima [C] time = 1.15665, size = 231, normalized size = 3.61

$$\sqrt{\frac{dx|f|}{|d|}}\left(\left(-i\Gamma\left(-\frac{1}{2}, ifx\right) + i\Gamma\left(-\frac{1}{2}, -ifx\right)\right)\cos\left(\frac{1}{4}\pi + \frac{1}{2}\arctan\left(0, f\right) + \frac{1}{2}\arctan\left(0, \frac{d}{\sqrt{d^2}}\right)\right) + \left(-i\Gamma\left(-\frac{1}{2}, ifx\right) + i\Gamma\left(-\frac{1}{2}, -ifx\right)\right)\sin\left(\frac{1}{4}\pi + \frac{1}{2}\arctan\left(0, f\right) + \frac{1}{2}\arctan\left(0, \frac{d}{\sqrt{d^2}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(3/2), x, algorithm="maxima")

[Out] 1/4*sqrt(d*x*abs(f)/abs(d))*((-I*gamma(-1/2, I*f*x) + I*gamma(-1/2, -I*f*x))*cos(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + (-I*gamma(-1/2, I*f*x) + I*gamma(-1/2, -I*f*x))*cos(-1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + (gamma(-1/2, I*f*x) + gamma(-1/2, -I*f*x))*sin(1/4*pi + 1/2*arctan2(0, f) + 1/2*arctan2(0, d/sqrt(d^2))) + (-gamma(-1/2, I*f*x) - gamma(-1/2, -I*f*x))*sin(-1/4*pi - 1/2*arctan2(0, f) - 1/2*arctan2(0, d/sqrt(d^2)))

$(1/4\pi + 1/2\arctan2(0, f) + 1/2\arctan2(0, d/\sqrt{d^2})) - (\gamma(-1/2, I * f * x) + \gamma(-1/2, -I * f * x)) * \sin(-1/4\pi + 1/2\arctan2(0, f) + 1/2\arctan2(0, d/\sqrt{d^2})) / (\sqrt{d * x} * d)$

Fricas [A] time = 2.22915, size = 149, normalized size = 2.33

$$\frac{2 \left(\sqrt{2} \pi d x \sqrt{\frac{f}{\pi d}} C \left(\sqrt{2} \sqrt{d x} \sqrt{\frac{f}{\pi d}} \right) - \sqrt{d x} \sin(f x) \right)}{d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(3/2), x, algorithm="fricas")

[Out] 2*(sqrt(2)*pi*d*x*sqrt(f/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d*x)*sqrt(f/(pi*d))) - sqrt(d*x)*sin(f*x))/(d^2*x)

Sympy [A] time = 7.55038, size = 80, normalized size = 1.25

$$\frac{\sqrt{2} \sqrt{\pi} \sqrt{f} C \left(\frac{\sqrt{2} \sqrt{f} \sqrt{x}}{\sqrt{\pi}} \right) \Gamma \left(\frac{1}{4} \right)}{2 d^{\frac{3}{2}} \Gamma \left(\frac{5}{4} \right)} - \frac{\sin(f x) \Gamma \left(\frac{1}{4} \right)}{2 d^{\frac{3}{2}} \sqrt{x} \Gamma \left(\frac{5}{4} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)**(3/2), x)

[Out] sqrt(2)*sqrt(pi)*sqrt(f)*fresnelc(sqrt(2)*sqrt(f)*sqrt(x)/sqrt(pi))*gamma(1/4)/(2*d**(3/2)*gamma(5/4)) - sin(f*x)*gamma(1/4)/(2*d**(3/2)*sqrt(x)*gamma(5/4))

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(fx)}{(dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(3/2), x, algorithm="giac")

[Out] integrate(sin(f*x)/(d*x)^(3/2), x)

3.64 $\int \frac{\sin(fx)}{(dx)^{5/2}} dx$

Optimal. Leaf size=87

$$-\frac{4\sqrt{2\pi}f^{3/2}S\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4f\cos(fx)}{3d^2\sqrt{dx}} - \frac{2\sin(fx)}{3d(dx)^{3/2}}$$

```
[Out] (-4*f*Cos[f*x])/(3*d^2*Sqrt[d*x]) - (4*f^(3/2)*Sqrt[2*Pi]*FresnelS[(Sqrt[f]
*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(3*d^(5/2)) - (2*Sin[f*x])/(3*d*(d*x)^(3/2))
```

Rubi [A] time = 0.0926116, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3297, 3305, 3351}

$$-\frac{4\sqrt{2\pi}f^{3/2}S\left(\frac{\sqrt{f}\sqrt{\frac{2}{\pi}}\sqrt{dx}}{\sqrt{d}}\right)}{3d^{5/2}} - \frac{4f\cos(fx)}{3d^2\sqrt{dx}} - \frac{2\sin(fx)}{3d(dx)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[Sin[f*x]/(d*x)^(5/2),x]
```

```
[Out] (-4*f*Cos[f*x])/(3*d^2*Sqrt[d*x]) - (4*f^(3/2)*Sqrt[2*Pi]*FresnelS[(Sqrt[f]
*Sqrt[2/Pi]*Sqrt[d*x])/Sqrt[d]])/(3*d^(5/2)) - (2*Sin[f*x])/(3*d*(d*x)^(3/2))
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c
+ d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] :> Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(fx)}{(dx)^{5/2}} dx &= -\frac{2 \sin(fx)}{3d(dx)^{3/2}} + \frac{(2f) \int \frac{\cos(fx)}{(dx)^{3/2}} dx}{3d} \\
&= -\frac{4f \cos(fx)}{3d^2 \sqrt{dx}} - \frac{2 \sin(fx)}{3d(dx)^{3/2}} - \frac{(4f^2) \int \frac{\sin(fx)}{\sqrt{dx}} dx}{3d^2} \\
&= -\frac{4f \cos(fx)}{3d^2 \sqrt{dx}} - \frac{2 \sin(fx)}{3d(dx)^{3/2}} - \frac{(8f^2) \text{Subst} \left(\int \sin \left(\frac{fx^2}{d} \right) dx, x, \sqrt{dx} \right)}{3d^3} \\
&= -\frac{4f \cos(fx)}{3d^2 \sqrt{dx}} - \frac{4f^{3/2} \sqrt{2\pi} S \left(\frac{\sqrt{f} \sqrt{\frac{2}{\pi}} \sqrt{dx}}{\sqrt{d}} \right)}{3d^{5/2}} - \frac{2 \sin(fx)}{3d(dx)^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.0849214, size = 111, normalized size = 1.28

$$-\frac{2x \sin(fx)}{3(dx)^{5/2}} + \frac{2fx^{5/2} \left(\frac{\sqrt{ifx} \Gamma\left(\frac{1}{2}, ifx\right) - e^{-ifx}}{\sqrt{x}} - \frac{e^{ifx} - \sqrt{-ifx} \Gamma\left(\frac{1}{2}, -ifx\right)}{\sqrt{x}} \right)}{3(dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[f*x]/(d*x)^(5/2), x]

[Out] (2*f*x^(5/2)*(-(E^(I*f*x) - Sqrt[(-I)*f*x]*Gamma[1/2, (-I)*f*x])/Sqrt[x]) + (-E^((-I)*f*x) + Sqrt[I*f*x]*Gamma[1/2, I*f*x])/Sqrt[x])/(3*(d*x)^(5/2)) - (2*x*Sin[f*x])/(3*(d*x)^(5/2))

Maple [A] time = 0.006, size = 79, normalized size = 0.9

$$2 \frac{1}{d} \left(-1/3 \frac{\sin(fx)}{(dx)^{3/2}} + 2/3 \frac{f}{d} \left(-\frac{\cos(fx)}{\sqrt{dx}} - \frac{f\sqrt{2}\sqrt{\pi}}{d} \text{FresnelS} \left(\frac{\sqrt{2}\sqrt{dx}f}{\sqrt{\pi}d} \frac{1}{\sqrt{\frac{f}{d}}} \right) \frac{1}{\sqrt{\frac{f}{d}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(f*x)/(d*x)^(5/2), x)

[Out] 2/d*(-1/3*sin(f*x)/(d*x)^(3/2)+2/3/d*f*(-1/(d*x)^(1/2)*cos(f*x)-1/d*f*2^(1/2)*Pi^(1/2)/(1/d*f)^(1/2)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*f)^(1/2)*(d*x)^(1/2)/d*f))

Maxima [C] time = 1.17412, size = 231, normalized size = 2.66

$$\left(\frac{dx|f|}{|d|} \right)^{\frac{3}{2}} \left(\left(-i \Gamma \left(-\frac{3}{2}, ifx \right) + i \Gamma \left(-\frac{3}{2}, -ifx \right) \right) \cos \left(\frac{3}{4} \pi + \frac{3}{2} \arctan(0, f) + \frac{3}{2} \arctan \left(0, \frac{d}{\sqrt{d^2}} \right) \right) + \left(-i \Gamma \left(-\frac{3}{2}, ifx \right) + i \Gamma \left(-\frac{3}{2}, -ifx \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(f*x)/(d*x)^(5/2), x, algorithm="maxima")

```
[Out] 1/4*(d*x*abs(f)/abs(d))^(3/2)*((-I*gamma(-3/2, I*f*x) + I*gamma(-3/2, -I*f*x))*cos(3/4*pi + 3/2*arctan2(0, f) + 3/2*arctan2(0, d/sqrt(d^2))) + (-I*gamma(-3/2, I*f*x) + I*gamma(-3/2, -I*f*x))*cos(-3/4*pi + 3/2*arctan2(0, f) + 3/2*arctan2(0, d/sqrt(d^2))) + (gamma(-3/2, I*f*x) + gamma(-3/2, -I*f*x))*sin(3/4*pi + 3/2*arctan2(0, f) + 3/2*arctan2(0, d/sqrt(d^2))) - (gamma(-3/2, I*f*x) + gamma(-3/2, -I*f*x))*sin(-3/4*pi + 3/2*arctan2(0, f) + 3/2*arctan2(0, d/sqrt(d^2)))/((d*x)^(3/2)*d)
```

Fricas [A] time = 2.28062, size = 189, normalized size = 2.17

$$\frac{2 \left(2 \sqrt{2} \pi d f x^2 \sqrt{\frac{f}{\pi d}} S \left(\sqrt{2} \sqrt{d x} \sqrt{\frac{f}{\pi d}} \right) + (2 f x \cos(f x) + \sin(f x)) \sqrt{d x} \right)}{3 d^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(f*x)/(d*x)^(5/2), x, algorithm="fricas")
```

```
[Out] -2/3*(2*sqrt(2)*pi*d*f*x^2*sqrt(f/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x)*sqrt(f/(pi*d))) + (2*f*x*cos(f*x) + sin(f*x))*sqrt(d*x))/(d^3*x^2)
```

Sympy [A] time = 145.307, size = 114, normalized size = 1.31

$$\frac{\sqrt{2} \sqrt{\pi} f^{\frac{3}{2}} S \left(\frac{\sqrt{2} \sqrt{f} \sqrt{x}}{\sqrt{\pi}} \right) \Gamma \left(-\frac{1}{4} \right)}{3 d^{\frac{5}{2}} \Gamma \left(\frac{3}{4} \right)} + \frac{f \cos(f x) \Gamma \left(-\frac{1}{4} \right)}{3 d^{\frac{5}{2}} \sqrt{x} \Gamma \left(\frac{3}{4} \right)} + \frac{\sin(f x) \Gamma \left(-\frac{1}{4} \right)}{6 d^{\frac{5}{2}} x^{\frac{3}{2}} \Gamma \left(\frac{3}{4} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(f*x)/(d*x)**(5/2), x)
```

```
[Out] sqrt(2)*sqrt(pi)*f**(3/2)*fresnels(sqrt(2)*sqrt(f)*sqrt(x)/sqrt(pi))*gamma(-1/4)/(3*d**(5/2)*gamma(3/4)) + f*cos(f*x)*gamma(-1/4)/(3*d**(5/2)*sqrt(x)*gamma(3/4)) + sin(f*x)*gamma(-1/4)/(6*d**(5/2)*x**(3/2)*gamma(3/4))
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(f x)}{(d x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(f*x)/(d*x)^(5/2), x, algorithm="giac")
```

```
[Out] integrate(sin(f*x)/(d*x)^(5/2), x)
```

3.65 $\int \sqrt{c + dx} \csc(a + bx) dx$

Optimal. Leaf size=18

Unintegrable($\sqrt{c + dx} \csc(a + bx), x$)

[Out] Unintegrable[Sqrt[c + d*x]*Csc[a + b*x], x]

Rubi [A] time = 0.0310791, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \sqrt{c + dx} \csc(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[c + d*x]*Csc[a + b*x], x]

[Out] Defer[Int][Sqrt[c + d*x]*Csc[a + b*x], x]

Rubi steps

$$\int \sqrt{c + dx} \csc(a + bx) dx = \int \sqrt{c + dx} \csc(a + bx) dx$$

Mathematica [A] time = 15.3741, size = 0, normalized size = 0.

$$\int \sqrt{c + dx} \csc(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[c + d*x]*Csc[a + b*x], x]

[Out] Integrate[Sqrt[c + d*x]*Csc[a + b*x], x]

Maple [A] time = 0.059, size = 0, normalized size = 0.

$$\int \csc(bx + a) \sqrt{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)*(d*x+c)^(1/2), x)

[Out] int(csc(b*x+a)*(d*x+c)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{dx + c} \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)*(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(d*x + c)*csc(b*x + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\sqrt{dx + c} \csc(bx + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)*(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(d*x + c)*csc(b*x + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{c + dx} \csc(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)*(d*x+c)**(1/2),x)

[Out] Integral(sqrt(c + d*x)*csc(a + b*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{dx + c} \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)*(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(d*x + c)*csc(b*x + a), x)

$$3.66 \quad \int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=18

$$\text{Unintegrable}\left(\frac{\csc(a+bx)}{\sqrt{c+dx}}, x\right)$$

[Out] Unintegrable[Csc[a + b*x]/Sqrt[c + d*x], x]

Rubi [A] time = 0.0310664, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[a + b*x]/Sqrt[c + d*x], x]

[Out] Defer[Int][Csc[a + b*x]/Sqrt[c + d*x], x]

Rubi steps

$$\int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx = \int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx$$

Mathematica [A] time = 14.6077, size = 0, normalized size = 0.

$$\int \frac{\csc(a+bx)}{\sqrt{c+dx}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[a + b*x]/Sqrt[c + d*x], x]

[Out] Integrate[Csc[a + b*x]/Sqrt[c + d*x], x]

Maple [A] time = 0.05, size = 0, normalized size = 0.

$$\int \csc(bx+a) \frac{1}{\sqrt{dx+c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(b*x+a)/(d*x+c)^(1/2), x)

[Out] int(csc(b*x+a)/(d*x+c)^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{\sqrt{dx + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(csc(b*x + a)/sqrt(d*x + c), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(bx + a)}{\sqrt{dx + c}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(csc(b*x + a)/sqrt(d*x + c), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)**(1/2),x)

[Out] Integral(csc(a + b*x)/sqrt(c + d*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(bx + a)}{\sqrt{dx + c}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(b*x+a)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(csc(b*x + a)/sqrt(d*x + c), x)

$$3.67 \quad \int \left(\frac{x}{\sin^{\frac{3}{2}}(e+fx)} + x\sqrt{\sin(e+fx)} \right) dx$$

Optimal. Leaf size=38

$$\frac{4\sqrt{\sin(e+fx)}}{f^2} - \frac{2x \cos(e+fx)}{f\sqrt{\sin(e+fx)}}$$

[Out] $(-2*x*\text{Cos}[e + f*x])/(f*\text{Sqrt}[\text{Sin}[e + f*x]]) + (4*\text{Sqrt}[\text{Sin}[e + f*x]])/f^2$

Rubi [A] time = 0.0613543, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.04$, Rules used = {3315}

$$\frac{4\sqrt{\sin(e+fx)}}{f^2} - \frac{2x \cos(e+fx)}{f\sqrt{\sin(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/\text{Sin}[e + f*x]^{(3/2)} + x*\text{Sqrt}[\text{Sin}[e + f*x]], x]$

[Out] $(-2*x*\text{Cos}[e + f*x])/(f*\text{Sqrt}[\text{Sin}[e + f*x]]) + (4*\text{Sqrt}[\text{Sin}[e + f*x]])/f^2$

Rule 3315

$\text{Int}[(c + d*x)*(b*\sin[e + f*x])^{(n)}, x_Symbol] \rightarrow$
 $\text{Simp}[(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n+1)} / (b*f*(n+1)), x] +$
 $(\text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n+2)}, x], x]$
 $- \text{Simp}[(d*(b*\text{Sin}[e + f*x])^{(n+2)}) / (b^2*f^2*(n+1)*(n+2)), x]) /;$ FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2]

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\sin^{\frac{3}{2}}(e+fx)} + x\sqrt{\sin(e+fx)} \right) dx &= \int \frac{x}{\sin^{\frac{3}{2}}(e+fx)} dx + \int x\sqrt{\sin(e+fx)} dx \\ &= -\frac{2x \cos(e+fx)}{f\sqrt{\sin(e+fx)}} + \frac{4\sqrt{\sin(e+fx)}}{f^2} \end{aligned}$$

Mathematica [A] time = 0.408233, size = 33, normalized size = 0.87

$$\frac{4 \sin(e+fx) - 2fx \cos(e+fx)}{f^2 \sqrt{\sin(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x/\text{Sin}[e + f*x]^{(3/2)} + x*\text{Sqrt}[\text{Sin}[e + f*x]], x]$

[Out] $(-2*f*x*\text{Cos}[e + f*x] + 4*\text{Sin}[e + f*x])/(f^2*\text{Sqrt}[\text{Sin}[e + f*x]])$

Maple [F] time = 0.119, size = 0, normalized size = 0.

$$\int x (\sin (fx + e))^{-\frac{3}{2}} + x \sqrt{\sin (fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/sin(f*x+e)^(3/2)+x*sin(f*x+e)^(1/2),x)

[Out] int(x/sin(f*x+e)^(3/2)+x*sin(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x \sqrt{\sin (fx + e)} + \frac{x}{\sin (fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)^(3/2)+x*sin(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(x*sqrt(sin(f*x + e)) + x/sin(f*x + e)^(3/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)^(3/2)+x*sin(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x (\sin^2 (e + fx) + 1)}{\sin^{\frac{3}{2}} (e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)**(3/2)+x*sin(f*x+e)**(1/2),x)

[Out] Integral(x*(sin(e + f*x)**2 + 1)/sin(e + f*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x \sqrt{\sin (fx + e)} + \frac{x}{\sin (fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)^(3/2)+x*sin(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x*sqrt(sin(f*x + e)) + x/sin(f*x + e)^(3/2), x)
```

$$3.68 \quad \int \left(\frac{x^2}{\sin^{\frac{3}{2}}(e+fx)} + x^2 \sqrt{\sin(e+fx)} \right) dx$$

Optimal. Leaf size=62

$$\frac{8x\sqrt{\sin(e+fx)}}{f^2} - \frac{16E\left(\frac{1}{2}\left(e+fx-\frac{\pi}{2}\right)\middle|2\right)}{f^3} - \frac{2x^2\cos(e+fx)}{f\sqrt{\sin(e+fx)}}$$

[Out] (-16*EllipticE[(e - Pi/2 + f*x)/2, 2])/f^3 - (2*x^2*Cos[e + f*x])/(f*Sqrt[Sin[e + f*x]]) + (8*x*Sqrt[Sin[e + f*x]])/f^2

Rubi [A] time = 0.106662, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.069$, Rules used = {3316, 2639}

$$\frac{8x\sqrt{\sin(e+fx)}}{f^2} - \frac{16E\left(\frac{1}{2}\left(e+fx-\frac{\pi}{2}\right)\middle|2\right)}{f^3} - \frac{2x^2\cos(e+fx)}{f\sqrt{\sin(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[x^2/Sin[e + f*x]^(3/2) + x^2*Sqrt[Sin[e + f*x]],x]

[Out] (-16*EllipticE[(e - Pi/2 + f*x)/2, 2])/f^3 - (2*x^2*Cos[e + f*x])/(f*Sqrt[Sin[e + f*x]]) + (8*x*Sqrt[Sin[e + f*x]])/f^2

Rule 3316

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n + 1))/(b*f*(n + 1)), x] + (Dist[(n + 2)/(b^2*(n + 1)), Int[(c + d*x)^m*(b*Sin[e + f*x])^(n + 2), x], x] + Dist[(d^2*m*(m - 1))/(b^2*f^2*(n + 1)*(n + 2)), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^(n + 2), x], x] - Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^(n + 2))/(b^2*f^2*(n + 1)*(n + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2] && GtQ[m, 1]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \left(\frac{x^2}{\sin^{\frac{3}{2}}(e+fx)} + x^2 \sqrt{\sin(e+fx)} \right) dx &= \int \frac{x^2}{\sin^{\frac{3}{2}}(e+fx)} dx + \int x^2 \sqrt{\sin(e+fx)} dx \\ &= -\frac{2x^2 \cos(e+fx)}{f\sqrt{\sin(e+fx)}} + \frac{8x\sqrt{\sin(e+fx)}}{f^2} - \frac{8 \int \sqrt{\sin(e+fx)} dx}{f^2} \\ &= -\frac{16E\left(\frac{1}{2}\left(e-\frac{\pi}{2}+fx\right)\middle|2\right)}{f^3} - \frac{2x^2 \cos(e+fx)}{f\sqrt{\sin(e+fx)}} + \frac{8x\sqrt{\sin(e+fx)}}{f^2} \end{aligned}$$

Mathematica [C] time = 4.19399, size = 185, normalized size = 2.98

$$\frac{\sec(e) \left((f^2 x^2 - 8) \cos(2e + fx) - 8fx \cos(e) \sin(e + fx) + (f^2 x^2 + 8) \cos(fx) \right)}{f^3 \sqrt{\sin(e + fx)}} + \frac{8 \sec(e) e^{-ifx} \sqrt{2 - 2e^{2i(e+fx)}} \left({}_3F_1 \left(-\frac{3}{4}, \frac{1}{2}, \frac{3}{4}, E^{((2*I)*(e+fx))} \right) + E^{((2*I)*fx)} \text{Hypergeometric2F1} \left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, E^{((2*I)*(e+fx))} \right] \right) \text{Sec}[e]}{3f^3 \sqrt{-ie^{-i(e+fx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Sin[e + f*x]^(3/2) + x^2*Sqrt[Sin[e + f*x]],x]

[Out] (8*Sqrt[2 - 2*E^((2*I)*(e + f*x))])*(3*Hypergeometric2F1[-1/4, 1/2, 3/4, E^((2*I)*(e + f*x))] + E^((2*I)*fx)*Hypergeometric2F1[1/2, 3/4, 7/4, E^((2*I)*(e + f*x))])*Sec[e]/(3*E^(I*f*x)*Sqrt[(-I)*(-1 + E^((2*I)*(e + f*x)))]/E^(I*(e + f*x)))*f^3 - (Sec[e]*((8 + f^2*x^2)*Cos[fx] + (-8 + f^2*x^2)*Cos[2*e + f*x] - 8*f*x*Cos[e]*Sin[e + f*x]))/(f^3*Sqrt[Sin[e + f*x]])

Maple [F] time = 0.103, size = 0, normalized size = 0.

$$\int x^2 (\sin(fx + e))^{-\frac{3}{2}} + x^2 \sqrt{\sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/sin(f*x+e)^(3/2)+x^2*sin(f*x+e)^(1/2),x)

[Out] int(x^2/sin(f*x+e)^(3/2)+x^2*sin(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{\sin(fx + e)} + \frac{x^2}{\sin(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sin(f*x+e)^(3/2)+x^2*sin(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2*sqrt(sin(f*x + e)) + x^2/sin(f*x + e)^(3/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sin(f*x+e)^(3/2)+x^2*sin(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2 (\sin^2(e + fx) + 1)}{\sin^{\frac{3}{2}}(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/sin(f*x+e)**(3/2)+x**2*sin(f*x+e)**(1/2),x)

[Out] Integral(x**2*(sin(e + f*x)**2 + 1)/sin(e + f*x)**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{\sin(fx + e)} + \frac{x^2}{\sin(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sin(f*x+e)^(3/2)+x^2*sin(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate(x^2*sqrt(sin(f*x + e)) + x^2/sin(f*x + e)^(3/2), x)

$$3.69 \quad \int \left(\frac{x}{\sin^{\frac{5}{2}}(e+fx)} - \frac{x}{3\sqrt{\sin(e+fx)}} \right) dx$$

Optimal. Leaf size=42

$$-\frac{4}{3f^2\sqrt{\sin(e+fx)}} - \frac{2x \cos(e+fx)}{3f \sin^{\frac{3}{2}}(e+fx)}$$

[Out] $(-2*x*\text{Cos}[e + f*x])/(3*f*\text{Sin}[e + f*x]^{(3/2)}) - 4/(3*f^2*\text{Sqrt}[\text{Sin}[e + f*x]])$

Rubi [A] time = 0.0603062, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {3315}

$$-\frac{4}{3f^2\sqrt{\sin(e+fx)}} - \frac{2x \cos(e+fx)}{3f \sin^{\frac{3}{2}}(e+fx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/\text{Sin}[e + f*x]^{(5/2)} - x/(3*\text{Sqrt}[\text{Sin}[e + f*x]]),x]$

[Out] $(-2*x*\text{Cos}[e + f*x])/(3*f*\text{Sin}[e + f*x]^{(3/2)}) - 4/(3*f^2*\text{Sqrt}[\text{Sin}[e + f*x]])$

Rule 3315

$\text{Int}[\frac{(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n+1)}}{(b*f*(n+1))}, x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n+2)}, x], x] - \text{Simp}[(d*(b*\text{Sin}[e + f*x])^{(n+2)})/(b^2*f^2*(n+1)*(n+2)), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[n, -2]$

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\sin^{\frac{5}{2}}(e+fx)} - \frac{x}{3\sqrt{\sin(e+fx)}} \right) dx &= -\left(\frac{1}{3} \int \frac{x}{\sqrt{\sin(e+fx)}} dx \right) + \int \frac{x}{\sin^{\frac{5}{2}}(e+fx)} dx \\ &= -\frac{2x \cos(e+fx)}{3f \sin^{\frac{3}{2}}(e+fx)} - \frac{4}{3f^2\sqrt{\sin(e+fx)}} \end{aligned}$$

Mathematica [A] time = 0.404757, size = 35, normalized size = 0.83

$$-\frac{2(2 \sin(e+fx) + fx \cos(e+fx))}{3f^2 \sin^{\frac{3}{2}}(e+fx)}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x/\text{Sin}[e + f*x]^{(5/2)} - x/(3*\text{Sqrt}[\text{Sin}[e + f*x]]),x]$

[Out] $(-2*(f*x*\text{Cos}[e + f*x] + 2*\text{Sin}[e + f*x]))/(3*f^2*\text{Sin}[e + f*x]^{(3/2)})$

Maple [F] time = 0.096, size = 0, normalized size = 0.

$$\int x (\sin (fx + e))^{-\frac{5}{2}} - \frac{x}{3} \frac{1}{\sqrt{\sin (fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/sin(f*x+e)^(5/2)-1/3*x/sin(f*x+e)^(1/2),x)

[Out] int(x/sin(f*x+e)^(5/2)-1/3*x/sin(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{x}{3\sqrt{\sin (fx + e)}} + \frac{x}{\sin (fx + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)^(5/2)-1/3*x/sin(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(-1/3*x/sqrt(sin(f*x + e)) + x/sin(f*x + e)^(5/2), x)

Fricas [A] time = 1.72272, size = 117, normalized size = 2.79

$$\frac{2 (fx \cos (fx + e) + 2 \sin (fx + e)) \sqrt{\sin (fx + e)}}{3 (f^2 \cos (fx + e)^2 - f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)^(5/2)-1/3*x/sin(f*x+e)^(1/2),x, algorithm="fricas")

[Out] 2/3*(f*x*cos(f*x + e) + 2*sin(f*x + e))*sqrt(sin(f*x + e))/(f^2*cos(f*x + e)^2 - f^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int -\frac{3x}{\sin^{\frac{5}{2}}(e+fx)} dx + \int \frac{x}{\sqrt{\sin(e+fx)}} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sin(f*x+e)**(5/2)-1/3*x/sin(f*x+e)**(1/2),x)

[Out] -(Integral(-3*x/sin(e + f*x)**(5/2), x) + Integral(x/sqrt(sin(e + f*x)), x))/3

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{x}{3\sqrt{\sin(fx+e)}} + \frac{x}{\sin(fx+e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)^(5/2)-1/3*x/sin(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(-1/3*x/sqrt(sin(f*x + e)) + x/sin(f*x + e)^(5/2), x)
```

$$3.70 \quad \int \left(\frac{x}{\sin^{\frac{7}{2}}(e+fx)} + \frac{3}{5}x\sqrt{\sin(e+fx)} \right) dx$$

Optimal. Leaf size=83

$$-\frac{4}{15f^2 \sin^{\frac{3}{2}}(e+fx)} + \frac{12\sqrt{\sin(e+fx)}}{5f^2} - \frac{2x \cos(e+fx)}{5f \sin^{\frac{5}{2}}(e+fx)} - \frac{6x \cos(e+fx)}{5f\sqrt{\sin(e+fx)}}$$

[Out] $(-2*x*\text{Cos}[e + f*x])/(5*f*\text{Sin}[e + f*x]^{(5/2)}) - 4/(15*f^2*\text{Sin}[e + f*x]^{(3/2)}) - (6*x*\text{Cos}[e + f*x])/(5*f*\text{Sqrt}[\text{Sin}[e + f*x]]) + (12*\text{Sqrt}[\text{Sin}[e + f*x]])/(5*f^2)$

Rubi [A] time = 0.0858376, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {3315}

$$-\frac{4}{15f^2 \sin^{\frac{3}{2}}(e+fx)} + \frac{12\sqrt{\sin(e+fx)}}{5f^2} - \frac{2x \cos(e+fx)}{5f \sin^{\frac{5}{2}}(e+fx)} - \frac{6x \cos(e+fx)}{5f\sqrt{\sin(e+fx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/\text{Sin}[e + f*x]^{(7/2)} + (3*x*\text{Sqrt}[\text{Sin}[e + f*x]])/5, x]$

[Out] $(-2*x*\text{Cos}[e + f*x])/(5*f*\text{Sin}[e + f*x]^{(5/2)}) - 4/(15*f^2*\text{Sin}[e + f*x]^{(3/2)}) - (6*x*\text{Cos}[e + f*x])/(5*f*\text{Sqrt}[\text{Sin}[e + f*x]]) + (12*\text{Sqrt}[\text{Sin}[e + f*x]])/(5*f^2)$

Rule 3315

$\text{Int}[\frac{(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n+1)}}{(b*f*(n+1))}, x] + (\text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n+2)}, x], x] - \text{Simp}[(d*(b*\text{Sin}[e + f*x])^{(n+2)})/(b^2*f^2*(n+1)*(n+2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{NeQ}[n, -2]$

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\sin^{\frac{7}{2}}(e+fx)} + \frac{3}{5}x\sqrt{\sin(e+fx)} \right) dx &= \frac{3}{5} \int x\sqrt{\sin(e+fx)} dx + \int \frac{x}{\sin^{\frac{7}{2}}(e+fx)} dx \\ &= -\frac{2x \cos(e+fx)}{5f \sin^{\frac{5}{2}}(e+fx)} - \frac{4}{15f^2 \sin^{\frac{3}{2}}(e+fx)} + \frac{3}{5} \int \frac{x}{\sin^{\frac{3}{2}}(e+fx)} dx + \frac{3}{5} \int x\sqrt{\sin(e+fx)} dx \\ &= -\frac{2x \cos(e+fx)}{5f \sin^{\frac{5}{2}}(e+fx)} - \frac{4}{15f^2 \sin^{\frac{3}{2}}(e+fx)} - \frac{6x \cos(e+fx)}{5f\sqrt{\sin(e+fx)}} + \frac{12\sqrt{\sin(e+fx)}}{5f^2} \end{aligned}$$

Mathematica [A] time = 0.585283, size = 58, normalized size = 0.7

$$\frac{46 \sin(e+fx) - 18 \sin(3(e+fx)) - 21fx \cos(e+fx) + 9fx \cos(3(e+fx))}{30f^2 \sin^{\frac{5}{2}}(e+fx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/Sin[e + f*x]^(7/2) + (3*x*Sqrt[Sin[e + f*x]])/5,x]
```

```
[Out] (-21*f*x*Cos[e + f*x] + 9*f*x*Cos[3*(e + f*x)] + 46*Sin[e + f*x] - 18*Sin[3*(e + f*x)])/(30*f^2*Sin[e + f*x]^(5/2))
```

Maple [F] time = 0.128, size = 0, normalized size = 0.

$$\int x (\sin(fx + e))^{-\frac{7}{2}} + \frac{3x}{5} \sqrt{\sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/sin(f*x+e)^(7/2)+3/5*x*sin(f*x+e)^(1/2),x)
```

```
[Out] int(x/sin(f*x+e)^(7/2)+3/5*x*sin(f*x+e)^(1/2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{3}{5} x \sqrt{\sin(fx + e)} + \frac{x}{\sin(fx + e)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)^(7/2)+3/5*x*sin(f*x+e)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(3/5*x*sqrt(sin(f*x + e)) + x/sin(f*x + e)^(7/2), x)
```

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)^(7/2)+3/5*x*sin(f*x+e)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)**(7/2)+3/5*x*sin(f*x+e)**(1/2),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{3}{5} x \sqrt{\sin(fx + e)} + \frac{x}{\sin(fx + e)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/sin(f*x+e)^(7/2)+3/5*x*sin(f*x+e)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(3/5*x*sqrt(sin(f*x + e)) + x/sin(f*x + e)^(7/2), x)
```

3.71 $\int (c + dx)^m (b \sin(e + fx))^n dx$

Optimal. Leaf size=20

Unintegrable $\left((c + dx)^m (b \sin(e + fx))^n, x\right)$

[Out] Unintegrable $[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x]$

Rubi [A] time = 0.0418718, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c + dx)^m (b \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Int $[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x]$

[Out] Defer[Int] $[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x]$

Rubi steps

$$\int (c + dx)^m (b \sin(e + fx))^n dx = \int (c + dx)^m (b \sin(e + fx))^n dx$$

Mathematica [A] time = 0.721235, size = 0, normalized size = 0.

$$\int (c + dx)^m (b \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Integrate $[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x]$

[Out] Integrate $[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x]$

Maple [A] time = 0.299, size = 0, normalized size = 0.

$$\int (dx + c)^m (b \sin(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int $((d*x+c)^m*(b*\text{sin}(f*x+e))^n, x)$

[Out] int $((d*x+c)^m*(b*\text{sin}(f*x+e))^n, x)$

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m (b \sin(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(b*sin(f*x+e))^n,x, algorithm="maxima")
```

```
[Out] integrate((d*x + c)^m*(b*sin(f*x + e))^n, x)
```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((dx + c)^m (b \sin(fx + e))^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(b*sin(f*x+e))^n,x, algorithm="fricas")
```

```
[Out] integral((d*x + c)^m*(b*sin(f*x + e))^n, x)
```

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (b \sin(e + fx))^n (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**m*(b*sin(f*x+e))**n,x)
```

```
[Out] Integral((b*sin(e + f*x))**n*(c + d*x)**m, x)
```

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m (b \sin(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(b*sin(f*x+e))^n,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^m*(b*sin(f*x + e))^n, x)
```

3.72 $\int (c + dx)^m \sin^3(a + bx) dx$

Optimal. Leaf size=267

$$\frac{3e^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{8b} + \frac{3^{-m-1}e^{3i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{3ib(c+dx)}{d}\right)}{8b}$$

[Out] $(-3E^{(I*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(8*b*((-I)*b*(c + d*x))/d)^m - (3*(c + d*x)^m*\Gamma[1 + m, (I*b*(c + d*x))/d])/(8*b*E^{(I*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m + (3^{(-1 - m)}*E^{((3*I)*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-3*I)*b*(c + d*x))/d])/(8*b*((-I)*b*(c + d*x))/d)^m + (3^{(-1 - m)}*(c + d*x)^m*\Gamma[1 + m, ((3*I)*b*(c + d*x))/d])/(8*b*E^{((3*I)*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m)$

Rubi [A] time = 0.303063, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3312, 3308, 2181}

$$\frac{3e^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{8b} + \frac{3^{-m-1}e^{3i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{3ib(c+dx)}{d}\right)}{8b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*Sin[a + b*x]^3,x]

[Out] $(-3E^{(I*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(8*b*((-I)*b*(c + d*x))/d)^m - (3*(c + d*x)^m*\Gamma[1 + m, (I*b*(c + d*x))/d])/(8*b*E^{(I*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m + (3^{(-1 - m)}*E^{((3*I)*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-3*I)*b*(c + d*x))/d])/(8*b*((-I)*b*(c + d*x))/d)^m + (3^{(-1 - m)}*(c + d*x)^m*\Gamma[1 + m, ((3*I)*b*(c + d*x))/d])/(8*b*E^{((3*I)*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int (c + dx)^m \sin^3(a + bx) dx &= \int \left(\frac{3}{4}(c + dx)^m \sin(a + bx) - \frac{1}{4}(c + dx)^m \sin(3a + 3bx) \right) dx \\
&= -\left(\frac{1}{4} \int (c + dx)^m \sin(3a + 3bx) dx \right) + \frac{3}{4} \int (c + dx)^m \sin(a + bx) dx \\
&= -\left(\frac{1}{8} i \int e^{-i(3a+3bx)} (c + dx)^m dx \right) + \frac{1}{8} i \int e^{i(3a+3bx)} (c + dx)^m dx + \frac{3}{8} i \int e^{-i(a+bx)} (c + dx)^m dx \\
&= -\frac{3e^{i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{ib(c+dx)}{d}\right)}{8b} - \frac{3e^{-i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(\frac{ib(c+dx)}{d}\right)^{-m}}{8b}
\end{aligned}$$

Mathematica [A] time = 9.80897, size = 251, normalized size = 0.94

$$3^{-m-1} e^{-\frac{3i(ad+bc)}{d}} (c + dx)^m \left(\frac{b^2(c+dx)^2}{d^2}\right)^{-m} \left(-3^{m+2} e^{2ia + \frac{4ibc}{d}} \left(-\frac{ib(c+dx)}{d}\right)^m \text{Gamma}\left(m + 1, \frac{ib(c+dx)}{d}\right) - 3^{m+2} e^{2i\left(2a + \frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^m\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*Sin[a + b*x]^3,x]

[Out] (3^(-1 - m)*(c + d*x)^m*(-(3^(2 + m)*E^((2*I)*(2*a + (b*c)/d)))*((I*b*(c + d*x))/d)^m*Gamma[1 + m, ((-I)*b*(c + d*x))/d]) - 3^(2 + m)*E^((2*I)*a + ((4*I)*b*c)/d)*(((-I)*b*(c + d*x))/d)^m*Gamma[1 + m, (I*b*(c + d*x))/d] + E^((6*I)*a)*((I*b*(c + d*x))/d)^m*Gamma[1 + m, ((-3*I)*b*(c + d*x))/d] + E^(((6*I)*b*c)/d)*(((-I)*b*(c + d*x))/d)^m*Gamma[1 + m, ((3*I)*b*(c + d*x))/d]))/(8*b*E^(((3*I)*(b*c + a*d))/d)*((b^2*(c + d*x)^2)/d^2)^m)

Maple [F] time = 0.207, size = 0, normalized size = 0.

$$\int (dx + c)^m (\sin(bx + a))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*sin(b*x+a)^3,x)

[Out] int((d*x+c)^m*sin(b*x+a)^3,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^3,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*sin(b*x + a)^3, x)

Fricas [A] time = 1.90813, size = 459, normalized size = 1.72

$$\frac{e^{\left(-\frac{dm \log\left(\frac{3ib}{d}\right) - 3ibc + 3iad}{d}\right)} \Gamma\left(m + 1, \frac{3ibdx + 3ibc}{d}\right) - 9e^{\left(-\frac{dm \log\left(\frac{ib}{d}\right) - ibc + iad}{d}\right)} \Gamma\left(m + 1, \frac{ibdx + ibc}{d}\right) - 9e^{\left(-\frac{dm \log\left(-\frac{ib}{d}\right) + ibc - iad}{d}\right)} \Gamma\left(m + 1, \frac{-ibdx - ibc}{d}\right)}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^3,x, algorithm="fricas")

[Out] 1/24*(e^(-(d*m*log(3*I*b/d) - 3*I*b*c + 3*I*a*d)/d)*gamma(m + 1, (3*I*b*d*x + 3*I*b*c)/d) - 9*e^(-(d*m*log(I*b/d) - I*b*c + I*a*d)/d)*gamma(m + 1, (I*b*d*x + I*b*c)/d) - 9*e^(-(d*m*log(-I*b/d) + I*b*c - I*a*d)/d)*gamma(m + 1, (-I*b*d*x - I*b*c)/d) + e^(-(d*m*log(-3*I*b/d) + 3*I*b*c - 3*I*a*d)/d)*gamma(m + 1, (-3*I*b*d*x - 3*I*b*c)/d))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^m \sin^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*sin(b*x+a)**3,x)

[Out] Integral((c + d*x)**m*sin(a + b*x)**3, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)^m*sin(b*x + a)^3, x)

3.73 $\int (c + dx)^m \sin^2(a + bx) dx$

Optimal. Leaf size=162

$$\frac{i2^{-m-3}e^{2i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{2ib(c+dx)}{d}\right)}{b} - \frac{i2^{-m-3}e^{-2i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{2ib(c+dx)}{d}\right)}{b}$$

[Out] $(c + dx)^{(1 + m)/(2*d*(1 + m))} + (I*2^{(-3 - m)*E^((2*I)*(a - (b*c)/d))}*(c + dx)^m*\Gamma[1 + m, ((-2*I)*b*(c + d*x))/d])/(b*(((I)*b*(c + d*x))/d)^m) - (I*2^{(-3 - m)*(c + d*x)^m*\Gamma[1 + m, ((2*I)*b*(c + d*x))/d])/(b*E^((2*I)*(a - (b*c)/d))*((I*b*(c + d*x))/d)^m)$

Rubi [A] time = 0.217265, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3312, 3307, 2181}

$$\frac{i2^{-m-3}e^{2i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{2ib(c+dx)}{d}\right)}{b} - \frac{i2^{-m-3}e^{-2i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{2ib(c+dx)}{d}\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*Sin[a + b*x]^2,x]

[Out] $(c + dx)^{(1 + m)/(2*d*(1 + m))} + (I*2^{(-3 - m)*E^((2*I)*(a - (b*c)/d))}*(c + dx)^m*\Gamma[1 + m, ((-2*I)*b*(c + d*x))/d])/(b*(((I)*b*(c + d*x))/d)^m) - (I*2^{(-3 - m)*(c + d*x)^m*\Gamma[1 + m, ((2*I)*b*(c + d*x))/d])/(b*E^((2*I)*(a - (b*c)/d))*((I*b*(c + d*x))/d)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x)])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])/d))^(FracPart[m])), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int (c + dx)^m \sin^2(a + bx) dx &= \int \left(\frac{1}{2}(c + dx)^m - \frac{1}{2}(c + dx)^m \cos(2a + 2bx) \right) dx \\
&= \frac{(c + dx)^{1+m}}{2d(1+m)} - \frac{1}{2} \int (c + dx)^m \cos(2a + 2bx) dx \\
&= \frac{(c + dx)^{1+m}}{2d(1+m)} - \frac{1}{4} \int e^{-i(2a+2bx)}(c + dx)^m dx - \frac{1}{4} \int e^{i(2a+2bx)}(c + dx)^m dx \\
&= \frac{(c + dx)^{1+m}}{2d(1+m)} + \frac{i2^{-3-m}e^{2i\left(a-\frac{bc}{d}\right)}(c + dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{2ib(c+dx)}{d}\right)}{b} - \frac{i2^{-3-m}e^{-2i\left(a-\frac{bc}{d}\right)}(c + dx)^m \left(\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, \frac{2ib(c+dx)}{d}\right)}{b}
\end{aligned}$$

Mathematica [A] time = 0.612256, size = 211, normalized size = 1.3

$$\frac{2^{-m-3}(c + dx)^m \left(\frac{b^2(c+dx)^2}{d^2}\right)^{-m} \left(-id(m+1)\left(-\frac{ib(c+dx)}{d}\right)^m \left(\cos\left(2a - \frac{2bc}{d}\right) - i \sin\left(2a - \frac{2bc}{d}\right)\right) \Gamma\left(m+1, \frac{2ib(c+dx)}{d}\right) + id(m+1)\left(\frac{ib(c+dx)}{d}\right)^m \left(\cos\left(2a - \frac{2bc}{d}\right) + i \sin\left(2a - \frac{2bc}{d}\right)\right) \Gamma\left(m+1, -\frac{2ib(c+dx)}{d}\right)}{bd(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*Sin[a + b*x]^2,x]

[Out] (2^(-3 - m)*(c + d*x)^m*(2^(2 + m)*b*(c + d*x)*((b^2*(c + d*x)^2)/d^2)^m - I*d*(1 + m)*((-I)*b*(c + d*x))/d)^m*Gamma[1 + m, ((2*I)*b*(c + d*x))/d]*(Cos[2*a - (2*b*c)/d] - I*Sin[2*a - (2*b*c)/d]) + I*d*(1 + m)*((I*b*(c + d*x))/d)^m*Gamma[1 + m, ((-2*I)*b*(c + d*x))/d]*(Cos[2*a - (2*b*c)/d] + I*Sin[2*a - (2*b*c)/d])/(b*d*(1 + m)*((b^2*(c + d*x)^2)/d^2)^m

Maple [F] time = 0.138, size = 0, normalized size = 0.

$$\int (dx + c)^m (\sin(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*sin(b*x+a)^2,x)

[Out] int((d*x+c)^m*sin(b*x+a)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{(dm + d) \int (dx + c)^m \cos(2bx + 2a) dx - e^{(m \log(dx+c) + \log(dx+c))}}{2(dm + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^2,x, algorithm="maxima")

[Out] -1/2*((d*m + d)*integrate((d*x + c)^m*cos(2*b*x + 2*a), x) - e^(m*log(d*x + c) + log(d*x + c)))/(d*m + d)

Fricas [A] time = 1.81047, size = 340, normalized size = 2.1

$$\frac{(-i dm - i d)e^{\left(-\frac{dm \log\left(\frac{2i b}{d}\right) - 2i bc + 2i ad}{d}\right)} \Gamma\left(m + 1, \frac{2i b dx + 2i bc}{d}\right) + (i dm + i d)e^{\left(-\frac{dm \log\left(-\frac{2i b}{d}\right) + 2i bc - 2i ad}{d}\right)} \Gamma\left(m + 1, \frac{-2i b dx - 2i bc}{d}\right) + 4 (bdx + c)^m}{8 (bdm + bd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*((-I*d*m - I*d)*e^(-(d*m*log(2*I*b/d) - 2*I*b*c + 2*I*a*d)/d)*gamma(m + 1, (2*I*b*d*x + 2*I*b*c)/d) + (I*d*m + I*d)*e^(-(d*m*log(-2*I*b/d) + 2*I*b*c - 2*I*a*d)/d)*gamma(m + 1, (-2*I*b*d*x - 2*I*b*c)/d) + 4*(b*d*x + b*c)*(d*x + c)^m)/(b*d*m + b*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^m \sin^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*sin(b*x+a)**2,x)

[Out] Integral((c + d*x)**m*sin(a + b*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^m*sin(b*x + a)^2, x)

3.74 $\int (c + dx)^m \sin(a + bx) dx$

Optimal. Leaf size=127

$$\frac{e^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{2b} - \frac{e^{-i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{ib(c+dx)}{d}\right)}{2b}$$

[Out] $-(E^{(I*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(2*b*((-I)*b*(c + d*x))/d)^m - ((c + d*x)^m*\Gamma[1 + m, (I*b*(c + d*x))/d])/(2*b*E^{(I*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m)$

Rubi [A] time = 0.0884659, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3308, 2181}

$$\frac{e^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{2b} - \frac{e^{-i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{ib(c+dx)}{d}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*Sin[a + b*x], x]

[Out] $-(E^{(I*(a - (b*c)/d))}*(c + d*x)^m*\Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(2*b*((-I)*b*(c + d*x))/d)^m - ((c + d*x)^m*\Gamma[1 + m, (I*b*(c + d*x))/d])/(2*b*E^{(I*(a - (b*c)/d))}*((I*b*(c + d*x))/d)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int (c + dx)^m \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)}(c + dx)^m dx - \frac{1}{2}i \int e^{i(a+bx)}(c + dx)^m dx \\ &= -\frac{e^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(1+m,-\frac{ib(c+dx)}{d}\right)}{2b} - \frac{e^{-i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(1+m,\frac{ib(c+dx)}{d}\right)}{2b} \end{aligned}$$

Mathematica [A] time = 0.0493769, size = 121, normalized size = 0.95

$$\frac{e^{-\frac{i(ad+bc)}{d}}(c+dx)^m\left(-e^{2ia}\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right) - e^{\frac{2ibc}{d}}\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{ib(c+dx)}{d}\right)\right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*Sin[a + b*x],x]

[Out] ((c + d*x)^m*(-((E^((2*I)*a))*Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(((-I)*b*(c + d*x))/d)^m) - (E^(((2*I)*b*c)/d))*Gamma[1 + m, (I*b*(c + d*x))/d])/((I*b*(c + d*x))/d)^m)/(2*b*E^((I*(b*c + a*d))/d))

Maple [F] time = 0.059, size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*sin(b*x+a),x)

[Out] int((d*x+c)^m*sin(b*x+a),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a),x, algorithm="maxima")

[Out] integrate((d*x + c)^m*sin(b*x + a), x)

Fricas [A] time = 1.82587, size = 219, normalized size = 1.72

$$\frac{e^{\left(-\frac{dm \log\left(\frac{ib}{d}\right) - ibc + iad}{d}\right)} \Gamma\left(m + 1, \frac{ibdx + ibc}{d}\right) + e^{\left(-\frac{dm \log\left(-\frac{ib}{d}\right) + ibc - iad}{d}\right)} \Gamma\left(m + 1, \frac{-ibdx - ibc}{d}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sin(b*x+a),x, algorithm="fricas")

[Out] -1/2*(e^(-(d*m*log(I*b/d) - I*b*c + I*a*d)/d))*gamma(m + 1, (I*b*d*x + I*b*c)/d) + e^(-(d*m*log(-I*b/d) + I*b*c - I*a*d)/d))*gamma(m + 1, (-I*b*d*x - I*b*c)/d))/b

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^m \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**m*sin(b*x+a),x)
```

```
[Out] Integral((c + d*x)**m*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^m*sin(b*x + a), x)
```

3.75 $\int (c + dx)^m \csc(a + bx) dx$

Optimal. Leaf size=16

Unintegrable (csc(a + bx)(c + dx)^m, x)

[Out] Unintegrable[(c + d*x)^m*Csc[a + b*x], x]

Rubi [A] time = 0.0186464, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c + dx)^m \csc(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*Csc[a + b*x], x]

[Out] Defer[Int] [(c + d*x)^m*Csc[a + b*x], x]

Rubi steps

$$\int (c + dx)^m \csc(a + bx) dx = \int (c + dx)^m \csc(a + bx) dx$$

Mathematica [A] time = 5.71564, size = 0, normalized size = 0.

$$\int (c + dx)^m \csc(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*Csc[a + b*x], x]

[Out] Integrate[(c + d*x)^m*Csc[a + b*x], x]

Maple [A] time = 0.04, size = 0, normalized size = 0.

$$\int (dx + c)^m \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*csc(b*x+a), x)

[Out] int((d*x+c)^m*csc(b*x+a), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a),x, algorithm="maxima")

[Out] integrate((d*x + c)^m*csc(b*x + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}((dx + c)^m \csc(bx + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a),x, algorithm="fricas")

[Out] integral((d*x + c)^m*csc(b*x + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^m \csc(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*csc(b*x+a),x)

[Out] Integral((c + d*x)**m*csc(a + b*x), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \csc(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^m*csc(b*x + a), x)

3.76 $\int (c + dx)^m \csc^2(a + bx) dx$

Optimal. Leaf size=18

Unintegrable($\csc^2(a + bx)(c + dx)^m, x$)

[Out] Unintegrable[(c + d*x)^m*Csc[a + b*x]^2, x]

Rubi [A] time = 0.0365495, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c + dx)^m \csc^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*Csc[a + b*x]^2, x]

[Out] Defer[Int] [(c + d*x)^m*Csc[a + b*x]^2, x]

Rubi steps

$$\int (c + dx)^m \csc^2(a + bx) dx = \int (c + dx)^m \csc^2(a + bx) dx$$

Mathematica [A] time = 1.1148, size = 0, normalized size = 0.

$$\int (c + dx)^m \csc^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*Csc[a + b*x]^2, x]

[Out] Integrate[(c + d*x)^m*Csc[a + b*x]^2, x]

Maple [A] time = 0.048, size = 0, normalized size = 0.

$$\int (dx + c)^m (\csc(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*csc(b*x+a)^2, x)

[Out] int((d*x+c)^m*csc(b*x+a)^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \csc(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a)^2,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*csc(b*x + a)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left((dx + c)^m \csc (bx + a)^2, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a)^2,x, algorithm="fricas")

[Out] integral((d*x + c)^m*csc(b*x + a)^2, x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int (c + dx)^m \csc^2 (a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*csc(b*x+a)**2,x)

[Out] Integral((c + d*x)**m*csc(a + b*x)**2, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m \csc (bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*csc(b*x+a)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^m*csc(b*x + a)^2, x)

3.77 $\int x^{3+m} \sin(a + bx) dx$

Optimal. Leaf size=79

$$\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+4,-ibx)}{2b^4} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+4,ibx)}{2b^4}$$

[Out] $((I/2)*E^{(I*a)}*x^m*\Gamma[4+m,(-I)*b*x])/(b^4*((-I)*b*x)^m) - ((I/2)*x^m*\Gamma[4+m,I*b*x])/(b^4*E^{(I*a)}*(I*b*x)^m)$

Rubi [A] time = 0.0774144, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+4,-ibx)}{2b^4} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+4,ibx)}{2b^4}$$

Antiderivative was successfully verified.

[In] Int[x^(3 + m)*Sin[a + b*x], x]

[Out] $((I/2)*E^{(I*a)}*x^m*\Gamma[4+m,(-I)*b*x])/(b^4*((-I)*b*x)^m) - ((I/2)*x^m*\Gamma[4+m,I*b*x])/(b^4*E^{(I*a)}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{3+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^{3+m} dx - \frac{1}{2}i \int e^{i(a+bx)} x^{3+m} dx \\ &= \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(4+m,-ibx)}{2b^4} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(4+m,ibx)}{2b^4} \end{aligned}$$

Mathematica [A] time = 0.0191448, size = 79, normalized size = 1.

$$\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+4,-ibx)}{2b^4} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+4,ibx)}{2b^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^(3 + m)*Sin[a + b*x], x]

[Out] $((I/2)*E^{(I*a)*x^m*Gamma[4 + m, (-I)*b*x]})/(b^4*((-I)*b*x)^m) - ((I/2)*x^m*Gamma[4 + m, I*b*x])/(b^4*E^{(I*a)*(I*b*x)^m})$

Maple [C] time = 0.119, size = 454, normalized size = 5.8

$$\frac{2^{3+m}\sqrt{\pi}\sin(a)}{b^4}(b^2)^{-\frac{m}{2}}\left(3\frac{2^{-4-m}x^{3+m}b^3(b^2)^{m/2}(8/3+2/3m)\sin(bx)}{\sqrt{\pi}(4+m)} - \frac{2^{-3-m}x^{1+m}b(-m^2-7m-12)(\cos(bx)xb-\sin(bx))}{\sqrt{\pi}(4+m)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(3+m)*sin(b*x+a),x)`

[Out] $2^{(3+m)}/b^4*(b^2)^{(-1/2*m)}*Pi^{(1/2)}*(3*2^{(-4-m)}/Pi^{(1/2)}/(4+m)*x^{(3+m)}*b^3*(b^2)^{(1/2*m)}*(8/3+2/3*m)*sin(b*x)-2^{(-3-m)}/Pi^{(1/2)}/(4+m)*x^{(1+m)}*b*(b^2)^{(1/2*m)}*(-m^2-7*m-12)*(cos(b*x)*x*b-sin(b*x))+2^{(-3-m)}/Pi^{(1/2)}/(4+m)*x^{(2+m)}*b^2*(b^2)^{(1/2*m)}*(-m^3-8*m^2-19*m-12)*(b*x)^{(-3/2-m)}*LommelS1(m+3/2,3/2,b*x)*sin(b*x)-2^{(-3-m)}/Pi^{(1/2)}*x^{(2+m)}*b^2*(b^2)^{(1/2*m)}*(2+m)*(1+m)*(3+m)*(b*x)^{(-5/2-m)}*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+1/2,1/2,b*x)*sin(a)+2^{(3+m)}*b^{(-4-m)}*Pi^{(1/2)}*(2^{(-3-m)}/Pi^{(1/2)}/(5+m)*x^{(2+m)}*b^{(2+m)}*(m^2+7*m+10)*sin(b*x)-2^{(-3-m)}/Pi^{(1/2)}*x^{(2+m)}*b^{(2+m)}*(cos(b*x)*x*b-sin(b*x))-2^{(-3-m)}/Pi^{(1/2)}*x^{(2+m)}*b^{(2+m)}*m*(3+m)*(2+m)*(b*x)^{(-3/2-m)}*LommelS1(m+1/2,3/2,b*x)*sin(b*x)+2^{(-3-m)}/Pi^{(1/2)}*x^{(2+m)}*b^{(2+m)}*(3+m)*(2+m)*(b*x)^{(-5/2-m)}*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+3/2,1/2,b*x))*cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+3} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(3+m)*sin(b*x+a),x, algorithm="maxima")`

[Out] `integrate(x^(m + 3)*sin(b*x + a), x)`

Fricas [A] time = 1.8114, size = 149, normalized size = 1.89

$$\frac{e^{-(m+3)\log(ib)-ia}\Gamma(m+4,ibx) + e^{-(m+3)\log(-ib)+ia}\Gamma(m+4,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(3+m)*sin(b*x+a),x, algorithm="fricas")`

[Out] $-1/2*(e^{-(m+3)*\log(I*b)-I*a}*gamma(m+4, I*b*x) + e^{-(m+3)*\log(-I*b)+I*a}*gamma(m+4, -I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+3} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(3+m)*sin(b*x+a),x)
```

```
[Out] Integral(x**(m + 3)*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+3} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(3+m)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^(m + 3)*sin(b*x + a), x)
```

3.78 $\int x^{2+m} \sin(a + bx) dx$

Optimal. Leaf size=75

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+3,-ibx)}{2b^3} + \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+3,ibx)}{2b^3}$$

[Out] $(E^{(I*a)}*x^m*\Gamma[3 + m, (-I)*b*x])/(2*b^3*((-I)*b*x)^m) + (x^m*\Gamma[3 + m, I*b*x])/(2*b^3*E^{(I*a)}*(I*b*x)^m)$

Rubi [A] time = 0.0727324, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+3,-ibx)}{2b^3} + \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+3,ibx)}{2b^3}$$

Antiderivative was successfully verified.

[In] Int[x^(2 + m)*Sin[a + b*x], x]

[Out] $(E^{(I*a)}*x^m*\Gamma[3 + m, (-I)*b*x])/(2*b^3*((-I)*b*x)^m) + (x^m*\Gamma[3 + m, I*b*x])/(2*b^3*E^{(I*a)}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{2+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^{2+m} dx - \frac{1}{2}i \int e^{i(a+bx)} x^{2+m} dx \\ &= \frac{e^{ia}x^m(-ibx)^{-m}\Gamma(3+m,-ibx)}{2b^3} + \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(3+m,ibx)}{2b^3} \end{aligned}$$

Mathematica [A] time = 0.0158561, size = 75, normalized size = 1.

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+3,-ibx)}{2b^3} + \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+3,ibx)}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^(2 + m)*Sin[a + b*x], x]

[Out] $(E^{(I*a)*x^m*Gamma[3 + m, (-I)*b*x]})/(2*b^3*((-I)*b*x)^m) + (x^m*Gamma[3 + m, I*b*x])/(2*b^3*E^{(I*a)*(I*b*x)^m})$

Maple [C] time = 0.063, size = 353, normalized size = 4.7

$$\frac{2^{2+m}\sqrt{\pi}\sin(a)}{b^2}(b^2)^{-\frac{1}{2}-\frac{m}{2}}\left(3\frac{2^{-3-m}x^{2+m}(b^2)^{3/2+m/2}(2+2/3m)\sin(bx)}{\sqrt{\pi}(3+m)b} - \frac{2^{-2-m}x^{2+m}(2+m)m\sin(bx)}{\sqrt{\pi}b}(b^2)^{\frac{3}{2}+\frac{m}{2}}(bx)^{-\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(2+m)*sin(b*x+a),x)`

[Out] $2^{(2+m)}/b^2*(b^2)^{(-1/2-1/2*m)}*Pi^{(1/2)}*(3*2^{(-3-m)}/Pi^{(1/2)})/(3+m)*x^{(2+m)}*(b^2)^{(3/2+1/2*m)}*(2+2/3*m)/b*\sin(b*x)-2^{(-2-m)}/Pi^{(1/2)}*x^{(2+m)}*(b^2)^{(3/2+1/2*m)}/b*(2+m)*m*(b*x)^{(-3/2-m)}*LommelS1(m+1/2,3/2,b*x)*\sin(b*x)+2^{(-2-m)}/Pi^{(1/2)}*x^{(2+m)}*(b^2)^{(3/2+1/2*m)}/b*(2+m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*LommelS1(m+3/2,1/2,b*x))*\sin(a)+2^{(2+m)}*b^{(-3-m)}*Pi^{(1/2)}*(-2^{(-2-m)}/Pi^{(1/2)}*x^{(1+m)}*b^{(1+m)}*(\cos(b*x)*x*b-\sin(b*x))+2^{(-2-m)}/Pi^{(1/2)})/(4+m)*x^{(2+m)}*b^{(2+m)}*(m^2+5*m+4)*(b*x)^{(-3/2-m)}*LommelS1(m+3/2,3/2,b*x)*\sin(b*x)+2^{(-2-m)}/Pi^{(1/2)}*x^{(2+m)}*b^{(2+m)}*(2+m)*(1+m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*LommelS1(m+1/2,1/2,b*x))*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+2} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(2+m)*sin(b*x+a),x, algorithm="maxima")`

[Out] `integrate(x^(m + 2)*sin(b*x + a), x)`

Fricas [A] time = 1.71217, size = 149, normalized size = 1.99

$$\frac{e^{(-(m+2)\log(ib)-ia)}\Gamma(m+3,ibx) + e^{(-(m+2)\log(-ib)+ia)}\Gamma(m+3,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(2+m)*sin(b*x+a),x, algorithm="fricas")`

[Out] $-1/2*(e^{-(m+2)*\log(I*b) - I*a}*gamma(m+3, I*b*x) + e^{-(m+2)*\log(-I*b) + I*a}*gamma(m+3, -I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+2} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(2+m)*sin(b*x+a),x)
```

```
[Out] Integral(x**(m + 2)*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+2} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(2+m)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^(m + 2)*sin(b*x + a), x)
```

3.79 $\int x^{1+m} \sin(a + bx) dx$

Optimal. Leaf size=79

$$\frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+2,ibx)}{2b^2} - \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+2,-ibx)}{2b^2}$$

[Out] $((-I/2)*E^{I*a}*x^m*\Gamma[2 + m, (-I)*b*x])/(b^2*((-I)*b*x)^m) + ((I/2)*x^m*\Gamma[2 + m, I*b*x])/(b^2*E^{I*a}*(I*b*x)^m)$

Rubi [A] time = 0.0708763, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+2,ibx)}{2b^2} - \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+2,-ibx)}{2b^2}$$

Antiderivative was successfully verified.

[In] Int[x^(1 + m)*Sin[a + b*x], x]

[Out] $((-I/2)*E^{I*a}*x^m*\Gamma[2 + m, (-I)*b*x])/(b^2*((-I)*b*x)^m) + ((I/2)*x^m*\Gamma[2 + m, I*b*x])/(b^2*E^{I*a}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^{I*(e + f*x)}, x], x] - Dist[I/2, Int[(c + d*x)^m*E^{I*(e + f*x)}, x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{1+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^{1+m} dx - \frac{1}{2}i \int e^{i(a+bx)} x^{1+m} dx \\ &= -\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(2+m,-ibx)}{2b^2} + \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(2+m,ibx)}{2b^2} \end{aligned}$$

Mathematica [A] time = 0.0161029, size = 79, normalized size = 1.

$$\frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+2,ibx)}{2b^2} - \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+2,-ibx)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^(1 + m)*Sin[a + b*x], x]

[Out] $((-I/2)*E^{(I*a)}*x^m*\Gamma[2 + m, (-I)*b*x])/(b^2*((-I)*b*x)^m) + ((I/2)*x^m*\Gamma[2 + m, I*b*x])/(b^2*E^{(I*a)}*(I*b*x)^m)$

Maple [C] time = 0.063, size = 290, normalized size = 3.7

$$\frac{2^{1+m}\sqrt{\pi}\sin(a)}{b^2}(b^2)^{-\frac{m}{2}}\left(\frac{2^{-1-m}x^{1+m}b\sin(bx)}{\sqrt{\pi}(2+m)}(b^2)^{\frac{m}{2}}+3\frac{2^{-2-m}x^{2+m}b^2(b^2)^{m/2}(2/3+2/3m)(bx)^{-3/2-m}\text{LommelS1}(m+3/2,1/2,bx)}{\sqrt{\pi}(2+m)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(1+m)*sin(b*x+a),x)`

[Out] $2^{(1+m)}/b^2*(b^2)^{(-1/2*m)}*\text{Pi}^{(1/2)}*(2^{(-1-m)}/\text{Pi}^{(1/2)})/(2+m)*x^{(1+m)}*b*(b^2)^{(1/2*m)}*\sin(b*x)+3*2^{(-2-m)}/\text{Pi}^{(1/2)})/(2+m)*x^{(2+m)}*b^2*(b^2)^{(1/2*m)}*(2/3+2/3*m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2,3/2,b*x)*\sin(b*x)+2^{(-1-m)}/\text{Pi}^{(1/2)}*x^{(2+m)}*b^2*(b^2)^{(1/2*m)}*(1+m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2,1/2,b*x)*\sin(a)+2^{(1+m)}*b^{(-2-m)}*\text{Pi}^{(1/2)}*(2^{(-1-m)}/\text{Pi}^{(1/2)}*x^{(2+m)}*b^{(2+m)}*m*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2,3/2,b*x)*\sin(b*x)-2^{(-1-m)}/\text{Pi}^{(1/2)}*x^{(2+m)}*b^{(2+m)}*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+3/2,1/2,b*x))*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+1} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1+m)*sin(b*x+a),x, algorithm="maxima")`

[Out] `integrate(x^(m + 1)*sin(b*x + a), x)`

Fricas [A] time = 1.71925, size = 149, normalized size = 1.89

$$\frac{e^{(-(m+1)\log(ib)-ia)}\Gamma(m+2,ibx)+e^{(-(m+1)\log(-ib)+ia)}\Gamma(m+2,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1+m)*sin(b*x+a),x, algorithm="fricas")`

[Out] $-1/2*(e^{(-(m+1)*\log(I*b)-I*a)}*\text{gamma}(m+2,I*b*x)+e^{(-(m+1)*\log(-I*b)+I*a)}*\text{gamma}(m+2,-I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+1} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(1+m)*sin(b*x+a),x)
```

```
[Out] Integral(x**(m + 1)*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+1} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1+m)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^(m + 1)*sin(b*x + a), x)
```

3.80 $\int x^m \sin(a + bx) dx$

Optimal. Leaf size=75

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+1,-ibx)}{2b} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+1,ibx)}{2b}$$

[Out] $-(E^{(I*a)}*x^m*\Gamma[1+m,(-I)*b*x])/(2*b*((-I)*b*x)^m) - (x^m*\Gamma[1+m, I*b*x])/(2*b*E^{(I*a)}*(I*b*x)^m)$

Rubi [A] time = 0.0657262, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$, Rules used = {3308, 2181}

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+1,-ibx)}{2b} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+1,ibx)}{2b}$$

Antiderivative was successfully verified.

[In] Int[x^m*Sin[a + b*x],x]

[Out] $-(E^{(I*a)}*x^m*\Gamma[1+m,(-I)*b*x])/(2*b*((-I)*b*x)^m) - (x^m*\Gamma[1+m, I*b*x])/(2*b*E^{(I*a)}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^m \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^m dx - \frac{1}{2}i \int e^{i(a+bx)} x^m dx \\ &= -\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(1+m,-ibx)}{2b} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(1+m,ibx)}{2b} \end{aligned}$$

Mathematica [A] time = 0.013591, size = 75, normalized size = 1.

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+1,-ibx)}{2b} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+1,ibx)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*Sin[a + b*x],x]

[Out] $-(E^{(I*a)}*x^m*\Gamma[1+m, (-I)*b*x])/(2*b*((-I)*b*x)^m) - (x^m*\Gamma[1+m, I*b*x])/(2*b*E^{(I*a)}*(I*b*x)^m)$

Maple [C] time = 0.062, size = 378, normalized size = 5.

$$2^m (b^2)^{-\frac{1}{2}-\frac{m}{2}} \sqrt{\pi} \left(3 \frac{2^{-1-m} (b^2)^{1/2+m/2} x^m (6+2m) \sin(bx)}{\sqrt{\pi} (1+m) (9+3m) b} + \frac{x^m 2^{-m} (\cos(bx) x b - \sin(bx))}{\sqrt{\pi} (1+m) b} (b^2)^{\frac{1}{2}+\frac{m}{2}} + \frac{2^{-m} x^{2+m} b m \sin(bx)}{\sqrt{\pi} (1+m) b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*sin(b*x+a), x)`

[Out] $2^m*(b^2)^{(-1/2-1/2*m)}*\text{Pi}^{(1/2)}*(3*2^{(-1-m)}/\text{Pi}^{(1/2)})/(1+m)*(b^2)^{(1/2+1/2*m)}*x^m*(6+2*m)/(9+3*m)/b*\sin(b*x)+1/\text{Pi}^{(1/2)}/(1+m)*(b^2)^{(1/2+1/2*m)}*x^m*2^{(-m)}/b*(\cos(b*x)*x*b-\sin(b*x))+2^{(-m)}/\text{Pi}^{(1/2)}/(1+m)*x^{(2+m)}*(b^2)^{(1/2+1/2*m)}*b*m*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2, 3/2, b*x)*\sin(b*x)-2^{(-m)}/\text{Pi}^{(1/2)}/(1+m)*x^{(2+m)}*(b^2)^{(1/2+1/2*m)}*b*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+3/2, 1/2, b*x)*\sin(a)+2^m*b^{(-1-m)}*\text{Pi}^{(1/2)}*(1/\text{Pi}^{(1/2)})/(2+m)*x^{(1+m)}*b^{(1+m)}*2^{(-m)}*\sin(b*x)-2^{(-m)}/\text{Pi}^{(1/2)}/(2+m)*x^{(2+m)}*b^{(2+m)}*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2, 3/2, b*x)*\sin(b*x)-3*2^{(-1-m)}/\text{Pi}^{(1/2)}/(2+m)*x^{(2+m)}*b^{(2+m)}*(4/3+2/3*m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2, 1/2, b*x)*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*sin(b*x+a), x, algorithm="maxima")`

[Out] `integrate(x^m*sin(b*x + a), x)`

Fricas [A] time = 1.78999, size = 132, normalized size = 1.76

$$\frac{e^{(-m \log(ib) - ia)} \Gamma(m+1, ibx) + e^{(-m \log(-ib) + ia)} \Gamma(m+1, -ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*sin(b*x+a), x, algorithm="fricas")`

[Out] $-1/2*(e^{(-m*\log(I*b) - I*a)}*\text{gamma}(m+1, I*b*x) + e^{(-m*\log(-I*b) + I*a)}*\text{gamma}(m+1, -I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**m*sin(b*x+a),x)
```

```
[Out] Integral(x**m*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^m*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^m*sin(b*x + a), x)
```

3.81 $\int x^{-1+m} \sin(a + bx) dx$

Optimal. Leaf size=69

$$\frac{1}{2}ie^{ia}x^m(-ibx)^{-m}\Gamma(m, -ibx) - \frac{1}{2}ie^{-ia}x^m(ibx)^{-m}\Gamma(m, ibx)$$

[Out] $((I/2)*E^{(I*a)}*x^m*\Gamma[m, (-I)*b*x])/((-I)*b*x)^m - ((I/2)*x^m*\Gamma[m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Rubi [A] time = 0.0679546, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{1}{2}ie^{ia}x^m(-ibx)^{-m}\Gamma(m, -ibx) - \frac{1}{2}ie^{-ia}x^m(ibx)^{-m}\Gamma(m, ibx)$$

Antiderivative was successfully verified.

[In] Int[x^(-1 + m)*Sin[a + b*x], x]

[Out] $((I/2)*E^{(I*a)}*x^m*\Gamma[m, (-I)*b*x])/((-I)*b*x)^m - ((I/2)*x^m*\Gamma[m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{-1+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^{-1+m} dx - \frac{1}{2}i \int e^{i(a+bx)} x^{-1+m} dx \\ &= \frac{1}{2}ie^{ia}x^m(-ibx)^{-m}\Gamma(m, -ibx) - \frac{1}{2}ie^{-ia}x^m(ibx)^{-m}\Gamma(m, ibx) \end{aligned}$$

Mathematica [A] time = 0.020435, size = 63, normalized size = 0.91

$$\frac{1}{2}ie^{-ia}x^m \left(e^{2ia}(-ibx)^{-m}\Gamma(m, -ibx) - (ibx)^{-m}\Gamma(m, ibx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 + m)*Sin[a + b*x], x]

[Out] $((I/2)*x^m*((E^((2*I)*a))*Gamma[m, (-I)*b*x])/((-I)*b*x)^m - Gamma[m, I*b*x]/(I*b*x)^m)/E^I*a$

Maple [C] time = 0.065, size = 426, normalized size = 6.2

$$2^{-1+m} (b^2)^{-\frac{m}{2}} \sqrt{\pi} \left(3 \frac{x^{-1+m} 2^{-m} (b^2)^{m/2} (2x^2b^2 + 2m + 4) \sin(bx)}{\sqrt{\pi} m (6 + 3m) b} + \frac{2^{1-m} x^{-1+m} (\cos(bx)xb - \sin(bx))}{\sqrt{\pi} mb} (b^2)^{\frac{m}{2}} - 3 \frac{x^{2+m} 2^{1+m}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(-1+m)*sin(b*x+a),x)`

[Out] $2^{(-1+m)}*(b^2)^{(-1/2*m)}*Pi^{(1/2)}*(3/Pi^{(1/2)}/m*x^{(-1+m)}*2^{(-m)}*(b^2)^{(1/2*m)}*(2*b^2*x^2+2*m+4)/(6+3*m)/b*\sin(b*x)+2^{(1-m)}/Pi^{(1/2)}/m*x^{(-1+m)}*(b^2)^{(1/2*m)}/b*(\cos(b*x)*x*b-\sin(b*x))-3/Pi^{(1/2)}/m*x^{(2+m)}*2^{(1-m)}*(b^2)^{(1/2*m)}*b^2/(6+3*m)*(b*x)^{(-3/2-m)}*LommelS1(m+3/2,3/2,b*x)*\sin(b*x)-1/Pi^{(1/2)}/m*x^{(2+m)}*2^{(1-m)}*(b^2)^{(1/2*m)}*b^2*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*LommelS1(m+1/2,1/2,b*x))*\sin(a)+2^{(-1+m)}*b^{(-m)}*Pi^{(1/2)}*(2^{(1-m)}/Pi^{(1/2)})/(1+m)*x^m*b^m*\sin(b*x)-2^{(1-m)}/Pi^{(1/2)}/(1+m)*x^m*b^m/m*(\cos(b*x)*x*b-\sin(b*x))-1/Pi^{(1/2)}/(1+m)*x^{(2+m)}*b^{(2+m)}*2^{(1-m)}*(b*x)^{(-3/2-m)}*LommelS1(m+1/2,3/2,b*x)*\sin(b*x)+1/Pi^{(1/2)}/(1+m)*x^{(2+m)}*b^{(2+m)}*2^{(1-m)}/m*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*LommelS1(m+3/2,1/2,b*x))*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-1} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1+m)*sin(b*x+a),x, algorithm="maxima")`

[Out] `integrate(x^(m - 1)*sin(b*x + a), x)`

Fricas [A] time = 1.69296, size = 138, normalized size = 2.

$$\frac{e^{-(m-1)\log(ib)-ia}\Gamma(m, ibx) + e^{-(m-1)\log(-ib)+ia}\Gamma(m, -ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1+m)*sin(b*x+a),x, algorithm="fricas")`

[Out] $-1/2*(e^{-(m-1)*\log(I*b) - I*a}*gamma(m, I*b*x) + e^{-(m-1)*\log(-I*b) + I*a}*gamma(m, -I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-1} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-1+m)*sin(b*x+a),x)
```

```
[Out] Integral(x**(m - 1)*sin(a + b*x), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-1} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-1+m)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^(m - 1)*sin(b*x + a), x)
```

3.82 $\int x^{-2+m} \sin(a + bx) dx$

Optimal. Leaf size=71

$$\frac{1}{2}e^{ia}bx^m(-ibx)^{-m}\Gamma(m-1,-ibx) + \frac{1}{2}e^{-ia}bx^m(ibx)^{-m}\Gamma(m-1,ibx)$$

[Out] (b*E^(I*a)*x^m*Gamma[-1 + m, (-I)*b*x])/(2*((-I)*b*x)^m) + (b*x^m*Gamma[-1 + m, I*b*x])/(2*E^(I*a)*(I*b*x)^m)

Rubi [A] time = 0.0706639, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{1}{2}e^{ia}bx^m(-ibx)^{-m}\Gamma(m-1,-ibx) + \frac{1}{2}e^{-ia}bx^m(ibx)^{-m}\Gamma(m-1,ibx)$$

Antiderivative was successfully verified.

[In] Int[x^(-2 + m)*Sin[a + b*x], x]

[Out] (b*E^(I*a)*x^m*Gamma[-1 + m, (-I)*b*x])/(2*((-I)*b*x)^m) + (b*x^m*Gamma[-1 + m, I*b*x])/(2*E^(I*a)*(I*b*x)^m)

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{-2+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)}x^{-2+m} dx - \frac{1}{2}i \int e^{i(a+bx)}x^{-2+m} dx \\ &= \frac{1}{2}be^{ia}x^m(-ibx)^{-m}\Gamma(-1 + m, -ibx) + \frac{1}{2}be^{-ia}x^m(ibx)^{-m}\Gamma(-1 + m, ibx) \end{aligned}$$

Mathematica [A] time = 0.0186229, size = 65, normalized size = 0.92

$$\frac{1}{2}e^{-ia}bx^m \left(e^{2ia}(-ibx)^{-m}\Gamma(m-1,-ibx) + (ibx)^{-m}\Gamma(m-1,ibx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-2 + m)*Sin[a + b*x], x]

[Out] $(b*x^m*((E^((2*I)*a))*Gamma[-1 + m, (-I)*b*x])/((-I)*b*x)^m + Gamma[-1 + m, I*b*x]/(I*b*x)^m)/(2*E^((I*a)))$

Maple [C] time = 0.072, size = 529, normalized size = 7.5

$$2^{m-2} (b^2)^{\frac{1}{2}-\frac{m}{2}} b^2 \sqrt{\pi} \left(3 \frac{2^{1-m} x^{m-2} (b^2)^{-1/2+m/2} (2x^2 b^2 + 2m + 2) \sin(bx)}{\sqrt{\pi} (-1+m) (3+3m) b} - \frac{2^{2-m} x^{m-2} (x^2 b^2 - m^2 - m) (\cos(bx) x b - \sin(bx))}{\sqrt{\pi} (-1+m) b (1+m) m} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(m-2)*sin(b*x+a),x)`

[Out] $2^{(m-2)}*(b^2)^{(-1/2-1/2*m)}*b^2*\text{Pi}^{(1/2)}*(3*2^{(1-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(m-2)}*(b^2)^{(-1/2+1/2*m)}*(2*b^2*x^2+2*m+2)/(3+3*m)/b*\sin(b*x)-2^{(2-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(m-2)}*(b^2)^{(-1/2+1/2*m)}/b*(b^2*x^2-m^2-m)/(1+m)/m*(\cos(b*x)*x*b-\sin(b*x))-3*2^{(2-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)}*(b^2)^{(-1/2+1/2*m)}*b^3/(3+3*m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2,3/2,b*x)*\sin(b*x)+2^{(2-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)}*(b^2)^{(-1/2+1/2*m)}*b^3/(1+m)/m*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+3/2,1/2,b*x))*\sin(a)+2^{(m-2)}*b^{(1-m)}*\text{Pi}^{(1/2)}*(2^{(1-m)}/\text{Pi}^{(1/2)}/m*x^{(-1+m)}*b^{(-1+m)}*(-2*b^2*x^2+2*m^2+2*m-4)/(2+m)/(-1+m)*\sin(b*x)-3*2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(-1+m)}*b^{(-1+m)}/(-3+3*m)*(\cos(b*x)*x*b-\sin(b*x))+2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(2+m)}*b^{(2+m)}/(2+m)/(-1+m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2,3/2,b*x)*\sin(b*x)+3*2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(2+m)}*b^{(2+m)}/(-3+3*m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2,1/2,b*x))*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-2} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-2+m)*sin(b*x+a),x, algorithm="maxima")`

[Out] `integrate(x^(m - 2)*sin(b*x + a), x)`

Fricas [A] time = 1.82031, size = 149, normalized size = 2.1

$$\frac{e^{-(m-2)\log(ib)-ia}\Gamma(m-1,ibx) + e^{-(m-2)\log(-ib)+ia}\Gamma(m-1,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-2+m)*sin(b*x+a),x, algorithm="fricas")`

[Out] $-1/2*(e^{-(m-2)*\log(I*b) - I*a}*\text{gamma}(m-1, I*b*x) + e^{-(m-2)*\log(-I*b) + I*a}*\text{gamma}(m-1, -I*b*x))/b$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-2} \sin(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(-2+m)*sin(b*x+a),x)

[Out] Integral(x**(m - 2)*sin(a + b*x), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-2} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*sin(b*x+a),x, algorithm="giac")

[Out] integrate(x^(m - 2)*sin(b*x + a), x)

3.83 $\int x^{-3+m} \sin(a + bx) dx$

Optimal. Leaf size=79

$$\frac{1}{2}ie^{-ia}b^2x^m(ibx)^{-m}\Gamma(m-2, ibx) - \frac{1}{2}ie^{ia}b^2x^m(-ibx)^{-m}\Gamma(m-2, -ibx)$$

[Out] $((-I/2)*b^2*E^{(I*a)}*x^m*\Gamma[-2 + m, (-I)*b*x])/((-I)*b*x)^m + ((I/2)*b^2*x^m*\Gamma[-2 + m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Rubi [A] time = 0.0717161, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3308, 2181}

$$\frac{1}{2}ie^{-ia}b^2x^m(ibx)^{-m}\Gamma(m-2, ibx) - \frac{1}{2}ie^{ia}b^2x^m(-ibx)^{-m}\Gamma(m-2, -ibx)$$

Antiderivative was successfully verified.

[In] Int[x^(-3 + m)*Sin[a + b*x], x]

[Out] $((-I/2)*b^2*E^{(I*a)}*x^m*\Gamma[-2 + m, (-I)*b*x])/((-I)*b*x)^m + ((I/2)*b^2*x^m*\Gamma[-2 + m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{-3+m} \sin(a + bx) dx &= \frac{1}{2}i \int e^{-i(a+bx)} x^{-3+m} dx - \frac{1}{2}i \int e^{i(a+bx)} x^{-3+m} dx \\ &= -\frac{1}{2}ib^2e^{ia}x^m(-ibx)^{-m}\Gamma(-2 + m, -ibx) + \frac{1}{2}ib^2e^{-ia}x^m(ibx)^{-m}\Gamma(-2 + m, ibx) \end{aligned}$$

Mathematica [A] time = 0.0156524, size = 79, normalized size = 1.

$$\frac{1}{2}ie^{-ia}b^2x^m(ibx)^{-m}\Gamma(m-2, ibx) - \frac{1}{2}ie^{ia}b^2x^m(-ibx)^{-m}\Gamma(m-2, -ibx)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-3 + m)*Sin[a + b*x], x]

[Out] $((-I/2)*b^2*E^{(I*a)}*x^m*\Gamma[-2 + m, (-I)*b*x])/((-I)*b*x)^m + ((I/2)*b^2*x^m*\Gamma[-2 + m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Maple [C] time = 0.079, size = 599, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^{(m-3)}*\sin(b*x+a), x)$

[Out] $2^{(m-3)}*(b^2)^{(-1/2*m)}*b^2*\text{Pi}^{(1/2)}*(2^{(2-m)}/\text{Pi}^{(1/2)})/(m-2)*x^{(m-3)}/b^3*(b^2)^{(1/2*m)}*(-2*b^4*x^4+2*b^2*m^2*x^2+2*b^2*m*x^2-4*b^2*x^2+2*m^3+2*m^2-4*m)/m/(2+m)/(-1+m)*\sin(b*x)-2^{(-m+3)}/\text{Pi}^{(1/2)}/(m-2)*x^{(m-3)}/b^3*(b^2)^{(1/2*m)}*(b^2*x^2-m^2+m)/m/(-1+m)*(\cos(b*x)*x*b-\sin(b*x))+2^{(-m+3)}/\text{Pi}^{(1/2)}/(m-2)*x^{(2+m)*b^2*(b^2)^{(1/2*m)}/m/(2+m)/(-1+m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2, 3/2, b*x)*\sin(b*x)+2^{(-m+3)}/\text{Pi}^{(1/2)}/(m-2)*x^{(2+m)*b^2*(b^2)^{(1/2*m)}/m/(-1+m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2, 1/2, b*x))*\sin(a)+2^{(m-3)}*b^{(2-m)}*\text{Pi}^{(1/2)}*(2^{(2-m)}/\text{Pi}^{(1/2)})/(-1+m)*x^{(m-2)}*b^{(m-2)}*(-2*b^2*x^2+2*m^2-2*m-4)/(1+m)/(m-2)*\sin(b*x)+2^{(-m+3)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(m-2)}*b^{(m-2)}*(b^2*x^2-m^2-m)/(1+m)/(m-2)/m*(\cos(b*x)*x*b-\sin(b*x))+2^{(-m+3)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)*b^2*(b^2)^{(1/2*m)}/m/(2+m)/(-1+m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2, 3/2, b*x)*\sin(b*x)-2^{(-m+3)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)*b^2*(b^2)^{(1/2*m)}/m/(2+m)/(-1+m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+3/2, 1/2, b*x))*\cos(a)$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-3} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{(-3+m)}*\sin(b*x+a), x, \text{algorithm}="maxima")$

[Out] $\text{integrate}(x^{(m - 3)}*\sin(b*x + a), x)$

Fricas [A] time = 1.7661, size = 149, normalized size = 1.89

$$\frac{e^{(-m-3)\log(ib)-ia}\Gamma(m-2, ibx) + e^{(-m-3)\log(-ib)+ia}\Gamma(m-2, -ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x^{(-3+m)}*\sin(b*x+a), x, \text{algorithm}="fricas")$

[Out] $-1/2*(e^{-(m-3)*\log(I*b) - I*a}*\text{gamma}(m-2, I*b*x) + e^{-(m-3)*\log(-I*b) + I*a}*\text{gamma}(m-2, -I*b*x))/b$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-3+m)*sin(b*x+a),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-3} \sin(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-3+m)*sin(b*x+a),x, algorithm="giac")
```

```
[Out] integrate(x^(m - 3)*sin(b*x + a), x)
```

3.84 $\int x^{3+m} \sin^2(a + bx) dx$

Optimal. Leaf size=97

$$\frac{e^{2ia}2^{-m-6}x^m(-ibx)^{-m}\Gamma(m+4,-2ibx)}{b^4} + \frac{e^{-2ia}2^{-m-6}x^m(ibx)^{-m}\Gamma(m+4,2ibx)}{b^4} + \frac{x^{m+4}}{2(m+4)}$$

```
[Out] x^(4 + m)/(2*(4 + m)) + (2^(-6 - m)*E^((2*I)*a)*x^m*Gamma[4 + m, (-2*I)*b*x])/(b^4*((-I)*b*x)^m) + (2^(-6 - m)*x^m*Gamma[4 + m, (2*I)*b*x])/(b^4*E^((2*I)*a)*(I*b*x)^m)
```

Rubi [A] time = 0.161679, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$\frac{e^{2ia}2^{-m-6}x^m(-ibx)^{-m}\Gamma(m+4,-2ibx)}{b^4} + \frac{e^{-2ia}2^{-m-6}x^m(ibx)^{-m}\Gamma(m+4,2ibx)}{b^4} + \frac{x^{m+4}}{2(m+4)}$$

Antiderivative was successfully verified.

```
[In] Int[x^(3 + m)*Sin[a + b*x]^2,x]
```

```
[Out] x^(4 + m)/(2*(4 + m)) + (2^(-6 - m)*E^((2*I)*a)*x^m*Gamma[4 + m, (-2*I)*b*x])/(b^4*((-I)*b*x)^m) + (2^(-6 - m)*x^m*Gamma[4 + m, (2*I)*b*x])/(b^4*E^((2*I)*a)*(I*b*x)^m)
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_) ]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_) ], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^{3+m} \sin^2(a+bx) dx &= \int \left(\frac{x^{3+m}}{2} - \frac{1}{2} x^{3+m} \cos(2a+2bx) \right) dx \\
&= \frac{x^{4+m}}{2(4+m)} - \frac{1}{2} \int x^{3+m} \cos(2a+2bx) dx \\
&= \frac{x^{4+m}}{2(4+m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{3+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{3+m} dx \\
&= \frac{x^{4+m}}{2(4+m)} + \frac{2^{-6-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(4+m, -2ibx)}{b^4} + \frac{2^{-6-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(4+m, 2ibx)}{b^4}
\end{aligned}$$

Mathematica [A] time = 0.328603, size = 118, normalized size = 1.22

$$\frac{2^{-m-6} x^m (b^2 x^2)^{-m} \left((m+4)(\cos(a) - i \sin(a))^2 (-ibx)^m \Gamma(m+4, 2ibx) + (m+4)(\cos(a) + i \sin(a))^2 (ibx)^m \Gamma(m+4, -2ibx) \right)}{b^4 (m+4)}$$

Antiderivative was successfully verified.

[In] Integrate[x^(3+m)*Sin[a+b*x]^2,x]

[Out] (2^(-6-m)*x^m*(2^(5+m)*b^4*x^4*(b^2*x^2)^m + (4+m)*((-I)*b*x)^m*Gamma[4+m, (2*I)*b*x]*(Cos[a] - I*Sin[a])^2 + (4+m)*(I*b*x)^m*Gamma[4+m, (-2*I)*b*x]*(Cos[a] + I*Sin[a])^2)/(b^4*(4+m)*(b^2*x^2)^m)

Maple [F] time = 0.072, size = 0, normalized size = 0.

$$\int x^{3+m} (\sin(bx+a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(3+m)*sin(b*x+a)^2,x)

[Out] int(x^(3+m)*sin(b*x+a)^2,x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 1.83243, size = 235, normalized size = 2.42

$$\frac{4 b x x^{m+3} + (-i m - 4 i) e^{-(m+3) \log(2 i b)-2 i a} \Gamma(m+4, 2 i b x) + (i m + 4 i) e^{-(m+3) \log(-2 i b)+2 i a} \Gamma(m+4, -2 i b x)}{8 (b m + 4 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(3+m)*sin(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/8*(4*b*x*x^(m + 3) + (-I*m - 4*I)*e^(-(m + 3)*log(2*I*b) - 2*I*a)*gamma(m
+ 4, 2*I*b*x) + (I*m + 4*I)*e^(-(m + 3)*log(-2*I*b) + 2*I*a)*gamma(m + 4,
-2*I*b*x))/(b*m + 4*b)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(3+m)*sin(b*x+a)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+3} \sin(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(3+m)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x^(m + 3)*sin(b*x + a)^2, x)
```

3.85 $\int x^{2+m} \sin^2(a + bx) dx$

Optimal. Leaf size=103

$$\frac{ie^{2ia}2^{-m-5}x^m(-ibx)^{-m}\Gamma(m+3,-2ibx)}{b^3} + \frac{ie^{-2ia}2^{-m-5}x^m(ibx)^{-m}\Gamma(m+3,2ibx)}{b^3} + \frac{x^{m+3}}{2(m+3)}$$

```
[Out] x^(3 + m)/(2*(3 + m)) - (I*2^(-5 - m)*E^((2*I)*a)*x^m*Gamma[3 + m, (-2*I)*b*x])/(b^3*((-I)*b*x)^m) + (I*2^(-5 - m)*x^m*Gamma[3 + m, (2*I)*b*x])/(b^3*E^((2*I)*a)*(I*b*x)^m)
```

Rubi [A] time = 0.142807, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$\frac{ie^{2ia}2^{-m-5}x^m(-ibx)^{-m}\Gamma(m+3,-2ibx)}{b^3} + \frac{ie^{-2ia}2^{-m-5}x^m(ibx)^{-m}\Gamma(m+3,2ibx)}{b^3} + \frac{x^{m+3}}{2(m+3)}$$

Antiderivative was successfully verified.

```
[In] Int[x^(2 + m)*Sin[a + b*x]^2,x]
```

```
[Out] x^(3 + m)/(2*(3 + m)) - (I*2^(-5 - m)*E^((2*I)*a)*x^m*Gamma[3 + m, (-2*I)*b*x])/(b^3*((-I)*b*x)^m) + (I*2^(-5 - m)*x^m*Gamma[3 + m, (2*I)*b*x])/(b^3*E^((2*I)*a)*(I*b*x)^m)
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d])*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^{2+m} \sin^2(a + bx) dx &= \int \left(\frac{x^{2+m}}{2} - \frac{1}{2} x^{2+m} \cos(2a + 2bx) \right) dx \\
&= \frac{x^{3+m}}{2(3+m)} - \frac{1}{2} \int x^{2+m} \cos(2a + 2bx) dx \\
&= \frac{x^{3+m}}{2(3+m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{2+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{2+m} dx \\
&= \frac{x^{3+m}}{2(3+m)} - \frac{i 2^{-5-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(3+m, -2ibx)}{b^3} + \frac{i 2^{-5-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(3+m, 2ibx)}{b^3}
\end{aligned}$$

Mathematica [A] time = 0.310719, size = 120, normalized size = 1.17

$$\frac{2^{-m-5} x^m (b^2 x^2)^{-m} \left((m+3)(\sin(2a) + i \cos(2a)) (-ibx)^m \Gamma(m+3, 2ibx) + (m+3)(\sin(2a) - i \cos(2a)) (ibx)^m \Gamma(m+3, -2ibx) \right)}{b^3 (m+3)}$$

Antiderivative was successfully verified.

[In] Integrate[x^(2+m)*Sin[a+b*x]^2,x]

[Out] (2^(-5-m)*x^m*(2^(4+m)*b*x*(b^2*x^2)^(1+m) + (3+m)*(I*b*x)^m*Gamma[3+m, (-2*I)*b*x]*((-I)*Cos[2*a] + Sin[2*a]) + (3+m)*((-I)*b*x)^m*Gamma[3+m, (2*I)*b*x]*(I*Cos[2*a] + Sin[2*a]))/(b^3*(3+m)*(b^2*x^2)^m)

Maple [F] time = 0.069, size = 0, normalized size = 0.

$$\int x^{2+m} (\sin(bx+a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(2+m)*sin(b*x+a)^2,x)

[Out] int(x^(2+m)*sin(b*x+a)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{(m+3) \int x^2 x^m \cos(2bx+2a) dx - e^{(m \log(x) + 3 \log(x))}}{2(m+3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] -1/2*((m+3)*integrate(x^2*x^m*cos(2*b*x+2*a), x) - e^(m*log(x) + 3*log(x)))/(m+3)

Fricas [A] time = 1.77347, size = 235, normalized size = 2.28

$$\frac{4bx^{m+2} + (-im-3i)e^{-(m+2)\log(2ib)-2ia}\Gamma(m+3, 2ibx) + (im+3i)e^{-(m+2)\log(-2ib)+2ia}\Gamma(m+3, -2ibx)}{8(bm+3b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(2+m)*sin(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/8*(4*b*x*x^(m + 2) + (-I*m - 3*I)*e^(-(m + 2)*log(2*I*b) - 2*I*a)*gamma(m
+ 3, 2*I*b*x) + (I*m + 3*I)*e^(-(m + 2)*log(-2*I*b) + 2*I*a)*gamma(m + 3,
-2*I*b*x))/(b*m + 3*b)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(2+m)*sin(b*x+a)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+2} \sin (bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(2+m)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x^(m + 2)*sin(b*x + a)^2, x)
```

3.86 $\int x^{1+m} \sin^2(a + bx) dx$

Optimal. Leaf size=99

$$\frac{e^{2ia}2^{-m-4}x^m(-ibx)^{-m}\Gamma(m+2,-2ibx)}{b^2} - \frac{e^{-2ia}2^{-m-4}x^m(ibx)^{-m}\Gamma(m+2,2ibx)}{b^2} + \frac{x^{m+2}}{2(m+2)}$$

```
[Out] x^(2 + m)/(2*(2 + m)) - (2^(-4 - m)*E^((2*I)*a)*x^m*Gamma[2 + m, (-2*I)*b*x])/(b^2*((-I)*b*x)^m) - (2^(-4 - m)*x^m*Gamma[2 + m, (2*I)*b*x])/(b^2*E^((2*I)*a)*(I*b*x)^m)
```

Rubi [A] time = 0.142854, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$\frac{e^{2ia}2^{-m-4}x^m(-ibx)^{-m}\Gamma(m+2,-2ibx)}{b^2} - \frac{e^{-2ia}2^{-m-4}x^m(ibx)^{-m}\Gamma(m+2,2ibx)}{b^2} + \frac{x^{m+2}}{2(m+2)}$$

Antiderivative was successfully verified.

```
[In] Int[x^(1 + m)*Sin[a + b*x]^2,x]
```

```
[Out] x^(2 + m)/(2*(2 + m)) - (2^(-4 - m)*E^((2*I)*a)*x^m*Gamma[2 + m, (-2*I)*b*x])/(b^2*((-I)*b*x)^m) - (2^(-4 - m)*x^m*Gamma[2 + m, (2*I)*b*x])/(b^2*E^((2*I)*a)*(I*b*x)^m)
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_) ]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_) ], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rubi steps

$$\begin{aligned}
\int x^{1+m} \sin^2(a+bx) dx &= \int \left(\frac{x^{1+m}}{2} - \frac{1}{2} x^{1+m} \cos(2a+2bx) \right) dx \\
&= \frac{x^{2+m}}{2(2+m)} - \frac{1}{2} \int x^{1+m} \cos(2a+2bx) dx \\
&= \frac{x^{2+m}}{2(2+m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{1+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{1+m} dx \\
&= \frac{x^{2+m}}{2(2+m)} - \frac{2^{-4-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(2+m, -2ibx)}{b^2} - \frac{2^{-4-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(2+m, 2ibx)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.305028, size = 116, normalized size = 1.17

$$\frac{2^{-m-4} x^m (b^2 x^2)^{-m} \left(-(m+2)(\cos(a) - i \sin(a))^2 (-ibx)^m \Gamma(m+2, 2ibx) - (m+2)(\cos(a) + i \sin(a))^2 (ibx)^m \Gamma(m+2, -2ibx) \right)}{b^2(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[x^(1+m)*Sin[a+b*x]^2,x]

[Out] (2^(-4-m)*x^m*(2^(3+m)*(b^2*x^2)^(1+m) - (2+m)*((-I)*b*x)^m*Gamma[2+m, (2*I)*b*x]*(Cos[a] - I*Sin[a])^2 - (2+m)*(I*b*x)^m*Gamma[2+m, (-2*I)*b*x]*(Cos[a] + I*Sin[a])^2)/(b^2*(2+m)*(b^2*x^2)^m)

Maple [F] time = 0.125, size = 0, normalized size = 0.

$$\int x^{1+m} (\sin(bx+a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1+m)*sin(b*x+a)^2,x)

[Out] int(x^(1+m)*sin(b*x+a)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\frac{(m+2) \int x x^m \cos(2bx+2a) dx - e^{(m \log(x) + 2 \log(x))}}{2(m+2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] -1/2*((m+2)*integrate(x*x^m*cos(2*b*x+2*a), x) - e^(m*log(x)+2*log(x)))/(m+2)

Fricas [A] time = 1.74335, size = 235, normalized size = 2.37

$$\frac{4bx^{m+1} + (-im-2i)e^{-(m+1)\log(2ib)-2ia}\Gamma(m+2, 2ibx) + (im+2i)e^{-(m+1)\log(-2ib)+2ia}\Gamma(m+2, -2ibx)}{8(bm+2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1+m)*sin(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/8*(4*b*x*x^(m + 1) + (-I*m - 2*I)*e^(-(m + 1)*log(2*I*b) - 2*I*a)*gamma(m
+ 2, 2*I*b*x) + (I*m + 2*I)*e^(-(m + 1)*log(-2*I*b) + 2*I*a)*gamma(m + 2,
-2*I*b*x))/(b*m + 2*b)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+1} \sin^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(1+m)*sin(b*x+a)**2,x)
```

```
[Out] Integral(x**(m + 1)*sin(a + b*x)**2, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m+1} \sin^2(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1+m)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x^(m + 1)*sin(b*x + a)^2, x)
```

3.87 $\int x^m \sin^2(a + bx) dx$

Optimal. Leaf size=103

$$\frac{ie^{2ia}2^{-m-3}x^m(-ibx)^{-m}\Gamma(m+1,-2ibx)}{b} - \frac{ie^{-2ia}2^{-m-3}x^m(ibx)^{-m}\Gamma(m+1,2ibx)}{b} + \frac{x^{m+1}}{2(m+1)}$$

[Out] $x^{(1+m)/(2*(1+m))} + (I*2^{(-3-m)}*E^{((2*I)*a)}*x^m*\Gamma[1+m, (-2*I)*b*x])/(b*(-I)*b*x)^m - (I*2^{(-3-m)}*x^m*\Gamma[1+m, (2*I)*b*x])/(b*E^{((2*I)*a)}*(I*b*x)^m)$

Rubi [A] time = 0.134033, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3312, 3307, 2181}

$$\frac{ie^{2ia}2^{-m-3}x^m(-ibx)^{-m}\Gamma(m+1,-2ibx)}{b} - \frac{ie^{-2ia}2^{-m-3}x^m(ibx)^{-m}\Gamma(m+1,2ibx)}{b} + \frac{x^{m+1}}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[x^m*Sin[a + b*x]^2,x]

[Out] $x^{(1+m)/(2*(1+m))} + (I*2^{(-3-m)}*E^{((2*I)*a)}*x^m*\Gamma[1+m, (-2*I)*b*x])/(b*(-I)*b*x)^m - (I*2^{(-3-m)}*x^m*\Gamma[1+m, (2*I)*b*x])/(b*E^{((2*I)*a)}*(I*b*x)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^(g_.)*((e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d])*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int x^m \sin^2(a + bx) dx &= \int \left(\frac{x^m}{2} - \frac{1}{2} x^m \cos(2a + 2bx) \right) dx \\
&= \frac{x^{1+m}}{2(1+m)} - \frac{1}{2} \int x^m \cos(2a + 2bx) dx \\
&= \frac{x^{1+m}}{2(1+m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^m dx - \frac{1}{4} \int e^{i(2a+2bx)} x^m dx \\
&= \frac{x^{1+m}}{2(1+m)} + \frac{i 2^{-3-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(1+m, -2ibx)}{b} - \frac{i 2^{-3-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(1+m, 2ibx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.268765, size = 120, normalized size = 1.17

$$\frac{2^{-m-3} x^m (b^2 x^2)^{-m} \left(-i(m+1)(\cos(a) - i \sin(a))^2 (-ibx)^m \Gamma(m+1, 2ibx) + i(m+1)(\cos(a) + i \sin(a))^2 (ibx)^m \Gamma(m+1, -2ibx) \right)}{b(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*Sin[a + b*x]^2,x]

[Out] (2^(-3 - m)*x^m*(2^(2 + m)*b*x*(b^2*x^2)^m - I*(1 + m)*((-I)*b*x)^m*Gamma[1 + m, (2*I)*b*x]*(Cos[a] - I*Sin[a])^2 + I*(1 + m)*(I*b*x)^m*Gamma[1 + m, (-2*I)*b*x]*(Cos[a] + I*Sin[a])^2)/(b*(1 + m)*(b^2*x^2)^m)

Maple [F] time = 0.084, size = 0, normalized size = 0.

$$\int x^m (\sin(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*sin(b*x+a)^2,x)

[Out] int(x^m*sin(b*x+a)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{(m+1) \int x^m \cos(2bx + 2a) dx - e^{(m \log(x) + \log(x))}}{2(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(b*x+a)^2,x, algorithm="maxima")

[Out] -1/2*((m + 1)*integrate(x^m*cos(2*b*x + 2*a), x) - e^(m*log(x) + log(x)))/(m + 1)

Fricas [A] time = 1.75863, size = 203, normalized size = 1.97

$$\frac{4 b x x^m + (-i m - i) e^{(-m \log(2i b) - 2i a)} \Gamma(m+1, 2i b x) + (i m + i) e^{(-m \log(-2i b) + 2i a)} \Gamma(m+1, -2i b x)}{8(b m + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(b*x+a)²,x, algorithm="fricas")

[Out] $\frac{1}{8} \cdot (4bx^m + (-Im - I)e^{-m \log(2Ib) - 2Ia} \gamma(m + 1, 2Ibx) + (Im + I)e^{-m \log(-2Ib) + 2Ia} \gamma(m + 1, -2Ibx)) / (bm + b)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \sin^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*sin(b*x+a)**2,x)

[Out] Integral(x**m*sin(a + b*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^m \sin(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(b*x+a)²,x, algorithm="giac")

[Out] integrate(x^m*sin(b*x + a)², x)

3.88 $\int x^{-1+m} \sin^2(a + bx) dx$

Optimal. Leaf size=83

$$e^{2ia}2^{-m-2}x^m(-ibx)^{-m}\Gamma(m, -2ibx) + e^{-2ia}2^{-m-2}x^m(ibx)^{-m}\Gamma(m, 2ibx) + \frac{x^m}{2m}$$

[Out] $x^m/(2*m) + (2^{(-2 - m)*E^((2*I)*a)}*x^m*\Gamma[m, (-2*I)*b*x])/((-I)*b*x)^m + (2^{(-2 - m)*x^m*\Gamma[m, (2*I)*b*x]})/(E^((2*I)*a)*(I*b*x)^m)$

Rubi [A] time = 0.130349, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$e^{2ia}2^{-m-2}x^m(-ibx)^{-m}\Gamma(m, -2ibx) + e^{-2ia}2^{-m-2}x^m(ibx)^{-m}\Gamma(m, 2ibx) + \frac{x^m}{2m}$$

Antiderivative was successfully verified.

[In] Int[x^(-1 + m)*Sin[a + b*x]^2, x]

[Out] $x^m/(2*m) + (2^{(-2 - m)*E^((2*I)*a)}*x^m*\Gamma[m, (-2*I)*b*x])/((-I)*b*x)^m + (2^{(-2 - m)*x^m*\Gamma[m, (2*I)*b*x]})/(E^((2*I)*a)*(I*b*x)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \int x^{-1+m} \sin^2(a + bx) dx &= \int \left(\frac{x^{-1+m}}{2} - \frac{1}{2} x^{-1+m} \cos(2a + 2bx) \right) dx \\ &= \frac{x^m}{2m} - \frac{1}{2} \int x^{-1+m} \cos(2a + 2bx) dx \\ &= \frac{x^m}{2m} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{-1+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{-1+m} dx \\ &= \frac{x^m}{2m} + 2^{-2-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(m, -2ibx) + 2^{-2-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(m, 2ibx) \end{aligned}$$

Mathematica [A] time = 0.230728, size = 99, normalized size = 1.19

$$\frac{2^{-m-2}x^m(b^2x^2)^{-m}\left(m(\cos(a)-i\sin(a))^2(-ibx)^m\Gamma(m,2ibx)+m(\cos(a)+i\sin(a))^2(ibx)^m\Gamma(m,-2ibx)\right)}{m}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1+m)*Sin[a+b*x]^2,x]

[Out] (2^(-2-m)*x^m*(2^(1+m)*(b^2*x^2)^m+m*((-I)*b*x)^m*Gamma[m,(2*I)*b*x]*(Cos[a]-I*Sin[a])^2+m*(I*b*x)^m*Gamma[m,(-2*I)*b*x]*(Cos[a]+I*Sin[a])^2)/(m*(b^2*x^2)^m)

Maple [F] time = 0.113, size = 0, normalized size = 0.

$$\int x^{-1+m}(\sin(bx+a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-1+m)*sin(b*x+a)^2,x)

[Out] int(x^(-1+m)*sin(b*x+a)^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{m \int \frac{x^m \cos(2bx+2a)}{x} dx - x^m}{2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*sin(b*x+a)^2,x, algorithm="maxima")

[Out] -1/2*(m*integrate(x^m*cos(2*b*x+2*a)/x,x)-x^m)/m

Fricas [A] time = 1.74727, size = 193, normalized size = 2.33

$$\frac{4bxx^{m-1} - ime^{-(m-1)\log(2ib)-2ia}\Gamma(m,2ibx) + ime^{-(m-1)\log(-2ib)+2ia}\Gamma(m,-2ibx)}{8bm}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*sin(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^(m-1) - I*m*e^(-(m-1)*log(2*I*b) - 2*I*a)*gamma(m, 2*I*b*x) + I*m*e^(-(m-1)*log(-2*I*b) + 2*I*a)*gamma(m, -2*I*b*x))/(b*m)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-1} \sin^2(a+bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(-1+m)*sin(b*x+a)**2,x)

[Out] Integral(x**(m - 1)*sin(a + b*x)**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-1} \sin(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*sin(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x^(m - 1)*sin(b*x + a)^2, x)

3.89 $\int x^{-2+m} \sin^2(a + bx) dx$

Optimal. Leaf size=101

$$-ie^{2ia}b2^{-m-1}x^m(-ibx)^{-m}\Gamma(m-1, -2ibx) + ie^{-2ia}b2^{-m-1}x^m(ibx)^{-m}\Gamma(m-1, 2ibx) - \frac{x^{m-1}}{2(1-m)}$$

[Out] $-x^{(-1+m)/(2*(1-m))} - (I*2^{(-1-m)*b}*E^{((2*I)*a)*x^m*\Gamma[-1+m, (-2*I)*b*x]})/((-I)*b*x)^m + (I*2^{(-1-m)*b*x^m*\Gamma[-1+m, (2*I)*b*x]})/(E^{(2*I)*a}*(I*b*x)^m)$

Rubi [A] time = 0.137095, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$-ie^{2ia}b2^{-m-1}x^m(-ibx)^{-m}\Gamma(m-1, -2ibx) + ie^{-2ia}b2^{-m-1}x^m(ibx)^{-m}\Gamma(m-1, 2ibx) - \frac{x^{m-1}}{2(1-m)}$$

Antiderivative was successfully verified.

[In] Int[x^(-2 + m)*Sin[a + b*x]^2, x]

[Out] $-x^{(-1+m)/(2*(1-m))} - (I*2^{(-1-m)*b}*E^{((2*I)*a)*x^m*\Gamma[-1+m, (-2*I)*b*x]})/((-I)*b*x)^m + (I*2^{(-1-m)*b*x^m*\Gamma[-1+m, (2*I)*b*x]})/(E^{(2*I)*a}*(I*b*x)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d))*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int x^{-2+m} \sin^2(a + bx) dx &= \int \left(\frac{x^{-2+m}}{2} - \frac{1}{2} x^{-2+m} \cos(2a + 2bx) \right) dx \\
&= -\frac{x^{-1+m}}{2(1-m)} - \frac{1}{2} \int x^{-2+m} \cos(2a + 2bx) dx \\
&= -\frac{x^{-1+m}}{2(1-m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{-2+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{-2+m} dx \\
&= -\frac{x^{-1+m}}{2(1-m)} - i2^{-1-m} b e^{2ia} x^m (-ibx)^{-m} \Gamma(-1+m, -2ibx) + i2^{-1-m} b e^{-2ia} x^m (ibx)^{-m} \Gamma(-1+m, 2ibx)
\end{aligned}$$

Mathematica [A] time = 0.31142, size = 117, normalized size = 1.16

$$\frac{2^{-m-1} x^{m-1} (b^2 x^2)^{-m} \left(b(m-1)x(\sin(2a) + i \cos(2a))(-ibx)^m \Gamma(m-1, 2ibx) + b(m-1)x(\sin(2a) - i \cos(2a))(ibx)^m \Gamma(m-1, -2ibx) \right)}{m-1}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-2 + m)*Sin[a + b*x]^2, x]

[Out] (2^(-1 - m)*x^(-1 + m)*(2^m*(b^2*x^2)^m + b*(-1 + m)*x*(I*b*x)^m*Gamma[-1 + m, (-2*I)*b*x]*((-I)*Cos[2*a] + Sin[2*a]) + b*(-1 + m)*x*((-I)*b*x)^m*Gamma[-1 + m, (2*I)*b*x]*(I*Cos[2*a] + Sin[2*a]))/((-1 + m)*(b^2*x^2)^m)

Maple [F] time = 0.07, size = 0, normalized size = 0.

$$\int x^{m-2} (\sin(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m-2)*sin(b*x+a)^2, x)

[Out] int(x^(m-2)*sin(b*x+a)^2, x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{(m-1)x \int \frac{x^m \cos(2bx+2a)}{x^2} dx - x^m}{2(m-1)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*sin(b*x+a)^2, x, algorithm="maxima")

[Out] -1/2*((m - 1)*x*integrate(x^m*cos(2*b*x + 2*a)/x^2, x) - x^m)/((m - 1)*x)

Fricas [A] time = 1.73722, size = 227, normalized size = 2.25

$$\frac{4 b x x^{m-2} + (-i m + i) e^{-(m-2) \log(2i b) - 2i a} \Gamma(m-1, 2i b x) + (i m - i) e^{-(m-2) \log(-2i b) + 2i a} \Gamma(m-1, -2i b x)}{8(bm - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-2+m)*sin(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/8*(4*b*x*x^(m - 2) + (-I*m + I)*e^(-(m - 2)*log(2*I*b) - 2*I*a)*gamma(m - 1, 2*I*b*x) + (I*m - I)*e^(-(m - 2)*log(-2*I*b) + 2*I*a)*gamma(m - 1, -2*I*b*x))/(b*m - b)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-2+m)*sin(b*x+a)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-2} \sin (bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-2+m)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x^(m - 2)*sin(b*x + a)^2, x)
```

3.90 $\int x^{-3+m} \sin^2(a + bx) dx$

Optimal. Leaf size=97

$$-e^{2ia}b^22^{-m}x^m(-ibx)^{-m}\Gamma(m-2,-2ibx) - e^{-2ia}b^22^{-m}x^m(ibx)^{-m}\Gamma(m-2,2ibx) - \frac{x^{m-2}}{2(2-m)}$$

[Out] $-x^{(-2+m)}/(2*(2-m)) - (b^2*E^{((2*I)*a)}*x^m*\Gamma[-2+m, (-2*I)*b*x])/(2^m*((-I)*b*x)^m) - (b^2*x^m*\Gamma[-2+m, (2*I)*b*x])/(2^m*E^{((2*I)*a)}*(I*b*x)^m)$

Rubi [A] time = 0.173118, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$-e^{2ia}b^22^{-m}x^m(-ibx)^{-m}\Gamma(m-2,-2ibx) - e^{-2ia}b^22^{-m}x^m(ibx)^{-m}\Gamma(m-2,2ibx) - \frac{x^{m-2}}{2(2-m)}$$

Antiderivative was successfully verified.

[In] Int[x^(-3 + m)*Sin[a + b*x]², x]

[Out] $-x^{(-2+m)}/(2*(2-m)) - (b^2*E^{((2*I)*a)}*x^m*\Gamma[-2+m, (-2*I)*b*x])/(2^m*((-I)*b*x)^m) - (b^2*x^m*\Gamma[-2+m, (2*I)*b*x])/(2^m*E^{((2*I)*a)}*(I*b*x)^m)$

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]ⁿ, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^{(I*(e + f*x))}), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^{(I*(e + f*x))}, x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^(g_)*((e_.) + (f_.)*(x_))^(m_), x_Symbol] := -Simp[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])})/(d*(-((f*g*Log[F])/d))^{(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d)}FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int x^{-3+m} \sin^2(a + bx) dx &= \int \left(\frac{x^{-3+m}}{2} - \frac{1}{2} x^{-3+m} \cos(2a + 2bx) \right) dx \\
&= -\frac{x^{-2+m}}{2(2-m)} - \frac{1}{2} \int x^{-3+m} \cos(2a + 2bx) dx \\
&= -\frac{x^{-2+m}}{2(2-m)} - \frac{1}{4} \int e^{-i(2a+2bx)} x^{-3+m} dx - \frac{1}{4} \int e^{i(2a+2bx)} x^{-3+m} dx \\
&= -\frac{x^{-2+m}}{2(2-m)} - 2^{-m} b^2 e^{2ia} x^m (-ibx)^{-m} \Gamma(-2+m, -2ibx) - 2^{-m} b^2 e^{-2ia} x^m (ibx)^{-m} \Gamma(-2+m, 2ibx)
\end{aligned}$$

Mathematica [A] time = 0.364202, size = 121, normalized size = 1.25

$$\frac{2^{-m-1} x^{m-2} (b^2 x^2)^{-m} \left(-2b^2(m-2)x^2(\cos(a) - i\sin(a))^2(-ibx)^m \text{Gamma}(m-2, 2ibx) + 2(m-2)(\cos(2a) + i\sin(2a)) \text{Gamma}[-2+m, (-2*I)*b*x] * (\text{Cos}[2*a] + I*\text{Sin}[2*a]) \right)}{m-2}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-3 + m)*Sin[a + b*x]^2, x]

[Out] (2^(-1 - m)*x^(-2 + m)*(2^m*(b^2*x^2)^m - 2*b^2*(-2 + m)*x^2*((-I)*b*x)^m*Gamma[-2 + m, (2*I)*b*x]*(Cos[a] - I*Sin[a])^2 + 2*(-2 + m)*(I*b*x)^(2 + m)*Gamma[-2 + m, (-2*I)*b*x]*(Cos[2*a] + I*Sin[2*a]))) / ((-2 + m)*(b^2*x^2)^m)

Maple [F] time = 0.072, size = 0, normalized size = 0.

$$\int x^{m-3} (\sin(bx + a))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m-3)*sin(b*x+a)^2, x)

[Out] int(x^(m-3)*sin(b*x+a)^2, x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$-\frac{(m-2)x^2 \int \frac{x^m \cos(2bx+2a)}{x^3} dx - x^m}{2(m-2)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-3+m)*sin(b*x+a)^2, x, algorithm="maxima")

[Out] -1/2*((m - 2)*x^2*integrate(x^m*cos(2*b*x + 2*a)/x^3, x) - x^m)/((m - 2)*x^2)

Fricas [A] time = 1.81052, size = 235, normalized size = 2.42

$$\frac{4bx^{m-3} + (-im + 2i)e^{-(m-3)\log(2ib)-2ia}\Gamma(m-2, 2ibx) + (im - 2i)e^{-(m-3)\log(-2ib)+2ia}\Gamma(m-2, -2ibx)}{8(bm - 2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-3+m)*sin(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/8*(4*b*x*x^(m - 3) + (-I*m + 2*I)*e^(-(m - 3)*log(2*I*b) - 2*I*a)*gamma(m
- 2, 2*I*b*x) + (I*m - 2*I)*e^(-(m - 3)*log(-2*I*b) + 2*I*a)*gamma(m - 2,
-2*I*b*x))/(b*m - 2*b)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-3+m)*sin(b*x+a)**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int x^{m-3} \sin (bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(-3+m)*sin(b*x+a)^2,x, algorithm="giac")
```

```
[Out] integrate(x^(m - 3)*sin(b*x + a)^2, x)
```


$$3.91 \quad \int \left(\frac{x}{\csc^{\frac{3}{2}}(e+fx)} - \frac{1}{3}x\sqrt{\csc(e+fx)} \right) dx$$

Optimal. Leaf size=42

$$\frac{4}{9f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{3f\sqrt{\csc(e+fx)}}$$

[Out] 4/(9*f^2*Csc[e + f*x]^(3/2)) - (2*x*Cos[e + f*x])/(3*f*Sqrt[Csc[e + f*x]])

Rubi [A] time = 0.123271, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {4187, 4189}

$$\frac{4}{9f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{3f\sqrt{\csc(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[x/Csc[e + f*x]^(3/2) - (x*Sqrt[Csc[e + f*x]])/3,x]

[Out] 4/(9*f^2*Csc[e + f*x]^(3/2)) - (2*x*Cos[e + f*x])/(3*f*Sqrt[Csc[e + f*x]])

Rule 4187

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :>
Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c + d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[((c + d*x)*Cos[e + f*x]*(b*Csc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1]

Rule 4189

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Dist[(b*Sine[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sine[e + f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\csc^{\frac{3}{2}}(e+fx)} - \frac{1}{3}x\sqrt{\csc(e+fx)} \right) dx &= -\left(\frac{1}{3} \int x\sqrt{\csc(e+fx)} dx \right) + \int \frac{x}{\csc^{\frac{3}{2}}(e+fx)} dx \\ &= \frac{4}{9f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{3f\sqrt{\csc(e+fx)}} + \frac{1}{3} \int x\sqrt{\csc(e+fx)} dx - \frac{1}{3} \left(\sqrt{\csc(e+fx)} \right) \\ &= \frac{4}{9f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{3f\sqrt{\csc(e+fx)}} \end{aligned}$$

Mathematica [A] time = 0.487129, size = 29, normalized size = 0.69

$$\frac{2(3fx \cot(e+fx) - 2)}{9f^2 \csc^{\frac{3}{2}}(e+fx)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Csc[e + f*x]^(3/2) - (x*Sqrt[Csc[e + f*x]])/3,x]

[Out] (-2*(-2 + 3*f*x*Cot[e + f*x]))/(9*f^2*Csc[e + f*x]^(3/2))

Maple [F] time = 0.092, size = 0, normalized size = 0.

$$\int x (\csc(fx + e))^{-\frac{3}{2}} - \frac{x}{3} \sqrt{\csc(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/csc(f*x+e)^(3/2)-1/3*x*csc(f*x+e)^(1/2),x)

[Out] int(x/csc(f*x+e)^(3/2)-1/3*x*csc(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{3} x \sqrt{\csc(fx + e)} + \frac{x}{\csc(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(3/2)-1/3*x*csc(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(-1/3*x*sqrt(csc(f*x + e)) + x/csc(f*x + e)^(3/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(3/2)-1/3*x*csc(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int -\frac{3x}{\csc^2(e+fx)} dx + \int x \sqrt{\csc(e+fx)} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)**(3/2)-1/3*x*csc(f*x+e)**(1/2),x)

[Out] $-(\text{Integral}(-3*x/\text{csc}(e + f*x)**(3/2), x) + \text{Integral}(x*\text{sqrt}(\text{csc}(e + f*x)), x))/3$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{3}x\sqrt{\text{csc}(fx + e)} + \frac{x}{\text{csc}(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/csc(f*x+e)^(3/2)-1/3*x*csc(f*x+e)^(1/2),x, algorithm="giac")`

[Out] `integrate(-1/3*x*sqrt(csc(f*x + e)) + x/csc(f*x + e)^(3/2), x)`

$$3.92 \quad \int \left(\frac{x^2}{\csc^{\frac{3}{2}}(e+fx)} - \frac{1}{3}x^2 \sqrt{\csc(e+fx)} \right) dx$$

Optimal. Leaf size=111

$$\frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{16 \cos(e+fx)}{27f^3 \sqrt{\csc(e+fx)}} - \frac{16 \sqrt{\sin(e+fx)} \sqrt{\csc(e+fx)} F\left(\frac{1}{2}(e+fx - \frac{\pi}{2}) \middle| 2\right)}{27f^3} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}}$$

[Out] (8*x)/(9*f^2*Csc[e + f*x]^(3/2)) + (16*Cos[e + f*x])/(27*f^3*Sqrt[Csc[e + f*x]]) - (2*x^2*Cos[e + f*x])/(3*f*Sqrt[Csc[e + f*x]]) - (16*Sqrt[Csc[e + f*x]]*EllipticF[(e - Pi/2 + f*x)/2, 2]*Sqrt[Sin[e + f*x]])/(27*f^3)

Rubi [A] time = 0.209395, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {4188, 4189, 3769, 3771, 2641}

$$\frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{16 \cos(e+fx)}{27f^3 \sqrt{\csc(e+fx)}} - \frac{16 \sqrt{\sin(e+fx)} \sqrt{\csc(e+fx)} F\left(\frac{1}{2}(e+fx - \frac{\pi}{2}) \middle| 2\right)}{27f^3} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[x^2/Csc[e + f*x]^(3/2) - (x^2*Sqrt[Csc[e + f*x]])/3,x]

[Out] (8*x)/(9*f^2*Csc[e + f*x]^(3/2)) + (16*Cos[e + f*x])/(27*f^3*Sqrt[Csc[e + f*x]]) - (2*x^2*Cos[e + f*x])/(3*f*Sqrt[Csc[e + f*x]]) - (16*Sqrt[Csc[e + f*x]]*EllipticF[(e - Pi/2 + f*x)/2, 2]*Sqrt[Sin[e + f*x]])/(27*f^3)

Rule 4188

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^n*((c_.) + (d_.)*(x_.))^m, x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n + 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^n, x], x] + Simp[((c + d*x)^m*Cos[e + f*x]*(b*Csc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && GtQ[m, 1]

Rule 4189

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^n*((c_.) + (d_.)*(x_.))^m, x_Symbol] := Dist[(b*Sine[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sine[e + f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sine[c + d*x]^n, Int[1/Sine[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
  Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \left(\frac{x^2}{\csc^{\frac{3}{2}}(e+fx)} - \frac{1}{3} x^2 \sqrt{\csc(e+fx)} \right) dx = - \left(\frac{1}{3} \int x^2 \sqrt{\csc(e+fx)} dx \right) + \int \frac{x^2}{\csc^{\frac{3}{2}}(e+fx)} dx$$

$$= \frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}} + \frac{1}{3} \int x^2 \sqrt{\csc(e+fx)} dx - \frac{8 \int \frac{x^2}{\csc^{\frac{3}{2}}(e+fx)} dx}{9}$$

$$= \frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{16 \cos(e+fx)}{27f^3 \sqrt{\csc(e+fx)}} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}} - \frac{8 \int \sqrt{\csc(e+fx)} dx}{27f^3}$$

$$= \frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{16 \cos(e+fx)}{27f^3 \sqrt{\csc(e+fx)}} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}} - \frac{(8 \int \sqrt{\csc(e+fx)} dx)}{27f^3}$$

$$= \frac{8x}{9f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{16 \cos(e+fx)}{27f^3 \sqrt{\csc(e+fx)}} - \frac{2x^2 \cos(e+fx)}{3f \sqrt{\csc(e+fx)}} - \frac{16 \int \sqrt{\csc(e+fx)} dx}{27f^3}$$

Mathematica [A] time = 0.556044, size = 87, normalized size = 0.78

$$\frac{\sqrt{\csc(e+fx)} \left(9f^2 x^2 \sin(2(e+fx)) - 8 \sin(2(e+fx)) + 12fx \cos(2(e+fx)) - 16 \sqrt{\sin(e+fx)} F\left(\frac{1}{4}(-2e-2fx+\pi)\right) \right)}{27f^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/Csc[e + f*x]^(3/2) - (x^2*Sqrt[Csc[e + f*x]])/3,x]
```

```
[Out] -(Sqrt[Csc[e + f*x]]*(-12*f*x + 12*f*x*Cos[2*(e + f*x)] - 16*EllipticF[(-2*
e + Pi - 2*f*x)/4, 2]*Sqrt[Sin[e + f*x]] - 8*Sin[2*(e + f*x)] + 9*f^2*x^2*S
in[2*(e + f*x)])))/(27*f^3)
```

Maple [F] time = 0.082, size = 0, normalized size = 0.

$$\int x^2 (\csc(fx+e))^{-\frac{3}{2}} - \frac{x^2}{3} \sqrt{\csc(fx+e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/csc(f*x+e)^(3/2)-1/3*x^2*csc(f*x+e)^(1/2),x)
```

```
[Out] int(x^2/csc(f*x+e)^(3/2)-1/3*x^2*csc(f*x+e)^(1/2),x)
```

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{3} x^2 \sqrt{\csc(fx + e)} + \frac{x^2}{\csc(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/csc(f*x+e)^(3/2)-1/3*x^2*csc(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(-1/3*x^2*sqrt(csc(f*x + e)) + x^2/csc(f*x + e)^(3/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/csc(f*x+e)^(3/2)-1/3*x^2*csc(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int -\frac{3x^2}{\csc^{\frac{3}{2}}(e+fx)} dx + \int x^2 \sqrt{\csc(e+fx)} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/csc(f*x+e)**(3/2)-1/3*x**2*csc(f*x+e)**(1/2),x)

[Out] -(Integral(-3*x**2/csc(e + f*x)**(3/2), x) + Integral(x**2*sqrt(csc(e + f*x)), x))/3

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{3} x^2 \sqrt{\csc(fx + e)} + \frac{x^2}{\csc(fx + e)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/csc(f*x+e)^(3/2)-1/3*x^2*csc(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate(-1/3*x^2*sqrt(csc(f*x + e)) + x^2/csc(f*x + e)^(3/2), x)

$$3.93 \quad \int \left(\frac{x}{\csc^{\frac{5}{2}}(e+fx)} - \frac{3x}{5\sqrt{\csc(e+fx)}} \right) dx$$

Optimal. Leaf size=42

$$\frac{4}{25f^2 \csc^{\frac{5}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{5f \csc^{\frac{3}{2}}(e+fx)}$$

[Out] $4/(25*f^2*Csc[e + f*x]^(5/2)) - (2*x*Cos[e + f*x])/(5*f*Csc[e + f*x]^(3/2))$

Rubi [A] time = 0.106179, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {4187, 4189}

$$\frac{4}{25f^2 \csc^{\frac{5}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{5f \csc^{\frac{3}{2}}(e+fx)}$$

Antiderivative was successfully verified.

[In] Int[x/Csc[e + f*x]^(5/2) - (3*x)/(5*Sqrt[Csc[e + f*x]]), x]

[Out] $4/(25*f^2*Csc[e + f*x]^(5/2)) - (2*x*Cos[e + f*x])/(5*f*Csc[e + f*x]^(3/2))$

Rule 4187

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_)*((c_.) + (d_.)*(x_.)), x_Symbol] :=
Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c + d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[((c + d*x)*Cos[e + f*x]*(b*Csc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1]

Rule 4189

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :=
Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e + f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\csc^{\frac{5}{2}}(e+fx)} - \frac{3x}{5\sqrt{\csc(e+fx)}} \right) dx &= - \left(\frac{3}{5} \int \frac{x}{\sqrt{\csc(e+fx)}} dx \right) + \int \frac{x}{\csc^{\frac{5}{2}}(e+fx)} dx \\ &= \frac{4}{25f^2 \csc^{\frac{5}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{5f \csc^{\frac{3}{2}}(e+fx)} + \frac{3}{5} \int \frac{x}{\sqrt{\csc(e+fx)}} dx - \frac{1}{5} (3\sqrt{\csc(e+fx)}) \\ &= \frac{4}{25f^2 \csc^{\frac{5}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{5f \csc^{\frac{3}{2}}(e+fx)} \end{aligned}$$

Mathematica [A] time = 0.447213, size = 29, normalized size = 0.69

$$\frac{2(5fx \cot(e+fx) - 2)}{25f^2 \csc^{\frac{5}{2}}(e+fx)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Csc[e + f*x]^(5/2) - (3*x)/(5*Sqrt[Csc[e + f*x]]),x]

[Out] (-2*(-2 + 5*f*x*Cot[e + f*x]))/(25*f^2*Csc[e + f*x]^(5/2))

Maple [F] time = 0.085, size = 0, normalized size = 0.

$$\int x (\csc(fx + e))^{-\frac{5}{2}} - \frac{3x}{5} \frac{1}{\sqrt{\csc(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/csc(f*x+e)^(5/2)-3/5*x/csc(f*x+e)^(1/2),x)

[Out] int(x/csc(f*x+e)^(5/2)-3/5*x/csc(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{3x}{5\sqrt{\csc(fx + e)}} + \frac{x}{\csc(fx + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(5/2)-3/5*x/csc(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(-3/5*x/sqrt(csc(f*x + e)) + x/csc(f*x + e)^(5/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(5/2)-3/5*x/csc(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int -\frac{5x}{\csc^2(e+fx)} dx + \int \frac{3x}{\sqrt{\csc(e+fx)}} dx}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)**(5/2)-3/5*x/csc(f*x+e)**(1/2),x)

[Out] $-(\text{Integral}(-5*x/\text{csc}(e + f*x)**(5/2), x) + \text{Integral}(3*x/\text{sqrt}(\text{csc}(e + f*x)), x))/5$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{3x}{5\sqrt{\text{csc}(fx + e)}} + \frac{x}{\text{csc}(fx + e)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/csc(f*x+e)^(5/2)-3/5*x/csc(f*x+e)^(1/2),x, algorithm="giac")`

[Out] `integrate(-3/5*x/sqrt(csc(f*x + e)) + x/csc(f*x + e)^(5/2), x)`

$$3.94 \quad \int \left(\frac{x}{\csc^{\frac{7}{2}}(e+fx)} - \frac{5}{21} x \sqrt{\csc(e+fx)} \right) dx$$

Optimal. Leaf size=83

$$\frac{20}{63f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{4}{49f^2 \csc^{\frac{7}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{7f \csc^{\frac{5}{2}}(e+fx)} - \frac{10x \cos(e+fx)}{21f \sqrt{\csc(e+fx)}}$$

[Out] 4/(49*f^2*Csc[e + f*x]^(7/2)) - (2*x*Cos[e + f*x])/(7*f*Csc[e + f*x]^(5/2)) + 20/(63*f^2*Csc[e + f*x]^(3/2)) - (10*x*Cos[e + f*x])/(21*f*Sqrt[Csc[e + f*x]])

Rubi [A] time = 0.133373, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {4187, 4189}

$$\frac{20}{63f^2 \csc^{\frac{3}{2}}(e+fx)} + \frac{4}{49f^2 \csc^{\frac{7}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{7f \csc^{\frac{5}{2}}(e+fx)} - \frac{10x \cos(e+fx)}{21f \sqrt{\csc(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[x/Csc[e + f*x]^(7/2) - (5*x*Sqrt[Csc[e + f*x]])/21,x]

[Out] 4/(49*f^2*Csc[e + f*x]^(7/2)) - (2*x*Cos[e + f*x])/(7*f*Csc[e + f*x]^(5/2)) + 20/(63*f^2*Csc[e + f*x]^(3/2)) - (10*x*Cos[e + f*x])/(21*f*Sqrt[Csc[e + f*x]])

Rule 4187

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c + d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[((c + d*x)*Cos[e + f*x]*(b*Csc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1]

Rule 4189

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e + f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\csc^{\frac{7}{2}}(e+fx)} - \frac{5}{21} x \sqrt{\csc(e+fx)} \right) dx &= - \left(\frac{5}{21} \int x \sqrt{\csc(e+fx)} dx \right) + \int \frac{x}{\csc^{\frac{7}{2}}(e+fx)} dx \\ &= \frac{4}{49f^2 \csc^{\frac{7}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{7f \csc^{\frac{5}{2}}(e+fx)} + \frac{5}{7} \int \frac{x}{\csc^{\frac{3}{2}}(e+fx)} dx - \frac{1}{21} \left(5 \sqrt{\csc(e+fx)} \right) \\ &= \frac{4}{49f^2 \csc^{\frac{7}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{7f \csc^{\frac{5}{2}}(e+fx)} + \frac{20}{63f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{10x \cos(e+fx)}{21f \sqrt{\csc(e+fx)}} \\ &= \frac{4}{49f^2 \csc^{\frac{7}{2}}(e+fx)} - \frac{2x \cos(e+fx)}{7f \csc^{\frac{5}{2}}(e+fx)} + \frac{20}{63f^2 \csc^{\frac{3}{2}}(e+fx)} - \frac{10x \cos(e+fx)}{21f \sqrt{\csc(e+fx)}} \end{aligned}$$

Mathematica [A] time = 2.22757, size = 57, normalized size = 0.69

$$\frac{-36 \cos(2(e + fx)) - 483fx \cot(e + fx) + 63fx \cos(3(e + fx)) \csc(e + fx) + 316}{882f^2 \csc^{\frac{3}{2}}(e + fx)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Csc[e + f*x]^(7/2) - (5*x*Sqrt[Csc[e + f*x]])/21,x]

[Out] (316 - 36*Cos[2*(e + f*x)] - 483*f*x*Cot[e + f*x] + 63*f*x*Cos[3*(e + f*x)]*Csc[e + f*x])/(882*f^2*Csc[e + f*x]^(3/2))

Maple [F] time = 0.089, size = 0, normalized size = 0.

$$\int x (\csc(fx + e))^{-\frac{7}{2}} - \frac{5x}{21} \sqrt{\csc(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/csc(f*x+e)^(7/2)-5/21*x*csc(f*x+e)^(1/2),x)

[Out] int(x/csc(f*x+e)^(7/2)-5/21*x*csc(f*x+e)^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{5}{21} x \sqrt{\csc(fx + e)} + \frac{x}{\csc(fx + e)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(7/2)-5/21*x*csc(f*x+e)^(1/2),x, algorithm="maxima")

[Out] integrate(-5/21*x*sqrt(csc(f*x + e)) + x/csc(f*x + e)^(7/2), x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(7/2)-5/21*x*csc(f*x+e)^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)**(7/2)-5/21*x*csc(f*x+e)**(1/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{5}{21} x \sqrt{\csc(fx + e)} + \frac{x}{\csc(fx + e)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/csc(f*x+e)^(7/2)-5/21*x*csc(f*x+e)^(1/2),x, algorithm="giac")

[Out] integrate(-5/21*x*sqrt(csc(f*x + e)) + x/csc(f*x + e)^(7/2), x)

3.95 $\int (c + dx)^3 (a + a \sin(e + fx)) dx$

Optimal. Leaf size=90

$$\frac{6ad^2(c + dx) \cos(e + fx)}{f^3} + \frac{3ad(c + dx)^2 \sin(e + fx)}{f^2} - \frac{a(c + dx)^3 \cos(e + fx)}{f} + \frac{a(c + dx)^4}{4d} - \frac{6ad^3 \sin(e + fx)}{f^4}$$

[Out] (a*(c + d*x)^4)/(4*d) + (6*a*d^2*(c + d*x)*Cos[e + f*x])/f^3 - (a*(c + d*x)^3*Cos[e + f*x])/f - (6*a*d^3*Sin[e + f*x])/f^4 + (3*a*d*(c + d*x)^2*Sin[e + f*x])/f^2

Rubi [A] time = 0.118222, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2637}

$$\frac{6ad^2(c + dx) \cos(e + fx)}{f^3} + \frac{3ad(c + dx)^2 \sin(e + fx)}{f^2} - \frac{a(c + dx)^3 \cos(e + fx)}{f} + \frac{a(c + dx)^4}{4d} - \frac{6ad^3 \sin(e + fx)}{f^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*(a + a*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^4)/(4*d) + (6*a*d^2*(c + d*x)*Cos[e + f*x])/f^3 - (a*(c + d*x)^3*Cos[e + f*x])/f - (6*a*d^3*Sin[e + f*x])/f^4 + (3*a*d*(c + d*x)^2*Sin[e + f*x])/f^2

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 (a + a \sin(e + fx)) dx &= \int (a(c + dx)^3 + a(c + dx)^3 \sin(e + fx)) dx \\
&= \frac{a(c + dx)^4}{4d} + a \int (c + dx)^3 \sin(e + fx) dx \\
&= \frac{a(c + dx)^4}{4d} - \frac{a(c + dx)^3 \cos(e + fx)}{f} + \frac{(3ad) \int (c + dx)^2 \cos(e + fx) dx}{f} \\
&= \frac{a(c + dx)^4}{4d} - \frac{a(c + dx)^3 \cos(e + fx)}{f} + \frac{3ad(c + dx)^2 \sin(e + fx)}{f^2} - \frac{(6ad^2) \int (c + dx) \sin(e + fx) dx}{f^2} \\
&= \frac{a(c + dx)^4}{4d} + \frac{6ad^2(c + dx) \cos(e + fx)}{f^3} - \frac{a(c + dx)^3 \cos(e + fx)}{f} + \frac{3ad(c + dx)^2 \sin(e + fx)}{f^2} \\
&= \frac{a(c + dx)^4}{4d} + \frac{6ad^2(c + dx) \cos(e + fx)}{f^3} - \frac{a(c + dx)^3 \cos(e + fx)}{f} - \frac{6ad^3 \sin(e + fx)}{f^4} + \dots
\end{aligned}$$

Mathematica [A] time = 0.843487, size = 123, normalized size = 1.37

$$a \left(\frac{3d(c^2 f^2 + 2cdf^2 x + d^2(f^2 x^2 - 2)) \sin(e + fx)}{f^4} - \frac{(c + dx)(c^2 f^2 + 2cdf^2 x + d^2(f^2 x^2 - 6)) \cos(e + fx)}{f^3} + \frac{1}{4} x (6c^2 dx + \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + a*Sin[e + f*x]),x]

[Out] a*((x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3))/4 - ((c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Cos[e + f*x])/f^3 + (3*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Sin[e + f*x])/f^4)

Maple [B] time = 0.016, size = 482, normalized size = 5.4

$$\frac{1}{f} \left(\frac{ad^3 \left(- (fx + e)^3 \cos(fx + e) + 3 (fx + e)^2 \sin(fx + e) - 6 \sin(fx + e) + 6 (fx + e) \cos(fx + e) \right)}{f^3} + 3 \frac{acd^2 \left(- (fx + e)^3 \cos(fx + e) + 3 (fx + e)^2 \sin(fx + e) - 6 \sin(fx + e) + 6 (fx + e) \cos(fx + e) \right)}{f^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*(a+a*sin(f*x+e)),x)

[Out] 1/f*(a/f^3*d^3*(-(f*x+e)^3*cos(f*x+e)+3*(f*x+e)^2*sin(f*x+e)-6*sin(f*x+e)+6*(f*x+e)*cos(f*x+e))+3*a/f^2*c*d^2*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))-3*a/f^3*d^3*e*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+3*a/f*c^2*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-6*a/f^2*c*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))+3*a/f^3*d^3*e^2*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-a*c^3*cos(f*x+e)+3*a/f*c^2*d*e*cos(f*x+e)-3*a/f^2*c*d^2*e^2*cos(f*x+e)+a/f^3*d^3*e^3*cos(f*x+e)+1/4*a/f^3*d^3*(f*x+e)^4+a/f^2*c*d^2*(f*x+e)^3-a/f^3*d^3*e*(f*x+e)^3+3/2*a/f*c^2*d*(f*x+e)^2-3*a/f^2*c*d^2*e*(f*x+e)^2+3/2*a/f^3*d^3*e^2*(f*x+e)^2+a*c^3*(f*x+e)-3*a/f*c^2*d*e*(f*x+e)+3*a/f^2*c*d^2*e^2*(f*x+e)-a/f^3*d^3*e^3*(f*x+e))

Maxima [B] time = 1.03568, size = 624, normalized size = 6.93

$$4(fx + e)ac^3 + \frac{(fx+e)^4 ad^3}{f^3} - \frac{4(fx+e)^3 ad^3 e}{f^3} + \frac{6(fx+e)^2 ad^3 e^2}{f^3} - \frac{4(fx+e) ad^3 e^3}{f^3} + \frac{4(fx+e)^3 acd^2}{f^2} - \frac{12(fx+e)^2 acd^2 e}{f^2} + \frac{12(fx+e) acd^2 e^2}{f^2} + \frac{6(fx+e) acd^2 e^3}{f^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{4}*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3 + 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f - 4*a*c^3*\cos(f*x + e) + 4*a*d^3*e^3*\cos(f*x + e)/f^3 - 12*a*c*d^2*e^2*\cos(f*x + e)/f^2 + 12*a*c^2*d*e*\cos(f*x + e)/f - 12*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*a*d^3*e^2/f^3 + 24*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*a*c*d^2*e/f^2 - 12*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*a*c^2*d/f + 12*((f*x + e)^2 - 2)*\cos(f*x + e) - 2*(f*x + e)*\sin(f*x + e))*a*d^3*e/f^3 - 12*((f*x + e)^2 - 2)*\cos(f*x + e) - 2*(f*x + e)*\sin(f*x + e))*a*c*d^2/f^2 - 4*((f*x + e)^3 - 6*f*x - 6*e)*\cos(f*x + e) - 3*((f*x + e)^2 - 2)*\sin(f*x + e))*a*d^3/f^3)/f$

Fricas [A] time = 1.79098, size = 362, normalized size = 4.02

$$\frac{ad^3 f^4 x^4 + 4acd^2 f^4 x^3 + 6ac^2 d f^4 x^2 + 4ac^3 f^4 x - 4(ad^3 f^3 x^3 + 3acd^2 f^3 x^2 + ac^3 f^3 - 6acd^2 f + 3(ac^2 d f^3 - 2ad^3 f)x)}{4f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{4}*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x - 4*(a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + a*c^3*f^3 - 6*a*c*d^2*f + 3*(a*c^2*d*f^3 - 2*a*d^3*f)*x)*\cos(f*x + e) + 12*(a*d^3*f^2*x^2 + 2*a*c*d^2*f^2*x + a*c^2*d*f^2 - 2*a*d^3)*\sin(f*x + e))/f^4$

Sympy [A] time = 1.86536, size = 264, normalized size = 2.93

$$\left\{ \begin{array}{l} ac^3 x - \frac{ac^3 \cos(e+fx)}{f} + \frac{3ac^2 dx^2}{2} - \frac{3ac^2 dx \cos(e+fx)}{f} + \frac{3ac^2 d \sin(e+fx)}{f^2} + acd^2 x^3 - \frac{3acd^2 x^2 \cos(e+fx)}{f} + \frac{6acd^2 x \sin(e+fx)}{f^2} + \frac{6acd^2 \cos(e+fx)}{f^3} \\ (a \sin(e) + a) \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*(a+a*sin(f*x+e)),x)

[Out] Piecewise((a*c**3*x - a*c**3*cos(e + f*x)/f + 3*a*c**2*d*x**2/2 - 3*a*c**2*d*x*cos(e + f*x)/f + 3*a*c**2*d*sin(e + f*x)/f**2 + a*c*d**2*x**3 - 3*a*c*d**2*x**2*cos(e + f*x)/f + 6*a*c*d**2*x*sin(e + f*x)/f**2 + 6*a*c*d**2*cos(e + f*x)/f**3 + a*d**3*x**4/4 - a*d**3*x**3*cos(e + f*x)/f + 3*a*d**3*x**2*sin(e + f*x)/f**2 + 6*a*d**3*x*cos(e + f*x)/f**3 - 6*a*d**3*sin(e + f*x)/f**4, Ne(f, 0)), ((a*sin(e) + a)*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4), True))

Giac [A] time = 1.16655, size = 212, normalized size = 2.36

$$\frac{1}{4}ad^3x^4 + acd^2x^3 + \frac{3}{2}ac^2dx^2 + ac^3x - \frac{(ad^3f^3x^3 + 3acd^2f^3x^2 + 3ac^2df^3x + ac^3f^3 - 6ad^3fx - 6acd^2f)\cos(fx + e)}{f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*(a+a*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] 1/4*a*d^3*x^4 + a*c*d^2*x^3 + 3/2*a*c^2*d*x^2 + a*c^3*x - (a*d^3*f^3*x^3 +
3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*c^3*f^3 - 6*a*d^3*f*x - 6*a*c*d^2*f
)*cos(f*x + e)/f^4 + 3*(a*d^3*f^2*x^2 + 2*a*c*d^2*f^2*x + a*c^2*d*f^2 - 2*a
*d^3)*sin(f*x + e)/f^4
```


3.96 $\int (c + dx)^2 (a + a \sin(e + fx)) dx$

Optimal. Leaf size=68

$$\frac{2ad(c + dx) \sin(e + fx)}{f^2} - \frac{a(c + dx)^2 \cos(e + fx)}{f} + \frac{a(c + dx)^3}{3d} + \frac{2ad^2 \cos(e + fx)}{f^3}$$

[Out] (a*(c + d*x)^3)/(3*d) + (2*a*d^2*Cos[e + f*x])/f^3 - (a*(c + d*x)^2*Cos[e + f*x])/f + (2*a*d*(c + d*x)*Sin[e + f*x])/f^2

Rubi [A] time = 0.0883813, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2638}

$$\frac{2ad(c + dx) \sin(e + fx)}{f^2} - \frac{a(c + dx)^2 \cos(e + fx)}{f} + \frac{a(c + dx)^3}{3d} + \frac{2ad^2 \cos(e + fx)}{f^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*(a + a*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^3)/(3*d) + (2*a*d^2*Cos[e + f*x])/f^3 - (a*(c + d*x)^2*Cos[e + f*x])/f + (2*a*d*(c + d*x)*Sin[e + f*x])/f^2

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 (a + a \sin(e + fx)) dx &= \int (a(c + dx)^2 + a(c + dx)^2 \sin(e + fx)) dx \\ &= \frac{a(c + dx)^3}{3d} + a \int (c + dx)^2 \sin(e + fx) dx \\ &= \frac{a(c + dx)^3}{3d} - \frac{a(c + dx)^2 \cos(e + fx)}{f} + \frac{(2ad) \int (c + dx) \cos(e + fx) dx}{f} \\ &= \frac{a(c + dx)^3}{3d} - \frac{a(c + dx)^2 \cos(e + fx)}{f} + \frac{2ad(c + dx) \sin(e + fx)}{f^2} - \frac{(2ad^2) \int \sin(e + fx) dx}{f^2} \\ &= \frac{a(c + dx)^3}{3d} + \frac{2ad^2 \cos(e + fx)}{f^3} - \frac{a(c + dx)^2 \cos(e + fx)}{f} + \frac{2ad(c + dx) \sin(e + fx)}{f^2} \end{aligned}$$

Mathematica [A] time = 0.499129, size = 81, normalized size = 1.19

$$a \left(-\frac{(c^2 f^2 + 2cd f^2 x + d^2 (f^2 x^2 - 2)) \cos(e + fx)}{f^3} + c^2 x + \frac{2d(c + dx) \sin(e + fx)}{f^2} + cd x^2 + \frac{d^2 x^3}{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*(a + a*Sin[e + f*x]),x]

[Out] a*(c^2*x + c*d*x^2 + (d^2*x^3)/3 - ((c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x])/f^3 + (2*d*(c + d*x)*Sin[e + f*x])/f^2)

Maple [B] time = 0.012, size = 241, normalized size = 3.5

$$\frac{1}{f} \left(\frac{ad^2 \left(-(fx + e)^2 \cos(fx + e) + 2 \cos(fx + e) + 2 (fx + e) \sin(fx + e) \right)}{f^2} + 2 \frac{acd \left(\sin(fx + e) - (fx + e) \cos(fx + e) \right)}{f} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*(a+a*sin(f*x+e)),x)

[Out] 1/f*(a/f^2*d^2*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+2*a/f*c*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-2*a/f^2*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-a*c^2*cos(f*x+e)+2*a/f*c*d*e*cos(f*x+e)-a/f^2*d^2*e^2*cos(f*x+e)+1/3*a/f^2*d^2*(f*x+e)^3+a/f*c*d*(f*x+e)^2-a/f^2*d^2*e*(f*x+e)^2+a*c^2*(f*x+e)-2*a/f*c*d*e*(f*x+e)+a/f^2*d^2*e^2*(f*x+e))

Maxima [B] time = 1.01276, size = 323, normalized size = 4.75

$$\frac{3(fx + e)ac^2 + \frac{(fx+e)^3 ad^2}{f^2} - \frac{3(fx+e)^2 ad^2 e}{f^2} + \frac{3(fx+e)ad^2 e^2}{f^2} + \frac{3(fx+e)^2 acd}{f} - \frac{6(fx+e)acde}{f} - 3ac^2 \cos(fx + e) - \frac{3ad^2 e^2 \cos(fx+e)}{f^2} + \frac{6ad^2 e^2 \sin(fx+e)}{f^2}}{3f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] 1/3*(3*(f*x + e)*a*c^2 + (f*x + e)^3*a*d^2/f^2 - 3*(f*x + e)^2*a*d^2*e/f^2 + 3*(f*x + e)*a*d^2*e^2/f^2 + 3*(f*x + e)^2*a*c*d/f - 6*(f*x + e)*a*c*d*e/f - 3*a*c^2*cos(f*x + e) - 3*a*d^2*e^2*cos(f*x + e)/f^2 + 6*a*c*d*e*cos(f*x + e)/f + 6*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a*d^2*e/f^2 - 6*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a*c*d/f - 3*((f*x + e)^2 - 2)*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e))*a*d^2/f^2)/f

Fricas [A] time = 1.74285, size = 228, normalized size = 3.35

$$\frac{ad^2 f^3 x^3 + 3acd f^3 x^2 + 3ac^2 f^3 x - 3(ad^2 f^2 x^2 + 2acd f^2 x + ac^2 f^2 - 2ad^2) \cos(fx + e) + 6(ad^2 fx + acdf) \sin(fx + e)}{3f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{3}(a*d^2*f^3*x^3 + 3*a*c*d*f^3*x^2 + 3*a*c^2*f^3*x - 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2 - 2*a*d^2)*\cos(f*x + e) + 6*(a*d^2*f*x + a*c*d*f)*\sin(f*x + e))/f^3$

Sympy [A] time = 0.864488, size = 151, normalized size = 2.22

$$\left\{ \begin{array}{l} ac^2x - \frac{ac^2 \cos(e+fx)}{f} + acdx^2 - \frac{2acdx \cos(e+fx)}{f} + \frac{2acd \sin(e+fx)}{f^2} + \frac{ad^2x^3}{3} - \frac{ad^2x^2 \cos(e+fx)}{f} + \frac{2ad^2x \sin(e+fx)}{f^2} + \frac{2ad^2 \cos(e+fx)}{f^3} \\ (a \sin(e) + a) \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*(a+a*sin(f*x+e)),x)

[Out] Piecewise((a*c**2*x - a*c**2*cos(e + f*x)/f + a*c*d*x**2 - 2*a*c*d*x*cos(e + f*x)/f + 2*a*c*d*sin(e + f*x)/f**2 + a*d**2*x**3/3 - a*d**2*x**2*cos(e + f*x)/f + 2*a*d**2*x*sin(e + f*x)/f**2 + 2*a*d**2*cos(e + f*x)/f**3, Ne(f, 0)), ((a*sin(e) + a)*(c**2*x + c*d*x**2 + d**2*x**3/3), True))

Giac [A] time = 1.12443, size = 128, normalized size = 1.88

$$\frac{1}{3}ad^2x^3 + acdx^2 + ac^2x - \frac{(ad^2f^2x^2 + 2acdf^2x + ac^2f^2 - 2ad^2)\cos(fx + e)}{f^3} + \frac{2(ad^2fx + acdf)\sin(fx + e)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] $\frac{1}{3}a*d^2*x^3 + a*c*d*x^2 + a*c^2*x - (a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2 - 2*a*d^2)*\cos(f*x + e)/f^3 + 2*(a*d^2*f*x + a*c*d*f)*\sin(f*x + e)/f^3$

3.97 $\int (c + dx)(a + a \sin(e + fx)) dx$

Optimal. Leaf size=45

$$-\frac{a(c + dx) \cos(e + fx)}{f} + \frac{a(c + dx)^2}{2d} + \frac{ad \sin(e + fx)}{f^2}$$

[Out] (a*(c + d*x)^2)/(2*d) - (a*(c + d*x)*Cos[e + f*x])/f + (a*d*Sin[e + f*x])/f^2

Rubi [A] time = 0.0422202, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3317, 3296, 2637}

$$-\frac{a(c + dx) \cos(e + fx)}{f} + \frac{a(c + dx)^2}{2d} + \frac{ad \sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*(a + a*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^2)/(2*d) - (a*(c + d*x)*Cos[e + f*x])/f + (a*d*Sin[e + f*x])/f^2

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)(a + a \sin(e + fx)) dx &= \int (a(c + dx) + a(c + dx) \sin(e + fx)) dx \\ &= \frac{a(c + dx)^2}{2d} + a \int (c + dx) \sin(e + fx) dx \\ &= \frac{a(c + dx)^2}{2d} - \frac{a(c + dx) \cos(e + fx)}{f} + \frac{(ad) \int \cos(e + fx) dx}{f} \\ &= \frac{a(c + dx)^2}{2d} - \frac{a(c + dx) \cos(e + fx)}{f} + \frac{ad \sin(e + fx)}{f^2} \end{aligned}$$

Mathematica [A] time = 0.356213, size = 51, normalized size = 1.13

$$\frac{a((e + fx)(-2cf + de - dfx) + 2f(c + dx) \cos(e + fx) - 2d \sin(e + fx))}{2f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*(a + a*Sin[e + f*x]),x]

[Out] -(a*((e + f*x)*(d*e - 2*c*f - d*f*x) + 2*f*(c + d*x)*Cos[e + f*x] - 2*d*Sin[e + f*x]))/(2*f^2)

Maple [B] time = 0.011, size = 90, normalized size = 2.

$$\frac{1}{f} \left(\frac{da(\sin(fx + e) - (fx + e) \cos(fx + e))}{f} - ac \cos(fx + e) + \frac{ade \cos(fx + e)}{f} + \frac{da(fx + e)^2}{2f} + ac(fx + e) - \frac{ade}{f} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*(a+a*sin(f*x+e)),x)

[Out] 1/f*(a/f*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-a*c*cos(f*x+e)+a/f*d*e*cos(f*x+e)+1/2*a/f*d*(f*x+e)^2+a*c*(f*x+e)-a/f*d*e*(f*x+e))

Maxima [B] time = 0.969237, size = 126, normalized size = 2.8

$$\frac{2(fx + e)ac + \frac{(fx+e)^2 ad}{f} - \frac{2(fx+e)ade}{f} - 2ac \cos(fx + e) + \frac{2ade \cos(fx+e)}{f} - \frac{2((fx+e) \cos(fx+e) - \sin(fx+e))ad}{f}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] 1/2*(2*(f*x + e)*a*c + (f*x + e)^2*a*d/f - 2*(f*x + e)*a*d*e/f - 2*a*c*cos(f*x + e) + 2*a*d*e*cos(f*x + e)/f - 2*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a*d/f)/f

Fricas [A] time = 1.76993, size = 126, normalized size = 2.8

$$\frac{adf^2x^2 + 2acf^2x + 2ad \sin(fx + e) - 2(adfx + acf) \cos(fx + e)}{2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] 1/2*(a*d*f^2*x^2 + 2*a*c*f^2*x + 2*a*d*sin(f*x + e) - 2*(a*d*f*x + a*c*f)*cos(f*x + e))/f^2

Sympy [A] time = 0.343821, size = 68, normalized size = 1.51

$$\begin{cases} acx - \frac{ac \cos(e+fx)}{f} + \frac{adx^2}{2} - \frac{adx \cos(e+fx)}{f} + \frac{ad \sin(e+fx)}{f^2} & \text{for } f \neq 0 \\ (a \sin(e) + a) \left(cx + \frac{dx^2}{2} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e)),x)

[Out] Piecewise((a*c*x - a*c*cos(e + f*x)/f + a*d*x**2/2 - a*d*x*cos(e + f*x)/f + a*d*sin(e + f*x)/f**2, Ne(f, 0)), ((a*sin(e) + a)*(c*x + d*x**2/2), True))

Giac [A] time = 1.09574, size = 63, normalized size = 1.4

$$\frac{1}{2} adx^2 + acx + \frac{ad \sin(fx + e)}{f^2} - \frac{(adf x + acf) \cos(fx + e)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] 1/2*a*d*x^2 + a*c*x + a*d*sin(f*x + e)/f^2 - (a*d*f*x + a*c*f)*cos(f*x + e)/f^2

$$3.98 \quad \int \frac{a+a \sin(e+fx)}{c+dx} dx$$

Optimal. Leaf size=64

$$\frac{a \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{a \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} + \frac{a \log(c + dx)}{d}$$

[Out] (a*Log[c + d*x])/d + (a*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (a*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d

Rubi [A] time = 0.150089, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3303, 3299, 3302}

$$\frac{a \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{a \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} + \frac{a \log(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sin[e + f*x])/(c + d*x), x]

[Out] (a*Log[c + d*x])/d + (a*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (a*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{a + a \sin(e + fx)}{c + dx} dx &= \int \left(\frac{a}{c + dx} + \frac{a \sin(e + fx)}{c + dx} \right) dx \\
&= \frac{a \log(c + dx)}{d} + a \int \frac{\sin(e + fx)}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + \left(a \cos \left(e - \frac{cf}{d} \right) \right) \int \frac{\sin \left(\frac{cf}{d} + fx \right)}{c + dx} dx + \left(a \sin \left(e - \frac{cf}{d} \right) \right) \int \frac{\cos \left(\frac{cf}{d} + fx \right)}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + \frac{a \operatorname{Ci} \left(\frac{cf}{d} + fx \right) \sin \left(e - \frac{cf}{d} \right)}{d} + \frac{a \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(\frac{cf}{d} + fx \right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.294371, size = 54, normalized size = 0.84

$$\frac{a \left(\operatorname{CosIntegral} \left(f \left(\frac{c}{d} + x \right) \right) \sin \left(e - \frac{cf}{d} \right) + \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(f \left(\frac{c}{d} + x \right) \right) + \log(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sin[e + f*x])/(c + d*x),x]

[Out] (a*(Log[c + d*x] + CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)]))/d

Maple [A] time = 0.014, size = 96, normalized size = 1.5

$$\frac{a}{d} \operatorname{Si} \left(fx + e + \frac{cf - de}{d} \right) \cos \left(\frac{cf - de}{d} \right) - \frac{a}{d} \operatorname{Ci} \left(fx + e + \frac{cf - de}{d} \right) \sin \left(\frac{cf - de}{d} \right) + \frac{a \ln \left((fx + e)d + cf - de \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(f*x+e))/(d*x+c),x)

[Out] a*Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-a*Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+a*ln((f*x+e)*d+c*f-d*e)/d

Maxima [C] time = 1.20674, size = 231, normalized size = 3.61

$$\frac{2af \log \left(c + \frac{(fx+e)d - de}{f} \right)}{d} + \frac{\left(f \left(-i E_1 \left(\frac{i(fx+e)d - ide + icf}{d} \right) + i E_1 \left(-\frac{i(fx+e)d - ide + icf}{d} \right) \right) \cos \left(-\frac{de - cf}{d} \right) + f \left(E_1 \left(\frac{i(fx+e)d - ide + icf}{d} \right) + E_1 \left(-\frac{i(fx+e)d - ide + icf}{d} \right) \right) \sin \left(-\frac{de - cf}{d} \right) \right)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c),x, algorithm="maxima")

[Out] 1/2*(2*a*f*log(c + (f*x + e)*d/f - d*e/f)/d + (f*(-I*exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f*(exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d)*a/d)/f

Fricas [A] time = 1.66127, size = 234, normalized size = 3.66

$$\frac{2a \cos\left(-\frac{de-cf}{d}\right) \operatorname{Si}\left(\frac{dfx+cf}{d}\right) + 2a \log(dx+c) - \left(a \operatorname{Ci}\left(\frac{dfx+cf}{d}\right) + a \operatorname{Ci}\left(-\frac{dfx+cf}{d}\right)\right) \sin\left(-\frac{de-cf}{d}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c),x, algorithm="fricas")

[Out] 1/2*(2*a*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 2*a*log(d*x + c) - (a*cos_integral((d*f*x + c*f)/d) + a*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d)/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{\sin(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c),x)

[Out] a*(Integral(sin(e + f*x)/(c + d*x), x) + Integral(1/(c + d*x), x))

Giac [C] time = 1.25651, size = 961, normalized size = 15.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c),x, algorithm="giac")

[Out] 1/2*(a*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - a*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*log(abs(d*x + c))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*a*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) + 2*a*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*a*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 - a*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2 + a*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 + 2*a*log(abs(d*x + c))*tan(1/2*c*f/d)^2 - 2*a*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 + 4*a*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 4*a*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 8*a*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) - a*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 + a*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 + 2*a*log(abs(d*x + c))*tan(1/2*e)^2 - 2*a*sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2 - 2*a*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*a*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 2*a*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 2*a*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) + a*imag_part(cos_integral(f*x + c*f/d)) - a*imag_part(cos_integral(-f*x - c*f/d)) + 2*a*log(abs(d*x + c)) + 2*a*si

```
n_integral((d*f*x + c*f)/d)/(d*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + d*tan(1/2*c*f/d)^2 + d*tan(1/2*e)^2 + d)
```

$$3.99 \quad \int \frac{a+a \sin(e+fx)}{(c+dx)^2} dx$$

Optimal. Leaf size=88

$$\frac{af \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{af \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{a \sin(e+fx)}{d(c+dx)} - \frac{a}{d(c+dx)}$$

[Out] $-(a/(d*(c + d*x))) + (a*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{CosIntegral}[(c*f)/d + f*x])/d^2 - (a*\operatorname{Sin}[e + f*x])/(d*(c + d*x)) - (a*f*\operatorname{Sin}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2$

Rubi [A] time = 0.21372, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3317, 3297, 3303, 3299, 3302}

$$\frac{af \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{af \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{a \sin(e+fx)}{d(c+dx)} - \frac{a}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Sin}[e + f*x])/(c + d*x)^2, x]$

[Out] $-(a/(d*(c + d*x))) + (a*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{CosIntegral}[(c*f)/d + f*x])/d^2 - (a*\operatorname{Sin}[e + f*x])/(d*(c + d*x)) - (a*f*\operatorname{Sin}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2$

Rule 3317

$\operatorname{Int}[(c + d*x)^m * (a + b*\operatorname{Sin}[e + f*x])^n, x]$ $\rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*\operatorname{Sin}[e + f*x])^n, x], x]$ /; $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x$ && $\operatorname{IGtQ}[n, 0]$ && $(\operatorname{EqQ}[n, 1] \mid \mid \operatorname{IGtQ}[m, 0] \mid \mid \operatorname{NeQ}[a^2 - b^2, 0])$

Rule 3297

$\operatorname{Int}[(c + d*x)^m * \operatorname{Sin}[e + f*x], x]$ $\rightarrow \operatorname{Simp}[(c + d*x)^{m+1} * \operatorname{Sin}[e + f*x] / (d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{m+1} * \operatorname{Cos}[e + f*x], x], x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{LtQ}[m, -1]$

Rule 3303

$\operatorname{Int}[\operatorname{Sin}[e + f*x] / (c + d*x), x]$ $\rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x] / (c + d*x), x], x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{NeQ}[d*e - c*f, 0]$

Rule 3299

$\operatorname{Int}[\operatorname{Sin}[e + f*x] / (c + d*x), x]$ $\rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x] / d, x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + a \sin(e + fx)}{(c + dx)^2} dx &= \int \left(\frac{a}{(c + dx)^2} + \frac{a \sin(e + fx)}{(c + dx)^2} \right) dx \\ &= -\frac{a}{d(c + dx)} + a \int \frac{\sin(e + fx)}{(c + dx)^2} dx \\ &= -\frac{a}{d(c + dx)} - \frac{a \sin(e + fx)}{d(c + dx)} + \frac{(af) \int \frac{\cos(e + fx)}{c + dx} dx}{d} \\ &= -\frac{a}{d(c + dx)} - \frac{a \sin(e + fx)}{d(c + dx)} + \frac{\left(af \cos\left(e - \frac{cf}{d}\right) \right) \int \frac{\cos\left(\frac{cf}{d} + fx\right)}{c + dx} dx}{d} - \frac{\left(af \sin\left(e - \frac{cf}{d}\right) \right) \int \frac{\sin\left(\frac{cf}{d} + fx\right)}{c + dx}}{d} \\ &= -\frac{a}{d(c + dx)} + \frac{af \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^2} - \frac{a \sin(e + fx)}{d(c + dx)} - \frac{af \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(\frac{cf}{d} + fx\right)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.493286, size = 110, normalized size = 1.25

$$\frac{a(\sin(e + fx) + 1) \left(f(c + dx) \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \cos\left(e - \frac{cf}{d}\right) - f(c + dx) \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right) - d(\sin(e + fx) + 1) \right)}{d^2(c + dx) \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sin[e + f*x])/(c + d*x)^2,x]
```

```
[Out] (a*(1 + Sin[e + f*x])*(f*(c + d*x)*Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] - d*(1 + Sin[e + f*x]) - f*(c + d*x)*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)))/(d^2*(c + d*x)*(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^2)
```

Maple [A] time = 0.014, size = 141, normalized size = 1.6

$$\frac{1}{f} \left(af^2 \left(-\frac{\sin(fx + e)}{((fx + e)d + cf - de)d} + \frac{1}{d} \left(\frac{1}{d} \text{Si}\left(fx + e + \frac{cf - de}{d}\right) \sin\left(\frac{cf - de}{d}\right) + \frac{1}{d} \text{Ci}\left(fx + e + \frac{cf - de}{d}\right) \cos\left(\frac{cf - de}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sin(f*x+e))/(d*x+c)^2,x)
```

```
[Out] 1/f*(a*f^2*(-sin(f*x+e)/((f*x+e)*d+c*f-d*e)/d+(Si(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+Ci(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d)-a*f^2/((f*x+e)*d+c*f-d*e)/d)
```

Maxima [C] time = 1.30553, size = 265, normalized size = 3.01

$$\frac{2af^2}{(fx+e)d^2-d^2e+cdf} - \frac{\left(f^2 \left(-i E_2\left(\frac{i(fx+e)d - ide + icf}{d}\right) + i E_2\left(-\frac{i(fx+e)d - ide + icf}{d}\right) \right) \cos\left(-\frac{de - cf}{d}\right) + f^2 \left(E_2\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_2\left(-\frac{i(fx+e)d - ide + icf}{d}\right) \right) \sin\left(-\frac{de - cf}{d}\right) \right)}{(fx+e)d^2-d^2e+cdf}$$

2f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^2,x, algorithm="maxima")

[Out]
$$-1/2*(2*a*f^2/((f*x + e)*d^2 - d^2*e + c*d*f) - (f^2*(-I*\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*\exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\cos(-(d*e - c*f)/d) + f^2*(\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + \exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\sin(-(d*e - c*f)/d))*a/((f*x + e)*d^2 - d^2*e + c*d*f))/f$$

Fricas [A] time = 1.82915, size = 332, normalized size = 3.77

$$\frac{2ad \sin(fx + e) - 2(adfx + acf) \sin\left(-\frac{de - cf}{d}\right) \text{Si}\left(\frac{dfx + cf}{d}\right) + 2ad - \left((adfx + acf) \text{Ci}\left(\frac{dfx + cf}{d}\right) + (adfx + acf) \text{Ci}\left(-\frac{dfx + cf}{d}\right)\right)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*a*d*\sin(f*x + e) - 2*(a*d*f*x + a*c*f)*\sin(-(d*e - c*f)/d)*\sin_integral((d*f*x + c*f)/d) + 2*a*d - ((a*d*f*x + a*c*f)*\cos_integral((d*f*x + c*f)/d) + (a*d*f*x + a*c*f)*\cos_integral(-(d*f*x + c*f)/d))*\cos(-(d*e - c*f)/d))/(d^3*x + c*d^2)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{\sin(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)**2,x)

[Out]
$$a*(\text{Integral}(\sin(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + \text{Integral}(1/(c**2 + 2*c*d*x + d**2*x**2), x))$$

Giac [C] time = 1.34078, size = 4251, normalized size = 48.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^2,x, algorithm="giac")

[Out]
$$1/2*(d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 2*d*f*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*d*f*x*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) -$$

$$\begin{aligned}
& 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)* \\
& \tan(1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2 \\
& *\tan(1/2*c*f/d)*\tan(1/2*e)^2 - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/ \\
& 2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + c*f*real_part(\cos_integral(f*x + c*f \\
& /d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + c*f*real_part(\cos_integ \\
& ral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - d*f*x*rea \\
& l_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 - d*f*x*r \\
& eal_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 + 4*d* \\
& f*x*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e) + 4*d*f*x*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1 \\
& /2*c*f/d)*\tan(1/2*e) + 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f \\
& *x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*c*f*imag_part(\cos_integral(-f*x - c*f \\
& /d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*c*f*\sin_integral((d*f*x \\
& + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - d*f*x*real_part(\cos \\
& _integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - d*f*x*real_part(\cos_i \\
& ntegral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - 2*c*f*imag_part(\cos_in \\
& tegral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*c*f*ima \\
& g_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) \\
& ^2 - 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e)^2 + d*f*x*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(\\
& 1/2*e)^2 + d*f*x*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan \\
& (1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*c*f/d) - 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2* \\
& \tan(1/2*c*f/d) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1 \\
& /2*c*f/d) - c*f*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2 \\
& *c*f/d)^2 - c*f*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/ \\
& 2*c*f/d)^2 - 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*ta \\
& n(1/2*e) + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e) - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e) + \\
& 4*c*f*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*t \\
& an(1/2*e) + 4*c*f*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(\\
& 1/2*c*f/d)*\tan(1/2*e) + 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/ \\
& 2*c*f/d)^2*\tan(1/2*e) - 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1 \\
& /2*c*f/d)^2*\tan(1/2*e) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/ \\
& d)^2*\tan(1/2*e) - c*f*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*t \\
& an(1/2*e)^2 - c*f*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(\\
& 1/2*e)^2 - 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan \\
& (1/2*e)^2 - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)*\tan(1/2*e) \\
& ^2 + c*f*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + c*f*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + d*f*x*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2 + d*f*x*real_pa \\
& rt(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2 + 2*c*f*imag_part(\cos_integra \\
& l(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - 2*c*f*imag_part(\cos_integra \\
& l(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) + 4*c*f*\sin_integral((d*f*x \\
& + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - d*f*x*real_part(\cos_integral(f*x \\
& + c*f/d))*\tan(1/2*c*f/d)^2 - d*f*x*real_part(\cos_integral(-f*x - c*f/d))*ta \\
& n(1/2*c*f/d)^2 - 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2* \\
& \tan(1/2*e) + 2*c*f*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e) - 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e) + 4 \\
& *d*f*x*real_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 4*d \\
& *f*x*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 2*c* \\
& f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*c*f* \\
& imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*c*f*s \\
& in_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*d*\tan(1/2*f*x) \\
& ^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - d*f*x*real_part(\cos_integral(f*x + c*f/d)) \\
& *\tan(1/2*e)^2 - d*f*x*real_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*e)^2 - \\
& 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2* \\
& c*f*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 - 4*c
\end{aligned}$$

```

*f*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e)^2 + 4*d*tan(1/2*
f*x)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + c*f*real_part(cos_integral(f*x + c*f/d
))*tan(1/2*f*x)^2 + c*f*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^
2 + 2*d*f*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*d*f*x*i
mag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 4*d*f*x*sin_integral(
(d*f*x + c*f)/d)*tan(1/2*c*f/d) - c*f*real_part(cos_integral(f*x + c*f/d))*
tan(1/2*c*f/d)^2 - c*f*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)
^2 - 2*d*f*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 2*d*f*x*imag
_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) - 4*d*f*x*sin_integral((d*f*x
+ c*f)/d)*tan(1/2*e) + 4*c*f*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c
*f/d)*tan(1/2*e) + 4*c*f*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/
d)*tan(1/2*e) - c*f*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 - c*f
*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 + d*f*x*real_part(cos_i
ntegral(f*x + c*f/d)) + d*f*x*real_part(cos_integral(-f*x - c*f/d)) + 2*c*f
*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*c*f*imag_part(cos_
integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 4*c*f*sin_integral((d*f*x + c*f)/d
)*tan(1/2*c*f/d) - 4*d*tan(1/2*f*x)*tan(1/2*c*f/d)^2 - 2*c*f*imag_part(cos_
integral(f*x + c*f/d))*tan(1/2*e) + 2*c*f*imag_part(cos_integral(-f*x - c*f
/d))*tan(1/2*e) - 4*c*f*sin_integral((d*f*x + c*f)/d)*tan(1/2*e) + 4*d*tan(
1/2*f*x)^2*tan(1/2*e) - 4*d*tan(1/2*c*f/d)^2*tan(1/2*e) + 4*d*tan(1/2*f*x)*
tan(1/2*e)^2 + c*f*real_part(cos_integral(f*x + c*f/d)) + c*f*real_part(cos
_integral(-f*x - c*f/d)) - 4*d*tan(1/2*f*x) - 4*d*tan(1/2*e))*a/(d^3*x*tan(
1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + c*d^2*tan(1/2*f*x)^2*tan(1/2*c*f
/d)^2*tan(1/2*e)^2 + d^3*x*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + d^3*x*tan(1/2*
f*x)^2*tan(1/2*e)^2 + d^3*x*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + c*d^2*tan(1/2*f
*x)^2*tan(1/2*c*f/d)^2 + c*d^2*tan(1/2*f*x)^2*tan(1/2*e)^2 + c*d^2*tan(1/2*
c*f/d)^2*tan(1/2*e)^2 + d^3*x*tan(1/2*f*x)^2 + d^3*x*tan(1/2*c*f/d)^2 + d^3
*x*tan(1/2*e)^2 + c*d^2*tan(1/2*f*x)^2 + c*d^2*tan(1/2*c*f/d)^2 + c*d^2*tan
(1/2*e)^2 + d^3*x + c*d^2) - a/((d*x + c)*d)

```

$$3.100 \quad \int \frac{a+a \sin(e+fx)}{(c+dx)^3} dx$$

Optimal. Leaf size=123

$$\frac{af^2 \text{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{af^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{2d^3} - \frac{af \cos(e + fx)}{2d^2(c + dx)} - \frac{a \sin(e + fx)}{2d(c + dx)^2} - \frac{a}{2d(c + dx)}$$

[Out] -a/(2*d*(c + d*x)^2) - (a*f*cos[e + f*x])/(2*d^2*(c + d*x)) - (a*f^2*cosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/(2*d^3) - (a*sin[e + f*x])/(2*d*(c + d*x)^2) - (a*f^2*cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/(2*d^3)

Rubi [A] time = 0.256565, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3317, 3297, 3303, 3299, 3302}

$$\frac{af^2 \text{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{af^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{2d^3} - \frac{af \cos(e + fx)}{2d^2(c + dx)} - \frac{a \sin(e + fx)}{2d(c + dx)^2} - \frac{a}{2d(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sin[e + f*x])/(c + d*x)^3,x]

[Out] -a/(2*d*(c + d*x)^2) - (a*f*cos[e + f*x])/(2*d^2*(c + d*x)) - (a*f^2*cosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/(2*d^3) - (a*sin[e + f*x])/(2*d*(c + d*x)^2) - (a*f^2*cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/(2*d^3)

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302


```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + a \sin(e + fx)}{(c + dx)^3} dx &= \int \left(\frac{a}{(c + dx)^3} + \frac{a \sin(e + fx)}{(c + dx)^3} \right) dx \\
 &= -\frac{a}{2d(c + dx)^2} + a \int \frac{\sin(e + fx)}{(c + dx)^3} dx \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{a \sin(e + fx)}{2d(c + dx)^2} + \frac{(af) \int \frac{\cos(e + fx)}{(c + dx)^2} dx}{2d} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{af \cos(e + fx)}{2d^2(c + dx)} - \frac{a \sin(e + fx)}{2d(c + dx)^2} - \frac{(af^2) \int \frac{\sin(e + fx)}{c + dx} dx}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{af \cos(e + fx)}{2d^2(c + dx)} - \frac{a \sin(e + fx)}{2d(c + dx)^2} - \frac{(af^2 \cos(e - \frac{cf}{d})) \int \frac{\sin(\frac{cf}{d} + fx)}{c + dx} dx}{2d^2} - \frac{(af^2 \sin(e - \frac{cf}{d}))}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{af \cos(e + fx)}{2d^2(c + dx)} - \frac{af^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{a \sin(e + fx)}{2d(c + dx)^2} - \frac{af^2 \cos\left(e - \frac{cf}{d}\right)}{2d^2}
 \end{aligned}$$

Mathematica [A] time = 0.672044, size = 104, normalized size = 0.85

$$\frac{a \left(f^2 (c + dx)^2 \text{CosIntegral}\left(f \left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + f^2 (c + dx)^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(f \left(\frac{c}{d} + x\right)\right) + d(f(c + dx) \cos(e + fx) - \sin(e + fx)) \right)}{2d^3(c + dx)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sin[e + f*x])/(c + d*x)^3,x]
```

```
[Out] -(a*(f^2*(c + d*x)^2*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + d*(f*(c + d*x)*Cos[e + f*x] + d*(1 + Sin[e + f*x])) + f^2*(c + d*x)^2*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)))/(2*d^3*(c + d*x)^2)
```

Maple [A] time = 0.017, size = 177, normalized size = 1.4

$$\frac{1}{f} \left(af^3 \left(-\frac{\sin(fx + e)}{2((fx + e)d + cf - de)^2 d} + \frac{1}{2d} \left(-\frac{\cos(fx + e)}{((fx + e)d + cf - de)d} - \frac{1}{d} \left(\frac{1}{d} \text{Si}\left(fx + e + \frac{cf - de}{d}\right) \cos\left(\frac{cf - de}{d}\right) - \text{Ci}\left(fx + e + \frac{cf - de}{d}\right) \sin\left(\frac{cf - de}{d}\right) \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sin(f*x+e))/(d*x+c)^3,x)
```

```
[Out] 1/f*(a*f^3*(-1/2*sin(f*x+e)/((f*x+e)*d+c*f-d*e)^2/d+1/2*(-cos(f*x+e)/((f*x+e)*d+c*f-d*e)/d-(Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d)-1/2*a*f^3/((f*x+e)*d+c*f-d*e)^2/d)
```

Maxima [C] time = 1.44191, size = 358, normalized size = 2.91

$$\frac{af^3}{(fx+e)^2 d^3 + d^3 e^2 - 2cd^2 ef + c^2 d f^2 - 2(d^3 e - cd^2 f)(fx+e)} - \frac{\left(f^3 \left(-i E_3\left(\frac{i(fx+e)d - ide + icf}{d}\right) + i E_3\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \cos\left(-\frac{de - cf}{d}\right) + f^3 \left(E_3\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_3\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \cos\left(-\frac{de - cf}{d}\right)}{(fx+e)^2 d^3 + d^3 e^2 - 2cd^2 ef + c^2 d f^2 - 2(d^3 e - cd^2 f)(fx+e)}\right)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^3,x, algorithm="maxima")

[Out] -1/2*(a*f^3/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - (f^3*(-I*exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f^3*(exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d))*a/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)))/f

Fricas [A] time = 1.75286, size = 517, normalized size = 4.2

$$\frac{2ad^2 \sin(fx + e) + 2ad^2 + 2(ad^2 f^2 x^2 + 2acdf^2 x + ac^2 f^2) \cos\left(-\frac{de - cf}{d}\right) \text{Si}\left(\frac{dfx + cf}{d}\right) + 2(ad^2 fx + acdf) \cos(fx + e) - 4(d^5 x^2 + 2cd^4 x + c^2 d^3)}{4(d^5 x^2 + 2cd^4 x + c^2 d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^3,x, algorithm="fricas")

[Out] -1/4*(2*a*d^2*sin(f*x + e) + 2*a*d^2 + 2*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2)*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 2*(a*d^2*f*x + a*c*d*f)*cos(f*x + e) - ((a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2)*cos_integral((d*f*x + c*f)/d) + (a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2)*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a \left(\int \frac{\sin(e + fx)}{c^3 + 3c^2 dx + 3cd^2 x^2 + d^3 x^3} dx + \int \frac{1}{c^3 + 3c^2 dx + 3cd^2 x^2 + d^3 x^3} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)**3,x)

[Out] a*(Integral(sin(e + f*x)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(1/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))

Giac [C] time = 1.51854, size = 8312, normalized size = 67.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))/(d*x+c)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*(a*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan \\ & (1/2*c*f/d)^2*tan(1/2*e)^2 - a*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c* \\ & f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*d^2*f^2*x^2*sin_in \\ & tegral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*a* \\ & d^2*f^2*x^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f \\ & /d)^2*tan(1/2*e) - 2*a*d^2*f^2*x^2*real_part(cos_integral(-f*x - c*f/d))*ta \\ & n(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e) + 2*a*d^2*f^2*x^2*real_part(cos_in \\ & tegral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*a*d^2*f \\ & ^2*x^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)* \\ & tan(1/2*e)^2 + 2*a*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f \\ & *x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*a*c*d*f^2*x*imag_part(cos_integral(\\ & -f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 4*a*c*d*f^2*x \\ & *sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 \\ & - a*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/ \\ & 2*c*f/d)^2 + a*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f* \\ & x)^2*tan(1/2*c*f/d)^2 - 2*a*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1 \\ & /2*f*x)^2*tan(1/2*c*f/d)^2 + 4*a*d^2*f^2*x^2*imag_part(cos_integral(f*x + c \\ & *f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) - 4*a*d^2*f^2*x^2*imag_part \\ & (cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) + 8*a \\ & *d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)*ta \\ & n(1/2*e) - 4*a*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^ \\ & 2*tan(1/2*c*f/d)^2*tan(1/2*e) - 4*a*c*d*f^2*x*real_part(cos_integral(-f*x - \\ & c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e) - a*d^2*f^2*x^2*imag_pa \\ & rt(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 + a*d^2*f^2*x^2*i \\ & mag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*a*d^2*f \\ & ^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*e)^2 + 4*a*c*d \\ & *f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*t \\ & an(1/2*e)^2 + 4*a*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f \\ & *x)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 + a*d^2*f^2*x^2*imag_part(cos_integral(f* \\ & x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - a*d^2*f^2*x^2*imag_part(cos_int \\ & egral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*d^2*f^2*x^2*sin_in \\ & tegral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + a*c^2*f^2*imag_part \\ & (cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - \\ & a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/ \\ & d)^2*tan(1/2*e)^2 + 2*a*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^ \\ & 2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*a*d^2*f^2*x^2*real_part(cos_integral(f* \\ & x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - 2*a*d^2*f^2*x^2*real_part(cos_i \\ & ntegral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - 2*a*c*d*f^2*x*imag_p \\ & art(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 2*a*c*d*f^ \\ & 2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 - \\ & 4*a*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)^ \\ & 2 + 2*a*d^2*f^2*x^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan \\ & (1/2*e) + 2*a*d^2*f^2*x^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x \\ &)^2*tan(1/2*e) + 8*a*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2 \\ & *f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) - 8*a*c*d*f^2*x*imag_part(cos_integral(-f \\ & *x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) + 16*a*c*d*f^2*x*sin \\ & _integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) - 2*a*d^ \\ & 2*f^2*x^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) \\ & - 2*a*d^2*f^2*x^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*ta \\ & n(1/2*e) - 2*a*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2* \\ & tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a*c^2*f^2*real_part(cos_integral(-f*x - c*f \\ & /d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a*c*d*f^2*x*imag_part(c \\ & os_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*a*c*d*f^2*x*imag_ \\ & part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 - 4*a*c*d*f^2*x \\ & *sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*a*d^2*f^2*x \end{aligned}$$

$$\begin{aligned}
&^2 \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e)^2 + 2*a*d \\
&^2*f^2*x^2 \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e)^2 \\
&+ 2*a*c^2*f^2 \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2 \\
&*c*f/d) * \tan(1/2*e)^2 + 2*a*c^2*f^2 \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan \\
&(1/2*f*x)^2 * \tan(1/2*c*f/d) * \tan(1/2*e)^2 + 2*a*c*d*f^2*x \text{imag_part}(\cos_inte \\
&gral(f*x + c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(1/2*e)^2 - 2*a*c*d*f^2*x \text{imag_part} \\
&(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(1/2*e)^2 + 4*a*c*d*f^2*x*s \\
&in_integral((d*f*x + c*f)/d) * \tan(1/2*c*f/d)^2 * \tan(1/2*e)^2 + 2*a*d^2*f*x * \tan \\
&(1/2*f*x)^2 * \tan(1/2*c*f/d)^2 * \tan(1/2*e)^2 + a*d^2*f^2*x^2 \text{imag_part}(\cos_in \\
&tegral(f*x + c*f/d)) * \tan(1/2*f*x)^2 - a*d^2*f^2*x^2 \text{imag_part}(\cos_integral(\\
&-f*x - c*f/d)) * \tan(1/2*f*x)^2 + 2*a*d^2*f^2*x^2 \text{sin_integral}((d*f*x + c*f)/ \\
&d) * \tan(1/2*f*x)^2 - 4*a*c*d*f^2*x \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(\\
&1/2*f*x)^2 * \tan(1/2*c*f/d) - 4*a*c*d*f^2*x \text{real_part}(\cos_integral(-f*x - c*f \\
&/d)) * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d) - a*d^2*f^2*x^2 \text{imag_part}(\cos_integral(f \\
&>*x + c*f/d)) * \tan(1/2*c*f/d)^2 + a*d^2*f^2*x^2 \text{imag_part}(\cos_integral(-f*x - \\
&c*f/d)) * \tan(1/2*c*f/d)^2 - 2*a*d^2*f^2*x^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan \\
&(1/2*c*f/d)^2 - a*c^2*f^2 \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x \\
&)^2 * \tan(1/2*c*f/d)^2 + a*c^2*f^2 \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan \\
&(1/2*f*x)^2 * \tan(1/2*c*f/d)^2 - 2*a*c^2*f^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan \\
&(1/2*f*x)^2 * \tan(1/2*c*f/d)^2 + 4*a*c*d*f^2*x \text{real_part}(\cos_integral(f*x + \\
&c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*e) + 4*a*c*d*f^2*x \text{real_part}(\cos_integral(-f \\
&>*x - c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*e) + 4*a*d^2*f^2*x^2 \text{imag_part}(\cos_inte \\
&gral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e) - 4*a*d^2*f^2*x^2 \text{imag_part}(\cos \\
&_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e) + 8*a*d^2*f^2*x^2 \text{sin_i \\
&ntegral}((d*f*x + c*f)/d) * \tan(1/2*c*f/d) * \tan(1/2*e) + 4*a*c^2*f^2 \text{imag_part} \\
&(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d) * \tan(1/2*e) - 4*a*c \\
&^2*f^2 \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d) * \\
&\tan(1/2*e) + 8*a*c^2*f^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*f*x)^2 * \tan(1 \\
&/2*c*f/d) * \tan(1/2*e) - 4*a*c*d*f^2*x \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan \\
&(1/2*c*f/d)^2 * \tan(1/2*e) - 4*a*c*d*f^2*x \text{real_part}(\cos_integral(-f*x - c*f \\
&/d)) * \tan(1/2*c*f/d)^2 * \tan(1/2*e) - a*d^2*f^2*x^2 \text{imag_part}(\cos_integral(f* \\
&x + c*f/d)) * \tan(1/2*e)^2 + a*d^2*f^2*x^2 \text{imag_part}(\cos_integral(-f*x - c*f/ \\
&d)) * \tan(1/2*e)^2 - 2*a*d^2*f^2*x^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*e) \\
&^2 - a*c^2*f^2 \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2* \\
&e)^2 + a*c^2*f^2 \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*f*x)^2 * \tan(1 \\
&/2*e)^2 - 2*a*c^2*f^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*f*x)^2 * \tan(1/2* \\
&e)^2 + 4*a*c*d*f^2*x \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan \\
&(1/2*e)^2 + 4*a*c*d*f^2*x \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f \\
&/d) * \tan(1/2*e)^2 + a*c^2*f^2 \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2* \\
&c*f/d)^2 * \tan(1/2*e)^2 - a*c^2*f^2 \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan \\
&(1/2*c*f/d)^2 * \tan(1/2*e)^2 + 2*a*c^2*f^2 \text{sin_integral}((d*f*x + c*f)/d) * \tan(\\
&1/2*c*f/d)^2 * \tan(1/2*e)^2 + 2*a*c*d*f * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d)^2 * \tan(1 \\
&/2*e)^2 + 2*a*c*d*f^2*x \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 \\
&- 2*a*c*d*f^2*x \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*f*x)^2 + 4*a \\
&*c*d*f^2*x \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*f*x)^2 - 2*a*d^2*f^2*x^2 \text{r \\
&eal_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) - 2*a*d^2*f^2*x^2 \text{real_p \\
&art}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) - 2*a*c^2*f^2 \text{real_part}(\cos_ \\
&integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d) - 2*a*c^2*f^2 \text{real_par \\
&t}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*c*f/d) - 2*a*c*d*f^2*x \\
&* \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d)^2 + 2*a*c*d*f^2*x \text{imag \\
&_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d)^2 - 4*a*c*d*f^2*x \text{sin_inte \\
&gral}((d*f*x + c*f)/d) * \tan(1/2*c*f/d)^2 - 2*a*d^2*f*x * \tan(1/2*f*x)^2 * \tan(1/2 \\
&*c*f/d)^2 + 2*a*d^2*f^2*x^2 \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*e) \\
&+ 2*a*d^2*f^2*x^2 \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*e) + 2*a*c \\
&^2*f^2 \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*e) + 2*a \\
&*c^2*f^2 \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*f*x)^2 * \tan(1/2*e) + \\
&8*a*c*d*f^2*x \text{imag_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e) \\
&- 8*a*c*d*f^2*x \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(\\
&1/2*e) + 16*a*c*d*f^2*x \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*c*f/d) * \tan(1/
\end{aligned}$$

$$\begin{aligned}
& 2*e) - 2*a*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) \\
& - 2*a*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 8*a*d^2*f*x*tan(1/2*f*x)*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 + 2*a*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 - 4*a*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2 + 2*a*d^2*f*x*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*a*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*a*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 - 2*a*d^2*f*x*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*d^2*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + a*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d)) - a*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d)) + 2*a*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d) + a*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2 - a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2 + 2*a*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2 - 4*a*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 4*a*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) - a*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2 + a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 - 2*a*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 - 2*a*c*d*f*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 4*a*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 4*a*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) + 4*a*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 4*a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 8*a*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) - 8*a*c*d*f*tan(1/2*f*x)*tan(1/2*c*f/d)^2*tan(1/2*e) - 4*a*d^2*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e) - a*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 + a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 - 2*a*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2 + 2*a*c*d*f*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*a*c*d*f*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 4*a*d^2*tan(1/2*f*x)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d)) - 2*a*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d)) + 4*a*c*d*f^2*x*sin_integral((d*f*x + c*f)/d) - 2*a*d^2*f*x*tan(1/2*f*x)^2 - 2*a*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*a*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 2*a*d^2*f*x*tan(1/2*c*f/d)^2 + 2*a*d^2*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 2*a*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 2*a*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) - 8*a*d^2*f*x*tan(1/2*f*x)*tan(1/2*e) - 2*a*d^2*f*x*tan(1/2*e)^2 + 2*a*d^2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*a*d^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + a*c^2*f^2*imag_part(cos_integral(f*x + c*f/d)) - a*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d)) + 2*a*c^2*f^2*sin_integral((d*f*x + c*f)/d) - 2*a*c*d*f*tan(1/2*f*x)^2 + 2*a*c*d*f*tan(1/2*c*f/d)^2 + 4*a*d^2*tan(1/2*f*x)*tan(1/2*c*f/d)^2 - 8*a*c*d*f*tan(1/2*f*x)*tan(1/2*e) - 4*a*d^2*tan(1/2*f*x)^2*tan(1/2*e) + 4*a*d^2*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a*c*d*f*tan(1/2*e)^2 - 4*a*d^2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*a*d^2*f*x + 2*a*d^2*tan(1/2*f*x)^2 + 2*a*d^2*tan(1/2*c*f/d)^2 + 2*a*d^2*tan(1/2*e)^2 + 2*a*c*d*f + 4*a*d^2*tan(1/2*f*x) + 4*a*d^2*tan(1/2*e) + 2*a*d^2)/(d^5*x^2*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*c*d^4*x*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + d^5*x^2*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + d^5*x^2*tan(1/2*f*x)^2*tan(1/2*e)^2 + d^5*x^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + c^2*d^3*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*c*d^4*x*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 2*c*d^4*x*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*c*d^4*x*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + d^5*x^2*tan(1/2*f*x)^2 + d^5*x^2*tan(1/2*c*f/d)^2 + c^2*d^3*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + d^5*x^2*tan(1/2*e)^2 + c^2*d^3*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + d^5*x^2*tan(1/2*c*f/d)^2 + c^2*d^3*tan(1/2*f*x)^2 + 2*c*d^4*x*tan(1/2*c*f/d)^2 + 2*c*d^4*x*tan(1/2*e)^2 + d^5*x^2 + c^2*d^3*tan(1/2*f*x)^2 + c^2*d^3*tan(1/2*c*f/d)^2 + c^2*d^3*tan(1/2*e)^2 + 2*c*d^4*x + c^2*d^3)
\end{aligned}$$

3.101 $\int (c + dx)^3 (a + a \sin(e + fx))^2 dx$

Optimal. Leaf size=237

$$\frac{12a^2d^2(c+dx)\cos(e+fx)}{f^3} + \frac{3a^2d^2(c+dx)\sin(e+fx)\cos(e+fx)}{4f^3} - \frac{3a^2cd^2x}{4f^2} + \frac{3a^2d(c+dx)^2\sin^2(e+fx)}{4f^2} + \frac{6a^2d(c+dx)\sin(e+fx)\cos(e+fx)}{4f^2}$$

[Out] $(-3a^2cd^2x)/(4f^2) - (3a^2d^3x^2)/(8f^2) + (3a^2(c+dx)^4)/(8d) + (12a^2d^2(c+dx)\cos[e+fx])/f^3 - (2a^2(c+dx)^3\cos[e+fx])/f - (12a^2d^3\sin[e+fx])/f^4 + (6a^2d(c+dx)^2\sin[e+fx])/f^2 + (3a^2d^2(c+dx)\cos[e+fx]\sin[e+fx])/(4f^3) - (a^2(c+dx)^3\cos[e+fx]\sin[e+fx])/(2f) - (3a^2d^3\sin[e+fx]^2)/(8f^4) + (3a^2d(c+dx)^2\sin[e+fx]^2)/(4f^2)$

Rubi [A] time = 0.295401, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {3317, 3296, 2637, 3311, 32, 3310}

$$\frac{12a^2d^2(c+dx)\cos(e+fx)}{f^3} + \frac{3a^2d^2(c+dx)\sin(e+fx)\cos(e+fx)}{4f^3} - \frac{3a^2cd^2x}{4f^2} + \frac{3a^2d(c+dx)^2\sin^2(e+fx)}{4f^2} + \frac{6a^2d(c+dx)\sin(e+fx)\cos(e+fx)}{4f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*(a + a*Sin[e + f*x])^2,x]

[Out] $(-3a^2cd^2x)/(4f^2) - (3a^2d^3x^2)/(8f^2) + (3a^2(c+dx)^4)/(8d) + (12a^2d^2(c+dx)\cos[e+fx])/f^3 - (2a^2(c+dx)^3\cos[e+fx])/f - (12a^2d^3\sin[e+fx])/f^4 + (6a^2d(c+dx)^2\sin[e+fx])/f^2 + (3a^2d^2(c+dx)\cos[e+fx]\sin[e+fx])/(4f^3) - (a^2(c+dx)^3\cos[e+fx]\sin[e+fx])/(2f) - (3a^2d^3\sin[e+fx]^2)/(8f^4) + (3a^2d(c+dx)^2\sin[e+fx]^2)/(4f^2)$

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m-1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n-1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n-2), x], x] - Dist[(d^2*m*(m-1))/(f^2*n^2), Int[(c + d*x)^(m-2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n-1))/(f*n), x]) /;

FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine + f*x))^n/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine + f*x)^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine + f*x)^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned}
 \int (c + dx)^3 (a + a \sin(e + fx))^2 dx &= \int (a^2(c + dx)^3 + 2a^2(c + dx)^3 \sin(e + fx) + a^2(c + dx)^3 \sin^2(e + fx)) dx \\
 &= \frac{a^2(c + dx)^4}{4d} + a^2 \int (c + dx)^3 \sin^2(e + fx) dx + (2a^2) \int (c + dx)^3 \sin(e + fx) dx \\
 &= \frac{a^2(c + dx)^4}{4d} - \frac{2a^2(c + dx)^3 \cos(e + fx)}{f} - \frac{a^2(c + dx)^3 \cos(e + fx) \sin(e + fx)}{2f} + \dots \\
 &= \frac{3a^2(c + dx)^4}{8d} - \frac{2a^2(c + dx)^3 \cos(e + fx)}{f} + \frac{6a^2d(c + dx)^2 \sin(e + fx)}{f^2} + \frac{3a^2d^2(c + dx)}{f^3} \\
 &= -\frac{3a^2cd^2x}{4f^2} - \frac{3a^2d^3x^2}{8f^2} + \frac{3a^2(c + dx)^4}{8d} + \frac{12a^2d^2(c + dx) \cos(e + fx)}{f^3} - \frac{2a^2(c + dx)}{f^3} \\
 &= -\frac{3a^2cd^2x}{4f^2} - \frac{3a^2d^3x^2}{8f^2} + \frac{3a^2(c + dx)^4}{8d} + \frac{12a^2d^2(c + dx) \cos(e + fx)}{f^3} - \frac{2a^2(c + dx)}{f^3}
 \end{aligned}$$

Mathematica [A] time = 1.34344, size = 216, normalized size = 0.91

$$a^2 \left(-2f(c + dx) (2c^2f^2 + 4cdf^2x + d^2(2f^2x^2 - 3)) \sin(2(e + fx)) + 96d (c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2)) \sin(e + fx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + a*Sin[e + f*x])^2,x]

[Out] (a^2*(6*f^4*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) - 32*f*(c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Cos[e + f*x] - 3*d*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-1 + 2*f^2*x^2))*Cos[2*(e + f*x)] + 96*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Sin[e + f*x] - 2*f*(c + d*x)*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-3 + 2*f^2*x^2))*Sin[2*(e + f*x)])/(16*f^4)

Maple [B] time = 0.022, size = 1135, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*(a+a*sin(f*x+e))^2,x)

```
[Out] 1/f*(a^2*c^3*(f*x+e)+a^2*c^3*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-2*a^2*c^3*cos(f*x+e)+1/4*a^2/f^3*d^3*(f*x+e)^4+2*a^2/f^3*d^3*(-(f*x+e)^3*cos(f*x+e)+3*(f*x+e)^2*sin(f*x+e)-6*sin(f*x+e)+6*(f*x+e)*cos(f*x+e))+a^2/f^3*d^3*((f*x+e)^3*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-3/4*(f*x+e)^2*cos(f*x+e)^2+3/2*(f*x+e)*(1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-3/8*(f*x+e)^2-3/8*sin(f*x+e)^2-3/8*(f*x+e)^4)-a^2/f^3*d^3*e^3*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-a^2/f^3*d^3*e*(f*x+e)^3+2*a^2/f^3*d^3*e^3*cos(f*x+e)-a^2/f^3*d^3*e^3*(f*x+e)+a^2/f^2*c*d^2*(f*x+e)^3+6*a^2/f*c^2*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))+3/2*a^2/f^3*d^3*e^2*(f*x+e)^2+3/2*a^2/f*c^2*d*(f*x+e)^2+3*a^2/f*c^2*d*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*sin(f*x+e)^2)+6*a^2/f^2*c*d^2*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+3*a^2/f^3*d^3*e^2*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*sin(f*x+e)^2)-6*a^2/f^3*d^3*e*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+6*a^2/f^3*d^3*e^2*(sin(f*x+e)-(f*x+e)*cos(f*x+e))+3*a^2/f^2*c*d^2*((f*x+e)^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/2*(f*x+e)*cos(f*x+e)^2+1/4*sin(f*x+e)*cos(f*x+e)+1/4*f*x+1/4*e-1/3*(f*x+e)^3)-3*a^2/f^3*d^3*e*((f*x+e)^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/2*(f*x+e)*cos(f*x+e)^2+1/4*sin(f*x+e)*cos(f*x+e)+1/4*f*x+1/4*e-1/3*(f*x+e)^3)-6*a^2/f^2*c*d^2*e*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*sin(f*x+e)^2)-12*a^2/f^2*c*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))+6*a^2/f*c^2*d*e*cos(f*x+e)-3*a^2/f*c^2*d*e*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-3*a^2/f^2*c*d^2*e*(f*x+e)^2-6*a^2/f^2*c*d^2*e^2*cos(f*x+e)+3*a^2/f^2*c*d^2*e^2*(f*x+e)-3*a^2/f*c^2*d*e*(f*x+e)+3*a^2/f^2*c*d^2*e^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e))
```

Maxima [B] time = 1.10759, size = 1308, normalized size = 5.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*(a+a*sin(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] 1/16*(4*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c^3 + 16*(f*x + e)*a^2*c^3 + 4*(f*x + e)^4*a^2*d^3/f^3 - 16*(f*x + e)^3*a^2*d^3*e/f^3 + 24*(f*x + e)^2*a^2*d^3*e^2/f^3 - 4*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*d^3*e^3/f^3 - 16*(f*x + e)*a^2*d^3*e^3/f^3 + 16*(f*x + e)^3*a^2*c*d^2/f^2 - 48*(f*x + e)^2*a^2*c*d^2*e/f^2 + 12*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c*d^2*e^2/f^2 + 48*(f*x + e)*a^2*c*d^2*e^2/f^2 + 24*(f*x + e)^2*a^2*c^2*d/f - 12*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c^2*d*e/f - 48*(f*x + e)*a^2*c^2*d*e/f - 32*a^2*c^3*cos(f*x + e) + 32*a^2*d^3*e^3*cos(f*x + e)/f^3 - 96*a^2*c*d^2*e^2*cos(f*x + e)/f^2 + 96*a^2*c^2*d*e*cos(f*x + e)/f + 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*d^3*e^2/f^3 - 96*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*d^3*e^2/f^3 - 12*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*c*d^2*e/f^2 + 192*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*c*d^2*e/f^2 + 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*c^2*d/f - 96*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*c^2*d/f - 2*(4*(f*x + e)^3 - 6*(f*x + e)*cos(2*f*x + 2*e) - 3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))*a^2*d^3*e/f^3 + 96*((f*x + e)^2 - 2)*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e))*a^2*d^3*e/f^3 + 2*(4*(f*x + e)^3 - 6*(f*x + e)*cos(2*f*x + 2*e) - 3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))*a^2*c*d^2/f^2 - 96*((f*x + e)^2 - 2)*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e))*a^2*c*d^2/f^2 + (2*(f*x + e)^4 - 3*(2*(f*x + e)^2 - 1)*cos(2*f*x + 2*e) - 2*(2*(f*x + e)^3 - 3*f*x - 3*e)*sin(2*f*x + 2*e))*a^2*d^3/f^3 - 32*((f*x + e)^3 - 6*f*x - 6*e)*cos(f*x + e) - 3*((f*x + e)^2 - 2)*sin(f*x + e))*a^2*d^3/f^3)/f
```

Fricas [A] time = 1.88544, size = 752, normalized size = 3.17

$$3a^2d^3f^4x^4 + 12a^2cd^2f^4x^3 + 3(6a^2c^2df^4 + a^2d^3f^2)x^2 - 3(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos(fx + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{8}(3a^2d^3f^4x^4 + 12a^2cd^2f^4x^3 + 3(6a^2c^2df^4 + a^2d^3f^2)x^2 - 3(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos(fx + e))^2 + 6(2a^2c^3f^4 + a^2cd^2f^2)x - 16(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + a^2c^3f^3 - 6a^2cd^2f + 3(a^2c^2df^3 - 2a^2d^3f)*x)\cos(fx + e) + 2(24a^2d^3f^2x^2 + 48a^2cd^2f^2x + 24a^2c^2df^2 - 48a^2d^3 - (2a^2d^3f^3x^3 + 6a^2cd^2f^3x^2 + 2a^2c^3f^3 - 3a^2cd^2f + 3(2a^2c^2df^3 - a^2d^3f)*x)\cos(fx + e))\sin(fx + e)/f^4$

Sympy [A] time = 4.78442, size = 779, normalized size = 3.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*(a+a*sin(f*x+e))**2,x)

[Out] Piecewise((a**2*c**3*x*sin(e + f*x)**2/2 + a**2*c**3*x*cos(e + f*x)**2/2 + a**2*c**3*x - a**2*c**3*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*c**3*cos(e + f*x)/f + 3*a**2*c**2*d*x**2*sin(e + f*x)**2/4 + 3*a**2*c**2*d*x**2*cos(e + f*x)**2/4 + 3*a**2*c**2*d*x**2/2 - 3*a**2*c**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) - 6*a**2*c**2*d*x*cos(e + f*x)/f + 6*a**2*c**2*d*sin(e + f*x)/f**2 - 3*a**2*c**2*d*cos(e + f*x)**2/(4*f**2) + a**2*c*d**2*x**3*sin(e + f*x)**2/2 + a**2*c*d**2*x**3*cos(e + f*x)**2/2 + a**2*c*d**2*x**3 - 3*a**2*c*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) - 6*a**2*c*d**2*x**2*cos(e + f*x)/f + 3*a**2*c*d**2*x*sin(e + f*x)**2/(4*f**2) + 12*a**2*c*d**2*x*sin(e + f*x)/f**2 - 3*a**2*c*d**2*x*cos(e + f*x)**2/(4*f**2) + 3*a**2*c*d**2*sin(e + f*x)*cos(e + f*x)/(4*f**3) + 12*a**2*c*d**2*cos(e + f*x)/f**3 + a**2*d**3*x**4*sin(e + f*x)**2/8 + a**2*d**3*x**4*cos(e + f*x)**2/8 + a**2*d**3*x**4/4 - a**2*d**3*x**3*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*d**3*x**3*cos(e + f*x)/f + 3*a**2*d**3*x**2*sin(e + f*x)**2/(8*f**2) + 6*a**2*d**3*x**2*sin(e + f*x)/f**2 - 3*a**2*d**3*x**2*cos(e + f*x)**2/(8*f**2) + 3*a**2*d**3*x*sin(e + f*x)*cos(e + f*x)/(4*f**3) + 12*a**2*d**3*x*cos(e + f*x)/f**3 - 12*a**2*d**3*sin(e + f*x)/f**4 + 3*a**2*d**3*cos(e + f*x)**2/(8*f**4), Ne(f, 0)), ((a*sin(e) + a)**2*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4), True))

Giac [A] time = 1.15698, size = 458, normalized size = 1.93

$$\frac{3}{8}a^2d^3x^4 + \frac{3}{2}a^2cd^2x^3 + \frac{9}{4}a^2c^2dx^2 + \frac{3}{2}a^2c^3x - \frac{3(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos(2fx + 2e)}{16f^4} - \frac{2(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + a^2c^3f^3 - 6a^2cd^2f + 3(a^2c^2df^3 - 2a^2d^3f)*x)\cos(fx + e) + 2(24a^2d^3f^2x^2 + 48a^2cd^2f^2x + 24a^2c^2df^2 - 48a^2d^3 - (2a^2d^3f^3x^3 + 6a^2cd^2f^3x^2 + 2a^2c^3f^3 - 3a^2cd^2f + 3(2a^2c^2df^3 - a^2d^3f)*x)\cos(fx + e))\sin(fx + e)}{f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{3}{8}a^2d^3x^4 + \frac{3}{2}a^2cd^2x^3 + \frac{9}{4}a^2c^2dx^2 + \frac{3}{2}a^2c^3x - \frac{3}{16}(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos \\ & (2fx + 2e)/f^4 - 2(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3 - 6a^2d^3f^2x - 6a^2cd^2f^2)\cos(fx + e)/f^4 - 1/8 \\ & *(2a^2d^3f^3x^3 + 6a^2cd^2f^3x^2 + 6a^2c^2df^3x + 2a^2c^3f^3 - 3a^2d^3f^2x - 3a^2cd^2f^2)\sin(2fx + 2e)/f^4 + 6(a^2d^3f^2x^2 + 2a^2cd^2f^2x + a^2c^2df^2 - 2a^2d^3)\sin(fx + e)/f^4 \end{aligned}$$

3.102 $\int (c + dx)^2 (a + a \sin(e + fx))^2 dx$

Optimal. Leaf size=168

$$\frac{a^2 d(c + dx) \sin^2(e + fx)}{2f^2} + \frac{4a^2 d(c + dx) \sin(e + fx)}{f^2} - \frac{2a^2(c + dx)^2 \cos(e + fx)}{f} - \frac{a^2(c + dx)^2 \sin(e + fx) \cos(e + fx)}{2f}$$

[Out] $-(a^2 d^2 x)/(4f^2) + (a^2(c + dx)^3)/(2d) + (4a^2 d^2 \cos[e + fx])/f^3 - (2a^2(c + dx)^2 \cos[e + fx])/f + (4a^2 d(c + dx) \sin[e + fx])/f^2 + (a^2 d^2 \cos[e + fx] \sin[e + fx])/(4f^3) - (a^2(c + dx)^2 \cos[e + fx] \sin[e + fx])/(2f) + (a^2 d(c + dx) \sin[e + fx]^2)/(2f^2)$

Rubi [A] time = 0.19208, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {3317, 3296, 2638, 3311, 32, 2635, 8}

$$\frac{a^2 d(c + dx) \sin^2(e + fx)}{2f^2} + \frac{4a^2 d(c + dx) \sin(e + fx)}{f^2} - \frac{2a^2(c + dx)^2 \cos(e + fx)}{f} - \frac{a^2(c + dx)^2 \sin(e + fx) \cos(e + fx)}{2f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*(a + a*Sin[e + f*x])^2,x]

[Out] $-(a^2 d^2 x)/(4f^2) + (a^2(c + dx)^3)/(2d) + (4a^2 d^2 \cos[e + fx])/f^3 - (2a^2(c + dx)^2 \cos[e + fx])/f + (4a^2 d(c + dx) \sin[e + fx])/f^2 + (a^2 d^2 \cos[e + fx] \sin[e + fx])/(4f^3) - (a^2(c + dx)^2 \cos[e + fx] \sin[e + fx])/(2f) + (a^2 d(c + dx) \sin[e + fx]^2)/(2f^2)$

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m * Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m * Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x] * (b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^2 (a + a \sin(e + fx))^2 dx &= \int (a^2(c + dx)^2 + 2a^2(c + dx)^2 \sin(e + fx) + a^2(c + dx)^2 \sin^2(e + fx)) dx \\ &= \frac{a^2(c + dx)^3}{3d} + a^2 \int (c + dx)^2 \sin^2(e + fx) dx + (2a^2) \int (c + dx)^2 \sin(e + fx) dx \\ &= \frac{a^2(c + dx)^3}{3d} - \frac{2a^2(c + dx)^2 \cos(e + fx)}{f} - \frac{a^2(c + dx)^2 \cos(e + fx) \sin(e + fx)}{2f} + \frac{a^2 d^2 \cos(e + fx)}{4f^2} \\ &= \frac{a^2(c + dx)^3}{2d} - \frac{2a^2(c + dx)^2 \cos(e + fx)}{f} + \frac{4a^2 d(c + dx) \sin(e + fx)}{f^2} + \frac{a^2 d^2 \cos(e + fx)}{4f^2} \\ &= -\frac{a^2 d^2 x}{4f^2} + \frac{a^2(c + dx)^3}{2d} + \frac{4a^2 d^2 \cos(e + fx)}{f^3} - \frac{2a^2(c + dx)^2 \cos(e + fx)}{f} + \frac{4a^2 d(c + dx) \sin(e + fx)}{f^2} \end{aligned}$$

Mathematica [A] time = 0.613693, size = 182, normalized size = 1.08

$$a^2 \left(-16(c^2 f^2 + 2cd f^2 x + d^2(f^2 x^2 - 2)) \cos(e + fx) - 2c^2 f^2 \sin(2(e + fx)) + 12c^2 f^3 x - 4cdf^2 x \sin(2(e + fx)) + 32cdf^2 \sin^2(e + fx) \right) / (8f^3)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2*(a + a*Sin[e + f*x])^2,x]
```

```
[Out] (a^2*(12*c^2*f^3*x + 12*c*d*f^3*x^2 + 4*d^2*f^3*x^3 - 16*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x] - 2*d*f*(c + d*x)*Cos[2*(e + f*x)] + 32*c*d*f*Sin[e + f*x] + 32*d^2*f*x*Sin[e + f*x] + d^2*Sin[2*(e + f*x)] - 2*c^2*f^2*Sin[2*(e + f*x)] - 4*c*d*f^2*x*Sin[2*(e + f*x)] - 2*d^2*f^2*x^2*Sin[2*(e + f*x)])/(8*f^3)
```

Maple [B] time = 0.02, size = 567, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^2*(a+a*sin(f*x+e))^2,x)
```

```
[Out] 1/f*(a^2/f^2*d^2*((f*x+e)^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/2*(f*x+e)*cos(f*x+e)^2+1/4*sin(f*x+e)*cos(f*x+e)+1/4*f*x+1/4*e-1/3*(f*x+e)^3)
```

$$+2a^2/f*c*d*((f*x+e)*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*\sin(f*x+e)^2)-2a^2/f^2*d^2*e*((f*x+e)*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*\sin(f*x+e)^2)+a^2*c^2*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)-2a^2/f*c*d*e*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)+a^2/f^2*d^2*e^2*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)+2a^2/f^2*d^2*(-(f*x+e)^2*\cos(f*x+e)+2*\cos(f*x+e)+2*(f*x+e)*\sin(f*x+e))+4a^2/f*c*d*(\sin(f*x+e)-(f*x+e)*\cos(f*x+e))-4a^2/f^2*d^2*e*(\sin(f*x+e)-(f*x+e)*\cos(f*x+e))-2a^2*c^2*\cos(f*x+e)+4a^2/f*c*d*e*\cos(f*x+e)-2a^2/f^2*d^2*e^2*\cos(f*x+e)+1/3*a^2/f^2*d^2*(f*x+e)^3+a^2/f*c*d*(f*x+e)^2-a^2/f^2*d^2*e*(f*x+e)^2+a^2*c^2*(f*x+e)-2a^2/f*c*d*e*(f*x+e)+a^2/f^2*d^2*e^2*(f*x+e))$$

Maxima [B] time = 1.02159, size = 686, normalized size = 4.08

$$6(2fx + 2e - \sin(2fx + 2e))a^2c^2 + 24(fx + e)a^2c^2 + \frac{8(fx+e)^3 a^2 d^2}{f^2} - \frac{24(fx+e)^2 a^2 d^2 e}{f^2} + \frac{6(2fx+2e - \sin(2fx+2e))a^2 d^2 e^2}{f^2} + \frac{24(fx+e)a^2 d^2 e^2}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out] 1/24*(6*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c^2 + 24*(f*x + e)*a^2*c^2 + 8*(f*x + e)^3*a^2*d^2/f^2 - 24*(f*x + e)^2*a^2*d^2*e/f^2 + 6*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*d^2*e^2/f^2 + 24*(f*x + e)*a^2*d^2*e^2/f^2 + 24*(f*x + e)^2*a^2*c*d/f - 12*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c*d*e/f - 48*(f*x + e)*a^2*c*d*e/f - 48*a^2*c^2*cos(f*x + e) - 48*a^2*d^2*e^2*cos(f*x + e)/f^2 + 96*a^2*c*d*e*cos(f*x + e)/f - 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*d^2*e/f^2 + 96*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*d^2*e/f^2 + 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*c*d/f - 96*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*c*d/f + (4*(f*x + e)^3 - 6*(f*x + e)*cos(2*f*x + 2*e) - 3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))*a^2*d^2/f^2 - 48*(((f*x + e)^2 - 2)*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e))*a^2*d^2/f^2)/f

Fricas [A] time = 1.78484, size = 447, normalized size = 2.66

$$2a^2d^2f^3x^3 + 6a^2cdf^3x^2 - 2(a^2d^2fx + a^2cdf)\cos(fx + e)^2 + (6a^2c^2f^3 + a^2d^2f)x - 8(a^2d^2f^2x^2 + 2a^2cdf^2x + a^2c^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] 1/4*(2*a^2*d^2*f^3*x^3 + 6*a^2*c*d*f^3*x^2 - 2*(a^2*d^2*f*x + a^2*c*d*f)*\cos(f*x + e)^2 + (6*a^2*c^2*f^3 + a^2*d^2*f)*x - 8*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2 - 2*a^2*d^2)*\cos(f*x + e) + (16*a^2*d^2*f*x + 16*a^2*c*d*f - (2*a^2*d^2*f^2*x^2 + 4*a^2*c*d*f^2*x + 2*a^2*c^2*f^2 - a^2*d^2)*\cos(f*x + e))*\sin(f*x + e))/f^3

Sympy [A] time = 2.15149, size = 456, normalized size = 2.71

$$\left\{ \frac{a^2c^2x\sin^2(e+fx)}{2} + \frac{a^2c^2x\cos^2(e+fx)}{2} + a^2c^2x - \frac{a^2c^2\sin(e+fx)\cos(e+fx)}{2f} - \frac{2a^2c^2\cos(e+fx)}{f} + \frac{a^2cdx^2\sin^2(e+fx)}{2} + \frac{a^2cdx^2\cos^2(e+fx)}{2} + (a\sin(e) + a)^2 \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*(a+a*sin(f*x+e))**2,x)

[Out] Piecewise((a**2*c**2*x*sin(e + f*x)**2/2 + a**2*c**2*x*cos(e + f*x)**2/2 + a**2*c**2*x - a**2*c**2*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*c**2*cos(e + f*x)/f + a**2*c*d*x**2*sin(e + f*x)**2/2 + a**2*c*d*x**2*cos(e + f*x)**2/2 + a**2*c*d*x**2 - a**2*c*d*x*sin(e + f*x)*cos(e + f*x)/f - 4*a**2*c*d*x*cos(e + f*x)/f + 4*a**2*c*d*sin(e + f*x)/f**2 - a**2*c*d*cos(e + f*x)**2/(2*f**2) + a**2*d**2*x**3*sin(e + f*x)**2/6 + a**2*d**2*x**3*cos(e + f*x)**2/6 + a**2*d**2*x**3/3 - a**2*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*d**2*x**2*cos(e + f*x)/f + a**2*d**2*x*sin(e + f*x)**2/(4*f**2) + 4*a**2*d**2*x*sin(e + f*x)/f**2 - a**2*d**2*x*cos(e + f*x)**2/(4*f**2) + a**2*d**2*x*sin(e + f*x)*cos(e + f*x)/(4*f**3) + 4*a**2*d**2*cos(e + f*x)/f**3, Ne(f, 0)), ((a*sin(e) + a)**2*(c**2*x + c*d*x**2 + d**2*x**3/3), True))

Giac [A] time = 1.14398, size = 279, normalized size = 1.66

$$\frac{1}{2}a^2d^2x^3 + \frac{3}{2}a^2cdx^2 + \frac{3}{2}a^2c^2x - \frac{(a^2d^2fx + a^2cdf)\cos(2fx + 2e)}{4f^3} - \frac{2(a^2d^2f^2x^2 + 2a^2cdf^2x + a^2c^2f^2 - 2a^2d^2)\cos(fx + e)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out] 1/2*a^2*d^2*x^3 + 3/2*a^2*c*d*x^2 + 3/2*a^2*c^2*x - 1/4*(a^2*d^2*f*x + a^2*c*d*f)*cos(2*f*x + 2*e)/f^3 - 2*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2 - 2*a^2*d^2)*cos(f*x + e)/f^3 - 1/8*(2*a^2*d^2*f^2*x^2 + 4*a^2*c*d*f^2*x + 2*a^2*c^2*f^2 - a^2*d^2)*sin(2*f*x + 2*e)/f^3 + 4*(a^2*d^2*f*x + a^2*c*d*f)*sin(f*x + e)/f^3

3.103 $\int (c + dx)(a + a \sin(e + fx))^2 dx$

Optimal. Leaf size=118

$$\frac{2a^2(c + dx) \cos(e + fx)}{f} - \frac{a^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{a^2(c + dx)^2}{2d} + \frac{1}{2}a^2cx + \frac{a^2d \sin^2(e + fx)}{4f^2} + \frac{2a^2d \sin(e + fx)}{f^2}$$

[Out] (a^2*c*x)/2 + (a^2*d*x^2)/4 + (a^2*(c + d*x)^2)/(2*d) - (2*a^2*(c + d*x)*Cos[e + f*x])/f + (2*a^2*d*Sin[e + f*x])/f^2 - (a^2*(c + d*x)*Cos[e + f*x]*Sin[e + f*x])/(2*f) + (a^2*d*Sin[e + f*x]^2)/(4*f^2)

Rubi [A] time = 0.10374, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3296, 2637, 3310}

$$\frac{2a^2(c + dx) \cos(e + fx)}{f} - \frac{a^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{a^2(c + dx)^2}{2d} + \frac{1}{2}a^2cx + \frac{a^2d \sin^2(e + fx)}{4f^2} + \frac{2a^2d \sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*(a + a*Sin[e + f*x])^2,x]

[Out] (a^2*c*x)/2 + (a^2*d*x^2)/4 + (a^2*(c + d*x)^2)/(2*d) - (2*a^2*(c + d*x)*Cos[e + f*x])/f + (2*a^2*d*Sin[e + f*x])/f^2 - (a^2*(c + d*x)*Cos[e + f*x]*Sin[e + f*x])/(2*f) + (a^2*d*Sin[e + f*x]^2)/(4*f^2)

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m * Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned}
\int (c + dx)(a + a \sin(e + fx))^2 dx &= \int (a^2(c + dx) + 2a^2(c + dx) \sin(e + fx) + a^2(c + dx) \sin^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^2}{2d} + a^2 \int (c + dx) \sin^2(e + fx) dx + (2a^2) \int (c + dx) \sin(e + fx) dx \\
&= \frac{a^2(c + dx)^2}{2d} - \frac{2a^2(c + dx) \cos(e + fx)}{f} - \frac{a^2(c + dx) \cos(e + fx) \sin(e + fx)}{2f} + \frac{a^2 d \sin(e + fx)}{f^2} \\
&= \frac{1}{2} a^2 c x + \frac{1}{4} a^2 d x^2 + \frac{a^2(c + dx)^2}{2d} - \frac{2a^2(c + dx) \cos(e + fx)}{f} + \frac{2a^2 d \sin(e + fx)}{f^2} - \frac{a^2(c + dx) \cos(e + fx) \sin(e + fx)}{2f}
\end{aligned}$$

Mathematica [A] time = 1.04758, size = 80, normalized size = 0.68

$$\frac{a^2(6(e + fx)(d(e - fx) - 2cf) + 2f(c + dx) \sin(2(e + fx)) + 16f(c + dx) \cos(e + fx) - 16d \sin(e + fx) + d \cos(2(e + fx)))}{8f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*(a + a*Sin[e + f*x])^2,x]

[Out] -(a^2*(6*(e + f*x)*(-2*c*f + d*(e - f*x)) + 16*f*(c + d*x)*Cos[e + f*x] + d *Cos[2*(e + f*x)] - 16*d*Sin[e + f*x] + 2*f*(c + d*x)*Sin[2*(e + f*x)]))/(8 *f^2)

Maple [B] time = 0.02, size = 219, normalized size = 1.9

$$\frac{1}{f} \left(\frac{a^2 d}{f} \left((fx + e) \left(-\frac{\sin(fx + e) \cos(fx + e)}{2} + \frac{fx}{2} + \frac{e}{2} \right) - \frac{(fx + e)^2}{4} + \frac{(\sin(fx + e))^2}{4} \right) + a^2 c \left(-\frac{\sin(fx + e) \cos(fx + e)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*(a+a*sin(f*x+e))^2,x)

[Out] 1/f*(a^2/f*d*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*sin(f*x+e)^2)+a^2*c*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-a^2/f*d*e*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)+2*a^2/f*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-2*a^2*c*cos(f*x+e)+2*a^2/f*d*e*cos(f*x+e)+1/2*a^2/f*d*(f*x+e)^2+a^2*c*(f*x+e)-a^2/f*d*e*(f*x+e))

Maxima [A] time = 0.99571, size = 277, normalized size = 2.35

$$\frac{2(2fx + 2e - \sin(2fx + 2e))a^2c + 8(fx + e)a^2c + \frac{4(fx+e)^2 a^2 d}{f} - \frac{2(2fx+2e - \sin(2fx+2e))a^2 d e}{f} - \frac{8(fx+e)a^2 d e}{f} - 16a^2 c \cos(fx + e)}{8f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out] 1/8*(2*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*c + 8*(f*x + e)*a^2*c + 4*(f*x + e)^2*a^2*d/f - 2*(2*f*x + 2*e - sin(2*f*x + 2*e))*a^2*d*e/f - 8*(f*x + e)

$$*a^2*d*e/f - 16*a^2*c*cos(f*x + e) + 16*a^2*d*e*cos(f*x + e)/f + (2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*a^2*d/f - 16*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a^2*d/f)/f$$

Fricas [A] time = 1.73688, size = 228, normalized size = 1.93

$$\frac{3a^2df^2x^2 + 6a^2cf^2x - a^2d \cos(fx + e)^2 - 8(a^2dfx + a^2cf) \cos(fx + e) + 2(4a^2d - (a^2dfx + a^2cf) \cos(fx + e)) \sin(fx + e)}{4f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] 1/4*(3*a^2*d*f^2*x^2 + 6*a^2*c*f^2*x - a^2*d*cos(f*x + e)^2 - 8*(a^2*d*f*x + a^2*c*f)*cos(f*x + e) + 2*(4*a^2*d - (a^2*d*f*x + a^2*c*f)*cos(f*x + e))*sin(f*x + e))/f^2

Sympy [A] time = 0.844491, size = 219, normalized size = 1.86

$$\left\{ \begin{array}{l} \frac{a^2cx \sin^2(e+fx)}{2} + \frac{a^2cx \cos^2(e+fx)}{2} + a^2cx - \frac{a^2c \sin(e+fx) \cos(e+fx)}{2f} - \frac{2a^2c \cos(e+fx)}{f} + \frac{a^2dx^2 \sin^2(e+fx)}{4} + \frac{a^2dx^2 \cos^2(e+fx)}{4} + \frac{a^2dx^2}{2} \\ (a \sin(e) + a)^2 \left(cx + \frac{dx^2}{2} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e))**2,x)

[Out] Piecewise((a**2*c*x*sin(e + f*x)**2/2 + a**2*c*x*cos(e + f*x)**2/2 + a**2*c*x - a**2*c*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*c*cos(e + f*x)/f + a**2*d*x**2*sin(e + f*x)**2/4 + a**2*d*x**2*cos(e + f*x)**2/4 + a**2*d*x**2/2 - a**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) - 2*a**2*d*x*cos(e + f*x)/f + 2*a**2*d*sin(e + f*x)/f**2 - a**2*d*cos(e + f*x)**2/(4*f**2), Ne(f, 0)), ((a*sin(e) + a)**2*(c*x + d*x**2/2), True))

Giac [A] time = 1.10989, size = 144, normalized size = 1.22

$$\frac{3}{4}a^2dx^2 + \frac{3}{2}a^2cx - \frac{a^2d \cos(2fx + 2e)}{8f^2} + \frac{2a^2d \sin(fx + e)}{f^2} - \frac{2(a^2dfx + a^2cf) \cos(fx + e)}{f^2} - \frac{(a^2dfx + a^2cf) \sin(fx + e)}{4f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out] 3/4*a^2*d*x^2 + 3/2*a^2*c*x - 1/8*a^2*d*cos(2*f*x + 2*e)/f^2 + 2*a^2*d*sin(f*x + e)/f^2 - 2*(a^2*d*f*x + a^2*c*f)*cos(f*x + e)/f^2 - 1/4*(a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)/f^2

3.104 $\int \frac{(a+a \sin(e+fx))^2}{c+dx} dx$

Optimal. Leaf size=145

$$\frac{2a^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} - \frac{a^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \cos\left(2e - \frac{2cf}{d}\right)}{2d} + \frac{a^2 \sin\left(2e - \frac{2cf}{d}\right) \operatorname{Si}\left(2xf + \frac{2cf}{d}\right)}{2d}$$

[Out] $-(a^2 \operatorname{Cos}[2e - (2cf)/d] \operatorname{CosIntegral}[(2cf)/d + 2fx])/(2d) + (3a^2 \operatorname{Log}[c + dx])/(2d) + (2a^2 \operatorname{CosIntegral}[(cf)/d + fx] \operatorname{Sin}[e - (cf)/d])/d + (2a^2 \operatorname{Cos}[e - (cf)/d] \operatorname{SinIntegral}[(cf)/d + fx])/d + (a^2 \operatorname{Sin}[2e - (2cf)/d] \operatorname{SinIntegral}[(2cf)/d + 2fx])/(2d)$

Rubi [A] time = 0.370685, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3318, 3312, 3303, 3299, 3302}

$$\frac{2a^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} - \frac{a^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \cos\left(2e - \frac{2cf}{d}\right)}{2d} + \frac{a^2 \sin\left(2e - \frac{2cf}{d}\right) \operatorname{Si}\left(2xf + \frac{2cf}{d}\right)}{2d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a \operatorname{Sin}[e + fx])^2/(c + dx), x]$

[Out] $-(a^2 \operatorname{Cos}[2e - (2cf)/d] \operatorname{CosIntegral}[(2cf)/d + 2fx])/(2d) + (3a^2 \operatorname{Log}[c + dx])/(2d) + (2a^2 \operatorname{CosIntegral}[(cf)/d + fx] \operatorname{Sin}[e - (cf)/d])/d + (2a^2 \operatorname{Cos}[e - (cf)/d] \operatorname{SinIntegral}[(cf)/d + fx])/d + (a^2 \operatorname{Sin}[2e - (2cf)/d] \operatorname{SinIntegral}[(2cf)/d + 2fx])/(2d)$

Rule 3318

$\operatorname{Int}[(c + d \operatorname{Sin}[e + fx])^m (a + b \operatorname{Sin}[e + fx])^n, x_Symbol] \rightarrow \operatorname{Dist}[(2a)^n, \operatorname{Int}[(c + d \operatorname{Sin}[e + fx])^{2m} \operatorname{Sin}[(1 + \operatorname{Pi} a)/(2b])]/2 + (f x)/2]^{2n}, x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{IntegerQ}[n] \&\& (\operatorname{GtQ}[n, 0] \mid \mid \operatorname{IGtQ}[m, 0])$

Rule 3312

$\operatorname{Int}[(c + d \operatorname{Sin}[e + fx])^m \operatorname{Sin}[e + fx]^n, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d \operatorname{Sin}[e + fx])^m, \operatorname{Sin}[e + fx]^n, x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f, m\}, x \&\& \operatorname{IGtQ}[n, 1] \&\& (!\operatorname{RationalQ}[m] \mid \mid (\operatorname{GeQ}[m, -1] \&\& \operatorname{LtQ}[m, 1]))$

Rule 3303

$\operatorname{Int}[\operatorname{Sin}[e + fx]/(c + d \operatorname{Sin}[e + fx]), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d e - c f)/d], \operatorname{Int}[\operatorname{Sin}[(c f)/d + fx]/(c + d \operatorname{Sin}[e + fx]), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d e - c f)/d], \operatorname{Int}[\operatorname{Cos}[(c f)/d + fx]/(c + d \operatorname{Sin}[e + fx]), x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{NeQ}[d e - c f, 0]$

Rule 3299

$\operatorname{Int}[\operatorname{Sin}[e + fx]/(c + d \operatorname{Sin}[e + fx]), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + fx]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{EqQ}[d e - c f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sin(e + fx))^2}{c + dx} dx &= (4a^2) \int \frac{\sin^4\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right)}{c + dx} dx \\ &= (4a^2) \int \left(\frac{3}{8(c + dx)} - \frac{\cos(2e + 2fx)}{8(c + dx)} + \frac{\sin(e + fx)}{2(c + dx)} \right) dx \\ &= \frac{3a^2 \log(c + dx)}{2d} - \frac{1}{2}a^2 \int \frac{\cos(2e + 2fx)}{c + dx} dx + (2a^2) \int \frac{\sin(e + fx)}{c + dx} dx \\ &= \frac{3a^2 \log(c + dx)}{2d} - \frac{1}{2} \left(a^2 \cos\left(2e - \frac{2cf}{d}\right) \right) \int \frac{\cos\left(\frac{2cf}{d} + 2fx\right)}{c + dx} dx + \left(2a^2 \cos\left(e - \frac{cf}{d}\right) \right) \int \frac{\sin\left(\frac{cf}{d} + fx\right)}{c + dx} dx \\ &= -\frac{a^2 \cos\left(2e - \frac{2cf}{d}\right) \text{Ci}\left(\frac{2cf}{d} + 2fx\right)}{2d} + \frac{3a^2 \log(c + dx)}{2d} + \frac{2a^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \dots \end{aligned}$$

Mathematica [A] time = 0.27671, size = 114, normalized size = 0.79

$$\frac{a^2 \left(4 \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + \text{CosIntegral}\left(\frac{2f(c+dx)}{d}\right) \left(-\cos\left(2e - \frac{2cf}{d}\right)\right) + \sin\left(2e - \frac{2cf}{d}\right) \text{Si}\left(\frac{2f(c+dx)}{d}\right) \right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sin[e + f*x])^2/(c + d*x), x]
```

```
[Out] (a^2*(-(Cos[2*e - (2*c*f)/d]*CosIntegral[(2*f*(c + d*x))/d]) + 3*Log[c + d*x] + 4*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + 4*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + Sin[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d]))/(2*d)
```

Maple [A] time = 0.021, size = 192, normalized size = 1.3

$$\frac{3a^2 \ln\left(\left(fx + e\right)d + cf - de\right)}{2d} - \frac{a^2}{2d} \text{Si}\left(2fx + 2e + 2\frac{cf - de}{d}\right) \sin\left(2\frac{cf - de}{d}\right) - \frac{a^2}{2d} \text{Ci}\left(2fx + 2e + 2\frac{cf - de}{d}\right) \cos\left(2\frac{cf - de}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*sin(f*x+e))^2/(d*x+c), x)
```

```
[Out] 3/2*a^2*ln((f*x+e)*d+c*f-d*e)/d-1/2*a^2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*sin(2*(c*f-d*e)/d)/d-1/2*a^2*Ci(2*f*x+2*e+2*(c*f-d*e)/d)*cos(2*(c*f-d*e)/d)/d+2*a^2*Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-2*a^2*Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d
```

Maxima [C] time = 1.31331, size = 452, normalized size = 3.12

$$\frac{4a^2 f \log\left(c + \frac{(fx+e)d - de}{f}\right)}{d} + \frac{4\left(f\left(-iE_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) + iE_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \cos\left(-\frac{de - cf}{d}\right) + f\left(E_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \sin\left(-\frac{de - cf}{d}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{4} * (4 * a^2 * f * \log(c + (f * x + e) * d / f - d * e / f) / d + 4 * (f * (-I * \exp_integral_e(1, (I * (f * x + e) * d - I * d * e + I * c * f) / d) + I * \exp_integral_e(1, -(I * (f * x + e) * d - I * d * e + I * c * f) / d)) * \cos(-(d * e - c * f) / d) + f * (\exp_integral_e(1, (I * (f * x + e) * d - I * d * e + I * c * f) / d) + \exp_integral_e(1, -(I * (f * x + e) * d - I * d * e + I * c * f) / d)) * \sin(-(d * e - c * f) / d)) * a^2 / d + (f * (\exp_integral_e(1, (2 * I * (f * x + e) * d - 2 * I * d * e + 2 * I * c * f) / d) + \exp_integral_e(1, -(2 * I * (f * x + e) * d - 2 * I * d * e + 2 * I * c * f) / d)) * \cos(-2 * (d * e - c * f) / d) + f * (I * \exp_integral_e(1, (2 * I * (f * x + e) * d - 2 * I * d * e + 2 * I * c * f) / d) - I * \exp_integral_e(1, -(2 * I * (f * x + e) * d - 2 * I * d * e + 2 * I * c * f) / d)) * \sin(-2 * (d * e - c * f) / d) + 2 * f * \log((f * x + e) * d - d * e + c * f)) * a^2 / d) / f$

Fricas [A] time = 1.75776, size = 468, normalized size = 3.23

$$\frac{2 a^2 \sin\left(-\frac{2(d e-c f)}{d}\right) \operatorname{Si}\left(\frac{2(d f x+c f)}{d}\right)-8 a^2 \cos\left(-\frac{d e-c f}{d}\right) \operatorname{Si}\left(\frac{d f x+c f}{d}\right)-6 a^2 \log(d x+c)+\left(a^2 \operatorname{Ci}\left(\frac{2(d f x+c f)}{d}\right)+a^2 \operatorname{Ci}\left(-\frac{2(d f x+c f)}{d}\right)\right)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c),x, algorithm="fricas")

[Out] $-1/4 * (2 * a^2 * \sin(-2 * (d * e - c * f) / d) * \sin_integral(2 * (d * f * x + c * f) / d) - 8 * a^2 * \cos(-(d * e - c * f) / d) * \sin_integral((d * f * x + c * f) / d) - 6 * a^2 * \log(d * x + c) + (a^2 * \cos_integral(2 * (d * f * x + c * f) / d) + a^2 * \cos_integral(-2 * (d * f * x + c * f) / d)) * \cos(-2 * (d * e - c * f) / d) + 4 * (a^2 * \cos_integral((d * f * x + c * f) / d) + a^2 * \cos_integral(-(d * f * x + c * f) / d)) * \sin(-(d * e - c * f) / d)) / d$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{2 \sin(e + f x)}{c + d x} dx + \int \frac{\sin^2(e + f x)}{c + d x} dx + \int \frac{1}{c + d x} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c),x)

[Out] $a^{**2} * (\operatorname{Integral}(2 * \sin(e + f * x) / (c + d * x), x) + \operatorname{Integral}(\sin(e + f * x) ** 2 / (c + d * x), x) + \operatorname{Integral}(1 / (c + d * x), x))$

Giac [C] time = 1.62394, size = 9516, normalized size = 65.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c),x, algorithm="giac")

```
[Out] 1/4*(4*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)
^2*tan(1/2*e)^2*tan(e)^2 - 4*a^2*imag_part(cos_integral(-f*x - c*f/d))*tan(
c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 6*a^2*log(abs(d*x + c))*t
an(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - a^2*real_part(cos_inte
gral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2
- a^2*real_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)
^2*tan(1/2*e)^2*tan(e)^2 + 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2
*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - 2*a^2*imag_part(cos_integral(2*f*
x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) + 2*a^2*ima
g_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/
2*e)^2*tan(e) - 4*a^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*
c*f/d)^2*tan(1/2*e)^2*tan(e) - 8*a^2*real_part(cos_integral(f*x + c*f/d))*t
an(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 - 8*a^2*real_part(cos_inte
gral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 + 8*a
^2*real_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2
*e)^2*tan(e)^2 + 8*a^2*real_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*t
an(1/2*c*f/d)*tan(1/2*e)^2*tan(e)^2 + 2*a^2*imag_part(cos_integral(2*f*x +
2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - 2*a^2*imag_pa
rt(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2
*tan(e)^2 + 4*a^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)*tan(1/2*c*f/d)
^2*tan(1/2*e)^2*tan(e)^2 + 4*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(c
*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 4*a^2*imag_part(cos_integral(-f*x -
c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 6*a^2*log(abs(d*x + c
)))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + a^2*real_part(cos_integral(
2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + a^2*real_par
t(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^
2 + 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1
/2*e)^2 - 4*a^2*real_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2
*c*f/d)^2*tan(1/2*e)^2*tan(e) - 4*a^2*real_part(cos_integral(-2*f*x - 2*c*f
/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) - 4*a^2*imag_part(cos_
integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(e)^2 + 4*a^2*imag_
part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(e)^2 + 6
*a^2*log(abs(d*x + c))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(e)^2 - a^2*real_pa
rt(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(e)^2 -
a^2*real_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2
*tan(e)^2 - 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)
^2*tan(e)^2 + 16*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(
1/2*c*f/d)*tan(1/2*e)*tan(e)^2 - 16*a^2*imag_part(cos_integral(-f*x - c*f/d
))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)*tan(e)^2 + 32*a^2*sin_integral((d
*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)*tan(e)^2 - 4*a^2*imag
_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 4*a^2
*imag_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2 +
6*a^2*log(abs(d*x + c))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - a^2*real_part
(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - a^2*re
al_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2
- 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*e)^2*tan(e)^2 +
4*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2*ta
n(e)^2 - 4*a^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1
/2*e)^2*tan(e)^2 + 6*a^2*log(abs(d*x + c))*tan(1/2*c*f/d)^2*tan(1/2*e)^2*ta
n(e)^2 + a^2*real_part(cos_integral(2*f*x + 2*c*f/d))*tan(1/2*c*f/d)^2*tan(
1/2*e)^2*tan(e)^2 + a^2*real_part(cos_integral(-2*f*x - 2*c*f/d))*tan(1/2*c
*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(1/2
*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - 8*a^2*real_part(cos_integral(f*x + c*f/d)
)*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e) - 8*a^2*real_part(cos_integral(-
f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e) + 8*a^2*real_part(co
s_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 + 8*a^2*r
eal_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)
^2 - 2*a^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/
d)^2*tan(1/2*e)^2 + 2*a^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f
```


$$\begin{aligned} & _part(\cos_integral(2*f*x + 2*c*f/d))*tan(1/2*c*f/d)^2*tan(e)^2 + a^2*real_p \\ & art(\cos_integral(-2*f*x - 2*c*f/d))*tan(1/2*c*f/d)^2*tan(e)^2 - 8*a^2*\sin_i \\ & ntegral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(e)^2 + 16*a^2*imag_part(\cos_i \\ & ntegral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)*tan(e)^2 - 16*a^2*imag_part \\ & (\cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)*tan(e)^2 + 32*a^2*\sin \\ & n_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e)*tan(e)^2 - 4*a^2*imag \\ & _part(\cos_integral(f*x + c*f/d))*tan(1/2*e)^2*tan(e)^2 + 4*a^2*imag_part(co \\ & s_integral(-f*x - c*f/d))*tan(1/2*e)^2*tan(e)^2 + 6*a^2*log(abs(d*x + c))*t \\ & an(1/2*e)^2*tan(e)^2 + a^2*real_part(\cos_integral(2*f*x + 2*c*f/d))*tan(1/2 \\ & *e)^2*tan(e)^2 + a^2*real_part(\cos_integral(-2*f*x - 2*c*f/d))*tan(1/2*e)^2 \\ & *tan(e)^2 - 8*a^2*\sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2*tan(e)^2 - 8*a \\ & ^2*real_part(\cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d) - 8*a^2 \\ & *real_part(\cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d) - 2*a^2* \\ & imag_part(\cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2 + 2*a^ \\ & 2*imag_part(\cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2 - 4 \\ & *a^2*\sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)*tan(1/2*c*f/d)^2 + 8*a^2*re \\ & al_part(\cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*e) + 8*a^2*real_par \\ & t(\cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*e) - 8*a^2*real_part(\cos \\ & _integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 8*a^2*real_part(\cos_i \\ & ntegral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*a^2*imag_part(\cos_in \\ & tegral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*e)^2 + 2*a^2*imag_part(\cos_inte \\ & gral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*e)^2 - 4*a^2*\sin_integral(2*(d*f \\ & *x + c*f)/d)*tan(c*f/d)*tan(1/2*e)^2 + 8*a^2*real_part(\cos_integral(f*x + c \\ & *f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + 8*a^2*real_part(\cos_integral(-f*x - c \\ & *f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 - 2*a^2*imag_part(\cos_integral(2*f*x + 2 \\ & *c*f/d))*tan(c*f/d)^2*tan(e) + 2*a^2*imag_part(\cos_integral(-2*f*x - 2*c*f/d \\ &))*tan(c*f/d)^2*tan(e) - 4*a^2*\sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)^2 \\ & *tan(e) + 2*a^2*imag_part(\cos_integral(2*f*x + 2*c*f/d))*tan(1/2*c*f/d)^2*t \\ & an(e) - 2*a^2*imag_part(\cos_integral(-2*f*x - 2*c*f/d))*tan(1/2*c*f/d)^2*t \\ & an(e) + 4*a^2*\sin_integral(2*(d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(e) + 2*a^ \\ & 2*imag_part(\cos_integral(2*f*x + 2*c*f/d))*tan(1/2*e)^2*tan(e) - 2*a^2*imag \\ & _part(\cos_integral(-2*f*x - 2*c*f/d))*tan(1/2*e)^2*tan(e) + 4*a^2*\sin_integ \\ & ral(2*(d*f*x + c*f)/d)*tan(1/2*e)^2*tan(e) + 2*a^2*imag_part(\cos_integral(2 \\ & *f*x + 2*c*f/d))*tan(c*f/d)*tan(e)^2 - 2*a^2*imag_part(\cos_integral(-2*f*x \\ & - 2*c*f/d))*tan(c*f/d)*tan(e)^2 + 4*a^2*\sin_integral(2*(d*f*x + c*f)/d)*tan \\ & (c*f/d)*tan(e)^2 - 8*a^2*real_part(\cos_integral(f*x + c*f/d))*tan(1/2*c*f/d \\ &)*tan(e)^2 - 8*a^2*real_part(\cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan \\ & (e)^2 + 8*a^2*real_part(\cos_integral(f*x + c*f/d))*tan(1/2*e)*tan(e)^2 + 8 \\ & *a^2*real_part(\cos_integral(-f*x - c*f/d))*tan(1/2*e)*tan(e)^2 + 4*a^2*imag \\ & _part(\cos_integral(f*x + c*f/d))*tan(c*f/d)^2 - 4*a^2*imag_part(\cos_integral \\ & (-f*x - c*f/d))*tan(c*f/d)^2 + 6*a^2*log(abs(d*x + c))*tan(c*f/d)^2 + a^2*r \\ & eal_part(\cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2 + a^2*real_part(\cos_in \\ & tegral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2 + 8*a^2*\sin_integral((d*f*x + c*f)/d \\ &)*tan(c*f/d)^2 - 4*a^2*imag_part(\cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^ \\ & 2 + 4*a^2*imag_part(\cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 + 6*a^2*lo \\ & g(abs(d*x + c))*tan(1/2*c*f/d)^2 - a^2*real_part(\cos_integral(2*f*x + 2*c*f \\ & /d))*tan(1/2*c*f/d)^2 - a^2*real_part(\cos_integral(-2*f*x - 2*c*f/d))*tan(1 \\ & /2*c*f/d)^2 - 8*a^2*\sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 + 16*a^2 \\ & *imag_part(\cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 16*a^2*im \\ & ag_part(\cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 32*a^2*\sin \\ & _integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) - 4*a^2*imag_part(\cos_i \\ & ntegral(f*x + c*f/d))*tan(1/2*e)^2 + 4*a^2*imag_part(\cos_integral(-f*x - c \\ & *f/d))*tan(1/2*e)^2 + 6*a^2*log(abs(d*x + c))*tan(1/2*e)^2 - a^2*real_part(c \\ & os_integral(2*f*x + 2*c*f/d))*tan(1/2*e)^2 - a^2*real_part(\cos_integral(-2* \\ & f*x - 2*c*f/d))*tan(1/2*e)^2 - 8*a^2*\sin_integral((d*f*x + c*f)/d)*tan(1/2* \\ & e)^2 - 4*a^2*real_part(\cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(e) - 4 \\ & *a^2*real_part(\cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(e) + 4*a^2*im \\ & ag_part(\cos_integral(f*x + c*f/d))*tan(e)^2 - 4*a^2*imag_part(\cos_integral(\\ & -f*x - c*f/d))*tan(e)^2 + 6*a^2*log(abs(d*x + c))*tan(e)^2 + a^2*real_part(\end{aligned}$$

```

cos_integral(2*f*x + 2*c*f/d)*tan(e)^2 + a^2*real_part(cos_integral(-2*f*x
- 2*c*f/d))*tan(e)^2 + 8*a^2*sin_integral((d*f*x + c*f)/d)*tan(e)^2 - 2*a^
2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d) + 2*a^2*imag_part(cos
_integral(-2*f*x - 2*c*f/d))*tan(c*f/d) - 4*a^2*sin_integral(2*(d*f*x + c*f
)/d)*tan(c*f/d) - 8*a^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)
- 8*a^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 8*a^2*real_
part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 8*a^2*real_part(cos_integral(-
f*x - c*f/d))*tan(1/2*e) + 2*a^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*t
an(e) - 2*a^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(e) + 4*a^2*sin_
integral(2*(d*f*x + c*f)/d)*tan(e) + 4*a^2*imag_part(cos_integral(f*x + c*f
/d)) - 4*a^2*imag_part(cos_integral(-f*x - c*f/d)) + 6*a^2*log(abs(d*x + c
)) - a^2*real_part(cos_integral(2*f*x + 2*c*f/d)) - a^2*real_part(cos_integr
al(-2*f*x - 2*c*f/d)) + 8*a^2*sin_integral((d*f*x + c*f)/d))/(d*tan(c*f/d)^
2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + d*tan(c*f/d)^2*tan(1/2*c*f/d)^2*
tan(1/2*e)^2 + d*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(e)^2 + d*tan(c*f/d)^2*ta
n(1/2*e)^2*tan(e)^2 + d*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + d*tan(c*f/
d)^2*tan(1/2*c*f/d)^2 + d*tan(c*f/d)^2*tan(1/2*e)^2 + d*tan(1/2*c*f/d)^2*ta
n(1/2*e)^2 + d*tan(c*f/d)^2*tan(e)^2 + d*tan(1/2*c*f/d)^2*tan(e)^2 + d*tan(
1/2*e)^2*tan(e)^2 + d*tan(c*f/d)^2 + d*tan(1/2*c*f/d)^2 + d*tan(1/2*e)^2 +
d*tan(e)^2 + d)

```


$$3.105 \quad \int \frac{(a+a \sin(e+fx))^2}{(c+dx)^2} dx$$

Optimal. Leaf size=162

$$\frac{a^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} + \frac{2a^2 f \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2a^2 f \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2}$$

[Out] (2*a^2*f*cos[e - (c*f)/d]*CosIntegral[(c*f)/d + f*x])/d^2 + (a^2*f*cosIntegral[(2*c*f)/d + 2*f*x]*Sin[2*e - (2*c*f)/d])/d^2 - (4*a^2*sin[e/2 + Pi/4 + (f*x)/2]^4)/(d*(c + d*x)) - (2*a^2*f*sin[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^2 + (a^2*f*cos[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^2

Rubi [A] time = 0.332581, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3318, 3313, 3303, 3299, 3302}

$$\frac{a^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} + \frac{2a^2 f \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2a^2 f \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sin[e + f*x])^2/(c + d*x)^2,x]

[Out] (2*a^2*f*cos[e - (c*f)/d]*CosIntegral[(c*f)/d + f*x])/d^2 + (a^2*f*cosIntegral[(2*c*f)/d + 2*f*x]*Sin[2*e - (2*c*f)/d])/d^2 - (4*a^2*sin[e/2 + Pi/4 + (f*x)/2]^4)/(d*(c + d*x)) - (2*a^2*f*sin[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^2 + (a^2*f*cos[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^2

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)^(n_)], x_Symbol] :> Simp[(c + d*x)^(m + 1)*Sin[e + f*x]^n/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sin(e + fx))^2}{(c + dx)^2} dx &= (4a^2) \int \frac{\sin^4\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right)}{(c + dx)^2} dx \\ &= -\frac{4a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)} + \frac{(8a^2 f) \int \left(\frac{\cos(e+fx)}{4(c+dx)} + \frac{\sin(2e+2fx)}{8(c+dx)}\right) dx}{d} \\ &= -\frac{4a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)} + \frac{(a^2 f) \int \frac{\sin(2e+2fx)}{c+dx} dx}{d} + \frac{(2a^2 f) \int \frac{\cos(e+fx)}{c+dx} dx}{d} \\ &= -\frac{4a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)} + \frac{\left(a^2 f \cos\left(2e - \frac{2cf}{d}\right)\right) \int \frac{\sin\left(\frac{2cf}{d} + 2fx\right)}{c+dx} dx}{d} + \frac{\left(2a^2 f \cos\left(e - \frac{cf}{d}\right)\right) \int \frac{\cos\left(\frac{cf}{d} + fx\right)}{c+dx} dx}{d} \\ &= \frac{2a^2 f \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^2} + \frac{a^2 f \text{Ci}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} - \frac{4a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.587249, size = 206, normalized size = 1.27

$$a^2 \left(2f(c + dx) \text{CosIntegral}\left(\frac{2f(c+dx)}{d}\right) \sin\left(2e - \frac{2cf}{d}\right) + 4f(c + dx) \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \cos\left(e - \frac{cf}{d}\right) - 4dfx \sin\left(e - \frac{cf}{d}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sin[e + f*x])^2/(c + d*x)^2,x]

[Out] (a^2*(-3*d + d*Cos[2*(e + f*x)] + 4*f*(c + d*x)*Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] + 2*f*(c + d*x)*CosIntegral[(2*f*(c + d*x))/d]*Sin[2*e - (2*c*f)/d] - 4*d*Sin[e + f*x] - 4*c*f*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)] - 4*d*f*x*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + 2*c*f*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d] + 2*d*f*x*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d]))/(2*d^2*(c + d*x))

Maple [A] time = 0.026, size = 274, normalized size = 1.7

$$\frac{1}{f} \left(-\frac{3a^2 f^2}{(2(fx + e)d + 2cf - 2de)d} - \frac{a^2 f^2}{4} \left(-2 \frac{\cos(2fx + 2e)}{((fx + e)d + cf - de)d} - 2 \frac{1}{d} \left(2 \frac{1}{d} \text{Si}\left(2fx + 2e + 2 \frac{cf - de}{d}\right) \cos\left(2 \frac{cf - de}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(f*x+e))^2/(d*x+c)^2,x)

```
[Out] 1/f*(-3/2*a^2*f^2/((f*x+e)*d+c*f-d*e)/d-1/4*a^2*f^2*(-2*cos(2*f*x+2*e)/((f*x+e)*d+c*f-d*e)/d-2*(2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*cos(2*(c*f-d*e)/d)/d-2*Ci(2*f*x+2*e+2*(c*f-d*e)/d)*sin(2*(c*f-d*e)/d)/d)+2*a^2*f^2*(-sin(f*x+e)/((f*x+e)*d+c*f-d*e)/d+(Si(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+Ci(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d)/d)
```

Maxima [C] time = 1.51391, size = 500, normalized size = 3.09

$$\frac{64a^2f^2}{(fx+e)d^2-d^2e+cdf} - \frac{64\left(f^2\left(-iE_2\left(\frac{i(fx+e)d-de+icf}{d}\right)+iE_2\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\cos\left(-\frac{de-cf}{d}\right)+f^2\left(E_2\left(\frac{i(fx+e)d-de+icf}{d}\right)+E_2\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\sin\left(-\frac{de-cf}{d}\right)\right)}{(fx+e)d^2-d^2e+cdf}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")
```

```
[Out] -1/64*(64*a^2*f^2/((f*x + e)*d^2 - d^2*e + c*d*f) - 64*(f^2*(-I*exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f^2*(exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d))*a^2/((f*x + e)*d^2 - d^2*e + c*d*f) - (16*f^2*(exp_integral_e(2, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + exp_integral_e(2, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*cos(-2*(d*e - c*f)/d) + f^2*(16*I*exp_integral_e(2, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) - 16*I*exp_integral_e(2, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*sin(-2*(d*e - c*f)/d) - 32*f^2)*a^2/((f*x + e)*d^2 - d^2*e + c*d*f))/f
```

Fricas [A] time = 2.01274, size = 682, normalized size = 4.21

$$2a^2d \cos^2(fx+e) - 4a^2d \sin(fx+e) - 4a^2d + 2(a^2dfx + a^2cf) \cos\left(-\frac{2(de-cf)}{d}\right) \text{Si}\left(\frac{2(dfxc+cf)}{d}\right) + 4(a^2dfx + a^2cf) \sin\left(-\frac{2(de-cf)}{d}\right) \text{Ci}\left(\frac{2(dfxc+cf)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/2*(2*a^2*d*cos(f*x + e)^2 - 4*a^2*d*sin(f*x + e) - 4*a^2*d + 2*(a^2*d*f*x + a^2*c*f)*cos(-2*(d*e - c*f)/d)*sin_integral(2*(d*f*x + c*f)/d) + 4*(a^2*d*f*x + a^2*c*f)*sin(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 2*((a^2*d*f*x + a^2*c*f)*cos_integral((d*f*x + c*f)/d) + (a^2*d*f*x + a^2*c*f)*cos_integral(-(d*f*x + c*f)/d))*cos(-(d*e - c*f)/d) - ((a^2*d*f*x + a^2*c*f)*cos_integral(2*(d*f*x + c*f)/d) + (a^2*d*f*x + a^2*c*f)*cos_integral(-2*(d*f*x + c*f)/d))*sin(-2*(d*e - c*f)/d))/(d^3*x + c*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{2 \sin(e+fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{\sin^2(e+fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(f*x+e))**2/(d*x+c)**2,x)
```

```
[Out] a**2*(Integral(2*sin(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(s
in(e + f*x)**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(1/(c**2 + 2*c*d*
x + d**2*x**2), x))
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.106 \quad \int \frac{(a+a \sin(e+fx))^2}{(c+dx)^3} dx$$

Optimal. Leaf size=225

$$\frac{a^2 f^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} + \frac{a^2 f^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \cos\left(2e - \frac{2cf}{d}\right)}{d^3} - \frac{a^2 f^2 \sin\left(2e - \frac{2cf}{d}\right) \operatorname{Si}\left(2\right)}{d^3}$$

[Out] (a^2*f^2*Cos[2*e - (2*c*f)/d]*CosIntegral[(2*c*f)/d + 2*f*x])/d^3 - (a^2*f^2*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d^3 - (4*a^2*f*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]^3)/(d^2*(c + d*x)) - (2*a^2*Sin[e/2 + Pi/4 + (f*x)/2]^4)/(d*(c + d*x)^2) - (a^2*f^2*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^3 - (a^2*f^2*Sin[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^3

Rubi [A] time = 0.506181, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {3318, 3314, 3309, 31, 3303, 3299, 3302, 3312}

$$\frac{a^2 f^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} + \frac{a^2 f^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \cos\left(2e - \frac{2cf}{d}\right)}{d^3} - \frac{a^2 f^2 \sin\left(2e - \frac{2cf}{d}\right) \operatorname{Si}\left(2\right)}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Sin[e + f*x])^2/(c + d*x)^3,x]

[Out] (a^2*f^2*Cos[2*e - (2*c*f)/d]*CosIntegral[(2*c*f)/d + 2*f*x])/d^3 - (a^2*f^2*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d^3 - (4*a^2*f*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]^3)/(d^2*(c + d*x)) - (2*a^2*Sin[e/2 + Pi/4 + (f*x)/2]^4)/(d*(c + d*x)^2) - (a^2*f^2*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^3 - (a^2*f^2*Sin[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^3

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(c + d*x)^(m + 1)*(b*Sin[e + f*x])^n/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3309

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + ((f_.)*(x_))/2]^2, x_Symbol] :> Dist[1/2, Int[(c + d*x)^m, x], x] - Dist[1/2, Int[(c + d*x)^m*Cos[2*e + f*x], x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 31

`Int[((a_) + (b_)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]`

Rule 3303

`Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 3299

`Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3312

`Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))`

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \sin(e + fx))^2}{(c + dx)^3} dx &= (4a^2) \int \frac{\sin^4\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right)}{(c + dx)^3} dx \\
 &= -\frac{4a^2 f \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d^2(c + dx)} - \frac{2a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)^2} + \frac{(6a^2 f^2) \int \frac{\sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{c + dx}}{d^2} \\
 &= -\frac{4a^2 f \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d^2(c + dx)} - \frac{2a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)^2} + \frac{(3a^2 f^2) \int \frac{1}{c + dx} dx}{d^2} \\
 &= -\frac{4a^2 f \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d^2(c + dx)} - \frac{2a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)^2} + \frac{(a^2 f^2) \int \frac{\cos(2e + 2fx)}{c + dx}}{d^2} \\
 &= \frac{3a^2 f^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} - \frac{4a^2 f \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d^2(c + dx)} - \frac{2a^2 \sin^4\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d(c + dx)} \\
 &= \frac{a^2 f^2 \cos\left(2e - \frac{2cf}{d}\right) \text{Ci}\left(\frac{2cf}{d} + 2fx\right)}{d^3} - \frac{a^2 f^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} - \frac{4a^2 f \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{d^2(c + dx)}
 \end{aligned}$$

Mathematica [A] time = 0.900699, size = 353, normalized size = 1.57

$$a^2 \left(4c^2 f^2 \sin\left(2e - \frac{2cf}{d}\right) \text{Si}\left(\frac{2f(c+dx)}{d}\right) + 4c^2 f^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right) + 4f^2(c + dx)^2 \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sin[e + f*x])^2/(c + d*x)^3,x]

[Out] $-(a^2(3d^2 + 4cd*Cos[e + fx] + 4d^2*f*x*Cos[e + fx] - d^2*Cos[2*(e + fx)] - 4f^2*(c + d*x)^2*Cos[2e - (2*c*f)/d]*CosIntegral[(2*f*(c + d*x))/d] + 4f^2*(c + d*x)^2*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + 4d^2*Sin[e + fx] + 2*c*d*f*Sin[2*(e + fx)] + 2*d^2*f*x*Sin[2*(e + fx)] + 4c^2*f^2*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + 8*c*d*f^2*x*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + 4*d^2*f^2*x^2*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + 4*c^2*f^2*Sin[2e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d] + 8*c*d*f^2*x*Sin[2e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d] + 4*d^2*f^2*x^2*Sin[2e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d]))/(4*d^3*(c + d*x)^2)$

Maple [A] time = 0.023, size = 347, normalized size = 1.5

$$\frac{1}{f} \left(-\frac{3a^2f^3}{4((fx+e)d+cf-de)^2d} - \frac{a^2f^3}{4} \left(-\frac{\cos(2fx+2e)}{((fx+e)d+cf-de)^2d} - \frac{1}{d} \left(-2\frac{\sin(2fx+2e)}{((fx+e)d+cf-de)d} + 2\frac{1}{d} \left(2\frac{1}{d} \text{Si} \left(2\frac{1}{d} \right) \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(f*x+e))^2/(d*x+c)^3,x)

[Out] $1/f*(-3/4*a^2*f^3/((f*x+e)*d+c*f-d*e)^2/d-1/4*a^2*f^3*(-\cos(2*f*x+2*e))/((f*x+e)*d+c*f-d*e)^2/d-(-2*\sin(2*f*x+2*e))/((f*x+e)*d+c*f-d*e)/d+2*(2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*\sin(2*(c*f-d*e)/d)/d+2*Ci(2*f*x+2*e+2*(c*f-d*e)/d)*\cos(2*(c*f-d*e)/d)/d)/d)+2*a^2*f^3*(-1/2*\sin(f*x+e)/((f*x+e)*d+c*f-d*e)^2/d+1/2*(-\cos(f*x+e))/((f*x+e)*d+c*f-d*e)/d-(Si(f*x+e+(c*f-d*e)/d)*\cos((c*f-d*e)/d)/d-Ci(f*x+e+(c*f-d*e)/d)*\sin((c*f-d*e)/d)/d)/d)$

Maxima [C] time = 1.95089, size = 641, normalized size = 2.85

$$\frac{32a^2f^3}{(fx+e)^2d^3+d^3e^2-2cd^2ef+c^2df^2-2(d^3e-cd^2f)(fx+e)} - \frac{64\left(f^3\left(-iE_3\left(\frac{i(fx+e)d-de+icf}{d}\right)+iE_3\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\cos\left(-\frac{de-cf}{d}\right)+f^3\left(E_3\left(\frac{i(fx+e)d-de+icf}{d}\right)\right)\right)}{(fx+e)^2d^3+d^3e^2-2cd^2ef+c^2df^2-2(d^3e-cd^2f)(fx+e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="maxima")

[Out] $-1/64*(32*a^2*f^3/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - 64*(f^3*(-I*exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\cos(-(d*e - c*f)/d) + f^3*(exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\sin(-(d*e - c*f)/d))*a^2/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - (16*f^3*(exp_integral_e(3, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + exp_integral_e(3, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*\cos(-2*(d*e - c*f)/d) + f^3*(16*I*exp_integral_e(3, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) - 16*I*exp_integral_e(3, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*\sin(-2*(d*e - c*f)/d) - 16*f^3*a^2/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)))/f$

Fricas [B] time = 2.07093, size = 1049, normalized size = 4.66

$$a^2 d^2 \cos(fx + e)^2 - 2 a^2 d^2 + 2 (a^2 d^2 f^2 x^2 + 2 a^2 c d f^2 x + a^2 c^2 f^2) \sin\left(-\frac{2(de - cf)}{d}\right) \operatorname{Si}\left(\frac{2(dfx + cf)}{d}\right) - 2 (a^2 d^2 f^2 x^2 + 2 a^2 c d f^2 x + a^2 c^2 f^2) \cos\left(-\frac{2(de - cf)}{d}\right) + 2 (a^2 d^2 f^2 x^2 + 2 a^2 c d f^2 x + a^2 c^2 f^2) \operatorname{Si}\left(\frac{2(dfx + cf)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="fricas")

[Out] 1/2*(a^2*d^2*cos(f*x + e)^2 - 2*a^2*d^2 + 2*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*sin(-2*(d*e - c*f)/d)*sin_integral(2*(d*f*x + c*f)/d) - 2*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) - 2*(a^2*d^2*f*x + a^2*c*d*f)*cos(f*x + e) + ((a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*cos_integral(2*(d*f*x + c*f)/d) + (a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*cos_integral(-2*(d*f*x + c*f)/d))*cos(-2*(d*e - c*f)/d) - 2*(a^2*d^2 + (a^2*d^2*f*x + a^2*c*d*f)*cos(f*x + e))*sin(f*x + e) + ((a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*cos_integral((d*f*x + c*f)/d) + (a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2)*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int \frac{2 \sin(e + fx)}{c^3 + 3c^2 dx + 3cd^2 x^2 + d^3 x^3} dx + \int \frac{\sin^2(e + fx)}{c^3 + 3c^2 dx + 3cd^2 x^2 + d^3 x^3} dx + \int \frac{1}{c^3 + 3c^2 dx + 3cd^2 x^2 + d^3 x^3} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)**3,x)

[Out] a**2*(Integral(2*sin(e + f*x)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(sin(e + f*x)**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(1/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

$$3.107 \quad \int \frac{(c+dx)^3}{a+a \sin(e+fx)} dx$$

Optimal. Leaf size=148

$$-\frac{12id^2(c+dx)\text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{af^3} + \frac{12d^3\text{PolyLog}\left(3, ie^{i(e+fx)}\right)}{af^4} + \frac{6d(c+dx)^2 \log\left(1 - ie^{i(e+fx)}\right)}{af^2} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{f*x}{2}\right)}{af}$$

[Out] $((-1)*(c + d*x)^3)/(a*f) - ((c + d*x)^3*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 - I*E^{(I*(e + f*x))}])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, I*E^{(I*(e + f*x))}])/(a*f^3) + (12*d^3*\text{PolyLog}[3, I*E^{(I*(e + f*x))}])/(a*f^4)$

Rubi [A] time = 0.306161, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$-\frac{12id^2(c+dx)\text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{af^3} + \frac{12d^3\text{PolyLog}\left(3, ie^{i(e+fx)}\right)}{af^4} + \frac{6d(c+dx)^2 \log\left(1 - ie^{i(e+fx)}\right)}{af^2} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{f*x}{2}\right)}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3/(a + a*Sin[e + f*x]), x]

[Out] $((-1)*(c + d*x)^3)/(a*f) - ((c + d*x)^3*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 - I*E^{(I*(e + f*x))}])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, I*E^{(I*(e + f*x))}])/(a*f^3) + (12*d^3*\text{PolyLog}[3, I*E^{(I*(e + f*x))}])/(a*f^4)$

Rule 3318

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol] :> Simp[(I*(c + d*x)^(m+1))/(d*(m+1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x)))^n)], x], x]

))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^((n_.))*((f_.) + (g_.)*(x_))^((m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^((m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^3}{a + a \sin(e + fx)} dx &= \frac{\int (c + dx)^3 \csc^2\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx}{2a} \\
 &= -\frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{(3d) \int (c + dx)^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{af} \\
 &= -\frac{i(c + dx)^3}{af} - \frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{(6d) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}(c + dx)^2}{1 - ie^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
 &= -\frac{i(c + dx)^3}{af} - \frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{6d(c + dx)^2 \log(1 - ie^{i(e + fx)})}{af^2} - \frac{(12d^2) \int (c + dx) \log(1 - ie^{i(e + fx)}) dx}{af^3} \\
 &= -\frac{i(c + dx)^3}{af} - \frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{6d(c + dx)^2 \log(1 - ie^{i(e + fx)})}{af^2} - \frac{12id^2(c + dx) \text{Li}_2(1 - ie^{i(e + fx)})}{af^3} \\
 &= -\frac{i(c + dx)^3}{af} - \frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{6d(c + dx)^2 \log(1 - ie^{i(e + fx)})}{af^2} - \frac{12id^2(c + dx) \text{Li}_2(1 - ie^{i(e + fx)})}{af^3} \\
 &= -\frac{i(c + dx)^3}{af} - \frac{(c + dx)^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{6d(c + dx)^2 \log(1 - ie^{i(e + fx)})}{af^2} - \frac{12id^2(c + dx) \text{Li}_2(1 - ie^{i(e + fx)})}{af^3}
 \end{aligned}$$

Mathematica [A] time = 1.03841, size = 126, normalized size = 0.85

$$\frac{-12id^2 f(c + dx) \text{PolyLog}\left(2, ie^{i(e + fx)}\right) + 12d^3 \text{PolyLog}\left(3, ie^{i(e + fx)}\right) + f^2(c + dx)^2 \left(f(c + dx) \tan\left(\frac{1}{4}(2e + 2fx - \pi)\right) - if(c + dx)\right)}{af^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + a*Sin[e + f*x]),x]

[Out] $((-12I)*d^2*f*(c + d*x)*PolyLog[2, I*E^{(I*(e + f*x))}] + 12*d^3*PolyLog[3, I*E^{(I*(e + f*x))}] + f^2*(c + d*x)^2*((-I)*f*(c + d*x) + 6*d*Log[1 - I*E^{(I*(e + f*x))}] + f*(c + d*x)*Tan[(2*e - Pi + 2*f*x)/4]))/(a*f^4)$

Maple [B] time = 0.141, size = 484, normalized size = 3.3

$$-2 \frac{d^3 x^3 + 3 c d^2 x^2 + 3 c^2 d x + c^3}{a f (e^{i(f x + e)} + i)} + 6 \frac{d^3 \ln(1 - i e^{i(f x + e)}) x^2}{a f^2} - 6 \frac{d^3 \ln(1 - i e^{i(f x + e)}) e^2}{f^4 a} + 6 \frac{\ln(e^{i(f x + e)} + i) c^2 d}{a f^2} + 6 \frac{d^3 e^2}{a f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a+a*sin(f*x+e)),x)

[Out] $-2*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/a/(exp(I*(f*x+e))+I)+6/f^2/a*d^3*ln(1-I*exp(I*(f*x+e)))*x^2-6/f^4/a*d^3*ln(1-I*exp(I*(f*x+e)))*e^2+6/f^2/a*ln(exp(I*(f*x+e))+I)*c^2*d+6/f^4/a*d^3*e^2*ln(exp(I*(f*x+e))+I)+6*I/f^3/a*d^3*e^2*x-6*I/f^3/a*c*d^2*e^2-12*I/f^3/a*d^3*polylog(2,I*exp(I*(f*x+e)))*x-6/f^4/a*d^3*e^2*ln(exp(I*(f*x+e)))+12*d^3*polylog(3,I*exp(I*(f*x+e)))/a/f^4-12*I/f^2/a*c*d^2*e*x-6*I/f/a*c*d^2*x^2-6/f^2/a*ln(exp(I*(f*x+e)))*c^2*d+12/f^3/a*c*d^2*e*ln(exp(I*(f*x+e)))-12/f^3/a*c*d^2*e*ln(exp(I*(f*x+e))+I)-2*I/f/a*d^3*x^3+4*I/f^4/a*d^3*e^3-12*I/f^3/a*c*d^2*polylog(2,I*exp(I*(f*x+e)))+12/f^2/a*c*d^2*ln(1-I*exp(I*(f*x+e)))*x+12/f^3/a*c*d^2*ln(1-I*exp(I*(f*x+e)))*e$

Maxima [B] time = 1.47734, size = 1315, normalized size = 8.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] $(6*(2*(f*x + e)*cos(f*x + e) - (cos(f*x + e))^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1))*c*d^2*e/(a*f^2*cos(f*x + e)^2 + a*f^2*sin(f*x + e)^2 + 2*a*f^2*sin(f*x + e) + a*f^2) - 6*c*d^2*e^2/(a*f^2 + a*f^2*sin(f*x + e)/(cos(f*x + e) + 1)) - 3*(2*(f*x + e)*cos(f*x + e) - (cos(f*x + e))^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1))*c^2*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 + 2*a*f*sin(f*x + e) + a*f) + 6*c^2*d*e/(a*f + a*f*sin(f*x + e)/(cos(f*x + e) + 1)) - 2*c^3/(a + a*sin(f*x + e)/(cos(f*x + e) + 1)) + (-2*I*d^3*e^3 + (6*d^3*e^2*cos(f*x + e) + 6*I*d^3*e^2*sin(f*x + e) + 6*I*d^3*e^2)*arctan2(sin(f*x + e) + 1, cos(f*x + e)) + (-6*I*(f*x + e)^2*d^3 + (12*I*d^3*e - 12*I*c*d^2*f)*(f*x + e) - 6*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*cos(f*x + e) + (-6*I*(f*x + e)^2*d^3 + (12*I*d^3*e - 12*I*c*d^2*f)*(f*x + e))*sin(f*x + e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*((f*x + e)^3*d^3 + 3*(f*x + e)*d^3*e^2 - 3*(d^3*e - c*d^2*f)*(f*x + e)^2)*cos(f*x + e) + (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f - 12*((f*x + e)*d^3 - d^3*e + c*d^2*f)*cos(f*x + e) + (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f)*sin(f*x + e))*dilog(I*e^{(I*f*x + I*e)}) + (3*(f*x + e)^2*d^3 + 3*d^3*e^2 - 6*(d^3*e - c*d^2*f)*(f*x + e) + (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*cos(f*x$

```
+ e) + 3*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*sin(f
*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) + (-12*I
*d^3*cos(f*x + e) + 12*d^3*sin(f*x + e) + 12*d^3)*polylog(3, I*e^(I*f*x + I
*e)) + (-2*I*(f*x + e)^3*d^3 - 6*I*(f*x + e)*d^3*e^2 + (6*I*d^3*e - 6*I*c*d
^2*f)*(f*x + e)^2)*sin(f*x + e))/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x + e
) + a*f^3))/f
```

Fricas [C] time = 2.02191, size = 2134, normalized size = 14.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+a*sin(f*x+e)),x, algorithm="fricas")
```

```
[Out] -(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3 + (d^3*f^3*x^3 +
3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*cos(f*x + e) - (-6*I*d^3*f*x - 6
*I*c*d^2*f + (-6*I*d^3*f*x - 6*I*c*d^2*f)*cos(f*x + e) + (-6*I*d^3*f*x - 6*
I*c*d^2*f)*sin(f*x + e))*dilog(I*cos(f*x + e) - sin(f*x + e)) - (6*I*d^3*f*
x + 6*I*c*d^2*f + (6*I*d^3*f*x + 6*I*c*d^2*f)*cos(f*x + e) + (6*I*d^3*f*x +
6*I*c*d^2*f)*sin(f*x + e))*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 3*(d^3*
e^2 - 2*c*d^2*e*f + c^2*d*f^2 + (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*cos(f*x
+ e) + (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*sin(f*x + e))*log(cos(f*x + e)
+ I*sin(f*x + e) + I) - 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*
e*f + (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*cos(f*x + e) +
(d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*sin(f*x + e))*log(I*c
os(f*x + e) + sin(f*x + e) + 1) - 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2
+ 2*c*d^2*e*f + (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*cos(f
*x + e) + (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*sin(f*x + e
))*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(d^3*e^2 - 2*c*d^2*e*f + c^2
*d*f^2 + (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*cos(f*x + e) + (d^3*e^2 - 2*c*
d^2*e*f + c^2*d*f^2)*sin(f*x + e))*log(-cos(f*x + e) + I*sin(f*x + e) + I)
- 6*(d^3*cos(f*x + e) + d^3*sin(f*x + e) + d^3)*polylog(3, I*cos(f*x + e) -
sin(f*x + e)) - 6*(d^3*cos(f*x + e) + d^3*sin(f*x + e) + d^3)*polylog(3, -
I*cos(f*x + e) - sin(f*x + e)) - (d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f
^3*x + c^3*f^3)*sin(f*x + e))/(a*f^4*cos(f*x + e) + a*f^4*sin(f*x + e) + a*
f^4)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^3}{\sin(e+fx)+1} dx + \int \frac{d^3x^3}{\sin(e+fx)+1} dx + \int \frac{3cd^2x^2}{\sin(e+fx)+1} dx + \int \frac{3c^2dx}{\sin(e+fx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**3/(a+a*sin(f*x+e)),x)
```

```
[Out] (Integral(c**3/(sin(e + f*x) + 1), x) + Integral(d**3*x**3/(sin(e + f*x) +
1), x) + Integral(3*c*d**2*x**2/(sin(e + f*x) + 1), x) + Integral(3*c**2*d*
x/(sin(e + f*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{a \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+a*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3/(a*sin(f*x + e) + a), x)
```

3.108 $\int \frac{(c+dx)^2}{a+a \sin(e+fx)} dx$

Optimal. Leaf size=113

$$-\frac{4id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{af^3} + \frac{4d(c+dx) \log\left(1 - ie^{i(e+fx)}\right)}{af^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} - \frac{i(c+dx)^2}{af}$$

[Out] $((-1)*(c + d*x)^2)/(a*f) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f) + (4*d*(c + d*x)*\text{Log}[1 - I*E^(I*(e + f*x))])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2, I*E^(I*(e + f*x))])/(a*f^3)$

Rubi [A] time = 0.21833, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {3318, 4184, 3717, 2190, 2279, 2391}

$$-\frac{4id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{af^3} + \frac{4d(c+dx) \log\left(1 - ie^{i(e+fx)}\right)}{af^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} - \frac{i(c+dx)^2}{af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2/(a + a*\text{Sin}[e + f*x]), x]$

[Out] $((-1)*(c + d*x)^2)/(a*f) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f) + (4*d*(c + d*x)*\text{Log}[1 - I*E^(I*(e + f*x))])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2, I*E^(I*(e + f*x))])/(a*f^3)$

Rule 3318

$\text{Int}[(c + d*x)^m * \sin(e + f*x)^n, x_Symbol] \rightarrow \text{Dist}[(2*a)^n, \text{Int}[(c + d*x)^m * \text{Sin}[(1*(e + (Pi*a)/(2*b))]/2 + (f*x)/2]^{(2*n)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])$

Rule 4184

$\text{Int}[\text{csc}(e + f*x)^2 * (c + d*x)^m, x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m * \text{Cot}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} * \text{Cot}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3717

$\text{Int}[(c + d*x)^m * \tan(e + Pi*k + f*x), x_Symbol] \rightarrow \text{Simp}[(I*(c + d*x)^{m+1})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}/(1 + E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[4*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F + (g + f*x)^n)^m * (c + d*x)^m, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F + (g + f*x)^n)/a)]/(b*f*g*n * \text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n * \text{Log}[F]), \text{Int}[(c + d*x)^{m-1} * \text{Log}[1 + (b*(F + (g + f*x)^n)/a)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(c+dx)^2}{a+a\sin(e+fx)} dx &= \frac{\int (c+dx)^2 \csc^2\left(\frac{1}{2}\left(e+\frac{\pi}{2}\right)+\frac{fx}{2}\right) dx}{2a} \\ &= -\frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{(2d) \int (c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) dx}{af} \\ &= -\frac{i(c+dx)^2}{af} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{(4d) \int \frac{e^{2i\left(\frac{e}{2}+\frac{fx}{2}\right)(c+dx)}}{1-ie^{2i\left(\frac{e}{2}+\frac{fx}{2}\right)}} dx}{af} \\ &= -\frac{i(c+dx)^2}{af} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{4d(c+dx) \log(1-ie^{i(e+fx)})}{af^2} - \frac{(4d^2) \int \log(1-)}{af} \\ &= -\frac{i(c+dx)^2}{af} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{4d(c+dx) \log(1-ie^{i(e+fx)})}{af^2} + \frac{(4id^2) \text{Subst}\left(\int\right)}{af^2} \\ &= -\frac{i(c+dx)^2}{af} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{4d(c+dx) \log(1-ie^{i(e+fx)})}{af^2} - \frac{4id^2 \text{Li}_2\left(ie^{i(e+fx)}\right)}{af^3} \end{aligned}$$

Mathematica [A] time = 0.654299, size = 94, normalized size = 0.83

$$\frac{f(c+dx) \left(f(c+dx) \tan\left(\frac{1}{4}(2e+2fx-\pi)\right) - if(c+dx) + 4d \log(1-ie^{i(e+fx)}) \right) - 4id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{af^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2/(a + a*Sin[e + f*x]),x]
```

```
[Out] ((-4*I)*d^2*PolyLog[2, I*E^(I*(e + f*x))] + f*(c + d*x)*((-I)*f*(c + d*x) +
4*d*Log[1 - I*E^(I*(e + f*x))] + f*(c + d*x)*Tan[(2*e - Pi + 2*f*x)/4]))/(
a*f^3)
```

Maple [B] time = 0.07, size = 254, normalized size = 2.3

$$-2 \frac{d^2 x^2 + 2cdx + c^2}{af \left(e^{i(fx+e)} + i \right)} + 4 \frac{\ln \left(e^{i(fx+e)} + i \right) cd}{af^2} - 4 \frac{\ln \left(e^{i(fx+e)} \right) cd}{af^2} - \frac{2id^2 x^2}{af} - \frac{4id^2 ex}{af^2} - \frac{2id^2 e^2}{f^3 a} + 4 \frac{d^2 \ln \left(1 - ie^{i(fx+e)} \right)}{af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^2/(a+a*sin(f*x+e)),x)
```

```
[Out] -2*(d^2*x^2+2*c*d*x+c^2)/f/a/(exp(I*(f*x+e))+I)+4/f^2/a*ln(exp(I*(f*x+e))+I)
)*c*d-4/f^2/a*ln(exp(I*(f*x+e)))*c*d-2*I/f/a*d^2*x^2-4*I/f^2/a*d^2*e*x-2*I/
f^3/a*d^2*e^2+4/f^2/a*d^2*ln(1-I*exp(I*(f*x+e)))*x+4/f^3/a*d^2*ln(1-I*exp(I
*(f*x+e)))*e-4*I*d^2*polylog(2,I*exp(I*(f*x+e)))/a/f^3-4/f^3/a*d^2*e*ln(exp
(I*(f*x+e))+I)+4/f^3/a*d^2*e*ln(exp(I*(f*x+e)))
```

Maxima [B] time = 1.35275, size = 421, normalized size = 3.73

$$2ic^2f^2 + (4cdf \cos(fx + e) + 4icdf \sin(fx + e) + 4icdf) \arctan(\sin(fx + e) + 1, \cos(fx + e)) - (4d^2fx \cos(fx + e) + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="maxima")
```

```
[Out] (2*I*c^2*f^2 + (4*c*d*f*cos(f*x + e) + 4*I*c*d*f*sin(f*x + e) + 4*I*c*d*f)*
arctan2(sin(f*x + e) + 1, cos(f*x + e)) - (4*d^2*f*x*cos(f*x + e) + 4*I*d^2
*f*x*sin(f*x + e) + 4*I*d^2*f*x)*arctan2(cos(f*x + e), sin(f*x + e) + 1) -
2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*cos(f*x + e) - (4*d^2*cos(f*x + e) + 4*I*d^2*
sin(f*x + e) + 4*I*d^2)*dilog(I*e^(I*f*x + I*e)) + (2*d^2*f*x + 2*c*d*f + (
-2*I*d^2*f*x - 2*I*c*d*f)*cos(f*x + e) + 2*(d^2*f*x + c*d*f)*sin(f*x + e))*
log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) + (-2*I*d^2*f^2*x
^2 - 4*I*c*d*f^2*x)*sin(f*x + e))/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x +
e) + a*f^3)
```

Fricas [B] time = 1.81435, size = 1196, normalized size = 10.58

$$d^2f^2x^2 + 2cdf^2x + c^2f^2 + (d^2f^2x^2 + 2cdf^2x + c^2f^2) \cos(fx + e) - (-2id^2 \cos(fx + e) - 2id^2 \sin(fx + e) - 2id^2) L$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="fricas")
```

```
[Out] -(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^
2)*cos(f*x + e) - (-2*I*d^2*cos(f*x + e) - 2*I*d^2*sin(f*x + e) - 2*I*d^2)*
dilog(I*cos(f*x + e) - sin(f*x + e)) - (2*I*d^2*cos(f*x + e) + 2*I*d^2*sin(
f*x + e) + 2*I*d^2)*dilog(-I*cos(f*x + e) - sin(f*x + e)) + 2*(d^2*e - c*d*
f + (d^2*e - c*d*f)*cos(f*x + e) + (d^2*e - c*d*f)*sin(f*x + e))*log(cos(f*
x + e) + I*sin(f*x + e) + I) - 2*(d^2*f*x + d^2*e + (d^2*f*x + d^2*e)*cos(f
*x + e) + (d^2*f*x + d^2*e)*sin(f*x + e))*log(I*cos(f*x + e) + sin(f*x + e)
+ 1) - 2*(d^2*f*x + d^2*e + (d^2*f*x + d^2*e)*cos(f*x + e) + (d^2*f*x + d^
2*e)*sin(f*x + e))*log(-I*cos(f*x + e) + sin(f*x + e) + 1) + 2*(d^2*e - c*d
*f + (d^2*e - c*d*f)*cos(f*x + e) + (d^2*e - c*d*f)*sin(f*x + e))*log(-cos(
f*x + e) + I*sin(f*x + e) + I) - (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*sin(
f*x + e))/(a*f^3*cos(f*x + e) + a*f^3*sin(f*x + e) + a*f^3)
```


Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^2}{\sin(e+fx)+1} dx + \int \frac{d^2x^2}{\sin(e+fx)+1} dx + \int \frac{2cdx}{\sin(e+fx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+a*sin(f*x+e)),x)

[Out] (Integral(c**2/(sin(e + f*x) + 1), x) + Integral(d**2*x**2/(sin(e + f*x) + 1), x) + Integral(2*c*d*x/(sin(e + f*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{a \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*sin(f*x + e) + a), x)

$$3.109 \quad \int \frac{c+dx}{a+a \sin(e+fx)} dx$$

Optimal. Leaf size=60

$$\frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{af^2} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af}$$

[Out] -(((c + d*x)*Cot[e/2 + Pi/4 + (f*x)/2])/(a*f)) + (2*d*Log[Sin[e/2 + Pi/4 + (f*x)/2]])/(a*f^2)

Rubi [A] time = 0.0636577, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3318, 4184, 3475}

$$\frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{af^2} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + a*Sin[e + f*x]),x]

[Out] -(((c + d*x)*Cot[e/2 + Pi/4 + (f*x)/2])/(a*f)) + (2*d*Log[Sin[e/2 + Pi/4 + (f*x)/2]])/(a*f^2)

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{c+dx}{a+a \sin(e+fx)} dx &= \frac{\int (c+dx) \csc^2\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx}{2a} \\ &= -\frac{(c+dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{d \int \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{af} \\ &= -\frac{(c+dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)\right)}{af^2} \end{aligned}$$

Mathematica [A] time = 0.149789, size = 51, normalized size = 0.85

$$\frac{f(c + dx) \tan\left(\frac{1}{4}(2e + 2fx - \pi)\right) + 2d \log\left(\cos\left(\frac{1}{4}(2e + 2fx - \pi)\right)\right)}{af^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + a*Sin[e + f*x]),x]

[Out] (2*d*Log[Cos[(2*e - Pi + 2*f*x)/4]] + f*(c + d*x)*Tan[(2*e - Pi + 2*f*x)/4])/(a*f^2)

Maple [B] time = 0.043, size = 122, normalized size = 2.

$$-2 \frac{c}{af \left(\tan\left(\frac{1}{2}fx + \frac{e}{2}\right) + 1\right)} + \frac{dx}{af} \tan\left(\frac{fx}{2} + \frac{e}{2}\right) \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right)^{-1} - \frac{dx}{af} \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right)^{-1} + 2 \frac{d \ln\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right)}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+a*sin(f*x+e)),x)

[Out] -2/a*c/f/(tan(1/2*f*x+1/2*e)+1)+1/a*d/(tan(1/2*f*x+1/2*e)+1)*x/f*tan(1/2*f*x+1/2*e)-1/a*d/(tan(1/2*f*x+1/2*e)+1)*x/f+2/a*d/f^2*ln(tan(1/2*f*x+1/2*e)+1)-1/a*d/f^2*ln(1+tan(1/2*f*x+1/2*e)^2)

Maxima [B] time = 0.985481, size = 228, normalized size = 3.8

$$\frac{\left(2(fx+e)\cos(fx+e)-(\cos(fx+e)^2+\sin(fx+e)^2+2\sin(fx+e)+1)\log(\cos(fx+e)^2+\sin(fx+e)^2+2\sin(fx+e)+1)\right)d}{af\cos(fx+e)^2+af\sin(fx+e)^2+2af\sin(fx+e)+af} - \frac{2de}{af+\frac{af\sin(fx+e)}{\cos(fx+e)+1}} + \frac{2c}{a+\frac{a\sin(fx+e)}{\cos(fx+e)+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] -((2*(f*x + e)*cos(f*x + e) - (cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1))*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 + 2*a*f*sin(f*x + e) + a*f) - 2*d*e/(a*f + a*f*sin(f*x + e)/(cos(f*x + e) + 1)) + 2*c/(a + a*sin(f*x + e)/(cos(f*x + e) + 1)))/f

Fricas [B] time = 1.77034, size = 251, normalized size = 4.18

$$\frac{dfx + cf + (dfx + cf) \cos(fx + e) - (d \cos(fx + e) + d \sin(fx + e) + d) \log(\sin(fx + e) + 1) - (dfx + cf) \sin(fx + e)}{af^2 \cos(fx + e) + af^2 \sin(fx + e) + af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*sin(f*x+e)),x, algorithm="fricas")

```
[Out] -(d*f*x + c*f + (d*f*x + c*f)*cos(f*x + e) - (d*cos(f*x + e) + d*sin(f*x + e) + d)*log(sin(f*x + e) + 1) - (d*f*x + c*f)*sin(f*x + e))/(a*f^2*cos(f*x + e) + a*f^2*sin(f*x + e) + a*f^2)
```

Sympy [A] time = 1.12534, size = 272, normalized size = 4.53

$$\left\{ \begin{array}{l} -\frac{2cf}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} + \frac{dfx \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} - \frac{dfx}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} + \frac{2d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} + \frac{2d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} - \frac{d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) + af^2} \\ \frac{cx + \frac{dx^2}{2}}{a \sin(e) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+a*sin(f*x+e)),x)
```

```
[Out] Piecewise((-2*c*f/(a*f**2*tan(e/2 + f*x/2) + a*f**2) + d*f*x*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) + a*f**2) - d*f*x/(a*f**2*tan(e/2 + f*x/2) + a*f**2) + 2*d*log(tan(e/2 + f*x/2) + 1)*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) + a*f**2) + 2*d*log(tan(e/2 + f*x/2) + 1)/(a*f**2*tan(e/2 + f*x/2) + a*f**2) - d*log(tan(e/2 + f*x/2)**2 + 1)*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) + a*f**2) - d*log(tan(e/2 + f*x/2)**2 + 1)/(a*f**2*tan(e/2 + f*x/2) + a*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(a*sin(e) + a), True))
```

Giac [B] time = 1.24122, size = 940, normalized size = 15.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+a*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] -(d*f*x*tan(1/2*f*x)*tan(1/2*e) + d*f*x*tan(1/2*f*x) + d*f*x*tan(1/2*e) + c*f*tan(1/2*f*x)*tan(1/2*e) - d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2*f*x)*tan(1/2*e) - d*f*x + c*f*tan(1/2*f*x) + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2*f*x) + c*f*tan(1/2*e) + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2*e) - c*f + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1)))/(a*f^2*tan(1/2*f*x)*tan(1/2*e) - a*f^2*tan(1/2*f*x) - a*f^2*tan(1/2*e) - a*f^2)
```

$$3.110 \quad \int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)(a \sin(e+fx)+a)}, x\right)$$

[Out] Unintegrable[1/((c + d*x)*(a + a*Sin[e + f*x])), x]

Rubi [A] time = 0.0606529, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a + a*Sin[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a + a*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx = \int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx$$

Mathematica [A] time = 4.76525, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a + a*Sin[e + f*x])), x]

[Out] Integrate[1/((c + d*x)*(a + a*Sin[e + f*x])), x]

Maple [A] time = 0.133, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(a+a \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+a*sin(f*x+e)), x)

[Out] int(1/(d*x+c)/(a+a*sin(f*x+e)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{adx + ac + (adx + ac)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c + (a*d*x + a*c)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{1}{c \sin(e+fx)+c+dx \sin(e+fx)+dx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e)),x)

[Out] Integral(1/(c*sin(e + f*x) + c + d*x*sin(e + f*x) + d*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)(a \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*sin(f*x + e) + a)), x)

$$3.111 \quad \int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2(a \sin(e+fx)+a)}, x\right)$$

[Out] Unintegrable[1/((c + d*x)^2*(a + a*Sin[e + f*x])), x]

Rubi [A] time = 0.0651236, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + a*Sin[e + f*x])),x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx$$

Mathematica [A] time = 4.61851, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + a*Sin[e + f*x])),x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Sin[e + f*x])), x]

Maple [A] time = 0.325, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)^2(a+a \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+a*sin(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a+a*sin(f*x+e)),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 + (ad^2x^2 + 2acdx + ac^2)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{1}{c^2 \sin(e + fx) + c^2 + 2cdx \sin(e + fx) + 2cdx + d^2x^2 \sin(e + fx) + d^2x^2} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+a*sin(f*x+e)),x)

[Out] Integral(1/(c**2*sin(e + f*x) + c**2 + 2*c*d*x*sin(e + f*x) + 2*c*d*x + d**2*x**2*sin(e + f*x) + d**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)^2(a \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(a*sin(f*x + e) + a)), x)

$$3.112 \quad \int \frac{(c+dx)^3}{(a+a \sin(e+fx))^2} dx$$

Optimal. Leaf size=309

$$\frac{4id^2(c+dx)\text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{a^2f^3} + \frac{4d^3\text{PolyLog}\left(3, ie^{i(e+fx)}\right)}{a^2f^4} - \frac{2d^2(c+dx)\cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{a^2f^3} + \frac{2d(c+dx)^2\log\left(1 - I^*E^{(I^*(e+fx))}\right)}{a^2f^2}$$

```
[Out] ((-I/3)*(c + d*x)^3)/(a^2*f) - (2*d^2*(c + d*x)*Cot[e/2 + Pi/4 + (f*x)/2])/(a^2*f^3) - ((c + d*x)^3*Cot[e/2 + Pi/4 + (f*x)/2])/(3*a^2*f) - (d*(c + d*x)^2*Csc[e/2 + Pi/4 + (f*x)/2]^2)/(2*a^2*f^2) - ((c + d*x)^3*Cot[e/2 + Pi/4 + (f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]^2)/(6*a^2*f) + (2*d*(c + d*x)^2*Log[1 - I^*E^(I^*(e + f*x))])/(a^2*f^2) + (4*d^3*Log[Sin[e/2 + Pi/4 + (f*x)/2]])/(a^2*f^4) - ((4*I)*d^2*(c + d*x)*PolyLog[2, I^*E^(I^*(e + f*x))])/(a^2*f^3) + (4*d^3*PolyLog[3, I^*E^(I^*(e + f*x))])/(a^2*f^4)
```

Rubi [A] time = 0.376733, antiderivative size = 309, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$, Rules used = {3318, 4186, 4184, 3475, 3717, 2190, 2531, 2282, 6589}

$$\frac{4id^2(c+dx)\text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{a^2f^3} + \frac{4d^3\text{PolyLog}\left(3, ie^{i(e+fx)}\right)}{a^2f^4} - \frac{2d^2(c+dx)\cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{a^2f^3} + \frac{2d(c+dx)^2\log\left(1 - I^*E^{(I^*(e+fx))}\right)}{a^2f^2}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^3/(a + a*Sin[e + f*x])^2, x]
```

```
[Out] ((-I/3)*(c + d*x)^3)/(a^2*f) - (2*d^2*(c + d*x)*Cot[e/2 + Pi/4 + (f*x)/2])/(a^2*f^3) - ((c + d*x)^3*Cot[e/2 + Pi/4 + (f*x)/2])/(3*a^2*f) - (d*(c + d*x)^2*Csc[e/2 + Pi/4 + (f*x)/2]^2)/(2*a^2*f^2) - ((c + d*x)^3*Cot[e/2 + Pi/4 + (f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]^2)/(6*a^2*f) + (2*d*(c + d*x)^2*Log[1 - I^*E^(I^*(e + f*x))])/(a^2*f^2) + (4*d^3*Log[Sin[e/2 + Pi/4 + (f*x)/2]])/(a^2*f^4) - ((4*I)*d^2*(c + d*x)*PolyLog[2, I^*E^(I^*(e + f*x))])/(a^2*f^3) + (4*d^3*PolyLog[3, I^*E^(I^*(e + f*x))])/(a^2*f^4)
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)])*(b_.)^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
```

$t[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

$\text{Int}[\tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d*x], x]]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3717

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\tan[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)], x_Symbol] := \text{Simp}[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}/(1 + E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}), x], x] /;$ FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

$\text{Int}[(((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))})^{(n_.)}), x_Symbol] := \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n]/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))})^n]/a], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] := -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n], x], x] /;$ FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

$\text{Int}[u_, x_Symbol] := \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x]] /;$ FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^{(n_)})^{(m_)} /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^{((c_.)*((a_.) + (b_.)*x))* (F_)[v_]} /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x_Symbol] := \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /;$ FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{(a+a\sin(e+fx))^2} dx &= \frac{\int (c+dx)^3 \csc^4\left(\frac{1}{2}\left(e+\frac{\pi}{2}\right)+\frac{fx}{2}\right) dx}{4a^2} \\
&= -\frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c+dx)^3 \csc^4\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) dx}{4a^2} \\
&= -\frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} \\
&= -\frac{i(c+dx)^3}{3a^2 f} - \frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} \\
&= -\frac{i(c+dx)^3}{3a^2 f} - \frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} \\
&= -\frac{i(c+dx)^3}{3a^2 f} - \frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} \\
&= -\frac{i(c+dx)^3}{3a^2 f} - \frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2} \\
&= -\frac{i(c+dx)^3}{3a^2 f} - \frac{2d^2(c+dx) \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{a^2 f^3} - \frac{(c+dx)^3 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx)^2 \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{2a^2 f^2}
\end{aligned}$$

Mathematica [A] time = 1.90441, size = 257, normalized size = 0.83

$$\frac{24d^2(d\text{PolyLog}(3,ie^{i(e+fx)})-if(c+dx)\text{PolyLog}(2,ie^{i(e+fx)}))}{f^2} + \frac{12d^2(c+dx)\tan\left(\frac{1}{4}(2e+2fx-\pi)\right)}{f} + 12d(c+dx)^2 \log(1-ie^{i(e+fx)}) + 2f(c+dx)^2$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + a*Sin[e + f*x])^2,x]

[Out] ((-2*I)*f*(c + d*x)^3 + 12*d*(c + d*x)^2*Log[1 - I*E^(I*(e + f*x))] + (24*d^3*Log[Cos[(2*e - Pi + 2*f*x)/4]])/f^2 + (24*d^2*(-I)*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))] + d*PolyLog[3, I*E^(I*(e + f*x))])/f^2 - 3*d*(c + d*x)^2*Sec[(2*e - Pi + 2*f*x)/4]^2 + (12*d^2*(c + d*x)*Tan[(2*e - Pi + 2*f*x)/4])/f + 2*f*(c + d*x)^3*Tan[(2*e - Pi + 2*f*x)/4] + f*(c + d*x)^3*Sec[(2*e - Pi + 2*f*x)/4]^2*Tan[(2*e - Pi + 2*f*x)/4])/(6*a^2*f^2)

Maple [B] time = 0.641, size = 807, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a+a*sin(f*x+e))^2,x)

[Out] -4*I/f^3/a^2*polylog(2,I*exp(I*(f*x+e)))*d^3*x-4*I/f^2/a^2*c*d^2*e*x+2/f^4/a^2*ln(exp(I*(f*x+e))+I)*d^3*e^2-2/f^4/a^2*ln(1-I*exp(I*(f*x+e)))*d^3*e^2-2

$$\begin{aligned} & /f^4/a^2*\ln(\exp(I*(f*x+e))) *d^3*e^2+2/f^2/a^2*\ln(\exp(I*(f*x+e))+I)*c^2*d-2/ \\ & f^2/a^2*\ln(\exp(I*(f*x+e))) *c^2*d+2*I/f^3/a^2*d^3*e^2*x-2*I/f^3/a^2*c*d^2*e^ \\ & 2-4/f^3/a^2*\ln(\exp(I*(f*x+e))+I)*c*d^2*e+4/f^3/a^2*\ln(\exp(I*(f*x+e))) *c*d^2 \\ & *e+4/f^2/a^2*\ln(1-I*\exp(I*(f*x+e))) *c*d^2*x+4/f^3/a^2*\ln(1-I*\exp(I*(f*x+e))) \\ &) *c*d^2*e+2/f^2/a^2*\ln(1-I*\exp(I*(f*x+e))) *d^3*x^2-2/3*I/f/a^2*d^3*x^3-2*I/ \\ & f/a^2*c*d^2*x^2+4/3*I/f^4/a^2*d^3*e^3-2/3*I*(6*I*c*d^2+3*d^3*f^2*x^3*\exp(I* \\ & (f*x+e))+I*c^3*f^2+3*I*c^2*d*f^2*x+9*c*d^2*f^2*x^2*\exp(I*(f*x+e))+3*f*d^3*x \\ & ^2*\exp(2*I*(f*x+e))+3*I*c*d^2*f^2*x^2-6*I*d^3*x*\exp(2*I*(f*x+e))+I*d^3*f^2*x \\ & x^3+9*c^2*d*f^2*x*\exp(I*(f*x+e))+6*f*c*d^2*x*\exp(2*I*(f*x+e))+3*I*f*c^2*d*e \\ & xp(I*(f*x+e))+6*I*d^3*x+3*I*f*d^3*x^2*\exp(I*(f*x+e))+3*c^3*f^2*\exp(I*(f*x+e \\ &))+3*f*c^2*d*\exp(2*I*(f*x+e))+6*I*f*c*d^2*x*\exp(I*(f*x+e))+12*d^3*x*\exp(I*(\\ & f*x+e))-6*I*c*d^2*\exp(2*I*(f*x+e))+12*c*d^2*\exp(I*(f*x+e)))/(exp(I*(f*x+e)) \\ & +I)^3/f^3/a^2-4*I/f^3/a^2*c*d^2*polylog(2,I*\exp(I*(f*x+e)))+4*d^3*polylog(3 \\ & ,I*\exp(I*(f*x+e)))/a^2/f^4+4/f^4/a^2*\ln(\exp(I*(f*x+e))+I)*d^3-4/f^4/a^2*\ln(\\ & \exp(I*(f*x+e))) *d^3 \end{aligned}$$

Maxima [B] time = 4.04143, size = 4834, normalized size = 15.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/3*(6*c*d^2*e^2*(3*\sin(f*x + e)/(\cos(f*x + e) + 1) + 3*\sin(f*x + e)^2/(\cos \\ & (f*x + e) + 1)^2 + 2)/(a^2*f^2 + 3*a^2*f^2*\sin(f*x + e)/(\cos(f*x + e) + 1) \\ & + 3*a^2*f^2*\sin(f*x + e)^2/(\cos(f*x + e) + 1)^2 + a^2*f^2*\sin(f*x + e)^3/(\cos \\ & (f*x + e) + 1)^3) + 6*(2*(f*x + 3*(f*x + e))*\sin(f*x + e) + e + \cos(f*x + \\ & e) + \sin(2*f*x + 2*e))*\cos(3*f*x + 3*e) - 2*(9*(f*x + e)*\cos(f*x + e) - 6* \\ & \sin(f*x + e) - 1)*\cos(2*f*x + 2*e) - 6*\cos(2*f*x + 2*e)^2 - 6*\cos(f*x + e)^2 \\ & - (6*(\cos(f*x + e) + \sin(2*f*x + 2*e))*\cos(3*f*x + 3*e) - \cos(3*f*x + 3*e) \\ &)^2 + 6*(3*\sin(f*x + e) + 1)*\cos(2*f*x + 2*e) - 9*\cos(2*f*x + 2*e)^2 - 9*\cos \\ & (f*x + e)^2 - 2*(3*\cos(2*f*x + 2*e) - 3*\sin(f*x + e) - 1)*\sin(3*f*x + 3*e) \\ & - \sin(3*f*x + 3*e)^2 - 18*\cos(f*x + e)*\sin(2*f*x + 2*e) - 9*\sin(2*f*x + 2* \\ & e)^2 - 9*\sin(f*x + e)^2 - 6*\sin(f*x + e) - 1)*\log(\cos(f*x + e)^2 + \sin(f*x \\ & + e)^2 + 2*\sin(f*x + e) + 1) - 2*(3*(f*x + e)*\cos(f*x + e) + \cos(2*f*x + 2* \\ & e) - \sin(f*x + e))*\sin(3*f*x + 3*e) - 6*(f*x + 3*(f*x + e))*\sin(f*x + e) + e \\ & + 2*\cos(f*x + e))*\sin(2*f*x + 2*e) - 6*\sin(2*f*x + 2*e)^2 - 6*\sin(f*x + e) \\ & ^2 - 2*\sin(f*x + e))*c*d^2*e/(a^2*f^2*\cos(3*f*x + 3*e)^2 + 9*a^2*f^2*\cos(2* \\ & f*x + 2*e)^2 + 9*a^2*f^2*\cos(f*x + e)^2 + a^2*f^2*\sin(3*f*x + 3*e)^2 + 18*a \\ & ^2*f^2*\cos(f*x + e)*\sin(2*f*x + 2*e) + 9*a^2*f^2*\sin(2*f*x + 2*e)^2 + 9*a^2 \\ & *f^2*\sin(f*x + e)^2 + 6*a^2*f^2*\sin(f*x + e) + a^2*f^2 - 6*(a^2*f^2*\cos(f*x \\ & + e) + a^2*f^2*\sin(2*f*x + 2*e))*\cos(3*f*x + 3*e) - 6*(3*a^2*f^2*\sin(f*x + \\ & e) + a^2*f^2)*\cos(2*f*x + 2*e) + 2*(3*a^2*f^2*\cos(2*f*x + 2*e) - 3*a^2*f^2 \\ & *\sin(f*x + e) - a^2*f^2)*\sin(3*f*x + 3*e)) - 6*c^2*d*e*(3*\sin(f*x + e)/(\cos \\ & (f*x + e) + 1) + 3*\sin(f*x + e)^2/(\cos(f*x + e) + 1)^2 + 2)/(a^2*f + 3*a^2* \\ & f*\sin(f*x + e)/(\cos(f*x + e) + 1) + 3*a^2*f*\sin(f*x + e)^2/(\cos(f*x + e) + \\ & 1)^2 + a^2*f*\sin(f*x + e)^3/(\cos(f*x + e) + 1)^3) - 3*(2*(f*x + 3*(f*x + e) \\ & *\sin(f*x + e) + e + \cos(f*x + e) + \sin(2*f*x + 2*e))*\cos(3*f*x + 3*e) - 2*(\\ & 9*(f*x + e)*\cos(f*x + e) - 6*\sin(f*x + e) - 1)*\cos(2*f*x + 2*e) - 6*\cos(2*f \\ & *x + 2*e)^2 - 6*\cos(f*x + e)^2 - (6*(\cos(f*x + e) + \sin(2*f*x + 2*e))*\cos(3 \\ & *f*x + 3*e) - \cos(3*f*x + 3*e)^2 + 6*(3*\sin(f*x + e) + 1)*\cos(2*f*x + 2*e) \\ & - 9*\cos(2*f*x + 2*e)^2 - 9*\cos(f*x + e)^2 - 2*(3*\cos(2*f*x + 2*e) - 3*\sin(f \\ & *x + e) - 1)*\sin(3*f*x + 3*e) - \sin(3*f*x + 3*e)^2 - 18*\cos(f*x + e)*\sin(2* \\ & f*x + 2*e) - 9*\sin(2*f*x + 2*e)^2 - 9*\sin(f*x + e)^2 - 6*\sin(f*x + e) - 1)* \\ & \log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) - 2*(3*(f*x + e)* \\ & \cos(f*x + e) + \cos(2*f*x + 2*e) - \sin(f*x + e))*\sin(3*f*x + 3*e) - 6*(f*x + \end{aligned}$$

$$\begin{aligned}
& 3*(f*x + e)*\sin(f*x + e) + e + 2*\cos(f*x + e))*\sin(2*f*x + 2*e) - 6*\sin(2* \\
& f*x + 2*e)^2 - 6*\sin(f*x + e)^2 - 2*\sin(f*x + e))*c^2*d/(a^2*f*\cos(3*f*x + \\
& 3*e)^2 + 9*a^2*f*\cos(2*f*x + 2*e)^2 + 9*a^2*f*\cos(f*x + e)^2 + a^2*f*\sin(3* \\
& f*x + 3*e)^2 + 18*a^2*f*\cos(f*x + e)*\sin(2*f*x + 2*e) + 9*a^2*f*\sin(2*f*x + \\
& 2*e)^2 + 9*a^2*f*\sin(f*x + e)^2 + 6*a^2*f*\sin(f*x + e) + a^2*f - 6*(a^2*f* \\
& \cos(f*x + e) + a^2*f*\sin(2*f*x + 2*e))*\cos(3*f*x + 3*e) - 6*(3*a^2*f*\sin(f* \\
& x + e) + a^2*f)*\cos(2*f*x + 2*e) + 2*(3*a^2*f*\cos(2*f*x + 2*e) - 3*a^2*f*\sin \\
& (f*x + e) - a^2*f)*\sin(3*f*x + 3*e)) + 2*c^3*(3*\sin(f*x + e)/(cos(f*x + e) \\
& + 1) + 3*\sin(f*x + e)^2/(cos(f*x + e) + 1)^2 + 2)/(a^2 + 3*a^2*\sin(f*x + e) \\
&)/(cos(f*x + e) + 1) + 3*a^2*\sin(f*x + e)^2/(cos(f*x + e) + 1)^2 + a^2*\sin(\\
& f*x + e)^3/(cos(f*x + e) + 1)^3) - 3*(2*I*d^3*e^3 + 12*I*d^3*e - 12*I*c*d^2 \\
& *f + (-6*I*d^3*e^2 - 12*I*d^3 + 6*(d^3*e^2 + 2*d^3))*\cos(3*f*x + 3*e) + (18* \\
& I*d^3*e^2 + 36*I*d^3)*\cos(2*f*x + 2*e) - 18*(d^3*e^2 + 2*d^3)*\cos(f*x + e) \\
& + (6*I*d^3*e^2 + 12*I*d^3)*\sin(3*f*x + 3*e) - 18*(d^3*e^2 + 2*d^3)*\sin(2*f*x \\
& x + 2*e) + (-18*I*d^3*e^2 - 36*I*d^3)*\sin(f*x + e))*\arctan2(\sin(f*x + e) + \\
& 1, \cos(f*x + e)) + (6*I*(f*x + e)^2*d^3 + (-12*I*d^3*e + 12*I*c*d^2*f)*(f*x \\
& + e) - 6*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(3*f*x + 3*e) \\
&) + (-18*I*(f*x + e)^2*d^3 + (36*I*d^3*e - 36*I*c*d^2*f)*(f*x + e))*\cos(2*f \\
& *x + 2*e) + 18*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(f*x + \\
& e) + (-6*I*(f*x + e)^2*d^3 + (12*I*d^3*e - 12*I*c*d^2*f)*(f*x + e))*\sin(3*f \\
& *x + 3*e) + 18*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\sin(2*f*x \\
& + 2*e) + (18*I*(f*x + e)^2*d^3 + (-36*I*d^3*e + 36*I*c*d^2*f)*(f*x + e))*\sin \\
& (f*x + e))*\arctan2(\cos(f*x + e), \sin(f*x + e) + 1) - 2*((f*x + e)^3*d^3 - \\
& 3*(d^3*e - c*d^2*f)*(f*x + e)^2 + 3*(d^3*e^2 + 2*d^3)*(f*x + e))*\cos(3*f*x \\
& + 3*e) + (-6*I*(f*x + e)^3*d^3 - 6*d^3*e^2 - 12*I*d^3*e + 12*I*c*d^2*f + (1 \\
& 8*I*d^3*e - 18*I*c*d^2*f - 6*d^3)*(f*x + e)^2 + (-18*I*d^3*e^2 + 12*d^3*e - \\
& 12*c*d^2*f - 24*I*d^3)*(f*x + e))*\cos(2*f*x + 2*e) + (6*d^3*e^3 - 6*I*(f*x \\
& + e)^2*d^3 - 6*I*d^3*e^2 + 24*d^3*e - 24*c*d^2*f + (12*I*d^3*e - 12*I*c*d^ \\
& 2*f + 12*d^3)*(f*x + e))*\cos(f*x + e) + (12*I*(f*x + e)*d^3 - 12*I*d^3*e + \\
& 12*I*c*d^2*f - 12*((f*x + e)*d^3 - d^3*e + c*d^2*f)*\cos(3*f*x + 3*e) + (-36 \\
& *I*(f*x + e)*d^3 + 36*I*d^3*e - 36*I*c*d^2*f)*\cos(2*f*x + 2*e) + 36*((f*x + \\
& e)*d^3 - d^3*e + c*d^2*f)*\cos(f*x + e) + (-12*I*(f*x + e)*d^3 + 12*I*d^3*e \\
& - 12*I*c*d^2*f)*\sin(3*f*x + 3*e) + 36*((f*x + e)*d^3 - d^3*e + c*d^2*f)*\sin \\
& (2*f*x + 2*e) + (36*I*(f*x + e)*d^3 - 36*I*d^3*e + 36*I*c*d^2*f)*\sin(f*x + \\
& e))*\operatorname{dilog}(I*e^(I*f*x + I*e)) - (3*(f*x + e)^2*d^3 + 3*d^3*e^2 + 6*d^3 - 6* \\
& (d^3*e - c*d^2*f)*(f*x + e) - (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 - 6*I*d^3 \\
& + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*\cos(3*f*x + 3*e) - 9*((f*x + e)^2*d \\
& ^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) - (9 \\
& *I*(f*x + e)^2*d^3 + 9*I*d^3*e^2 + 18*I*d^3 + (-18*I*d^3*e + 18*I*c*d^2*f)* \\
& (f*x + e))*\cos(f*x + e) - 3*((f*x + e)^2*d^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - \\
& c*d^2*f)*(f*x + e))*\sin(3*f*x + 3*e) - (9*I*(f*x + e)^2*d^3 + 9*I*d^3*e^2 \\
& + 18*I*d^3 + (-18*I*d^3*e + 18*I*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e) + 9*(\\
& (f*x + e)^2*d^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\sin(f*x \\
& + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\sin(f*x + e) + 1) + (-12*I*d^ \\
& 3*\cos(3*f*x + 3*e) + 36*d^3*\cos(2*f*x + 2*e) + 36*I*d^3*\cos(f*x + e) + 12*d \\
& ^3*\sin(3*f*x + 3*e) + 36*I*d^3*\sin(2*f*x + 2*e) - 36*d^3*\sin(f*x + e) - 12* \\
& d^3)*\operatorname{polylog}(3, I*e^(I*f*x + I*e)) + (-2*I*(f*x + e)^3*d^3 + (6*I*d^3*e - 6 \\
& *I*c*d^2*f)*(f*x + e)^2 + (-6*I*d^3*e^2 - 12*I*d^3)*(f*x + e))*\sin(3*f*x + \\
& 3*e) + (6*(f*x + e)^3*d^3 - 6*I*d^3*e^2 + 12*d^3*e - 12*c*d^2*f - (18*d^3*e \\
& - 18*c*d^2*f + 6*I*d^3)*(f*x + e)^2 + (18*d^3*e^2 + 12*I*d^3*e - 12*I*c*d^ \\
& 2*f + 24*d^3)*(f*x + e))*\sin(2*f*x + 2*e) + (6*I*d^3*e^3 + 6*(f*x + e)^2*d^ \\
& 3 + 6*d^3*e^2 + 24*I*d^3*e - 24*I*c*d^2*f - (12*d^3*e - 12*c*d^2*f - 12*I*d \\
& ^3)*(f*x + e))*\sin(f*x + e))/(-3*I*a^2*f^3*\cos(3*f*x + 3*e) + 9*a^2*f^3*\cos \\
& (2*f*x + 2*e) + 9*I*a^2*f^3*\cos(f*x + e) + 3*a^2*f^3*\sin(3*f*x + 3*e) + 9*I \\
& *a^2*f^3*\sin(2*f*x + 2*e) - 9*a^2*f^3*\sin(f*x + e) - 3*a^2*f^3))/f
\end{aligned}$$

Fricas [C] time = 2.69471, size = 3872, normalized size = 12.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{3}(d^3f^3x^3 + c^3f^3 + 3c^2df^2 + 3(c^2d^2f^3 + d^3f^2)x^2 + (d^3f^3x^3 + 3c^2d^2f^3x^2 + c^3f^3 + 6c^2d^2f + 3(c^2d^2f^3 + 2d^3f^3)x)\cos(fx + e)^2 + 3(c^2d^2f^3 + 2c^2d^2f^2)x + (2d^3f^3x^3 + 2c^3f^3 + 3c^2d^2f^2 + 6c^2d^2f + 3(2c^2d^2f^3 + d^3f^2)x^2 + 6(c^2d^2f^3 + c^2d^2f^2 + d^3f^2)x)\cos(fx + e) - (-12Id^3f^3x - 12Ic^2d^2f^2 + (6Id^3f^3x + 6Ic^2d^2f^2)\cos(fx + e)^2 + (-6Id^3f^3x - 6Ic^2d^2f^2)\cos(fx + e) + (-12Id^3f^3x - 12Ic^2d^2f^2 + (-6Id^3f^3x - 6Ic^2d^2f^2)\cos(fx + e))\sin(fx + e))\operatorname{dilog}(I\cos(fx + e) - \sin(fx + e)) - (12Id^3f^3x + 12Ic^2d^2f^2 + (-6Id^3f^3x - 6Ic^2d^2f^2)\cos(fx + e)^2 + (6Id^3f^3x + 6Ic^2d^2f^2)\cos(fx + e) + (12Id^3f^3x + 12Ic^2d^2f^2 + (6Id^3f^3x + 6Ic^2d^2f^2)\cos(fx + e))\sin(fx + e))\operatorname{dilog}(-I\cos(fx + e) - \sin(fx + e)) - 3(2d^3e^2 - 4c^2d^2ef + 2c^2d^2f^2 + 4d^3 - (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e)^2 + (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e) + (2d^3e^2 - 4c^2d^2ef + 2c^2d^2f^2 + 4d^3 + (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e))\sin(fx + e))\log(\cos(fx + e) + I\sin(fx + e) + I) - 3(2d^3f^2x^2 + 4c^2d^2f^2x - 2d^3e^2 + 4c^2d^2ef - (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e)^2 + (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e) + (2d^3f^2x^2 + 4c^2d^2f^2x - 2d^3e^2 + 4c^2d^2ef + (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e))\sin(fx + e))\log(I\cos(fx + e) + \sin(fx + e) + 1) - 3(2d^3f^2x^2 + 4c^2d^2f^2x - 2d^3e^2 + 4c^2d^2ef - (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e)^2 + (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e) + (2d^3f^2x^2 + 4c^2d^2f^2x - 2d^3e^2 + 4c^2d^2ef + (d^3f^2x^2 + 2c^2d^2f^2x - d^3e^2 + 2c^2d^2ef)\cos(fx + e))\sin(fx + e))\log(-I\cos(fx + e) + \sin(fx + e) + 1) - 3(2d^3e^2 - 4c^2d^2ef + 2c^2d^2f^2 + 4d^3 - (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e)^2 + (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e) + (2d^3e^2 - 4c^2d^2ef + 2c^2d^2f^2 + 4d^3 + (d^3e^2 - 2c^2d^2ef + c^2d^2f^2 + 2d^3)\cos(fx + e))\sin(fx + e))\log(-\cos(fx + e) + I\sin(fx + e) + I) + 6(d^3\cos(fx + e)^2 - d^3\cos(fx + e) - 2d^3 - (d^3\cos(fx + e) + 2d^3)\sin(fx + e))\operatorname{polylog}(3, I\cos(fx + e) - \sin(fx + e)) + 6(d^3\cos(fx + e)^2 - d^3\cos(fx + e) - 2d^3 - (d^3\cos(fx + e) + 2d^3)\sin(fx + e))\operatorname{polylog}(3, -I\cos(fx + e) - \sin(fx + e)) - (d^3f^3x^3 + c^3f^3 - 3c^2d^2f^2 + 3(c^2d^2f^3 - d^3f^2)x^2 + 3(c^2d^2f^3 - 2c^2d^2f^2)x - (d^3f^3x^3 + 3c^2d^2f^3x^2 + c^3f^3 + 6c^2d^2f + 3(c^2d^2f^3 + 2d^3f^3)x)\cos(fx + e))\sin(fx + e))/(a^2f^4\cos(fx + e)^2 - a^2f^4\cos(fx + e) - 2a^2f^4 - (a^2f^4\cos(fx + e) + 2a^2f^4)\sin(fx + e))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^3}{\sin^2(e+fx)+2\sin(e+fx)+1} dx + \int \frac{d^3x^3}{\sin^2(e+fx)+2\sin(e+fx)+1} dx + \int \frac{3cd^2x^2}{\sin^2(e+fx)+2\sin(e+fx)+1} dx + \int \frac{3c^2dx}{\sin^2(e+fx)+2\sin(e+fx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+a*sin(f*x+e))**2,x)

```
[Out] (Integral(c**3/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x) + Integral(d**3*x
**3/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(si
n(e + f*x)**2 + 2*sin(e + f*x) + 1), x) + Integral(3*c**2*d*x/(sin(e + f*x)
**2 + 2*sin(e + f*x) + 1), x))/a**2
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{(a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+a*sin(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3/(a*sin(f*x + e) + a)^2, x)
```

3.113 $\int \frac{(c+dx)^2}{(a+a \sin(e+fx))^2} dx$

Optimal. Leaf size=243

$$-\frac{4id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{3a^2 f^3} + \frac{4d(c+dx) \log\left(1 - ie^{i(e+fx)}\right)}{3a^2 f^2} - \frac{d(c+dx) \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2 f^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2 f}$$

[Out] $((-1/3)*(c + d*x)^2)/(a^2*f) - (2*d^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(3*a^2*f^3) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(3*a^2*f) - (d*(c + d*x)*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(3*a^2*f^2) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(6*a^2*f) + (4*d*(c + d*x)*\text{Log}[1 - I*E^{I*(e + f*x)}])/(3*a^2*f^2) - (((4*I)/3)*d^2*\text{PolyLog}[2, I*E^{I*(e + f*x)}])/(a^2*f^3)$

Rubi [A] time = 0.287215, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$, Rules used = {3318, 4186, 3767, 8, 4184, 3717, 2190, 2279, 2391}

$$-\frac{4id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right)}{3a^2 f^3} + \frac{4d(c+dx) \log\left(1 - ie^{i(e+fx)}\right)}{3a^2 f^2} - \frac{d(c+dx) \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2 f^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2 f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2/(a + a*\text{Sin}[e + f*x])^2, x]$

[Out] $((-1/3)*(c + d*x)^2)/(a^2*f) - (2*d^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(3*a^2*f^3) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2])/(3*a^2*f) - (d*(c + d*x)*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(3*a^2*f^2) - ((c + d*x)^2*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(6*a^2*f) + (4*d*(c + d*x)*\text{Log}[1 - I*E^{I*(e + f*x)}])/(3*a^2*f^2) - (((4*I)/3)*d^2*\text{PolyLog}[2, I*E^{I*(e + f*x)}])/(a^2*f^3)$

Rule 3318

$\text{Int}[(c + d*x)^m*(a + b*\text{sin}[e + f*x])^n, x_Symbol] \rightarrow \text{Dist}[(2*a)^n, \text{Int}[(c + d*x)^m*\text{Sin}[(1*(e + (\text{Pi}*a)/(2*b)))/2 + (f*x)/2]^{2*n}], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n] \&\& (\text{GtQ}[n, 0] \mid\mid \text{IGtQ}[m, 0])$

Rule 4186

$\text{Int}[(\text{csc}[e + f*x] + (f*x)/(a + b*\text{sin}[e + f*x]))^n*(c + d*x)^m, x_Symbol] \rightarrow -\text{Simp}[(b^2*(c + d*x)^m*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^{n-2})/(f*(n-1)), x] + (\text{Dist}[(b^2*d^2*m*(m-1))/(f^2*(n-1)*(n-2)), \text{Int}[(c + d*x)^{m-2}*(b*\text{Csc}[e + f*x])^{n-2}], x], x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(c + d*x)^m*(b*\text{Csc}[e + f*x])^{n-2}], x], x] - \text{Simp}[(b^2*d*m*(c + d*x)^{m-1}*(b*\text{Csc}[e + f*x])^{n-2})/(f^2*(n-1)*(n-2)), x] /; \text{FreeQ}\{b, c, d, e, f\}, x \} \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$

Rule 3767

$\text{Int}[(\text{csc}[c + d*x])^n, x_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2-1}], x], x], x, \text{Cot}[c + d*x], x] /; \text{FreeQ}\{c, d\}, x \} \&\& \text{IGtQ}[n/2, 0]$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{(a+a\sin(e+fx))^2} dx &= \frac{\int (c+dx)^2 \csc^4\left(\frac{1}{2}\left(e+\frac{\pi}{2}\right)+\frac{fx}{2}\right) dx}{4a^2} \\
&= -\frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c+dx)^2 \csc^4\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) dx}{6a^2 f} \\
&= -\frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{6a^2 f} \\
&= -\frac{i(c+dx)^2}{3a^2 f} - \frac{2d^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^3} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2} \\
&= -\frac{i(c+dx)^2}{3a^2 f} - \frac{2d^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^3} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2} \\
&= -\frac{i(c+dx)^2}{3a^2 f} - \frac{2d^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^3} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2} \\
&= -\frac{i(c+dx)^2}{3a^2 f} - \frac{2d^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^3} - \frac{(c+dx)^2 \cot\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f} - \frac{d(c+dx) \csc^2\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{3a^2 f^2}
\end{aligned}$$

Mathematica [A] time = 2.20246, size = 175, normalized size = 0.72

$$\frac{-8id^2 \text{PolyLog}\left(2, ie^{i(e+fx)}\right) + 2\left(c^2 f^2 + 2cdf^2 x + d^2(f^2 x^2 + 2)\right) \tan\left(\frac{1}{4}(2e + 2fx - \pi)\right) - 2if(c+dx)\left(f(c+dx) + 4id \log\left(\frac{1}{4}(2e + 2fx - \pi)\right)\right)}{6a^2 f^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2/(a + a*Sin[e + f*x])^2, x]

[Out] $((-2*I)*f*(c + d*x)*(f*(c + d*x) + (4*I)*d*\text{Log}[1 - I*E^{(I*(e + f*x))}]) - (8*I)*d^2*\text{PolyLog}[2, I*E^{(I*(e + f*x))}] + 2*(c^2*f^2 + 2*c*d*f^2*x + d^2*(2 + f^2*x^2))*\text{Tan}[(2*e - \text{Pi} + 2*f*x)/4] + f*(c + d*x)*\text{Sec}[(2*e - \text{Pi} + 2*f*x)/4])^2*(-2*d + f*(c + d*x)*\text{Tan}[(2*e - \text{Pi} + 2*f*x)/4]))/(6*a^2*f^3)$

Maple [B] time = 0.495, size = 421, normalized size = 1.7

$$\frac{-\frac{2i}{3}\left(id^2 f^2 x^2 + 3d^2 f^2 x^2 e^{i(fx+e)} + 2icdf^2 x + 2ifd^2 x e^{i(fx+e)} + 6cdf^2 x e^{i(fx+e)} + 2fd^2 x e^{2i(fx+e)} + ic^2 f^2 + 2ifcde^{i(fx+e)}\right)}{\left(e^{i(fx+e)} + i\right)^3 f^3 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a+a*sin(f*x+e))^2, x)

[Out] $-2/3*I*(I*d^2*f^2*x^2+3*d^2*f^2*x^2*\exp(I*(f*x+e))+2*I*c*d*f^2*x+2*I*f*d^2*x*\exp(I*(f*x+e))+6*c*d*f^2*x*\exp(I*(f*x+e))+2*f*d^2*x*\exp(2*I*(f*x+e))+I*c^2*f^2+2*I*f*c*d*\exp(I*(f*x+e))-2*I*d^2*\exp(2*I*(f*x+e))+3*c^2*f^2*\exp(I*(f*x+e))+2*f*c*d*\exp(2*I*(f*x+e))+2*I*d^2+4*d^2*\exp(I*(f*x+e)))/(\exp(I*(f*x+e))+I)^3/f^3/a^2+4/3/f^2/a^2*\ln(\exp(I*(f*x+e))+I)*c*d-4/3/f^2/a^2*\ln(\exp(I*(f*x+e))+I)$

$$*x+e))) * c * d - 2/3 * I / f / a^2 * d^2 * x^2 - 4/3 * I / f^2 / a^2 * d^2 * e * x - 2/3 * I / f^3 / a^2 * d^2 * e^2 + 4/3 * f^2 / a^2 * d^2 * \ln(1 - I * \exp(I * (f * x + e))) * x + 4/3 * f^3 / a^2 * d^2 * \ln(1 - I * \exp(I * (f * x + e))) * e - 4/3 * I * d^2 * \text{polylog}(2, I * \exp(I * (f * x + e))) / a^2 / f^3 - 4/3 * f^3 / a^2 * d^2 * e * \ln(\exp(I * (f * x + e)) + I) + 4/3 * f^3 / a^2 * d^2 * e * \ln(\exp(I * (f * x + e)))$$

Maxima [B] time = 2.21389, size = 1123, normalized size = 4.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $(-2 * I * c^2 * f^2 - 4 * I * d^2 + (4 * c * d * f * \cos(3 * f * x + 3 * e) + 12 * I * c * d * f * \cos(2 * f * x + 2 * e) - 12 * c * d * f * \cos(f * x + e) + 4 * I * c * d * f * \sin(3 * f * x + 3 * e) - 12 * c * d * f * \sin(2 * f * x + 2 * e) - 12 * I * c * d * f * \sin(f * x + e) - 4 * I * c * d * f) * \arctan2(\sin(f * x + e) + 1, \cos(f * x + e)) - (4 * d^2 * f * x * \cos(3 * f * x + 3 * e) + 12 * I * d^2 * f * x * \cos(2 * f * x + 2 * e) - 12 * d^2 * f * x * \cos(f * x + e) + 4 * I * d^2 * f * x * \sin(3 * f * x + 3 * e) - 12 * d^2 * f * x * \sin(2 * f * x + 2 * e) - 12 * I * d^2 * f * x * \sin(f * x + e) - 4 * I * d^2 * f * x) * \arctan2(\cos(f * x + e), \sin(f * x + e) + 1) - 2 * (d^2 * f^2 * x^2 + 2 * c * d * f^2 * x) * \cos(3 * f * x + 3 * e) + (-6 * I * d^2 * f^2 * x^2 - 4 * c * d * f + 4 * I * d^2 - 4 * (3 * I * c * d * f^2 + d^2 * f) * x) * \cos(2 * f * x + 2 * e) - (6 * c^2 * f^2 + 4 * I * d^2 * f * x + 4 * I * c * d * f + 8 * d^2) * \cos(f * x + e) - (4 * d^2 * \cos(3 * f * x + 3 * e) + 12 * I * d^2 * \cos(2 * f * x + 2 * e) - 12 * d^2 * \cos(f * x + e) + 4 * I * d^2 * \sin(3 * f * x + 3 * e) - 12 * d^2 * \sin(2 * f * x + 2 * e) - 12 * I * d^2 * \sin(f * x + e) - 4 * I * d^2) * \text{dilog}(I * e^{(I * f * x + I * e)}) - (2 * d^2 * f * x + 2 * c * d * f - (-2 * I * d^2 * f * x - 2 * I * c * d * f) * \cos(3 * f * x + 3 * e) - 6 * (d^2 * f * x + c * d * f) * \cos(2 * f * x + 2 * e) - (6 * I * d^2 * f * x + 6 * I * c * d * f) * \cos(f * x + e) - 2 * (d^2 * f * x + c * d * f) * \sin(3 * f * x + 3 * e) - (6 * I * d^2 * f * x + 6 * I * c * d * f) * \sin(2 * f * x + 2 * e) + 6 * (d^2 * f * x + c * d * f) * \sin(f * x + e)) * \log(\cos(f * x + e)^2 + \sin(f * x + e)^2 + 2 * \sin(f * x + e) + 1) + (-2 * I * d^2 * f^2 * x^2 - 4 * I * c * d * f^2 * x) * \sin(3 * f * x + 3 * e) + (6 * d^2 * f^2 * x^2 - 4 * I * c * d * f - 4 * d^2 + (12 * c * d * f^2 - 4 * I * d^2 * f) * x) * \sin(2 * f * x + 2 * e) + (-6 * I * c^2 * f^2 + 4 * d^2 * f * x + 4 * c * d * f - 8 * I * d^2) * \sin(f * x + e)) / (-3 * I * a^2 * f^3 * \cos(3 * f * x + 3 * e) + 9 * a^2 * f^3 * \cos(2 * f * x + 2 * e) + 9 * I * a^2 * f^3 * \cos(f * x + e) + 3 * a^2 * f^3 * \sin(3 * f * x + 3 * e) + 9 * I * a^2 * f^3 * \sin(2 * f * x + 2 * e) - 9 * a^2 * f^3 * \sin(f * x + e) - 3 * a^2 * f^3)$

Fricas [B] time = 2.06389, size = 2074, normalized size = 8.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] $1/3 * (d^2 * f^2 * x^2 + c^2 * f^2 + 2 * c * d * f + (d^2 * f^2 * x^2 + 2 * c * d * f^2 * x + c^2 * f^2 + 2 * d^2) * \cos(f * x + e)^2 + 2 * (c * d * f^2 + d^2 * f) * x + 2 * (d^2 * f^2 * x^2 + c^2 * f^2 + c * d * f + d^2 + (2 * c * d * f^2 + d^2 * f) * x) * \cos(f * x + e) - (2 * I * d^2 * \cos(f * x + e))^2 - 2 * I * d^2 * \cos(f * x + e) - 4 * I * d^2 + (-2 * I * d^2 * \cos(f * x + e) - 4 * I * d^2) * \sin(f * x + e) * \text{dilog}(I * \cos(f * x + e) - \sin(f * x + e)) - (-2 * I * d^2 * \cos(f * x + e)^2 + 2 * I * d^2 * \cos(f * x + e) + 4 * I * d^2 + (2 * I * d^2 * \cos(f * x + e) + 4 * I * d^2) * \sin(f * x + e)) * \text{dilog}(-I * \cos(f * x + e) - \sin(f * x + e)) + 2 * (2 * d^2 * e - 2 * c * d * f - (d^2 * e - c * d * f) * \cos(f * x + e)^2 + (d^2 * e - c * d * f) * \cos(f * x + e) + (2 * d^2 * e - 2 * c * d * f + (d^2 * e - c * d * f) * \cos(f * x + e)) * \sin(f * x + e)) * \log(\cos(f * x + e) + I * \sin(f * x + e) + I) - 2 * (2 * d^2 * f * x + 2 * d^2 * e - (d^2 * f * x + d^2 * e) * \cos(f * x + e)^2 + (d^2 * f * x + d^2 * e) * \cos(f * x + e) + (2 * d^2 * f * x + 2 * d^2 * e + (d^2 * f * x + d^2 * e) * \cos(f * x + e)) * \sin(f * x + e)) * \log(I * \cos(f * x + e) + \sin(f * x + e) + 1) - 2 * (2 * d$

$$\begin{aligned} &^2*f*x + 2*d^2*e - (d^2*f*x + d^2*e)*\cos(f*x + e)^2 + (d^2*f*x + d^2*e)*\cos \\ &(f*x + e) + (2*d^2*f*x + 2*d^2*e + (d^2*f*x + d^2*e)*\cos(f*x + e))*\sin(f*x \\ &+ e))*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) + 2*(2*d^2*e - 2*c*d*f - (d^2 \\ &*e - c*d*f)*\cos(f*x + e)^2 + (d^2*e - c*d*f)*\cos(f*x + e) + (2*d^2*e - 2*c* \\ &d*f + (d^2*e - c*d*f)*\cos(f*x + e))*\sin(f*x + e))*\log(-\cos(f*x + e) + I*\sin \\ &(f*x + e) + I) - (d^2*f^2*x^2 + c^2*f^2 - 2*c*d*f + 2*(c*d*f^2 - d^2*f)*x - \\ &(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 2*d^2)*\cos(f*x + e))*\sin(f*x + e))/ \\ &(a^2*f^3*\cos(f*x + e)^2 - a^2*f^3*\cos(f*x + e) - 2*a^2*f^3 - (a^2*f^3*\cos(f \\ &*x + e) + 2*a^2*f^3)*\sin(f*x + e)) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^2}{\sin^2(e+fx)+2\sin(e+fx)+1} dx + \int \frac{d^2x^2}{\sin^2(e+fx)+2\sin(e+fx)+1} dx + \int \frac{2cdx}{\sin^2(e+fx)+2\sin(e+fx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+a*sin(f*x+e))**2,x)

[Out] (Integral(c**2/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x) + Integral(d**2*x**2/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x) + Integral(2*c*d*x/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x))/a**2

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{(a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*sin(f*x + e) + a)^2, x)

$$3.114 \quad \int \frac{c+dx}{(a+a \sin(e+fx))^2} dx$$

Optimal. Leaf size=148

$$\frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2f} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{6a^2f} - \frac{d \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{6a^2f^2} + \frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{3a^2f^2}$$

[Out] $-\left((c+d*x)*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]\right)/(3*a^2*f) - (d*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(6*a^2*f^2) - \left((c+d*x)*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2\right)/(6*a^2*f) + (2*d*\text{Log}[\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]])/(3*a^2*f^2)$

Rubi [A] time = 0.0891686, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3318, 4185, 4184, 3475}

$$\frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{3a^2f} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{6a^2f} - \frac{d \csc^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{6a^2f^2} + \frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{3a^2f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + a*Sin[e + f*x])^2,x]

[Out] $-\left((c+d*x)*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]\right)/(3*a^2*f) - (d*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2)/(6*a^2*f^2) - \left((c+d*x)*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]*\text{Csc}[e/2 + \text{Pi}/4 + (f*x)/2]^2\right)/(6*a^2*f) + (2*d*\text{Log}[\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]])/(3*a^2*f^2)$

Rule 3318

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4185

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :> -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{c + dx}{(a + a \sin(e + fx))^2} dx &= \frac{\int (c + dx) \csc^4\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx}{4a^2} \\
&= -\frac{d \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f^2} - \frac{(c + dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c + dx) \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{6a^2} \\
&= -\frac{(c + dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{3a^2 f} - \frac{d \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f^2} - \frac{(c + dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f} \\
&= -\frac{(c + dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{3a^2 f} - \frac{d \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f^2} - \frac{(c + dx) \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \csc^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{6a^2 f}
\end{aligned}$$

Mathematica [A] time = 1.08169, size = 225, normalized size = 1.52

$$\frac{\left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right)\right)\left(\cos\left(\frac{3}{2}(e + fx)\right)\left(2cf + 2d \log\left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right)\right) - de + dfx\right) + 2\right)}{6a^2 f^2 (1 + \sin[e + fx])^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + a*Sin[e + f*x])^2,x]

[Out] -((Cos[(e + f*x)/2] + Sin[(e + f*x)/2])*(d*Cos[(e + f*x)/2]*(2 + 3*e + 3*f*x - 6*Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]]) + Cos[(3*(e + f*x))/2]*(-(d*e) + 2*c*f + d*f*x + 2*d*Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]]) + 2*(d + 2*d*e - 3*c*f - d*f*x + d*Cos[e + f*x]*(e + f*x - 2*Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]))) - 4*d*Log[Cos[(e + f*x)/2] + Sin[(e + f*x)/2]]*Sin[(e + f*x)/2]))/(6*a^2*f^2*(1 + Sin[e + f*x])^2)

Maple [B] time = 0.197, size = 233, normalized size = 1.6

$$-2 \frac{c}{a^2 f (\tan(1/2 fx + e/2) + 1)} - \frac{4c}{3a^2 f} \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right)^{-3} + 2 \frac{c}{a^2 f (\tan(1/2 fx + e/2) + 1)^2} - \frac{2dx}{3a^2 f} \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+a*sin(f*x+e))^2,x)

[Out] -2/a^2*c/f/(tan(1/2*f*x+1/2*e)+1)-4/3/a^2*c/f/(tan(1/2*f*x+1/2*e)+1)^3+2/a^2*c/f/(tan(1/2*f*x+1/2*e)+1)^2-2/3/a^2/(tan(1/2*f*x+1/2*e)+1)^3/f*x*d+2/3/a^2/(tan(1/2*f*x+1/2*e)+1)^3*d/f^2*tan(1/2*f*x+1/2*e)+2/3/a^2/(tan(1/2*f*x+1/2*e)+1)^3*d/f^2*tan(1/2*f*x+1/2*e)^2+2/3/a^2/(tan(1/2*f*x+1/2*e)+1)^3/f*x*d*tan(1/2*f*x+1/2*e)^3+2/3/a^2*d/f^2*ln(tan(1/2*f*x+1/2*e)+1)-1/3/a^2*d/f^2*ln(1+tan(1/2*f*x+1/2*e)^2)

Maxima [B] time = 1.05719, size = 1229, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $\frac{1}{3} \cdot (2 \cdot d \cdot e \cdot (3 \cdot \sin(f \cdot x + e) / (\cos(f \cdot x + e) + 1) + 3 \cdot \sin(f \cdot x + e)^2 / (\cos(f \cdot x + e) + 1)^2 + 2)) / (a^2 \cdot f + 3 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e) / (\cos(f \cdot x + e) + 1) + 3 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e)^2 / (\cos(f \cdot x + e) + 1)^2 + a^2 \cdot f \cdot \sin(f \cdot x + e)^3 / (\cos(f \cdot x + e) + 1)^3) + (2 \cdot (f \cdot x + 3 \cdot (f \cdot x + e) \cdot \sin(f \cdot x + e) + e + \cos(f \cdot x + e) + \sin(2 \cdot f \cdot x + 2 \cdot e)) \cdot \cos(3 \cdot f \cdot x + 3 \cdot e) - 2 \cdot (9 \cdot (f \cdot x + e) \cdot \cos(f \cdot x + e) - 6 \cdot \sin(f \cdot x + e) - 1) \cdot \cos(2 \cdot f \cdot x + 2 \cdot e) - 6 \cdot \cos(2 \cdot f \cdot x + 2 \cdot e)^2 - 6 \cdot \cos(f \cdot x + e)^2 - (6 \cdot (\cos(f \cdot x + e) + \sin(2 \cdot f \cdot x + 2 \cdot e)) \cdot \cos(3 \cdot f \cdot x + 3 \cdot e) - \cos(3 \cdot f \cdot x + 3 \cdot e)^2 + 6 \cdot (3 \cdot \sin(f \cdot x + e) + 1) \cdot \cos(2 \cdot f \cdot x + 2 \cdot e) - 9 \cdot \cos(2 \cdot f \cdot x + 2 \cdot e)^2 - 9 \cdot \cos(f \cdot x + e)^2 - 2 \cdot (3 \cdot \cos(2 \cdot f \cdot x + 2 \cdot e) - 3 \cdot \sin(f \cdot x + e) - 1) \cdot \sin(3 \cdot f \cdot x + 3 \cdot e) - \sin(3 \cdot f \cdot x + 3 \cdot e)^2 - 18 \cdot \cos(f \cdot x + e) \cdot \sin(2 \cdot f \cdot x + 2 \cdot e) - 9 \cdot \sin(2 \cdot f \cdot x + 2 \cdot e)^2 - 9 \cdot \sin(f \cdot x + e)^2 - 6 \cdot \sin(f \cdot x + e) - 1) \cdot \log(\cos(f \cdot x + e)^2 + \sin(f \cdot x + e)^2 + 2 \cdot \sin(f \cdot x + e) + 1) - 2 \cdot (3 \cdot (f \cdot x + e) \cdot \cos(f \cdot x + e) + \cos(2 \cdot f \cdot x + 2 \cdot e) - \sin(f \cdot x + e)) \cdot \sin(3 \cdot f \cdot x + 3 \cdot e) - 6 \cdot (f \cdot x + 3 \cdot (f \cdot x + e) \cdot \sin(f \cdot x + e) + e + 2 \cdot \cos(f \cdot x + e)) \cdot \sin(2 \cdot f \cdot x + 2 \cdot e) - 6 \cdot \sin(2 \cdot f \cdot x + 2 \cdot e)^2 - 6 \cdot \sin(f \cdot x + e)^2 - 2 \cdot \sin(f \cdot x + e)) \cdot d / (a^2 \cdot f \cdot \cos(3 \cdot f \cdot x + 3 \cdot e)^2 + 9 \cdot a^2 \cdot f \cdot \cos(2 \cdot f \cdot x + 2 \cdot e)^2 + 9 \cdot a^2 \cdot f \cdot \cos(f \cdot x + e)^2 + a^2 \cdot f \cdot \sin(3 \cdot f \cdot x + 3 \cdot e)^2 + 18 \cdot a^2 \cdot f \cdot \cos(f \cdot x + e) \cdot \sin(2 \cdot f \cdot x + 2 \cdot e) + 9 \cdot a^2 \cdot f \cdot \sin(2 \cdot f \cdot x + 2 \cdot e)^2 + 9 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e)^2 + 6 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e) + a^2 \cdot f - 6 \cdot (a^2 \cdot f \cdot \cos(f \cdot x + e) + a^2 \cdot f \cdot \sin(2 \cdot f \cdot x + 2 \cdot e)) \cdot \cos(3 \cdot f \cdot x + 3 \cdot e) - 6 \cdot (3 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e) + a^2 \cdot f) \cdot \cos(2 \cdot f \cdot x + 2 \cdot e) + 2 \cdot (3 \cdot a^2 \cdot f \cdot \cos(2 \cdot f \cdot x + 2 \cdot e) - 3 \cdot a^2 \cdot f \cdot \sin(f \cdot x + e) - a^2 \cdot f) \cdot \sin(3 \cdot f \cdot x + 3 \cdot e)) - 2 \cdot c \cdot (3 \cdot \sin(f \cdot x + e) / (\cos(f \cdot x + e) + 1) + 3 \cdot \sin(f \cdot x + e)^2 / (\cos(f \cdot x + e) + 1)^2 + 2) / (a^2 + 3 \cdot a^2 \cdot \sin(f \cdot x + e) / (\cos(f \cdot x + e) + 1) + 3 \cdot a^2 \cdot \sin(f \cdot x + e)^2 / (\cos(f \cdot x + e) + 1)^2 + a^2 \cdot \sin(f \cdot x + e)^3 / (\cos(f \cdot x + e) + 1)^3)) / f$

Fricas [A] time = 1.68312, size = 495, normalized size = 3.34

$$\frac{d f x + (d f x + c f) \cos (f x + e)^2 + c f + (2 d f x + 2 c f + d) \cos (f x + e) + \left(d \cos (f x + e) \right)^2 - d \cos (f x + e) - \left(d \cos (f x + e) \right)}{3 \left(a^2 f^2 \cos (f x + e) \right)^2 - a^2 f^2 \cos (f x + e) - 2 a^2 f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{3} \cdot (d \cdot f \cdot x + (d \cdot f \cdot x + c \cdot f) \cdot \cos(f \cdot x + e)^2 + c \cdot f + (2 \cdot d \cdot f \cdot x + 2 \cdot c \cdot f + d) \cdot \cos(f \cdot x + e) + (d \cdot \cos(f \cdot x + e))^2 - d \cdot \cos(f \cdot x + e) - (d \cdot \cos(f \cdot x + e) + 2 \cdot d) \cdot \sin(f \cdot x + e) - 2 \cdot d) \cdot \log(\sin(f \cdot x + e) + 1) - (d \cdot f \cdot x + c \cdot f - (d \cdot f \cdot x + c \cdot f) \cdot \cos(f \cdot x + e) - d) \cdot \sin(f \cdot x + e) + d) / (a^2 \cdot f^2 \cdot \cos(f \cdot x + e)^2 - a^2 \cdot f^2 \cdot \cos(f \cdot x + e) - 2 \cdot a^2 \cdot f^2 - (a^2 \cdot f^2 \cdot \cos(f \cdot x + e) + 2 \cdot a^2 \cdot f^2) \cdot \sin(f \cdot x + e))$

Sympy [A] time = 2.56087, size = 1246, normalized size = 8.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*sin(f*x+e))**2,x)

[Out] $\text{Piecewise}((6 \cdot c \cdot f \cdot \tan(e/2 + f \cdot x/2))^{**3} / (9 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2))^{**3} + 27 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2))^{**2} + 27 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2) + 9 \cdot a^{**2} \cdot f^{**2}) - 6 \cdot c \cdot f / (9 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2))^{**3} + 27 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2))^{**2} + 27 \cdot a^{**2} \cdot f^{**2} \cdot \tan(e/2 + f \cdot x/2) + 9 \cdot a^{**2} \cdot f^{**2}) + 6 \cdot d \cdot f \cdot x \cdot \tan(e/2 + f \cdot x/2)$

```

)**3/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 +
27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) - 6*d*f*x/(9*a**2*f**2*tan(e/2
+ f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a**2*f**2*tan(e/2 + f*
x/2) + 9*a**2*f**2) + 6*d*log(tan(e/2 + f*x/2) + 1)*tan(e/2 + f*x/2)**3/(9*
a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a**2*
f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) + 18*d*log(tan(e/2 + f*x/2) + 1)*tan(e
/2 + f*x/2)**2/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*
x/2)**2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) + 18*d*log(tan(e/2 +
f*x/2) + 1)*tan(e/2 + f*x/2)/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f*
**2*tan(e/2 + f*x/2)**2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) + 6*d
*log(tan(e/2 + f*x/2) + 1)/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*
tan(e/2 + f*x/2)**2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) - 3*d*lo
g(tan(e/2 + f*x/2)**2 + 1)*tan(e/2 + f*x/2)**3/(9*a**2*f**2*tan(e/2 + f*x/2
)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9
*a**2*f**2) - 9*d*log(tan(e/2 + f*x/2)**2 + 1)*tan(e/2 + f*x/2)**2/(9*a**2*
f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a**2*f**2*
tan(e/2 + f*x/2) + 9*a**2*f**2) - 9*d*log(tan(e/2 + f*x/2)**2 + 1)*tan(e/2
+ f*x/2)/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**
2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) - 3*d*log(tan(e/2 + f*x/2)
**2 + 1)/(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**
2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) - 2*d*tan(e/2 + f*x/2)**3/
(9*a**2*f**2*tan(e/2 + f*x/2)**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a*
**2*f**2*tan(e/2 + f*x/2) + 9*a**2*f**2) - 2*d/(9*a**2*f**2*tan(e/2 + f*x/2)
**3 + 27*a**2*f**2*tan(e/2 + f*x/2)**2 + 27*a**2*f**2*tan(e/2 + f*x/2) + 9*
a**2*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(a*sin(e) + a)**2, True))

```

Giac [B] time = 1.83268, size = 4177, normalized size = 28.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+a*sin(f*x+e))^2,x, algorithm="giac")
```

```

[Out] -1/3*(2*d*f*x*tan(1/2*f*x)^3*tan(1/2*e)^3 + 2*c*f*tan(1/2*f*x)^3*tan(1/2*e)
^3 - d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*
x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/
2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*
tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2
*f*x)^3*tan(1/2*e)^3 - 6*d*f*x*tan(1/2*f*x)^2*tan(1/2*e)^2 + 3*d*log(2*(tan
(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) -
2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*
e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 +
tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2*f*x)^3*tan(1/2*e)
^2 + 3*d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2
*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan
(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 +
2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(
1/2*f*x)^2*tan(1/2*e)^3 + d*tan(1/2*f*x)^3*tan(1/2*e)^3 + 2*d*f*x*tan(1/2*f
*x)^3 + 6*d*f*x*tan(1/2*f*x)^2*tan(1/2*e) - 3*d*log(2*(tan(1/2*e)^2 + 1)/(t
an(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2*tan(1/2*f*x)^3
*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 + 2*tan(1/2*
f*x)^3 - 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 + 2*
tan(1/2*f*x) + 2*tan(1/2*e) + 1))*tan(1/2*f*x)^3*tan(1/2*e) + 6*d*f*x*tan(1
/2*f*x)*tan(1/2*e)^2 - 6*c*f*tan(1/2*f*x)^2*tan(1/2*e)^2 - 3*d*log(2*(tan(1
/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 - 2*tan(1/2*f*x)^4*tan(1/2*e) - 2
*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)

```


$$\begin{aligned} & /2*f*x)*\tan(1/2*e)^2 - a^2*f^2*\tan(1/2*e)^3 - 3*a^2*f^2*\tan(1/2*f*x)^2 - 3* \\ & a^2*f^2*\tan(1/2*f*x)*\tan(1/2*e) - 3*a^2*f^2*\tan(1/2*e)^2 - 3*a^2*f^2*\tan(1/ \\ & 2*f*x) - 3*a^2*f^2*\tan(1/2*e) - a^2*f^2) \end{aligned}$$

$$3.115 \quad \int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)(a \sin(e+fx)+a)^2}, x\right)$$

[Out] Unintegrable[1/((c + d*x)*(a + a*Sin[e + f*x])^2), x]

Rubi [A] time = 0.0557266, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a + a*Sin[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)*(a + a*Sin[e + f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx$$

Mathematica [A] time = 13.9464, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a + a*Sin[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)*(a + a*Sin[e + f*x])^2), x]

Maple [A] time = 3.104, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(a+a \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+a*sin(f*x+e))^2, x)

[Out] int(1/(d*x+c)/(a+a*sin(f*x+e))^2, x)

$$\begin{aligned}
& x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) \cos(fx + e) + \\
& (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) * \\
& \sin(2fx + 2e)) \cos(3fx + 3e) - 6(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) * \\
& \sin(fx + e)) \cos(2fx + 2e) - 2 * \\
& (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3 - \\
& 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) * \\
& \cos(2fx + 2e) + 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) * \\
& \sin(fx + e)) \sin(3fx + 3e) + 6(a^2d^3f^3x^3 + \\
& 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3) \sin(fx + e)
\end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{2a^2dx + 2a^2c - (a^2dx + a^2c) \cos(fx + e)^2 + 2(a^2dx + a^2c) \sin(fx + e)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(2*a^2*d*x + 2*a^2*c - (a^2*d*x + a^2*c)*cos(f*x + e)^2 + 2*(a^2*d*x + a^2*c)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{c \sin^2(e+fx)+2c \sin(e+fx)+c+dx \sin^2(e+fx)+2dx \sin(e+fx)+dx} dx$$

$$\frac{1}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e))**2,x)

[Out] Integral(1/(c*sin(e + f*x)**2 + 2*c*sin(e + f*x) + c + d*x*sin(e + f*x)**2 + 2*d*x*sin(e + f*x) + d*x), x)/a**2

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)(a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*sin(f*x + e) + a)^2), x)

$$3.116 \quad \int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2(a \sin(e+fx)+a)^2}, x\right)$$

[Out] Unintegrable[1/((c + d*x)^2*(a + a*Sin[e + f*x])^2), x]

Rubi [A] time = 0.0518527, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + a*Sin[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Sin[e + f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx$$

Mathematica [A] time = 14.8007, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)^2(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + a*Sin[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Sin[e + f*x])^2), x]

Maple [A] time = 4.749, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)^2(a+a \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+a*sin(f*x+e))^2, x)

[Out] int(1/(d*x+c)^2/(a+a*sin(f*x+e))^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out]
$$\frac{1}{3} \cdot (12 \cdot (d^2 f x + c d f) \cdot \cos(2 f x + 2 e)^2 - 12 \cdot d^2 \cdot \cos(f x + e) + 12 \cdot (d^2 f x + c d f) \cdot \cos(f x + e)^2 + 12 \cdot (d^2 f x + c d f) \cdot \sin(2 f x + 2 e)^2 + 12 \cdot (d^2 f x + c d f) \cdot \sin(f x + e)^2 + 2 \cdot (d^2 f^2 x^2 + 2 \cdot c d f^2 x + c^2 f^2 - 6 \cdot d^2 \cdot \cos(2 f x + 2 e) + 6 \cdot d^2 - 2 \cdot (d^2 f x + c d f) \cdot \cos(f x + e) - 2 \cdot (d^2 f x + c d f) \cdot \sin(2 f x + 2 e) + 3 \cdot (d^2 f^2 x^2 + 2 \cdot c d f^2 x + c^2 f^2 + 4 \cdot d^2) \cdot \sin(f x + e)) \cdot \cos(3 f x + 3 e) - 2 \cdot (2 \cdot d^2 f x + 2 \cdot c d f + 9 \cdot (d^2 f^2 x^2 + 2 \cdot c d f^2 x + c^2 f^2 + 2 \cdot d^2) \cdot \cos(f x + e) + 12 \cdot (d^2 f x + c d f) \cdot \sin(f x + e)) \cdot \cos(2 f x + 2 e) - 3 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3 + (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(3 f x + 3 e)^2 + 9 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(2 f x + 2 e)^2 + 9 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(f x + e)^2 + (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(3 f x + 3 e)^2 + 18 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(f x + e) \cdot \sin(2 f x + 2 e) + 9 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(2 f x + 2 e)^2 + 9 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(f x + e)^2 - 6 \cdot ((a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(f x + e) + (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(2 f x + 2 e)) \cdot \cos(3 f x + 3 e) - 6 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3 + 3 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(f x + e)) \cdot \cos(2 f x + 2 e) - 2 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3 - 3 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \cos(2 f x + 2 e) + 3 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(f x + e)) \cdot \sin(3 f x + 3 e) + 6 \cdot (a^2 d^4 f^3 x^4 + 4 a^2 c d^3 f^3 x^3 + 6 a^2 c^2 d^2 f^3 x^2 + 4 a^2 c^3 d f^3 x + a^2 c^4 f^3) \cdot \sin(f x + e)) \cdot \int \frac{4/3 \cdot (d^3 f^2 x^2 + 2 \cdot c d^2 f^2 x + c^2 d f^2 + 12 \cdot d^3) \cdot \cos(f x + e)}{(a^2 d^5 f^3 x^5 + 5 a^2 c d^4 f^3 x^4 + 10 a^2 c^2 d^3 f^3 x^3 + 10 a^2 c^3 d^2 f^3 x^2 + 5 a^2 c^4 d f^3 x + a^2 c^5 f^3 + (a^2 d^5 f^3 x^5 + 5 a^2 c d^4 f^3 x^4 + 10 a^2 c^2 d^3 f^3 x^3 + 10 a^2 c^3 d^2 f^3 x^2 + 5 a^2 c^4 d f^3 x + a^2 c^5 f^3) \cdot \cos(f x + e)^2 + (a^2 d^5 f^3 x^5 + 5 a^2 c d^4 f^3 x^4 + 10 a^2 c^2 d^3 f^3 x^3 + 10 a^2 c^3 d^2 f^3 x^2 + 5 a^2 c^4 d f^3 x + a^2 c^5 f^3) \cdot \sin(f x + e)^2 + 2 \cdot (a^2 d^5 f^3 x^5 + 5 a^2 c d^4 f^3 x^4 + 10 a^2 c^2 d^3 f^3 x^3 + 10 a^2 c^3 d^2 f^3 x^2 + 5 a^2 c^4 d f^3 x + a^2 c^5 f^3) \cdot \sin(f x + e))} dx$$

$$\begin{aligned}
& x^2 + 4a^2c^3df^3x + a^2c^4f^3) \cos(2fx + 2e)^2 + 9(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \cos(fx + e)^2 + (a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(3fx + 3e)^2 + 18(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \cos(fx + e) \sin(2fx + 2e) + 9(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(2fx + 2e)^2 + 9(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(fx + e)^2 - 6((a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \cos(fx + e) + (a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(2fx + 2e)) \cos(3fx + 3e) - 6(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3 + 3(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(fx + e)) \cos(2fx + 2e) - 2(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3 - 3(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \cos(2fx + 2e) + 3(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(fx + e)) \sin(3fx + 3e) + 6(a^2d^4f^3x^4 + 4a^2c^3df^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) \sin(fx + e)
\end{aligned}$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{2a^2d^2x^2 + 4a^2cdx + 2a^2c^2 - (a^2d^2x^2 + 2a^2cdx + a^2c^2) \cos(fx + e)^2 + 2(a^2d^2x^2 + 2a^2cdx + a^2c^2) \sin(fx + e)} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(2*a^2*d^2*x^2 + 4*a^2*c*d*x + 2*a^2*c^2 - (a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*cos(f*x + e)^2 + 2*(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{c^2 \sin^2(e + fx) + 2c^2 \sin(e + fx) + c^2 + 2cdx \sin^2(e + fx) + 4cdx \sin(e + fx) + 2cdx + d^2x^2 \sin^2(e + fx) + 2d^2x^2 \sin(e + fx) + d^2x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+a*sin(f*x+e))**2,x)

[Out] Integral(1/(c**2*sin(e + f*x)**2 + 2*c**2*sin(e + f*x) + c**2 + 2*c*d*x*sin(e + f*x)**2 + 4*c*d*x*sin(e + f*x) + 2*c*d*x + d**2*x**2*sin(e + f*x)**2 + 2*d**2*x**2*sin(e + f*x) + d**2*x**2), x)/a**2

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)^2 (a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(d*x+c)^2/(a+a*sin(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate(1/((d*x + c)^2*(a*sin(f*x + e) + a)^2), x)
```

$$3.117 \quad \int \frac{(c+dx)^3}{a-a \sin(e+fx)} dx$$

Optimal. Leaf size=147

$$-\frac{12id^2(c+dx)\text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{af^3} + \frac{12d^3\text{PolyLog}\left(3, -ie^{i(e+fx)}\right)}{af^4} + \frac{6d(c+dx)^2 \log\left(1 + ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^3 \tan\left(\frac{e}{2}\right)}{af}$$

[Out] $((-1)*(c + d*x)^3)/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 + I*E^(I*(e + f*x))])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, (-I)*E^(I*(e + f*x))])/(a*f^3) + (12*d^3*\text{PolyLog}[3, (-I)*E^(I*(e + f*x))])/(a*f^4) + ((c + d*x)^3*\text{Tan}[e/2 + Pi/4 + (f*x)/2])/(a*f)$

Rubi [A] time = 0.29514, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$-\frac{12id^2(c+dx)\text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{af^3} + \frac{12d^3\text{PolyLog}\left(3, -ie^{i(e+fx)}\right)}{af^4} + \frac{6d(c+dx)^2 \log\left(1 + ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^3 \tan\left(\frac{e}{2}\right)}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3/(a - a*Sin[e + f*x]),x]

[Out] $((-1)*(c + d*x)^3)/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 + I*E^(I*(e + f*x))])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, (-I)*E^(I*(e + f*x))])/(a*f^3) + (12*d^3*\text{PolyLog}[3, (-I)*E^(I*(e + f*x))])/(a*f^4) + ((c + d*x)^3*\text{Tan}[e/2 + Pi/4 + (f*x)/2])/(a*f)$

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m+1))/(d*(m+1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x))))^n]], x]

))ⁿ/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^3}{a - a \sin(e + fx)} dx &= \frac{\int (c + dx)^3 \csc^2\left(\frac{1}{2}\left(e - \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx}{2a} \\
 &= \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{(3d) \int (c + dx)^2 \cot\left(\frac{e}{2} - \frac{\pi}{4} + \frac{fx}{2}\right) dx}{af} \\
 &= -\frac{i(c + dx)^3}{af} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} - \frac{(6d) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)} (c + dx)^2}{1 + ie^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
 &= -\frac{i(c + dx)^3}{af} + \frac{6d(c + dx)^2 \log\left(1 + ie^{i(e + fx)}\right)}{af^2} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} - \frac{(12d^2) \int (c + dx) \cot\left(\frac{e}{2} - \frac{\pi}{4} + \frac{fx}{2}\right) dx}{af^3} \\
 &= -\frac{i(c + dx)^3}{af} + \frac{6d(c + dx)^2 \log\left(1 + ie^{i(e + fx)}\right)}{af^2} - \frac{12id^2(c + dx) \text{Li}_2\left(-ie^{i(e + fx)}\right)}{af^3} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} \\
 &= -\frac{i(c + dx)^3}{af} + \frac{6d(c + dx)^2 \log\left(1 + ie^{i(e + fx)}\right)}{af^2} - \frac{12id^2(c + dx) \text{Li}_2\left(-ie^{i(e + fx)}\right)}{af^3} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} \\
 &= -\frac{i(c + dx)^3}{af} + \frac{6d(c + dx)^2 \log\left(1 + ie^{i(e + fx)}\right)}{af^2} - \frac{12id^2(c + dx) \text{Li}_2\left(-ie^{i(e + fx)}\right)}{af^3} + \frac{12d^3 \text{Li}_3\left(-ie^{i(e + fx)}\right)}{af^4}
 \end{aligned}$$

Mathematica [A] time = 1.12939, size = 124, normalized size = 0.84

$$\frac{-12id^2 f(c + dx) \text{PolyLog}\left(2, -ie^{i(e + fx)}\right) + 12d^3 \text{PolyLog}\left(3, -ie^{i(e + fx)}\right) + f^2(c + dx)^2 \left(f(c + dx) \tan\left(\frac{1}{4}(2e + 2fx + \pi)\right)\right)}{af^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a - a*Sin[e + f*x]),x]

[Out] ((-12*I)*d^2*f*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))] + 12*d^3*PolyLog[3, (-I)*E^(I*(e + f*x))] + f^2*(c + d*x)^2*(-I)*f*(c + d*x) + 6*d*Log[1 + I*E^(I*(e + f*x))] + f*(c + d*x)*Tan[(2*e + Pi + 2*f*x)/4])/(a*f^4)

Maple [B] time = 0.132, size = 484, normalized size = 3.3

$$2 \frac{d^3 x^3 + 3 c d^2 x^2 + 3 c^2 d x + c^3}{a f \left(e^{i(f x + e)} - i \right)} + 6 \frac{\ln \left(e^{i(f x + e)} - i \right) c^2 d}{a f^2} + 6 \frac{d^3 e^2 \ln \left(e^{i(f x + e)} - i \right)}{f^4 a} + 12 \frac{c d^2 e \ln \left(e^{i(f x + e)} \right)}{a f^3} + 12 \frac{d^3 \operatorname{polylog} \left(3, \right)}{f^4 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a-a*sin(f*x+e)),x)

[Out] 2*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/a/(exp(I*(f*x+e))-I)+6/f^2/a*ln(exp(I*(f*x+e))-I)*c^2*d+6/f^4/a*d^3*e^2*ln(exp(I*(f*x+e))-I)+12/f^3/a*c*d^2*e*ln(exp(I*(f*x+e)))+12*d^3*polylog(3,-I*exp(I*(f*x+e)))/a/f^4+6/f^2/a*d^3*ln(1+I*exp(I*(f*x+e)))*x^2-6/f^4/a*d^3*ln(1+I*exp(I*(f*x+e)))*e^2-6/f^2/a*ln(exp(I*(f*x+e)))*c^2*d+6*I/f^3/a*d^3*e^2*x-12*I/f^3/a*d^3*polylog(2,-I*exp(I*(f*x+e)))*x-12/f^3/a*c*d^2*e*ln(exp(I*(f*x+e))-I)-6/f^4/a*d^3*e^2*ln(exp(I*(f*x+e)))-6*I/f^3/a*c*d^2*e^2-12*I/f^2/a*c*d^2*e*x-6*I/f/a*c*d^2*x^2+4*I/f^4/a*d^3*e^3-12*I/f^3/a*c*d^2*polylog(2,-I*exp(I*(f*x+e)))-2*I/f/a*d^3*x^3+12/f^2/a*c*d^2*ln(1+I*exp(I*(f*x+e)))*x+12/f^3/a*c*d^2*ln(1+I*exp(I*(f*x+e)))*e

Maxima [B] time = 1.49563, size = 1326, normalized size = 9.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a-a*sin(f*x+e)),x, algorithm="maxima")

[Out] -(6*(2*(f*x + e)*cos(f*x + e) + (cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))*c*d^2*e/(a*f^2*cos(f*x + e)^2 + a*f^2*sin(f*x + e)^2 - 2*a*f^2*sin(f*x + e) + a*f^2) - 6*c*d^2*e^2/(a*f^2 - a*f^2*sin(f*x + e)/(cos(f*x + e) + 1)) - 3*(2*(f*x + e)*cos(f*x + e) + (cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))*c^2*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 - 2*a*f*sin(f*x + e) + a*f) + 6*c^2*d*e/(a*f - a*f*sin(f*x + e)/(cos(f*x + e) + 1)) - 2*c^3/(a - a*sin(f*x + e)/(cos(f*x + e) + 1)) - (2*I*d^3*e^3 + (6*d^3*e^2*cos(f*x + e) + 6*I*d^3*e^2*sin(f*x + e) - 6*I*d^3*e^2)*arctan2(sin(f*x + e) - 1, cos(f*x + e)) + (-6*I*(f*x + e)^2*d^3 + (12*I*d^3*e - 12*I*c*d^2*f)*(f*x + e) + 6*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*cos(f*x + e) + (6*I*(f*x + e)^2*d^3 + (-12*I*d^3*e + 12*I*c*d^2*f)*(f*x + e))*sin(f*x + e))*arctan2(cos(f*x + e), -sin(f*x + e) + 1) - 2*((f*x + e)^3*d^3 + 3*(f*x + e)*d^3*e^2 - 3*(d^3*e - c*d^2*f)*(f*x + e)^2)*cos(f*x + e) + (12*I*(f*x + e)*d^3 - 12*I*d^3*e + 12*I*c*d^2*f - 12*((f*x + e)*d^3 - d^3*e + c*d^2*f)*cos(f*x + e) + (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f)*sin(f*x + e))*dilog(-I*e^(I*f*x + I*e)) - (3*(f*x + e)^2*d^3 + 3*d^3*e^2 - 6*(d^3*e - c*d^2*f)*(f*x + e) - (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*cos(f

$$x + e) - 3*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\sin(f*x + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 - 2*\sin(f*x + e) + 1) + (-12*I*d^3*\cos(f*x + e) + 12*d^3*\sin(f*x + e) - 12*d^3)*\text{polylog}(3, -I*e^{(I*f*x + I*e)}) + (-2*I*(f*x + e)^3*d^3 - 6*I*(f*x + e)*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e)^2)*\sin(f*x + e))/(-I*a*f^3*\cos(f*x + e) + a*f^3*\sin(f*x + e) - a*f^3))/f$$

Fricas [C] time = 1.9757, size = 2133, normalized size = 14.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a-a*sin(f*x+e)),x, algorithm="fricas")

[Out] $(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3 + (d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\cos(f*x + e) - (6*I*d^3*f*x - 6*I*c*d^2*f + (-6*I*d^3*f*x - 6*I*c*d^2*f)*\cos(f*x + e) + (6*I*d^3*f*x + 6*I*c*d^2*f)*\sin(f*x + e))*\text{dilog}(I*\cos(f*x + e) + \sin(f*x + e)) - (6*I*d^3*f*x + 6*I*c*d^2*f + (6*I*d^3*f*x + 6*I*c*d^2*f)*\cos(f*x + e) + (-6*I*d^3*f*x - 6*I*c*d^2*f)*\sin(f*x + e))*\text{dilog}(-I*\cos(f*x + e) + \sin(f*x + e)) + 3*(d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 + (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*\cos(f*x + e) - (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*\sin(f*x + e))*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f + (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*\cos(f*x + e) - (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*\sin(f*x + e))*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f + (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*\cos(f*x + e) - (d^3*f^2*x^2 + 2*c*d^2*f^2*x - d^3*e^2 + 2*c*d^2*e*f)*\sin(f*x + e))*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) + 3*(d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 + (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*\cos(f*x + e) - (d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*\sin(f*x + e))*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I) + 6*(d^3*\cos(f*x + e) - d^3*\sin(f*x + e) + d^3)*\text{polylog}(3, I*\cos(f*x + e) + \sin(f*x + e)) + 6*(d^3*\cos(f*x + e) - d^3*\sin(f*x + e) + d^3)*\text{polylog}(3, -I*\cos(f*x + e) + \sin(f*x + e)) + (d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*\sin(f*x + e))/(a*f^4*\cos(f*x + e) - a*f^4*\sin(f*x + e) + a*f^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^3}{\sin(e+fx)-1} dx + \int \frac{d^3 x^3}{\sin(e+fx)-1} dx + \int \frac{3cd^2 x^2}{\sin(e+fx)-1} dx + \int \frac{3c^2 dx}{\sin(e+fx)-1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a-a*sin(f*x+e)),x)

[Out] $-(\text{Integral}(c**3/(\sin(e + f*x) - 1), x) + \text{Integral}(d**3*x**3/(\sin(e + f*x) - 1), x) + \text{Integral}(3*c**2*d*x/(\sin(e + f*x) - 1), x))/a$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(dx + c)^3}{a \sin(fx + e) - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a-a*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate(-(d*x + c)^3/(a*sin(f*x + e) - a), x)
```

$$3.118 \quad \int \frac{(c+dx)^2}{a-a \sin(e+fx)} dx$$

Optimal. Leaf size=112

$$-\frac{4id^2 \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{af^3} + \frac{4d(c+dx) \log\left(1 + ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} - \frac{i(c+dx)^2}{af}$$

[Out] $((-1)*(c + d*x)^2)/(a*f) + (4*d*(c + d*x)*\text{Log}[1 + I*E^{(I*(e + f*x))}])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}])/(a*f^3) + ((c + d*x)^2*\text{Tan}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f)$

Rubi [A] time = 0.212183, antiderivative size = 112, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3318, 4184, 3717, 2190, 2279, 2391}

$$-\frac{4id^2 \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{af^3} + \frac{4d(c+dx) \log\left(1 + ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} - \frac{i(c+dx)^2}{af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2/(a - a*\text{Sin}[e + f*x]), x]$

[Out] $((-1)*(c + d*x)^2)/(a*f) + (4*d*(c + d*x)*\text{Log}[1 + I*E^{(I*(e + f*x))}])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}])/(a*f^3) + ((c + d*x)^2*\text{Tan}[e/2 + \text{Pi}/4 + (f*x)/2])/(a*f)$

Rule 3318

$\text{Int}[(c + d*x)^m * \sin(e + f*x)^n, x] \rightarrow \text{Dist}[(2*a)^n, \text{Int}[(c + d*x)^m * \text{Sin}[(1*(e + (Pi*a)/(2*b))]/2 + (f*x)/2]^{(2*n)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

$\text{Int}[\text{csc}(e + f*x)^2 * (c + d*x)^m, x] \rightarrow -\text{Simp}[(c + d*x)^m * \text{Cot}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} * \text{Cot}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

$\text{Int}[(c + d*x)^m * \tan(e + Pi*k + f*x), x] \rightarrow \text{Simp}[(I*(c + d*x)^{m+1})/(d*(m+1)), x] - \text{Dist}[2*I, \text{Int}[(c + d*x)^m * E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}/(1 + E^{(2*I*k*Pi)*E^{(2*I*(e + f*x))}}), x], x] /;$ FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

$\text{Int}[(F^{(g*(e + f*x))})^n * (c + d*x)^m, x] \rightarrow \text{Simp}[(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]/(b*f*g*n * \text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n * \text{Log}[F]), \text{Int}[(c + d*x)^{m-1} * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(c+dx)^2}{a-a\sin(e+fx)} dx &= \frac{\int (c+dx)^2 \csc^2\left(\frac{1}{2}\left(e-\frac{\pi}{2}\right)+\frac{fx}{2}\right) dx}{2a} \\ &= \frac{(c+dx)^2 \tan\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{(2d) \int (c+dx) \cot\left(\frac{e}{2}-\frac{\pi}{4}+\frac{fx}{2}\right) dx}{af} \\ &= -\frac{i(c+dx)^2}{af} + \frac{(c+dx)^2 \tan\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} - \frac{(4d) \int \frac{e^{2i\left(\frac{e}{2}+\frac{fx}{2}\right)}(c+dx)}{1+ie^{2i\left(\frac{e}{2}+\frac{fx}{2}\right)}} dx}{af} \\ &= -\frac{i(c+dx)^2}{af} + \frac{4d(c+dx) \log\left(1+ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} - \frac{(4d^2) \int \log\left(1+ie^{i(e+fx)}\right)}{af^2} \\ &= -\frac{i(c+dx)^2}{af} + \frac{4d(c+dx) \log\left(1+ie^{i(e+fx)}\right)}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} + \frac{(4id^2) \text{Subst}\left(\int \log\right)}{af^2} \\ &= -\frac{i(c+dx)^2}{af} + \frac{4d(c+dx) \log\left(1+ie^{i(e+fx)}\right)}{af^2} - \frac{4id^2 \text{Li}_2\left(-ie^{i(e+fx)}\right)}{af^3} + \frac{(c+dx)^2 \tan\left(\frac{e}{2}+\frac{\pi}{4}+\frac{fx}{2}\right)}{af} \end{aligned}$$

Mathematica [A] time = 0.722677, size = 92, normalized size = 0.82

$$\frac{f(c+dx) \left(f(c+dx) \tan\left(\frac{1}{4}(2e+2fx+\pi)\right) - if(c+dx) + 4d \log\left(1+ie^{i(e+fx)}\right) \right) - 4id^2 \text{PolyLog}\left(2, -ie^{i(e+fx)}\right)}{af^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2/(a - a*Sin[e + f*x]),x]
```

```
[Out] ((-4*I)*d^2*PolyLog[2, (-I)*E^(I*(e + f*x))] + f*(c + d*x)*((-I)*f*(c + d*x)
) + 4*d*Log[1 + I*E^(I*(e + f*x))] + f*(c + d*x)*Tan[(2*e + Pi + 2*f*x)/4])
)/(a*f^3)
```

Maple [B] time = 0.087, size = 254, normalized size = 2.3

$$2 \frac{d^2x^2 + 2cdx + c^2}{af \left(e^{i(fx+e)} - i \right)} + 4 \frac{\ln \left(e^{i(fx+e)} - i \right) cd}{af^2} - 4 \frac{\ln \left(e^{i(fx+e)} \right) cd}{af^2} - \frac{2id^2x^2}{af} - \frac{4id^2ex}{af^2} - \frac{2id^2e^2}{f^3a} + 4 \frac{d^2 \ln \left(1 + ie^{i(fx+e)} \right) x}{af^2} + 4$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int((d*x+c)^2/(a-a*sin(f*x+e)),x)
```

```
[Out] 2*(d^2*x^2+2*c*d*x+c^2)/f/a/(exp(I*(f*x+e))-I)+4/f^2/a*ln(exp(I*(f*x+e))-I)
*c*d-4/f^2/a*ln(exp(I*(f*x+e)))*c*d-2*I/f/a*d^2*x^2-4*I/f^2/a*d^2*e*x-2*I/f
^3/a*d^2*e^2+4/f^2/a*d^2*ln(1+I*exp(I*(f*x+e)))*x+4/f^3/a*d^2*ln(1+I*exp(I*
(f*x+e)))*e-4*I*d^2*polylog(2,-I*exp(I*(f*x+e)))/a/f^3-4/f^3/a*d^2*e*ln(exp
(I*(f*x+e))-I)+4/f^3/a*d^2*e*ln(exp(I*(f*x+e)))
```

Maxima [B] time = 1.35062, size = 427, normalized size = 3.81

$$-2ic^2f^2 + (4cdf \cos(fx + e) + 4icdf \sin(fx + e) - 4icdf) \arctan(\sin(fx + e) - 1, \cos(fx + e)) + (4d^2fx \cos(fx + e) - 4d^2fx \sin(fx + e)) \arctan(\sin(fx + e) - 1, \cos(fx + e))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="maxima")
```

```
[Out] (-2*I*c^2*f^2 + (4*c*d*f*cos(f*x + e) + 4*I*c*d*f*sin(f*x + e) - 4*I*c*d*f)
*arctan2(sin(f*x + e) - 1, cos(f*x + e)) + (4*d^2*f*x*cos(f*x + e) + 4*I*d^
2*f*x*sin(f*x + e) - 4*I*d^2*f*x)*arctan2(cos(f*x + e), -sin(f*x + e) + 1)
- 2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*cos(f*x + e) - (4*d^2*cos(f*x + e) + 4*I*d^
2*sin(f*x + e) - 4*I*d^2)*dilog(-I*e^(I*f*x + I*e)) - (2*d^2*f*x + 2*c*d*f
- (-2*I*d^2*f*x - 2*I*c*d*f)*cos(f*x + e) - 2*(d^2*f*x + c*d*f)*sin(f*x + e
))*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + (-2*I*d^2*f^
2*x^2 - 4*I*c*d*f^2*x)*sin(f*x + e))/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x
+ e) - a*f^3)
```

Fricas [B] time = 1.87766, size = 1195, normalized size = 10.67

$$d^2 f^2 x^2 + 2 c d f^2 x + c^2 f^2 + (d^2 f^2 x^2 + 2 c d f^2 x + c^2 f^2) \cos(fx + e) - (-2i d^2 \cos(fx + e) + 2i d^2 \sin(fx + e) - 2i d^2) \arctan(\sin(fx + e) - 1, \cos(fx + e))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="fricas")
```

```
[Out] (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)
)*cos(f*x + e) - (-2*I*d^2*cos(f*x + e) + 2*I*d^2*sin(f*x + e) - 2*I*d^2)*d
ilog(I*cos(f*x + e) + sin(f*x + e)) - (2*I*d^2*cos(f*x + e) - 2*I*d^2*sin(f
*x + e) + 2*I*d^2)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 2*(d^2*e - c*d*f
+ (d^2*e - c*d*f)*cos(f*x + e) - (d^2*e - c*d*f)*sin(f*x + e))*log(cos(f*x
+ e) - I*sin(f*x + e) + I) + 2*(d^2*f*x + d^2*e + (d^2*f*x + d^2*e)*cos(f*
x + e) - (d^2*f*x + d^2*e)*sin(f*x + e))*log(I*cos(f*x + e) - sin(f*x + e)
+ 1) + 2*(d^2*f*x + d^2*e + (d^2*f*x + d^2*e)*cos(f*x + e) - (d^2*f*x + d^2
*e)*sin(f*x + e))*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - 2*(d^2*e - c*d*
f + (d^2*e - c*d*f)*cos(f*x + e) - (d^2*e - c*d*f)*sin(f*x + e))*log(-cos(f
*x + e) - I*sin(f*x + e) + I) + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*sin(f
*x + e))/(a*f^3*cos(f*x + e) - a*f^3*sin(f*x + e) + a*f^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{c^2}{\sin(e+fx)-1} dx + \int \frac{d^2x^2}{\sin(e+fx)-1} dx + \int \frac{2cdx}{\sin(e+fx)-1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a-a*sin(f*x+e)),x)

[Out] -(Integral(c**2/(sin(e + f*x) - 1), x) + Integral(d**2*x**2/(sin(e + f*x) - 1), x) + Integral(2*c*d*x/(sin(e + f*x) - 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int -\frac{(dx+c)^2}{a \sin(fx+e)-a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(-(d*x + c)^2/(a*sin(f*x + e) - a), x)

$$3.119 \quad \int \frac{c+dx}{a-a \sin(e+fx)} dx$$

Optimal. Leaf size=59

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{af^2}$$

[Out] (2*d*Log[Cos[e/2 + Pi/4 + (f*x)/2]])/(a*f^2) + ((c + d*x)*Tan[e/2 + Pi/4 + (f*x)/2])/(a*f)

Rubi [A] time = 0.06638, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {3318, 4184, 3475}

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)\right)}{af^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - a*Sin[e + f*x]),x]

[Out] (2*d*Log[Cos[e/2 + Pi/4 + (f*x)/2]])/(a*f^2) + ((c + d*x)*Tan[e/2 + Pi/4 + (f*x)/2])/(a*f)

Rule 3318

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{c+dx}{a-a \sin(e+fx)} dx &= \frac{\int (c+dx) \csc^2\left(\frac{1}{2}\left(e - \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx}{2a} \\ &= \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} + \frac{d \int \cot\left(\frac{e}{2} - \frac{\pi}{4} + \frac{fx}{2}\right) dx}{af} \\ &= \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)\right)}{af^2} + \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af} \end{aligned}$$

Mathematica [A] time = 0.150707, size = 47, normalized size = 0.8

$$\frac{f(c + dx) \tan\left(\frac{1}{4}(2e + 2fx + \pi)\right) + 2d \log\left(\cos\left(\frac{1}{4}(2e + 2fx + \pi)\right)\right)}{af^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - a*Sin[e + f*x]),x]

[Out] (2*d*Log[Cos[(2*e + Pi + 2*f*x)/4]] + f*(c + d*x)*Tan[(2*e + Pi + 2*f*x)/4])/(a*f^2)

Maple [B] time = 0.06, size = 123, normalized size = 2.1

$$-2 \frac{c}{af \left(\tan\left(\frac{1}{2}fx + \frac{e}{2}\right) - 1\right)} - \frac{dx}{af} \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) - 1\right)^{-1} - \frac{dx}{af} \tan\left(\frac{fx}{2} + \frac{e}{2}\right) \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) - 1\right)^{-1} - \frac{d}{af^2} \ln\left(1 + \left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) - 1\right)^{-1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a-a*sin(f*x+e)),x)

[Out] -2/a*c/f/(tan(1/2*f*x+1/2*e)-1)-1/a*d/(tan(1/2*f*x+1/2*e)-1)*x/f-1/a*d/(tan(1/2*f*x+1/2*e)-1)*x/f*tan(1/2*f*x+1/2*e)-1/a*d/f^2*ln(1+tan(1/2*f*x+1/2*e)^2)+2/a*d/f^2*ln(tan(1/2*f*x+1/2*e)-1)

Maxima [B] time = 1.00975, size = 228, normalized size = 3.86

$$\frac{\left(2(fx+e)\cos(fx+e)+(\cos(fx+e)^2+\sin(fx+e)^2-2\sin(fx+e)+1)\log(\cos(fx+e)^2+\sin(fx+e)^2-2\sin(fx+e)+1)\right)d}{af\cos(fx+e)^2+af\sin(fx+e)^2-2af\sin(fx+e)+af} - \frac{2de}{af - \frac{af\sin(fx+e)}{\cos(fx+e)+1}} + \frac{2c}{a - \frac{a\sin(fx+e)}{\cos(fx+e)+1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a-a*sin(f*x+e)),x, algorithm="maxima")

[Out] ((2*(f*x + e)*cos(f*x + e) + (cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 - 2*a*f*sin(f*x + e) + a*f) - 2*d*e/(a*f - a*f*sin(f*x + e)/(cos(f*x + e) + 1)) + 2*c/(a - a*sin(f*x + e)/(cos(f*x + e) + 1)))/f

Fricas [B] time = 1.632, size = 251, normalized size = 4.25

$$\frac{dfx + cf + (dfx + cf) \cos(fx + e) + (d \cos(fx + e) - d \sin(fx + e) + d) \log(-\sin(fx + e) + 1) + (dfx + cf) \sin(fx + e)}{af^2 \cos(fx + e) - af^2 \sin(fx + e) + af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a-a*sin(f*x+e)),x, algorithm="fricas")

```
[Out] (d*f*x + c*f + (d*f*x + c*f)*cos(f*x + e) + (d*cos(f*x + e) - d*sin(f*x + e) + d)*log(-sin(f*x + e) + 1) + (d*f*x + c*f)*sin(f*x + e))/(a*f^2*cos(f*x + e) - a*f^2*sin(f*x + e) + a*f^2)
```

Sympy [A] time = 1.10533, size = 272, normalized size = 4.61

$$\left\{ \begin{array}{l} \frac{2cf}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} - \frac{dfx \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} - \frac{dfx}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} + \frac{2d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) - 1\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} - \frac{2d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) - 1\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} - \frac{d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right) - 1\right)}{af^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) - af^2} \\ \frac{cx + \frac{dx^2}{2}}{-a \sin(e) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a-a*sin(f*x+e)),x)
```

```
[Out] Piecewise((-2*c*f/(a*f**2*tan(e/2 + f*x/2) - a*f**2) - d*f*x*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) - a*f**2) - d*f*x/(a*f**2*tan(e/2 + f*x/2) - a*f**2) + 2*d*log(tan(e/2 + f*x/2) - 1)*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) - a*f**2) - 2*d*log(tan(e/2 + f*x/2) - 1)/(a*f**2*tan(e/2 + f*x/2) - a*f**2) - d*log(tan(e/2 + f*x/2)**2 + 1)*tan(e/2 + f*x/2)/(a*f**2*tan(e/2 + f*x/2) - a*f**2) + d*log(tan(e/2 + f*x/2)**2 + 1)/(a*f**2*tan(e/2 + f*x/2) - a*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(-a*sin(e) + a), True))
```

Giac [B] time = 1.28914, size = 941, normalized size = 15.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a-a*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] (d*f*x*tan(1/2*f*x)*tan(1/2*e) - d*f*x*tan(1/2*f*x) - d*f*x*tan(1/2*e) + c*f*tan(1/2*f*x)*tan(1/2*e) + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 + 2*tan(1/2*f*x)^4*tan(1/2*e) + 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)^3 + 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 - 2*tan(1/2*f*x) - 2*tan(1/2*e) + 1))*tan(1/2*f*x)*tan(1/2*e) - d*f*x - c*f*tan(1/2*f*x) + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 + 2*tan(1/2*f*x)^4*tan(1/2*e) + 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)^3 + 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 - 2*tan(1/2*f*x) - 2*tan(1/2*e) + 1))*tan(1/2*f*x) - c*f*tan(1/2*e) + d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 + 2*tan(1/2*f*x)^4*tan(1/2*e) + 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)^3 + 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 - 2*tan(1/2*f*x) - 2*tan(1/2*e) + 1))*tan(1/2*e) - c*f - d*log(2*(tan(1/2*e)^2 + 1)/(tan(1/2*f*x)^4*tan(1/2*e)^2 + 2*tan(1/2*f*x)^4*tan(1/2*e) + 2*tan(1/2*f*x)^3*tan(1/2*e)^2 + tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*tan(1/2*f*x)^3 + 2*tan(1/2*f*x)*tan(1/2*e)^2 + 2*tan(1/2*f*x)^2 + tan(1/2*e)^2 - 2*tan(1/2*f*x) - 2*tan(1/2*e) + 1)))/(a*f^2*tan(1/2*f*x)*tan(1/2*e) + a*f^2*tan(1/2*f*x) + a*f^2*tan(1/2*e) - a*f^2)
```

$$3.120 \quad \int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx$$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{1}{(c+dx)(a-a \sin(e+fx))}, x\right)$$

[Out] Unintegrable[1/((c + d*x)*(a - a*Sin[e + f*x])), x]

Rubi [A] time = 0.0748442, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a - a*Sin[e + f*x])),x]

[Out] Defer[Int][1/((c + d*x)*(a - a*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx = \int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx$$

Mathematica [A] time = 4.90179, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)(a-a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a - a*Sin[e + f*x])),x]

[Out] Integrate[1/((c + d*x)*(a - a*Sin[e + f*x])), x]

Maple [A] time = 0.136, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(a-a \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a-a*sin(f*x+e)),x)

[Out] int(1/(d*x+c)/(a-a*sin(f*x+e)),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*sin(f*x+e)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{adx + ac - (adx + ac)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c - (a*d*x + a*c)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$-\frac{\int \frac{1}{c \sin(e+fx) - c + dx \sin(e+fx) - dx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*sin(f*x+e)),x)

[Out] -Integral(1/(c*sin(e + f*x) - c + d*x*sin(e + f*x) - d*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(dx + c)(a \sin(fx + e) - a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(-1/((d*x + c)*(a*sin(f*x + e) - a)), x)

$$3.121 \quad \int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx$$

Optimal. Leaf size=23

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2(a-a \sin(e+fx))}, x\right)$$

[Out] Unintegrable[1/((c + d*x)^2*(a - a*Sin[e + f*x])), x]

Rubi [A] time = 0.0642, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a - a*Sin[e + f*x])),x]

[Out] Defer[Int][1/((c + d*x)^2*(a - a*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx = \int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx$$

Mathematica [A] time = 4.71838, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)^2(a-a \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a - a*Sin[e + f*x])),x]

[Out] Integrate[1/((c + d*x)^2*(a - a*Sin[e + f*x])), x]

Maple [A] time = 0.322, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)^2(a-a \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a-a*sin(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a-a*sin(f*x+e)),x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 - (ad^2x^2 + 2acdx + ac^2)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 - (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{1}{c^2 \sin(e+fx) - c^2 + 2cdx \sin(e+fx) - 2cdx + d^2x^2 \sin(e+fx) - d^2x^2} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a-a*sin(f*x+e)),x)

[Out] -Integral(1/(c**2*sin(e + f*x) - c**2 + 2*c*d*x*sin(e + f*x) - 2*c*d*x + d**2*x**2*sin(e + f*x) - d**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int -\frac{1}{(dx + c)^2(a \sin(fx + e) - a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(-1/((d*x + c)^2*(a*sin(f*x + e) - a)), x)

3.122 $\int x^3 \sqrt{a + a \sin(c + dx)} dx$

Optimal. Leaf size=120

$$\frac{12x^2 \sqrt{a \sin(c + dx) + a}}{d^2} - \frac{96 \sqrt{a \sin(c + dx) + a}}{d^4} + \frac{48x \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d^3} - \frac{2x^3 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d}$$

[Out] (-96*sqrt[a + a*Sin[c + d*x]])/d^4 + (12*x^2*sqrt[a + a*Sin[c + d*x]])/d^2 + (48*x*Cot[c/2 + Pi/4 + (d*x)/2]*sqrt[a + a*Sin[c + d*x]])/d^3 - (2*x^3*Cot[c/2 + Pi/4 + (d*x)/2]*sqrt[a + a*Sin[c + d*x]])/d

Rubi [A] time = 0.140527, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3319, 3296, 2638}

$$\frac{12x^2 \sqrt{a \sin(c + dx) + a}}{d^2} - \frac{96 \sqrt{a \sin(c + dx) + a}}{d^4} + \frac{48x \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d^3} - \frac{2x^3 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[x^3*Sqrt[a + a*Sin[c + d*x]],x]

[Out] (-96*sqrt[a + a*Sin[c + d*x]])/d^4 + (12*x^2*sqrt[a + a*Sin[c + d*x]])/d^2 + (48*x*Cot[c/2 + Pi/4 + (d*x)/2]*sqrt[a + a*Sin[c + d*x]])/d^3 - (2*x^3*Cot[c/2 + Pi/4 + (d*x)/2]*sqrt[a + a*Sin[c + d*x]])/d

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a + a \sin(c + dx)} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int x^3 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx \\
&= -\frac{2x^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d} + \frac{\left(6 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}\right) \int x^2 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{d} \\
&= \frac{12x^2 \sqrt{a + a \sin(c + dx)}}{d^2} - \frac{2x^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d} - \frac{\left(24 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}\right) \int x dx}{d^2} \\
&= \frac{12x^2 \sqrt{a + a \sin(c + dx)}}{d^2} + \frac{48x \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d^3} - \frac{2x^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d^2} \\
&= -\frac{96 \sqrt{a + a \sin(c + dx)}}{d^4} + \frac{12x^2 \sqrt{a + a \sin(c + dx)}}{d^2} + \frac{48x \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.287665, size = 108, normalized size = 0.9

$$\frac{2\sqrt{a(\sin(c + dx) + 1)} \left((-d^3 x^3 - 6d^2 x^2 + 24dx + 48) \sin\left(\frac{1}{2}(c + dx)\right) + (d^3 x^3 - 6d^2 x^2 - 24dx + 48) \cos\left(\frac{1}{2}(c + dx)\right) \right)}{d^4 \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[a + a*Sin[c + d*x]],x]

[Out] (-2*((48 - 24*d*x - 6*d^2*x^2 + d^3*x^3)*Cos[(c + d*x)/2] + (48 + 24*d*x - 6*d^2*x^2 - d^3*x^3)*Sin[(c + d*x)/2])*Sqrt[a*(1 + Sin[c + d*x])]/(d^4*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))

Maple [C] time = 0.103, size = 145, normalized size = 1.2

$$\frac{-i\sqrt{2} \left(-ix^3 d^3 + d^3 x^3 e^{i(dx+c)} + 6id^2 x^2 e^{i(dx+c)} - 6d^2 x^2 + 24idx - 24dxe^{i(dx+c)} - 48ie^{i(dx+c)} + 48 \right) \left(e^{i(dx+c)} + i \right) \sqrt{-a(-2)}}{\left(e^{2i(dx+c)} - 1 + 2ie^{i(dx+c)} \right) d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+a*sin(d*x+c))^(1/2),x)

[Out] -I*2^(1/2)*(-a*(-2-2*sin(d*x+c)))^(1/2)/(exp(2*I*(d*x+c))-1+2*I*exp(I*(d*x+c)))*(-I*x^3*d^3+d^3*x^3*exp(I*(d*x+c))+6*I*d^2*x^2*exp(I*(d*x+c))-6*d^2*x^2+24*I*d*x-24*d*x*exp(I*(d*x+c))-48*I*exp(I*(d*x+c))+48)*(exp(I*(d*x+c))+I)/d^4

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx + c) + ax^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x^3, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^3 \sqrt{a(\sin(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x**3*sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx + c) + ax^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x^3, x)

3.123 $\int x^2 \sqrt{a + a \sin(c + dx)} dx$

Optimal. Leaf size=98

$$\frac{8x\sqrt{a \sin(c + dx) + a}}{d^2} + \frac{16 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d^3} - \frac{2x^2 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d}$$

[Out] (8*x*Sqrt[a + a*Sin[c + d*x]])/d^2 + (16*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d^3 - (2*x^2*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d

Rubi [A] time = 0.10307, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3319, 3296, 2638}

$$\frac{8x\sqrt{a \sin(c + dx) + a}}{d^2} + \frac{16 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d^3} - \frac{2x^2 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[x^2*Sqrt[a + a*Sin[c + d*x]],x]

[Out] (8*x*Sqrt[a + a*Sin[c + d*x]])/d^2 + (16*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d^3 - (2*x^2*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + a \sin(c + dx)} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int x^2 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx \\
&= -\frac{2x^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d} + \frac{\left(4 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}\right) \int x \cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{d} \\
&= \frac{8x \sqrt{a + a \sin(c + dx)}}{d^2} - \frac{2x^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d} - \frac{\left(8 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}\right) \int \cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{d} \\
&= \frac{8x \sqrt{a + a \sin(c + dx)}}{d^2} + \frac{16 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d^3} - \frac{2x^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.209777, size = 92, normalized size = 0.94

$$-\frac{2\sqrt{a(\sin(c+dx)+1)}\left((d^2x^2-4dx-8)\cos\left(\frac{1}{2}(c+dx)\right)-(d^2x^2+4dx-8)\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d^3\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a + a*Sin[c + d*x]],x]

[Out] (-2*((-8 - 4*d*x + d^2*x^2)*Cos[(c + d*x)/2] - (-8 + 4*d*x + d^2*x^2)*Sin[(c + d*x)/2])*Sqrt[a*(1 + Sin[c + d*x])]/(d^3*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [C] time = 0.054, size = 119, normalized size = 1.2

$$\frac{-i\sqrt{2}\left(-id^2x^2 + d^2x^2e^{i(dx+c)} + 4idxe^{i(dx+c)} - 4dx + 8i - 8e^{i(dx+c)}\right)\left(e^{i(dx+c)} + i\right)\sqrt{-a(-2 - 2\sin(dx+c))}}{\left(e^{2i(dx+c)} - 1 + 2ie^{i(dx+c)}\right)d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+a*sin(d*x+c))^(1/2),x)

[Out] -I*2^(1/2)*(-a*(-2-2*sin(d*x+c)))^(1/2)/(exp(2*I*(d*x+c))-1+2*I*exp(I*(d*x+c)))*(-I*d^2*x^2+d^2*x^2*exp(I*(d*x+c))+4*I*d*x*exp(I*(d*x+c))-4*d*x+8*I-8*exp(I*(d*x+c)))*(exp(I*(d*x+c))+I)/d^3

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx + c) + ax^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x^2, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 \sqrt{a(\sin(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x**2*sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx + c) + ax^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x^2, x)

3.124 $\int x\sqrt{a + a\sin(c + dx)} dx$

Optimal. Leaf size=58

$$\frac{4\sqrt{a\sin(c + dx) + a}}{d^2} - \frac{2x \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\sqrt{a\sin(c + dx) + a}}{d}$$

[Out] (4*Sqrt[a + a*Sin[c + d*x]])/d^2 - (2*x*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d

Rubi [A] time = 0.0681968, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3319, 3296, 2638}

$$\frac{4\sqrt{a\sin(c + dx) + a}}{d^2} - \frac{2x \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\sqrt{a\sin(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[a + a*Sin[c + d*x]],x]

[Out] (4*Sqrt[a + a*Sin[c + d*x]])/d^2 - (2*x*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/d

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int x\sqrt{a + a\sin(c + dx)} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\sqrt{a + a\sin(c + dx)}\right) \int x \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx \\ &= -\frac{2x \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\sqrt{a + a\sin(c + dx)}}{d} + \frac{\left(2 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\sqrt{a + a\sin(c + dx)}\right) \int \cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{d} \\ &= \frac{4\sqrt{a + a\sin(c + dx)}}{d^2} - \frac{2x \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\sqrt{a + a\sin(c + dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.154155, size = 76, normalized size = 1.31

$$\frac{2\sqrt{a(\sin(c+dx)+1)}\left((dx-2)\cos\left(\frac{1}{2}(c+dx)\right)-(dx+2)\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d^2\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a + a*Sin[c + d*x]], x]

[Out] $(-2*((-2 + dx)*\text{Cos}[(c + dx)/2] - (2 + dx)*\text{Sin}[(c + dx)/2])*\text{Sqrt}[a*(1 + \text{Sin}[c + dx])])/(d^2*(\text{Cos}[(c + dx)/2] + \text{Sin}[(c + dx)/2]))$

Maple [C] time = 0.053, size = 93, normalized size = 1.6

$$\frac{-i\sqrt{2}\left(-idx + dx e^{i(dx+c)} + 2ie^{i(dx+c)} - 2\right)\left(e^{i(dx+c)} + i\right)}{\left(e^{2i(dx+c)} - 1 + 2ie^{i(dx+c)}\right)d^2}\sqrt{-a(-2 - 2\sin(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+a*sin(d*x+c))^(1/2), x)

[Out] $-I*2^{(1/2)}*(-a*(-2-2*\sin(d*x+c)))^{(1/2)}/(\exp(2*I*(d*x+c))-1+2*I*\exp(I*(d*x+c)))*(-I*d*x+d*x*\exp(I*(d*x+c))+2*I*\exp(I*(d*x+c))-2)*(\exp(I*(d*x+c))+I)/d^2$

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx+c) + ax} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(d*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(d*x+c))^(1/2), x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x\sqrt{a(\sin(c+dx)+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x*sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a \sin(dx + c) + ax} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a*sin(d*x + c) + a)*x, x)

3.125 $\int \frac{\sqrt{a+a \sin(c+dx)}}{x} dx$

Optimal. Leaf size=101

$$\sin\left(\frac{1}{4}(2c + \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} + \cos\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)$$

[Out] CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]] + Cos[(2*c + Pi)/4]*Csc[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2]

Rubi [A] time = 0.139043, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3319, 3303, 3299, 3302}

$$\sin\left(\frac{1}{4}(2c + \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} + \cos\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sin[c + d*x]]/x,x]

[Out] CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]] + Cos[(2*c + Pi)/4]*Csc[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \sin(c + dx)}}{x} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\
&= \left(\cos\left(\frac{1}{4}(2c + \pi)\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\sin\left(\frac{dx}{2}\right)}{x} dx + \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \right. \\
&= \text{Ci}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sin\left(\frac{1}{4}(2c + \pi)\right) \sqrt{a + a \sin(c + dx)} + \cos\left(\frac{1}{4}(2c + \pi)\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.161715, size = 83, normalized size = 0.82

$$\frac{\sqrt{a(\sin(c + dx) + 1)} \left(\left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right) \text{CosIntegral}\left(\frac{dx}{2}\right) + \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \text{Si}\left(\frac{dx}{2}\right) \right)}{\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sin[c + d*x]]/x,x]

[Out] (Sqrt[a*(1 + Sin[c + d*x])]*(CosIntegral[(d*x)/2]*(Cos[c/2] + Sin[c/2]) + (Cos[c/2] - Sin[c/2])*SinIntegral[(d*x)/2]))/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])

Maple [F] time = 0.229, size = 0, normalized size = 0.

$$\int \frac{1}{x} \sqrt{a + a \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(d*x+c))^(1/2)/x,x)

[Out] int((a+a*sin(d*x+c))^(1/2)/x,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx + c) + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(a*sin(d*x + c) + a)/x, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))^(1/2)/x,x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sin(c + dx) + 1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))**(1/2)/x,x)
```

```
[Out] Integral(sqrt(a*(sin(c + d*x) + 1))/x, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx + c) + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))^(1/2)/x,x, algorithm="giac")
```

```
[Out] integrate(sqrt(a*sin(d*x + c) + a)/x, x)
```

3.126 $\int \frac{\sqrt{a+a \sin(c+dx)}}{x^2} dx$

Optimal. Leaf size=130

$$-\frac{1}{2}d \sin\left(\frac{1}{4}(2c - \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} - \frac{1}{2}d \sin\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2}\right)$$

[Out] -(Sqrt[a + a*Sin[c + d*x]]/x) - (d*CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c - Pi)/4]*Sqrt[a + a*Sin[c + d*x]])/2 - (d*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2])/2

Rubi [A] time = 0.15319, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}d \sin\left(\frac{1}{4}(2c - \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} - \frac{1}{2}d \sin\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Sin[c + d*x]]/x^2,x]

[Out] -(Sqrt[a + a*Sin[c + d*x]]/x) - (d*CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c - Pi)/4]*Sqrt[a + a*Sin[c + d*x]])/2 - (d*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2])/2

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

c*f, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sin(c + dx)}}{x^2} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x^2} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{x} + \frac{1}{2} \left(d \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{x} - \frac{1}{2} \left(d \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sin\left(\frac{1}{4}(2c - \pi)\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{x} - \frac{1}{2} d \text{Ci}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sin\left(\frac{1}{4}(2c - \pi)\right) \sqrt{a + a \sin(c + dx)} \end{aligned}$$

Mathematica [A] time = 0.300279, size = 117, normalized size = 0.9

$$\frac{\sqrt{a(\sin(c + dx) + 1)} \left(dx \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \text{CosIntegral}\left(\frac{dx}{2}\right) - dx \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right) \text{Si}\left(\frac{dx}{2}\right) - 2 \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right) \right)}{2x \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sin[c + d*x]]/x^2,x]

[Out] (Sqrt[a*(1 + Sin[c + d*x])]*(d*x*CosIntegral[(d*x)/2]*(Cos[c/2] - Sin[c/2]) - 2*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - d*x*(Cos[c/2] + Sin[c/2])*SinIntegral[(d*x)/2]))/(2*x*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [F] time = 0.056, size = 0, normalized size = 0.

$$\int \frac{1}{x^2} \sqrt{a + a \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(d*x+c))^(1/2)/x^2,x)

[Out] int((a+a*sin(d*x+c))^(1/2)/x^2,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx + c) + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(a*sin(d*x + c) + a)/x^2, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sin(c+dx)+1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))**(1/2)/x**2,x)

[Out] Integral(sqrt(a*(sin(c + d*x) + 1))/x**2, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx+c)+a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/2)/x^2,x, algorithm="giac")

[Out] integrate(sqrt(a*sin(d*x + c) + a)/x^2, x)

3.127 $\int \frac{\sqrt{a+a \sin(c+dx)}}{x^3} dx$

Optimal. Leaf size=174

$$-\frac{1}{8}d^2 \sin\left(\frac{1}{4}(2c + \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} - \frac{1}{8}d^2 \cos\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}$$

```
[Out] -Sqrt[a + a*Sin[c + d*x]]/(2*x^2) - (d*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/(4*x) - (d^2*CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]])/8 - (d^2*Cos[(2*c + Pi)/4]*Csc[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2])/8
```

Rubi [A] time = 0.193083, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3297, 3303, 3299, 3302}

$$-\frac{1}{8}d^2 \sin\left(\frac{1}{4}(2c + \pi)\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a} - \frac{1}{8}d^2 \cos\left(\frac{1}{4}(2c + \pi)\right) \text{Si}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(c + dx) + a}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + a*Sin[c + d*x]]/x^3,x]
```

```
[Out] -Sqrt[a + a*Sin[c + d*x]]/(2*x^2) - (d*Cot[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]])/(4*x) - (d^2*CosIntegral[(d*x)/2]*Csc[c/2 + Pi/4 + (d*x)/2]*Sin[(2*c + Pi)/4]*Sqrt[a + a*Sin[c + d*x]])/8 - (d^2*Cos[(2*c + Pi)/4]*Csc[c/2 + Pi/4 + (d*x)/2]*Sqrt[a + a*Sin[c + d*x]]*SinIntegral[(d*x)/2])/8
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \sin(c + dx)}}{x^3} dx &= \left(\csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x^3} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{2x^2} + \frac{1}{4} \left(d \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{\cos\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{x^2} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{2x^2} - \frac{d \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{4x} - \frac{1}{8} \left(d^2 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)} \right) \int \frac{1}{x} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{2x^2} - \frac{d \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{4x} - \frac{1}{8} \left(d^2 \cos\left(\frac{1}{4}(2c + \pi)\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{1}{x} dx \\ &= -\frac{\sqrt{a + a \sin(c + dx)}}{2x^2} - \frac{d \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \sqrt{a + a \sin(c + dx)}}{4x} - \frac{1}{8} d^2 \text{Ci}\left(\frac{dx}{2}\right) \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.327245, size = 153, normalized size = 0.88

$$\frac{\sqrt{a(\sin(c + dx) + 1)} \left(d^2 x^2 \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right) \text{CosIntegral}\left(\frac{dx}{2}\right) + d^2 x^2 \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \text{Si}\left(\frac{dx}{2}\right) - 2dx \sin\left(\frac{1}{2}(c + dx)\right) \right)}{8x^2 \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Sin[c + d*x]]/x^3,x]

[Out] -(Sqrt[a*(1 + Sin[c + d*x])]*(4*Cos[(c + d*x)/2] + 2*d*x*Cos[(c + d*x)/2] + d^2*x^2*CosIntegral[(d*x)/2]*(Cos[c/2] + Sin[c/2]) + 4*Sin[(c + d*x)/2] - 2*d*x*Sin[(c + d*x)/2] + d^2*x^2*(Cos[c/2] - Sin[c/2])*SinIntegral[(d*x)/2]))/(8*x^2*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [F] time = 0.054, size = 0, normalized size = 0.

$$\int \frac{1}{x^3} \sqrt{a + a \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(d*x+c))^(1/2)/x^3,x)

[Out] int((a+a*sin(d*x+c))^(1/2)/x^3,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx + c) + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))^(1/2)/x^3,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(a*sin(d*x + c) + a)/x^3, x)
```

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))^(1/2)/x^3,x, algorithm="fricas")
```

```
[Out] Exception raised: UnboundLocalError
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\sin(c + dx) + 1)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))**(1/2)/x**3,x)
```

```
[Out] Integral(sqrt(a*(sin(c + d*x) + 1))/x**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a \sin(dx + c) + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(d*x+c))^(1/2)/x^3,x, algorithm="giac")
```

```
[Out] integrate(sqrt(a*sin(d*x + c) + a)/x^3, x)
```

3.128 $\int x^3(a + a \sin(e + fx))^{3/2} dx$

Optimal. Leaf size=337

$$\frac{8ax^2 \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{3f^2} + \frac{16ax^2 \sqrt{a \sin(e + fx) + a}}{f^2} - \frac{64a \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{27f^4} - \frac{128a^2 \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{27f^4}$$

```
[Out] (-1280*a*Sqrt[a + a*Sin[e + f*x]])/(9*f^4) + (16*a*x^2*Sqrt[a + a*Sin[e + f*x]])/f^2 + (640*a*x*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(9*f^3) - (8*a*x^3*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) + (32*a*x*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(9*f^3) - (4*a*x^3*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) - (64*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(27*f^4) + (8*a*x^2*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(3*f^2)
```

Rubi [A] time = 0.230083, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3311, 3296, 2638, 3310}

$$\frac{8ax^2 \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{3f^2} + \frac{16ax^2 \sqrt{a \sin(e + fx) + a}}{f^2} - \frac{64a \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{27f^4} - \frac{128a^2 \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{27f^4}$$

Antiderivative was successfully verified.

```
[In] Int[x^3*(a + a*Sin[e + f*x])^(3/2),x]
```

```
[Out] (-1280*a*Sqrt[a + a*Sin[e + f*x]])/(9*f^4) + (16*a*x^2*Sqrt[a + a*Sin[e + f*x]])/f^2 + (640*a*x*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(9*f^3) - (8*a*x^3*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) + (32*a*x*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(9*f^3) - (4*a*x^3*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) - (64*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(27*f^4) + (8*a*x^2*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(3*f^2)
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n])), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned} \int x^3(a + a \sin(e + fx))^{3/2} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}\right) \int x^3 \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx \\ &= -\frac{4ax^3 \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} + \frac{8ax^2 \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{3f} \\ &= -\frac{8ax^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} + \frac{32ax \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{9f^3} \\ &= \frac{16ax^2 \sqrt{a + a \sin(e + fx)}}{f^2} + \frac{64ax \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} - \frac{8ax^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{9f^3} \\ &= -\frac{128a \sqrt{a + a \sin(e + fx)}}{9f^4} + \frac{16ax^2 \sqrt{a + a \sin(e + fx)}}{f^2} + \frac{640ax \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} \\ &= -\frac{1280a \sqrt{a + a \sin(e + fx)}}{9f^4} + \frac{16ax^2 \sqrt{a + a \sin(e + fx)}}{f^2} + \frac{640ax \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} \end{aligned}$$

Mathematica [A] time = 1.11269, size = 231, normalized size = 0.69

$$2a\sqrt{a(\sin(e + fx) + 1)} \left(-\frac{2(\sin(\frac{e}{2})(-18f^3x^3 - 117f^2x^2 + 480fx + 968) + \cos(\frac{e}{2})(18f^3x^3 - 117f^2x^2 - 480fx + 968))}{\sin(\frac{e}{2}) + \cos(\frac{e}{2})} - \cos(fx) (2 \sin(e) (8 - 9f^2) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(a + a*Sin[e + f*x])^(3/2),x]
```

```
[Out] (2*a*((-2*((968 - 480*f*x - 117*f^2*x^2 + 18*f^3*x^3)*Cos[e/2] + (968 + 480
*f*x - 117*f^2*x^2 - 18*f^3*x^3)*Sin[e/2]))/(Cos[e/2] + Sin[e/2]) - Cos[f*x
]*(3*f*x*(-8 + 3*f^2*x^2)*Cos[e] + 2*(8 - 9*f^2*x^2)*Sin[e]) + (2*(-8 + 9*f
^2*x^2)*Cos[e] + 3*f*x*(-8 + 3*f^2*x^2)*Sin[e])*Sin[f*x] + (24*f*x*(-80 + 3
*f^2*x^2)*Sin[(f*x)/2])/((Cos[e/2] + Sin[e/2])*(Cos[(e + f*x)/2] + Sin[(e +
f*x)/2]))) * Sqrt[a*(1 + Sin[e + f*x])])/(27*f^4)
```

Maple [F] time = 0.064, size = 0, normalized size = 0.

$$\int x^3 (a + a \sin(fx + e))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+a*sin(f*x+e))^(3/2),x)

[Out] int(x^3*(a+a*sin(f*x+e))^(3/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^{\frac{3}{2}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)*x^3, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+a*sin(f*x+e))**(3/2),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^{\frac{3}{2}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)*x^3, x)

3.129 $\int x^2(a + a \sin(e + fx))^{3/2} dx$

Optimal. Leaf size=271

$$\frac{16ax \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^2} + \frac{32ax \sqrt{a \sin(e + fx) + a}}{3f^2} + \frac{224a \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^3}$$

```
[Out] (32*a*x*Sqrt[a + a*Sin[e + f*x]])/(3*f^2) + (224*a*Cot[e/2 + Pi/4 + (f*x)/2]
]*Sqrt[a + a*Sin[e + f*x]]/(9*f^3) - (8*a*x^2*Cot[e/2 + Pi/4 + (f*x)/2]*Sq
rt[a + a*Sin[e + f*x]]/(3*f) - (32*a*Cos[e/2 + Pi/4 + (f*x)/2]^2*Cot[e/2 +
Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]/(27*f^3) - (4*a*x^2*Cos[e/2 + Pi
/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]/(3*f) + (
16*a*x*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]]/(9*f^2)
```

Rubi [A] time = 0.179307, antiderivative size = 271, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3311, 3296, 2638, 2633}

$$\frac{16ax \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^2} + \frac{32ax \sqrt{a \sin(e + fx) + a}}{3f^2} + \frac{224a \cot\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2*(a + a*Sin[e + f*x])^(3/2), x]
```

```
[Out] (32*a*x*Sqrt[a + a*Sin[e + f*x]])/(3*f^2) + (224*a*Cot[e/2 + Pi/4 + (f*x)/2]
]*Sqrt[a + a*Sin[e + f*x]]/(9*f^3) - (8*a*x^2*Cot[e/2 + Pi/4 + (f*x)/2]*Sq
rt[a + a*Sin[e + f*x]]/(3*f) - (32*a*Cos[e/2 + Pi/4 + (f*x)/2]^2*Cot[e/2 +
Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]/(27*f^3) - (4*a*x^2*Cos[e/2 + Pi
/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]/(3*f) + (
16*a*x*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]]/(9*f^2)
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
 x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

Rubi steps

$$\begin{aligned} \int x^2(a + a \sin(e + fx))^{3/2} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}\right) \int x^2 \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx \\ &= -\frac{4ax^2 \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} + \frac{16ax \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^2} \\ &= -\frac{8ax^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} - \frac{4ax^2 \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} \\ &= \frac{32ax \sqrt{a + a \sin(e + fx)}}{3f^2} + \frac{32a \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} - \frac{8ax^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} \\ &= \frac{32ax \sqrt{a + a \sin(e + fx)}}{3f^2} + \frac{224a \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} - \frac{8ax^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^3} \end{aligned}$$

Mathematica [A] time = 0.822052, size = 191, normalized size = 0.7

$$\frac{2a\sqrt{a(\sin(e + fx) + 1)} \left(-\frac{4\left(\sin\left(\frac{e}{2}\right)(-9f^2x^2 - 39fx + 80) + \cos\left(\frac{e}{2}\right)(9f^2x^2 - 39fx - 80)\right)}{\sin\left(\frac{e}{2}\right) + \cos\left(\frac{e}{2}\right)} - \cos(fx) \left(\cos(e) (9f^2x^2 - 8) - 12fx \sin(e) \right) + \sin(e) \right)}{27f^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + a*Sin[e + f*x])^(3/2),x]
```

```
[Out] (2*a*((-4*((-80 - 39*f*x + 9*f^2*x^2)*Cos[e/2] + (80 - 39*f*x - 9*f^2*x^2)*
Sin[e/2]))/(Cos[e/2] + Sin[e/2]) - Cos[f*x]*((-8 + 9*f^2*x^2)*Cos[e] - 12*f
*x*Sin[e]) + (12*f*x*Cos[e] + (-8 + 9*f^2*x^2)*Sin[e])*Sin[f*x] + (8*(-80 +
9*f^2*x^2)*Sin[(f*x)/2]))/((Cos[e/2] + Sin[e/2])*(Cos[(e + f*x)/2] + Sin[(e
+ f*x)/2])))*Sqrt[a*(1 + Sin[e + f*x])]/(27*f^3)
```

Maple [F] time = 0.039, size = 0, normalized size = 0.

$$\int x^2 (a + a \sin(fx + e))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+a*sin(f*x+e))^(3/2),x)
```


[Out] `int(x^2*(a+a*sin(f*x+e))^(3/2),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")`

[Out] `integrate((a*sin(f*x + e) + a)^(3/2)*x^2, x)`

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x^2 (a (\sin(e + fx) + 1))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+a*sin(f*x+e))**(3/2),x)`

[Out] `Integral(x**2*(a*(sin(e + f*x) + 1))**(3/2), x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^{\frac{3}{2}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")`

[Out] `integrate((a*sin(f*x + e) + a)^(3/2)*x^2, x)`

3.130 $\int x(a + a \sin(e + fx))^{3/2} dx$

Optimal. Leaf size=165

$$\frac{8a \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^2} + \frac{16a \sqrt{a \sin(e + fx) + a}}{3f^2} - \frac{4ax \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \cos\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx)}}{3f}$$

[Out] (16*a*Sqrt[a + a*Sin[e + f*x]])/(3*f^2) - (8*a*x*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) - (4*a*x*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) + (8*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(9*f^2)

Rubi [A] time = 0.0911621, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3319, 3310, 3296, 2638}

$$\frac{8a \sin^2\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}}{9f^2} + \frac{16a \sqrt{a \sin(e + fx) + a}}{3f^2} - \frac{4ax \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \cos\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx)}}{3f}$$

Antiderivative was successfully verified.

[In] Int[x*(a + a*Sin[e + f*x])^(3/2),x]

[Out] (16*a*Sqrt[a + a*Sin[e + f*x]])/(3*f^2) - (8*a*x*Cot[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) - (4*a*x*Cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(3*f) + (8*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/(9*f^2)

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int x(a + a \sin(e + fx))^{3/2} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}\right) \int x \sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx \\
&= -\frac{4ax \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} + \frac{8a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{9f^2} \\
&= -\frac{8ax \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} - \frac{4ax \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} \\
&= \frac{16a \sqrt{a + a \sin(e + fx)}}{3f^2} - \frac{8ax \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f} - \frac{4ax \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{3f}
\end{aligned}$$

Mathematica [A] time = 0.680619, size = 113, normalized size = 0.68

$$\frac{(a(\sin(e + fx) + 1))^{3/2} \left(27(fx - 2) \cos\left(\frac{1}{2}(e + fx)\right) + (3fx + 2) \cos\left(\frac{3}{2}(e + fx)\right) + 2 \sin\left(\frac{1}{2}(e + fx)\right) ((3fx - 2) \cos(e + fx) + 2 \sin(e + fx))\right)}{9f^2 \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right)\right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + a*Sin[e + f*x])^(3/2), x]

[Out] -((27*(-2 + f*x)*Cos[(e + f*x)/2] + (2 + 3*f*x)*Cos[(3*(e + f*x))/2] + 2*(-4*(7 + 3*f*x) + (-2 + 3*f*x)*Cos[e + f*x])*Sin[(e + f*x)/2])*(a*(1 + Sin[e + f*x]))^(3/2))/(9*f^2*(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^3)

Maple [F] time = 0.036, size = 0, normalized size = 0.

$$\int x(a + a \sin(fx + e))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+a*sin(f*x+e))^(3/2), x)

[Out] int(x*(a+a*sin(f*x+e))^(3/2), x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^{3/2} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(f*x+e))^(3/2), x, algorithm="maxima")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)*x, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int x \left(a \left(\sin(e + fx) + 1 \right) \right)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(x*(a*(sin(e + f*x) + 1))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \left(a \sin(fx + e) + a \right)^{\frac{3}{2}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)*x, x)

$$3.131 \quad \int \frac{(a+a \sin(e+fx))^{3/2}}{x} dx$$

Optimal. Leaf size=221

$$\frac{3}{2}a \sin\left(\frac{1}{4}(2e + \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a} + \frac{1}{2}a \cos\left(\frac{3}{4}(2e - \pi)\right) \text{CosIntegral}\left(\frac{3f}{2}\right)$$

```
[Out] (a*cos[(3*(2*e - Pi))/4]*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/2 + (3*a*cosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/2 + (3*a*cos[(2*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(f*x)/2])/2 - (a*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(3*(2*e - Pi))/4]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(3*f*x)/2])/2
```

Rubi [A] time = 0.275993, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3312, 3303, 3299, 3302}

$$\frac{3}{2}a \sin\left(\frac{1}{4}(2e + \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a} + \frac{1}{2}a \cos\left(\frac{3}{4}(2e - \pi)\right) \text{CosIntegral}\left(\frac{3f}{2}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Sin[e + f*x])^(3/2)/x,x]
```

```
[Out] (a*cos[(3*(2*e - Pi))/4]*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/2 + (3*a*cosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/2 + (3*a*cos[(2*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(f*x)/2])/2 - (a*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(3*(2*e - Pi))/4]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(3*f*x)/2])/2
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)^(n_.)], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sin(e + fx))^{3/2}}{x} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x} dx \\ &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \left(\frac{3 \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{4x} + \frac{\sin\left(\frac{3e}{2} - \frac{\pi}{4} + \frac{3fx}{2}\right)}{4x} \right) dx \\ &= \frac{1}{2} \left(a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin\left(\frac{3e}{2} - \frac{\pi}{4} + \frac{3fx}{2}\right)}{x} dx + \frac{1}{2} \left(3a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x} dx \\ &= \frac{1}{2} \left(a \cos\left(\frac{3}{4}(2e - \pi)\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\cos\left(\frac{3fx}{2}\right)}{x} dx + \frac{1}{2} \left(a \cos\left(\frac{3}{4}(2e - \pi)\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x} dx \\ &= \frac{1}{2} a \cos\left(\frac{3}{4}(2e - \pi)\right) \text{Ci}\left(\frac{3fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} + \frac{3}{2} a \text{Ci}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \end{aligned}$$

Mathematica [A] time = 0.662187, size = 127, normalized size = 0.57

$$\frac{(a(\sin(e + fx) + 1))^{3/2} \left(3 \text{CosIntegral}\left(\frac{fx}{2}\right) \left(\sin\left(\frac{e}{2}\right) + \cos\left(\frac{e}{2}\right) \right) + \text{CosIntegral}\left(\frac{3fx}{2}\right) \left(\sin\left(\frac{3e}{2}\right) - \cos\left(\frac{3e}{2}\right) \right) + \left(\cos\left(\frac{e}{2}\right) - \sin\left(\frac{e}{2}\right) \right) \right)}{2 \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sin[e + f*x])^(3/2)/x,x]

[Out] ((a*(1 + Sin[e + f*x]))^(3/2)*(3*CosIntegral[(f*x)/2]*(Cos[e/2] + Sin[e/2]) + CosIntegral[(3*f*x)/2]*(-Cos[(3*e)/2] + Sin[(3*e)/2]) + (Cos[e/2] - Sin[e/2])*(3*SinIntegral[(f*x)/2] + (1 + 2*Sin[e])*SinIntegral[(3*f*x)/2]))/(2*(Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^3)

Maple [F] time = 0.036, size = 0, normalized size = 0.

$$\int \frac{1}{x} (a + a \sin(fx + e))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(f*x+e))^(3/2)/x,x)

[Out] int((a+a*sin(f*x+e))^(3/2)/x,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^(3/2)/x,x, algorithm="maxima")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)/x, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^(3/2)/x,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a(\sin(e + fx) + 1))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))**(3/2)/x,x)

[Out] Integral((a*(sin(e + f*x) + 1))**(3/2)/x, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^(3/2)/x,x, algorithm="giac")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)/x, x)

$$3.132 \quad \int \frac{(a+a \sin(e+fx))^{3/2}}{x^2} dx$$

Optimal. Leaf size=263

$$-\frac{3}{4}af \sin\left(\frac{1}{4}(2e-\pi)\right) \operatorname{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e+fx) + a} + \frac{3}{4}af \sin\left(\frac{1}{4}(6e+\pi)\right) \operatorname{CosIntegral}\left(\frac{3f}{2}\right)$$

```
[Out] (-3*a*f*CosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e - Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/4 + (3*a*f*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(6*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/4 - (2*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/x - (3*a*f*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(f*x)/2])/4 + (3*a*f*Cos[(6*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(3*f*x)/2])/4
```

Rubi [A] time = 0.300412, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3313, 3303, 3299, 3302}

$$-\frac{3}{4}af \sin\left(\frac{1}{4}(2e-\pi)\right) \operatorname{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e+fx) + a} + \frac{3}{4}af \sin\left(\frac{1}{4}(6e+\pi)\right) \operatorname{CosIntegral}\left(\frac{3f}{2}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Sin[e + f*x])^(3/2)/x^2,x]
```

```
[Out] (-3*a*f*CosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e - Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/4 + (3*a*f*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(6*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/4 - (2*a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/x - (3*a*f*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(f*x)/2])/4 + (3*a*f*Cos[(6*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]]*SinIntegral[(3*f*x)/2])/4
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
```


NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sin(e + fx))^{3/2}}{x^2} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x^2} dx \\ &= -\frac{2a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x} + \left(3af \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x} dx \\ &= -\frac{2a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x} + \frac{1}{4} \left(3af \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{1}{x} dx \\ &= -\frac{2a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x} + \frac{1}{4} \left(3af \cos\left(\frac{1}{4}(6e + \pi)\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{1}{x} dx \\ &= -\frac{3}{4} af \operatorname{Ci}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{1}{4}(2e - \pi)\right) \sqrt{a + a \sin(e + fx)} + \frac{3}{4} af \operatorname{Ci}\left(\frac{3fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \end{aligned}$$

Mathematica [C] time = 0.916471, size = 226, normalized size = 0.86

$$\frac{i \left(-iae^{-i(e+fx)} \left(e^{i(e+fx)} + i \right)^2 \right)^{3/2} \left(3fxe^{ie+\frac{3ifx}{2}} \operatorname{Ei}\left(-\frac{1}{2}ifx\right) + 3ifxe^{2ie+\frac{3ifx}{2}} \operatorname{Ei}\left(\frac{ifx}{2}\right) + 3fxe^{\frac{3}{2}i(2e+fx)} \operatorname{Ei}\left(\frac{3ifx}{2}\right) - 6ie^{i(e+fx)} - 6e^{i(e+fx)} \right)}{4\sqrt{2}x \left(e^{i(e+fx)} + i \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Sin[e + f*x])^(3/2)/x^2,x]

[Out] ((I/4)*(((-I)*a*(I + E^(I*(e + f*x))))^2)/E^(I*(e + f*x)))^(3/2)*(2 - (6*I)*E^(I*(e + f*x)) - 6*E^((2*I)*(e + f*x)) + (2*I)*E^((3*I)*(e + f*x)) + 3*E^(I*e + ((3*I)/2)*f*x)*f*x*ExpIntegralEi[(-I/2)*f*x] + (3*I)*E^((2*I)*e + ((3*I)/2)*f*x)*f*x*ExpIntegralEi[(I/2)*f*x] + (3*I)*E^(((3*I)/2)*f*x)*f*x*ExpIntegralEi[(-3*I)/2)*f*x] + 3*E^(((3*I)/2)*(2*e + f*x))*f*x*ExpIntegralEi[(3*I)/2)*f*x]))/(Sqrt[2]*(I + E^(I*(e + f*x)))^3*x)

Maple [F] time = 0.037, size = 0, normalized size = 0.

$$\int \frac{1}{x^2} (a + a \sin(fx + e))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*sin(f*x+e))^(3/2)/x^2,x)`

[Out] `int((a+a*sin(f*x+e))^(3/2)/x^2,x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sin(f*x+e))^(3/2)/x^2,x, algorithm="maxima")`

[Out] `integrate((a*sin(f*x + e) + a)^(3/2)/x^2, x)`

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sin(f*x+e))^(3/2)/x^2,x, algorithm="fricas")`

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a(\sin(e + fx) + 1))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sin(f*x+e))**(3/2)/x**2,x)`

[Out] `Integral((a*(sin(e + f*x) + 1))**(3/2)/x**2, x)`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*sin(f*x+e))^(3/2)/x^2,x, algorithm="giac")`

[Out] `integrate((a*sin(f*x + e) + a)^(3/2)/x^2, x)`

3.133 $\int \frac{(a+a \sin(e+fx))^{3/2}}{x^3} dx$

Optimal. Leaf size=332

$$-\frac{3}{16}af^2 \sin\left(\frac{1}{4}(2e + \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a} - \frac{9}{16}af^2 \cos\left(\frac{3}{4}(2e - \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}$$

```
[Out] (-9*a*f^2*cos[(3*(2*e - Pi))/4]*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/16 - (3*a*f^2*cosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/16 - (3*a*f*cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(2*x) - (a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/x^2 - (3*a*f^2*cos[(2*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])*SinIntegral[(f*x)/2])/16 + (9*a*f^2*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(3*(2*e - Pi))/4]*Sqrt[a + a*Sin[e + f*x]])*SinIntegral[(3*f*x)/2])/16
```

Rubi [A] time = 0.375586, antiderivative size = 332, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3319, 3314, 3303, 3299, 3302, 3312}

$$-\frac{3}{16}af^2 \sin\left(\frac{1}{4}(2e + \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a} - \frac{9}{16}af^2 \cos\left(\frac{3}{4}(2e - \pi)\right) \text{CosIntegral}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \sqrt{a \sin(e + fx) + a}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Sin[e + f*x])^(3/2)/x^3,x]
```

```
[Out] (-9*a*f^2*cos[(3*(2*e - Pi))/4]*CosIntegral[(3*f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/16 - (3*a*f^2*cosIntegral[(f*x)/2]*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(2*e + Pi)/4]*Sqrt[a + a*Sin[e + f*x]])/16 - (3*a*f*cos[e/2 + Pi/4 + (f*x)/2]*Sin[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])/(2*x) - (a*Sin[e/2 + Pi/4 + (f*x)/2]^2*Sqrt[a + a*Sin[e + f*x]])/x^2 - (3*a*f^2*cos[(2*e + Pi)/4]*Csc[e/2 + Pi/4 + (f*x)/2]*Sqrt[a + a*Sin[e + f*x]])*SinIntegral[(f*x)/2])/16 + (9*a*f^2*Csc[e/2 + Pi/4 + (f*x)/2]*Sin[(3*(2*e - Pi))/4]*Sqrt[a + a*Sin[e + f*x]])*SinIntegral[(3*f*x)/2])/16
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \sin(e + fx))^{3/2}}{x^3} dx &= \left(2a \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \right) \int \frac{\sin^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{x^3} dx \\ &= -\frac{3af \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{2x} - \frac{a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x^2} \\ &= -\frac{3af \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{2x} - \frac{a \sin^2\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x^2} \\ &= \frac{3}{2} af^2 \text{Ci}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{1}{4}(2e + \pi)\right) \sqrt{a + a \sin(e + fx)} - \frac{3af \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x^2} \\ &= \frac{3}{2} af^2 \text{Ci}\left(\frac{fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sin\left(\frac{1}{4}(2e + \pi)\right) \sqrt{a + a \sin(e + fx)} - \frac{3af \cos\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)}}{x^2} \\ &= -\frac{9}{16} af^2 \cos\left(\frac{3}{4}(2e - \pi)\right) \text{Ci}\left(\frac{3fx}{2}\right) \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} - \frac{3}{16} af^2 \text{Ci}\left(\frac{fx}{2}\right) \sqrt{a + a \sin(e + fx)} \end{aligned}$$

Mathematica [C] time = 0.875693, size = 295, normalized size = 0.89

$$\frac{i \left(-iae^{-i(e+fx)} \left(e^{i(e+fx)} + i \right)^2 \right)^{3/2} \left(3if^2x^2e^{ie+\frac{3ifx}{2}} \text{Ei}\left(-\frac{1}{2}ifx\right) + 3f^2x^2e^{2ie+\frac{3ifx}{2}} \text{Ei}\left(\frac{ifx}{2}\right) - 9if^2x^2e^{\frac{3}{2}i(2e+fx)} \text{Ei}\left(\frac{3ifx}{2}\right) + 6fxe^{i(e+fx)} \right)}{16\sqrt{2}x^2 \left(e^{i(e+fx)} + i \right)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Sin[e + f*x])^(3/2)/x^3,x]
```

```
[Out] ((-I/16)*(((I)*a*(I + E^(I*(e + f*x))))^2)/E^(I*(e + f*x)))^(3/2)*(-4 + (12
*I)*E^(I*(e + f*x)) + 12*E^((2*I)*(e + f*x)) - (4*I)*E^((3*I)*(e + f*x)) +
```

$(6*I)*f*x + 6*E^{(I*(e + f*x))*f*x} + (6*I)*E^{((2*I)*(e + f*x))*f*x} + 6*E^{((3*I)*(e + f*x))*f*x} + (3*I)*E^{(I*e + ((3*I)/2)*f*x)*f^2*x^2*ExpIntegralEi[-I/2*f*x]} + 3*E^{((2*I)*e + ((3*I)/2)*f*x)*f^2*x^2*ExpIntegralEi[(I/2)*f*x]} - 9*E^{(((3*I)/2)*f*x)*f^2*x^2*ExpIntegralEi[(-3*I)/2*f*x]} - (9*I)*E^{((3*I)/2)*(2*e + f*x)*f^2*x^2*ExpIntegralEi[((3*I)/2)*f*x]})/(Sqrt[2]*(I + E^{(I*(e + f*x))})^3*x^2)$

Maple [F] time = 0.036, size = 0, normalized size = 0.

$$\int \frac{1}{x^3} (a + a \sin(fx + e))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(f*x+e))^(3/2)/x^3,x)

[Out] int((a+a*sin(f*x+e))^(3/2)/x^3,x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^(3/2)/x^3,x, algorithm="maxima")

[Out] integrate((a*sin(f*x + e) + a)^(3/2)/x^3, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))^(3/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a(\sin(e + fx) + 1))^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(f*x+e))**(3/2)/x**3,x)

```
[Out] Integral((a*(sin(e + f*x) + 1))**(3/2)/x**3, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(fx + e) + a)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*sin(f*x+e))^(3/2)/x^3,x, algorithm="giac")
```

```
[Out] integrate((a*sin(f*x + e) + a)^(3/2)/x^3, x)
```

3.134 $\int \frac{x^3}{\sqrt{a+a \sin(c+dx)}} dx$

Optimal. Leaf size=417

$$\frac{12ix^2 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{12ix^2 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{48x \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d^2 \sqrt{a \sin(c+dx) + a}}$$

[Out] $(-4*x^3*\text{ArcTanh}[E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + ((12*I)*x^2*\text{PolyLog}[2, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^2*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - ((12*I)*x^2*\text{PolyLog}[2, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^2*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - (48*x*\text{PolyLog}[3, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^3*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + (48*x*\text{PolyLog}[3, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^3*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - ((96*I)*\text{PolyLog}[4, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^4*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + ((96*I)*\text{PolyLog}[4, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^4*\text{Sqrt}[a + a*\text{Sin}[c + d*x]])$

Rubi [A] time = 0.249256, antiderivative size = 417, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3319, 4183, 2531, 6609, 2282, 6589}

$$\frac{12ix^2 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{12ix^2 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{48x \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d^2 \sqrt{a \sin(c+dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[x^3/Sqrt[a + a*Sin[c + d*x]], x]

[Out] $(-4*x^3*\text{ArcTanh}[E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + ((12*I)*x^2*\text{PolyLog}[2, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^2*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - ((12*I)*x^2*\text{PolyLog}[2, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^2*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - (48*x*\text{PolyLog}[3, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^3*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + (48*x*\text{PolyLog}[3, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^3*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) - ((96*I)*\text{PolyLog}[4, -E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^4*\text{Sqrt}[a + a*\text{Sin}[c + d*x]]) + ((96*I)*\text{PolyLog}[4, E^{((I/4)*(2*c + \text{Pi} + 2*d*x))}]*\text{Sin}[c/2 + \text{Pi}/4 + (d*x)/2])/(d^4*\text{Sqrt}[a + a*\text{Sin}[c + d*x]])$

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^(FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d

$x)^{(m-1)} \cdot \text{Log}[1 - E^{(I*(e + f*x))}], x, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} \cdot \text{Log}[1 + E^{(I*(e + f*x))}], x, x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_.) * ((F_)^{(c_.) * ((a_.) + (b_.) * (x_)))^{(n_.)} * ((f_.) + (g_.) * (x_))^{(m_.)}], x_Symbol] :> -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e * (F^{(c*(a + b*x))})^n)] / (b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m) / (b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)} * \text{PolyLog}[2, -(e * (F^{(c*(a + b*x))})^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 6609

$\text{Int}[(e_.) + (f_.) * (x_)^{(m_.)} * \text{PolyLog}[n_., (d_.) * ((F_)^{(c_.) * ((a_.) + (b_.) * (x_)))^{(p_.)}], x_Symbol] :> \text{Simp}[(e + f*x)^m * \text{PolyLog}[n + 1, d * (F^{(c*(a + b*x))})^p] / (b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m) / (b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^{(m-1)} * \text{PolyLog}[n + 1, d * (F^{(c*(a + b*x))})^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 2282

$\text{Int}[u_., x_Symbol] :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_.) * ((a_.) * (v_)^{(n_.)})^{(m_.)} /; \text{FreeQ}\{a, m, n\}, x\} \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^{(c_.) * ((a_.) + (b_.) * x)} * (F_)[v_]] /; \text{FreeQ}\{a, b, c\}, x\} \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 6589

$\text{Int}[\text{PolyLog}[n_., (c_.) * ((a_.) + (b_.) * (x_))^{(p_.)}] / ((d_.) + (e_.) * (x_)), x_Symbol] :> \text{Simp}[\text{PolyLog}[n + 1, c * (a + b*x)^p] / (e*p), x] /; \text{FreeQ}\{a, b, c, d, e, n, p\}, x\} \&\& \text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned} \int \frac{x^3}{\sqrt{a + a \sin(c + dx)}} dx &= \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \int x^3 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} - \frac{\left(6 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int x^2 \log\left(1 - e^{i\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}\right)}{d\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.765819, size = 306, normalized size = 0.73

$$\sqrt[4]{-1}\sqrt{2}e^{-\frac{1}{2}i(c+dx)}\left(e^{i(c+dx)}+i\right)\left(6d^2x^2\text{PolyLog}\left(2,-\sqrt[4]{-1}e^{\frac{1}{2}i(c+dx)}\right)-6d^2x^2\text{PolyLog}\left(2,\sqrt[4]{-1}e^{\frac{1}{2}i(c+dx)}\right)+24idx\text{PolyLog}\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3/Sqrt[a + a*Sin[c + d*x]],x]

[Out] $((-1)^{(1/4)}\text{Sqrt}[2]*(I + E^{(I*(c + d*x))})*((-I)*d^3*x^3*\text{Log}[1 - (-1)^{(1/4)}*E^{((I/2)*(c + d*x))}] + I*d^3*x^3*\text{Log}[1 + (-1)^{(1/4)}*E^{((I/2)*(c + d*x))}] + 6*d^2*x^2*\text{PolyLog}[2, -((-1)^{(1/4)}*E^{((I/2)*(c + d*x))})] - 6*d^2*x^2*\text{PolyLog}[2, (-1)^{(1/4)}*E^{((I/2)*(c + d*x))}] + (24*I)*d*x*\text{PolyLog}[3, -((-1)^{(1/4)}*E^{((I/2)*(c + d*x))})] - (24*I)*d*x*\text{PolyLog}[3, (-1)^{(1/4)}*E^{((I/2)*(c + d*x))}] - 48*\text{PolyLog}[4, -((-1)^{(1/4)}*E^{((I/2)*(c + d*x))})] + 48*\text{PolyLog}[4, (-1)^{(1/4)}*E^{((I/2)*(c + d*x))})])/(d^4*E^{((I/2)*(c + d*x))}*Sqrt[((-I)*a*(I + E^{(I*(c + d*x))})^2)/E^{(I*(c + d*x))}])$

Maple [F] time = 0.178, size = 0, normalized size = 0.

$$\int x^3 \frac{1}{\sqrt{a + a \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+a*sin(d*x+c))^(1/2),x)

[Out] int(x^3/(a+a*sin(d*x+c))^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/sqrt(a*sin(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x^3}{\sqrt{a \sin(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x^3/sqrt(a*sin(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{a(\sin(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x**3/sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(x^3/sqrt(a*sin(d*x + c) + a), x)

$$3.135 \quad \int \frac{x^2}{\sqrt{a+a \sin(c+dx)}} dx$$

Optimal. Leaf size=293

$$\frac{8ix \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{8ix \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{16 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d^3}$$

```
[Out] (-4*x^2*ArcTanh[E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d
*Sqrt[a + a*Sin[c + d*x]]) + ((8*I)*x*PolyLog[2, -E^((I/4)*(2*c + Pi + 2*d*
x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]]) - ((8*I)*x*P
olyLog[2, E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqr
t[a + a*Sin[c + d*x]]) - (16*PolyLog[3, -E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[
c/2 + Pi/4 + (d*x)/2])/(d^3*Sqrt[a + a*Sin[c + d*x]]) + (16*PolyLog[3, E^((
I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^3*Sqrt[a + a*Sin[c
+ d*x]])
```

Rubi [A] time = 0.183318, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 4183, 2531, 2282, 6589}

$$\frac{8ix \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{8ix \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{16 \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d^3}$$

Antiderivative was successfully verified.

```
[In] Int[x^2/Sqrt[a + a*Sin[c + d*x]], x]
```

```
[Out] (-4*x^2*ArcTanh[E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d
*Sqrt[a + a*Sin[c + d*x]]) + ((8*I)*x*PolyLog[2, -E^((I/4)*(2*c + Pi + 2*d*
x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]]) - ((8*I)*x*P
olyLog[2, E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqr
t[a + a*Sin[c + d*x]]) - (16*PolyLog[3, -E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[
c/2 + Pi/4 + (d*x)/2])/(d^3*Sqrt[a + a*Sin[c + d*x]]) + (16*PolyLog[3, E^((
I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^3*Sqrt[a + a*Sin[c
+ d*x]])
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
  x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\int \frac{x^2}{\sqrt{a + a \sin(c + dx)}} dx = \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \int x^2 \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \sin(c + dx)}}$$

$$= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} - \frac{\left(4 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int x \log\left(1 - e^{i\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}\right)}{d\sqrt{a + a \sin(c + dx)}}$$

$$= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} - 8$$

$$= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} - 8$$

$$= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} - 8$$

Mathematica [A] time = 0.594169, size = 245, normalized size = 0.84

$$\frac{\sqrt[4]{-1}\sqrt{2}e^{-\frac{1}{2}i(c+dx)}\left(e^{i(c+dx)} + i\right)\left(4dx \operatorname{PolyLog}\left(2, -\sqrt[4]{-1}e^{\frac{1}{2}i(c+dx)}\right) - i\left(-4idx \operatorname{PolyLog}\left(2, \sqrt[4]{-1}e^{\frac{1}{2}i(c+dx)}\right) - 8 \operatorname{PolyLog}\left(3, -\sqrt[4]{-1}e^{i(c+dx)}\right)\right)\right)}{d^3\sqrt{-iae^{-i(c+dx)}}\left(e^{i(c+dx)}\right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/Sqrt[a + a*Sin[c + d*x]],x]
```

```
[Out] ((-1)^(1/4)*Sqrt[2]*(I + E^(I*(c + d*x)))*(4*d*x*PolyLog[2, -((-1)^(1/4)*E^
((I/2)*(c + d*x)))] - I*(d^2*x^2*Log[1 - (-1)^(1/4)*E^((I/2)*(c + d*x))]] -
d^2*x^2*Log[1 + (-1)^(1/4)*E^((I/2)*(c + d*x))]] - (4*I)*d*x*PolyLog[2, (-1)
^(1/4)*E^((I/2)*(c + d*x))]] - 8*PolyLog[3, -((-1)^(1/4)*E^((I/2)*(c + d*x)
))] + 8*PolyLog[3, (-1)^(1/4)*E^((I/2)*(c + d*x))]))/(d^3*E^((I/2)*(c + d*x
))*Sqrt[((-I)*a*(I + E^(I*(c + d*x)))^2)/E^(I*(c + d*x))])
```

Maple [F] time = 0.064, size = 0, normalized size = 0.

$$\int x^2 \frac{1}{\sqrt{a + a \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+a*sin(d*x+c))^(1/2),x)

[Out] int(x^2/(a+a*sin(d*x+c))^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/sqrt(a*sin(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x^2}{\sqrt{a \sin(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x^2/sqrt(a*sin(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{a(\sin(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x**2/sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x^2/sqrt(a*sin(d*x + c) + a), x)
```

3.136 $\int \frac{x}{\sqrt{a+a \sin(c+dx)}} dx$

Optimal. Leaf size=175

$$\frac{4i \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{4i \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{4x \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d \sqrt{a \sin(c+dx) + a}}$$

```
[Out] (-4*x*ArcTanh[E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d*Sqrt[a + a*Sin[c + d*x]]) + ((4*I)*PolyLog[2, -E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]]) - ((4*I)*PolyLog[2, E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]])
```

Rubi [A] time = 0.092206, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3319, 4183, 2279, 2391}

$$\frac{4i \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{4i \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)}{d^2 \sqrt{a \sin(c+dx) + a}} - \frac{4x \sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{d \sqrt{a \sin(c+dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[x/Sqrt[a + a*Sin[c + d*x]],x]
```

```
[Out] (-4*x*ArcTanh[E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d*Sqrt[a + a*Sin[c + d*x]]) + ((4*I)*PolyLog[2, -E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]]) - ((4*I)*PolyLog[2, E^((I/4)*(2*c + Pi + 2*d*x))]*Sin[c/2 + Pi/4 + (d*x)/2])/(d^2*Sqrt[a + a*Sin[c + d*x]])
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))]^(n_.), x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{a + a \sin(c + dx)}} dx &= \frac{\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) \int x \csc\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} - \frac{\left(2 \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int \log\left(1 - e^{i\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}\right) dx}{d\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{\left(4i \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, \right)}{d^2\sqrt{a + a \sin(c + dx)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d\sqrt{a + a \sin(c + dx)}} + \frac{4i \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} - \frac{4i \text{Li}_2\left(-e^{\frac{1}{4}i(2c+\pi+2dx)}\right) \sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 1.52358, size = 231, normalized size = 1.32

$$2 \left[\frac{c \sin\left(\frac{1}{4}(2c+2dx-\pi)\right) \sin^{-1}\left(\csc\left(\frac{1}{4}(2c+2dx+\pi)\right)\right)}{\sqrt{\frac{\sin(c+dx)-1}{\sin(c+dx)+1}}} + \frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \left(2i \left(\text{PolyLog}\left(2, -e^{\frac{1}{4}i(2c+2dx+\pi)}\right) - \text{PolyLog}\left(2, e^{\frac{1}{4}i(2c+2dx+\pi)}\right)\right) + \frac{1}{2}(2c+2dx)\right)}{\sqrt{2}} \right] \frac{1}{d^2 \sqrt{a(\sin(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[a + a*Sin[c + d*x]],x]

[Out] (2*(((-(Pi*ArcTanh[(-1 + Tan[(c + d*x)/4])/Sqrt[2]]) + ((2*c + Pi + 2*d*x)*(Log[1 - E^((I/4)*(2*c + Pi + 2*d*x))] - Log[1 + E^((I/4)*(2*c + Pi + 2*d*x)])))/2 + (2*I)*(PolyLog[2, -E^((I/4)*(2*c + Pi + 2*d*x))] - PolyLog[2, E^((I/4)*(2*c + Pi + 2*d*x)])))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])/Sqrt[2] + (c*ArcSin[Csc[(2*c + Pi + 2*d*x)/4]]*Sin[(2*c - Pi + 2*d*x)/4])/Sqrt[(-1 + Sin[c + d*x])/(1 + Sin[c + d*x])]))/(d^2*Sqrt[a*(1 + Sin[c + d*x])])

Maple [F] time = 0.06, size = 0, normalized size = 0.

$$\int x \frac{1}{\sqrt{a + a \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+a*sin(d*x+c))^(1/2),x)

[Out] int(x/(a+a*sin(d*x+c))^(1/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(a*sin(d*x + c) + a), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{x}{\sqrt{a \sin(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x/sqrt(a*sin(d*x + c) + a), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{a(\sin(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(x/sqrt(a*(sin(c + d*x) + 1)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{\sqrt{a \sin(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(a*sin(d*x + c) + a), x)

$$3.137 \quad \int \frac{1}{x\sqrt{a+a\sin(c+dx)}} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left(\frac{1}{x\sqrt{a\sin(c+dx)+a}}, x\right)$$

[Out] Unintegrable[1/(x*Sqrt[a + a*Sin[c + d*x]]), x]

Rubi [A] time = 0.0736267, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x\sqrt{a+a\sin(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[a + a*Sin[c + d*x]]),x]

[Out] Defer[Int][1/(x*Sqrt[a + a*Sin[c + d*x]]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{a+a\sin(c+dx)}} dx = \int \frac{1}{x\sqrt{a+a\sin(c+dx)}} dx$$

Mathematica [A] time = 3.03961, size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{a+a\sin(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[a + a*Sin[c + d*x]]),x]

[Out] Integrate[1/(x*Sqrt[a + a*Sin[c + d*x]]), x]

Maple [A] time = 0.046, size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{a+a\sin(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+a*sin(d*x+c))^(1/2),x)

[Out] int(1/x/(a+a*sin(d*x+c))^(1/2),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \sin(dx + c) + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(a*sin(d*x + c) + a)*x), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{a \sin(dx + c) + a}}{ax \sin(dx + c) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(a*sin(d*x + c) + a)/(a*x*sin(d*x + c) + a*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x\sqrt{a(\sin(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(1/(x*sqrt(a*(sin(c + d*x) + 1))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \sin(dx + c) + ax}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a*sin(d*x + c) + a)*x), x)

$$3.138 \quad \int \frac{1}{x^2 \sqrt{a + a \sin(c + dx)}} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left(\frac{1}{x^2 \sqrt{a \sin(c + dx) + a}}, x\right)$$

[Out] Unintegrable[1/(x^2*Sqrt[a + a*Sin[c + d*x]]), x]

Rubi [A] time = 0.0735011, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x^2 \sqrt{a + a \sin(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*Sqrt[a + a*Sin[c + d*x]]), x]

[Out] Defer[Int][1/(x^2*Sqrt[a + a*Sin[c + d*x]]), x]

Rubi steps

$$\int \frac{1}{x^2 \sqrt{a + a \sin(c + dx)}} dx = \int \frac{1}{x^2 \sqrt{a + a \sin(c + dx)}} dx$$

Mathematica [A] time = 0.747242, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{a + a \sin(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*Sqrt[a + a*Sin[c + d*x]]), x]

[Out] Integrate[1/(x^2*Sqrt[a + a*Sin[c + d*x]]), x]

Maple [A] time = 0.049, size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{a + a \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+a*sin(d*x+c))^(1/2), x)

[Out] int(1/x^2/(a+a*sin(d*x+c))^(1/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \sin(dx + c) + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(a*sin(d*x + c) + a)*x^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{a \sin(dx + c) + a}}{ax^2 \sin(dx + c) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(a*sin(d*x + c) + a)/(a*x^2*sin(d*x + c) + a*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 \sqrt{a(\sin(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+a*sin(d*x+c))**(1/2),x)

[Out] Integral(1/(x**2*sqrt(a*(sin(c + d*x) + 1))), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{\sqrt{a \sin(dx + c) + ax^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a*sin(d*x + c) + a)*x^2), x)

$$3.139 \quad \int \frac{x^3}{(a+a \sin(e+fx))^{3/2}} dx$$

Optimal. Leaf size=691

$$\frac{3ix^2 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{3ix^2 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{12x \sin\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

[Out] $(-3*x^2)/(a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (x^3*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]) / (2*a*f*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (24*x*\text{ArcTanh}[E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (x^3*\text{ArcTanh}[E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((24*I)*\text{PolyLog}[2, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((3*I)*x^2*\text{PolyLog}[2, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((24*I)*\text{PolyLog}[2, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((3*I)*x^2*\text{PolyLog}[2, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (12*x*\text{PolyLog}[3, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + (12*x*\text{PolyLog}[3, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((24*I)*\text{PolyLog}[4, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((24*I)*\text{PolyLog}[4, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]])$

Rubi [A] time = 0.353678, antiderivative size = 691, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {3319, 4186, 4183, 2279, 2391, 2531, 6609, 2282, 6589}

$$\frac{3ix^2 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{3ix^2 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{12x \sin\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3/(a + a*\text{Sin}[e + f*x])^{3/2}, x]$

[Out] $(-3*x^2)/(a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (x^3*\text{Cot}[e/2 + \text{Pi}/4 + (f*x)/2]) / (2*a*f*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (24*x*\text{ArcTanh}[E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (x^3*\text{ArcTanh}[E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((24*I)*\text{PolyLog}[2, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((3*I)*x^2*\text{PolyLog}[2, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((24*I)*\text{PolyLog}[2, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((3*I)*x^2*\text{PolyLog}[2, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^2*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - (12*x*\text{PolyLog}[3, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + (12*x*\text{PolyLog}[3, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^3*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) - ((24*I)*\text{PolyLog}[4, -E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]]) + ((24*I)*\text{PolyLog}[4, E^{\wedge}((I/4)*(2*e + \text{Pi} + 2*f*x))]*\text{Sin}[e/2 + \text{Pi}/4 + (f*x)/2]) / (a*f^4*\text{Sqrt}[a + a*\text{Sin}[e + f*x]])$

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
  x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])/((b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f,
g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/((b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
```

(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int \frac{x^3}{(a + a \sin(e + fx))^{3/2}} dx &= \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x^3 \csc^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{2a\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} + \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x^3 \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{4a\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{24x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af^3\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{24x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af^3\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{24x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af^3\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{24x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af^3\sqrt{a + a \sin(e + fx)}} \\ &= -\frac{3x^2}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^3 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{24x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af^3\sqrt{a + a \sin(e + fx)}} \end{aligned}$$

Mathematica [A] time = 2.80731, size = 455, normalized size = 0.66

$$\frac{x^2 \sqrt{a(\sin(e + fx) + 1)} \left((6 - fx) \sin\left(\frac{1}{2}(e + fx)\right) + (fx + 6) \cos\left(\frac{1}{2}(e + fx)\right) \right) (-1)^{3/4} e^{-\frac{3}{2}i(e+fx)} (e^{i(e+fx)} + i)^3 \left(6(f^2 x^2 + \dots) \right)}{2a^2 f^2 \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + a*Sin[e + f*x])^(3/2),x]

[Out] -((-1)^(3/4)*(I + E^(I*(e + f*x)))^3*(6*(8 + f^2*x^2)*PolyLog[2, -((-1)^(1/4)*E^((I/2)*(e + f*x))] - 6*(8 + f^2*x^2)*PolyLog[2, (-1)^(1/4)*E^((I/2)*(e + f*x))] - I*(24*f*x*Log[1 - (-1)^(1/4)*E^((I/2)*(e + f*x))] + f^3*x^3*Log[1 - (-1)^(1/4)*E^((I/2)*(e + f*x))] - 24*f*x*Log[1 + (-1)^(1/4)*E^((I/2)*(e + f*x))] - f^3*x^3*Log[1 + (-1)^(1/4)*E^((I/2)*(e + f*x))] - 24*f*x*PolyLog[3, -((-1)^(1/4)*E^((I/2)*(e + f*x))] + 24*f*x*PolyLog[3, (-1)^(1/4)*E^((I/2)*(e + f*x))] - (48*I)*PolyLog[4, -((-1)^(1/4)*E^((I/2)*(e + f*x))] + (48*I)*PolyLog[4, (-1)^(1/4)*E^((I/2)*(e + f*x))]))/(2*Sqrt[2]*E^((3*I/2)*(e + f*x))*((-I)*a*(I + E^(I*(e + f*x)))^2)/E^(I*(e + f*x))^(3/2)*f^4 - (x^2*((6 + f*x)*Cos[(e + f*x)/2] + (6 - f*x)*Sin[(e + f*x)/2])*Sqrt[a*(1

$$+ \text{Sin}[e + f*x]])/(2*a^2*f^2*(\text{Cos}[(e + f*x)/2] + \text{Sin}[(e + f*x)/2])^3)$$

Maple [F] time = 0.036, size = 0, normalized size = 0.

$$\int x^3 (a + a \sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+a*sin(f*x+e))^(3/2),x)

[Out] int(x^3/(a+a*sin(f*x+e))^(3/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(x^3/(a*sin(f*x + e) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{a \sin(fx + e) + ax^3}}{a^2 \cos(fx + e)^2 - 2a^2 \sin(fx + e) - 2a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(a*sin(f*x + e) + a)*x^3/(a^2*cos(f*x + e)^2 - 2*a^2*sin(f*x + e) - 2*a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(a(\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(x**3/(a*(sin(e + f*x) + 1))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^3}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate(x^3/(a*sin(f*x + e) + a)^(3/2), x)

$$3.140 \quad \int \frac{x^2}{(a+a \sin(e+fx))^{3/2}} dx$$

Optimal. Leaf size=435

$$\frac{2ix \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{2ix \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{4 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af}$$

```
[Out] (-2*x)/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (x^2*Cot[e/2 + Pi/4 + (f*x)/2])/(2*a*f*Sqrt[a + a*Sin[e + f*x]]) - (x^2*ArcTanh[E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f*Sqrt[a + a*Sin[e + f*x]]) - (4*ArcTanh[Cos[e/2 + Pi/4 + (f*x)/2]]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]]) + ((2*I)*x*PolyLog[2, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - ((2*I)*x*PolyLog[2, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (4*PolyLog[3, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]]) + (4*PolyLog[3, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]])
```

Rubi [A] time = 0.235191, antiderivative size = 435, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3319, 4186, 3770, 4183, 2531, 2282, 6589}

$$\frac{2ix \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{2ix \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{4 \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right)}{af}$$

Antiderivative was successfully verified.

```
[In] Int[x^2/(a + a*Sin[e + f*x])^(3/2), x]
```

```
[Out] (-2*x)/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (x^2*Cot[e/2 + Pi/4 + (f*x)/2])/(2*a*f*Sqrt[a + a*Sin[e + f*x]]) - (x^2*ArcTanh[E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f*Sqrt[a + a*Sin[e + f*x]]) - (4*ArcTanh[Cos[e/2 + Pi/4 + (f*x)/2]]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]]) + ((2*I)*x*PolyLog[2, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - ((2*I)*x*PolyLog[2, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (4*PolyLog[3, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]]) + (4*PolyLog[3, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^3*Sqrt[a + a*Sin[e + f*x]])
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
```

```
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]] /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + a \sin(e + fx))^{3/2}} dx &= \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x^2 \csc^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{2a\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} + \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x^2 \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{4a\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}} \\
&= -\frac{2x}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x^2 \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}}
\end{aligned}$$

Mathematica [A] time = 2.03136, size = 352, normalized size = 0.81

$$\frac{x\sqrt{a(\sin(e + fx) + 1)} \left((4 - fx) \sin\left(\frac{1}{2}(e + fx)\right) + (fx + 4) \cos\left(\frac{1}{2}(e + fx)\right) \right) + \sqrt[4]{-1} e^{-\frac{3}{2}i(e+fx)} (e^{i(e+fx)} + i)^3 (-4ifx \operatorname{PolyLog}[2, -(-1)^{1/4} E^{(i/2)(e+fx)}])}{2a^2 f^2 \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right)^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + a*Sin[e + f*x])^(3/2),x]

[Out] $((-1)^{1/4} * (I + E^{(I*(e + f*x))})^3 * (16 * \operatorname{ArcTanh}[(-1)^{1/4} * E^{(I/2)*(e + f*x)}]) - f^2 * x^2 * \operatorname{Log}[1 - (-1)^{1/4} * E^{(I/2)*(e + f*x)}]) + f^2 * x^2 * \operatorname{Log}[1 + (-1)^{1/4} * E^{(I/2)*(e + f*x)}]) - (4 * I) * f * x * \operatorname{PolyLog}[2, -((-1)^{1/4} * E^{(I/2)*(e + f*x)}]) + (4 * I) * f * x * \operatorname{PolyLog}[2, (-1)^{1/4} * E^{(I/2)*(e + f*x)}]) + 8 * \operatorname{PolyLog}[3, -((-1)^{1/4} * E^{(I/2)*(e + f*x)}]) - 8 * \operatorname{PolyLog}[3, (-1)^{1/4} * E^{(I/2)*(e + f*x)}])]) / (2 * \operatorname{Sqrt}[2] * E^{((3 * I)/2)*(e + f*x)} * ((-I) * a * (I + E^{(I*(e + f*x))})^2) / E^{(I*(e + f*x))})^{3/2} * f^3 - (x * ((4 + f*x) * \operatorname{Cos}[(e + f*x)/2] + (4 - f*x) * \operatorname{Sin}[(e + f*x)/2]) * \operatorname{Sqrt}[a * (1 + \operatorname{Sin}[e + f*x])]) / (2 * a^2 * f^2 * (\operatorname{Cos}[(e + f*x)/2] + \operatorname{Sin}[(e + f*x)/2])^3)$

Maple [F] time = 0.039, size = 0, normalized size = 0.

$$\int x^2 (a + a \sin(fx + e))^{-3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+a*sin(f*x+e))^(3/2),x)

[Out] int(x^2/(a+a*sin(f*x+e))^(3/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(x^2/(a*sin(f*x + e) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{a \sin(fx + e) + ax^2}}{a^2 \cos(fx + e)^2 - 2a^2 \sin(fx + e) - 2a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(a*sin(f*x + e) + a)*x^2/(a^2*cos(f*x + e)^2 - 2*a^2*sin(f*x + e) - 2*a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(a(\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(x**2/(a*(sin(e + f*x) + 1))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x^2}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate(x^2/(a*sin(f*x + e) + a)^(3/2), x)

$$3.141 \quad \int \frac{x}{(a+a \sin(e+fx))^{3/2}} dx$$

Optimal. Leaf size=249

$$\frac{i \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{i \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{1}{af^2\sqrt{a \sin(e+fx)+a}}$$

```
[Out] -(1/(a*f^2*Sqrt[a + a*Sin[e + f*x]])) - (x*Cot[e/2 + Pi/4 + (f*x)/2])/(2*a*f*Sqrt[a + a*Sin[e + f*x]]) - (x*ArcTanh[E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f*Sqrt[a + a*Sin[e + f*x]]) + (I*PolyLog[2, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (I*PolyLog[2, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]])
```

Rubi [A] time = 0.127779, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3319, 4185, 4183, 2279, 2391}

$$\frac{i \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, -e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{i \sin\left(\frac{e}{2} + \frac{fx}{2} + \frac{\pi}{4}\right) \text{PolyLog}\left(2, e^{\frac{1}{4}i(2e+2fx+\pi)}\right)}{af^2\sqrt{a \sin(e+fx)+a}} - \frac{1}{af^2\sqrt{a \sin(e+fx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[x/(a + a*Sin[e + f*x])^(3/2), x]
```

```
[Out] -(1/(a*f^2*Sqrt[a + a*Sin[e + f*x]])) - (x*Cot[e/2 + Pi/4 + (f*x)/2])/(2*a*f*Sqrt[a + a*Sin[e + f*x]]) - (x*ArcTanh[E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f*Sqrt[a + a*Sin[e + f*x]]) + (I*PolyLog[2, -E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]]) - (I*PolyLog[2, E^((I/4)*(2*e + Pi + 2*f*x))]*Sin[e/2 + Pi/4 + (f*x)/2])/(a*f^2*Sqrt[a + a*Sin[e + f*x]])
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] := -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
```

[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\int \frac{x}{(a + a \sin(e + fx))^{3/2}} dx = \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x \csc^3\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{2a\sqrt{a + a \sin(e + fx)}}$$

$$= -\frac{1}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} + \frac{\sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) \int x \csc\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right) dx}{4a\sqrt{a + a \sin(e + fx)}}$$

$$= -\frac{1}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}}$$

$$= -\frac{1}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}}$$

$$= -\frac{1}{af^2\sqrt{a + a \sin(e + fx)}} - \frac{x \cot\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{2af\sqrt{a + a \sin(e + fx)}} - \frac{x \tanh^{-1}\left(e^{\frac{1}{4}i(2e+\pi+2fx)}\right) \sin\left(\frac{e}{2} + \frac{\pi}{4} + \frac{fx}{2}\right)}{af\sqrt{a + a \sin(e + fx)}}$$

Mathematica [A] time = 2.54506, size = 308, normalized size = 1.24

$$\frac{\left(\sin\left(\frac{1}{2}(e+fx)\right)+\cos\left(\frac{1}{2}(e+fx)\right)\right)^3 \left(2i \left(\text{PolyLog}\left(2,-e^{\frac{1}{4}i(2e+2fx+\pi)}\right)-\text{PolyLog}\left(2,e^{\frac{1}{4}i(2e+2fx+\pi)}\right)\right)+\frac{1}{2}(2e+2fx+\pi) \left(\log\left(1-e^{\frac{1}{4}i(2e+2fx+\pi)}\right)-\log\left(1+e^{\frac{1}{4}i(2e+2fx+\pi)}\right)\right)-\pi}{\sqrt{2}}\right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + a*Sin[e + f*x])^(3/2),x]

```
[Out] (2*f*x*Sin[(e + f*x)/2]*(Cos[(e + f*x)/2] + Sin[(e + f*x)/2]) - (2 + f*x)*
Cos[(e + f*x)/2] + Sin[(e + f*x)/2])^2 + ((-Pi*ArcTanh[(-1 + Tan[(e + f*x)
/4])/Sqrt[2]]) + ((2*e + Pi + 2*f*x)*(Log[1 - E^((I/4)*(2*e + Pi + 2*f*x))
- Log[1 + E^((I/4)*(2*e + Pi + 2*f*x))]]))/2 + (2*I)*(PolyLog[2, -E^((I/4)*
(2*e + Pi + 2*f*x))] - PolyLog[2, E^((I/4)*(2*e + Pi + 2*f*x))]))*(Cos[(e +
f*x)/2] + Sin[(e + f*x)/2])^3/Sqrt[2] + (e*ArcSin[Csc[(2*e + Pi + 2*f*x)/
4]]*(1 + Sin[e + f*x])*Sin[(2*e - Pi + 2*f*x)/4])/Sqrt[(-1 + Sin[e + f*x])/
(1 + Sin[e + f*x])])/(2*f^2*(a*(1 + Sin[e + f*x]))^(3/2))
```


Maple [F] time = 0.038, size = 0, normalized size = 0.

$$\int x (a + a \sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+a*sin(f*x+e))^(3/2),x)

[Out] int(x/(a+a*sin(f*x+e))^(3/2),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(x/(a*sin(f*x + e) + a)^(3/2), x)

Fricas [F] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{a \sin(fx + e) + ax}}{a^2 \cos(fx + e)^2 - 2a^2 \sin(fx + e) - 2a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(a*sin(f*x + e) + a)*x/(a^2*cos(f*x + e)^2 - 2*a^2*sin(f*x + e) - 2*a^2), x)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(a(\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(x/(a*(sin(e + f*x) + 1))**(3/2), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{x}{(a \sin(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(x/(a*sin(f*x + e) + a)^(3/2), x)
```

$$3.142 \quad \int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left(\frac{1}{x(a \sin(e+fx)+a)^{3/2}}, x\right)$$

[Out] Unintegrable[1/(x*(a + a*Sin[e + f*x])^(3/2)), x]

Rubi [A] time = 0.0833333, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + a*Sin[e + f*x])^(3/2)),x]

[Out] Defer[Int][1/(x*(a + a*Sin[e + f*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx = \int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx$$

Mathematica [A] time = 32.8651, size = 0, normalized size = 0.

$$\int \frac{1}{x(a+a \sin(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + a*Sin[e + f*x])^(3/2)),x]

[Out] Integrate[1/(x*(a + a*Sin[e + f*x])^(3/2)), x]

Maple [A] time = 0.039, size = 0, normalized size = 0.

$$\int \frac{1}{x} (a+a \sin(fx+e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+a*sin(f*x+e))^(3/2),x)

[Out] int(1/x/(a+a*sin(f*x+e))^(3/2),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sin(fx + e) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a*sin(f*x + e) + a)^(3/2)*x), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\sqrt{a \sin(fx + e) + a}}{a^2 x \cos(fx + e)^2 - 2 a^2 x \sin(fx + e) - 2 a^2 x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(a*sin(f*x + e) + a)/(a^2*x*cos(f*x + e)^2 - 2*a^2*x*sin(f*x + e) - 2*a^2*x), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x (a (\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(1/(x*(a*(sin(e + f*x) + 1))**(3/2)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sin(fx + e) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate(1/((a*sin(f*x + e) + a)^(3/2)*x), x)

$$3.143 \quad \int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left(\frac{1}{x^2(a \sin(e+fx)+a)^{3/2}}, x\right)$$

[Out] Unintegrable[1/(x^2*(a + a*Sin[e + f*x])^(3/2)), x]

Rubi [A] time = 0.08029, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + a*Sin[e + f*x])^(3/2)), x]

[Out] Defer[Int][1/(x^2*(a + a*Sin[e + f*x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx = \int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx$$

Mathematica [A] time = 17.4709, size = 0, normalized size = 0.

$$\int \frac{1}{x^2(a+a \sin(e+fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + a*Sin[e + f*x])^(3/2)), x]

[Out] Integrate[1/(x^2*(a + a*Sin[e + f*x])^(3/2)), x]

Maple [A] time = 0.036, size = 0, normalized size = 0.

$$\int \frac{1}{x^2} (a + a \sin(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+a*sin(f*x+e))^(3/2), x)

[Out] int(1/x^2/(a+a*sin(f*x+e))^(3/2), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sin(fx + e) + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a*sin(f*x + e) + a)^(3/2)*x^2), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(-\frac{\sqrt{a \sin(fx + e) + a}}{a^2 x^2 \cos(fx + e)^2 - 2 a^2 x^2 \sin(fx + e) - 2 a^2 x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="fricas")

[Out] integral(-sqrt(a*sin(f*x + e) + a)/(a^2*x^2*cos(f*x + e)^2 - 2*a^2*x^2*sin(f*x + e) - 2*a^2*x^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{x^2 (a (\sin(e + fx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+a*sin(f*x+e))**(3/2),x)

[Out] Integral(1/(x**2*(a*(sin(e + f*x) + 1))**(3/2)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a \sin(fx + e) + a)^{\frac{3}{2}} x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+a*sin(f*x+e))^(3/2),x, algorithm="giac")

[Out] integrate(1/((a*sin(f*x + e) + a)^(3/2)*x^2), x)

$$3.144 \quad \int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx$$

Optimal. Leaf size=20

$$\text{Unintegrable}\left(\frac{\sqrt[3]{a \sin(c+dx)+a}}{x}, x\right)$$

[Out] Unintegrable[(a + a*Sin[c + d*x])^(1/3)/x, x]

Rubi [A] time = 0.0689206, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + a*Sin[c + d*x])^(1/3)/x,x]

[Out] Defer[Int] [(a + a*Sin[c + d*x])^(1/3)/x, x]

Rubi steps

$$\int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx = \int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx$$

Mathematica [A] time = 2.97031, size = 0, normalized size = 0.

$$\int \frac{\sqrt[3]{a+a \sin(c+dx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + a*Sin[c + d*x])^(1/3)/x,x]

[Out] Integrate[(a + a*Sin[c + d*x])^(1/3)/x, x]

Maple [A] time = 0.073, size = 0, normalized size = 0.

$$\int \frac{1}{x} \sqrt[3]{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*sin(d*x+c))^(1/3)/x,x)

[Out] int((a+a*sin(d*x+c))^(1/3)/x,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(dx + c) + a)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/3)/x,x, algorithm="maxima")

[Out] integrate((a*sin(d*x + c) + a)^(1/3)/x, x)

Fricas [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: UnboundLocalError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/3)/x,x, algorithm="fricas")

[Out] Exception raised: UnboundLocalError

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt[3]{a(\sin(c + dx) + 1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))**(1/3)/x,x)

[Out] Integral((a*(sin(c + d*x) + 1))**(1/3)/x, x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a \sin(dx + c) + a)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*sin(d*x+c))^(1/3)/x,x, algorithm="giac")

[Out] integrate((a*sin(d*x + c) + a)^(1/3)/x, x)

3.145 $\int (c + dx)^m (a + a \sin(e + fx))^n dx$

Optimal. Leaf size=22

$$\text{Unintegrable}((c + dx)^m (a \sin(e + fx) + a)^n, x)$$

[Out] Unintegrable[(c + d*x)^m*(a + a*Sin[e + f*x])^n, x]

Rubi [A] time = 0.0477629, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c + dx)^m (a + a \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*(a + a*Sin[e + f*x])^n,x]

[Out] Defer[Int][(c + d*x)^m*(a + a*Sin[e + f*x])^n, x]

Rubi steps

$$\int (c + dx)^m (a + a \sin(e + fx))^n dx = \int (c + dx)^m (a + a \sin(e + fx))^n dx$$

Mathematica [A] time = 1.09577, size = 0, normalized size = 0.

$$\int (c + dx)^m (a + a \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*(a + a*Sin[e + f*x])^n,x]

[Out] Integrate[(c + d*x)^m*(a + a*Sin[e + f*x])^n, x]

Maple [A] time = 0.329, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + a \sin(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+a*sin(f*x+e))^n,x)

[Out] int((d*x+c)^m*(a+a*sin(f*x+e))^n,x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m (a \sin(fx + e) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*(a*sin(f*x + e) + a)^n, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((dx + c)^m(a \sin(fx + e) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^n,x, algorithm="fricas")

[Out] integral((d*x + c)^m*(a*sin(f*x + e) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+a*sin(f*x+e))**n,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m(a \sin(fx + e) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^n,x, algorithm="giac")

[Out] integrate((d*x + c)^m*(a*sin(f*x + e) + a)^n, x)

3.146 $\int (c + dx)^m (a + a \sin(e + fx))^3 dx$

Optimal. Leaf size=449

$$\frac{15a^3 e^{i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{8f} + \frac{3ia^3 2^{-m-3} e^{2i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f}$$

```
[Out] (5*a^3*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (15*a^3*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(8*f*(((I)*f*(c + d*x))/d)^m) - (15*a^3*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(8*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + ((3*I)*2^(-3 - m)*a^3*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - ((3*I)*2^(-3 - m)*a^3*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (3^(-1 - m)*a^3*E^((3*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-3*I)*f*(c + d*x))/d])/(8*f*(((I)*f*(c + d*x))/d)^m) + (3^(-1 - m)*a^3*(c + d*x)^m*Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(8*E^((3*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rubi [A] time = 0.605078, antiderivative size = 449, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3318, 3312, 3307, 2181, 3308}

$$\frac{15a^3 e^{i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{8f} + \frac{3ia^3 2^{-m-3} e^{2i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^m*(a + a*Sin[e + f*x])^3,x]
```

```
[Out] (5*a^3*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (15*a^3*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(8*f*(((I)*f*(c + d*x))/d)^m) - (15*a^3*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(8*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + ((3*I)*2^(-3 - m)*a^3*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - ((3*I)*2^(-3 - m)*a^3*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (3^(-1 - m)*a^3*E^((3*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-3*I)*f*(c + d*x))/d])/(8*f*(((I)*f*(c + d*x))/d)^m) + (3^(-1 - m)*a^3*(c + d*x)^m*Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(8*E^((3*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])
/d))*c + d*x])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F]
)*c + d*x)/d))^FracPart[m]], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^m (a + a \sin(e + fx))^3 dx &= (8a^3) \int (c + dx)^m \sin^6 \left(\frac{1}{2} \left(e + \frac{\pi}{2} \right) + \frac{fx}{2} \right) dx \\ &= (8a^3) \int \left(\frac{5}{16} (c + dx)^m - \frac{3}{16} (c + dx)^m \cos(2e + 2fx) + \frac{15}{32} (c + dx)^m \sin(e + fx) - \frac{1}{32} (c + dx)^m \cos(2e + 2fx) \right) dx \\ &= \frac{5a^3(c + dx)^{1+m}}{2d(1+m)} - \frac{1}{4} a^3 \int (c + dx)^m \sin(3e + 3fx) dx - \frac{1}{2} (3a^3) \int (c + dx)^m \cos(2e + 2fx) dx \\ &= \frac{5a^3(c + dx)^{1+m}}{2d(1+m)} - \frac{1}{8} (ia^3) \int e^{-i(3e+3fx)} (c + dx)^m dx + \frac{1}{8} (ia^3) \int e^{i(3e+3fx)} (c + dx)^m dx \\ &= \frac{5a^3(c + dx)^{1+m}}{2d(1+m)} - \frac{15a^3 e^{i\left(e - \frac{cf}{d}\right)} (c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{if(c+dx)}{d}\right)}{8f} - \frac{15a^3 e^{-i\left(e - \frac{cf}{d}\right)} (c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{if(c+dx)}{d}\right)}{8f} \end{aligned}$$

Mathematica [A] time = 0.844823, size = 376, normalized size = 0.84

$$\frac{1}{24} a^3 (c + dx)^m \left(\frac{45 e^{i\left(e - \frac{cf}{d}\right)} \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{if(c+dx)}{d}\right)}{f} + \frac{9 i 2^{-m} e^{2i\left(e - \frac{cf}{d}\right)} \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{2if(c+dx)}{d}\right)}{f} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^m*(a + a*Sin[e + f*x])^3,x]
```

```
[Out] (a^3*(c + d*x)^m*((60*(c + d*x))/(d*(1 + m)) - (45*E^(I*(e - (c*f)/d))*Gamma[m + 1, ((-I)*f*(c + d*x))/d])/(f*((-I)*f*(c + d*x))/d)^m - (45*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + ((9*I)*E^((2*I)*(e - (c*f)/d))*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(2^m*f*((-I)*f*(c + d*x))/d)^m - ((9*I)*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(2^m*f*((-I)*f*(c + d*x))/d)^m + (E^((3*I)*(e - (c*f)/d))*Gamma[1 + m, ((-3*I)*f*(c + d*x))/d])/(3^m*f*((-I)*f*(c + d*x))/d)^m + Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(3^m*f*((-I)*f*(c + d*x))/d)^m + (E^((3*I)*(e - (c*f)/d))*Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(3^m*f*((-I)*f*(c + d*x))/d)^m)/24
```

Maple [F] time = 0.279, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + a \sin(fx + e))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+a*sin(f*x+e))^3,x)

[Out] int((d*x+c)^m*(a+a*sin(f*x+e))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.1351, size = 934, normalized size = 2.08

$$(a^3 dm + a^3 d) e^{\left(-\frac{dm \log\left(\frac{3if}{d}\right) + 3ide - 3icf}{d} \right)} \Gamma\left(m + 1, \frac{3idfx + 3icf}{d}\right) + (-9i a^3 dm - 9i a^3 d) e^{\left(-\frac{dm \log\left(\frac{2if}{d}\right) + 2ide - 2icf}{d} \right)} \Gamma\left(m + 1, \frac{2idfx + 2icf}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^3,x, algorithm="fricas")

[Out] 1/24*((a^3*d*m + a^3*d)*e^(-(d*m*log(3*I*f/d) + 3*I*d*e - 3*I*c*f)/d)*gamma(m + 1, (3*I*d*f*x + 3*I*c*f)/d) + (-9*I*a^3*d*m - 9*I*a^3*d)*e^(-(d*m*log(2*I*f/d) + 2*I*d*e - 2*I*c*f)/d)*gamma(m + 1, (2*I*d*f*x + 2*I*c*f)/d) - 45*(a^3*d*m + a^3*d)*e^(-(d*m*log(I*f/d) + I*d*e - I*c*f)/d)*gamma(m + 1, (I*d*f*x + I*c*f)/d) - 45*(a^3*d*m + a^3*d)*e^(-(d*m*log(-I*f/d) - I*d*e + I*c*f)/d)*gamma(m + 1, (-I*d*f*x - I*c*f)/d) + (9*I*a^3*d*m + 9*I*a^3*d)*e^(-(d*m*log(-2*I*f/d) - 2*I*d*e + 2*I*c*f)/d)*gamma(m + 1, (-2*I*d*f*x - 2*I*c*f)/d) + (a^3*d*m + a^3*d)*e^(-(d*m*log(-3*I*f/d) - 3*I*d*e + 3*I*c*f)/d)*gamma(m + 1, (-3*I*d*f*x - 3*I*c*f)/d) + 60*(a^3*d*f*x + a^3*c*f)*(d*x + c)^m)/(d*f*m + d*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+a*sin(f*x+e))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^3 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^3,x, algorithm="giac")

[Out] integrate((a*sin(f*x + e) + a)^3*(d*x + c)^m, x)

3.147 $\int (c + dx)^m (a + a \sin(e + fx))^2 dx$

Optimal. Leaf size=299

$$\frac{a^2 e^{i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f} + \frac{ia^2 2^{-m-3} e^{2i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f}$$

[Out] (3*a^2*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (a^2*E^(I*(e - (c*f)/d))*(c + d*x)^(m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - (a^2*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (I*2^(-3 - m)*a^2*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - (I*2^(-3 - m)*a^2*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rubi [A] time = 0.369239, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3318, 3312, 3307, 2181, 3308}

$$\frac{a^2 e^{i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f} + \frac{ia^2 2^{-m-3} e^{2i\left(\frac{e-cf}{d}\right)} (c+dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*(a + a*Sin[e + f*x])^2,x]

[Out] (3*a^2*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (a^2*E^(I*(e - (c*f)/d))*(c + d*x)^(m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - (a^2*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (I*2^(-3 - m)*a^2*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((I)*f*(c + d*x))/d)^m) - (I*2^(-3 - m)*a^2*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3308

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^m (a + a \sin(e + fx))^2 dx &= (4a^2) \int (c + dx)^m \sin^4\left(\frac{1}{2}\left(e + \frac{\pi}{2}\right) + \frac{fx}{2}\right) dx \\
&= (4a^2) \int \left(\frac{3}{8}(c + dx)^m - \frac{1}{8}(c + dx)^m \cos(2e + 2fx) + \frac{1}{2}(c + dx)^m \sin(e + fx)\right) dx \\
&= \frac{3a^2(c + dx)^{1+m}}{2d(1+m)} - \frac{1}{2}a^2 \int (c + dx)^m \cos(2e + 2fx) dx + (2a^2) \int (c + dx)^m \sin(e + fx) dx \\
&= \frac{3a^2(c + dx)^{1+m}}{2d(1+m)} + (ia^2) \int e^{-i(e+fx)}(c + dx)^m dx - (ia^2) \int e^{i(e+fx)}(c + dx)^m dx - \frac{1}{4}a^2 \\
&= \frac{3a^2(c + dx)^{1+m}}{2d(1+m)} - \frac{a^2 e^{i\left(\frac{e-cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{if(c+dx)}{d}\right)}{f} - \frac{a^2 e^{-i\left(\frac{e-cf}{d}\right)}}{f}
\end{aligned}$$

Mathematica [A] time = 0.284949, size = 260, normalized size = 0.87

$$\frac{1}{8}a^2(c + dx)^m \left(-\frac{8e^{i\left(\frac{e-cf}{d}\right)}\left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{if(c+dx)}{d}\right)}{f} + \frac{i2^{-m}e^{2i\left(\frac{e-cf}{d}\right)}\left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{2if(c+dx)}{d}\right)}{f} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^m*(a + a*Sin[e + f*x])^2,x]
```

```
[Out] (a^2*(c + d*x)^m*((12*(c + d*x))/(d*(1 + m)) - (8*E^(I*(e - (c*f)/d))*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(f*(((-I)*f*(c + d*x))/d)^m) - (8*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (I*E^((2*I)*(e - (c*f)/d))*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(2^m*f*(((-I)*f*(c + d*x))/d)^m) - (I*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(2^m*E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m))/8
```

Maple [F] time = 0.193, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + a \sin(fx + e))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^m*(a+a*sin(f*x+e))^2,x)
```


[Out] $\int ((d*x+c)^m*(a+a*\sin(f*x+e))^2, x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)^m*(a+a*\sin(f*x+e))^2, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [A] time = 1.97924, size = 636, normalized size = 2.13

$$\left(-i a^2 d m - i a^2 d\right) e^{\left(-\frac{d m \log\left(\frac{2 i f}{d}\right)+2 i d e-2 i c f}{d}\right)} \Gamma\left(m+1, \frac{2 i d f x+2 i c f}{d}\right) - 8\left(a^2 d m + a^2 d\right) e^{\left(-\frac{d m \log\left(\frac{i f}{d}\right)+i d e-i c f}{d}\right)} \Gamma\left(m+1, \frac{i d f x+i c f}{d}\right) - 8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)^m*(a+a*\sin(f*x+e))^2, x, \text{algorithm}="fricas")$

[Out] $\frac{1}{8} * ((-I * a^2 * d * m - I * a^2 * d) * e^{-(d * m * \log(2 * I * f / d) + 2 * I * d * e - 2 * I * c * f) / d} * \text{gamma}(m + 1, (2 * I * d * f * x + 2 * I * c * f) / d) - 8 * (a^2 * d * m + a^2 * d) * e^{-(d * m * \log(I * f / d) + I * d * e - I * c * f) / d} * \text{gamma}(m + 1, (I * d * f * x + I * c * f) / d) - 8 * (a^2 * d * m + a^2 * d) * e^{-(d * m * \log(-I * f / d) - I * d * e + I * c * f) / d} * \text{gamma}(m + 1, (-I * d * f * x - I * c * f) / d) + (I * a^2 * d * m + I * a^2 * d) * e^{-(d * m * \log(-2 * I * f / d) - 2 * I * d * e + 2 * I * c * f) / d} * \text{gamma}(m + 1, (-2 * I * d * f * x - 2 * I * c * f) / d) + 12 * (a^2 * d * f * x + a^2 * c * f) * (d * x + c)^m) / (d * f * m + d * f)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a^2 \left(\int 2(c + dx)^m \sin(e + fx) dx + \int (c + dx)^m \sin^2(e + fx) dx + \int (c + dx)^m dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*x+c)**m*(a+a*\sin(f*x+e))**2, x)$

[Out] $a**2*(\text{Integral}(2*(c + d*x)**m*\sin(e + f*x), x) + \text{Integral}((c + d*x)**m*\sin(e + f*x)**2, x) + \text{Integral}((c + d*x)**m, x))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)^2 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+a*sin(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate((a*sin(f*x + e) + a)^2*(d*x + c)^m, x)
```

3.148 $\int (c + dx)^m (a + a \sin(e + fx)) dx$

Optimal. Leaf size=148

$$\frac{ae^{i\left(\frac{e-fx}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{ae^{-i\left(\frac{e-fx}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) - (a*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*((-I)*f*(c + d*x))/d)^m - (a*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rubi [A] time = 0.144218, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3308, 2181}

$$\frac{ae^{i\left(\frac{e-fx}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{ae^{-i\left(\frac{e-fx}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*(a + a*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) - (a*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*((-I)*f*(c + d*x))/d)^m - (a*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d)*(c + d*x])]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int (c + dx)^m (a + a \sin(e + fx)) dx &= \int (a(c + dx)^m + a(c + dx)^m \sin(e + fx)) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + a \int (c + dx)^m \sin(e + fx) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + \frac{1}{2}(ia) \int e^{-i(e+fx)}(c + dx)^m dx - \frac{1}{2}(ia) \int e^{i(e+fx)}(c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} - \frac{ae^{i\left(e-\frac{cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{2f} - \frac{ae^{-i\left(e-\frac{cf}{d}\right)}(c + dx)^m \left(\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, \frac{if(c+dx)}{d}\right)}{2f}
\end{aligned}$$

Mathematica [A] time = 2.71381, size = 199, normalized size = 1.34

$$\frac{a(c + dx)^m (\sin(e + fx) + 1) \left(d(m + 1) \left(-\frac{if(c+dx)}{d} \right)^{-m} \left(\cos\left(e - \frac{cf}{d}\right) + i \sin\left(e - \frac{cf}{d}\right) \right) \Gamma\left(m + 1, -\frac{if(c+dx)}{d}\right) + d(m + 1) \left(\frac{if(c+dx)}{d} \right)^{-m} \left(\cos\left(e + \frac{cf}{d}\right) + i \sin\left(e + \frac{cf}{d}\right) \right) \Gamma\left(m + 1, \frac{if(c+dx)}{d}\right) \right)}{2df(m + 1) \left(\sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*(a + a*Sin[e + f*x]),x]

[Out] $-\frac{a(c + dx)^m (2de - 2cf - 2d(e + fx) + (1+m)d \Gamma[1+m, (I f (c + dx))/d] (\cos[e - (cf)/d] - I \sin[e - (cf)/d]])}{d} + \frac{a(c + dx)^m (2de + 2cf + 2d(e + fx) + (1+m)d \Gamma[1+m, (-I f (c + dx))/d] (\cos[e + (cf)/d] + I \sin[e + (cf)/d]])}{d} + \frac{a(c + dx)^m (1 + \sin[e + fx])}{2d} + \frac{a(c + dx)^m (1 + \cos[e + fx])}{2d}$

Maple [F] time = 0.093, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + a \sin(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+a*sin(f*x+e)),x)

[Out] int((d*x+c)^m*(a+a*sin(f*x+e)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.89878, size = 319, normalized size = 2.16

$$\frac{(adm + ad)e^{\left(-\frac{dm\log\left(\frac{if}{d}\right) + ide - icf}{d}\right)} \Gamma\left(m + 1, \frac{idfx + icf}{d}\right) + (adm + ad)e^{\left(-\frac{dm\log\left(-\frac{if}{d}\right) - ide + icf}{d}\right)} \Gamma\left(m + 1, \frac{-idfx - icf}{d}\right) - 2(adfx + ac)}{2(dfm + df)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] $-1/2*((a*d*m + a*d)*e^{-(d*m*\log(I*f/d) + I*d*e - I*c*f)/d}*\gamma(m + 1, (I*d*f*x + I*c*f)/d) + (a*d*m + a*d)*e^{-(d*m*\log(-I*f/d) - I*d*e + I*c*f)/d}*\gamma(m + 1, (-I*d*f*x - I*c*f)/d) - 2*(a*d*f*x + a*c*f)*(d*x + c)^m/(d*f*m + d*f)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$a\left(\int (c + dx)^m \sin(e + fx) dx + \int (c + dx)^m dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+a*sin(f*x+e)),x)

[Out] $a*(\text{Integral}((c + d*x)**m*\sin(e + f*x), x) + \text{Integral}((c + d*x)**m, x))$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (a \sin(fx + e) + a)(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((a*sin(f*x+ e) + a)*(d*x + c)^m, x)

$$3.149 \quad \int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{a \sin(e+fx)+a}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + a*Sin[e + f*x]), x]

Rubi [A] time = 0.0550764, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + a*Sin[e + f*x]),x]

[Out] Defer[Int] [(c + d*x)^m/(a + a*Sin[e + f*x]), x]

Rubi steps

$$\int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx = \int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx$$

Mathematica [A] time = 0.880904, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{a+a \sin(e+fx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + a*Sin[e + f*x]),x]

[Out] Integrate[(c + d*x)^m/(a + a*Sin[e + f*x]), x]

Maple [A] time = 0.1, size = 0, normalized size = 0.

$$\int \frac{(dx+c)^m}{a+a \sin(fx+e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+a*sin(f*x+e)),x)

[Out] int((d*x+c)^m/(a+a*sin(f*x+e)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{a \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e)),x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(a*sin(f*x + e) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(dx + c)^m}{a \sin(fx + e) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e)),x, algorithm="fricas")

[Out] integral((d*x + c)^m/(a*sin(f*x + e) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{(c+dx)^m}{\sin(e+fx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m/(a+a*sin(f*x+e)),x)

[Out] Integral((c + d*x)**m/(sin(e + f*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{a \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^m/(a*sin(f*x + e) + a), x)

$$3.150 \quad \int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{(a \sin(e+fx)+a)^2}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + a*Sin[e + f*x])^2, x]

Rubi [A] time = 0.0530645, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + a*Sin[e + f*x])^2, x]

[Out] Defer[Int] [(c + d*x)^m/(a + a*Sin[e + f*x])^2, x]

Rubi steps

$$\int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx = \int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx$$

Mathematica [A] time = 9.12508, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{(a+a \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + a*Sin[e + f*x])^2, x]

[Out] Integrate[(c + d*x)^m/(a + a*Sin[e + f*x])^2, x]

Maple [A] time = 0.137, size = 0, normalized size = 0.

$$\int \frac{(dx+c)^m}{(a+a \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+a*sin(f*x+e))^2, x)

[Out] int((d*x+c)^m/(a+a*sin(f*x+e))^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{(a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e))^2,x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(a*sin(f*x + e) + a)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(dx + c)^m}{a^2 \cos(fx + e)^2 - 2a^2 \sin(fx + e) - 2a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(-(d*x + c)^m/(a^2*cos(f*x + e)^2 - 2*a^2*sin(f*x + e) - 2*a^2), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{(c+dx)^m}{\sin^2(e+fx)+2\sin(e+fx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m/(a+a*sin(f*x+e))**2,x)

[Out] Integral((c + d*x)**m/(sin(e + f*x)**2 + 2*sin(e + f*x) + 1), x)/a**2

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{(a \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+a*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^m/(a*sin(f*x + e) + a)^2, x)

3.151 $\int (c + dx)^3 (a + b \sin(e + fx)) dx$

Optimal. Leaf size=90

$$\frac{a(c + dx)^4}{4d} + \frac{6bd^2(c + dx) \cos(e + fx)}{f^3} + \frac{3bd(c + dx)^2 \sin(e + fx)}{f^2} - \frac{b(c + dx)^3 \cos(e + fx)}{f} - \frac{6bd^3 \sin(e + fx)}{f^4}$$

[Out] (a*(c + d*x)^4)/(4*d) + (6*b*d^2*(c + d*x)*Cos[e + f*x])/f^3 - (b*(c + d*x)^3*Cos[e + f*x])/f - (6*b*d^3*Sin[e + f*x])/f^4 + (3*b*d*(c + d*x)^2*Sin[e + f*x])/f^2

Rubi [A] time = 0.122539, antiderivative size = 90, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2637}

$$\frac{a(c + dx)^4}{4d} + \frac{6bd^2(c + dx) \cos(e + fx)}{f^3} + \frac{3bd(c + dx)^2 \sin(e + fx)}{f^2} - \frac{b(c + dx)^3 \cos(e + fx)}{f} - \frac{6bd^3 \sin(e + fx)}{f^4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*(a + b*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^4)/(4*d) + (6*b*d^2*(c + d*x)*Cos[e + f*x])/f^3 - (b*(c + d*x)^3*Cos[e + f*x])/f - (6*b*d^3*Sin[e + f*x])/f^4 + (3*b*d*(c + d*x)^2*Sin[e + f*x])/f^2

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^3(a + b \sin(e + fx)) dx &= \int (a(c + dx)^3 + b(c + dx)^3 \sin(e + fx)) dx \\
&= \frac{a(c + dx)^4}{4d} + b \int (c + dx)^3 \sin(e + fx) dx \\
&= \frac{a(c + dx)^4}{4d} - \frac{b(c + dx)^3 \cos(e + fx)}{f} + \frac{(3bd) \int (c + dx)^2 \cos(e + fx) dx}{f} \\
&= \frac{a(c + dx)^4}{4d} - \frac{b(c + dx)^3 \cos(e + fx)}{f} + \frac{3bd(c + dx)^2 \sin(e + fx)}{f^2} - \frac{(6bd^2) \int (c + dx) \sin(e + fx) dx}{f^2} \\
&= \frac{a(c + dx)^4}{4d} + \frac{6bd^2(c + dx) \cos(e + fx)}{f^3} - \frac{b(c + dx)^3 \cos(e + fx)}{f} + \frac{3bd(c + dx)^2 \sin(e + fx)}{f^2} \\
&= \frac{a(c + dx)^4}{4d} + \frac{6bd^2(c + dx) \cos(e + fx)}{f^3} - \frac{b(c + dx)^3 \cos(e + fx)}{f} - \frac{6bd^3 \sin(e + fx)}{f^4}
\end{aligned}$$

Mathematica [A] time = 0.432017, size = 124, normalized size = 1.38

$$\frac{1}{4}ax(6c^2dx + 4c^3 + 4cd^2x^2 + d^3x^3) + \frac{3bd(c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2))\sin(e + fx)}{f^4} - \frac{b(c + dx)(c^2f^2 + 2cdf^2x + d^3x^3)\cos(e + fx)}{f^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + b*Sin[e + f*x]),x]

[Out] (a*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3))/4 - (b*(c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Cos[e + f*x])/f^3 + (3*b*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Sin[e + f*x])/f^4

Maple [B] time = 0.011, size = 482, normalized size = 5.4

$$\frac{1}{f} \left(\frac{ad^3 (fx + e)^4}{4f^3} + \frac{acd^2 (fx + e)^3}{f^2} - \frac{ad^3e (fx + e)^3}{f^3} + \frac{3ac^2d (fx + e)^2}{2f} - 3 \frac{acd^2e (fx + e)^2}{f^2} + \frac{3ad^3e^2 (fx + e)^2}{2f^3} + ac^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*(a+b*sin(f*x+e)),x)

[Out] 1/f*(1/4*a/f^3*d^3*(f*x+e)^4+a/f^2*c*d^2*(f*x+e)^3-a/f^3*d^3*e*(f*x+e)^3+3/2*a/f*c^2*d*(f*x+e)^2-3*a/f^2*c*d^2*e*(f*x+e)^2+3/2*a/f^3*d^3*e^2*(f*x+e)^2+a*c^3*(f*x+e)-3*a/f*c^2*d*e*(f*x+e)+3*a/f^2*c*d^2*e^2*(f*x+e)-a/f^3*d^3*e^3*(f*x+e)+1/f^3*b*d^3*(-(f*x+e)^3*cos(f*x+e)+3*(f*x+e)^2*sin(f*x+e)-6*sin(f*x+e)+6*(f*x+e)*cos(f*x+e))+3/f^2*b*c*d^2*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))-3/f^3*b*d^3*e*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+3/f*b*c^2*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-6/f^2*b*c*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))+3/f^3*b*d^3*e^2*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-c^3*b*cos(f*x+e)+3/f*b*c^2*d*e*cos(f*x+e)-3/f^2*b*c*d^2*e^2*cos(f*x+e)+1/f^3*b*d^3*e^3*cos(f*x+e))

Maxima [B] time = 1.05, size = 624, normalized size = 6.93

$$4(fx + e)ac^3 + \frac{(fx+e)^4 ad^3}{f^3} - \frac{4(fx+e)^3 ad^3e}{f^3} + \frac{6(fx+e)^2 ad^3e^2}{f^3} - \frac{4(fx+e)ad^3e^3}{f^3} + \frac{4(fx+e)^3 acd^2}{f^2} - \frac{12(fx+e)^2 acd^2e}{f^2} + \frac{12(fx+e)acd^2e^2}{f^2} + \frac{6ac^3}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{4}*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3 + 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f - 4*b*c^3*\cos(f*x + e) + 4*b*d^3*e^3*\cos(f*x + e)/f^3 - 12*b*c*d^2*e^2*\cos(f*x + e)/f^2 + 12*b*c^2*d*e*\cos(f*x + e)/f - 12*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*b*d^3*e^2/f^3 + 24*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*b*c*d^2*e/f^2 - 12*((f*x + e)*\cos(f*x + e) - \sin(f*x + e))*b*c^2*d/f + 12*((f*x + e)^2 - 2)*\cos(f*x + e) - 2*(f*x + e)*\sin(f*x + e))*b*d^3*e/f^3 - 12*((f*x + e)^2 - 2)*\cos(f*x + e) - 2*(f*x + e)*\sin(f*x + e))*b*c*d^2/f^2 - 4*((f*x + e)^3 - 6*f*x - 6*e)*\cos(f*x + e) - 3*((f*x + e)^2 - 2)*\sin(f*x + e))*b*d^3/f^3)/f$

Fricas [A] time = 1.69688, size = 362, normalized size = 4.02

$$\frac{ad^3f^4x^4 + 4acd^2f^4x^3 + 6ac^2df^4x^2 + 4ac^3f^4x - 4(bd^3f^3x^3 + 3bcd^2f^3x^2 + bc^3f^3 - 6bcd^2f + 3(bc^2df^3 - 2bd^3f)x)\cos(fx + e)}{4f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{4}*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x - 4*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + b*c^3*f^3 - 6*b*c*d^2*f + 3*(b*c^2*d*f^3 - 2*b*d^3*f)*x)*\cos(f*x + e) + 12*(b*d^3*f^2*x^2 + 2*b*c*d^2*f^2*x + b*c^2*d*f^2 - 2*b*d^3)*\sin(f*x + e))/f^4$

Sympy [A] time = 1.75372, size = 264, normalized size = 2.93

$$\left\{ \begin{array}{l} ac^3x + \frac{3ac^2dx^2}{2} + acd^2x^3 + \frac{ad^3x^4}{4} - \frac{bc^3\cos(e+fx)}{f} - \frac{3bc^2d\cos(e+fx)}{f} + \frac{3bc^2d\sin(e+fx)}{f^2} - \frac{3bcd^2x^2\cos(e+fx)}{f} + \frac{6bcd^2x\sin(e+fx)}{f^2} + \frac{6bcd^3}{f^3} \\ (a + b\sin(e))\left(c^3x + \frac{3c^2dx^2}{2} + cd^2x^3 + \frac{d^3x^4}{4}\right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*(a+b*sin(f*x+e)),x)

[Out] Piecewise((a*c**3*x + 3*a*c**2*d*x**2/2 + a*c*d**2*x**3 + a*d**3*x**4/4 - b*c**3*cos(e + f*x)/f - 3*b*c**2*d*x*cos(e + f*x)/f + 3*b*c**2*d*sin(e + f*x)/f**2 - 3*b*c*d**2*x**2*cos(e + f*x)/f + 6*b*c*d**2*x*sin(e + f*x)/f**2 + 6*b*c*d**2*cos(e + f*x)/f**3 - b*d**3*x**3*cos(e + f*x)/f + 3*b*d**3*x**2*sin(e + f*x)/f**2 + 6*b*d**3*x*cos(e + f*x)/f**3 - 6*b*d**3*sin(e + f*x)/f**4, Ne(f, 0)), ((a + b*sin(e))*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4), True))

Giac [A] time = 1.46284, size = 212, normalized size = 2.36

$$\frac{1}{4}ad^3x^4 + acd^2x^3 + \frac{3}{2}ac^2dx^2 + ac^3x - \frac{(bd^3f^3x^3 + 3bcd^2f^3x^2 + 3bc^2df^3x + bc^3f^3 - 6bd^3fx - 6bcd^2f)\cos(fx + e)}{f^4} + \frac{3}{f^3}(bc^2df^3 - 2bd^3f)\sin(fx + e)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*(a+b*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] 1/4*a*d^3*x^4 + a*c*d^2*x^3 + 3/2*a*c^2*d*x^2 + a*c^3*x - (b*d^3*f^3*x^3 +  
3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*c^3*f^3 - 6*b*d^3*f*x - 6*b*c*d^2*f  
) *cos(f*x + e)/f^4 + 3*(b*d^3*f^2*x^2 + 2*b*c*d^2*f^2*x + b*c^2*d*f^2 - 2*b  
*d^3)*sin(f*x + e)/f^4
```

3.152 $\int (c + dx)^2 (a + b \sin(e + fx)) dx$

Optimal. Leaf size=68

$$\frac{a(c + dx)^3}{3d} + \frac{2bd(c + dx) \sin(e + fx)}{f^2} - \frac{b(c + dx)^2 \cos(e + fx)}{f} + \frac{2bd^2 \cos(e + fx)}{f^3}$$

[Out] (a*(c + d*x)^3)/(3*d) + (2*b*d^2*Cos[e + f*x])/f^3 - (b*(c + d*x)^2*Cos[e + f*x])/f + (2*b*d*(c + d*x)*Sin[e + f*x])/f^2

Rubi [A] time = 0.0856717, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2638}

$$\frac{a(c + dx)^3}{3d} + \frac{2bd(c + dx) \sin(e + fx)}{f^2} - \frac{b(c + dx)^2 \cos(e + fx)}{f} + \frac{2bd^2 \cos(e + fx)}{f^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*(a + b*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^3)/(3*d) + (2*b*d^2*Cos[e + f*x])/f^3 - (b*(c + d*x)^2*Cos[e + f*x])/f + (2*b*d*(c + d*x)*Sin[e + f*x])/f^2

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 (a + b \sin(e + fx)) dx &= \int (a(c + dx)^2 + b(c + dx)^2 \sin(e + fx)) dx \\ &= \frac{a(c + dx)^3}{3d} + b \int (c + dx)^2 \sin(e + fx) dx \\ &= \frac{a(c + dx)^3}{3d} - \frac{b(c + dx)^2 \cos(e + fx)}{f} + \frac{(2bd) \int (c + dx) \cos(e + fx) dx}{f} \\ &= \frac{a(c + dx)^3}{3d} - \frac{b(c + dx)^2 \cos(e + fx)}{f} + \frac{2bd(c + dx) \sin(e + fx)}{f^2} - \frac{(2bd^2) \int \sin(e + fx) dx}{f^2} \\ &= \frac{a(c + dx)^3}{3d} + \frac{2bd^2 \cos(e + fx)}{f^3} - \frac{b(c + dx)^2 \cos(e + fx)}{f} + \frac{2bd(c + dx) \sin(e + fx)}{f^2} \end{aligned}$$

Mathematica [A] time = 0.313986, size = 84, normalized size = 1.24

$$\frac{1}{3}ax(3c^2 + 3cdx + d^2x^2) - \frac{b(c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2))\cos(e + fx)}{f^3} + \frac{2bd(c + dx)\sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*(a + b*Sin[e + f*x]),x]

[Out] (a*x*(3*c^2 + 3*c*d*x + d^2*x^2))/3 - (b*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x])/f^3 + (2*b*d*(c + d*x)*Sin[e + f*x])/f^2

Maple [B] time = 0.008, size = 241, normalized size = 3.5

$$\frac{1}{f} \left(\frac{ad^2(fx+e)^3}{3f^2} + \frac{acd(fx+e)^2}{f} - \frac{ad^2e(fx+e)^2}{f^2} + ac^2(fx+e) - 2 \frac{acde(fx+e)}{f} + \frac{ad^2e^2(fx+e)}{f^2} + \frac{bd^2(-(fx+e)^2 \cos(fx+e) + 2 \cos(fx+e) + 2(fx+e) \sin(fx+e))}{f^2} + \frac{2bd^2e \cos(fx+e) - 2bd^2e^2 \sin(fx+e)}{f^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*(a+b*sin(f*x+e)),x)

[Out] 1/f*(1/3*a/f^2*d^2*(f*x+e)^3+a/f*c*d*(f*x+e)^2-a/f^2*d^2*e*(f*x+e)^2+a*c^2*(f*x+e)-2*a/f*c*d*e*(f*x+e)+a/f^2*d^2*e^2*(f*x+e)+1/f^2*b*d^2*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+2/f*b*c*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-2/f^2*b*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-c^2*b*cos(f*x+e)+2/f*b*c*d*e*cos(f*x+e)-1/f^2*b*d^2*e^2*cos(f*x+e))

Maxima [B] time = 0.994145, size = 323, normalized size = 4.75

$$\frac{3(fx+e)ac^2 + \frac{(fx+e)^3 ad^2}{f^2} - \frac{3(fx+e)^2 ad^2 e}{f^2} + \frac{3(fx+e)ad^2 e^2}{f^2} + \frac{3(fx+e)^2 acd}{f} - \frac{6(fx+e)acde}{f} - 3bc^2 \cos(fx+e) - \frac{3bd^2 e^2 \cos(fx+e)}{f^2}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] 1/3*(3*(f*x + e)*a*c^2 + (f*x + e)^3*a*d^2/f^2 - 3*(f*x + e)^2*a*d^2*e/f^2 + 3*(f*x + e)*a*d^2*e^2/f^2 + 3*(f*x + e)^2*a*c*d/f - 6*(f*x + e)*a*c*d*e/f - 3*b*c^2*cos(f*x + e) - 3*b*d^2*e^2*cos(f*x + e)/f^2 + 6*b*c*d*e*cos(f*x + e)/f + 6*((f*x + e)*cos(f*x + e) - sin(f*x + e))*b*d^2*e/f^2 - 6*((f*x + e)*cos(f*x + e) - sin(f*x + e))*b*c*d/f - 3*(((f*x + e)^2 - 2)*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e))*b*d^2/f^2)/f

Fricas [A] time = 1.68959, size = 228, normalized size = 3.35

$$\frac{ad^2 f^3 x^3 + 3acd f^3 x^2 + 3ac^2 f^3 x - 3(bd^2 f^2 x^2 + 2bcd f^2 x + bc^2 f^2 - 2bd^2) \cos(fx + e) + 6(bd^2 fx + bcd f) \sin(fx + e)}{3f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] $\frac{1}{3}(a*d^2*f^3*x^3 + 3*a*c*d*f^3*x^2 + 3*a*c^2*f^3*x - 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x + b*c^2*f^2 - 2*b*d^2)*\cos(f*x + e) + 6*(b*d^2*f*x + b*c*d*f)*\sin(f*x + e))/f^3$

Sympy [A] time = 0.813716, size = 151, normalized size = 2.22

$$\begin{cases} ac^2x + acdx^2 + \frac{ad^2x^3}{3} - \frac{bc^2 \cos(e+fx)}{f} - \frac{2bcdx \cos(e+fx)}{f} + \frac{2bcd \sin(e+fx)}{f^2} - \frac{bd^2x^2 \cos(e+fx)}{f} + \frac{2bd^2x \sin(e+fx)}{f^2} + \frac{2bd^2 \cos(e+fx)}{f^3} \\ (a + b \sin(e)) \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*(a+b*sin(f*x+e)),x)

[Out] Piecewise((a*c**2*x + a*c*d*x**2 + a*d**2*x**3/3 - b*c**2*cos(e + f*x)/f - 2*b*c*d*x*cos(e + f*x)/f + 2*b*c*d*sin(e + f*x)/f**2 - b*d**2*x**2*cos(e + f*x)/f + 2*b*d**2*x*sin(e + f*x)/f**2 + 2*b*d**2*cos(e + f*x)/f**3, Ne(f, 0)), ((a + b*sin(e))*(c**2*x + c*d*x**2 + d**2*x**3/3), True))

Giac [A] time = 1.49884, size = 128, normalized size = 1.88

$$\frac{1}{3}ad^2x^3 + acdx^2 + ac^2x - \frac{(bd^2f^2x^2 + 2bcd f^2x + bc^2f^2 - 2bd^2)\cos(fx + e)}{f^3} + \frac{2(bd^2fx + bcdf)\sin(fx + e)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] $\frac{1}{3}a*d^2*x^3 + a*c*d*x^2 + a*c^2*x - (b*d^2*f^2*x^2 + 2*b*c*d*f^2*x + b*c^2*f^2 - 2*b*d^2)*\cos(f*x + e)/f^3 + 2*(b*d^2*f*x + b*c*d*f)*\sin(f*x + e)/f^3$

3.153 $\int (c + dx)(a + b \sin(e + fx)) dx$

Optimal. Leaf size=45

$$\frac{a(c + dx)^2}{2d} - \frac{b(c + dx) \cos(e + fx)}{f} + \frac{bd \sin(e + fx)}{f^2}$$

[Out] $(a*(c + d*x)^2)/(2*d) - (b*(c + d*x)*\text{Cos}[e + f*x])/f + (b*d*\text{Sin}[e + f*x])/f^2$

Rubi [A] time = 0.0423611, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3317, 3296, 2637}

$$\frac{a(c + dx)^2}{2d} - \frac{b(c + dx) \cos(e + fx)}{f} + \frac{bd \sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)*(a + b*\text{Sin}[e + f*x]), x]$

[Out] $(a*(c + d*x)^2)/(2*d) - (b*(c + d*x)*\text{Cos}[e + f*x])/f + (b*d*\text{Sin}[e + f*x])/f^2$

Rule 3317

$\text{Int}[(c + d*x)^m * \sin(e + f*x)^n, x] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\text{Sin}[e + f*x])^n, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

$\text{Int}[(c + d*x)^m * \cos(e + f*x), x] \rightarrow -\text{Simp}[(c + d*x)^m * \cos(e + f*x)/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} * \cos(e + f*x), x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

$\text{Int}[\sin[\pi/2 + (c + d*x)], x] \rightarrow \text{Simp}[\sin[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (c + dx)(a + b \sin(e + fx)) dx &= \int (a(c + dx) + b(c + dx) \sin(e + fx)) dx \\ &= \frac{a(c + dx)^2}{2d} + b \int (c + dx) \sin(e + fx) dx \\ &= \frac{a(c + dx)^2}{2d} - \frac{b(c + dx) \cos(e + fx)}{f} + \frac{(bd) \int \cos(e + fx) dx}{f} \\ &= \frac{a(c + dx)^2}{2d} - \frac{b(c + dx) \cos(e + fx)}{f} + \frac{bd \sin(e + fx)}{f^2} \end{aligned}$$

Mathematica [A] time = 0.109109, size = 43, normalized size = 0.96

$$\frac{1}{2}ax(2c + dx) - \frac{b(c + dx) \cos(e + fx)}{f} + \frac{bd \sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*(a + b*Sin[e + f*x]),x]

[Out] (a*x*(2*c + d*x))/2 - (b*(c + d*x)*Cos[e + f*x])/f + (b*d*Sin[e + f*x])/f^2

Maple [B] time = 0.006, size = 90, normalized size = 2.

$$\frac{1}{f} \left(\frac{da(fx+e)^2}{2f} + ac(fx+e) - \frac{ade(fx+e)}{f} + \frac{bd(\sin(fx+e) - (fx+e)\cos(fx+e))}{f} - cb\cos(fx+e) + \frac{bde\cos(fx+e)}{f} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*(a+b*sin(f*x+e)),x)

[Out] 1/f*(1/2*a/f*d*(f*x+e)^2+a*c*(f*x+e)-a/f*d*e*(f*x+e)+1/f*b*d*(sin(f*x+e)-(f*x+e)*cos(f*x+e))-c*b*cos(f*x+e)+1/f*b*d*e*cos(f*x+e))

Maxima [B] time = 0.972822, size = 126, normalized size = 2.8

$$\frac{2(fx+e)ac + \frac{(fx+e)^2 ad}{f} - \frac{2(fx+e)ade}{f} - 2bc\cos(fx+e) + \frac{2bde\cos(fx+e)}{f} - \frac{2((fx+e)\cos(fx+e) - \sin(fx+e))bd}{f}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] 1/2*(2*(f*x + e)*a*c + (f*x + e)^2*a*d/f - 2*(f*x + e)*a*d*e/f - 2*b*c*cos(f*x + e) + 2*b*d*e*cos(f*x + e)/f - 2*((f*x + e)*cos(f*x + e) - sin(f*x + e))*b*d/f)/f

Fricas [A] time = 1.62692, size = 126, normalized size = 2.8

$$\frac{adf^2x^2 + 2acf^2x + 2bd \sin(fx + e) - 2(bdfx + bcf) \cos(fx + e)}{2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] 1/2*(a*d*f^2*x^2 + 2*a*c*f^2*x + 2*b*d*sin(f*x + e) - 2*(b*d*f*x + b*c*f)*cos(f*x + e))/f^2

Sympy [A] time = 0.342548, size = 68, normalized size = 1.51

$$\begin{cases} acx + \frac{adx^2}{2} - \frac{bc \cos(e+fx)}{f} - \frac{bdx \cos(e+fx)}{f} + \frac{bd \sin(e+fx)}{f^2} & \text{for } f \neq 0 \\ (a + b \sin(e)) \left(cx + \frac{dx^2}{2} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e)),x)

[Out] Piecewise((a*c*x + a*d*x**2/2 - b*c*cos(e + f*x)/f - b*d*x*cos(e + f*x)/f + b*d*sin(e + f*x)/f**2, Ne(f, 0)), ((a + b*sin(e))*(c*x + d*x**2/2), True))

Giac [A] time = 1.75076, size = 63, normalized size = 1.4

$$\frac{1}{2}adx^2 + acx + \frac{bd \sin(fx + e)}{f^2} - \frac{(bdfx + bcf) \cos(fx + e)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] 1/2*a*d*x^2 + a*c*x + b*d*sin(f*x + e)/f^2 - (b*d*f*x + b*c*f)*cos(f*x + e)/f^2

$$3.154 \quad \int \frac{a+b \sin(e+fx)}{c+dx} dx$$

Optimal. Leaf size=64

$$\frac{a \log(c+dx)}{d} + \frac{b \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{b \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d}$$

[Out] (a*Log[c + d*x])/d + (b*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (b*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d

Rubi [A] time = 0.123518, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3303, 3299, 3302}

$$\frac{a \log(c+dx)}{d} + \frac{b \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{b \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[e + f*x])/(c + d*x),x]

[Out] (a*Log[c + d*x])/d + (b*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (b*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin(e + fx)}{c + dx} dx &= \int \left(\frac{a}{c + dx} + \frac{b \sin(e + fx)}{c + dx} \right) dx \\
&= \frac{a \log(c + dx)}{d} + b \int \frac{\sin(e + fx)}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + \left(b \cos \left(e - \frac{cf}{d} \right) \right) \int \frac{\sin \left(\frac{cf}{d} + fx \right)}{c + dx} dx + \left(b \sin \left(e - \frac{cf}{d} \right) \right) \int \frac{\cos \left(\frac{cf}{d} + fx \right)}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + \frac{b \operatorname{Ci} \left(\frac{cf}{d} + fx \right) \sin \left(e - \frac{cf}{d} \right)}{d} + \frac{b \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(\frac{cf}{d} + fx \right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.150375, size = 57, normalized size = 0.89

$$\frac{a \log(c + dx) + b \operatorname{CosIntegral} \left(f \left(\frac{c}{d} + x \right) \right) \sin \left(e - \frac{cf}{d} \right) + b \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(f \left(\frac{c}{d} + x \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[e + f*x])/(c + d*x),x]

[Out] (a*Log[c + d*x] + b*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + b*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)])/d

Maple [A] time = 0.01, size = 96, normalized size = 1.5

$$\frac{a \ln \left(\frac{(fx + e)d + cf - de}{d} \right) + \frac{b}{d} \operatorname{Si} \left(fx + e + \frac{cf - de}{d} \right) \cos \left(\frac{cf - de}{d} \right) - \frac{b}{d} \operatorname{Ci} \left(fx + e + \frac{cf - de}{d} \right) \sin \left(\frac{cf - de}{d} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(f*x+e))/(d*x+c),x)

[Out] a*ln((f*x+e)*d+c*f-d*e)/d+b*Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-b*Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d

Maxima [C] time = 1.23759, size = 231, normalized size = 3.61

$$\frac{2af \log \left(c + \frac{(fx+e)d - de}{f} \right)}{d} + \frac{\left(f \left(-i E_1 \left(\frac{i(fx+e)d - ide + icf}{d} \right) + i E_1 \left(-\frac{i(fx+e)d - ide + icf}{d} \right) \right) \cos \left(-\frac{de - cf}{d} \right) + f \left(E_1 \left(\frac{i(fx+e)d - ide + icf}{d} \right) + E_1 \left(-\frac{i(fx+e)d - ide + icf}{d} \right) \right) \sin \left(-\frac{de - cf}{d} \right)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c),x, algorithm="maxima")

[Out] 1/2*(2*a*f*log(c + (f*x + e)*d/f - d*e/f)/d + (f*(-I*exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f*(exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d))*b/d)/f

Fricas [A] time = 1.76993, size = 234, normalized size = 3.66

$$\frac{2b \cos\left(-\frac{de-cf}{d}\right) \operatorname{Si}\left(\frac{dfx+cf}{d}\right) + 2a \log(dx+c) - \left(b \operatorname{Ci}\left(\frac{dfx+cf}{d}\right) + b \operatorname{Ci}\left(-\frac{dfx+cf}{d}\right)\right) \sin\left(-\frac{de-cf}{d}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c),x, algorithm="fricas")

[Out] 1/2*(2*b*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 2*a*log(d*x + c) - (b*cos_integral((d*f*x + c*f)/d) + b*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d)/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sin(e + fx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c),x)

[Out] Integral((a + b*sin(e + f*x))/(c + d*x), x)

Giac [C] time = 1.92385, size = 961, normalized size = 15.02

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c),x, algorithm="giac")

[Out] 1/2*(b*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - b*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*a*log(abs(d*x + c))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*b*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*b*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) + 2*b*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*b*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 - b*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2 + b*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 + 2*a*log(abs(d*x + c))*tan(1/2*c*f/d)^2 - 2*b*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 + 4*b*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 4*b*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 8*b*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) - b*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 + b*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 + 2*a*log(abs(d*x + c))*tan(1/2*e)^2 - 2*b*sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2 - 2*b*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*b*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) + 2*b*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 2*b*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) + b*imag_part(cos_integral(f*x + c*f/d)) - b*imag_part(cos_integral(-f*x - c*f/d)) + 2*a*log(abs(d*x + c)) + 2*b*si

```
n_integral((d*f*x + c*f)/d)/(d*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + d*tan(1/2*c*f/d)^2 + d*tan(1/2*e)^2 + d)
```

$$3.155 \quad \int \frac{a+b \sin(e+fx)}{(c+dx)^2} dx$$

Optimal. Leaf size=88

$$-\frac{a}{d(c+dx)} + \frac{bf \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{bf \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{b \sin(e+fx)}{d(c+dx)}$$

[Out] $-(a/(d*(c + d*x))) + (b*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{CosIntegral}[(c*f)/d + f*x])/d^2 - (b*\operatorname{Sin}[e + f*x])/(d*(c + d*x)) - (b*f*\operatorname{Sin}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2$

Rubi [A] time = 0.155229, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3317, 3297, 3303, 3299, 3302}

$$-\frac{a}{d(c+dx)} + \frac{bf \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{bf \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{b \sin(e+fx)}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])/(c + d*x)^2, x]$

[Out] $-(a/(d*(c + d*x))) + (b*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{CosIntegral}[(c*f)/d + f*x])/d^2 - (b*\operatorname{Sin}[e + f*x])/(d*(c + d*x)) - (b*f*\operatorname{Sin}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2$

Rule 3317

$\operatorname{Int}[(c + d*x)^m * (a + b*\operatorname{sin}[e + f*x])^n, x]$ \rightarrow $\operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*\operatorname{Sin}[e + f*x])^n, x], x]$ /; $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x$ && $\operatorname{IGtQ}[n, 0]$ && $(\operatorname{EqQ}[n, 1] \mid \mid \operatorname{IGtQ}[m, 0] \mid \mid \operatorname{NeQ}[a^2 - b^2, 0])$

Rule 3297

$\operatorname{Int}[(c + d*x)^m * \operatorname{sin}[e + f*x], x]$ \rightarrow $\operatorname{Simp}[(c + d*x)^{m+1} * \operatorname{Sin}[e + f*x] / (d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{m+1} * \operatorname{Cos}[e + f*x], x], x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{LtQ}[m, -1]$

Rule 3303

$\operatorname{Int}[\operatorname{sin}[e + f*x] / (c + d*x), x]$ \rightarrow $\operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x] / (c + d*x), x], x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{NeQ}[d*e - c*f, 0]$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[e + f*x] / (c + d*x), x]$ \rightarrow $\operatorname{Simp}[\operatorname{SinIntegral}[e + f*x] / d, x]$ /; $\operatorname{FreeQ}\{c, d, e, f\}, x$ && $\operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302


```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin(e + fx)}{(c + dx)^2} dx &= \int \left(\frac{a}{(c + dx)^2} + \frac{b \sin(e + fx)}{(c + dx)^2} \right) dx \\ &= -\frac{a}{d(c + dx)} + b \int \frac{\sin(e + fx)}{(c + dx)^2} dx \\ &= -\frac{a}{d(c + dx)} - \frac{b \sin(e + fx)}{d(c + dx)} + \frac{(bf) \int \frac{\cos(e + fx)}{c + dx} dx}{d} \\ &= -\frac{a}{d(c + dx)} - \frac{b \sin(e + fx)}{d(c + dx)} + \frac{\left(bf \cos\left(e - \frac{cf}{d}\right) \right) \int \frac{\cos\left(\frac{cf}{d} + fx\right)}{c + dx} dx}{d} - \frac{\left(bf \sin\left(e - \frac{cf}{d}\right) \right) \int \frac{\sin\left(\frac{cf}{d} + fx\right)}{c + dx} dx}{d} \\ &= -\frac{a}{d(c + dx)} + \frac{bf \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^2} - \frac{b \sin(e + fx)}{d(c + dx)} - \frac{bf \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(\frac{cf}{d} + fx\right)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.34858, size = 72, normalized size = 0.82

$$\frac{-\frac{d(a+b \sin(e+fx))}{c+dx} + bf \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \cos\left(e - \frac{cf}{d}\right) - bf \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right)}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[e + f*x])/(c + d*x)^2, x]
```

```
[Out] (b*f*Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] - (d*(a + b*Sin[e + f*x]))/(c + d*x) - b*f*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)]/d^2
```

Maple [A] time = 0.012, size = 141, normalized size = 1.6

$$\frac{1}{f} \left(-\frac{f^2 a}{((fx + e)d + cf - de)d} + f^2 b \left(-\frac{\sin(fx + e)}{((fx + e)d + cf - de)d} + \frac{1}{d} \left(\frac{1}{d} \text{Si}\left(fx + e + \frac{cf - de}{d}\right) \sin\left(\frac{cf - de}{d}\right) + \frac{1}{d} \text{Ci}\left(fx + e + \frac{cf - de}{d}\right) \cos\left(\frac{cf - de}{d}\right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(f*x+e))/(d*x+c)^2, x)
```

```
[Out] 1/f*(-a*f^2/((f*x+e)*d+c*f-d*e)/d+f^2*b*(-sin(f*x+e)/((f*x+e)*d+c*f-d*e)/d+(Si(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+Ci(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d)/d)
```

Maxima [C] time = 1.27957, size = 265, normalized size = 3.01

$$\frac{2af^2}{(fx+e)d^2-d^2e+cdf} - \frac{\left(f^2 \left(-i E_2\left(\frac{i(fx+e)d-de+icf}{d}\right) + i E_2\left(-\frac{i(fx+e)d-de+icf}{d}\right) \right) \cos\left(-\frac{de-cf}{d}\right) + f^2 \left(E_2\left(\frac{i(fx+e)d-de+icf}{d}\right) + E_2\left(-\frac{i(fx+e)d-de+icf}{d}\right) \right) \sin\left(-\frac{de-cf}{d}\right) \right)}{(fx+e)d^2-d^2e+cdf}$$

2 f

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^2,x, algorithm="maxima")

[Out] $-1/2*(2*a*f^2/((f*x + e)*d^2 - d^2*e + c*d*f) - (f^2*(-I*\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*\exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\cos(-(d*e - c*f)/d) + f^2*(\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + \exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\sin(-(d*e - c*f)/d))*b/((f*x + e)*d^2 - d^2*e + c*d*f))/f$

Fricas [A] time = 1.8318, size = 332, normalized size = 3.77

$$\frac{2bd \sin(fx + e) - 2(bdfx + bcf) \sin\left(-\frac{de - cf}{d}\right) \text{Si}\left(\frac{dfx + cf}{d}\right) + 2ad - \left((bdfx + bcf) \text{Ci}\left(\frac{dfx + cf}{d}\right) + (bdfx + bcf) \text{Ci}\left(-\frac{dfx + cf}{d}\right)\right)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^2,x, algorithm="fricas")

[Out] $-1/2*(2*b*d*\sin(f*x + e) - 2*(b*d*f*x + b*c*f)*\sin(-(d*e - c*f)/d)*\sin_integral((d*f*x + c*f)/d) + 2*a*d - ((b*d*f*x + b*c*f)*\cos_integral((d*f*x + c*f)/d) + (b*d*f*x + b*c*f)*\cos_integral(-(d*f*x + c*f)/d))*\cos(-(d*e - c*f)/d))/(d^3*x + c*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sin(e + fx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)**2,x)

[Out] Integral((a + b*sin(e + f*x))/(c + d*x)**2, x)

Giac [C] time = 1.47167, size = 4251, normalized size = 48.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^2,x, algorithm="giac")

[Out] $1/2*(d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 2*d*f*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*d*f*x*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*d*f*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)$

$$\begin{aligned}
& \tan(1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2 \\
& * \tan(1/2*c*f/d)*\tan(1/2*e)^2 - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/ \\
& 2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + c*f*\text{real_part}(\cos_integral(f*x + c*f \\
& /d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + c*f*\text{real_part}(\cos_integ \\
& ral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - d*f*x*\text{rea} \\
& l_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 - d*f*x*\text{r} \\
& eal_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 + 4*d* \\
& f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e) + 4*d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1 \\
& /2*c*f/d)*\tan(1/2*e) + 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f \\
& *x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*c*f*imag_part(\cos_integral(-f*x - c*f \\
& /d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*c*f*\sin_integral((d*f*x \\
& + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - d*f*x*\text{real_part}(\cos \\
& _integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - d*f*x*\text{real_part}(\cos_i \\
& ntegral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - 2*c*f*imag_part(\cos_in \\
& tegral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*c*f*ima \\
& g_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) \\
& ^2 - 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e)^2 + d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(\\
& 1/2*e)^2 + d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan \\
& (1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*c*f/d) - 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2* \\
& \tan(1/2*c*f/d) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1 \\
& /2*c*f/d) - c*f*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2 \\
& *c*f/d)^2 - c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/ \\
& 2*c*f/d)^2 - 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e) + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e) - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e) + \\
& 4*c*f*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan \\
& (1/2*e) + 4*c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(\\
& 1/2*c*f/d)*\tan(1/2*e) + 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/ \\
& 2*c*f/d)^2*\tan(1/2*e) - 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1 \\
& /2*c*f/d)^2*\tan(1/2*e) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/ \\
& d)^2*\tan(1/2*e) - c*f*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e)^2 - c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(\\
& 1/2*e)^2 - 2*d*f*x*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(\\
& 1/2*e)^2 + 2*d*f*x*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan \\
& (1/2*e)^2 - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)*\tan(1/2*e) \\
& ^2 + c*f*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2 + d*f*x*\text{real_pa} \\
& rt(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2 + 2*c*f*imag_part(\cos_integra \\
& l(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - 2*c*f*imag_part(\cos_integra \\
& l(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) + 4*c*f*\sin_integral((d*f*x \\
& + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - d*f*x*\text{real_part}(\cos_integral(f*x \\
& + c*f/d))*\tan(1/2*c*f/d)^2 - d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan \\
& (1/2*c*f/d)^2 - 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2* \\
& \tan(1/2*e) + 2*c*f*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan \\
& (1/2*e) - 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e) + 4 \\
& *d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 4*d \\
& *f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 2*c* \\
& f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*c*f* \\
& imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*c*f*s \\
& in_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*d*\tan(1/2*f*x) \\
& ^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - d*f*x*\text{real_part}(\cos_integral(f*x + c*f/d)) \\
& *\tan(1/2*e)^2 - d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*e)^2 - \\
& 2*c*f*imag_part(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2* \\
& c*f*imag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 - 4*c \\
& *f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 4*d*\tan(1/2*
\end{aligned}$$

$$\begin{aligned}
& f*x)*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + c*f*\text{real_part}(\cos_integral(f*x + c*f/d)) \\
&)*\tan(1/2*f*x)^2 + c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2 \\
& + 2*d*f*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d) - 2*d*f*x*\text{imag_part} \\
& (\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d) + 4*d*f*x*\sin_integral((d*f*x + c*f)/d) \\
& *\tan(1/2*c*f/d) - c*f*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2 \\
& - c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2 - 2*d*f*x*\text{imag_part} \\
& (\cos_integral(f*x + c*f/d))*\tan(1/2*e) + 2*d*f*x*\text{imag_part}(\cos_integral(-f*x - c*f/d)) \\
& *\tan(1/2*e) - 4*d*f*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*e) + 4*c*f*\text{real_part} \\
& (\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 4*c*f*\text{real_part}(\cos_integral \\
& (-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) - c*f*\text{real_part}(\cos_integral(f*x + c*f/d)) \\
& *\tan(1/2*e)^2 - c*f*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*e)^2 + d*f*x*\text{real_part} \\
& (\cos_integral(f*x + c*f/d)) + d*f*x*\text{real_part}(\cos_integral(-f*x - c*f/d)) + 2*c*f*\text{imag_part} \\
& (\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d) - 2*c*f*\text{imag_part}(\cos_integral(-f*x - c*f/d)) \\
& *\tan(1/2*c*f/d) + 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d) - 4*d*\tan(1/2*f*x) \\
& *\tan(1/2*c*f/d)^2 - 2*c*f*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*e) + 2*c*f*\text{imag_part} \\
& (\cos_integral(-f*x - c*f/d))*\tan(1/2*e) - 4*c*f*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*e) \\
& + 4*d*\tan(1/2*f*x)^2*\tan(1/2*e) - 4*d*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*d*\tan(1/2*f*x) \\
& *\tan(1/2*e)^2 + c*f*\text{real_part}(\cos_integral(f*x + c*f/d)) + c*f*\text{real_part}(\cos_integral \\
& (-f*x - c*f/d)) - 4*d*\tan(1/2*f*x) - 4*d*\tan(1/2*e))*b/(d^3*x*\tan(1/2*f*x)^2 \\
& *\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + c*d^2*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + d^3*x*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 + d^3*x*\tan(1/2*f*x)^2*\tan(1/2*e)^2 \\
& + d^3*x*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + c*d^2*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 \\
& + c*d^2*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + c*d^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\
& + d^3*x*\tan(1/2*f*x)^2 + d^3*x*\tan(1/2*c*f/d)^2 + d^3*x*\tan(1/2*e)^2 + c*d^2*\tan(1/2*f*x)^2 \\
& + c*d^2*\tan(1/2*c*f/d)^2 + c*d^2*\tan(1/2*e)^2 + d^3*x + c*d^2) - a/((d*x + c)*d)
\end{aligned}$$

$$3.156 \quad \int \frac{a+b \sin(e+fx)}{(c+dx)^3} dx$$

Optimal. Leaf size=123

$$\frac{a}{2d(c+dx)^2} - \frac{bf^2 \text{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{bf^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{2d^3} - \frac{bf \cos(e+fx)}{2d^2(c+dx)} - \frac{b \sin(e+fx)}{2d(c+dx)}$$

[Out] $-a/(2*d*(c + d*x)^2) - (b*f*\text{Cos}[e + f*x])/(2*d^2*(c + d*x)) - (b*f^2*\text{CosIntegral}[(c*f)/d + f*x]*\text{Sin}[e - (c*f)/d])/(2*d^3) - (b*\text{Sin}[e + f*x])/(2*d*(c + d*x)^2) - (b*f^2*\text{Cos}[e - (c*f)/d]*\text{SinIntegral}[(c*f)/d + f*x])/(2*d^3)$

Rubi [A] time = 0.189929, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3317, 3297, 3303, 3299, 3302}

$$\frac{a}{2d(c+dx)^2} - \frac{bf^2 \text{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{bf^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{2d^3} - \frac{bf \cos(e+fx)}{2d^2(c+dx)} - \frac{b \sin(e+fx)}{2d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sin}[e + f*x])/(c + d*x)^3, x]$

[Out] $-a/(2*d*(c + d*x)^2) - (b*f*\text{Cos}[e + f*x])/(2*d^2*(c + d*x)) - (b*f^2*\text{CosIntegral}[(c*f)/d + f*x]*\text{Sin}[e - (c*f)/d])/(2*d^3) - (b*\text{Sin}[e + f*x])/(2*d*(c + d*x)^2) - (b*f^2*\text{Cos}[e - (c*f)/d]*\text{SinIntegral}[(c*f)/d + f*x])/(2*d^3)$

Rule 3317

$\text{Int}[(c + d*x)^m * (a + b*\text{Sin}[e + f*x])^n, x] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\text{Sin}[e + f*x])^n, x], x] \text{ ; FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ \|\ \text{IGtQ}[m, 0] \ \|\ \text{NeQ}[a^2 - b^2, 0])$

Rule 3297

$\text{Int}[(c + d*x)^m * \text{Sin}[e + f*x], x] \text{ :> } \text{Simp}[(c + d*x)^{m+1} * \text{Sin}[e + f*x] / (d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{m+1} * \text{Cos}[e + f*x], x], x] \text{ ; FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{LtQ}[m, -1]$

Rule 3303

$\text{Int}[\text{Sin}[e + f*x] / (c + d*x), x] \text{ :> } \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x] / (c + d*x), x], x] \text{ ; FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3299

$\text{Int}[\text{Sin}[e + f*x] / (c + d*x), x] \text{ :> } \text{Simp}[\text{SinIntegral}[e + f*x] / d, x] \text{ ; FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin(e + fx)}{(c + dx)^3} dx &= \int \left(\frac{a}{(c + dx)^3} + \frac{b \sin(e + fx)}{(c + dx)^3} \right) dx \\
 &= -\frac{a}{2d(c + dx)^2} + b \int \frac{\sin(e + fx)}{(c + dx)^3} dx \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{b \sin(e + fx)}{2d(c + dx)^2} + \frac{(bf) \int \frac{\cos(e + fx)}{(c + dx)^2} dx}{2d} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{bf \cos(e + fx)}{2d^2(c + dx)} - \frac{b \sin(e + fx)}{2d(c + dx)^2} - \frac{(bf^2) \int \frac{\sin(e + fx)}{c + dx} dx}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{bf \cos(e + fx)}{2d^2(c + dx)} - \frac{b \sin(e + fx)}{2d(c + dx)^2} - \frac{(bf^2 \cos(e - \frac{cf}{d})) \int \frac{\sin(\frac{cf}{d} + fx)}{c + dx} dx}{2d^2} - \frac{(bf^2 \sin(e - \frac{cf}{d}))}{2d^2} \\
 &= -\frac{a}{2d(c + dx)^2} - \frac{bf \cos(e + fx)}{2d^2(c + dx)} - \frac{bf^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{2d^3} - \frac{b \sin(e + fx)}{2d(c + dx)^2} - \frac{bf^2 \cos\left(e - \frac{cf}{d}\right)}{2d^2}
 \end{aligned}$$

Mathematica [A] time = 0.814259, size = 94, normalized size = 0.76

$$\frac{\frac{d(a + b \sin(e + fx)) + bf(c + dx) \cos(e + fx)}{(c + dx)^2} + bf^2 \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + bf^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right)}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[e + f*x])/(c + d*x)^3,x]
```

```
[Out] -(b*f^2*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d] + (d*(b*f*(c + d*x)*Cos[e + f*x] + d*(a + b*Sin[e + f*x])))/(c + d*x)^2 + b*f^2*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)]/(2*d^3)
```

Maple [A] time = 0.01, size = 177, normalized size = 1.4

$$\frac{1}{f} \left(-\frac{f^3 a}{2 \left((fx + e) d + cf - de \right)^2 d} + f^3 b \left(-\frac{\sin(fx + e)}{2 \left((fx + e) d + cf - de \right)^2 d} + \frac{1}{2d} \left(-\frac{\cos(fx + e)}{\left((fx + e) d + cf - de \right) d} - \frac{1}{d} \left(\frac{1}{d} \text{Si}(fx + e) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(f*x+e))/(d*x+c)^3,x)
```

```
[Out] 1/f*(-1/2*a*f^3/((f*x+e)*d+c*f-d*e)^2/d+f^3*b*(-1/2*sin(f*x+e)/((f*x+e)*d+c*f-d*e)^2/d+1/2*(-cos(f*x+e)/((f*x+e)*d+c*f-d*e)/d-(Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d)/d)
```

Maxima [C] time = 1.46564, size = 358, normalized size = 2.91

$$\frac{af^3}{(fx+e)^2 d^3 + d^3 e^2 - 2cd^2 ef + c^2 df^2 - 2(d^3 e - cd^2 f)(fx+e)} - \frac{\left(f^3 \left(-i E_3\left(\frac{i(fx+e)d - ide + icf}{d}\right) + i E_3\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \cos\left(-\frac{de - cf}{d}\right) + f^3 \left(E_3\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_3\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \sin\left(-\frac{de - cf}{d}\right)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^3,x, algorithm="maxima")

[Out] -1/2*(a*f^3/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - (f^3*(-I*exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f^3*(exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d))*b/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))/f

Fricas [A] time = 2.16258, size = 517, normalized size = 4.2

$$\frac{2bd^2 \sin(fx + e) + 2ad^2 + 2(bd^2 f^2 x^2 + 2bcd f^2 x + bc^2 f^2) \cos\left(-\frac{de - cf}{d}\right) \operatorname{Si}\left(\frac{dfx + cf}{d}\right) + 2(bd^2 fx + bcd f) \cos(fx + e)}{4(d^5 x^2 + 2cd^4 x + c^2 d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^3,x, algorithm="fricas")

[Out] -1/4*(2*b*d^2*sin(f*x + e) + 2*a*d^2 + 2*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x + b*c^2*f^2)*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 2*(b*d^2*f*x + b*c*d*f)*cos(f*x + e) - ((b*d^2*f^2*x^2 + 2*b*c*d*f^2*x + b*c^2*f^2)*cos_integral((d*f*x + c*f)/d) + (b*d^2*f^2*x^2 + 2*b*c*d*f^2*x + b*c^2*f^2)*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{a + b \sin(e + fx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)**3,x)

[Out] Integral((a + b*sin(e + f*x))/(c + d*x)**3, x)

Giac [C] time = 1.4657, size = 8312, normalized size = 67.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))/(d*x+c)^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*(b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\ & (1/2*c*f/d)^2*\tan(1/2*e)^2 - b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(-f*x - c* \\ & f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 2*b*d^2*f^2*x^2*\sin_in \\ & tegral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - 2*b* \\ & d^2*f^2*x^2*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f \\ & /d)^2*\tan(1/2*e) - 2*b*d^2*f^2*x^2*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan \\ & (1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 2*b*d^2*f^2*x^2*\text{real_part}(\cos_in \\ & tegral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*b*d^2*f \\ & ^2*x^2*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)* \\ & \tan(1/2*e)^2 + 2*b*c*d*f^2*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f \\ & *x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - 2*b*c*d*f^2*x*\text{imag_part}(\cos_integral(\\ & -f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 4*b*c*d*f^2*x \\ & *\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 \\ & - b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/ \\ & 2*c*f/d)^2 + b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f* \\ & x)^2*\tan(1/2*c*f/d)^2 - 2*b*d^2*f^2*x^2*\sin_integral((d*f*x + c*f)/d)*\tan(1 \\ & /2*f*x)^2*\tan(1/2*c*f/d)^2 + 4*b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(f*x + c \\ & *f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) - 4*b*d^2*f^2*x^2*\text{imag_part} \\ & (\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) + 8*b \\ & *d^2*f^2*x^2*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan \\ & (1/2*e) - 4*b*c*d*f^2*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^ \\ & 2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 4*b*c*d*f^2*x*\text{real_part}(\cos_integral(-f*x - \\ & c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - b*d^2*f^2*x^2*\text{imag_pa} \\ & rt(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + b*d^2*f^2*x^2*i \\ & mag_part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - 2*b*d^2*f \\ & ^2*x^2*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + 4*b*c*d \\ & *f^2*x*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan \\ & (1/2*e)^2 + 4*b*c*d*f^2*x*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f \\ & *x)^2*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + b*d^2*f^2*x^2*\text{imag_part}(\cos_integral(f* \\ & x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - b*d^2*f^2*x^2*\text{imag_part}(\cos_int \\ & egral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 2*b*d^2*f^2*x^2*\sin_in \\ & tegral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + b*c^2*f^2*\text{imag_part} \\ & (\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - \\ & b*c^2*f^2*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/ \\ & d)^2*\tan(1/2*e)^2 + 2*b*c^2*f^2*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^ \\ & 2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 - 2*b*d^2*f^2*x^2*\text{real_part}(\cos_integral(f* \\ & x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - 2*b*d^2*f^2*x^2*\text{real_part}(\cos_i \\ & ntegral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d) - 2*b*c*d*f^2*x*\text{imag_p} \\ & art(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 + 2*b*c*d*f^ \\ & 2*x*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2 - \\ & 4*b*c*d*f^2*x*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^ \\ & 2 + 2*b*d^2*f^2*x^2*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan \\ & (1/2*e) + 2*b*d^2*f^2*x^2*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x \\ &)^2*\tan(1/2*e) + 8*b*c*d*f^2*x*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2 \\ & *f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) - 8*b*c*d*f^2*x*\text{imag_part}(\cos_integral(-f \\ & *x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) + 16*b*c*d*f^2*x*\sin \\ & integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)*\tan(1/2*e) - 2*b*d^ \\ & 2*f^2*x^2*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) \\ & - 2*b*d^2*f^2*x^2*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan \\ & (1/2*e) - 2*b*c^2*f^2*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*f*x)^2* \\ & \tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*b*c^2*f^2*\text{real_part}(\cos_integral(-f*x - c*f \\ & /d))*\tan(1/2*f*x)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*b*c*d*f^2*x*\text{imag_part}(c \\ & os_integral(f*x + c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + 2*b*c*d*f^2*x*\text{imag_} \\ & part(\cos_integral(-f*x - c*f/d))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 - 4*b*c*d*f^2*x \\ & *\sin_integral((d*f*x + c*f)/d)*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + 2*b*d^2*f^2*x \\ & ^2*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*b*d \\ & ^2*f^2*x^2*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^ \end{aligned}$$

$$\begin{aligned}
& 2 + 2*b*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*b*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 + 2*b*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 2*b*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 4*b*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b*d^2*f*x*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + b*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2 - b*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2 + 2*b*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2 - 4*b*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - 4*b*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - b*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2 + b*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 - 2*b*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 - b*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + b*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 - 2*b*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 4*b*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*e) + 4*b*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*e) + 4*b*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 4*b*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 8*b*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) + 4*b*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) - 4*b*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) + 8*b*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*c*f/d)*tan(1/2*e) - 4*b*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 4*b*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - b*d^2*f^2*x^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*e)^2 + b*d^2*f^2*x^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*e)^2 - 2*b*d^2*f^2*x^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*e)^2 - b*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 + b*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*e)^2 - 2*b*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2*tan(1/2*e)^2 + 4*b*c*d*f^2*x*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + 4*b*c*d*f^2*x*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2 + b*c^2*f^2*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - b*c^2*f^2*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b*c^2*f^2*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b*c*d*f*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2 - 2*b*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2 + 4*b*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*f*x)^2 - 2*b*d^2*f^2*x^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d) - 2*b*d^2*f^2*x^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d) - 2*b*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - 2*b*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*c*f/d) - 2*b*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2 + 2*b*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2 - 4*b*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2 - 2*b*d^2*f*x*tan(1/2*f*x)^2*tan(1/2*c*f/d)^2 + 2*b*d^2*f^2*x^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*e) + 2*b*d^2*f^2*x^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*e) + 2*b*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*f*x)^2*tan(1/2*e) + 2*b*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*f*x)^2*tan(1/2*e) + 8*b*c*d*f^2*x*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) - 8*b*c*d*f^2*x*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e) + 16*b*c*d*f^2*x*sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)*tan(1/2*e) - 2*b*c^2*f^2*real_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e) - 2*b*c^2*f^2*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)
\end{aligned}$$

$$\begin{aligned}
& ^2 \tan(1/2e) - 8bd^2f^2x \tan(1/2fx) \tan(1/2cf/d)^2 \tan(1/2e) - 2bc^2d^2f^2x \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2e)^2 + 2bc^2d^2f^2x \\
& \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2e)^2 - 4bc^2d^2f^2x \sin_integral((dfx + cf)/d) \tan(1/2e)^2 + 2bd^2f^2x \tan(1/2fx)^2 \tan(1/2e) \\
& ^2 + 2bc^2f^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e)^2 + 2bc^2f^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e) \\
& ^2 - 2bd^2f^2x \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2ad^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + bd^2f^2x^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \\
& - bd^2f^2x^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) + 2bd^2f^2x^2 \sin_integral((dfx + cf)/d) + bc^2f^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2fx)^2 \\
& - bc^2f^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2fx)^2 + 2bc^2f^2 \sin_integral((dfx + cf)/d) \tan(1/2fx)^2 - 4bc^2d^2f^2x \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \\
& - 4bc^2d^2f^2x \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) - bc^2f^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 + bc^2f^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 \\
& - 2bc^2f^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d)^2 - 2bc^2d^2f^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d)^2 - 2bc^2d^2f^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 \\
& + 4bc^2d^2f^2x \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2e) + 4bc^2d^2f^2x \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2e) + 4bc^2f^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e) \\
& - 4bc^2f^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e) + 8bc^2f^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d) \tan(1/2e) - 8bc^2d^2f^2 \tan(1/2fx) \tan(1/2cf/d)^2 \tan(1/2e) \\
& - 4bd^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 \tan(1/2e) - bc^2f^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2e)^2 + bc^2f^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2e)^2 - 2bc^2f^2 \sin_integral((dfx + cf)/d) \tan(1/2e)^2 \\
& + 2bc^2d^2f^2 \tan(1/2cf/d) \tan(1/2e)^2 - 2bc^2d^2f^2 \tan(1/2fx) \tan(1/2cf/d)^2 \tan(1/2e)^2 - 4bd^2 \tan(1/2fx) \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2bc^2d^2f^2x \operatorname{imag_part}(\cos_integral(fx + cf/d)) \\
& - 2bc^2d^2f^2x \operatorname{imag_part}(\cos_integral(-fx - cf/d)) + 4bc^2d^2f^2x \sin_integral((dfx + cf)/d) - 2bd^2f^2x \tan(1/2fx)^2 - 2bc^2f^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) - 2bc^2f^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \\
& + 2bd^2f^2x \tan(1/2cf/d)^2 + 2ad^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 + 2bc^2f^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2e) + 2bc^2f^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2e) - 8bd^2f^2x \tan(1/2fx) \tan(1/2e) - 2bd^2f^2x \tan(1/2e)^2 \\
& + 2ad^2 \tan(1/2fx)^2 \tan(1/2e)^2 + 2ad^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + bc^2f^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) - bc^2f^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) + 2bc^2f^2 \sin_integral((dfx + cf)/d) - 2bc^2d^2f^2 \tan(1/2fx)^2 + 2bc^2d^2f^2 \tan(1/2cf/d)^2 + 4bd^2 \tan(1/2fx) \tan(1/2cf/d)^2 - 8bc^2d^2f^2 \tan(1/2fx) \tan(1/2e) - 4bd^2 \tan(1/2fx)^2 \tan(1/2e) + 4bd^2 \tan(1/2cf/d)^2 \tan(1/2e) - 2bc^2d^2f^2 \tan(1/2e)^2 - 4bd^2 \tan(1/2fx) \tan(1/2e)^2 + 2bd^2f^2x + 2ad^2 \tan(1/2fx)^2 + 2ad^2 \tan(1/2cf/d)^2 + 2ad^2 \tan(1/2e)^2 + 2bc^2d^2f^2 + 4bd^2 \tan(1/2fx) + 4bd^2 \tan(1/2e) + 2ad^2)/(d^5x^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2cd^4x \tan(1/2fx)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + d^5x^2 \tan(1/2fx)^2 \tan(1/2cf/d)^2 + d^5x^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + c^2d^3 \tan(1/2fx)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2cd^4x \tan(1/2fx)^2 \tan(1/2cf/d)^2 + 2cd^4x \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2cd^4x \tan(1/2cf/d)^2 \tan(1/2e)^2 + d^5x^2 \tan(1/2fx)^2 + d^5x^2 \tan(1/2cf/d)^2 + c^2d^3 \tan(1/2fx)^2 \tan(1/2cf/d)^2 + d^5x^2 \tan(1/2e)^2 + c^2d^3 \tan(1/2cf/d)^2 \tan(1/2e)^2 + 2cd^4x \tan(1/2fx)^2 + 2cd^4x \tan(1/2cf/d)^2 + 2cd^4x \tan(1/2e)^2 + d^5x^2 + c^2d^3 \tan(1/2fx)^2 + c^2d^3 \tan(1/2cf/d)^2 + c^2d^3 \tan(1/2e)^2 + 2cd^4x + c^2d^3)
\end{aligned}$$

3.157 $\int (c + dx)^3 (a + b \sin(e + fx))^2 dx$

Optimal. Leaf size=250

$$\frac{a^2(c + dx)^4}{4d} + \frac{12abd^2(c + dx) \cos(e + fx)}{f^3} + \frac{6abd(c + dx)^2 \sin(e + fx)}{f^2} - \frac{2ab(c + dx)^3 \cos(e + fx)}{f} - \frac{12abd^3 \sin(e + fx)}{f^4}$$

[Out] $(-3*b^2*c*d^2*x)/(4*f^2) - (3*b^2*d^3*x^2)/(8*f^2) + (a^2*(c + d*x)^4)/(4*d) + (b^2*(c + d*x)^4)/(8*d) + (12*a*b*d^2*(c + d*x)*\text{Cos}[e + f*x])/f^3 - (2*a*b*(c + d*x)^3*\text{Cos}[e + f*x])/f - (12*a*b*d^3*\text{Sin}[e + f*x])/f^4 + (6*a*b*d*(c + d*x)^2*\text{Sin}[e + f*x])/f^2 + (3*b^2*d^2*(c + d*x)*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/f^3 - (b^2*(c + d*x)^3*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f) - (3*b^2*d^3*\text{Sin}[e + f*x]^2)/(8*f^4) + (3*b^2*d*(c + d*x)^2*\text{Sin}[e + f*x]^2)/(4*f^2)$

Rubi [A] time = 0.267118, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {3317, 3296, 2637, 3311, 32, 3310}

$$\frac{a^2(c + dx)^4}{4d} + \frac{12abd^2(c + dx) \cos(e + fx)}{f^3} + \frac{6abd(c + dx)^2 \sin(e + fx)}{f^2} - \frac{2ab(c + dx)^3 \cos(e + fx)}{f} - \frac{12abd^3 \sin(e + fx)}{f^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*(a + b*\text{Sin}[e + f*x])^2, x]$

[Out] $(-3*b^2*c*d^2*x)/(4*f^2) - (3*b^2*d^3*x^2)/(8*f^2) + (a^2*(c + d*x)^4)/(4*d) + (b^2*(c + d*x)^4)/(8*d) + (12*a*b*d^2*(c + d*x)*\text{Cos}[e + f*x])/f^3 - (2*a*b*(c + d*x)^3*\text{Cos}[e + f*x])/f - (12*a*b*d^3*\text{Sin}[e + f*x])/f^4 + (6*a*b*d*(c + d*x)^2*\text{Sin}[e + f*x])/f^2 + (3*b^2*d^2*(c + d*x)*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/f^3 - (b^2*(c + d*x)^3*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f) - (3*b^2*d^3*\text{Sin}[e + f*x]^2)/(8*f^4) + (3*b^2*d*(c + d*x)^2*\text{Sin}[e + f*x]^2)/(4*f^2)$

Rule 3317

$\text{Int}[(c + d*x)^m*(a + b*\text{Sin}[e + f*x])^n, x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{IGtQ}[m, 0] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 2637

$\text{Int}[\text{Sin}[\text{Pi}/2 + (c + d*x)], x] /; \text{FreeQ}\{c, d\}, x$

Rule 3311

$\text{Int}[(c + d*x)^m*(b*\text{Sin}[e + f*x])^n, x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{IGtQ}[m, 0] \ || \ \text{NeQ}[a^2 - b^2, 0])$

FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned} \int (c + dx)^3 (a + b \sin(e + fx))^2 dx &= \int (a^2(c + dx)^3 + 2ab(c + dx)^3 \sin(e + fx) + b^2(c + dx)^3 \sin^2(e + fx)) dx \\ &= \frac{a^2(c + dx)^4}{4d} + (2ab) \int (c + dx)^3 \sin(e + fx) dx + b^2 \int (c + dx)^3 \sin^2(e + fx) dx \\ &= \frac{a^2(c + dx)^4}{4d} - \frac{2ab(c + dx)^3 \cos(e + fx)}{f} - \frac{b^2(c + dx)^3 \cos(e + fx) \sin(e + fx)}{2f} + \frac{3b^2}{2f} \int (c + dx)^2 \sin(e + fx) dx \\ &= \frac{a^2(c + dx)^4}{4d} + \frac{b^2(c + dx)^4}{8d} - \frac{2ab(c + dx)^3 \cos(e + fx)}{f} + \frac{6abd(c + dx)^2 \sin(e + fx)}{f^2} + \frac{3b^2}{2f} \int (c + dx) \sin(e + fx) dx \\ &= -\frac{3b^2cd^2x}{4f^2} - \frac{3b^2d^3x^2}{8f^2} + \frac{a^2(c + dx)^4}{4d} + \frac{b^2(c + dx)^4}{8d} + \frac{12abd^2(c + dx) \cos(e + fx)}{f^3} - \frac{3b^2}{2f} \int \sin(e + fx) dx \\ &= -\frac{3b^2cd^2x}{4f^2} - \frac{3b^2d^3x^2}{8f^2} + \frac{a^2(c + dx)^4}{4d} + \frac{b^2(c + dx)^4}{8d} + \frac{12abd^2(c + dx) \cos(e + fx)}{f^3} - \frac{3b^2 \sin(e + fx)}{2f} \end{aligned}$$

Mathematica [A] time = 1.298, size = 232, normalized size = 0.93

$$\frac{2f^4x(2a^2 + b^2)(6c^2dx + 4c^3 + 4cd^2x^2 + d^3x^3) + 96abd(c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2))\sin(e + fx) - 32abf(c + dx)(c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2))\cos(e + fx)}{16f^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + b*Sine[e + f*x])^2,x]

[Out] (2*(2*a^2 + b^2)*f^4*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) - 32*a*b*f*(c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Cos[e + f*x] - 3*b^2*d*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-1 + 2*f^2*x^2))*Cos[2*(e + f*x)] + 9*6*a*b*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Sine[e + f*x] - 2*b^2*f*(c + d*x)*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-3 + 2*f^2*x^2))*Sine[2*(e + f*x)])/ (16*f^4)

Maple [B] time = 0.016, size = 1125, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*(a+b*sin(f*x+e))^2,x)

[Out] $\frac{1}{f} \cdot (a^2 c^3 (f x + e) + b^2 c^3 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - 6 f^2 a b c^2 d^2 e^2 \cos(f x + e) + 6 f^2 a b c^2 d^2 e \cos(f x + e) - 12 f^2 a b c^2 d^2 e (\sin(f x + e) - (f x + e) \cos(f x + e)) + \frac{1}{f^3} b^2 d^3 ((f x + e)^3 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{3}{4} (f x + e)^2 \cos(f x + e)^2 + \frac{3}{2} (f x + e) (\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{3}{8} (f x + e)^2 - \frac{3}{8} \sin(f x + e)^2 - \frac{3}{8} (f x + e)^4) - 2 a b c^3 \cos(f x + e) + \frac{1}{4} a^2 / f^3 d^3 (f x + e)^4 - a^2 / f^3 d^3 e (f x + e)^3 - a^2 / f^3 d^3 e^3 (f x + e) + a^2 / f^2 c^2 d^2 (f x + e)^3 + \frac{3}{2} a^2 / f^3 d^3 e^2 (f x + e)^2 + \frac{3}{2} a^2 / f^3 c^2 d^2 (f x + e)^2 + \frac{3}{f^3} b^2 d^3 e^2 ((f x + e) (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{1}{4} (f x + e)^2 + \frac{1}{4} \sin(f x + e)^2) + \frac{3}{f^2} b^2 c^2 d^2 e ((f x + e)^2 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{1}{2} (f x + e) \cos(f x + e)^2 + \frac{1}{4} \sin(f x + e) \cos(f x + e) + \frac{1}{4} f x + \frac{1}{4} e - \frac{1}{3} (f x + e)^3) + \frac{3}{f^2} b^2 c^2 d^2 e^2 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{6}{f^2} b^2 c^2 d^2 e ((f x + e) (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{1}{4} (f x + e)^2 + \frac{1}{4} \sin(f x + e)^2) - \frac{6}{f^3} a b d^3 e ((f x + e)^2 \cos(f x + e) + 2 \cos(f x + e) + 2 (f x + e) \sin(f x + e)) + \frac{6}{f^3} a b d^3 e^2 (\sin(f x + e) - (f x + e) \cos(f x + e)) + \frac{6}{f^2} a b c^2 d^2 e (- (f x + e)^2 \cos(f x + e) + 2 \cos(f x + e) + 2 (f x + e) \sin(f x + e)) - \frac{3}{f} b^2 c^2 d^2 e (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) + \frac{2}{f^3} a b d^3 e^3 \cos(f x + e) + \frac{6}{f} a b c^2 d^2 (\sin(f x + e) - (f x + e) \cos(f x + e)) - 3 a^2 / f^2 c^2 d^2 e (f x + e)^2 + 3 a^2 / f^2 c^2 d^2 e^2 (f x + e) - 3 a^2 / f^3 c^2 d^2 e (f x + e) - \frac{1}{f^3} b^2 d^3 e^3 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) + \frac{3}{f} b^2 c^2 d^2 ((f x + e) (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{1}{4} (f x + e)^2 + \frac{1}{4} \sin(f x + e)^2) + \frac{2}{f^3} a b d^3 (- (f x + e)^3 \cos(f x + e) + 3 (f x + e)^2 \sin(f x + e) - 6 \sin(f x + e) + 6 (f x + e) \cos(f x + e)) - \frac{3}{f^3} b^2 d^3 e ((f x + e)^2 (-\frac{1}{2} \sin(f x + e) \cos(f x + e) + \frac{1}{2} f x + \frac{1}{2} e) - \frac{1}{2} (f x + e) \cos(f x + e)^2 + \frac{1}{4} \sin(f x + e) \cos(f x + e) + \frac{1}{4} f x + \frac{1}{4} e - \frac{1}{3} (f x + e)^3))$

Maxima [B] time = 1.13452, size = 1295, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $\frac{1}{16} (16 (f x + e) a^2 c^3 + 4 (2 f x + 2 e - \sin(2 f x + 2 e)) b^2 c^3 + 4 (f x + e)^4 a^2 d^3 / f^3 - 16 (f x + e)^3 a^2 d^3 e / f^3 + 24 (f x + e)^2 a^2 d^3 e^2 / f^3 - 16 (f x + e) a^2 d^3 e^3 / f^3 - 4 (2 f x + 2 e - \sin(2 f x + 2 e)) b^2 d^3 e^3 / f^3 + 16 (f x + e)^3 a^2 c^2 d^2 / f^2 - 48 (f x + e)^2 a^2 c^2 d^2 e / f^2 + 48 (f x + e) a^2 c^2 d^2 e^2 / f^2 + 12 (2 f x + 2 e - \sin(2 f x + 2 e)) b^2 c^2 d^2 e^2 / f^2 + 24 (f x + e)^2 a^2 c^2 d^2 / f - 48 (f x + e) a^2 c^2 d^2 e / f - 12 (2 f x + 2 e - \sin(2 f x + 2 e)) b^2 c^2 d^2 e / f - 32 a b c^3 \cos(f x + e) + 32 a b d^3 e^3 \cos(f x + e) / f^3 - 96 a b c^2 d^2 e^2 \cos(f x + e) / f^2 + 96 a b c^2 d^2 e \cos(f x + e) / f - 96 ((f x + e) \cos(f x + e) - \sin(f x + e)) a b d^3 e^2 / f^3 + 6 (2 (f x + e)^2 - 2 (f x + e) \sin(2 f x + 2 e) - \cos(2 f x + 2 e)) b^2 d^3 e^2 / f^3 + 192 ((f x + e) \cos(f x + e) - \sin(f x + e)) a b c^2 d^2 e / f^2 - 12 (2 (f x + e)^2 - 2 (f x + e) \sin(2 f x + 2 e) - \cos(2 f x + 2 e)) b^2 c^2 d^2 e / f^2 - 96 ((f x + e) \cos(f x + e) - \sin(f x + e)) a b c^2 d^2 / f + 6 (2 (f x + e)^2 - 2 (f x + e) \sin(2 f x + 2 e) - \cos(2 f x + 2 e)) b^2 c^2 d^2 / f + 96 (((f x + e)^2 - 2) \cos(f x + e) - 2 (f x + e) \sin(f x + e)) a b d^3 e / f^3 - 2 (4 (f x + e)^3 - 6 (f x + e) \cos(2 f x + 2 e) - 3 (2 (f x + e)^2 - 1) \sin(2 f x + 2 e)) b^2 d^3 e / f^3 - 96 (((f x + e)^2 - 2) \cos(f x + e) - 2 (f x + e) \sin(f x + e)) a b c^2 d^2 / f^2 + 2 (4 (f x + e)^3 - 6 (f x + e) \cos(2 f x + 2 e) - 3 (2 (f x + e)^2 - 1) \sin(2 f x + 2 e)) b^2 c^2 d^2 / f^2 - 32 (((f x + e)^3 - 6 f x - 6 e) \cos(f x + e) - 3 ((f x + e)^2 - 2) \sin(f x + e)) a b d^3 / f^3 + (2 (f x + e)^4 - 3 (2 (f x + e)^2 - 1) \cos(2 f x + 2 e) - 2 (2 (f x + e)^3 - 3 f x - 3 e) \sin(2 f x + 2 e)) b$

$$\frac{d^2 \cdot d^3 / f^3}{f}$$

Fricas [A] time = 2.17466, size = 805, normalized size = 3.22

$$(2a^2 + b^2)d^3 f^4 x^4 + 4(2a^2 + b^2)cd^2 f^4 x^3 + 3(2(2a^2 + b^2)c^2 d f^4 + b^2 d^3 f^2)x^2 - 3(2b^2 d^3 f^2 x^2 + 4b^2 cd^2 f^2 x + 2b^2 c^2 d f^2 -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*(a+b*sin(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/8*((2*a^2 + b^2)*d^3*f^4*x^4 + 4*(2*a^2 + b^2)*c*d^2*f^4*x^3 + 3*(2*(2*a^2 + b^2)*c^2*d*f^4 + b^2*d^3*f^2)*x^2 - 3*(2*b^2*d^3*f^2*x^2 + 4*b^2*c*d^2*f^2*x + 2*b^2*c^2*d*f^2 - b^2*d^3)*cos(f*x + e)^2 + 2*(2*(2*a^2 + b^2)*c^3*f^4 + 3*b^2*c*d^2*f^2)*x - 16*(a*b*d^3*f^3*x^3 + 3*a*b*c*d^2*f^3*x^2 + a*b*c^3*f^3 - 6*a*b*c*d^2*f + 3*(a*b*c^2*d*f^3 - 2*a*b*d^3*f)*x)*cos(f*x + e) + 2*(24*a*b*d^3*f^2*x^2 + 48*a*b*c*d^2*f^2*x + 24*a*b*c^2*d*f^2 - 48*a*b*d^3 - (2*b^2*d^3*f^3*x^3 + 6*b^2*c*d^2*f^3*x^2 + 2*b^2*c^3*f^3 - 3*b^2*c*d^2*f + 3*(2*b^2*c^2*d*f^3 - b^2*d^3*f)*x)*cos(f*x + e))*sin(f*x + e))/f^4
```

Sympy [A] time = 4.59935, size = 779, normalized size = 3.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**3*(a+b*sin(f*x+e))**2,x)
```

```
[Out] Piecewise((a**2*c**3*x + 3*a**2*c**2*d*x**2/2 + a**2*c*d**2*x**3 + a**2*d**3*x**4/4 - 2*a*b*c**3*cos(e + f*x)/f - 6*a*b*c**2*d*x*cos(e + f*x)/f + 6*a*b*c**2*d*sin(e + f*x)/f**2 - 6*a*b*c*d**2*x**2*cos(e + f*x)/f + 12*a*b*c*d**2*x*sin(e + f*x)/f**2 + 12*a*b*c*d**2*cos(e + f*x)/f**3 - 2*a*b*d**3*x**3*cos(e + f*x)/f + 6*a*b*d**3*x**2*sin(e + f*x)/f**2 + 12*a*b*d**3*x*cos(e + f*x)/f**3 - 12*a*b*d**3*sin(e + f*x)/f**4 + b**2*c**3*x*sin(e + f*x)**2/2 + b**2*c**3*x*cos(e + f*x)**2/2 - b**2*c**3*sin(e + f*x)*cos(e + f*x)/(2*f) + 3*b**2*c**2*d*x**2*sin(e + f*x)**2/4 + 3*b**2*c**2*d*x**2*cos(e + f*x)**2/4 - 3*b**2*c**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) - 3*b**2*c**2*d*cos(e + f*x)**2/(4*f**2) + b**2*c*d**2*x**3*sin(e + f*x)**2/2 + b**2*c*d**2*x**3*cos(e + f*x)**2/2 - 3*b**2*c*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) + 3*b**2*c*d**2*x*sin(e + f*x)**2/(4*f**2) - 3*b**2*c*d**2*x*cos(e + f*x)**2/(4*f**2) + 3*b**2*c*d**2*sin(e + f*x)*cos(e + f*x)/(4*f**3) + b**2*d**3*x**4*sin(e + f*x)**2/8 + b**2*d**3*x**4*cos(e + f*x)**2/8 - b**2*d**3*x**3*sin(e + f*x)*cos(e + f*x)/(2*f) + 3*b**2*d**3*x**2*sin(e + f*x)**2/(8*f**2) - 3*b**2*d**3*x**2*cos(e + f*x)**2/(8*f**2) + 3*b**2*d**3*x*sin(e + f*x)*cos(e + f*x)/(4*f**3) + 3*b**2*d**3*cos(e + f*x)**2/(8*f**4), Ne(f, 0)), ((a + b*sin(e))**2*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4), True))
```

Giac [A] time = 1.12116, size = 501, normalized size = 2.

$$\frac{1}{4} a^2 d^3 x^4 + \frac{1}{8} b^2 d^3 x^4 + a^2 c d^2 x^3 + \frac{1}{2} b^2 c d^2 x^3 + \frac{3}{2} a^2 c^2 d x^2 + \frac{3}{4} b^2 c^2 d x^2 + a^2 c^3 x + \frac{1}{2} b^2 c^3 x - \frac{3(2b^2 d^3 f^2 x^2 + 4b^2 c d^2 f^2 x + 2b^2 c^2 d f^2 - 2b^2 d^3)}{8f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*(a+b*sin(f*x+e))^2,x, algorithm="giac")
```

```
[Out] 1/4*a^2*d^3*x^4 + 1/8*b^2*d^3*x^4 + a^2*c*d^2*x^3 + 1/2*b^2*c*d^2*x^3 + 3/2
*a^2*c^2*d*x^2 + 3/4*b^2*c^2*d*x^2 + a^2*c^3*x + 1/2*b^2*c^3*x - 3/16*(2*b^
2*d^3*f^2*x^2 + 4*b^2*c*d^2*f^2*x + 2*b^2*c^2*d*f^2 - b^2*d^3)*cos(2*f*x +
2*e)/f^4 - 2*(a*b*d^3*f^3*x^3 + 3*a*b*c*d^2*f^3*x^2 + 3*a*b*c^2*d*f^3*x + a
*b*c^3*f^3 - 6*a*b*d^3*f*x - 6*a*b*c*d^2*f)*cos(f*x + e)/f^4 - 1/8*(2*b^2*d
^3*f^3*x^3 + 6*b^2*c*d^2*f^3*x^2 + 6*b^2*c^2*d*f^3*x + 2*b^2*c^3*f^3 - 3*b^
2*d^3*f*x - 3*b^2*c*d^2*f)*sin(2*f*x + 2*e)/f^4 + 6*(a*b*d^3*f^2*x^2 + 2*a*
b*c*d^2*f^2*x + a*b*c^2*d*f^2 - 2*a*b*d^3)*sin(f*x + e)/f^4
```

3.158 $\int (c + dx)^2 (a + b \sin(e + fx))^2 dx$

Optimal. Leaf size=182

$$\frac{a^2(c + dx)^3}{3d} + \frac{4abd(c + dx) \sin(e + fx)}{f^2} - \frac{2ab(c + dx)^2 \cos(e + fx)}{f} + \frac{4abd^2 \cos(e + fx)}{f^3} + \frac{b^2 d(c + dx) \sin^2(e + fx)}{2f^2} - \frac{b^2}{2f^2}$$

[Out] $-(b^2 d^2 x)/(4 f^2) + (a^2 (c + d x)^3)/(3 d) + (b^2 (c + d x)^3)/(6 d) + (4 a b d^2 \cos[e + f x])/f^3 - (2 a b (c + d x)^2 \cos[e + f x])/f + (4 a b d (c + d x) \sin[e + f x])/f^2 + (b^2 d^2 \cos[e + f x] \sin[e + f x])/(4 f^3) - (b^2 (c + d x)^2 \cos[e + f x] \sin[e + f x])/(2 f) + (b^2 d (c + d x) \sin[e + f x]^2)/(2 f^2)$

Rubi [A] time = 0.191988, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {3317, 3296, 2638, 3311, 32, 2635, 8}

$$\frac{a^2(c + dx)^3}{3d} + \frac{4abd(c + dx) \sin(e + fx)}{f^2} - \frac{2ab(c + dx)^2 \cos(e + fx)}{f} + \frac{4abd^2 \cos(e + fx)}{f^3} + \frac{b^2 d(c + dx) \sin^2(e + fx)}{2f^2} - \frac{b^2}{2f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*(a + b*Sin[e + f*x])^2,x]

[Out] $-(b^2 d^2 x)/(4 f^2) + (a^2 (c + d x)^3)/(3 d) + (b^2 (c + d x)^3)/(6 d) + (4 a b d^2 \cos[e + f x])/f^3 - (2 a b (c + d x)^2 \cos[e + f x])/f + (4 a b d (c + d x) \sin[e + f x])/f^2 + (b^2 d^2 \cos[e + f x] \sin[e + f x])/(4 f^3) - (b^2 (c + d x)^2 \cos[e + f x] \sin[e + f x])/(2 f) + (b^2 d (c + d x) \sin[e + f x]^2)/(2 f^2)$

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m * Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m-1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n-1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n-2), x], x] - Dist[(d^2*m*(m-1))/(f^2*n^2), Int[(c + d*x)^(m-2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m * Cos[e + f*x] * (b*Sin[e + f*x])^(n-1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

```
Int[((a_.) + (b_.)*(x_.))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^2 (a + b \sin(e + fx))^2 dx &= \int (a^2(c + dx)^2 + 2ab(c + dx)^2 \sin(e + fx) + b^2(c + dx)^2 \sin^2(e + fx)) dx \\ &= \frac{a^2(c + dx)^3}{3d} + (2ab) \int (c + dx)^2 \sin(e + fx) dx + b^2 \int (c + dx)^2 \sin^2(e + fx) dx \\ &= \frac{a^2(c + dx)^3}{3d} - \frac{2ab(c + dx)^2 \cos(e + fx)}{f} - \frac{b^2(c + dx)^2 \cos(e + fx) \sin(e + fx)}{2f} + \dots \\ &= \frac{a^2(c + dx)^3}{3d} + \frac{b^2(c + dx)^3}{6d} - \frac{2ab(c + dx)^2 \cos(e + fx)}{f} + \frac{4abd(c + dx) \sin(e + fx)}{f^2} \\ &= -\frac{b^2 d^2 x}{4f^2} + \frac{a^2(c + dx)^3}{3d} + \frac{b^2(c + dx)^3}{6d} + \frac{4abd^2 \cos(e + fx)}{f^3} - \frac{2ab(c + dx)^2 \cos(e + fx)}{f} \end{aligned}$$

Mathematica [A] time = 0.726044, size = 249, normalized size = 1.37

$$\frac{24a^2c^2f^3x + 24a^2cdf^3x^2 + 8a^2d^2f^3x^3 - 48ab(c^2f^2 + 2cdf^2x + d^2(f^2x^2 - 2)) \cos(e + fx) + 96abcdf \sin(e + fx) + 96b^2d^2f^3x^2 \sin(e + fx) + 96b^2d^2f^3x^3 \sin(e + fx) + 96b^2d^2f^3x^4 \sin(e + fx) + 96b^2d^2f^3x^5 \sin(e + fx) + 96b^2d^2f^3x^6 \sin(e + fx) + 96b^2d^2f^3x^7 \sin(e + fx) + 96b^2d^2f^3x^8 \sin(e + fx) + 96b^2d^2f^3x^9 \sin(e + fx) + 96b^2d^2f^3x^{10} \sin(e + fx) + 96b^2d^2f^3x^{11} \sin(e + fx) + 96b^2d^2f^3x^{12} \sin(e + fx) + 96b^2d^2f^3x^{13} \sin(e + fx) + 96b^2d^2f^3x^{14} \sin(e + fx) + 96b^2d^2f^3x^{15} \sin(e + fx) + 96b^2d^2f^3x^{16} \sin(e + fx) + 96b^2d^2f^3x^{17} \sin(e + fx) + 96b^2d^2f^3x^{18} \sin(e + fx) + 96b^2d^2f^3x^{19} \sin(e + fx) + 96b^2d^2f^3x^{20} \sin(e + fx) + 96b^2d^2f^3x^{21} \sin(e + fx) + 96b^2d^2f^3x^{22} \sin(e + fx) + 96b^2d^2f^3x^{23} \sin(e + fx) + 96b^2d^2f^3x^{24} \sin(e + fx) + 96b^2d^2f^3x^{25} \sin(e + fx) + 96b^2d^2f^3x^{26} \sin(e + fx) + 96b^2d^2f^3x^{27} \sin(e + fx) + 96b^2d^2f^3x^{28} \sin(e + fx) + 96b^2d^2f^3x^{29} \sin(e + fx) + 96b^2d^2f^3x^{30} \sin(e + fx) + 96b^2d^2f^3x^{31} \sin(e + fx) + 96b^2d^2f^3x^{32} \sin(e + fx) + 96b^2d^2f^3x^{33} \sin(e + fx) + 96b^2d^2f^3x^{34} \sin(e + fx) + 96b^2d^2f^3x^{35} \sin(e + fx) + 96b^2d^2f^3x^{36} \sin(e + fx) + 96b^2d^2f^3x^{37} \sin(e + fx) + 96b^2d^2f^3x^{38} \sin(e + fx) + 96b^2d^2f^3x^{39} \sin(e + fx) + 96b^2d^2f^3x^{40} \sin(e + fx) + 96b^2d^2f^3x^{41} \sin(e + fx) + 96b^2d^2f^3x^{42} \sin(e + fx) + 96b^2d^2f^3x^{43} \sin(e + fx) + 96b^2d^2f^3x^{44} \sin(e + fx) + 96b^2d^2f^3x^{45} \sin(e + fx) + 96b^2d^2f^3x^{46} \sin(e + fx) + 96b^2d^2f^3x^{47} \sin(e + fx) + 96b^2d^2f^3x^{48} \sin(e + fx) + 96b^2d^2f^3x^{49} \sin(e + fx) + 96b^2d^2f^3x^{50} \sin(e + fx) + 96b^2d^2f^3x^{51} \sin(e + fx) + 96b^2d^2f^3x^{52} \sin(e + fx) + 96b^2d^2f^3x^{53} \sin(e + fx) + 96b^2d^2f^3x^{54} \sin(e + fx) + 96b^2d^2f^3x^{55} \sin(e + fx) + 96b^2d^2f^3x^{56} \sin(e + fx) + 96b^2d^2f^3x^{57} \sin(e + fx) + 96b^2d^2f^3x^{58} \sin(e + fx) + 96b^2d^2f^3x^{59} \sin(e + fx) + 96b^2d^2f^3x^{60} \sin(e + fx) + 96b^2d^2f^3x^{61} \sin(e + fx) + 96b^2d^2f^3x^{62} \sin(e + fx) + 96b^2d^2f^3x^{63} \sin(e + fx) + 96b^2d^2f^3x^{64} \sin(e + fx) + 96b^2d^2f^3x^{65} \sin(e + fx) + 96b^2d^2f^3x^{66} \sin(e + fx) + 96b^2d^2f^3x^{67} \sin(e + fx) + 96b^2d^2f^3x^{68} \sin(e + fx) + 96b^2d^2f^3x^{69} \sin(e + fx) + 96b^2d^2f^3x^{70} \sin(e + fx) + 96b^2d^2f^3x^{71} \sin(e + fx) + 96b^2d^2f^3x^{72} \sin(e + fx) + 96b^2d^2f^3x^{73} \sin(e + fx) + 96b^2d^2f^3x^{74} \sin(e + fx) + 96b^2d^2f^3x^{75} \sin(e + fx) + 96b^2d^2f^3x^{76} \sin(e + fx) + 96b^2d^2f^3x^{77} \sin(e + fx) + 96b^2d^2f^3x^{78} \sin(e + fx) + 96b^2d^2f^3x^{79} \sin(e + fx) + 96b^2d^2f^3x^{80} \sin(e + fx) + 96b^2d^2f^3x^{81} \sin(e + fx) + 96b^2d^2f^3x^{82} \sin(e + fx) + 96b^2d^2f^3x^{83} \sin(e + fx) + 96b^2d^2f^3x^{84} \sin(e + fx) + 96b^2d^2f^3x^{85} \sin(e + fx) + 96b^2d^2f^3x^{86} \sin(e + fx) + 96b^2d^2f^3x^{87} \sin(e + fx) + 96b^2d^2f^3x^{88} \sin(e + fx) + 96b^2d^2f^3x^{89} \sin(e + fx) + 96b^2d^2f^3x^{90} \sin(e + fx) + 96b^2d^2f^3x^{91} \sin(e + fx) + 96b^2d^2f^3x^{92} \sin(e + fx) + 96b^2d^2f^3x^{93} \sin(e + fx) + 96b^2d^2f^3x^{94} \sin(e + fx) + 96b^2d^2f^3x^{95} \sin(e + fx) + 96b^2d^2f^3x^{96} \sin(e + fx) + 96b^2d^2f^3x^{97} \sin(e + fx) + 96b^2d^2f^3x^{98} \sin(e + fx) + 96b^2d^2f^3x^{99} \sin(e + fx) + 96b^2d^2f^3x^{100} \sin(e + fx)}{24f^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2*(a + b*Sin[e + f*x])^2,x]
```

```
[Out] (24*a^2*c^2*f^3*x + 12*b^2*c^2*f^3*x + 24*a^2*c*d*f^3*x^2 + 12*b^2*c*d*f^3*x^2 + 8*a^2*d^2*f^3*x^3 + 4*b^2*d^2*f^3*x^3 - 48*a*b*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x] - 6*b^2*d*f*(c + d*x)*Cos[2*(e + f*x)] + 96*a*b*c*d*f*Sin[e + f*x] + 96*a*b*d^2*f*x*Sin[e + f*x] + 3*b^2*d^2*Sin[2*(e + f*x)] - 6*b^2*c^2*f^2*Sin[2*(e + f*x)] - 12*b^2*c*d*f^2*x*Sin[2*(e + f*x)] - 6*b^2*d^2*f^2*x^2*Sin[2*(e + f*x)])/(24*f^3)
```

Maple [B] time = 0.013, size = 561, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^2*(a+b*sin(f*x+e))^2,x)
```

```
[Out] 1/f*(1/3*a^2/f^2*d^2*(f*x+e)^3+a^2/f*c*d*(f*x+e)^2-a^2/f^2*d^2*e*(f*x+e)^2+
a^2*c^2*(f*x+e)-2*a^2/f*c*d*e*(f*x+e)+a^2/f^2*d^2*e^2*(f*x+e)+2/f^2*a*b*d^2
*(-(f*x+e)^2*cos(f*x+e)+2*cos(f*x+e)+2*(f*x+e)*sin(f*x+e))+4/f*a*b*c*d*(sin
(f*x+e)-(f*x+e)*cos(f*x+e))-4/f^2*a*b*d^2*e*(sin(f*x+e)-(f*x+e)*cos(f*x+e))
-2*a*b*c^2*cos(f*x+e)+4/f*a*b*c*d*e*cos(f*x+e)-2/f^2*a*b*d^2*e^2*cos(f*x+e)
+1/f^2*b^2*d^2*((f*x+e)^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/2*(f
*x+e)*cos(f*x+e)^2+1/4*sin(f*x+e)*cos(f*x+e)+1/4*f*x+1/4*e-1/3*(f*x+e)^3)+2
/f*b^2*c*d*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^
2+1/4*sin(f*x+e)^2)-2/f^2*b^2*d^2*e*((f*x+e)*(-1/2*sin(f*x+e)*cos(f*x+e)+1/
2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*sin(f*x+e)^2)+b^2*c^2*(-1/2*sin(f*x+e)*cos(f
*x+e)+1/2*f*x+1/2*e)-2/f*b^2*c*d*e*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*
e)+1/f^2*b^2*d^2*e^2*(-1/2*sin(f*x+e)*cos(f*x+e)+1/2*f*x+1/2*e))
```

Maxima [B] time = 1.04999, size = 678, normalized size = 3.73

$$24(fx+e)a^2c^2 + 6(2fx+2e - \sin(2fx+2e))b^2c^2 + \frac{8(fx+e)^3a^2d^2}{f^2} - \frac{24(fx+e)^2a^2d^2e}{f^2} + \frac{24(fx+e)a^2d^2e^2}{f^2} + \frac{6(2fx+2e - \sin(2fx+2e))b^2c^2}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2*(a+b*sin(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] 1/24*(24*(f*x + e)*a^2*c^2 + 6*(2*f*x + 2*e - sin(2*f*x + 2*e))*b^2*c^2 + 8
*(f*x + e)^3*a^2*d^2/f^2 - 24*(f*x + e)^2*a^2*d^2*e/f^2 + 24*(f*x + e)*a^2*
d^2*e^2/f^2 + 6*(2*f*x + 2*e - sin(2*f*x + 2*e))*b^2*d^2*e^2/f^2 + 24*(f*x
+ e)^2*a^2*c*d/f - 48*(f*x + e)*a^2*c*d*e/f - 12*(2*f*x + 2*e - sin(2*f*x +
2*e))*b^2*c*d*e/f - 48*a*b*c^2*cos(f*x + e) - 48*a*b*d^2*e^2*cos(f*x + e)/
f^2 + 96*a*b*c*d*e*cos(f*x + e)/f + 96*((f*x + e)*cos(f*x + e) - sin(f*x +
e))*a*b*d^2*e/f^2 - 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2
*f*x + 2*e))*b^2*d^2*e/f^2 - 96*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a*b
*c*d/f + 6*(2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e)
)*b^2*c*d/f - 48*((f*x + e)^2 - 2*cos(f*x + e) - 2*(f*x + e)*sin(f*x + e)
)*a*b*d^2/f^2 + (4*(f*x + e)^3 - 6*(f*x + e)*cos(2*f*x + 2*e) - 3*(2*(f*x +
e)^2 - 1)*sin(2*f*x + 2*e))*b^2*d^2/f^2)/f
```

Fricas [A] time = 2.08423, size = 495, normalized size = 2.72

$$2(2a^2 + b^2)d^2f^3x^3 + 6(2a^2 + b^2)cdf^3x^2 - 6(b^2d^2fx + b^2cdf)\cos(fx+e)^2 + 3(2(2a^2 + b^2)c^2f^3 + b^2d^2f)x - 24(abd$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2*(a+b*sin(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/12*(2*(2*a^2 + b^2)*d^2*f^3*x^3 + 6*(2*a^2 + b^2)*c*d*f^3*x^2 - 6*(b^2*d^2
*2*f*x + b^2*c*d*f)*cos(f*x + e)^2 + 3*(2*(2*a^2 + b^2)*c^2*f^3 + b^2*d^2*f)
*x - 24*(a*b*d^2*f^2*x^2 + 2*a*b*c*d*f^2*x + a*b*c^2*f^2 - 2*a*b*d^2)*cos(f
*x + e) + 3*(16*a*b*d^2*f*x + 16*a*b*c*d*f - (2*b^2*d^2*f^2*x^2 + 4*b^2*c*d
*f^2*x + 2*b^2*c^2*f^2 - b^2*d^2)*cos(f*x + e))*sin(f*x + e))/f^3
```

Sympy [A] time = 2.06795, size = 456, normalized size = 2.51

$$\left\{ \begin{array}{l} a^2 c^2 x + a^2 c d x^2 + \frac{a^2 d^2 x^3}{3} - \frac{2 a b c^2 \cos(e + f x)}{f} - \frac{4 a b c d x \cos(e + f x)}{f} + \frac{4 a b c d \sin(e + f x)}{f^2} - \frac{2 a b d^2 x^2 \cos(e + f x)}{f} + \frac{4 a b d^2 x \sin(e + f x)}{f^2} + \frac{4 a b d^2 \cos(e + f x)}{f^3} \\ (a + b \sin(e))^2 \left(c^2 x + c d x^2 + \frac{d^2 x^3}{3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*(a+b*sin(f*x+e))**2,x)

[Out] Piecewise((a**2*c**2*x + a**2*c*d*x**2 + a**2*d**2*x**3/3 - 2*a*b*c**2*cos(e + f*x)/f - 4*a*b*c*d*x*cos(e + f*x)/f + 4*a*b*c*d*sin(e + f*x)/f**2 - 2*a*b*d**2*x**2*cos(e + f*x)/f + 4*a*b*d**2*x*sin(e + f*x)/f**2 + 4*a*b*d**2*cos(e + f*x)/f**3 + b**2*c**2*x*sin(e + f*x)**2/2 + b**2*c**2*x*cos(e + f*x)**2/2 - b**2*c**2*sin(e + f*x)*cos(e + f*x)/(2*f) + b**2*c*d*x**2*sin(e + f*x)**2/2 + b**2*c*d*x**2*cos(e + f*x)**2/2 - b**2*c*d*x*sin(e + f*x)*cos(e + f*x)/f - b**2*c*d*cos(e + f*x)**2/(2*f**2) + b**2*d**2*x**3*sin(e + f*x)**2/6 + b**2*d**2*x**3*cos(e + f*x)**2/6 - b**2*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) + b**2*d**2*x*sin(e + f*x)**2/(4*f**2) - b**2*d**2*x*cos(e + f*x)**2/(4*f**2) + b**2*d**2*sin(e + f*x)*cos(e + f*x)/(4*f**3), Ne(f, 0)), ((a + b*sin(e))**2*(c**2*x + c*d*x**2 + d**2*x**3/3), True))

Giac [A] time = 1.12622, size = 309, normalized size = 1.7

$$\frac{1}{3} a^2 d^2 x^3 + \frac{1}{6} b^2 d^2 x^3 + a^2 c d x^2 + \frac{1}{2} b^2 c d x^2 + a^2 c^2 x + \frac{1}{2} b^2 c^2 x - \frac{(b^2 d^2 f x + b^2 c d f) \cos(2 f x + 2 e)}{4 f^3} - \frac{2 (a b d^2 f^2 x^2 + 2 a b c d f^2 x + a^2 c^2 f^2) \cos(f x + e)}{4 f^3} - \frac{2 (a b d^2 f^2 x^2 + 2 a b c d f^2 x + a^2 c^2 f^2) \sin(f x + e)}{4 f^3} + \frac{2 (a b d^2 f^2 x^2 + 2 a b c d f^2 x + a^2 c^2 f^2) \cos(f x + e)}{4 f^3} + \frac{2 (a b d^2 f^2 x^2 + 2 a b c d f^2 x + a^2 c^2 f^2) \sin(f x + e)}{4 f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] 1/3*a^2*d^2*x^3 + 1/6*b^2*d^2*x^3 + a^2*c*d*x^2 + 1/2*b^2*c*d*x^2 + a^2*c^2*x + 1/2*b^2*c^2*x - 1/4*(b^2*d^2*f*x + b^2*c*d*f)*cos(2*f*x + 2*e)/f^3 - 2*(a*b*d^2*f^2*x^2 + 2*a*b*c*d*f^2*x + a*b*c^2*f^2 - 2*a*b*d^2)*cos(f*x + e)/f^3 - 1/8*(2*b^2*d^2*f^2*x^2 + 4*b^2*c*d*f^2*x + 2*b^2*c^2*f^2 - b^2*d^2)*sin(2*f*x + 2*e)/f^3 + 4*(a*b*d^2*f*x + a*b*c*d*f)*sin(f*x + e)/f^3

3.159 $\int (c + dx)(a + b \sin(e + fx))^2 dx$

Optimal. Leaf size=116

$$\frac{a^2(c + dx)^2}{2d} - \frac{2ab(c + dx) \cos(e + fx)}{f} + \frac{2abd \sin(e + fx)}{f^2} - \frac{b^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{1}{2}b^2cx + \frac{b^2d \sin^2(e + fx)}{4f^2}$$

[Out] (b^2*c*x)/2 + (b^2*d*x^2)/4 + (a^2*(c + d*x)^2)/(2*d) - (2*a*b*(c + d*x)*Cos[e + f*x])/f + (2*a*b*d*Sin[e + f*x])/f^2 - (b^2*(c + d*x)*Cos[e + f*x]*Sin[e + f*x])/(2*f) + (b^2*d*Sin[e + f*x]^2)/(4*f^2)

Rubi [A] time = 0.0975296, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3296, 2637, 3310}

$$\frac{a^2(c + dx)^2}{2d} - \frac{2ab(c + dx) \cos(e + fx)}{f} + \frac{2abd \sin(e + fx)}{f^2} - \frac{b^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{1}{2}b^2cx + \frac{b^2d \sin^2(e + fx)}{4f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*(a + b*Sin[e + f*x])^2,x]

[Out] (b^2*c*x)/2 + (b^2*d*x^2)/4 + (a^2*(c + d*x)^2)/(2*d) - (2*a*b*(c + d*x)*Cos[e + f*x])/f + (2*a*b*d*Sin[e + f*x])/f^2 - (b^2*(c + d*x)*Cos[e + f*x]*Sin[e + f*x])/(2*f) + (b^2*d*Sin[e + f*x]^2)/(4*f^2)

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned}
\int (c + dx)(a + b \sin(e + fx))^2 dx &= \int (a^2(c + dx) + 2ab(c + dx) \sin(e + fx) + b^2(c + dx) \sin^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^2}{2d} + (2ab) \int (c + dx) \sin(e + fx) dx + b^2 \int (c + dx) \sin^2(e + fx) dx \\
&= \frac{a^2(c + dx)^2}{2d} - \frac{2ab(c + dx) \cos(e + fx)}{f} - \frac{b^2(c + dx) \cos(e + fx) \sin(e + fx)}{2f} + \frac{b^2 d}{f^2} \\
&= \frac{1}{2} b^2 c x + \frac{1}{4} b^2 d x^2 + \frac{a^2(c + dx)^2}{2d} - \frac{2ab(c + dx) \cos(e + fx)}{f} + \frac{2abd \sin(e + fx)}{f^2} - \frac{b^2 d}{f^2}
\end{aligned}$$

Mathematica [A] time = 0.673374, size = 96, normalized size = 0.83

$$\frac{2(2a^2 + b^2)(e + fx)(d(e - fx) - 2cf) + 16abf(c + dx) \cos(e + fx) - 16abd \sin(e + fx) + 2b^2 f(c + dx) \sin(2(e + fx))}{8f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*(a + b*Sin[e + f*x])^2,x]

[Out] $-(2*(2*a^2 + b^2)*(e + f*x)*(-2*c*f + d*(e - f*x)) + 16*a*b*f*(c + d*x)*\text{Cos}[e + f*x] + b^2*d*\text{Cos}[2*(e + f*x)] - 16*a*b*d*\text{Sin}[e + f*x] + 2*b^2*f*(c + d*x)*\text{Sin}[2*(e + f*x)])/(8*f^2)$

Maple [B] time = 0.013, size = 216, normalized size = 1.9

$$\frac{1}{f} \left(\frac{a^2 d (fx + e)^2}{2f} + a^2 c (fx + e) - \frac{a^2 d e (fx + e)}{f} + 2 \frac{abd (\sin (fx + e) - (fx + e) \cos (fx + e))}{f} - 2 abc \cos (fx + e) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*(a+b*sin(f*x+e))^2,x)

[Out] $1/f*(1/2*a^2/f*d*(f*x+e)^2+a^2*c*(f*x+e)-a^2/f*d*e*(f*x+e)+2/f*a*b*d*(\sin(f*x+e)-(f*x+e)*\cos(f*x+e))-2*a*b*c*\cos(f*x+e)+2/f*a*b*d*e*\cos(f*x+e)+1/f*b^2*d*((f*x+e)*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2+1/4*\sin(f*x+e)^2)+b^2*c*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e)-1/f*b^2*d*e*(-1/2*\sin(f*x+e)*\cos(f*x+e)+1/2*f*x+1/2*e))$

Maxima [A] time = 0.994603, size = 273, normalized size = 2.35

$$\frac{8(fx + e)a^2c + 2(2fx + 2e - \sin(2fx + 2e))b^2c + \frac{4(fx+e)^2 a^2 d}{f} - \frac{8(fx+e)a^2 d e}{f} - \frac{2(2fx+2e - \sin(2fx+2e))b^2 d e}{f} - 16 abc \cos}{8f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $1/8*(8*(f*x + e)*a^2*c + 2*(2*f*x + 2*e - \sin(2*f*x + 2*e))*b^2*c + 4*(f*x + e)^2*a^2*d/f - 8*(f*x + e)*a^2*d*e/f - 2*(2*f*x + 2*e - \sin(2*f*x + 2*e))$

$$*b^2*d*e/f - 16*a*b*c*cos(f*x + e) + 16*a*b*d*e*cos(f*x + e)/f - 16*((f*x + e)*cos(f*x + e) - sin(f*x + e))*a*b*d/f + (2*(f*x + e)^2 - 2*(f*x + e)*sin(2*f*x + 2*e) - cos(2*f*x + 2*e))*b^2*d/f)/f$$

Fricas [A] time = 2.03659, size = 252, normalized size = 2.17

$$\frac{(2a^2 + b^2)df^2x^2 + 2(2a^2 + b^2)cf^2x - b^2d \cos(fx + e)^2 - 8(abdfx + abcf) \cos(fx + e) + 2(4abd - (b^2dfx + b^2cf) \cos(fx + e)) \sin(fx + e)}{4f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out] 1/4*((2*a^2 + b^2)*d*f^2*x^2 + 2*(2*a^2 + b^2)*c*f^2*x - b^2*d*cos(f*x + e)^2 - 8*(a*b*d*f*x + a*b*c*f)*cos(f*x + e) + 2*(4*a*b*d - (b^2*d*f*x + b^2*c*f)*cos(f*x + e))*sin(f*x + e))/f^2

Sympy [A] time = 0.84567, size = 219, normalized size = 1.89

$$\left\{ \begin{array}{l} a^2cx + \frac{a^2dx^2}{2} - \frac{2abc \cos(e+fx)}{f} - \frac{2abdx \cos(e+fx)}{f} + \frac{2abd \sin(e+fx)}{f^2} + \frac{b^2cx \sin^2(e+fx)}{2} + \frac{b^2cx \cos^2(e+fx)}{2} - \frac{b^2c \sin(e+fx) \cos(e+fx)}{2f} + \frac{b^2d \sin^2(e+fx)}{2} \\ (a + b \sin(e))^2 \left(cx + \frac{dx^2}{2} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e))**2,x)

[Out] Piecewise((a**2*c*x + a**2*d*x**2/2 - 2*a*b*c*cos(e + f*x)/f - 2*a*b*d*x*cos(e + f*x)/f + 2*a*b*d*sin(e + f*x)/f**2 + b**2*c*x*sin(e + f*x)**2/2 + b**2*c*x*cos(e + f*x)**2/2 - b**2*c*sin(e + f*x)*cos(e + f*x)/(2*f) + b**2*d*x**2*sin(e + f*x)**2/4 + b**2*d*x**2*cos(e + f*x)**2/4 - b**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) - b**2*d*cos(e + f*x)**2/(4*f**2), Ne(f, 0)), ((a + b*sin(e))**2*(c*x + d*x**2/2), True))

Giac [A] time = 1.10087, size = 161, normalized size = 1.39

$$\frac{1}{2}a^2dx^2 + \frac{1}{4}b^2dx^2 + a^2cx + \frac{1}{2}b^2cx - \frac{b^2d \cos(2fx + 2e)}{8f^2} + \frac{2abd \sin(fx + e)}{f^2} - \frac{2(abdfx + abcf) \cos(fx + e)}{f^2} - \frac{(b^2dfx + b^2cf) \sin(fx + e)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] 1/2*a^2*d*x^2 + 1/4*b^2*d*x^2 + a^2*c*x + 1/2*b^2*c*x - 1/8*b^2*d*cos(2*f*x + 2*e)/f^2 + 2*a*b*d*sin(f*x + e)/f^2 - 2*(a*b*d*f*x + a*b*c*f)*cos(f*x + e)/f^2 - 1/4*(b^2*d*f*x + b^2*c*f)*sin(2*f*x + 2*e)/f^2

$$3.160 \quad \int \frac{(a+b \sin(e+fx))^2}{c+dx} dx$$

Optimal. Leaf size=156

$$\frac{a^2 \log(c+dx)}{d} + \frac{2ab \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{2ab \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} - \frac{b^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2f\right)}{2d}$$

```
[Out] -(b^2*Cos[2*e - (2*c*f)/d]*CosIntegral[(2*c*f)/d + 2*f*x])/(2*d) + (a^2*Log[c + d*x])/d + (b^2*Log[c + d*x])/(2*d) + (2*a*b*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (2*a*b*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d + (b^2*Sin[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/(2*d)
```

Rubi [A] time = 0.324364, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3317, 3303, 3299, 3302, 3312}

$$\frac{a^2 \log(c+dx)}{d} + \frac{2ab \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d} + \frac{2ab \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} - \frac{b^2 \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2f\right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sin[e + f*x])^2/(c + d*x), x]
```

```
[Out] -(b^2*Cos[2*e - (2*c*f)/d]*CosIntegral[(2*c*f)/d + 2*f*x])/(2*d) + (a^2*Log[c + d*x])/d + (b^2*Log[c + d*x])/(2*d) + (2*a*b*CosIntegral[(c*f)/d + f*x]*Sin[e - (c*f)/d])/d + (2*a*b*Cos[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d + (b^2*Sin[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/(2*d)
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sin(e + fx))^2}{c + dx} dx &= \int \left(\frac{a^2}{c + dx} + \frac{2ab \sin(e + fx)}{c + dx} + \frac{b^2 \sin^2(e + fx)}{c + dx} \right) dx \\ &= \frac{a^2 \log(c + dx)}{d} + (2ab) \int \frac{\sin(e + fx)}{c + dx} dx + b^2 \int \frac{\sin^2(e + fx)}{c + dx} dx \\ &= \frac{a^2 \log(c + dx)}{d} + b^2 \int \left(\frac{1}{2(c + dx)} - \frac{\cos(2e + 2fx)}{2(c + dx)} \right) dx + \left(2ab \cos \left(e - \frac{cf}{d} \right) \right) \int \frac{\sin \left(\frac{cf}{d} + fx \right)}{c + dx} dx \\ &= \frac{a^2 \log(c + dx)}{d} + \frac{b^2 \log(c + dx)}{2d} + \frac{2ab \operatorname{Ci} \left(\frac{cf}{d} + fx \right) \sin \left(e - \frac{cf}{d} \right)}{d} + \frac{2ab \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(\frac{cf}{d} + fx \right)}{d} \\ &= \frac{a^2 \log(c + dx)}{d} + \frac{b^2 \log(c + dx)}{2d} + \frac{2ab \operatorname{Ci} \left(\frac{cf}{d} + fx \right) \sin \left(e - \frac{cf}{d} \right)}{d} + \frac{2ab \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(\frac{cf}{d} + fx \right)}{d} \\ &= -\frac{b^2 \cos \left(2e - \frac{2cf}{d} \right) \operatorname{Ci} \left(\frac{2cf}{d} + 2fx \right)}{2d} + \frac{a^2 \log(c + dx)}{d} + \frac{b^2 \log(c + dx)}{2d} + \frac{2ab \operatorname{Ci} \left(\frac{cf}{d} + fx \right) \sin \left(e - \frac{cf}{d} \right)}{d} \end{aligned}$$

Mathematica [A] time = 0.291788, size = 134, normalized size = 0.86

$$\frac{2a^2 \log(c + dx) + 4ab \operatorname{CosIntegral} \left(f \left(\frac{c}{d} + x \right) \right) \sin \left(e - \frac{cf}{d} \right) + 4ab \cos \left(e - \frac{cf}{d} \right) \operatorname{Si} \left(f \left(\frac{c}{d} + x \right) \right) - b^2 \operatorname{CosIntegral} \left(\frac{2f(c+dx)}{d} \right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[e + f*x])^2/(c + d*x),x]
```

```
[Out] -(b^2*Cos[2*e - (2*c*f)/d]*CosIntegral[(2*f*(c + d*x))/d]) + 2*a^2*Log[c +
d*x] + b^2*Log[c + d*x] + 4*a*b*CosIntegral[f*(c/d + x)]*Sin[e - (c*f)/d]
+ 4*a*b*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + b^2*Sin[2*e - (2*c*f)/d
]*SinIntegral[(2*f*(c + d*x))/d]/(2*d)
```

Maple [A] time = 0.019, size = 213, normalized size = 1.4

$$\frac{a^2 \ln \left((fx + e)d + cf - de \right)}{d} + 2 \frac{ab}{d} \operatorname{Si} \left(fx + e + \frac{cf - de}{d} \right) \cos \left(\frac{cf - de}{d} \right) - 2 \frac{ab}{d} \operatorname{Ci} \left(fx + e + \frac{cf - de}{d} \right) \sin \left(\frac{cf - de}{d} \right) + \frac{b^2}{d} \operatorname{Ci} \left(\frac{2f(c+dx)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*sin(f*x+e))^2/(d*x+c),x)
```

```
[Out] a^2*ln((f*x+e)*d+c*f-d*e)/d+2*a*b*Si(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d-
2*a*b*Ci(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+1/2*b^2*ln((f*x+e)*d+c*f-d*e
)/d-1/2*b^2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*sin(2*(c*f-d*e)/d)/d-1/2*b^2*Ci(2*f
*x+2*e+2*(c*f-d*e)/d)*cos(2*(c*f-d*e)/d)/d
```


Maxima [C] time = 1.28828, size = 451, normalized size = 2.89

$$\frac{4a^2f \log\left(c + \frac{(fx+e)d - de}{f}\right)}{d} + \frac{4\left(f\left(-iE_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) + iE_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right)\cos\left(-\frac{de - cf}{d}\right) + f\left(E_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right)\sin\left(-\frac{de - cf}{d}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c),x, algorithm="maxima")

[Out] 1/4*(4*a^2*f*log(c + (f*x + e)*d/f - d*e/f)/d + 4*(f*(-I*exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f*(exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d)*a*b/d + (f*(exp_integral_e(1, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + exp_integral_e(1, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*cos(-2*(d*e - c*f)/d) + f*(I*exp_integral_e(1, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) - I*exp_integral_e(1, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*sin(-2*(d*e - c*f)/d) + 2*f*log((f*x + e)*d - d*e + c*f))*b^2/d)/f

Fricas [A] time = 2.19746, size = 482, normalized size = 3.09

$$\frac{2b^2 \sin\left(-\frac{2(de - cf)}{d}\right) \text{Si}\left(\frac{2(dfx + cf)}{d}\right) - 8ab \cos\left(-\frac{de - cf}{d}\right) \text{Si}\left(\frac{dfx + cf}{d}\right) + \left(b^2 \text{Ci}\left(\frac{2(dfx + cf)}{d}\right) + b^2 \text{Ci}\left(-\frac{2(dfx + cf)}{d}\right)\right) \cos\left(-\frac{2(de - cf)}{d}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c),x, algorithm="fricas")

[Out] -1/4*(2*b^2*sin(-2*(d*e - c*f)/d)*sin_integral(2*(d*f*x + c*f)/d) - 8*a*b*cos(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + (b^2*cos_integral(2*(d*f*x + c*f)/d) + b^2*cos_integral(-2*(d*f*x + c*f)/d))*cos(-2*(d*e - c*f)/d) - 2*(2*a^2 + b^2)*log(d*x + c) + 4*(a*b*cos_integral((d*f*x + c*f)/d) + a*b*cos_integral(-(d*f*x + c*f)/d))*sin(-(d*e - c*f)/d))/d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sin(e + fx))^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c),x)

[Out] Integral((a + b*sin(e + f*x))^2/(c + d*x), x)

Giac [C] time = 1.60154, size = 9986, normalized size = 64.01

result too large to display

$$\begin{aligned}
& _integral(-2*f*x - 2*c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 8*a*b \\
& *sin_integral((d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 - 8*a \\
& *b*real_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1 \\
& /2*e) - 8*a*b*real_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c* \\
& f/d)^2*tan(1/2*e) + 8*a*b*real_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2 \\
& *tan(1/2*c*f/d)*tan(1/2*e)^2 + 8*a*b*real_part(cos_integral(-f*x - c*f/d))* \\
& tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)^2 - 2*b^2*imag_part(cos_integral(2*f \\
& *x + 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b^2*imag_part(c \\
& os_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 4 \\
& *b^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e) \\
& ^2 - 2*b^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c* \\
& f/d)^2*tan(e) + 2*b^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^ \\
& 2*tan(1/2*c*f/d)^2*tan(e) - 4*b^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d) \\
& ^2*tan(1/2*c*f/d)^2*tan(e) - 2*b^2*imag_part(cos_integral(2*f*x + 2*c*f/d) \\
&)*tan(c*f/d)^2*tan(1/2*e)^2*tan(e) + 2*b^2*imag_part(cos_integral(-2*f*x - \\
& 2*c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2*tan(e) - 4*b^2*sin_integral(2*(d*f*x + \\
& c*f)/d)*tan(c*f/d)^2*tan(1/2*e)^2*tan(e) + 2*b^2*imag_part(cos_integral(2*f \\
& *x + 2*c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) - 2*b^2*imag_part(cos_i \\
& ntegral(-2*f*x - 2*c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) + 4*b^2*sin \\
& _integral(2*(d*f*x + c*f)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) - 8*a*b*r \\
& eal_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(e)^2 - \\
& 8*a*b*real_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan \\
& (e)^2 + 2*b^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*c \\
& *f/d)^2*tan(e)^2 - 2*b^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/ \\
& d)*tan(1/2*c*f/d)^2*tan(e)^2 + 4*b^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c* \\
& f/d)*tan(1/2*c*f/d)^2*tan(e)^2 + 8*a*b*real_part(cos_integral(f*x + c*f/d)) \\
& *tan(c*f/d)^2*tan(1/2*e)*tan(e)^2 + 8*a*b*real_part(cos_integral(-f*x - c*f \\
& /d))*tan(c*f/d)^2*tan(1/2*e)*tan(e)^2 - 8*a*b*real_part(cos_integral(f*x + \\
& c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 - 8*a*b*real_part(cos_integral \\
& (-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 + 2*b^2*imag_part(cos \\
& _integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*e)^2*tan(e)^2 - 2*b^2*imag_pa \\
& rt(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*e)^2*tan(e)^2 + 4*b^2 \\
& *sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)*tan(1/2*e)^2*tan(e)^2 + 8*a*b*r \\
& eal_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2*tan(e)^2 + \\
& 8*a*b*real_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)*tan(1/2*e)^2*tan \\
& (e)^2 - 4*a*b*imag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f \\
& /d)^2 + 4*a*b*imag_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c* \\
& f/d)^2 + 4*a^2*log(abs(d*x + c))*tan(c*f/d)^2*tan(1/2*c*f/d)^2 + 2*b^2*log(\\
& abs(d*x + c))*tan(c*f/d)^2*tan(1/2*c*f/d)^2 + b^2*real_part(cos_integral(2* \\
& f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2 + b^2*real_part(cos_integral(\\
& -2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2 - 8*a*b*sin_integral((d*f* \\
& x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)^2 + 16*a*b*imag_part(cos_integral(f \\
& *x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e) - 16*a*b*imag_part(cos \\
& _integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e) + 32*a*b*sin \\
& _integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e) - 4*a*b*i \\
& mag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2 + 4*a*b*imag \\
& part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*e)^2 + 4*a^2*log(abs(\\
& d*x + c))*tan(c*f/d)^2*tan(1/2*e)^2 + 2*b^2*log(abs(d*x + c))*tan(c*f/d)^2* \\
& tan(1/2*e)^2 + b^2*real_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*ta \\
& n(1/2*e)^2 + b^2*real_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan \\
& (1/2*e)^2 - 8*a*b*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*e)^2 + \\
& 4*a*b*imag_part(cos_integral(f*x + c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - \\
& 4*a*b*imag_part(cos_integral(-f*x - c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 \\
& + 4*a^2*log(abs(d*x + c))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 2*b^2*log(abs(d*x \\
& + c))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - b^2*real_part(cos_integral(2*f*x + 2 \\
& *c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - b^2*real_part(cos_integral(-2*f*x \\
& - 2*c*f/d))*tan(1/2*c*f/d)^2*tan(1/2*e)^2 + 8*a*b*sin_integral((d*f*x + c*f \\
&)/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2 - 4*b^2*real_part(cos_integral(2*f*x + 2 \\
& *c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(e) - 4*b^2*real_part(cos_integral(
\end{aligned}$$

$$\begin{aligned}
& -2*f*x - 2*c*f/d)) * \tan(c*f/d) * \tan(1/2*c*f/d)^2 * \tan(e) - 4*b^2 * \text{real_part}(\cos \\
& _integral(2*f*x + 2*c*f/d)) * \tan(c*f/d) * \tan(1/2*e)^2 * \tan(e) - 4*b^2 * \text{real_par} \\
& t(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(c*f/d) * \tan(1/2*e)^2 * \tan(e) + 4*a*b * \text{im} \\
& ag_part(\cos_integral(f*x + c*f/d)) * \tan(c*f/d)^2 * \tan(e)^2 - 4*a*b * \text{imag_part}(\cos_integral \\
& (-f*x - c*f/d)) * \tan(c*f/d)^2 * \tan(e)^2 + 4*a^2 * \log(\text{abs}(d*x + c)) * \tan(c*f/d)^2 * \tan(e)^2 - b^ \\
& 2 * \text{real_part}(\cos_integral(2*f*x + 2*c*f/d)) * \tan(c*f/d)^2 * \tan(e)^2 - b^2 * \text{real} \\
& _part(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(c*f/d)^2 * \tan(e)^2 + 8*a*b * \text{sin_int} \\
& egral((d*f*x + c*f)/d) * \tan(c*f/d)^2 * \tan(e)^2 - 4*a*b * \text{imag_part}(\cos_integral \\
& (f*x + c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e)^2 + 4*a*b * \text{imag_part}(\cos_integral(-f*x \\
& - c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e)^2 + 4*a^2 * \log(\text{abs}(d*x + c)) * \tan(1/2*c*f \\
& /d)^2 * \tan(e)^2 + 2*b^2 * \log(\text{abs}(d*x + c)) * \tan(1/2*c*f/d)^2 * \tan(e)^2 + b^2 * \text{re} \\
& al_part(\cos_integral(2*f*x + 2*c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e)^2 + b^2 * \text{real} \\
& _part(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e)^2 - 8*a*b * \text{sin} \\
& _integral((d*f*x + c*f)/d) * \tan(1/2*c*f/d)^2 * \tan(e)^2 + 16*a*b * \text{imag_part}(\cos \\
& _integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e) * \tan(e)^2 - 16*a*b * \text{imag_pa} \\
& rt(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(1/2*e) * \tan(e)^2 + 32*a*b * \\
& \text{sin_integral}((d*f*x + c*f)/d) * \tan(1/2*c*f/d) * \tan(1/2*e) * \tan(e)^2 - 4*a*b * \text{im} \\
& ag_part(\cos_integral(f*x + c*f/d)) * \tan(1/2*e)^2 * \tan(e)^2 + 4*a*b * \text{imag_part}(\cos \\
& _integral(-f*x - c*f/d)) * \tan(1/2*e)^2 * \tan(e)^2 + 4*a^2 * \log(\text{abs}(d*x + c)) \\
& * \tan(1/2*e)^2 * \tan(e)^2 + 2*b^2 * \log(\text{abs}(d*x + c)) * \tan(1/2*e)^2 * \tan(e)^2 + b^ \\
& 2 * \text{real_part}(\cos_integral(2*f*x + 2*c*f/d)) * \tan(1/2*e)^2 * \tan(e)^2 + b^2 * \text{real} \\
& _part(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(1/2*e)^2 * \tan(e)^2 - 8*a*b * \text{sin_int} \\
& egral((d*f*x + c*f)/d) * \tan(1/2*e)^2 * \tan(e)^2 - 8*a*b * \text{real_part}(\cos_integral \\
& (f*x + c*f/d)) * \tan(c*f/d)^2 * \tan(1/2*c*f/d) - 8*a*b * \text{real_part}(\cos_integral(- \\
& f*x - c*f/d)) * \tan(c*f/d)^2 * \tan(1/2*c*f/d) - 2*b^2 * \text{imag_part}(\cos_integral(2* \\
& f*x + 2*c*f/d)) * \tan(c*f/d) * \tan(1/2*c*f/d)^2 + 2*b^2 * \text{imag_part}(\cos_integral(\\
& -2*f*x - 2*c*f/d)) * \tan(c*f/d) * \tan(1/2*c*f/d)^2 - 4*b^2 * \text{sin_integral}(2*(d*f*x \\
& + c*f)/d) * \tan(c*f/d) * \tan(1/2*c*f/d)^2 + 8*a*b * \text{real_part}(\cos_integral(f*x \\
& + c*f/d)) * \tan(c*f/d)^2 * \tan(1/2*e) + 8*a*b * \text{real_part}(\cos_integral(-f*x - c*f \\
& /d)) * \tan(c*f/d)^2 * \tan(1/2*e) - 8*a*b * \text{real_part}(\cos_integral(f*x + c*f/d)) * \text{t} \\
& an(1/2*c*f/d)^2 * \tan(1/2*e) - 8*a*b * \text{real_part}(\cos_integral(-f*x - c*f/d)) * \text{t} \\
& an(1/2*c*f/d)^2 * \tan(1/2*e) - 2*b^2 * \text{imag_part}(\cos_integral(2*f*x + 2*c*f/d)) * \\
& \tan(c*f/d) * \tan(1/2*e)^2 + 2*b^2 * \text{imag_part}(\cos_integral(-2*f*x - 2*c*f/d)) * \text{t} \\
& an(c*f/d) * \tan(1/2*e)^2 - 4*b^2 * \text{sin_integral}(2*(d*f*x + c*f)/d) * \tan(c*f/d) * \text{t} \\
& an(1/2*e)^2 + 8*a*b * \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan \\
& (1/2*e)^2 + 8*a*b * \text{real_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(\\
& 1/2*e)^2 - 2*b^2 * \text{imag_part}(\cos_integral(2*f*x + 2*c*f/d)) * \tan(c*f/d)^2 * \tan(\\
& e) + 2*b^2 * \text{imag_part}(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(c*f/d)^2 * \tan(e) - \\
& 4*b^2 * \text{sin_integral}(2*(d*f*x + c*f)/d) * \tan(c*f/d)^2 * \tan(e) + 2*b^2 * \text{imag_part} \\
& (\cos_integral(2*f*x + 2*c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e) - 2*b^2 * \text{imag_part}(\cos \\
& _integral(-2*f*x - 2*c*f/d)) * \tan(1/2*c*f/d)^2 * \tan(e) + 4*b^2 * \text{sin_integral} \\
& (2*(d*f*x + c*f)/d) * \tan(1/2*c*f/d)^2 * \tan(e) + 2*b^2 * \text{imag_part}(\cos_integral(\\
& 2*f*x + 2*c*f/d)) * \tan(1/2*e)^2 * \tan(e) - 2*b^2 * \text{imag_part}(\cos_integral(-2*f*x \\
& - 2*c*f/d)) * \tan(1/2*e)^2 * \tan(e) + 4*b^2 * \text{sin_integral}(2*(d*f*x + c*f)/d) * \text{t} \\
& an(1/2*e)^2 * \tan(e) + 2*b^2 * \text{imag_part}(\cos_integral(2*f*x + 2*c*f/d)) * \tan(c*f/ \\
& d) * \tan(e)^2 - 2*b^2 * \text{imag_part}(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(c*f/d) * \text{t} \\
& an(e)^2 + 4*b^2 * \text{sin_integral}(2*(d*f*x + c*f)/d) * \tan(c*f/d) * \tan(e)^2 - 8*a*b * \\
& \text{real_part}(\cos_integral(f*x + c*f/d)) * \tan(1/2*c*f/d) * \tan(e)^2 - 8*a*b * \text{real_p} \\
& art(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d) * \tan(e)^2 + 8*a*b * \text{real_part}(\cos_integra \\
& l(f*x + c*f/d)) * \tan(1/2*e) * \tan(e)^2 + 8*a*b * \text{real_part}(\cos_integra \\
& l(-f*x - c*f/d)) * \tan(1/2*e) * \tan(e)^2 + 4*a*b * \text{imag_part}(\cos_integral(f*x + c \\
& *f/d)) * \tan(c*f/d)^2 - 4*a*b * \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(c*f/d \\
&)^2 + 4*a^2 * \log(\text{abs}(d*x + c)) * \tan(c*f/d)^2 + 2*b^2 * \log(\text{abs}(d*x + c)) * \tan(c* \\
& f/d)^2 + b^2 * \text{real_part}(\cos_integral(2*f*x + 2*c*f/d)) * \tan(c*f/d)^2 + b^2 * \text{re} \\
& al_part(\cos_integral(-2*f*x - 2*c*f/d)) * \tan(c*f/d)^2 + 8*a*b * \text{sin_integral}((\\
& d*f*x + c*f)/d) * \tan(c*f/d)^2 - 4*a*b * \text{imag_part}(\cos_integral(f*x + c*f/d)) * \text{t} \\
& an(1/2*c*f/d)^2 + 4*a*b * \text{imag_part}(\cos_integral(-f*x - c*f/d)) * \tan(1/2*c*f/d \\
&)^2 + 4*a^2 * \log(\text{abs}(d*x + c)) * \tan(1/2*c*f/d)^2 + 2*b^2 * \log(\text{abs}(d*x + c)) * \text{t}
\end{aligned}$$

$$\begin{aligned}
& n(1/2*c*f/d)^2 - b^2*\text{real_part}(\text{cos_integral}(2*f*x + 2*c*f/d))*\tan(1/2*c*f/d) \\
&)^2 - b^2*\text{real_part}(\text{cos_integral}(-2*f*x - 2*c*f/d))*\tan(1/2*c*f/d)^2 - 8*a* \\
& b*\text{sin_integral}((d*f*x + c*f)/d)*\tan(1/2*c*f/d)^2 + 16*a*b*\text{imag_part}(\text{cos_int} \\
& \text{egral}(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) - 16*a*b*\text{imag_part}(\text{cos_integr} \\
& \text{al}(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 32*a*b*\text{sin_integral}((d*f*x + \\
& c*f)/d)*\tan(1/2*c*f/d)*\tan(1/2*e) - 4*a*b*\text{imag_part}(\text{cos_integral}(f*x + c*f/ \\
& d))*\tan(1/2*e)^2 + 4*a*b*\text{imag_part}(\text{cos_integral}(-f*x - c*f/d))*\tan(1/2*e)^2 \\
& + 4*a^2*\log(\text{abs}(d*x + c))*\tan(1/2*e)^2 + 2*b^2*\log(\text{abs}(d*x + c))*\tan(1/2*e) \\
&)^2 - b^2*\text{real_part}(\text{cos_integral}(2*f*x + 2*c*f/d))*\tan(1/2*e)^2 - b^2*\text{real_} \\
& \text{part}(\text{cos_integral}(-2*f*x - 2*c*f/d))*\tan(1/2*e)^2 - 8*a*b*\text{sin_integral}((d*f \\
& *x + c*f)/d)*\tan(1/2*e)^2 - 4*b^2*\text{real_part}(\text{cos_integral}(2*f*x + 2*c*f/d))* \\
& \tan(c*f/d)*\tan(e) - 4*b^2*\text{real_part}(\text{cos_integral}(-2*f*x - 2*c*f/d))*\tan(c*f \\
& /d)*\tan(e) + 4*a*b*\text{imag_part}(\text{cos_integral}(f*x + c*f/d))*\tan(e)^2 - 4*a*b*\text{im} \\
& \text{ag_part}(\text{cos_integral}(-f*x - c*f/d))*\tan(e)^2 + 4*a^2*\log(\text{abs}(d*x + c))*\tan(\\
& e)^2 + 2*b^2*\log(\text{abs}(d*x + c))*\tan(e)^2 + b^2*\text{real_part}(\text{cos_integral}(2*f*x \\
& + 2*c*f/d))*\tan(e)^2 + b^2*\text{real_part}(\text{cos_integral}(-2*f*x - 2*c*f/d))*\tan(e) \\
& ^2 + 8*a*b*\text{sin_integral}((d*f*x + c*f)/d)*\tan(e)^2 - 2*b^2*\text{imag_part}(\text{cos_int} \\
& \text{egral}(2*f*x + 2*c*f/d))*\tan(c*f/d) + 2*b^2*\text{imag_part}(\text{cos_integral}(-2*f*x - \\
& 2*c*f/d))*\tan(c*f/d) - 4*b^2*\text{sin_integral}(2*(d*f*x + c*f)/d)*\tan(c*f/d) - 8 \\
& *a*b*\text{real_part}(\text{cos_integral}(f*x + c*f/d))*\tan(1/2*c*f/d) - 8*a*b*\text{real_part} \\
& (\text{cos_integral}(-f*x - c*f/d))*\tan(1/2*c*f/d) + 8*a*b*\text{real_part}(\text{cos_integral}(f \\
& *x + c*f/d))*\tan(1/2*e) + 8*a*b*\text{real_part}(\text{cos_integral}(-f*x - c*f/d))*\tan(1 \\
& /2*e) + 2*b^2*\text{imag_part}(\text{cos_integral}(2*f*x + 2*c*f/d))*\tan(e) - 2*b^2*\text{imag_} \\
& \text{part}(\text{cos_integral}(-2*f*x - 2*c*f/d))*\tan(e) + 4*b^2*\text{sin_integral}(2*(d*f*x + \\
& c*f)/d)*\tan(e) + 4*a*b*\text{imag_part}(\text{cos_integral}(f*x + c*f/d)) - 4*a*b*\text{imag_p} \\
& \text{art}(\text{cos_integral}(-f*x - c*f/d)) + 4*a^2*\log(\text{abs}(d*x + c)) + 2*b^2*\log(\text{abs}(d \\
& *x + c)) - b^2*\text{real_part}(\text{cos_integral}(2*f*x + 2*c*f/d)) - b^2*\text{real_part}(\text{cos} \\
& _integral(-2*f*x - 2*c*f/d)) + 8*a*b*\text{sin_integral}((d*f*x + c*f)/d))/(d*\tan(\\
& c*f/d)^2*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2*\tan(e)^2 + d*\tan(c*f/d)^2*\tan(1/2*c* \\
& f/d)^2*\tan(1/2*e)^2 + d*\tan(c*f/d)^2*\tan(1/2*c*f/d)^2*\tan(e)^2 + d*\tan(c*f/ \\
& d)^2*\tan(1/2*e)^2*\tan(e)^2 + d*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2*\tan(e)^2 + d*t \\
& \text{an}(c*f/d)^2*\tan(1/2*c*f/d)^2 + d*\tan(c*f/d)^2*\tan(1/2*e)^2 + d*\tan(1/2*c*f/ \\
& d)^2*\tan(1/2*e)^2 + d*\tan(c*f/d)^2*\tan(e)^2 + d*\tan(1/2*c*f/d)^2*\tan(e)^2 + \\
& d*\tan(1/2*e)^2*\tan(e)^2 + d*\tan(c*f/d)^2 + d*\tan(1/2*c*f/d)^2 + d*\tan(1/2* \\
& e)^2 + d*\tan(e)^2 + d)
\end{aligned}$$

$$3.161 \quad \int \frac{(a+b \sin(e+fx))^2}{(c+dx)^2} dx$$

Optimal. Leaf size=183

$$-\frac{a^2}{d(c+dx)} + \frac{2abf \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2abf \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{2ab \sin(e+fx)}{d(c+dx)} + \frac{b^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left[2e - \left(\frac{2cf}{d}\right)\right]}{d^2} - \left(\frac{2ab \sin(e+fx)}{d(c+dx)} - \frac{b^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left[2e - \left(\frac{2cf}{d}\right)\right]}{d^2}\right)$$

```
[Out] -(a^2/(d*(c + d*x))) + (2*a*b*f*Cos[e - (c*f)/d]*CosIntegral[(c*f)/d + f*x])/d^2 + (b^2*f*CosIntegral[(2*c*f)/d + 2*f*x]*Sin[2*e - (2*c*f)/d])/d^2 - (2*a*b*Sin[e + f*x])/(d*(c + d*x)) - (b^2*Sin[e + f*x]^2)/(d*(c + d*x)) - (2*a*b*f*Sin[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^2 + (b^2*f*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^2
```

Rubi [A] time = 0.334011, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {3317, 3297, 3303, 3299, 3302, 3313, 12}

$$-\frac{a^2}{d(c+dx)} + \frac{2abf \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2abf \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{2ab \sin(e+fx)}{d(c+dx)} + \frac{b^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left[2e - \left(\frac{2cf}{d}\right)\right]}{d^2} - \left(\frac{2ab \sin(e+fx)}{d(c+dx)} - \frac{b^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left[2e - \left(\frac{2cf}{d}\right)\right]}{d^2}\right)$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Sin[e + f*x])^2/(c + d*x)^2,x]
```

```
[Out] -(a^2/(d*(c + d*x))) + (2*a*b*f*Cos[e - (c*f)/d]*CosIntegral[(c*f)/d + f*x])/d^2 + (b^2*f*CosIntegral[(2*c*f)/d + 2*f*x]*Sin[2*e - (2*c*f)/d])/d^2 - (2*a*b*Sin[e + f*x])/(d*(c + d*x)) - (b^2*Sin[e + f*x]^2)/(d*(c + d*x)) - (2*a*b*f*Sin[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d^2 + (b^2*f*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*c*f)/d + 2*f*x])/d^2
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sin(e + fx))^2}{(c + dx)^2} dx &= \int \left(\frac{a^2}{(c + dx)^2} + \frac{2ab \sin(e + fx)}{(c + dx)^2} + \frac{b^2 \sin^2(e + fx)}{(c + dx)^2} \right) dx \\ &= -\frac{a^2}{d(c + dx)} + (2ab) \int \frac{\sin(e + fx)}{(c + dx)^2} dx + b^2 \int \frac{\sin^2(e + fx)}{(c + dx)^2} dx \\ &= -\frac{a^2}{d(c + dx)} - \frac{2ab \sin(e + fx)}{d(c + dx)} - \frac{b^2 \sin^2(e + fx)}{d(c + dx)} + \frac{(2abf) \int \frac{\cos(e + fx)}{c + dx} dx}{d} + \frac{(2b^2f) \int \frac{\sin(2e + 2fx)}{2(c + dx)} dx}{d} \\ &= -\frac{a^2}{d(c + dx)} - \frac{2ab \sin(e + fx)}{d(c + dx)} - \frac{b^2 \sin^2(e + fx)}{d(c + dx)} + \frac{(b^2f) \int \frac{\sin(2e + 2fx)}{c + dx} dx}{d} + \frac{(2abf \cos(e - \frac{cf}{d}))}{d} \\ &= -\frac{a^2}{d(c + dx)} + \frac{2abf \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^2} - \frac{2ab \sin(e + fx)}{d(c + dx)} - \frac{b^2 \sin^2(e + fx)}{d(c + dx)} - \frac{2abf \sin\left(e - \frac{cf}{d}\right)}{d} \\ &= -\frac{a^2}{d(c + dx)} + \frac{2abf \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^2} + \frac{b^2 f \text{Ci}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} - \frac{2abf \sin\left(e - \frac{cf}{d}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.596356, size = 232, normalized size = 1.27

$$-2a^2d + 4abf(c + dx)\text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \cos\left(e - \frac{cf}{d}\right) - 4abcf \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right) - 4abdfx \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[e + f*x])^2/(c + d*x)^2,x]
```

```
[Out] (-2*a^2*d - b^2*d + b^2*d*Cos[2*(e + f*x)] + 4*a*b*f*(c + d*x)*Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] + 2*b^2*f*(c + d*x)*CosIntegral[(2*f*(c + d*x))/d]*Sin[2*e - (2*c*f)/d] - 4*a*b*d*Sin[e + f*x] - 4*a*b*c*f*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)] - 4*a*b*d*f*x*Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)] + 2*b^2*c*f*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d] + 2*b^2*d*f*x*Cos[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d]/(2*d^2*(c + d*x))
```

Maple [A] time = 0.018, size = 301, normalized size = 1.6

$$\frac{1}{f} \left(-\frac{a^2 f^2}{((fx+e)d+cf-de)d} + 2f^2 ab \left(-\frac{\sin(fx+e)}{((fx+e)d+cf-de)d} + \frac{1}{d} \left(\frac{1}{d} \operatorname{Si} \left(fx+e + \frac{cf-de}{d} \right) \sin \left(\frac{cf-de}{d} \right) + \frac{1}{d} \operatorname{Ci} \left(fx+e + \frac{cf-de}{d} \right) \cos \left(\frac{cf-de}{d} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(f*x+e))^2/(d*x+c)^2,x)

[Out] 1/f*(-a^2*f^2/((f*x+e)*d+c*f-d*e)/d+2*f^2*a*b*(-sin(f*x+e)/((f*x+e)*d+c*f-d*e)/d+(Si(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+Ci(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d)-1/2*f^2*b^2/((f*x+e)*d+c*f-d*e)/d-1/4*f^2*b^2*(-2*cos(2*f*x+2*e)/((f*x+e)*d+c*f-d*e)/d-2*(2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*cos(2*(c*f-d*e)/d)/d-2*Ci(2*f*x+2*e+2*(c*f-d*e)/d)*sin(2*(c*f-d*e)/d)/d)/d)

Maxima [C] time = 1.50062, size = 498, normalized size = 2.72

$$\frac{64a^2f^2}{(fx+e)d^2-d^2e+cdf} - \frac{64 \left(f^2 \left(-iE_2 \left(\frac{i(fx+e)d-ide+icf}{d} \right) + iE_2 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right) \cos \left(-\frac{de-cf}{d} \right) + f^2 \left(E_2 \left(\frac{i(fx+e)d-ide+icf}{d} \right) + E_2 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right) \sin \left(-\frac{de-cf}{d} \right) \right)}{(fx+e)d^2-d^2e+cdf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")

[Out] -1/64*(64*a^2*f^2/((f*x+e)*d^2-d^2*e+c*d*f)-64*(f^2*(-I*exp_integral_e(2,(I*(f*x+e)*d-I*d*e+I*c*f)/d)+I*exp_integral_e(2,-(I*(f*x+e)*d-I*d*e+I*c*f)/d))*cos(-(d*e-c*f)/d)+f^2*(exp_integral_e(2,(I*(f*x+e)*d-I*d*e+I*c*f)/d)+exp_integral_e(2,-(I*(f*x+e)*d-I*d*e+I*c*f)/d))*sin(-(d*e-c*f)/d))*a*b/((f*x+e)*d^2-d^2*e+c*d*f)-(16*f^2*(exp_integral_e(2,(2*I*(f*x+e)*d-2*I*d*e+2*I*c*f)/d)+exp_integral_e(2,-(2*I*(f*x+e)*d-2*I*d*e+2*I*c*f)/d))*cos(-2*(d*e-c*f)/d)+f^2*(16*I*exp_integral_e(2,(2*I*(f*x+e)*d-2*I*d*e+2*I*c*f)/d)-16*I*exp_integral_e(2,-(2*I*(f*x+e)*d-2*I*d*e+2*I*c*f)/d))*sin(-2*(d*e-c*f)/d)-32*f^2)*b^2/((f*x+e)*d^2-d^2*e+c*d*f))/f

Fricas [A] time = 2.26381, size = 693, normalized size = 3.79

$$2b^2d \cos(fx+e)^2 - 4abd \sin(fx+e) + 2(b^2dfx + b^2cf) \cos\left(-\frac{2(de-cf)}{d}\right) \operatorname{Si}\left(\frac{2(dfxc+cf)}{d}\right) + 4(abdfx + abcf) \sin\left(-\frac{de-cf}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")

[Out] 1/2*(2*b^2*d*cos(f*x+e)^2-4*a*b*d*sin(f*x+e)+2*(b^2*d*f*x+b^2*c*f)*cos(-2*(d*e-c*f)/d)*sin_integral(2*(d*f*x+c*f)/d)+4*(a*b*d*f*x+a*b*c*f)*sin(-(d*e-c*f)/d)*sin_integral((d*f*x+c*f)/d)-2*(a^2+b^2)*d+2*((a*b*d*f*x+a*b*c*f)*cos_integral((d*f*x+c*f)/d)+(a*b*d*f*x+a*b*c*f)*cos_integral(-(d*f*x+c*f)/d))*cos(-(d*e-c*f)/d)-((b^2*d*f*x+b

$^2*c*f)*\cos_integral(2*(d*f*x + c*f)/d) + (b^2*d*f*x + b^2*c*f)*\cos_integral(-2*(d*f*x + c*f)/d)*\sin(-2*(d*e - c*f)/d))/(d^3*x + c*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sin(e + fx))^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))**2/(d*x+c)**2,x)

[Out] Integral((a + b*sin(e + f*x))**2/(c + d*x)**2, x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")

[Out] Timed out

3.162 $\int \frac{(a+b \sin(e+fx))^2}{(c+dx)^3} dx$

Optimal. Leaf size=245

$$-\frac{a^2}{2d(c+dx)^2} - \frac{abf^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} - \frac{abf^2 \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^3} - \frac{abf \cos(e+fx)}{d^2(c+dx)} - \frac{ab \sin(e+fx)}{d(c+dx)}$$

[Out] $-a^2/(2*d*(c + d*x)^2) - (a*b*f*\operatorname{Cos}[e + f*x])/(d^2*(c + d*x)) + (b^2*f^2*\operatorname{Cos}[2*e - (2*c*f)/d]*\operatorname{CosIntegral}[(2*c*f)/d + 2*f*x])/d^3 - (a*b*f^2*\operatorname{CosIntegral}[(c*f)/d + f*x]*\operatorname{Sin}[e - (c*f)/d])/d^3 - (a*b*\operatorname{Sin}[e + f*x])/(d*(c + d*x)^2) - (b^2*f*\operatorname{Cos}[e + f*x]*\operatorname{Sin}[e + f*x])/(d^2*(c + d*x)) - (b^2*\operatorname{Sin}[e + f*x]^2)/(2*d*(c + d*x)^2) - (a*b*f^2*\operatorname{Cos}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^3 - (b^2*f^2*\operatorname{Sin}[2*e - (2*c*f)/d]*\operatorname{SinIntegral}[(2*c*f)/d + 2*f*x])/d^3$

Rubi [A] time = 0.424202, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.4$, Rules used = {3317, 3297, 3303, 3299, 3302, 3314, 31, 3312}

$$-\frac{a^2}{2d(c+dx)^2} - \frac{abf^2 \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} - \frac{abf^2 \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^3} - \frac{abf \cos(e+fx)}{d^2(c+dx)} - \frac{ab \sin(e+fx)}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^2/(c + d*x)^3, x]$

[Out] $-a^2/(2*d*(c + d*x)^2) - (a*b*f*\operatorname{Cos}[e + f*x])/(d^2*(c + d*x)) + (b^2*f^2*\operatorname{Cos}[2*e - (2*c*f)/d]*\operatorname{CosIntegral}[(2*c*f)/d + 2*f*x])/d^3 - (a*b*f^2*\operatorname{CosIntegral}[(c*f)/d + f*x]*\operatorname{Sin}[e - (c*f)/d])/d^3 - (a*b*\operatorname{Sin}[e + f*x])/(d*(c + d*x)^2) - (b^2*f*\operatorname{Cos}[e + f*x]*\operatorname{Sin}[e + f*x])/(d^2*(c + d*x)) - (b^2*\operatorname{Sin}[e + f*x]^2)/(2*d*(c + d*x)^2) - (a*b*f^2*\operatorname{Cos}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^3 - (b^2*f^2*\operatorname{Sin}[2*e - (2*c*f)/d]*\operatorname{SinIntegral}[(2*c*f)/d + 2*f*x])/d^3$

Rule 3317

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)*((a_.) + (b_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(c + d*x)^m, (a + b*\operatorname{Sin}[e + f*x])^n, x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x\} \ \&\& \ \operatorname{IGtQ}[n, 0] \ \&\& \ (\operatorname{EqQ}[n, 1] \ || \ \operatorname{IGtQ}[m, 0] \ || \ \operatorname{NeQ}[a^2 - b^2, 0])$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\operatorname{sin}[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*\operatorname{Sin}[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \operatorname{LtQ}[m, -1]$

Rule 3303

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \operatorname{NeQ}[d*e - c*f, 0]$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3314

Int[((c_.) + (d_.)*(x_.))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 31

Int[((a_.) + (b_.)*(x_.))^(-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3312

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin(e + fx))^2}{(c + dx)^3} dx &= \int \left(\frac{a^2}{(c + dx)^3} + \frac{2ab \sin(e + fx)}{(c + dx)^3} + \frac{b^2 \sin^2(e + fx)}{(c + dx)^3} \right) dx \\
 &= -\frac{a^2}{2d(c + dx)^2} + (2ab) \int \frac{\sin(e + fx)}{(c + dx)^3} dx + b^2 \int \frac{\sin^2(e + fx)}{(c + dx)^3} dx \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{ab \sin(e + fx)}{d(c + dx)^2} - \frac{b^2 f \cos(e + fx) \sin(e + fx)}{d^2(c + dx)} - \frac{b^2 \sin^2(e + fx)}{2d(c + dx)^2} + \frac{(abf) \dots}{\dots} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{abf \cos(e + fx)}{d^2(c + dx)} + \frac{b^2 f^2 \log(c + dx)}{d^3} - \frac{ab \sin(e + fx)}{d(c + dx)^2} - \frac{b^2 f \cos(e + fx) \sin(e + fx)}{d^2(c + dx)} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{abf \cos(e + fx)}{d^2(c + dx)} - \frac{ab \sin(e + fx)}{d(c + dx)^2} - \frac{b^2 f \cos(e + fx) \sin(e + fx)}{d^2(c + dx)} - \frac{b^2 \sin^2(e + fx)}{2d(c + dx)^2} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{abf \cos(e + fx)}{d^2(c + dx)} - \frac{abf^2 \text{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^3} - \frac{ab \sin(e + fx)}{d(c + dx)^2} - \frac{b^2 f \cos(e + fx) \sin(e + fx)}{d^2(c + dx)} \\
 &= -\frac{a^2}{2d(c + dx)^2} - \frac{abf \cos(e + fx)}{d^2(c + dx)} + \frac{b^2 f^2 \cos\left(2e - \frac{2cf}{d}\right) \text{Ci}\left(\frac{2cf}{d} + 2fx\right)}{d^3} - \frac{abf^2 \text{Ci}\left(\frac{cf}{d} + fx\right)}{d^3} - \frac{b^2 \sin^2(e + fx)}{2d(c + dx)^2}
 \end{aligned}$$

Mathematica [A] time = 1.22926, size = 395, normalized size = 1.61

$$2a^2d^2 + 4abc^2f^2 \cos\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right) + 4abf^2(c + dx)^2 \text{CosIntegral}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + 4abd^2f^2x^2 \cos\left(e - \frac{cf}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*sin[e + f*x])^2/(c + d*x)^3,x]

[Out] $-(2*a^2*d^2 + b^2*d^2 + 4*a*b*c*d*f*\cos[e + f*x] + 4*a*b*d^2*f*x*\cos[e + f*x] - b^2*d^2*\cos[2*(e + f*x)] - 4*b^2*f^2*(c + d*x)^2*\cos[2*e - (2*c*f)/d]*\cos\text{Integral}[(2*f*(c + d*x))/d] + 4*a*b*f^2*(c + d*x)^2*\cos\text{Integral}[f*(c/d + x)]*\sin[e - (c*f)/d] + 4*a*b*d^2*\sin[e + f*x] + 2*b^2*c*d*f*\sin[2*(e + f*x)] + 2*b^2*d^2*f*x*\sin[2*(e + f*x)] + 4*a*b*c^2*f^2*\cos[e - (c*f)/d]*\sin\text{Integral}[f*(c/d + x)] + 8*a*b*c*d*f^2*x*\cos[e - (c*f)/d]*\sin\text{Integral}[f*(c/d + x)] + 4*a*b*d^2*f^2*x^2*\cos[e - (c*f)/d]*\sin\text{Integral}[f*(c/d + x)] + 4*b^2*c^2*f^2*\sin[2*e - (2*c*f)/d]*\sin\text{Integral}[(2*f*(c + d*x))/d] + 8*b^2*c*d*f^2*x*\sin[2*e - (2*c*f)/d]*\sin\text{Integral}[(2*f*(c + d*x))/d] + 4*b^2*d^2*f^2*x^2*\sin[2*e - (2*c*f)/d]*\sin\text{Integral}[(2*f*(c + d*x))/d])/(4*d^3*(c + d*x)^2)$

Maple [A] time = 0.023, size = 374, normalized size = 1.5

$$\frac{1}{f} \left(-\frac{a^2 f^3}{2 ((fx + e)d + cf - de)^2 d} + 2 f^3 ab \left(-\frac{1}{2} \frac{\sin(fx + e)}{((fx + e)d + cf - de)^2 d} + \frac{1}{2} \frac{1}{d} \left(-\frac{\cos(fx + e)}{((fx + e)d + cf - de)d} - \frac{1}{d} \left(\frac{1}{d} \text{Si} \left(\frac{f}{d} \right) \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(f*x+e))^2/(d*x+c)^3,x)

[Out] $1/f*(-1/2*a^2*f^3/((f*x+e)*d+c*f-d*e)^2/d+2*f^3*a*b*(-1/2*\sin(f*x+e)/((f*x+e)*d+c*f-d*e)^2/d+1/2*(-\cos(f*x+e)/((f*x+e)*d+c*f-d*e)/d-(\text{Si}(f*x+e+(c*f-d*e)/d)*\cos((c*f-d*e)/d)/d-\text{Ci}(f*x+e+(c*f-d*e)/d)*\sin((c*f-d*e)/d)/d)/d)-1/4*f^3*b^2/((f*x+e)*d+c*f-d*e)^2/d-1/4*f^3*b^2*(-\cos(2*f*x+2*e)/((f*x+e)*d+c*f-d*e)^2/d-(-2*\sin(2*f*x+2*e)/((f*x+e)*d+c*f-d*e)/d+2*(2*\text{Si}(2*f*x+2*e+2*(c*f-d*e)/d)*\sin(2*(c*f-d*e)/d)/d+2*\text{Ci}(2*f*x+2*e+2*(c*f-d*e)/d)*\cos(2*(c*f-d*e)/d)/d)/d)/d)$

Maxima [C] time = 1.87744, size = 640, normalized size = 2.61

$$\frac{32 a^2 f^3}{(fx+e)^2 d^3+d^3 e^2-2 cd^2 ef+c^2 d f^2-2 (d^3 e-cd^2 f)(fx+e)} - \frac{64 \left(f^3 \left(-i E_3 \left(\frac{i(fx+e)d-ide+icf}{d} \right) + i E_3 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right) \cos \left(-\frac{de-cf}{d} \right) + f^3 \left(E_3 \left(\frac{i(fx+e)d-ide+icf}{d} \right) + E_3 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right) \sin \left(-\frac{de-cf}{d} \right) \right)}{(fx+e)^2 d^3+d^3 e^2-2 cd^2 ef+c^2 d f^2-2 (d^3 e-cd^2 f)(fx+e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="maxima")

[Out] $-1/64*(32*a^2*f^3/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - 64*(f^3*(-I*\exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + I*\exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\cos(-(d*e - c*f)/d) + f^3*(\exp_integral_e(3, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + \exp_integral_e(3, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\sin(-(d*e - c*f)/d))*a*b/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)) - (16*f^3*(\exp_integral_e(3, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + \exp_integral_e(3, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*\cos(-2*(d*e - c*f)/d) + f^3*(16*I*\exp_integral_e(3, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) - 16*I*\exp_integral_e(3, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))$

$(I*d*e + 2*I*c*f)/d) * \sin(-2*(d*e - c*f)/d) - 16*f^3*b^2/((f*x + e)^2*d^3 + d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2 - 2*(d^3*e - c*d^2*f)*(f*x + e)))/f$

Fricas [A] time = 2.50881, size = 1057, normalized size = 4.31

$b^2 d^2 \cos(fx + e)^2 - (a^2 + b^2) d^2 + 2(b^2 d^2 f^2 x^2 + 2 b^2 c d f^2 x + b^2 c^2 f^2) \sin\left(-\frac{2(de - cf)}{d}\right) \text{Si}\left(\frac{2(dfx + cf)}{d}\right) - 2(abd^2 f^2 x^2 + 2$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="fricas")

[Out] $1/2*(b^2*d^2*\cos(f*x + e)^2 - (a^2 + b^2)*d^2 + 2*(b^2*d^2*f^2*x^2 + 2*b^2*c*d*f^2*x + b^2*c^2*f^2)*\sin(-2*(d*e - c*f)/d)*\sin_integral(2*(d*f*x + c*f)/d) - 2*(a*b*d^2*f^2*x^2 + 2*a*b*c*d*f^2*x + a*b*c^2*f^2)*\cos(-(d*e - c*f)/d)*\sin_integral((d*f*x + c*f)/d) - 2*(a*b*d^2*f*x + a*b*c*d*f)*\cos(f*x + e) + ((b^2*d^2*f^2*x^2 + 2*b^2*c*d*f^2*x + b^2*c^2*f^2)*\cos_integral(2*(d*f*x + c*f)/d) + (b^2*d^2*f^2*x^2 + 2*b^2*c*d*f^2*x + b^2*c^2*f^2)*\cos_integral(-2*(d*f*x + c*f)/d))*\cos(-2*(d*e - c*f)/d) - 2*(a*b*d^2 + (b^2*d^2*f*x + b^2*c*d*f)*\cos(f*x + e))*\sin(f*x + e) + ((a*b*d^2*f^2*x^2 + 2*a*b*c*d*f^2*x + a*b*c^2*f^2)*\cos_integral((d*f*x + c*f)/d) + (a*b*d^2*f^2*x^2 + 2*a*b*c*d*f^2*x + a*b*c^2*f^2)*\cos_integral(-(d*f*x + c*f)/d))*\sin(-(d*e - c*f)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(a + b \sin(e + fx))^2}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))**2/(d*x+c)**3,x)

[Out] Integral((a + b*sin(e + f*x))**2/(c + d*x)**3, x)

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(f*x+e))^2/(d*x+c)^3,x, algorithm="giac")

[Out] Exception raised: NotImplementedError

3.163 $\int \frac{(c+dx)^3}{a+b \sin(e+fx)} dx$

Optimal. Leaf size=495

$$-\frac{6id^2(c+dx)\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3\sqrt{a^2-b^2}} + \frac{6id^2(c+dx)\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3\sqrt{a^2-b^2}} - \frac{3d(c+dx)^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{3d(c+dx)^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}}$$

```
[Out] ((-I)*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (3*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (3*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) - ((6*I)*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + ((6*I)*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + (6*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^4) - (6*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^4)
```

Rubi [A] time = 0.969198, antiderivative size = 495, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.35$, Rules used = {3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$-\frac{6id^2(c+dx)\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3\sqrt{a^2-b^2}} + \frac{6id^2(c+dx)\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3\sqrt{a^2-b^2}} - \frac{3d(c+dx)^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{3d(c+dx)^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^3/(a + b*Sin[e + f*x]),x]
```

```
[Out] ((-I)*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (3*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (3*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) - ((6*I)*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + ((6*I)*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + (6*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^4) - (6*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^4)
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_)^(m_.))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_)^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u]/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u]/(b + q + 2*c*F^u), x], x]
```

$m \cdot F^u / (b + q + 2 \cdot c \cdot F^u), x, x] /;$ FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{a+b\sin(e+fx)} dx &= 2 \int \frac{e^{i(e+fx)}(c+dx)^3}{ib+2ae^{i(e+fx)}-ibe^{2i(e+fx)}} dx \\
&= -\frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)^3}{2a-2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} + \frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)^3}{2a+2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} \\
&= -\frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{(3id) \int (c+dx)^2 \log\left(1-\frac{2ibe^{i(e+fx)}}{2a-2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}}\right) dx}{\sqrt{a^2-b^2}f} \\
&= -\frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} \\
&= -\frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} \\
&= -\frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c+dx)^3 \log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{3d(c+dx)^2 \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2}
\end{aligned}$$

Mathematica [A] time = 0.234814, size = 401, normalized size = 0.81

$$i \left(\frac{3id \left(f^2(c+dx)^2 \operatorname{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2+a}}\right) + 2idf(c+dx) \operatorname{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2+a}}\right) - 2d^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2+a}}\right) \right)}{f^3} + \frac{3d \left(2d \left(f(c+dx) \operatorname{PolyLog}\left(3, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2-a}}\right) + id \operatorname{PolyLog}\left(4, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2-a}}\right) \right) \right)}{f^3} \right)$$

$$f\sqrt{a^2-b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + b*Sin[e + f*x]),x]

[Out] ((-I)*((c + d*x)^3*Log[1 + (I*b*E^(I*(e + f*x))]/(-a + Sqrt[a^2 - b^2])) - (c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x))]/(a + Sqrt[a^2 - b^2])) + (3*d*((-I)*f^2*(c + d*x)^2*PolyLog[2, ((-I)*b*E^(I*(e + f*x))]/(-a + Sqrt[a^2 - b^2])]) + 2*d*(f*(c + d*x)*PolyLog[3, ((-I)*b*E^(I*(e + f*x))]/(-a + Sqrt[a^2 - b^2])]) + I*d*PolyLog[4, (I*b*E^(I*(e + f*x))]/(a - Sqrt[a^2 - b^2])])))/f^3 + ((3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x))]/(a + Sqrt[a^2 - b^2])]) + (2*I)*d*f*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x))]/(a + Sqrt[a^2 - b^2])]) - 2*d^2*PolyLog[4, (I*b*E^(I*(e + f*x))]/(a + Sqrt[a^2 - b^2])])))/f^3)/(Sqrt[a^2 - b^2]*f)

Maple [F] time = 0.401, size = 0, normalized size = 0.

$$\int \frac{(dx+c)^3}{a+b\sin(fx+e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a+b*sin(f*x+e)),x)


```
[Out] int((d*x+c)^3/(a+b*sin(f*x+e)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*sin(f*x+e)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 3.67475, size = 5222, normalized size = 10.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*sin(f*x+e)),x, algorithm="fricas")
```

```
[Out] -1/4*(12*I*b*d^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(f*x + e)
- 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2
)/b^2))/b) - 12*I*b*d^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(f*
x + e) - 2*a*sin(f*x + e) - 2*(b*cos(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^
2 - b^2)/b^2))/b) - 12*I*b*d^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(-2*I*
a*cos(f*x + e) - 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*s
qrt(-(a^2 - b^2)/b^2))/b) + 12*I*b*d^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/
2*(-2*I*a*cos(f*x + e) - 2*a*sin(f*x + e) - 2*(b*cos(f*x + e) - I*b*sin(f*x
+ e))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(-3*I*b*d^3*f^2*x^2 - 6*I*b*c*d^2*f^2
*x - 3*I*b*c^2*d*f^2)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(f*x + e)
+ 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt(-(a^2 - b^
2)/b^2) + 2*b)/b + 1) + 2*(3*I*b*d^3*f^2*x^2 + 6*I*b*c*d^2*f^2*x + 3*I*b*c^
2*d*f^2)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(f*x + e) + 2*a*sin(f*
x + e) - 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b
)/b + 1) + 2*(3*I*b*d^3*f^2*x^2 + 6*I*b*c*d^2*f^2*x + 3*I*b*c^2*d*f^2)*sqrt
(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e) + 2*(
b*cos(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2
*(-3*I*b*d^3*f^2*x^2 - 6*I*b*c*d^2*f^2*x - 3*I*b*c^2*d*f^2)*sqrt(-(a^2 - b^
2)/b^2)*dilog(-1/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e) - 2*(b*cos(f*x +
e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*(b*d^3*e^3
- 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*lo
g(2*b*cos(f*x + e) + 2*I*b*sin(f*x + e) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*
a) + 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*sqrt(-(a
^2 - b^2)/b^2)*log(2*b*cos(f*x + e) - 2*I*b*sin(f*x + e) + 2*b*sqrt(-(a^2 -
b^2)/b^2) - 2*I*a) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*
c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(f*x + e) + 2*I*b*sin(f*x + e)
+ 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b*d^3*f^3*x^3
+ 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c
^2*d*e*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(f*x + e) + 2*a*sin(f*
x + e) + 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b
)/b) + 2*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 -
3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*c
os(f*x + e) + 2*a*sin(f*x + e) - 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt
```

$$\begin{aligned} & \left(\frac{-(a^2 - b^2)/b^2 + 2b}{b} \right) - 2 \cdot \frac{(b^3 d^3 f^3 x^3 + 3 b^2 c d^2 f^3 x^2 + 3 b^2 c^2 d f^3 x + b^3 d^3 e^3 - 3 b^2 c d^2 e^2 f + 3 b^2 c^2 d e f^2) \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(-2 I a \cos(fx + e) + 2 a \sin(fx + e) + 2(b \cos(fx + e) + I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)}{b} \\ & + 2 \cdot \frac{(b^3 d^3 f^3 x^3 + 3 b^2 c d^2 f^3 x^2 + 3 b^2 c^2 d f^3 x + b^3 d^3 e^3 - 3 b^2 c d^2 e^2 f + 3 b^2 c^2 d e f^2) \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(-2 I a \cos(fx + e) + 2 a \sin(fx + e) - 2(b \cos(fx + e) + I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)}{b} \\ & + 12 \cdot \frac{(b^3 d^3 f^3 x + b^2 c d^2 f^2) \sqrt{-(a^2 - b^2)/b^2} \operatorname{polylog}\left(3, \frac{1}{2}(2 I a \cos(fx + e) - 2 a \sin(fx + e) + 2(b \cos(fx + e) + I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2}\right)}{b} \\ & - 12 \cdot \frac{(b^3 d^3 f^3 x + b^2 c d^2 f^2) \sqrt{-(a^2 - b^2)/b^2} \operatorname{polylog}\left(3, \frac{1}{2}(2 I a \cos(fx + e) - 2 a \sin(fx + e) - 2(b \cos(fx + e) + I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2}\right)}{b} \\ & + 12 \cdot \frac{(b^3 d^3 f^3 x + b^2 c d^2 f^2) \sqrt{-(a^2 - b^2)/b^2} \operatorname{polylog}\left(3, \frac{1}{2}(-2 I a \cos(fx + e) - 2 a \sin(fx + e) + 2(b \cos(fx + e) - I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2}\right)}{b} \\ & - 12 \cdot \frac{(b^3 d^3 f^3 x + b^2 c d^2 f^2) \sqrt{-(a^2 - b^2)/b^2} \operatorname{polylog}\left(3, \frac{1}{2}(-2 I a \cos(fx + e) - 2 a \sin(fx + e) - 2(b \cos(fx + e) - I b \sin(fx + e))) \sqrt{-(a^2 - b^2)/b^2}\right)}{b} \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(c + dx)^3}{a + b \sin(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+b*sin(f*x+e)),x)

[Out] Integral((c + d*x)**3/(a + b*sin(e + f*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{b \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3/(b*sin(f*x + e) + a), x)

$$3.164 \quad \int \frac{(c+dx)^2}{a+b \sin(e+fx)} dx$$

Optimal. Leaf size=367

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{2d(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}} - \frac{2id^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3\sqrt{a^2-b^2}} + \frac{2id^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3\sqrt{a^2-b^2}}$$

```
[Out] ((-I)*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (2*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (2*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) - ((2*I)*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + ((2*I)*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3)
```

Rubi [A] time = 0.821562, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.3$, Rules used = {3323, 2264, 2190, 2531, 2282, 6589}

$$-\frac{2d(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{2d(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}} - \frac{2id^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3\sqrt{a^2-b^2}} + \frac{2id^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^2/(a + b*Sin[e + f*x]), x]
```

```
[Out] ((-I)*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (2*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (2*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) - ((2*I)*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3) + ((2*I)*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^3)
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.), x_Symbol] := Simp
```

```

[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int \frac{(c + dx)^2}{a + b \sin(e + fx)} dx &= 2 \int \frac{e^{i(e+fx)}(c + dx)^2}{ib + 2ae^{i(e+fx)} - ibe^{2i(e+fx)}} dx \\
&= -\frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)^2}{2a-2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} + \frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)^2}{2a+2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} \\
&= -\frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{(2id) \int (c + dx) \log\left(1 - \frac{2ibe^{i(e+fx)}}{2a-2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2}f} \\
&= -\frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} \\
&= -\frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} \\
&= -\frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{2d(c + dx) \text{Li}_2\left(\frac{ibe^{i(e+fx)}}{a + \sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2}
\end{aligned}$$

Mathematica [A] time = 0.191191, size = 296, normalized size = 0.81

$$\frac{i \left(\frac{2d \left(d \text{PolyLog} \left(3, \frac{ibe^{i(e+fx)}}{a - \sqrt{a^2-b^2}} \right) - if(c+dx) \text{PolyLog} \left(2, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a} \right) \right)}{f^2} + \frac{2id \left(f(c+dx) \text{PolyLog} \left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a} \right) + id \text{PolyLog} \left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a} \right) \right)}{f^2} + (c + dx)^2 \log \left(1 - \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}} \right) \right)}{f \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2/(a + b*Sin[e + f*x]),x]

[Out] $((-I)*((c + d*x)^2*\text{Log}[1 + (I*b*E^{(I*(e + f*x))})/(-a + \text{Sqrt}[a^2 - b^2])]) - (c + d*x)^2*\text{Log}[1 - (I*b*E^{(I*(e + f*x))})/(a + \text{Sqrt}[a^2 - b^2])]) + (2*d*((-I)*f*(c + d*x)*\text{PolyLog}[2, ((-I)*b*E^{(I*(e + f*x))})/(-a + \text{Sqrt}[a^2 - b^2])]) + d*\text{PolyLog}[3, (I*b*E^{(I*(e + f*x))})/(a - \text{Sqrt}[a^2 - b^2])])]/f^2 + ((2*I)*d*(f*(c + d*x)*\text{PolyLog}[2, (I*b*E^{(I*(e + f*x))})/(a + \text{Sqrt}[a^2 - b^2])]) + I*d*\text{PolyLog}[3, (I*b*E^{(I*(e + f*x))})/(a + \text{Sqrt}[a^2 - b^2])])]/f^2))/(\text{Sqrt}[a^2 - b^2]*f)$

Maple [F] time = 0.283, size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{a + b \sin(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a+b*sin(f*x+e)),x)

[Out] int((d*x+c)^2/(a+b*sin(f*x+e)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.14299, size = 3729, normalized size = 10.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] $-1/2*(2*b*d^2*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) - 2*b*d^2*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 2*b*d^2*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) - 2*b*d^2*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + (-2*I*b*d^2*f*x - 2*I*b*c*d*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (2*I*b*d^2*f*x + 2*I*b*c*d*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin$

```
(f*x + e) - 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) +
2*b)/b + 1) + (2*I*b*d^2*f*x + 2*I*b*c*d*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1
/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) + I*b*sin(f*
x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-2*I*b*d^2*f*x - 2*I*b*c*d*
f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e
) - 2*(b*cos(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b +
1) - (b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*
cos(f*x + e) + 2*I*b*sin(f*x + e) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - (
b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(f*x
+ e) - 2*I*b*sin(f*x + e) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + (b*d^2*e
^2 - 2*b*c*d*e*f + b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(f*x + e)
+ 2*I*b*sin(f*x + e) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (b*d^2*e^2 - 2
*b*c*d*e*f + b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(f*x + e) - 2*I*
b*sin(f*x + e) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - (b*d^2*f^2*x^2 + 2*b
*c*d*f^2*x - b*d^2*e^2 + 2*b*c*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a
*cos(f*x + e) + 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sq
rt(-(a^2 - b^2)/b^2) + 2*b)/b) + (b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2
+ 2*b*c*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(f*x + e) + 2*a*si
n(f*x + e) - 2*(b*cos(f*x + e) - I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) +
2*b)/b) - (b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2 + 2*b*c*d*e*f)*sqrt(-
(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e) + 2*(b*cos
(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (b*d^2*f^2
*x^2 + 2*b*c*d*f^2*x - b*d^2*e^2 + 2*b*c*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*log(
1/2*(-2*I*a*cos(f*x + e) + 2*a*sin(f*x + e) - 2*(b*cos(f*x + e) + I*b*sin(f
*x + e))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b))/((a^2 - b^2)*f^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(c + dx)^2}{a + b \sin(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+b*sin(f*x+e)),x)

[Out] Integral((c + d*x)**2/(a + b*sin(e + f*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{b \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2/(b*sin(f*x + e) + a), x)

3.165 $\int \frac{c+dx}{a+b \sin(e+fx)} dx$

Optimal. Leaf size=234

$$\frac{d\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{d\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}} - \frac{i(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f\sqrt{a^2-b^2}} + \frac{i(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f\sqrt{a^2-b^2}}$$

```
[Out] ((-I)*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2)
```

Rubi [A] time = 0.452897, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3323, 2264, 2190, 2279, 2391}

$$\frac{d\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2\sqrt{a^2-b^2}} + \frac{d\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2\sqrt{a^2-b^2}} - \frac{i(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f\sqrt{a^2-b^2}} + \frac{i(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)/(a + b*Sin[e + f*x]), x]
```

```
[Out] ((-I)*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) + (I*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f) - (d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2) + (d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2)
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + b \sin(e + fx)} dx &= 2 \int \frac{e^{i(e+fx)}(c + dx)}{ib + 2ae^{i(e+fx)} - ibe^{2i(e+fx)}} dx \\ &= -\frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} + \frac{(2ib) \int \frac{e^{i(e+fx)}(c+dx)}{2a+2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{\sqrt{a^2-b^2}} \\ &= -\frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{(id) \int \log\left(1 - \frac{2ibe^{i(e+fx)}}{2a-2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2}f} \\ &= -\frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{d \operatorname{Subst}\left(\int \frac{\log\left(1 - \frac{2ibx}{2a-2\sqrt{a^2-b^2}}\right)}{x} dx, x\right)}{\sqrt{a^2-b^2}f^2} \\ &= -\frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} + \frac{i(c + dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f} - \frac{d \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} + \frac{d \operatorname{Li}_2\left(\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}f^2} \end{aligned}$$

Mathematica [A] time = 0.0408727, size = 182, normalized size = 0.78

$$\frac{-d \operatorname{PolyLog}\left(2, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2-a}}\right) + d \operatorname{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2+a}}\right) - if(c + dx) \left(\log\left(1 + \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2-a}}\right) - \log\left(1 - \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2+a}}\right)\right)}{f^2 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)/(a + b*Sin[e + f*x]),x]
```

```
[Out] ((-I)*f*(c + d*x)*(Log[1 + (I*b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] -
Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2]]) - d*PolyLog[2, ((-I)*
b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] + d*PolyLog[2, (I*b*E^(I*(e + f*
x)))/(a + Sqrt[a^2 - b^2])])/(Sqrt[a^2 - b^2]*f^2)
```

Maple [B] time = 0.104, size = 492, normalized size = 2.1

$$\frac{2ic}{f} \arctan\left(\frac{2ibe^{i(fx+e)} - 2a}{2\sqrt{-a^2+b^2}}\right) \frac{1}{\sqrt{-a^2+b^2}} + \frac{dx}{f} \ln\left(\left(-ia - be^{i(fx+e)} + \sqrt{-a^2+b^2}\right)\left(-ia + \sqrt{-a^2+b^2}\right)^{-1}\right) \frac{1}{\sqrt{-a^2+b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)/(a+b*sin(f*x+e)),x)
```

```
[Out] 2*I/f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(f*x+e))-2*a)/(-a^2+b^2)^(
1/2))+1/f*d/(-a^2+b^2)^(1/2)*ln((-I*a-b*exp(I*(f*x+e))+(-a^2+b^2)^(1/2))/(-
```


$$I*a+(-a^2+b^2)^{(1/2)})*x+1/f^2*d/(-a^2+b^2)^{(1/2)*\ln((-I*a-b*\exp(I*(f*x+e))+(-a^2+b^2)^{(1/2)))/(-I*a+(-a^2+b^2)^{(1/2)))*e-1/f*d/(-a^2+b^2)^{(1/2)*\ln((I*a+b*\exp(I*(f*x+e))+(-a^2+b^2)^{(1/2)))/(I*a+(-a^2+b^2)^{(1/2)))*x-1/f^2*d/(-a^2+b^2)^{(1/2)*\ln((I*a+b*\exp(I*(f*x+e))+(-a^2+b^2)^{(1/2)))/(I*a+(-a^2+b^2)^{(1/2)))*e-I/f^2*d/(-a^2+b^2)^{(1/2)*\operatorname{dilog}((-I*a-b*\exp(I*(f*x+e))+(-a^2+b^2)^{(1/2)))/(-I*a+(-a^2+b^2)^{(1/2)))+I/f^2*d/(-a^2+b^2)^{(1/2)*\operatorname{dilog}((I*a+b*\exp(I*(f*x+e))+(-a^2+b^2)^{(1/2)))/(I*a+(-a^2+b^2)^{(1/2)))-2*I/f^2*d*e/(-a^2+b^2)^{(1/2)*\arctan(1/2*(2*I*b*\exp(I*(f*x+e))-2*a)/(-a^2+b^2)^{(1/2))}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.58934, size = 2461, normalized size = 10.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4*(-2*I*b*d*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) + 2*I*b*d*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) + 2*I*b*d*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) - 2*I*b*d*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) + 2*(b*d*e - b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(f*x + e) - 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(b*d*e - b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(f*x + e) \\ & - 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(b*d*e - b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(f*x + e) + 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) \\ & - 2*(b*d*e - b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(f*x + e) - 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(b*d*f*x + b*d*e)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a*\cos(f*x + e) \\ & + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(b*d*f*x + b*d*e)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b) - 2*(b*d*f*x + b*d*e)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) \\ & + 2*(b*d*f*x + b*d*e)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{c + dx}{a + b \sin(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e)),x)

[Out] Integral((c + d*x)/(a + b*sin(e + f*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{dx + c}{b \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)/(b*sin(f*x + e) + a), x)

$$3.166 \quad \int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)(a+b \sin(e+fx))}, x\right)$$

[Out] Unintegrable[1/((c + d*x)*(a + b*Sin[e + f*x])), x]

Rubi [A] time = 0.0642031, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a + b*Sin[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a + b*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx = \int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx$$

Mathematica [A] time = 0.40193, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a + b*Sin[e + f*x])), x]

[Out] Integrate[1/((c + d*x)*(a + b*Sin[e + f*x])), x]

Maple [A] time = 0.063, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(a+b \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+b*sin(f*x+e)), x)

[Out] int(1/(d*x+c)/(a+b*sin(f*x+e)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)(b \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] integrate(1/((d*x + c)*(b*sin(f*x + e) + a)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{adx + ac + (bdx + bc)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c + (b*d*x + b*c)*sin(f*x + e)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a + b \sin(e + fx))(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e)),x)

[Out] Integral(1/((a + b*sin(e + f*x))*(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)(b \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(b*sin(f*x + e) + a)), x)

$$3.167 \quad \int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2(a+b \sin(e+fx))}, x\right)$$

[Out] Unintegrable[1/((c + d*x)^2*(a + b*Sin[e + f*x])), x]

Rubi [A] time = 0.0610818, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + b*Sin[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + b*Sin[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx$$

Mathematica [A] time = 0.333187, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + b*Sin[e + f*x])), x]

[Out] Integrate[1/((c + d*x)^2*(a + b*Sin[e + f*x])), x]

Maple [A] time = 0.073, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)^2(a+b \sin(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+b*sin(f*x+e)), x)

[Out] int(1/(d*x+c)^2/(a+b*sin(f*x+e)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)^2 (b \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] integrate(1/((d*x + c)^2*(b*sin(f*x + e) + a)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 + (bd^2x^2 + 2bcdx + bc^2)\sin(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*sin(f*x + e)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+b*sin(f*x+e)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)^2 (b \sin(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(b*sin(f*x + e) + a)), x)

$$3.168 \quad \int \frac{(c+dx)^3}{(a+b \sin(e+fx))^2} dx$$

Optimal. Leaf size=925

$$\frac{6 \operatorname{PolyLog}\left(3, \frac{ib e^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2) f^4} - \frac{6 \operatorname{PolyLog}\left(3, \frac{ib e^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2) f^4} + \frac{6a \operatorname{PolyLog}\left(4, \frac{ib e^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2)^{3/2} f^4} - \frac{6a \operatorname{PolyLog}\left(4, \frac{ib e^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2)^{3/2} f^4}$$

```
[Out] (I*(c + d*x)^3)/((a^2 - b^2)*f) - (3*d*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^2) - (I*a*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f) - (3*d*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^2) + (I*a*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f) + ((6*I)*d^2*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^3) - (3*a*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^2) + ((6*I)*d^2*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^3) + (3*a*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^2) - (6*d^3*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^4) - ((6*I)*a*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^3) - (6*d^3*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^4) + ((6*I)*a*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^3) + (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^4) - (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^4) + (b*(c + d*x)^3*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))
```

Rubi [A] time = 1.65487, antiderivative size = 925, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.45$, Rules used = {3324, 3323, 2264, 2190, 2531, 6609, 2282, 6589, 4519}

$$\frac{6 \operatorname{PolyLog}\left(3, \frac{ib e^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2) f^4} - \frac{6 \operatorname{PolyLog}\left(3, \frac{ib e^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2) f^4} + \frac{6a \operatorname{PolyLog}\left(4, \frac{ib e^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2)^{3/2} f^4} - \frac{6a \operatorname{PolyLog}\left(4, \frac{ib e^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right) d^3}{(a^2-b^2)^{3/2} f^4}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^3/(a + b*Sin[e + f*x])^2, x]
```

```
[Out] (I*(c + d*x)^3)/((a^2 - b^2)*f) - (3*d*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^2) - (I*a*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f) - (3*d*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^2) + (I*a*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f) + ((6*I)*d^2*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^3) - (3*a*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^2) + ((6*I)*d^2*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^3) + (3*a*d*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^2) - (6*d^3*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^4) - ((6*I)*a*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^3) - (6*d^3*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*f^4) + ((6*I)*a*d^2*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^3) + (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^4) - (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*f^4) + (b*(c + d*x)^3*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))
```

```
e + f*x)))/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^3) + (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^4) - (6*a*d^3*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^4) + (b*(c + d*x)^3*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))
```

Rule 3324

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a + b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_)/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int((((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int(((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
```



```
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] +
(Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] +
Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /;
FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned} \int \frac{(c+dx)^3}{(a+b\sin(e+fx))^2} dx &= \frac{b(c+dx)^3 \cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{a \int \frac{(c+dx)^3}{a+b\sin(e+fx)} dx}{a^2-b^2} - \frac{(3bd) \int \frac{(c+dx)^2 \cos(e+fx)}{a+b\sin(e+fx)} dx}{(a^2-b^2)f} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} + \frac{b(c+dx)^3 \cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{(2a) \int \frac{e^{i(e+fx)}(c+dx)^3}{ib+2ae^{i(e+fx)}-ibe^{2i(e+fx)}} dx}{a^2-b^2} - \frac{(3bd) \int \frac{1}{a-b\sin(e+fx)} dx}{(a^2-b^2)f} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} + \frac{b(c+dx)^3 \cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^3 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^3 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^3 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \\ &= \frac{i(c+dx)^3}{(a^2-b^2)f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^3 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{3d(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \end{aligned}$$

Mathematica [A] time = 3.22821, size = 742, normalized size = 0.8

$$\frac{ia\left(-3id\left(f^2(c+dx)^2\text{PolyLog}\left(2, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a}\right)+2idf(c+dx)\text{PolyLog}\left(3, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a}\right)-2a^2\text{PolyLog}\left(4, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)\right)+3id\left(f^2(c+dx)^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)+2idf(c+dx)\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)-2a^2\text{PolyLog}\left(4, \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)\right)\right)}{\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^3/(a + b*SIN[e + f*x])^2,x]
```

```
[Out] (I*f^3*(c + d*x)^3 - 3*d*f^2*(c + d*x)^2*Log[1 + (I*b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] - 3*d*f^2*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])] + (6*I)*d^2*(f*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])] + I*d*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]) + (6*I)*d^2*(f*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])] + I*d*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]) - (I*a*(f^3*(c + d*x)^3*Log[1 + (I*b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] - f^3*(c + d*x)^3*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])] - (3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, ((-I)*b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] + (2*I)*d*f*(c + d*x)*PolyLog[3, ((-I)*b*E^(I*(e + f*x)))/(-a + Sqrt[a^2 - b^2])] - 2*d^2*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]) + (3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])] + (2*I)*d*f*(c + d*x)*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]) - 2*d^2*PolyLog[4, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])])]/Sqrt[a^2 - b^2] + (b*f^3*(c + d*x)^3*Cos[e + f*x])/(a + b*SIN[e + f*x])/((a^2 - b^2)*f^4)
```

Maple [F] time = 1.56, size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{(a + b \sin(fx + e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^3/(a+b*sin(f*x+e))^2,x)
```

```
[Out] int((d*x+c)^3/(a+b*sin(f*x+e))^2,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*sin(f*x+e))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 7.28598, size = 11266, normalized size = 12.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3/(a+b*sin(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(-6*I*a*b^2*d^3*sin(f*x + e) - 6*I*a^2*b*d^3)*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(f*x + e) - 2*a*sin(f*x + e) + 2*(b*cos(f*x + e) + I*b*sin(f*x + e))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(6*I*a*b^2*d^3*sin(f*x +
```

$$\begin{aligned}
& e) + 6Ia^2bd^3\sqrt{-(a^2 - b^2)/b^2}\text{polylog}(4, 1/2*(2Ia\cos(fx + e) - 2a\sin(fx + e) - 2*(b\cos(fx + e) + I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2}))/b) + 2*(6Ia*b^2*d^3*\sin(fx + e) + 6Ia^2*b*d^3)\sqrt{-(a^2 - b^2)/b^2}\text{polylog}(4, 1/2*(-2Ia\cos(fx + e) - 2a\sin(fx + e) + 2*(b\cos(fx + e) - I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2}))/b) + 2*(-6Ia*b^2*d^3*\sin(fx + e) - 6Ia^2*b*d^3)\sqrt{-(a^2 - b^2)/b^2}\text{polylog}(4, 1/2*(-2Ia\cos(fx + e) - 2a\sin(fx + e) - 2*(b\cos(fx + e) - I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2}))/b) + 4*((a^2*b - b^3)*d^3*f^3*x^3 + 3*(a^2*b - b^3)*c*d^2*f^3*x^2 + 3*(a^2*b - b^3)*c^2*d*f^3*x + (a^2*b - b^3)*c^3*f^3)*\cos(fx + e) + (-12I*(a^3 - a*b^2)*d^3*f*x - 12I*(a^3 - a*b^2)*c*d^2*f + (-12I*(a^2*b - b^3)*d^3*f*x - 12I*(a^2*b - b^3)*c*d^2*f)*\sin(fx + e) + 2*(3Ia^2*b*d^3*f^2*x^2 + 6Ia^2*b*c*d^2*f^2*x + 3Ia^2*b*c^2*d*f^2 + (3Ia*b^2*d^3*f^2*x^2 + 6Ia*b^2*c*d^2*f^2*x + 3Ia*b^2*c^2*d*f^2)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2Ia\cos(fx + e) + 2a\sin(fx + e) + 2*(b\cos(fx + e) - I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-12I*(a^3 - a*b^2)*d^3*f*x - 12I*(a^3 - a*b^2)*c*d^2*f + (-12I*(a^2*b - b^3)*d^3*f*x - 12I*(a^2*b - b^3)*c*d^2*f)*\sin(fx + e) + 2*(-3Ia^2*b*d^3*f^2*x^2 - 6Ia^2*b*c*d^2*f^2*x - 3Ia^2*b*c^2*d*f^2 + (-3Ia*b^2*d^3*f^2*x^2 - 6Ia*b^2*c*d^2*f^2*x - 3Ia*b^2*c^2*d*f^2)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2Ia\cos(fx + e) + 2a\sin(fx + e) - 2*(b\cos(fx + e) - I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (12I*(a^3 - a*b^2)*d^3*f*x + 12I*(a^3 - a*b^2)*c*d^2*f + (12I*(a^2*b - b^3)*d^3*f*x + 12I*(a^2*b - b^3)*c*d^2*f)*\sin(fx + e) + 2*(-3Ia^2*b*d^3*f^2*x^2 - 6Ia^2*b*c*d^2*f^2*x - 3Ia^2*b*c^2*d*f^2 + (-3Ia*b^2*d^3*f^2*x^2 - 6Ia*b^2*c*d^2*f^2*x - 3Ia*b^2*c^2*d*f^2)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(-2Ia\cos(fx + e) + 2a\sin(fx + e) + 2*(b\cos(fx + e) + I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (12I*(a^3 - a*b^2)*d^3*f*x + 12I*(a^3 - a*b^2)*c*d^2*f + (12I*(a^2*b - b^3)*d^3*f*x + 12I*(a^2*b - b^3)*c*d^2*f)*\sin(fx + e) + 2*(3Ia^2*b*d^3*f^2*x^2 + 6Ia^2*b*c*d^2*f^2*x + 3Ia^2*b*c^2*d*f^2 + (3Ia*b^2*d^3*f^2*x^2 + 6Ia*b^2*c*d^2*f^2*x + 3Ia*b^2*c^2*d*f^2)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(-2Ia\cos(fx + e) + 2a\sin(fx + e) - 2*(b\cos(fx + e) + I*b\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(3*(a^3 - a*b^2)*d^3*e^2 - 6*(a^3 - a*b^2)*c*d^2*e*f + 3*(a^3 - a*b^2)*c^2*d*f^2 + 3*((a^2*b - b^3)*d^3*e^2 - 2*(a^2*b - b^3)*c*d^2*e*f + (a^2*b - b^3)*c^2*d*f^2)*\sin(fx + e) + (a^2*b*d^3*e^3 - 3a^2*b*c*d^2*e^2*f + 3a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3 + (a*b^2*d^3*e^3 - 3a*b^2*c*d^2*e^2*f + 3a*b^2*c^2*d*e*f^2 - a*b^2*c^3*f^3)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(fx + e) + 2I*b*\sin(fx + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2I*a) - 2*(3*(a^3 - a*b^2)*d^3*e^2 - 6*(a^3 - a*b^2)*c*d^2*e*f + 3*(a^3 - a*b^2)*c^2*d*f^2 + 3*((a^2*b - b^3)*d^3*e^2 - 2*(a^2*b - b^3)*c*d^2*e*f + (a^2*b - b^3)*c^2*d*f^2)*\sin(fx + e) + (a^2*b*d^3*e^3 - 3a^2*b*c*d^2*e^2*f + 3a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3 + (a*b^2*d^3*e^3 - 3a*b^2*c*d^2*e^2*f + 3a*b^2*c^2*d*e*f^2 - a*b^2*c^3*f^3)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(fx + e) + 2I*b*\sin(fx + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2I*a) - 2*(3*(a^3 - a*b^2)*d^3*e^2 - 6*(a^3 - a*b^2)*c*d^2*e*f + 3*(a^3 - a*b^2)*c^2*d*f^2 + 3*((a^2*b - b^3)*d^3*e^2 - 2*(a^2*b - b^3)*c*d^2*e*f + (a^2*b - b^3)*c^2*d*f^2)*\sin(fx + e) - (a^2*b*d^3*e^3 - 3a^2*b*c*d^2*e^2*f + 3a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3 + (a*b^2*d^3*e^3 - 3a*b^2*c*d^2*e^2*f + 3a*b^2*c^2*d*e*f^2 - a*b^2*c^3*f^3)*\sin(fx + e))\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(fx + e) - 2I*b*\sin(fx + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2I*a) - 2*(3*(a^3 - a*b^2)*d^3*f^2*x^2 + 6*(a^3 - a*b^2)*c*d^2*f^2*x - 3*(a^3 - a*b^2)*d^3*e^2 + 6*(a^3 - a*b^2)*c*d^2*e*f + 3*((a^2*b - b^3)*d^3*f^2*x^2
\end{aligned}$$

$$\begin{aligned}
& + 2*(a^2*b - b^3)*c*d^2*f^2*x - (a^2*b - b^3)*d^3*e^2 + 2*(a^2*b - b^3)*c*d^2*e*f)*\sin(f*x + e) - (a^2*b*d^3*f^3*x^3 + 3*a^2*b*c*d^2*f^3*x^2 + 3*a^2*b*c^2*d*f^3*x + a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 + (a*b^2*d^3*f^3*x^3 + 3*a*b^2*c*d^2*f^3*x^2 + 3*a*b^2*c^2*d*f^3*x + a*b^2*d^3*e^3 - 3*a*b^2*c*d^2*e^2*f + 3*a*b^2*c^2*d*e*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(3*(a^3 - a*b^2)*d^3*f^2*x^2 + 6*(a^3 - a*b^2)*c*d^2*f^2*x - 3*(a^3 - a*b^2)*d^3*e^2 + 6*(a^3 - a*b^2)*c*d^2*e*f + 3*((a^2*b - b^3)*d^3*f^2*x^2 + 2*(a^2*b - b^3)*c*d^2*f^2*x - (a^2*b - b^3)*d^3*e^2 + 2*(a^2*b - b^3)*c*d^2*e*f)*\sin(f*x + e) + (a^2*b*d^3*f^3*x^3 + 3*a^2*b*c*d^2*f^3*x^2 + 3*a^2*b*c^2*d*f^3*x + a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(3*(a^3 - a*b^2)*d^3*f^2*x^2 + 6*(a^3 - a*b^2)*c*d^2*f^2*x - 3*(a^3 - a*b^2)*d^3*e^2 + 6*(a^3 - a*b^2)*c*d^2*e*f + 3*((a^2*b - b^3)*d^3*f^2*x^2 + 2*(a^2*b - b^3)*c*d^2*f^2*x - (a^2*b - b^3)*d^3*e^2 + 2*(a^2*b - b^3)*c*d^2*e*f)*\sin(f*x + e) - (a^2*b*d^3*f^3*x^3 + 3*a^2*b*c*d^2*f^3*x^2 + 3*a^2*b*c^2*d*f^3*x + a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 + (a*b^2*d^3*f^3*x^3 + 3*a*b^2*c*d^2*f^3*x^2 + 3*a*b^2*c^2*d*f^3*x + a*b^2*d^3*e^3 - 3*a*b^2*c*d^2*e^2*f + 3*a*b^2*c^2*d*e*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(3*(a^3 - a*b^2)*d^3*f^2*x^2 + 6*(a^3 - a*b^2)*c*d^2*f^2*x - 3*(a^3 - a*b^2)*d^3*e^2 + 6*(a^3 - a*b^2)*c*d^2*e*f + 3*((a^2*b - b^3)*d^3*f^2*x^2 + 2*(a^2*b - b^3)*c*d^2*f^2*x - (a^2*b - b^3)*d^3*e^2 + 2*(a^2*b - b^3)*c*d^2*e*f)*\sin(f*x + e) + (a^2*b*d^3*f^3*x^3 + 3*a^2*b*c*d^2*f^3*x^2 + 3*a^2*b*c^2*d*f^3*x + a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 + (a*b^2*d^3*f^3*x^3 + 3*a*b^2*c*d^2*f^3*x^2 + 3*a*b^2*c^2*d*f^3*x + a*b^2*d^3*e^3 - 3*a*b^2*c*d^2*e^2*f + 3*a*b^2*c^2*d*e*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 12*((a^2*b - b^3)*d^3*\sin(f*x + e) + (a^3 - a*b^2)*d^3 + (a^2*b*d^3*f*x + a^2*b*c*d^2*f + (a*b^2*d^3*f*x + a*b^2*c*d^2*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2}))/b) - 12*((a^2*b - b^3)*d^3*\sin(f*x + e) + (a^3 - a*b^2)*d^3 - (a^2*b*d^3*f*x + a^2*b*c*d^2*f + (a*b^2*d^3*f*x + a*b^2*c*d^2*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2}))/b) - 12*((a^2*b - b^3)*d^3*\sin(f*x + e) + (a^3 - a*b^2)*d^3 + (a^2*b*d^3*f*x + a^2*b*c*d^2*f + (a*b^2*d^3*f*x + a*b^2*c*d^2*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2}))/b) - 12*((a^2*b - b^3)*d^3*\sin(f*x + e) + (a^3 - a*b^2)*d^3 - (a^2*b*d^3*f*x + a^2*b*c*d^2*f + (a*b^2*d^3*f*x + a*b^2*c*d^2*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2}))/b))/((a^4*b - 2*a^2*b^3 + b^5)*f^4*\sin(f*x + e) + (a^5 - 2*a^3*b^2 + a*b^4)*f^4)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^3}{(b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^3/(b*sin(f*x + e) + a)^2, x)

$$3.169 \quad \int \frac{(c+dx)^2}{(a+b \sin(e+fx))^2} dx$$

Optimal. Leaf size=671

$$-\frac{2ad(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{2ad(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{2id^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3(a^2-b^2)} + \frac{2id^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3(a^2)}$$

[Out] (I*(c + d*x)^2)/((a^2 - b^2)*f) - (2*d*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^2) - (I*a*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f) - (2*d*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^2) + (I*a*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f) + ((2*I)*d^2*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^3) - (2*a*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^2) + ((2*I)*d^2*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^3) + (2*a*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^2) - ((2*I)*a*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^3) + ((2*I)*a*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^3) + (b*(c + d*x)^2*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))

Rubi [A] time = 1.20514, antiderivative size = 671, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {3324, 3323, 2264, 2190, 2531, 2282, 6589, 4519, 2279, 2391}

$$-\frac{2ad(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{2ad(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{2id^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^3(a^2-b^2)} + \frac{2id^2\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^3(a^2)}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2/(a + b*Sin[e + f*x])^2, x]

[Out] (I*(c + d*x)^2)/((a^2 - b^2)*f) - (2*d*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^2) - (I*a*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f) - (2*d*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^2) + (I*a*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f) + ((2*I)*d^2*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^3) - (2*a*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^2) + ((2*I)*d^2*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)*f^3) + (2*a*d*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^2) - ((2*I)*a*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))]/(a - Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^3) + ((2*I)*a*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]))/((a^2 - b^2)^(3/2)*f^3) + (b*(c + d*x)^2*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))

Rule 3324

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a

+ b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3323

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_.)))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(c+dx)^2}{(a+b\sin(e+fx))^2} dx &= \frac{b(c+dx)^2 \cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{a \int \frac{(c+dx)^2}{a+b\sin(e+fx)} dx}{a^2-b^2} - \frac{(2bd) \int \frac{(c+dx) \cos(e+fx)}{a+b\sin(e+fx)} dx}{(a^2-b^2)f} \\ &= \frac{i(c+dx)^2}{(a^2-b^2)f} + \frac{b(c+dx)^2 \cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{(2a) \int \frac{e^{i(e+fx)}(c+dx)^2}{ib+2ae^{i(e+fx)}-ibe^{2i(e+fx)}} dx}{a^2-b^2} - \frac{(2bd) \int \frac{e^{i(e+fx)}}{a-\sqrt{a^2-b^2}} dx}{(a^2-b^2)f} \\ &= \frac{i(c+dx)^2}{(a^2-b^2)f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} + \frac{b(c+dx)^2}{(a^2-b^2)f(a+b\sin(e+fx))} \\ &= \frac{i(c+dx)^2}{(a^2-b^2)f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \\ &= \frac{i(c+dx)^2}{(a^2-b^2)f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \\ &= \frac{i(c+dx)^2}{(a^2-b^2)f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} - \frac{ia(c+dx)^2 \log\left(1 - \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{2d(c+dx) \log\left(1 - \frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)f^2} \end{aligned}$$

Mathematica [A] time = 1.67465, size = 530, normalized size = 0.79

$$\frac{ia\left(-2idf(c+dx)\text{PolyLog}\left(2, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a}\right)+2idf(c+dx)\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)+2d^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)-2d^2\text{PolyLog}\left(3, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)+f^2(c+dx)^2 \log\left(1+\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}}\right)\right)}{\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2/(a + b*Sin[e + f*x])^2, x]
```

```
[Out] (I*f^2*(c + d*x)^2 - 2*d*f*(c + d*x)*Log[1 + (I*b*E^(I*(e + f*x)))]/(-a + Sqrt[a^2 - b^2])) - 2*d*f*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]) + (2*I)*d^2*PolyLog[2, ((-I)*b*E^(I*(e + f*x)))]/(-a + Sqrt[a^2 - b^2]) + (2*I)*d^2*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2]) - (I*a*(f^2*(c + d*x)^2*Log[1 + (I*b*E^(I*(e + f*x)))]/(-a + Sqrt[a^2 - b^2]) - f^2*(c + d*x)^2*Log[1 - (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2])) - (2*I)*d*f*(c + d*x)*PolyLog[2, ((-I)*b*E^(I*(e + f*x)))]/(-a + Sqrt[a^2 - b^2]) + (2*I)*d*f*(c + d*x)*PolyLog[2, (I*b*E^(I*(e + f*x)))]/(a + Sqrt[a^2 - b^2])
```


$$2 - b^2]] + 2*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2]]) - 2*d^2*PolyLog[3, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2]])]/Sqrt[a^2 - b^2] + (b*f^2*(c + d*x)^2*Cos[e + f*x])/(a + b*Sin[e + f*x])/((a^2 - b^2)*f^3)$$

Maple [F] time = 1.273, size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{(a + b \sin(fx + e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a+b*sin(f*x+e))^2,x)

[Out] int((d*x+c)^2/(a+b*sin(f*x+e))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 4.36677, size = 7017, normalized size = 10.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out]
$$-1/4*(4*(a*b^2*d^2*\sin(f*x + e) + a^2*b*d^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*(a*b^2*d^2*\sin(f*x + e) + a^2*b*d^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})/b) + 4*(a*b^2*d^2*\sin(f*x + e) + a^2*b*d^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*(a*b^2*d^2*\sin(f*x + e) + a^2*b*d^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(-2*I*a*\cos(f*x + e) - 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*((a^2*b - b^3)*d^2*f^2*x^2 + 2*(a^2*b - b^3)*c*d*f^2*x + (a^2*b - b^3)*c^2*f^2)*\cos(f*x + e) - (-4*I*(a^2*b - b^3)*d^2*\sin(f*x + e) - 4*I*(a^3 - a*b^2)*d^2 + 2*(2*I*a^2*b*d^2*f*x + 2*I*a^2*b*c*d*f + (2*I*a*b^2*d^2*f*x + 2*I*a*b^2*c*d*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (-4*I*(a^2*b - b^3)*d^2*\sin(f*x + e) - 4*I*(a^3 - a*b^2)*d^2 + 2*(-2*I*a^2*b*d^2*f*x - 2*I*a^2*b*c*d*f + (-2*I*a*b^2*d^2*$$

$$\begin{aligned}
& f*x - 2*I*a*b^2*c*d*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e)) \\
& *\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (4*I*(a^2*b - b^3)*d^2*\sin(f*x + e) \\
& + 4*I*(a^3 - a*b^2)*d^2 + 2*(-2*I*a^2*b*d^2*f*x - 2*I*a^2*b*c*d*f + (-2*I* \\
& a*b^2*d^2*f*x - 2*I*a*b^2*c*d*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilo} \\
& g(-1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin \\
& (f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (4*I*(a^2*b - b^3)*d^2*s \\
& in(f*x + e) + 4*I*(a^3 - a*b^2)*d^2 + 2*(2*I*a^2*b*d^2*f*x + 2*I*a^2*b*c*d* \\
& f + (2*I*a*b^2*d^2*f*x + 2*I*a*b^2*c*d*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b \\
& ^2})*\operatorname{dilog}(-1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) \\
& + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(2*(a^3 - a*b \\
& ^2)*d^2*e - 2*(a^3 - a*b^2)*c*d*f + 2*((a^2*b - b^3)*d^2*e - (a^2*b - b^3)* \\
& c*d*f)*\sin(f*x + e) + (a^2*b*d^2*e^2 - 2*a^2*b*c*d*e*f + a^2*b*c^2*f^2 + (a \\
& *b^2*d^2*e^2 - 2*a*b^2*c*d*e*f + a*b^2*c^2*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - \\
& b^2)/b^2})*\log(2*b*\cos(f*x + e) + 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2) \\
&)/b^2} + 2*I*a) - 2*(2*(a^3 - a*b^2)*d^2*e - 2*(a^3 - a*b^2)*c*d*f + 2*((a^ \\
& 2*b - b^3)*d^2*e - (a^2*b - b^3)*c*d*f)*\sin(f*x + e) + (a^2*b*d^2*e^2 - 2*a \\
& ^2*b*c*d*e*f + a^2*b*c^2*f^2 + (a*b^2*d^2*e^2 - 2*a*b^2*c*d*e*f + a*b^2*c^2 \\
& *f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(f*x + e) - 2*I*b*\sin \\
& (f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(2*(a^3 - a*b^2)*d^2*e \\
& - 2*(a^3 - a*b^2)*c*d*f + 2*((a^2*b - b^3)*d^2*e - (a^2*b - b^3)*c*d*f)*\sin \\
& (f*x + e) - (a^2*b*d^2*e^2 - 2*a^2*b*c*d*e*f + a^2*b*c^2*f^2 + (a*b^2*d^2* \\
& e^2 - 2*a*b^2*c*d*e*f + a*b^2*c^2*f^2)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} \\
&)*\log(-2*b*\cos(f*x + e) + 2*I*b*\sin(f*x + e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + \\
& 2*I*a) - 2*(2*(a^3 - a*b^2)*d^2*e - 2*(a^3 - a*b^2)*c*d*f + 2*((a^2*b - b^ \\
& 3)*d^2*e - (a^2*b - b^3)*c*d*f)*\sin(f*x + e) - (a^2*b*d^2*e^2 - 2*a^2*b*c*d \\
& *e*f + a^2*b*c^2*f^2 + (a*b^2*d^2*e^2 - 2*a*b^2*c*d*e*f + a*b^2*c^2*f^2)*\sin \\
& (f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(f*x + e) - 2*I*b*\sin(f*x + \\
& e) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*(2*(a^3 - a*b^2)*d^2*f*x + 2* \\
& (a^3 - a*b^2)*d^2*e + 2*((a^2*b - b^3)*d^2*f*x + (a^2*b - b^3)*d^2*e)*\sin(f \\
& *x + e) - (a^2*b*d^2*f^2*x^2 + 2*a^2*b*c*d*f^2*x - a^2*b*d^2*e^2 + 2*a^2*b* \\
& c*d*e*f + (a*b^2*d^2*f^2*x^2 + 2*a*b^2*c*d*f^2*x - a*b^2*d^2*e^2 + 2*a*b^2* \\
& c*d*e*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(f*x + e) \\
& + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2) \\
&)/b^2} + 2*b)/b) + 2*(2*(a^3 - a*b^2)*d^2*f*x + 2*(a^3 - a*b^2)*d^2*e + 2*(\\
& (a^2*b - b^3)*d^2*f*x + (a^2*b - b^3)*d^2*e)*\sin(f*x + e) + (a^2*b*d^2*f^2* \\
& x^2 + 2*a^2*b*c*d*f^2*x - a^2*b*d^2*e^2 + 2*a^2*b*c*d*e*f + (a*b^2*d^2*f^2* \\
& x^2 + 2*a*b^2*c*d*f^2*x - a*b^2*d^2*e^2 + 2*a*b^2*c*d*e*f)*\sin(f*x + e))*\sq \\
& rt(-a^2 - b^2)/b^2))*\log(1/2*(2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) - 2*(b \\
& *\cos(f*x + e) - I*b*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(2*(\\
& a^3 - a*b^2)*d^2*f*x + 2*(a^3 - a*b^2)*d^2*e + 2*((a^2*b - b^3)*d^2*f*x + (\\
& a^2*b - b^3)*d^2*e)*\sin(f*x + e) - (a^2*b*d^2*f^2*x^2 + 2*a^2*b*c*d*f^2*x - \\
& a^2*b*d^2*e^2 + 2*a^2*b*c*d*e*f + (a*b^2*d^2*f^2*x^2 + 2*a*b^2*c*d*f^2*x - \\
& a*b^2*d^2*e^2 + 2*a*b^2*c*d*e*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log \\
& (1/2*(-2*I*a*\cos(f*x + e) + 2*a*\sin(f*x + e) + 2*(b*\cos(f*x + e) + I*b*\sin(\\
& f*x + e))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(2*(a^3 - a*b^2)*d^2*f*x + 2 \\
& *(a^3 - a*b^2)*d^2*e + 2*((a^2*b - b^3)*d^2*f*x + (a^2*b - b^3)*d^2*e)*\sin(\\
& f*x + e) + (a^2*b*d^2*f^2*x^2 + 2*a^2*b*c*d*f^2*x - a^2*b*d^2*e^2 + 2*a^2*b \\
& *c*d*e*f + (a*b^2*d^2*f^2*x^2 + 2*a*b^2*c*d*f^2*x - a*b^2*d^2*e^2 + 2*a*b^2 \\
& *c*d*e*f)*\sin(f*x + e))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(f*x + e) \\
&) + 2*a*\sin(f*x + e) - 2*(b*\cos(f*x + e) + I*b*\sin(f*x + e))*\sqrt{-(a^2 - b \\
& ^2)/b^2} + 2*b)/b)/((a^4*b - 2*a^2*b^3 + b^5)*f^3*\sin(f*x + e) + (a^5 - 2* \\
& a^3*b^2 + a*b^4)*f^3)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^2}{(b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/(b*sin(f*x + e) + a)^2, x)

3.170 $\int \frac{c+dx}{(a+b \sin(e+fx))^2} dx$

Optimal. Leaf size=305

$$-\frac{adPolyLog\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{adPolyLog\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2(a^2-b^2)^{3/2}} - \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f(a^2-b^2)^{3/2}} + \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f(a^2-b^2)^{3/2}} +$$

```
[Out] ((-I)*a*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f) + (I*a*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f) - (d*Log[a + b*Sin[e + f*x]]/((a^2 - b^2)*f^2) - (a*d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f^2) + (a*d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f^2) + (b*(c + d*x)*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))
```

Rubi [A] time = 0.550363, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3324, 3323, 2264, 2190, 2279, 2391, 2668, 31}

$$-\frac{adPolyLog\left(2, \frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f^2(a^2-b^2)^{3/2}} + \frac{adPolyLog\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f^2(a^2-b^2)^{3/2}} - \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{f(a^2-b^2)^{3/2}} + \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)}{f(a^2-b^2)^{3/2}} +$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)/(a + b*Sin[e + f*x])^2, x]
```

```
[Out] ((-I)*a*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f) + (I*a*(c + d*x)*Log[1 - (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f) - (d*Log[a + b*Sin[e + f*x]]/((a^2 - b^2)*f^2) - (a*d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f^2) + (a*d*PolyLog[2, (I*b*E^(I*(e + f*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*f^2) + (b*(c + d*x)*Cos[e + f*x])/((a^2 - b^2)*f*(a + b*Sin[e + f*x]))
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x]/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a + b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*(e + f*x))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.)/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
```

$((f + g*x)^m * F^u) / (b - q + 2*c * F^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m * F^u / (b + q + 2*c * F^u), x], x]] /;$ FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

$\text{Int}[\frac{((F_{-})^{(g_{-}) * (e_{-}) + (f_{-}) * (x_{-}))})^{(n_{-})} * ((c_{-}) + (d_{-}) * (x_{-}))^{(m_{-})}}{((a_{-}) + (b_{-}) * (F_{-})^{(g_{-}) * (e_{-}) + (f_{-}) * (x_{-}))})^{(n_{-})}}, x_Symbol] := \text{Simp}[\frac{(c + d*x)^m * \text{Log}[1 + (b * (F^{(g*(e + f*x)))^n) / a]}]{(b * f * g * n * \text{Log}[F])}, x] - \text{Dist}[(d * m) / (b * f * g * n * \text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)} * \text{Log}[1 + (b * (F^{(g*(e + f*x)))^n) / a}], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

$\text{Int}[\text{Log}[(a_{-}) + (b_{-}) * ((F_{-})^{(e_{-}) * ((c_{-}) + (d_{-}) * (x_{-}))})^{(n_{-})}], x_Symbol] := \text{Dist}[1 / (d * e * n * \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x] / x, x], x, (F^{(e * (c + d*x))})^n], x] /;$ FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

$\text{Int}[\text{Log}[(c_{-}) * ((d_{-}) + (e_{-}) * (x_{-})^{(n_{-})})] / (x_{-}), x_Symbol] := -\text{Simp}[\text{PolyLog}[2, -(c * e * x^n)] / n, x] /;$ FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2668

$\text{Int}[\cos[(e_{-}) + (f_{-}) * (x_{-})]^{(p_{-})} * ((a_{-}) + (b_{-}) * \sin[(e_{-}) + (f_{-}) * (x_{-})])^{(m_{-})}, x_Symbol] := \text{Dist}[1 / (b^p * f), \text{Subst}[\text{Int}[(a + x)^m * (b^2 - x^2)^{(p - 1) / 2}, x], x, b * \sin[e + f*x]], x] /;$ FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1) / 2] && NeQ[a^2 - b^2, 0]

Rule 31

$\text{Int}[\frac{((a_{-}) + (b_{-}) * (x_{-}))^{(-1)}}{b}, x_Symbol] := \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]] / b, x] /;$ FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned}
\int \frac{c+dx}{(a+b\sin(e+fx))^2} dx &= \frac{b(c+dx)\cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{a\int \frac{c+dx}{a+b\sin(e+fx)} dx}{a^2-b^2} - \frac{(bd)\int \frac{\cos(e+fx)}{a+b\sin(e+fx)} dx}{(a^2-b^2)f} \\
&= \frac{b(c+dx)\cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} + \frac{(2a)\int \frac{e^{i(e+fx)}(c+dx)}{ib+2ae^{i(e+fx)}-ibe^{2i(e+fx)}} dx}{a^2-b^2} - \frac{d\text{Subst}\left(\int \frac{1}{a+x} dx, x, b\sin(e+fx)\right)}{(a^2-b^2)f^2} \\
&= -\frac{d\log(a+b\sin(e+fx))}{(a^2-b^2)f^2} + \frac{b(c+dx)\cos(e+fx)}{(a^2-b^2)f(a+b\sin(e+fx))} - \frac{(2iab)\int \frac{e^{i(e+fx)}(c+dx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(e+fx)}} dx}{(a^2-b^2)^{3/2}} \\
&= -\frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} + \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{d\log(a+b\sin(e+fx))}{(a^2-b^2)f^2} + \dots \\
&= -\frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} + \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{d\log(a+b\sin(e+fx))}{(a^2-b^2)f^2} + \dots \\
&= -\frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} + \frac{ia(c+dx)\log\left(1-\frac{ibe^{i(e+fx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}f} - \frac{d\log(a+b\sin(e+fx))}{(a^2-b^2)f^2} - \dots
\end{aligned}$$

Mathematica [A] time = 0.988389, size = 236, normalized size = 0.77

$$\frac{a\left(-d\text{PolyLog}\left(2, -\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a}\right) + d\text{PolyLog}\left(2, \frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right) - if(c+dx)\left(\log\left(1+\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}-a}\right) - \log\left(1-\frac{ibe^{i(e+fx)}}{\sqrt{a^2-b^2}+a}\right)\right)\right)}{\sqrt{a^2-b^2}} + \frac{bf(c+dx)\cos(e+fx)}{a+b\sin(e+fx)} - d\log(a+b\sin(e+fx))}{f^2(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + b*Sin[e + f*x])^2, x]

[Out] $(-(d*\text{Log}[a + b*\text{Sin}[e + f*x]]) + (a*((-I)*f*(c + d*x)*(\text{Log}[1 + (I*b*E^{(I*(e + f*x))})/(-a + \text{Sqrt}[a^2 - b^2])]) - \text{Log}[1 - (I*b*E^{(I*(e + f*x))})/(a + \text{Sqrt}[a^2 - b^2])]) - d*\text{PolyLog}[2, ((-I)*b*E^{(I*(e + f*x))})/(-a + \text{Sqrt}[a^2 - b^2])] + d*\text{PolyLog}[2, (I*b*E^{(I*(e + f*x))})/(a + \text{Sqrt}[a^2 - b^2])]))/\text{Sqrt}[a^2 - b^2] + (b*f*(c + d*x)*\text{Cos}[e + f*x])/(a + b*\text{Sin}[e + f*x]))/(a^2 - b^2)*f^2$

Maple [B] time = 0.789, size = 641, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+b*sin(f*x+e))^2, x)

[Out] $2*(d*x+c)*(I*b+a*\exp(I*(f*x+e)))/f/(a^2-b^2)/(b*\exp(2*I*(f*x+e))-b+2*I*a*\exp(I*(f*x+e))-2/f^2/(-a^2+b^2)*d*\ln(\exp(I*(f*x+e)))+1/f^2/(-a^2+b^2)*d*\ln(I*\exp(2*I*(f*x+e))*b-I*b-2*a*\exp(I*(f*x+e)))+I/f^2/(-a^2+b^2)^{(3/2)}*d*a*dilog(((-I*a-b*\exp(I*(f*x+e)))+(-a^2+b^2)^{(1/2)})/(-I*a+(-a^2+b^2)^{(1/2)}))-I/f^2/(-a^2+b^2)^{(3/2)}*d*a*dilog((I*a+b*\exp(I*(f*x+e)))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))+1/f/(-a^2+b^2)^{(3/2)}*d*a*\ln((I*a+b*\exp(I*(f*x+e)))+(-a^2+b^2))$

$$\begin{aligned} & \frac{1}{2} \left(\frac{1}{Ia + (-a^2 + b^2)^{1/2}} \right) * x + \frac{1}{f^2} \frac{1}{(-a^2 + b^2)^{3/2}} * d * a * \ln \left(\frac{Ia + b * \exp(I * (f * x + e)) + (-a^2 + b^2)^{1/2}}{Ia + (-a^2 + b^2)^{1/2}} \right) * e - \frac{1}{f^2} \frac{1}{(-a^2 + b^2)^{3/2}} \\ & * d * a * \ln \left(\frac{-Ia - b * \exp(I * (f * x + e)) + (-a^2 + b^2)^{1/2}}{-Ia + (-a^2 + b^2)^{1/2}} \right) * x - \frac{1}{f^2} \frac{1}{(-a^2 + b^2)^{3/2}} * d * a * \ln \left(\frac{-Ia - b * \exp(I * (f * x + e)) + (-a^2 + b^2)^{1/2}}{-Ia + (-a^2 + b^2)^{1/2}} \right) \\ & * e - \frac{2 * I}{f} \frac{1}{(-a^2 + b^2)^{3/2}} * a * c * \arctan \left(\frac{1/2 * (2 * I * b * \exp(I * (f * x + e)) - 2 * a)}{(-a^2 + b^2)^{1/2}} \right) + \frac{2 * I}{f^2} \frac{1}{(-a^2 + b^2)^{3/2}} * a * d * e * \arctan \left(\frac{1/2 * (2 * I * b * \exp(I * (f * x + e)) - 2 * a)}{(-a^2 + b^2)^{1/2}} \right) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.46769, size = 3549, normalized size = 11.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & \frac{1}{2} * \left(\frac{Ia * b^2 * d * \sin(f * x + e) + Ia^2 * b * d}{\sqrt{-a^2 - b^2}} * \operatorname{dilog} \left(\frac{-1/2 * (2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) + 2 * (b * \cos(f * x + e) - Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b + 1} \right) \right. \\ & + \left(\frac{-Ia * b^2 * d * \sin(f * x + e) - Ia^2 * b * d}{\sqrt{-a^2 - b^2}} * \operatorname{dilog} \left(\frac{-1/2 * (2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) - 2 * (b * \cos(f * x + e) - Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b + 1} \right) \right. \\ & + \left(\frac{-Ia * b^2 * d * \sin(f * x + e) - Ia^2 * b * d}{\sqrt{-a^2 - b^2}} * \operatorname{dilog} \left(\frac{-1/2 * (-2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) + 2 * (b * \cos(f * x + e) + Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b + 1} \right) \right. \\ & + \left(\frac{Ia * b^2 * d * \sin(f * x + e) + Ia^2 * b * d}{\sqrt{-a^2 - b^2}} * \operatorname{dilog} \left(\frac{-1/2 * (-2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) - 2 * (b * \cos(f * x + e) + Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b + 1} \right) \right. \\ & + (a^2 * b * d * f * x + a^2 * b * d * e + (a * b^2 * d * f * x + a * b^2 * d * e) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} * \log \left(\frac{1/2 * (2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) + 2 * (b * \cos(f * x + e) - Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b} \right) \\ & - (a^2 * b * d * f * x + a^2 * b * d * e + (a * b^2 * d * f * x + a * b^2 * d * e) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} * \log \left(\frac{1/2 * (2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) - 2 * (b * \cos(f * x + e) - Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b} \right) \\ & + (a^2 * b * d * f * x + a^2 * b * d * e + (a * b^2 * d * f * x + a * b^2 * d * e) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} * \log \left(\frac{1/2 * (-2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) + 2 * (b * \cos(f * x + e) + Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b} \right) \\ & - (a^2 * b * d * f * x + a^2 * b * d * e + (a * b^2 * d * f * x + a * b^2 * d * e) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} * \log \left(\frac{1/2 * (-2 * Ia * \cos(f * x + e) + 2 * a * \sin(f * x + e) - 2 * (b * \cos(f * x + e) + Ib * \sin(f * x + e))) * \sqrt{-a^2 - b^2} + 2 * b}{b} \right) \\ & + 2 * ((a^2 * b - b^3) * d * f * x + (a^2 * b - b^3) * c * f) * \cos(f * x + e) - ((a^2 * b - b^3) * d * \sin(f * x + e) + (a^3 - a * b^2) * d + (a^2 * b * d * e - a^2 * b * c * f + (a * b^2 * d * e - a * b^2 * c * f) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} / b^2) \\ & * \log(2 * b * \cos(f * x + e) + 2 * Ib * \sin(f * x + e) + 2 * b * \sqrt{-a^2 - b^2} / b^2) + 2 * Ia * a - ((a^2 * b - b^3) * d * \sin(f * x + e) + (a^3 - a * b^2) * d + (a^2 * b * d * e - a^2 * b * c * f + (a * b^2 * d * e - a * b^2 * c * f) * \sin(f * x + e)) * \sqrt{-a^2 - b^2} / b^2) \\ & * \log(2 * b * \cos(f * x + e) - 2 * Ib * \sin(f * x + e) + 2 * b * \sqrt{-a^2 - b^2} / b^2) - 2 * Ia * a - ((a^2 * b - b^3) * d * \sin(f * x + e) + (a^3 - a * b^2) * d - (a^2 * b * d * e - \end{aligned}$$

$$a^2 b c f + (a b^2 d e - a b^2 c f) \sin(f x + e) \sqrt{-(a^2 - b^2)/b^2} \log(-2 b \cos(f x + e) + 2 I b \sin(f x + e) + 2 b \sqrt{-(a^2 - b^2)/b^2} + 2 I a) - ((a^2 b - b^3) d \sin(f x + e) + (a^3 - a b^2) d - (a^2 b d e - a^2 b c f + (a b^2 d e - a b^2 c f) \sin(f x + e)) \sqrt{-(a^2 - b^2)/b^2}) \log(-2 b \cos(f x + e) - 2 I b \sin(f x + e) + 2 b \sqrt{-(a^2 - b^2)/b^2} - 2 I a) / ((a^4 b - 2 a^2 b^3 + b^5) f^2 \sin(f x + e) + (a^5 - 2 a^3 b^2 + a b^4) f^2)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{dx + c}{(b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)/(b*sin(f*x + e) + a)^2, x)

$$3.171 \quad \int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)(a+b \sin(e+fx))^2}, x\right)$$

[Out] Unintegrable[1/((c + d*x)*(a + b*Sin[e + f*x])^2), x]

Rubi [A] time = 0.0592222, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a + b*Sin[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)*(a + b*Sin[e + f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx$$

Mathematica [A] time = 32.7934, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a + b*Sin[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)*(a + b*Sin[e + f*x])^2), x]

Maple [A] time = 3.118, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(a+b \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+b*sin(f*x+e))^2, x)

[Out] int(1/(d*x+c)/(a+b*sin(f*x+e))^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $(2*a*b*\cos(2*f*x + 2*e)*\cos(f*x + e) + 2*a*b*\cos(f*x + e) - ((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f + ((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f + 2*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\sin(f*x + e))*\integrate(-2*(a*b*d*\cos(f*x + e) + 2*(a^2*d*f*x + a^2*c*f)*\cos(f*x + e)^2 + 2*(a^2*d*f*x + a^2*c*f)*\sin(f*x + e)^2 + (a*b*d*\cos(f*x + e) - (a*b*d*f*x + a*b*c*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + (a*b*d*\sin(f*x + e) + b^2*d + (a*b*d*f*x + a*b*c*f)*\cos(f*x + e))*\sin(2*f*x + 2*e) + (a*b*d*f*x + a*b*c*f)*\sin(f*x + e))/((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + 2*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e)), x) + 2*(a*b*\sin(f*x + e) + b^2)*\sin(2*f*x + 2*e))/((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f + ((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f + 2*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*\sin(f*x + e))$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(a^2 + b^2)dx - (b^2dx + b^2c) \cos(fx + e)^2 + (a^2 + b^2)c + 2(abdx + abc) \sin(fx + e)}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/((a^2 + b^2)*d*x - (b^2*d*x + b^2*c)*cos(f*x + e)^2 + (a^2 + b^2)*c + 2*(a*b*d*x + a*b*c)*sin(f*x + e)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)(b \sin(fx+e)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(b*sin(f*x + e) + a)^2), x)

$$3.172 \quad \int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{1}{(c+dx)^2(a+b \sin(e+fx))^2}, x\right)$$

[Out] Unintegrable[1/((c + d*x)^2*(a + b*Sin[e + f*x])^2), x]

Rubi [A] time = 0.0568414, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + b*Sin[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + b*Sin[e + f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx$$

Mathematica [A] time = 94.2385, size = 0, normalized size = 0.

$$\int \frac{1}{(c+dx)^2(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + b*Sin[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)^2*(a + b*Sin[e + f*x])^2), x]

Maple [A] time = 5.75, size = 0, normalized size = 0.

$$\int \frac{1}{(dx+c)^2(a+b \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+b*sin(f*x+e))^2, x)

[Out] int(1/(d*x+c)^2/(a+b*sin(f*x+e))^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] $(2*a*b*\cos(2*f*x + 2*e)*\cos(f*x + e) + 2*a*b*\cos(f*x + e) - ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + 2*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e))*\int(-2*(2*a*b*d*\cos(f*x + e) + 2*(a^2*d*f*x + a^2*c*f)*\cos(f*x + e)^2 + 2*(a^2*d*f*x + a^2*c*f)*\sin(f*x + e)^2 + (2*a*b*d*\cos(f*x + e) - (a*b*d*f*x + a*b*c*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + (2*a*b*d*\sin(f*x + e) + 2*b^2*d + (a*b*d*f*x + a*b*c*f)*\cos(f*x + e))*\sin(2*f*x + 2*e) + (a*b*d*f*x + a*b*c*f)*\sin(f*x + e))/((a^2*b^2 - b^4)*d^3*f*x^3 + 3*(a^2*b^2 - b^4)*c*d^2*f*x^2 + 3*(a^2*b^2 - b^4)*c^2*d*f*x + (a^2*b^2 - b^4)*c^3*f + ((a^2*b^2 - b^4)*d^3*f*x^3 + 3*(a^2*b^2 - b^4)*c*d^2*f*x^2 + 3*(a^2*b^2 - b^4)*c^2*d*f*x + (a^2*b^2 - b^4)*c^3*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^3*f*x^3 + 3*(a^4 - a^2*b^2)*c*d^2*f*x^2 + 3*(a^4 - a^2*b^2)*c^2*d*f*x + (a^4 - a^2*b^2)*c^3*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d^3*f*x^3 + 3*(a^3*b - a*b^3)*c*d^2*f*x^2 + 3*(a^3*b - a*b^3)*c^2*d*f*x + (a^3*b - a*b^3)*c^3*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d^3*f*x^3 + 3*(a^2*b^2 - b^4)*c*d^2*f*x^2 + 3*(a^2*b^2 - b^4)*c^2*d*f*x + (a^2*b^2 - b^4)*c^3*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^3*f*x^3 + 3*(a^4 - a^2*b^2)*c*d^2*f*x^2 + 3*(a^4 - a^2*b^2)*c^2*d*f*x + (a^4 - a^2*b^2)*c^3*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d^3*f*x^3 + 3*(a^2*b^2 - b^4)*c*d^2*f*x^2 + 3*(a^2*b^2 - b^4)*c^2*d*f*x + (a^2*b^2 - b^4)*c^3*f + 2*((a^3*b - a*b^3)*d^3*f*x^3 + 3*(a^3*b - a*b^3)*c*d^2*f*x^2 + 3*(a^3*b - a*b^3)*c^2*d*f*x + (a^3*b - a*b^3)*c^3*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d^3*f*x^3 + 3*(a^3*b - a*b^3)*c*d^2*f*x^2 + 3*(a^3*b - a*b^3)*c^2*d*f*x + (a^3*b - a*b^3)*c^3*f)*\sin(f*x + e)), x) + 2*(a*b*\sin(f*x + e) + b^2)*\sin(2*f*x + 2*e))/((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\cos(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\cos(f*x + e)^2 + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\cos(f*x + e)*\sin(2*f*x + 2*e) + ((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f)*\sin(2*f*x + 2*e)^2 + 4*((a^4 - a^2*b^2)*d^2*f*x^2 + 2*(a^4 - a^2*b^2)*c*d*f*x + (a^4 - a^2*b^2)*c^2*f)*\sin(f*x + e)^2 - 2*((a^2*b^2 - b^4)*d^2*f*x^2 + 2*(a^2*b^2 - b^4)*c*d*f*x + (a^2*b^2 - b^4)*c^2*f + 2*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e))*\cos(2*f*x + 2*e) + 4*((a^3*b - a*b^3)*d^2*f*x^2 + 2*(a^3*b - a*b^3)*c*d*f*x + (a^3*b - a*b^3)*c^2*f)*\sin(f*x + e))$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{1}{(a^2 + b^2)d^2x^2 + 2(a^2 + b^2)cdx + (a^2 + b^2)c^2 - (b^2d^2x^2 + 2b^2cdx + b^2c^2)\cos(fx + e)^2 + 2(abd^2x^2 + 2abcdx + a^2b^2c^2)\sin(fx + e)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/((a^2 + b^2)*d^2*x^2 + 2*(a^2 + b^2)*c*d*x + (a^2 + b^2)*c^2 - (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos(f*x + e)^2 + 2*(a*b*d^2*x^2 + 2*a*b*c*d*x + a*b*c^2)*sin(f*x + e)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{1}{(dx + c)^2 (b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(b*sin(f*x + e) + a)^2), x)

3.173 $\int (c + dx)^m (a + b \sin(e + fx))^n dx$

Optimal. Leaf size=22

$$\text{Unintegrable}((c + dx)^m (a + b \sin(e + fx))^n, x)$$

[Out] Unintegrable[(c + d*x)^m*(a + b*Sin[e + f*x])^n, x]

Rubi [A] time = 0.0510695, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int (c + dx)^m (a + b \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*(a + b*Sin[e + f*x])^n, x]

[Out] Defer[Int][(c + d*x)^m*(a + b*Sin[e + f*x])^n, x]

Rubi steps

$$\int (c + dx)^m (a + b \sin(e + fx))^n dx = \int (c + dx)^m (a + b \sin(e + fx))^n dx$$

Mathematica [A] time = 0.933121, size = 0, normalized size = 0.

$$\int (c + dx)^m (a + b \sin(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*(a + b*Sin[e + f*x])^n, x]

[Out] Integrate[(c + d*x)^m*(a + b*Sin[e + f*x])^n, x]

Maple [A] time = 0.375, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + b \sin(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+b*sin(f*x+e))^n, x)

[Out] int((d*x+c)^m*(a+b*sin(f*x+e))^n, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m (b \sin(fx + e) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*(b*sin(f*x + e) + a)^n, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((dx + c)^m(b \sin(fx + e) + a)^n, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^n,x, algorithm="fricas")

[Out] integral((d*x + c)^m*(b*sin(f*x + e) + a)^n, x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+b*sin(f*x+e))**n,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int (dx + c)^m(b \sin(fx + e) + a)^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^n,x, algorithm="giac")

[Out] integrate((d*x + c)^m*(b*sin(f*x + e) + a)^n, x)

3.174 $\int (c + dx)^m (a + b \sin(e + fx))^3 dx$

Optimal. Leaf size=607

$$\frac{3a^2be^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{3a^2be^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

```
[Out] (a^3*(c + d*x)^(1 + m))/(d*(1 + m)) + (3*a*b^2*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (3*a^2*b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*(((-I)*f*(c + d*x))/d)^m) - (3*b^3*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(8*f*(((-I)*f*(c + d*x))/d)^m) - (3*a^2*b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) - (3*b^3*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(8*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + ((3*I)*2^(-3 - m)*a*b^2*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((-I)*f*(c + d*x))/d)^m) - ((3*I)*2^(-3 - m)*a*b^2*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (3^(-1 - m)*b^3*E^((3*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-3*I)*f*(c + d*x))/d])/(8*f*(((-I)*f*(c + d*x))/d)^m) + (3^(-1 - m)*b^3*(c + d*x)^m*Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(8*E^((3*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rubi [A] time = 0.764204, antiderivative size = 607, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3317, 3308, 2181, 3312, 3307}

$$\frac{3a^2be^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{3a^2be^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^m*(a + b*Sin[e + f*x])^3,x]
```

```
[Out] (a^3*(c + d*x)^(1 + m))/(d*(1 + m)) + (3*a*b^2*(c + d*x)^(1 + m))/(2*d*(1 + m)) - (3*a^2*b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*(((-I)*f*(c + d*x))/d)^m) - (3*b^3*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(8*f*(((-I)*f*(c + d*x))/d)^m) - (3*a^2*b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) - (3*b^3*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(8*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + ((3*I)*2^(-3 - m)*a*b^2*E^((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*(((-I)*f*(c + d*x))/d)^m) - ((3*I)*2^(-3 - m)*a*b^2*(c + d*x)^m*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (3^(-1 - m)*b^3*E^((3*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-3*I)*f*(c + d*x))/d])/(8*f*(((-I)*f*(c + d*x))/d)^m) + (3^(-1 - m)*b^3*(c + d*x)^m*Gamma[1 + m, ((3*I)*f*(c + d*x))/d])/(8*E^((3*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x]
, x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^m (a + b \sin(e + fx))^3 dx &= \int (a^3(c + dx)^m + 3a^2b(c + dx)^m \sin(e + fx) + 3ab^2(c + dx)^m \sin^2(e + fx) + b^3(c + dx)^m \sin^3(e + fx)) dx \\
&= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + (3a^2b) \int (c + dx)^m \sin(e + fx) dx + (3ab^2) \int (c + dx)^m \sin^2(e + fx) dx + b^3 \int (c + dx)^m \sin^3(e + fx) dx \\
&= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + \frac{1}{2} (3ia^2b) \int e^{-i(e+fx)}(c + dx)^m dx - \frac{1}{2} (3ia^2b) \int e^{i(e+fx)}(c + dx)^m dx \\
&= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + \frac{3ab^2(c + dx)^{1+m}}{2d(1+m)} - \frac{3a^2be^{i\left(\frac{e-cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{2f} \\
&= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + \frac{3ab^2(c + dx)^{1+m}}{2d(1+m)} - \frac{3a^2be^{i\left(\frac{e-cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{2f} \\
&= \frac{a^3(c + dx)^{1+m}}{d(1+m)} + \frac{3ab^2(c + dx)^{1+m}}{2d(1+m)} - \frac{3a^2be^{i\left(\frac{e-cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{2f}
\end{aligned}$$

Mathematica [A] time = 5.65666, size = 415, normalized size = 0.68

$$i(c + dx)^m \left(9ib(4a^2 + b^2) e^{i\left(\frac{e-cf}{d}\right)} \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{if(c+dx)}{d}\right) + 9ib(4a^2 + b^2) e^{-i\left(\frac{e-cf}{d}\right)} \left(\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, \frac{if(c+dx)}{d}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^m*(a + b*Sin[e + f*x])^3,x]
```

```
[Out] ((I/24)*(c + d*x)^m*(((-12*I)*a*(2*a^2 + 3*b^2)*f*(c + d*x))/(d*(1 + m)) +
((9*I)*b*(4*a^2 + b^2)*E^(I*(e - (c*f)/d))*Gamma[1 + m, ((-I)*f*(c + d*x))/
d])/(((-I)*f*(c + d*x))/d)^m + ((9*I)*b*(4*a^2 + b^2)*Gamma[1 + m, (I*f*(c
+ d*x))/d])/E^(I*(e - (c*f)/d))*((I*f*(c + d*x))/d)^m + (9*a*b^2*E^((2*I)
*(e - (c*f)/d))*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(2^m*(((-I)*f*(c + d*
x))/d)^m) - (9*a*b^2*Gamma[1 + m, ((2*I)*f*(c + d*x))/d])/(2^m*E^((2*I)*(e
- (c*f)/d))*((I*f*(c + d*x))/d)^m) - (I*b^3*E^((3*I)*(e - (c*f)/d))*Gamma[1
+ m, ((-3*I)*f*(c + d*x))/d])/(3^m*(((-I)*f*(c + d*x))/d)^m) - (I*b^3*Gamm
a[1 + m, ((3*I)*f*(c + d*x))/d])/(3^m*E^((3*I)*(e - (c*f)/d))*((I*f*(c + d*
x))/d)^m))/f
```

Maple [F] time = 0.285, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + b \sin(fx + e))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((d*x+c)^m*(a+b*sin(f*x+e))^3,x)
```

```
[Out] int((d*x+c)^m*(a+b*sin(f*x+e))^3,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [A] time = 2.17111, size = 1045, normalized size = 1.72

$$(b^3 dm + b^3 d) e^{\left(\frac{dm \log\left(\frac{3if}{d}\right) + 3ide - 3icf}{d} \right)} \Gamma\left(m + 1, \frac{3idfx + 3icf}{d}\right) + (-9iab^2 dm - 9iab^2 d) e^{\left(\frac{dm \log\left(\frac{2if}{d}\right) + 2ide - 2icf}{d} \right)} \Gamma\left(m + 1, \frac{2idfx + 2icf}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^3,x, algorithm="fricas")
```

```
[Out] 1/24*((b^3*d*m + b^3*d)*e^(-(d*m*log(3*I*f/d) + 3*I*d*e - 3*I*c*f)/d)*gamma
(m + 1, (3*I*d*f*x + 3*I*c*f)/d) + (-9*I*a*b^2*d*m - 9*I*a*b^2*d)*e^(-(d*m*
log(2*I*f/d) + 2*I*d*e - 2*I*c*f)/d)*gamma(m + 1, (2*I*d*f*x + 2*I*c*f)/d)
- 9*((4*a^2*b + b^3)*d*m + (4*a^2*b + b^3)*d)*e^(-(d*m*log(I*f/d) + I*d*e -
I*c*f)/d)*gamma(m + 1, (I*d*f*x + I*c*f)/d) - 9*((4*a^2*b + b^3)*d*m + (4*
a^2*b + b^3)*d)*e^(-(d*m*log(-I*f/d) - I*d*e + I*c*f)/d)*gamma(m + 1, (-I*d
*f*x - I*c*f)/d) + (9*I*a*b^2*d*m + 9*I*a*b^2*d)*e^(-(d*m*log(-2*I*f/d) - 2
*I*d*e + 2*I*c*f)/d)*gamma(m + 1, (-2*I*d*f*x - 2*I*c*f)/d) + (b^3*d*m + b^
3*d)*e^(-(d*m*log(-3*I*f/d) - 3*I*d*e + 3*I*c*f)/d)*gamma(m + 1, (-3*I*d*f*
```

$$x - 3I*cf)/d) + 12*((2*a^3 + 3*a*b^2)*d*f*x + (2*a^3 + 3*a*b^2)*c*f)*(d*x + c)^m)/(d*f*m + d*f)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+b*sin(f*x+e))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sin(fx + e) + a)^3 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^3,x, algorithm="giac")

[Out] integrate((b*sin(f*x + e) + a)^3*(d*x + c)^m, x)

3.175 $\int (c + dx)^m (a + b \sin(e + fx))^2 dx$

Optimal. Leaf size=318

$$\frac{abe^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{f} - \frac{abe^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{f}$$

```
[Out] (a^2*(c + d*x)^(1 + m))/(d*(1 + m)) + (b^2*(c + d*x)^(1 + m))/(2*d*(1 + m))
- (a*b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])
/(f*(((I)*f*(c + d*x))/d)^m) - (a*b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x)
)/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (I*2^(-3 - m)*b^2*E^
((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*
(((I)*f*(c + d*x))/d)^m) - (I*2^(-3 - m)*b^2*(c + d*x)^m*Gamma[1 + m, ((2*
I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rubi [A] time = 0.392043, antiderivative size = 318, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {3317, 3308, 2181, 3312, 3307}

$$\frac{abe^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{f} - \frac{abe^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{f}$$

Antiderivative was successfully verified.

```
[In] Int[(c + d*x)^m*(a + b*Sin[e + f*x])^2,x]
```

```
[Out] (a^2*(c + d*x)^(1 + m))/(d*(1 + m)) + (b^2*(c + d*x)^(1 + m))/(2*d*(1 + m))
- (a*b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])
/(f*(((I)*f*(c + d*x))/d)^m) - (a*b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x)
)/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m) + (I*2^(-3 - m)*b^2*E^
((2*I)*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-2*I)*f*(c + d*x))/d])/(f*
(((I)*f*(c + d*x))/d)^m) - (I*2^(-3 - m)*b^2*(c + d*x)^m*Gamma[1 + m, ((2*
I)*f*(c + d*x))/d])/(E^((2*I)*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^
(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
]* (c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^m (a + b \sin(e + fx))^2 dx &= \int (a^2(c + dx)^m + 2ab(c + dx)^m \sin(e + fx) + b^2(c + dx)^m \sin^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + (2ab) \int (c + dx)^m \sin(e + fx) dx + b^2 \int (c + dx)^m \sin^2(e + fx) dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + (iab) \int e^{-i(e+fx)}(c + dx)^m dx - (iab) \int e^{i(e+fx)}(c + dx)^m dx + b^2 \int (c + dx)^m \sin^2(e + fx) dx \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + \frac{b^2(c + dx)^{1+m}}{2d(1+m)} - \frac{abe^{i\left(e-\frac{cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{f} \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + \frac{b^2(c + dx)^{1+m}}{2d(1+m)} - \frac{abe^{i\left(e-\frac{cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{f} \\
&= \frac{a^2(c + dx)^{1+m}}{d(1+m)} + \frac{b^2(c + dx)^{1+m}}{2d(1+m)} - \frac{abe^{i\left(e-\frac{cf}{d}\right)}(c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{f}
\end{aligned}$$

Mathematica [A] time = 3.93237, size = 268, normalized size = 0.84

$$(c + dx)^m \left(8abe^{i\left(e-\frac{cf}{d}\right)} \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right) + 8abe^{-i\left(e-\frac{cf}{d}\right)} \left(\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, \frac{if(c+dx)}{d}\right) - i \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^m*(a + b*Sin[e + f*x])^2,x]
```

```
[Out] -((c + d*x)^m*((-4*(2*a^2 + b^2)*f*(c + d*x))/(d*(1 + m)) + (8*a*b*E^(I*(e
- (c*f)/d))*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(((-I)*f*(c + d*x))/d)^m +
(8*a*b*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*((I*f*(c + d*x)
)/d)^m) - (I*b^2*E^((2*I)*(e - (c*f)/d))*Gamma[1 + m, ((-2*I)*f*(c + d*x)
)/d])/((2^m*((-I)*f*(c + d*x))/d)^m) + (I*b^2*Gamma[1 + m, ((2*I)*f*(c + d*x)
)/d])/((2^m*E^((2*I)*(e - (c*f)/d))*((I*f*(c + d*x))/d)^m))/(8*f)
```

Maple [F] time = 0.198, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + b \sin(fx + e))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+b*sin(f*x+e))^2,x)

[Out] int((d*x+c)^m*(a+b*sin(f*x+e))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.97231, size = 662, normalized size = 2.08

$$(-ib^2dm - ib^2d)e^{\left(-\frac{dm \log\left(\frac{2if}{d}\right) + 2ide - 2icf}{d}\right)} \Gamma\left(m + 1, \frac{2idfx + 2icf}{d}\right) - 8(abdm + abd)e^{\left(-\frac{dm \log\left(\frac{if}{d}\right) + ide - icf}{d}\right)} \Gamma\left(m + 1, \frac{idfx + icf}{d}\right) - 8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out] $\frac{1}{8} * ((-I*b^2*d*m - I*b^2*d) * e^{-(d*m*log(2*I*f/d) + 2*I*d*e - 2*I*c*f)/d} * \text{gamma}(m + 1, (2*I*d*f*x + 2*I*c*f)/d) - 8*(a*b*d*m + a*b*d) * e^{-(d*m*log(I*f/d) + I*d*e - I*c*f)/d} * \text{gamma}(m + 1, (I*d*f*x + I*c*f)/d) - 8*(a*b*d*m + a*b*d) * e^{-(d*m*log(-I*f/d) - I*d*e + I*c*f)/d} * \text{gamma}(m + 1, (-I*d*f*x - I*c*f)/d) + (I*b^2*d*m + I*b^2*d) * e^{-(d*m*log(-2*I*f/d) - 2*I*d*e + 2*I*c*f)/d} * \text{gamma}(m + 1, (-2*I*d*f*x - 2*I*c*f)/d) + 4*((2*a^2 + b^2)*d*f*x + (2*a^2 + b^2)*c*f) * (d*x + c)^m / (d*f*m + d*f)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sin(e + fx))^2 (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(a+b*sin(f*x+e))**2,x)

[Out] Integral((a + b*sin(e + f*x))**2*(c + d*x)**m, x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sin(fx + e) + a)^2 (dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+b*sin(f*x+e))^2,x, algorithm="giac")
```

```
[Out] integrate((b*sin(f*x + e) + a)^2*(d*x + c)^m, x)
```


3.176 $\int (c + dx)^m (a + b \sin(e + fx)) dx$

Optimal. Leaf size=148

$$\frac{be^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{be^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) - (b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*((-I)*f*(c + d*x))/d)^m - (b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rubi [A] time = 0.148998, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3308, 2181}

$$\frac{be^{i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(-\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{if(c+dx)}{d}\right)}{2f} - \frac{be^{-i\left(\frac{e-cf}{d}\right)}(c+dx)^m\left(\frac{if(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{if(c+dx)}{d}\right)}{2f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^m*(a + b*Sin[e + f*x]),x]

[Out] (a*(c + d*x)^(1 + m))/(d*(1 + m)) - (b*E^(I*(e - (c*f)/d))*(c + d*x)^m*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(2*f*((-I)*f*(c + d*x))/d)^m - (b*(c + d*x)^m*Gamma[1 + m, (I*f*(c + d*x))/d])/(2*E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m)

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d)*(c + d*x])]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rubi steps

$$\begin{aligned}
\int (c + dx)^m (a + b \sin(e + fx)) dx &= \int (a(c + dx)^m + b(c + dx)^m \sin(e + fx)) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + b \int (c + dx)^m \sin(e + fx) dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} + \frac{1}{2}(ib) \int e^{-i(e+fx)} (c + dx)^m dx - \frac{1}{2}(ib) \int e^{i(e+fx)} (c + dx)^m dx \\
&= \frac{a(c + dx)^{1+m}}{d(1+m)} - \frac{be^{i\left(e-\frac{cf}{d}\right)} (c + dx)^m \left(-\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, -\frac{if(c+dx)}{d}\right)}{2f} - \frac{be^{-i\left(e-\frac{cf}{d}\right)} (c + dx)^m \left(\frac{if(c+dx)}{d}\right)^{-m} \Gamma\left(1+m, \frac{if(c+dx)}{d}\right)}{2f}
\end{aligned}$$

Mathematica [A] time = 0.187802, size = 138, normalized size = 0.93

$$\frac{1}{2}(c + dx)^m \left(-\frac{be^{i\left(e-\frac{cf}{d}\right)} \left(-\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{if(c+dx)}{d}\right)}{f} - \frac{be^{-i\left(e-\frac{cf}{d}\right)} \left(\frac{if(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, \frac{if(c+dx)}{d}\right)}{f} + \frac{2a(c + dx)^m}{d(1+m)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*(a + b*Sin[e + f*x]),x]

[Out] ((c + d*x)^m*((2*a*(c + d*x))/(d*(1 + m)) - (b*E^(I*(e - (c*f)/d))*Gamma[1 + m, ((-I)*f*(c + d*x))/d])/(f*((-I)*f*(c + d*x))/d)^m - (b*Gamma[1 + m, (I*f*(c + d*x))/d])/(E^(I*(e - (c*f)/d))*f*((I*f*(c + d*x))/d)^m))/2

Maple [F] time = 0.073, size = 0, normalized size = 0.

$$\int (dx + c)^m (a + b \sin(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(a+b*sin(f*x+e)),x)

[Out] int((d*x+c)^m*(a+b*sin(f*x+e)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.82744, size = 319, normalized size = 2.16

$$\frac{(bdm + bd)e^{\left(-\frac{dm \log\left(\frac{if}{d}\right) + ide - icf}{d}\right)} \Gamma\left(m+1, \frac{idfx+icf}{d}\right) + (bdm + bd)e^{\left(-\frac{dm \log\left(-\frac{if}{d}\right) - ide + icf}{d}\right)} \Gamma\left(m+1, \frac{-idfx-icf}{d}\right) - 2(adfx + acf)}{2(dfm + df)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+b*sin(f*x+e)),x, algorithm="fricas")
```

```
[Out] -1/2*((b*d*m + b*d)*e^(-(d*m*log(I*f/d) + I*d*e - I*c*f)/d)*gamma(m + 1, (I
*d*f*x + I*c*f)/d) + (b*d*m + b*d)*e^(-(d*m*log(-I*f/d) - I*d*e + I*c*f)/d)
*gamma(m + 1, (-I*d*f*x - I*c*f)/d) - 2*(a*d*f*x + a*c*f)*(d*x + c)^m/(d*f
*m + d*f)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int (a + b \sin(e + fx))(c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**m*(a+b*sin(f*x+e)),x)
```

```
[Out] Integral((a + b*sin(e + f*x))*(c + d*x)**m, x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int (b \sin(fx + e) + a)(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^m*(a+b*sin(f*x+e)),x, algorithm="giac")
```

```
[Out] integrate((b*sin(f*x + e) + a)*(d*x + c)^m, x)
```

$$3.177 \quad \int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{a+b \sin(e+fx)}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + b*Sin[e + f*x]), x]

Rubi [A] time = 0.0573369, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x]

[Out] Defer[Int] [(c + d*x)^m/(a + b*Sin[e + f*x]), x]

Rubi steps

$$\int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx = \int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx$$

Mathematica [A] time = 0.387383, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{a+b \sin(e+fx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + b*Sin[e + f*x]), x]

[Out] Integrate[(c + d*x)^m/(a + b*Sin[e + f*x]), x]

Maple [A] time = 0.078, size = 0, normalized size = 0.

$$\int \frac{(dx+c)^m}{a+b \sin(fx+e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+b*sin(f*x+e)), x)

[Out] int((d*x+c)^m/(a+b*sin(f*x+e)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{b \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e)),x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(b*sin(f*x + e) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(dx + c)^m}{b \sin(fx + e) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e)),x, algorithm="fricas")

[Out] integral((d*x + c)^m/(b*sin(f*x + e) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(c + dx)^m}{a + b \sin(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m/(a+b*sin(f*x+e)),x)

[Out] Integral((c + d*x)**m/(a + b*sin(e + f*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{b \sin(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^m/(b*sin(f*x + e) + a), x)

$$3.178 \quad \int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(c+dx)^m}{(a+b \sin(e+fx))^2}, x\right)$$

[Out] Unintegrable[(c + d*x)^m/(a + b*Sin[e + f*x])^2, x]

Rubi [A] time = 0.0551485, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m/(a + b*Sin[e + f*x])^2, x]

[Out] Defer[Int] [(c + d*x)^m/(a + b*Sin[e + f*x])^2, x]

Rubi steps

$$\int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx = \int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx$$

Mathematica [A] time = 3.42937, size = 0, normalized size = 0.

$$\int \frac{(c+dx)^m}{(a+b \sin(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m/(a + b*Sin[e + f*x])^2, x]

[Out] Integrate[(c + d*x)^m/(a + b*Sin[e + f*x])^2, x]

Maple [A] time = 0.189, size = 0, normalized size = 0.

$$\int \frac{(dx+c)^m}{(a+b \sin(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m/(a+b*sin(f*x+e))^2, x)

[Out] int((d*x+c)^m/(a+b*sin(f*x+e))^2, x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{(b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e))^2,x, algorithm="maxima")

[Out] integrate((d*x + c)^m/(b*sin(f*x + e) + a)^2, x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(dx + c)^m}{b^2 \cos(fx + e)^2 - 2ab \sin(fx + e) - a^2 - b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e))^2,x, algorithm="fricas")

[Out] integral(-(d*x + c)^m/(b^2*cos(f*x + e)^2 - 2*a*b*sin(f*x + e) - a^2 - b^2), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m/(a+b*sin(f*x+e))**2,x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(dx + c)^m}{(b \sin(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m/(a+b*sin(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^m/(b*sin(f*x + e) + a)^2, x)

$$3.179 \quad \int \frac{(e+fx)^3 \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=164

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} - \frac{6f(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

[Out] (I*(e + f*x)^3)/(a*d) + (e + f*x)^4/(4*a*f) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4)

Rubi [A] time = 0.340199, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4515, 32, 3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} - \frac{6f(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] (I*(e + f*x)^3)/(a*d) + (e + f*x)^4/(4*a*f) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4)

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3318

Int[(((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.)), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^3 dx}{a} - \int \frac{(e+fx)^3}{a+a\sin(c+dx)} dx \\
&= \frac{(e+fx)^4}{4af} - \frac{\int (e+fx)^3 \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} \\
&= \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{(3f) \int (e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right) dx}{ad} \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{(6f) \int \frac{e^{2i\left(\frac{c}{2}+\frac{dx}{2}\right)}(e+fx)^2}{1-e^{2i\left(\frac{c}{2}+\frac{dx}{2}\right)}} dx}{ad} \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \dots \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \dots \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \dots \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \dots \\
&= \frac{i(e+fx)^3}{ad} + \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \dots
\end{aligned}$$

Mathematica [A] time = 1.83015, size = 261, normalized size = 1.59

$$\frac{24f(\cos(c)+i\sin(c))\left(\frac{2f(\cos(c)-i(\sin(c)+1))(d(e+fx)\text{PolyLog}(2,-\sin(c+dx)-i\cos(c+dx))-i f\text{PolyLog}(3,-\sin(c+dx)-i\cos(c+dx)))}{d^3} - \frac{(\sin(c)+i\cos(c)+1)(e+fx)^2 \log(\sin(c+dx)+i\cos(c+dx))}{d}\right)}{d(\cos(c)+i(\sin(c)+1))}$$

4a

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Sin[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3) + (24*f*(Cos[c] + I*Sin[c])*(((e + f*x)^3*(Cos[c] - I*Sin[c]))/(3*f) - ((e + f*x)^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (2*f*(d*(e + f*x)*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*f*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]])*(Cos[c] - I*(1 + Sin[c]))/d^3))/(d*(Cos[c] + I*(1 + Sin[c])) - (8*(e + f*x)^3*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(4*a)

Maple [B] time = 0.182, size = 526, normalized size = 3.2

$$\frac{f^3 x^4}{4a} + \frac{ef^2 x^3}{a} + \frac{3e^2 f x^2}{2a} + \frac{e^3 x}{a} + 2 \frac{f^3 x^3 + 3ef^2 x^2 + 3e^2 f x + e^3}{da(e^{i(dx+c)} + i)} - 12 \frac{ef^2 \ln(1 - ie^{i(dx+c)}) x}{ad^2} - 12 \frac{ef^2 \ln(1 - ie^{i(dx+c)}) c}{d^3 a} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(d*x+c)/(a+a*sin(d*x+c)),x)

```
[Out] 1/4/a*f^3*x^4+1/a*e*f^2*x^3+3/2/a*e^2*f*x^2+1/a*e^3*x+2*(f^3*x^3+3*e*f^2*x^
2+3*e^2*f*x+e^3)/d/a/(exp(I*(d*x+c))+I)-12*f^2/d^2/a*e*ln(1-I*exp(I*(d*x+c)
))*x-12*f^2/d^3/a*e*ln(1-I*exp(I*(d*x+c)))*c+6*f/d^2/a*ln(exp(I*(d*x+c)))*e
^2-4*I*f^3/d^4/a*c^3-12*f^3*polylog(3,I*exp(I*(d*x+c)))/a/d^4+12*I*f^2/d^3/
a*e*polylog(2,I*exp(I*(d*x+c)))+6*I*f^2/d/a*e*x^2+12*I*f^3/d^3/a*polylog(2,
I*exp(I*(d*x+c)))*x+6*I*f^2/d^3/a*e*c^2+6*f^3/d^4/a*c^2*ln(exp(I*(d*x+c)))-
6*f/d^2/a*ln(exp(I*(d*x+c))+I)*e^2+2*I*f^3/d/a*x^3-6*f^3/d^2/a*ln(1-I*exp(I
*(d*x+c)))*x^2+6*f^3/d^4/a*ln(1-I*exp(I*(d*x+c)))*c^2+12*I*f^2/d^2/a*e*c*x-
6*f^3/d^4/a*c^2*ln(exp(I*(d*x+c))+I)-12*f^2/d^3/a*e*c*ln(exp(I*(d*x+c)))-6*
I*f^3/d^3/a*c^2*x+12*f^2/d^3/a*e*c*ln(exp(I*(d*x+c))+I)
```

Maxima [B] time = 2.08737, size = 1766, normalized size = 10.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/2*(12*c^2*e*f^2*(1/(a*d^2 + a*d^2*sin(d*x + c))/(cos(d*x + c) + 1)) + arct
an(sin(d*x + c)/(cos(d*x + c) + 1))/(a*d^2)) - 12*c*e^2*f*(1/(a*d + a*d*sin
(d*x + c)/(cos(d*x + c) + 1)) + arctan(sin(d*x + c)/(cos(d*x + c) + 1))/(a*
d)) - 6*((d*x + c)^2*cos(d*x + c)^2 + (d*x + c)^2*sin(d*x + c)^2 + 2*(d*x +
c)^2*sin(d*x + c) + (d*x + c)^2 + 4*(d*x + c)*cos(d*x + c) - 2*(cos(d*x +
c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1)*log(cos(d*x + c)^2 + sin(d*x +
c)^2 + 2*sin(d*x + c) + 1))*c*e*f^2/(a*d^2*cos(d*x + c)^2 + a*d^2*sin(d*x +
c)^2 + 2*a*d^2*sin(d*x + c) + a*d^2) + 4*e^3*(arctan(sin(d*x + c)/(cos(d*x
+ c) + 1))/a + 1/(a + a*sin(d*x + c)/(cos(d*x + c) + 1))) + 3*((d*x + c)^2
*cos(d*x + c)^2 + (d*x + c)^2*sin(d*x + c)^2 + 2*(d*x + c)^2*sin(d*x + c) +
(d*x + c)^2 + 4*(d*x + c)*cos(d*x + c) - 2*(cos(d*x + c)^2 + sin(d*x + c)^
2 + 2*sin(d*x + c) + 1)*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c
) + 1))*e^2*f/(a*d*cos(d*x + c)^2 + a*d*sin(d*x + c)^2 + 2*a*d*sin(d*x + c)
+ a*d) + 2*((d*x + c)^4*f^3 + 6*(d*x + c)^2*c^2*f^3 - 4*(d*x + c)*c^3*f^3
+ 8*I*c^3*f^3 + 4*(d*e*f^2 - c*f^3)*(d*x + c)^3 - (24*c^2*f^3*cos(d*x + c)
+ 24*I*c^2*f^3*sin(d*x + c) + 24*I*c^2*f^3)*arctan2(sin(d*x + c) + 1, cos(d
*x + c)) - (-24*I*(d*x + c)^2*f^3 + (-48*I*d*e*f^2 + 48*I*c*f^3)*(d*x + c)
- 24*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*cos(d*x + c) + (-24*
I*(d*x + c)^2*f^3 + (-48*I*d*e*f^2 + 48*I*c*f^3)*(d*x + c))*sin(d*x + c))*a
rctan2(cos(d*x + c), sin(d*x + c) + 1) - (I*(d*x + c)^4*f^3 + (-4*I*c^3 - 2
4*c^2)*(d*x + c)*f^3 - 4*(-I*d*e*f^2 + (I*c + 2)*f^3)*(d*x + c)^3 - (24*d*e
*f^2 - (6*I*c^2 + 24*c)*f^3)*(d*x + c)^2)*cos(d*x + c) - (-48*I*d*e*f^2 - 4
8*I*(d*x + c)*f^3 + 48*I*c*f^3 - 48*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*cos(d
*x + c) + (-48*I*d*e*f^2 - 48*I*(d*x + c)*f^3 + 48*I*c*f^3)*sin(d*x + c))*d
ilog(I*e^(I*d*x + I*c)) - (12*(d*x + c)^2*f^3 + 12*c^2*f^3 + 24*(d*e*f^2 -
c*f^3)*(d*x + c) + (-12*I*(d*x + c)^2*f^3 - 12*I*c^2*f^3 + (-24*I*d*e*f^2 +
24*I*c*f^3)*(d*x + c))*cos(d*x + c) + 12*((d*x + c)^2*f^3 + c^2*f^3 + 2*(d
*e*f^2 - c*f^3)*(d*x + c))*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^
2 + 2*sin(d*x + c) + 1) + 48*(I*f^3*cos(d*x + c) - f^3*sin(d*x + c) - f^3)*
polylog(3, I*e^(I*d*x + I*c)) + ((d*x + c)^4*f^3 - 4*(c^3 - 6*I*c^2)*(d*x +
c)*f^3 + (4*d*e*f^2 - (4*c - 8*I)*f^3)*(d*x + c)^3 - (-24*I*d*e*f^2 - 6*(c
^2 - 4*I*c)*f^3)*(d*x + c)^2)*sin(d*x + c))/(-4*I*a*d^3*cos(d*x + c) + 4*a*
d^3*sin(d*x + c) + 4*a*d^3))/d
```

Fricas [C] time = 2.24933, size = 2414, normalized size = 14.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4}(d^4 f^3 x^4 + 4d^3 e^3 + 4(d^4 e f^2 + d^3 f^3)x^3 + 6(d^4 e^2 f + 2d^3 e f^2)x^2 + 4(d^4 e^3 + 3d^3 e^2 f)x + (d^4 f^3 x^4 + 4d^3 e^3 + 4(d^4 e f^2 + d^3 f^3)x^3 + 6(d^4 e^2 f + 2d^3 e f^2)x^2 + 4(d^4 e^3 + 3d^3 e^2 f)x) \cos(dx + c) + (24I d f^3 x + 24I d e f^2 + (24I d f^3 x + 24I d e f^2) \cos(dx + c) + (24I d f^3 x + 24I d e f^2) \sin(dx + c)) \operatorname{dilog}(I \cos(dx + c) - \sin(dx + c)) + (-24I d f^3 x - 24I d e f^2 + (-24I d f^3 x - 24I d e f^2) \cos(dx + c) + (-24I d f^3 x - 24I d e f^2) \sin(dx + c)) \operatorname{dilog}(-I \cos(dx + c) - \sin(dx + c)) - 12(d^2 e^2 f - 2c d e f^2 + c^2 f^3 + (d^2 e^2 f - 2c d e f^2 + c^2 f^3) \cos(dx + c) + (d^2 e^2 f - 2c d e f^2 + c^2 f^3) \sin(dx + c)) \log(\cos(dx + c) + I \sin(dx + c) + I) - 12(d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3 + (d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3) \cos(dx + c) + (d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3) \sin(dx + c)) \log(I \cos(dx + c) + \sin(dx + c) + 1) - 12(d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3 + (d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3) \cos(dx + c) + (d^2 f^3 x^2 + 2d^2 e f^2 x + 2c d e f^2 - c^2 f^3) \sin(dx + c)) \log(-I \cos(dx + c) + \sin(dx + c) + 1) - 12(d^2 e^2 f - 2c d e f^2 + c^2 f^3 + (d^2 e^2 f - 2c d e f^2 + c^2 f^3) \cos(dx + c) + (d^2 e^2 f - 2c d e f^2 + c^2 f^3) \sin(dx + c)) \log(-\cos(dx + c) + I \sin(dx + c) + I) - 24(f^3 \cos(dx + c) + f^3 \sin(dx + c) + f^3) \operatorname{polylog}(3, I \cos(dx + c) - \sin(dx + c)) - 24(f^3 \cos(dx + c) + f^3 \sin(dx + c) + f^3) \operatorname{polylog}(3, -I \cos(dx + c) - \sin(dx + c)) + (d^4 f^3 x^4 - 4d^3 e^3 + 4(d^4 e f^2 - d^3 f^3)x^3 + 6(d^4 e^2 f - 2d^3 e f^2)x^2 + 4(d^4 e^3 - 3d^3 e^2 f)x) \sin(dx + c) / (a d^4 \cos(dx + c) + a d^4 \sin(dx + c) + a d^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \sin(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \sin(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \sin(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \sin(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**3*sin(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*sin(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*sin(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e**2*f*x*sin(c + d*x)/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.180 \quad \int \frac{(e+fx)^2 \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=129

$$\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} + \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af}$$

[Out] (I*(e + f*x)^2)/(a*d) + (e + f*x)^3/(3*a*f) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3)

Rubi [A] time = 0.257387, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4515, 32, 3318, 4184, 3717, 2190, 2279, 2391}

$$\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} + \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Sin[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (I*(e + f*x)^2)/(a*d) + (e + f*x)^3/(3*a*f) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3)

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3318

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^2 \sin(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^2 dx}{a} - \int \frac{(e+fx)^2}{a+a \sin(c+dx)} dx \\ &= \frac{(e+fx)^3}{3af} - \frac{\int (e+fx)^2 \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} \\ &= \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{(2f) \int (e+fx) \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right) dx}{ad} \\ &= \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{(4f) \int \frac{e^{2i\left(\frac{c}{2}+\frac{dx}{2}\right)}(e+fx)}{1-e^{2i\left(\frac{c}{2}+\frac{dx}{2}\right)}} dx}{ad} \\ &= \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f(e+fx) \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \frac{(4f)^2}{ad^2} \\ &= \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f(e+fx) \log\left(1-ie^{i(c+dx)}\right)}{ad^2} - \frac{(4if)^2}{ad^2} \\ &= \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f(e+fx) \log\left(1-ie^{i(c+dx)}\right)}{ad^2} + \frac{4if^2}{ad^2} \end{aligned}$$

Mathematica [A] time = 1.25245, size = 213, normalized size = 1.65

$$\frac{12f(\cos(c)+i\sin(c))\left(\frac{f(\cos(c)-i(\sin(c)+1))\text{PolyLog}(2,-\sin(c+dx)-i\cos(c+dx))}{d^2} - \frac{(\sin(c)+i\cos(c)+1)(e+fx)\log(\sin(c+dx)+i\cos(c+dx)+1)}{d} + \frac{(\cos(c)-i\sin(c))(e+fx)^2}{2f}\right)}{d(\cos(c)+i(\sin(c)+1))} - \frac{d\left(\sin\left(\frac{c}{2}\right)\right)}{3a}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Sin[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] $(x*(3e^2 + 3efx + f^2x^2) + (12f*(\cos[c] + I*\sin[c]))*((e + f*x)^2*(\cos[c] - I*\sin[c]))/(2f) - ((e + f*x)*\log[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(1 + I*\cos[c] + \sin[c]))/d + (f*\text{PolyLog}[2, (-I)*\cos[c + d*x] - \sin[c + d*x]]*(\cos[c] - I*(1 + \sin[c])))/d^2)/(d*(\cos[c] + I*(1 + \sin[c]))) - (6*(e + f*x)^2*\sin[(d*x)/2])/(d*(\cos[c/2] + \sin[c/2])*(\cos[(c + d*x)/2] + \sin[(c + d*x)/2]))/(3*a)$

Maple [B] time = 0.108, size = 282, normalized size = 2.2

$$\frac{f^2x^3}{3a} + \frac{fex^2}{a} + \frac{e^2x}{a} + 2\frac{f^2x^2 + 2fex + e^2}{da(e^{i(dx+c)} + i)} + 4\frac{f \ln(e^{i(dx+c)})e}{ad^2} - 4\frac{f \ln(e^{i(dx+c)} + i)e}{ad^2} + \frac{2if^2x^2}{da} + \frac{4if^2cx}{ad^2} + \frac{2if^2c^2}{d^3a} -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] $1/3/a*f^2*x^3 + 1/a*f*e*x^2 + 1/a*e^2*x + 2*(f^2*x^2 + 2*e*f*x + e^2)/d/a/(exp(I*(d*x+c))+I) + 4*f/d^2/a*\ln(exp(I*(d*x+c)))*e - 4*f/d^2/a*\ln(exp(I*(d*x+c))+I)*e + 2*I*f^2/d/a*x^2 + 4*I*f^2/d^2/a*c*x + 2*I*f^2/d^3/a*c^2 - 4*f^2/d^2/a*\ln(1-I*exp(I*(d*x+c)))*x - 4*f^2/d^3/a*\ln(1-I*exp(I*(d*x+c)))*c + 4*I*f^2*polylog(2, I*exp(I*(d*x+c)))/a/d^3 - 4*f^2/d^3/a*c*\ln(exp(I*(d*x+c)))+4*f^2/d^3/a*c*\ln(exp(I*(d*x+c))+I)$

Maxima [B] time = 1.8965, size = 545, normalized size = 4.22

$$d^3 f^2 x^3 + 3 d^3 e f x^2 + 3 d^3 e^2 x - 6 i d^2 e^2 - (12 d e f \cos(dx + c) + 12 i d e f \sin(dx + c) + 12 i d e f) \arctan(\sin(dx + c) + 1,$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x - 6*I*d^2*e^2 - (12*d*e*f*\cos(d*x + c) + 12*I*d*e*f*\sin(d*x + c) + 12*I*d*e*f)*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) + (12*d*f^2*x*\cos(d*x + c) + 12*I*d*f^2*x*\sin(d*x + c) + 12*I*d*f^2*x)*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) - (I*d^3*f^2*x^3 + (3*I*d^3*e*f - 6*d^2*f^2)*x^2 - 3*(-I*d^3*e^2 + 4*d^2*e*f)*x)*\cos(d*x + c) + (12*f^2*\cos(d*x + c) + 12*I*f^2*\sin(d*x + c) + 12*I*f^2)*\text{dilog}(I*e^{(I*d*x + I*c)}) - (6*d*f^2*x + 6*d*e*f + (-6*I*d*f^2*x - 6*I*d*e*f)*\cos(d*x + c) + 6*(d*f^2*x + d*e*f)*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + (d^3*f^2*x^3 + 3*(d^3*e*f + 2*I*d^2*f^2)*x^2 + (3*d^3*e^2 + 12*I*d^2*e*f)*x)*\sin(d*x + c))/(-3*I*a*d^3*\cos(d*x + c) + 3*a*d^3*\sin(d*x + c) + 3*a*d^3)$

Fricas [B] time = 1.98595, size = 1378, normalized size = 10.68

$$d^3 f^2 x^3 + 3 d^2 e^2 + 3 (d^3 e f + d^2 f^2) x^2 + 3 (d^3 e^2 + 2 d^2 e f) x + (d^3 f^2 x^3 + 3 d^2 e^2 + 3 (d^3 e f + d^2 f^2) x^2 + 3 (d^3 e^2 + 2 d^2 e f)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/3*(d^3*f^2*x^3 + 3*d^2*e^2 + 3*(d^3*e*f + d^2*f^2)*x^2 + 3*(d^3*e^2 + 2*d^2*e*f)*x + (d^3*f^2*x^3 + 3*d^2*e^2 + 3*(d^3*e*f + d^2*f^2)*x^2 + 3*(d^3*e^2 + 2*d^2*e*f)*x)*cos(d*x + c) + (6*I*f^2*cos(d*x + c) + 6*I*f^2*sin(d*x + c) + 6*I*f^2)*dilog(I*cos(d*x + c) - sin(d*x + c)) + (-6*I*f^2*cos(d*x + c) - 6*I*f^2*sin(d*x + c) - 6*I*f^2)*dilog(-I*cos(d*x + c) - sin(d*x + c)) - 6*(d*e*f - c*f^2 + (d*e*f - c*f^2)*cos(d*x + c) + (d*e*f - c*f^2)*sin(d*x + c))*log(cos(d*x + c) + I*sin(d*x + c) + I) - 6*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*cos(d*x + c) + (d*f^2*x + c*f^2)*sin(d*x + c))*log(I*cos(d*x + c) + sin(d*x + c) + 1) - 6*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*cos(d*x + c) + (d*f^2*x + c*f^2)*sin(d*x + c))*log(-I*cos(d*x + c) + sin(d*x + c) + 1) - 6*(d*e*f - c*f^2 + (d*e*f - c*f^2)*cos(d*x + c) + (d*e*f - c*f^2)*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + I) + (d^3*f^2*x^3 - 3*d^2*e^2 + 3*(d^3*e*f - d^2*f^2)*x^2 + 3*(d^3*e^2 - 2*d^2*e*f)*x)*sin(d*x + c)/(a*d^3*cos(d*x + c) + a*d^3*sin(d*x + c) + a*d^3)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \sin(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \sin(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \sin(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**2*sin(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*sin(c + d*x)/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*sin(c + d*x)/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.181 \quad \int \frac{(e+fx) \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=76

$$-\frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} + \frac{ex}{a} + \frac{fx^2}{2a}$$

[Out] (e*x)/a + (f*x^2)/(2*a) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2)

Rubi [A] time = 0.095287, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4515, 3318, 4184, 3475}

$$-\frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} + \frac{ex}{a} + \frac{fx^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Sin[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (e*x)/a + (f*x^2)/(2*a) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2)

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3318

Int[(((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.)), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\sin(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int(e+fx)dx}{a} - \int \frac{e+fx}{a+a\sin(c+dx)} dx \\
&= \frac{ex}{a} + \frac{fx^2}{2a} - \frac{\int(e+fx)\csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} \\
&= \frac{ex}{a} + \frac{fx^2}{2a} + \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{f\int\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right) dx}{ad} \\
&= \frac{ex}{a} + \frac{fx^2}{2a} + \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{2f\log\left(\sin\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)\right)}{ad^2}
\end{aligned}$$

Mathematica [B] time = 0.496608, size = 199, normalized size = 2.62

$$\frac{\cos\left(\frac{dx}{2}\right)\left(d^2x(2e+fx)-4f\log\left(\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)\right)+2d^2ex\sin\left(c+\frac{dx}{2}\right)+d^2fx^2\sin\left(c+\frac{dx}{2}\right)+2dfxc\cos\left(c+\frac{dx}{2}\right)}{2ad^2\left(\sin\left(\frac{c}{2}\right)+\cos\left(\frac{c}{2}\right)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[((e+f*x)*Sin[c+d*x])/(a+a*Sin[c+d*x]),x]

[Out] (2*d*f*x*Cos[c+(d*x)/2]+Cos[(d*x)/2]*(d^2*x*(2*e+f*x)-4*f*Log[Cos[(c+d*x)/2]+Sin[(c+d*x)/2]])-4*d*e*Sin[(d*x)/2]-2*d*f*x*Sin[(d*x)/2]+2*d^2*e*x*Sin[c+(d*x)/2]+d^2*f*x^2*Sin[c+(d*x)/2]-4*f*Log[Cos[(c+d*x)/2]+Sin[(c+d*x)/2]]*Sin[c+(d*x)/2])/(2*a*d^2*(Cos[c/2]+Sin[c/2]))*(Cos[(c+d*x)/2]+Sin[(c+d*x)/2])

Maple [B] time = 0.076, size = 446, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] 2/a*e/d*arctan(tan(1/2*d*x+1/2*c))+2/a*e/d/(tan(1/2*d*x+1/2*c)+1)+1/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x/d+1/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x/d*tan(1/2*d*x+1/2*c)^2+1/2/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x^2+1/2/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x^2*tan(1/2*d*x+1/2*c)+1/2/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x^2*tan(1/2*d*x+1/2*c)^2+1/2/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x^2*tan(1/2*d*x+1/2*c)^3-1/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x/d*tan(1/2*d*x+1/2*c)-1/a*f/(1+tan(1/2*d*x+1/2*c)^2)/(tan(1/2*d*x+1/2*c)+1)*x/d*tan(1/2*d*x+1/2*c)^3+1/a*f/d^2*ln(1+tan(1/2*d*x+1/2*c)^2)-2/a*f/d^2*ln(tan(1/2*d*x+1/2*c)+1)

Maxima [B] time = 1.47247, size = 369, normalized size = 4.86

$$4cf\left(\frac{1}{ad+\frac{ad\sin(dx+c)}{\cos(dx+c)+1}}+\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{ad}\right)-4e\left(\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a}+\frac{1}{a+\frac{a\sin(dx+c)}{\cos(dx+c)+1}}\right)-\frac{((dx+c)^2\cos(dx+c)^2+(dx+c)^2\sin(dx+c)^2+2(dx+c)^2\sin(dx+c)\cos(dx+c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/2*(4*c*f*(1/(a*d + a*d*\sin(d*x + c)/(\cos(d*x + c) + 1)) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/(a*d)) - 4*e*(\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a + 1/(a + a*\sin(d*x + c)/(\cos(d*x + c) + 1))) - ((d*x + c)^2*\cos(d*x + c)^2 + (d*x + c)^2*\sin(d*x + c)^2 + 2*(d*x + c)^2*\sin(d*x + c) + (d*x + c)^2 + 4*(d*x + c)*\cos(d*x + c) - 2*(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1)*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1))*f / (a*d*\cos(d*x + c)^2 + a*d*\sin(d*x + c)^2 + 2*a*d*\sin(d*x + c) + a*d))/d$$

Fricas [B] time = 1.79171, size = 363, normalized size = 4.78

$$\frac{d^2fx^2 + 2de + 2(d^2e + df)x + (d^2fx^2 + 2de + 2(d^2e + df)x)\cos(dx + c) - 2(f\cos(dx + c) + f\sin(dx + c) + f)\log(\sin(dx + c) + 1) + (d^2fx^2 - 2de + 2(d^2e - df)x)\sin(dx + c)}{2(ad^2\cos(dx + c) + ad^2\sin(dx + c) + ad^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$1/2*(d^2fx^2 + 2de + 2(d^2e + df)x + (d^2fx^2 + 2de + 2(d^2e + df)x)\cos(d*x + c) - 2*(f*\cos(d*x + c) + f*\sin(d*x + c) + f)*\log(\sin(d*x + c) + 1) + (d^2fx^2 - 2de + 2(d^2e - df)x)\sin(d*x + c))/(a*d^2*\cos(d*x + c) + a*d^2*\sin(d*x + c) + a*d^2)$$

Sympy [A] time = 1.95445, size = 466, normalized size = 6.13

$$\left\{ \begin{array}{l} \frac{2d^2ex \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{2d^2ex}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{d^2fx^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{d^2fx^2}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} - \frac{4de \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} - \frac{2dfx \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} \\ \frac{\left(ex + \frac{fx^2}{2}\right) \sin(c)}{a \sin(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out]
$$\text{Piecewise}\left(\left(\frac{2*d**2*e*x*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + \frac{2*d**2*e*x}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + \frac{d**2*f*x**2*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + \frac{d**2*f*x**2}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} - \frac{4*d*e*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} - \frac{2*d*f*x*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + \frac{2*d*f*x}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} - 4*f*\log(\tan(c/2 + d*x/2) + 1)*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} - 4*f*\log(\tan(c/2 + d*x/2) + 1)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)*\tan(c/2 + d*x/2)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)} + 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)}{(2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)}, \text{Ne}(d, 0)\right), \left(\frac{(e*x + f*x**2/2)*\sin(c)}{a*\sin(c) + a}, \text{True}\right)$$

Giac [B] time = 1.52989, size = 1042, normalized size = 13.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] $\frac{1}{2}(d^2fx^2\tan(1/2dx)\tan(1/2c) - d^2fx^2\tan(1/2dx) - d^2fx^2\tan(1/2c) + 2d^2xe\tan(1/2dx)\tan(1/2c) - d^2fx^2 - 2d^2xe\tan(1/2dx) - 2d^2xe\tan(1/2c) + 2dfx\tan(1/2dx)\tan(1/2c) - 2d^2xe + 2dfx\tan(1/2dx) + 2dfx\tan(1/2c) + 2de\tan(1/2dx)\tan(1/2c) - 2f\log(2(\tan(1/2c)^2 + 1)/(\tan(1/2dx)^4\tan(1/2c)^2 - 2\tan(1/2dx)^4\tan(1/2c) - 2\tan(1/2dx)^3\tan(1/2c)^2 + \tan(1/2dx)^4 + 2\tan(1/2dx)^2\tan(1/2c)^2 + 2\tan(1/2dx)^3 - 2\tan(1/2dx)\tan(1/2c)^2 + 2\tan(1/2dx)^2 + \tan(1/2c)^2 + 2\tan(1/2dx) + 2\tan(1/2c) + 1))\tan(1/2dx)\tan(1/2c) - 2dfx + 2de\tan(1/2dx) + 2f\log(2(\tan(1/2c)^2 + 1)/(\tan(1/2dx)^4\tan(1/2c)^2 - 2\tan(1/2dx)^4\tan(1/2c) - 2\tan(1/2dx)^3\tan(1/2c)^2 + \tan(1/2dx)^4 + 2\tan(1/2dx)^2\tan(1/2c)^2 + 2\tan(1/2dx)^3 - 2\tan(1/2dx)\tan(1/2c)^2 + 2\tan(1/2dx)^2 + \tan(1/2c)^2 + 2\tan(1/2dx) + 2\tan(1/2c) + 1))\tan(1/2dx) + 2de\tan(1/2c) + 2f\log(2(\tan(1/2c)^2 + 1)/(\tan(1/2dx)^4\tan(1/2c)^2 - 2\tan(1/2dx)^4\tan(1/2c) - 2\tan(1/2dx)^3\tan(1/2c)^2 + \tan(1/2dx)^4 + 2\tan(1/2dx)^2\tan(1/2c)^2 + 2\tan(1/2dx)^3 - 2\tan(1/2dx)\tan(1/2c)^2 + 2\tan(1/2dx)^2 + \tan(1/2c)^2 + 2\tan(1/2dx) + 2\tan(1/2c) + 1))\tan(1/2c) - 2de + 2f\log(2(\tan(1/2c)^2 + 1)/(\tan(1/2dx)^4\tan(1/2c)^2 - 2\tan(1/2dx)^4\tan(1/2c) - 2\tan(1/2dx)^3\tan(1/2c)^2 + \tan(1/2dx)^4 + 2\tan(1/2dx)^2\tan(1/2c)^2 + 2\tan(1/2dx)^3 - 2\tan(1/2dx)\tan(1/2c)^2 + \tan(1/2dx)^4 + 2\tan(1/2dx)^2\tan(1/2c)^2 + 2\tan(1/2dx)^3 - 2\tan(1/2dx)\tan(1/2c)^2 + 2\tan(1/2dx)^2 + \tan(1/2c)^2 + 2\tan(1/2dx) + 2\tan(1/2c) + 1)))/(a*d^2\tan(1/2dx)\tan(1/2c) - a*d^2\tan(1/2dx) - a*d^2\tan(1/2c) - a*d^2)$

$$3.182 \quad \int \frac{\sin(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\frac{\cos(c+dx)}{d(a \sin(c+dx)+a)} + \frac{x}{a}$$

[Out] x/a + Cos[c + d*x]/(d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.0380084, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2735, 2648}

$$\frac{\cos(c+dx)}{d(a \sin(c+dx)+a)} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] x/a + Cos[c + d*x]/(d*(a + a*Sin[c + d*x]))

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2648

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin(c+dx)}{a+a \sin(c+dx)} dx &= \frac{x}{a} - \int \frac{1}{a+a \sin(c+dx)} dx \\ &= \frac{x}{a} + \frac{\cos(c+dx)}{d(a+a \sin(c+dx))} \end{aligned}$$

Mathematica [B] time = 0.108201, size = 72, normalized size = 2.57

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left((c+dx-2)\sin\left(\frac{1}{2}(c+dx)\right) + (c+dx)\cos\left(\frac{1}{2}(c+dx)\right)\right)}{ad(\sin(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*((c + d*x)*Cos[(c + d*x)/2] + (-2 + c + d*x)*Sin[(c + d*x)/2]))/(a*d*(1 + Sin[c + d*x]))

Maple [A] time = 0.023, size = 41, normalized size = 1.5

$$2 \frac{\arctan(\tan(1/2 dx + c/2))}{da} + 2 \frac{1}{da(\tan(1/2 dx + c/2) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out] `2/a/d*arctan(tan(1/2*d*x+1/2*c))+2/a/d/(tan(1/2*d*x+1/2*c)+1)`

Maxima [A] time = 1.42433, size = 68, normalized size = 2.43

$$\frac{2 \left(\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{1}{a + \frac{a \sin(dx+c)}{\cos(dx+c)+1}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `2*(arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + 1/(a + a*sin(d*x + c)/(cos(d*x + c) + 1)))/d`

Fricas [A] time = 1.74005, size = 142, normalized size = 5.07

$$\frac{dx + (dx + 1) \cos(dx + c) + (dx - 1) \sin(dx + c) + 1}{ad \cos(dx + c) + ad \sin(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `(d*x + (d*x + 1)*cos(d*x + c) + (d*x - 1)*sin(d*x + c) + 1)/(a*d*cos(d*x + c) + a*d*sin(d*x + c) + a*d)`

Sympy [A] time = 1.54983, size = 90, normalized size = 3.21

$$\begin{cases} \frac{dx \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{dx}{ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} & \text{for } d \neq 0 \\ \frac{x \sin(c)}{a \sin(c) + a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out] `Piecewise((d*x*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2) + a*d) + d*x/(a*d*tan(c/2 + d*x/2) + a*d) - 2*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2) + a*d), Ne(`

d, 0)), (x*sin(c)/(a*sin(c) + a), True))

Giac [A] time = 1.12511, size = 43, normalized size = 1.54

$$\frac{\frac{dx+c}{a} + \frac{2}{a\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)/a + 2/(a*(tan(1/2*d*x + 1/2*c) + 1)))/d

$$3.183 \quad \int \frac{\sin(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sin(c+dx)}{(e+fx)(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0480519, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx = \int \frac{\sin(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 8.57725, size = 0, normalized size = 0.

$$\int \frac{\sin(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.173, size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)}{(fx+e)(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sin(dx+c)}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sin(d*x + c)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sin(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(sin(c + d*x)/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)}{(fx+e)(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.184 \quad \int \frac{\sin(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sin(c+dx)}{(e+fx)^2(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0466772, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx = \int \frac{\sin(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 8.37545, size = 0, normalized size = 0.

$$\int \frac{\sin(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.238, size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)}{(fx+e)^2(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sin(dx+c)}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sin(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)}{(fx+e)^2(a\sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.185 \quad \int \frac{(e+fx)^3 \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=247

$$-\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} + \frac{6f^2(e+fx)\cos(c+dx)}{ad^3} + \frac{6f(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad^2}$$

[Out] $((-I)*(e + f*x)^3)/(a*d) - (e + f*x)^4/(4*a*f) + (6*f^2*(e + f*x)*\text{Cos}[c + d*x])/(a*d^3) - ((e + f*x)^3*\text{Cos}[c + d*x])/(a*d) - ((e + f*x)^3*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + (6*f*(e + f*x)^2*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d^2) - ((12*I)*f^2*(e + f*x)*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^3) + (12*f^3*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^4) - (6*f^3*\text{Sin}[c + d*x])/(a*d^4) + (3*f*(e + f*x)^2*\text{Sin}[c + d*x])/(a*d^2)$

Rubi [A] time = 0.471918, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {4515, 3296, 2637, 32, 3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$-\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} + \frac{6f^2(e+fx)\cos(c+dx)}{ad^3} + \frac{6f(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] $((-I)*(e + f*x)^3)/(a*d) - (e + f*x)^4/(4*a*f) + (6*f^2*(e + f*x)*\text{Cos}[c + d*x])/(a*d^3) - ((e + f*x)^3*\text{Cos}[c + d*x])/(a*d) - ((e + f*x)^3*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + (6*f*(e + f*x)^2*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d^2) - ((12*I)*f^2*(e + f*x)*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^3) + (12*f^3*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^4) - (6*f^3*\text{Sin}[c + d*x])/(a*d^4) + (3*f*(e + f*x)^2*\text{Sin}[c + d*x])/(a*d^2)$

Rule 4515

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3318

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)
*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin^2(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^3 \sin(c+dx) dx}{a} - \int \frac{(e+fx)^3 \sin(c+dx)}{a+a \sin(c+dx)} dx \\
&= -\frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{\int (e+fx)^3 dx}{a} + \frac{(3f) \int (e+fx)^2 \cos(c+dx) dx}{ad} + \int \frac{(e+fx)^3}{a+a \sin(c+dx)} dx \\
&= -\frac{(e+fx)^4}{4af} - \frac{(e+fx)^3 \cos(c+dx)}{ad} + \frac{3f(e+fx)^2 \sin(c+dx)}{ad^2} + \frac{\int (e+fx)^3 \csc^2\left(\frac{1}{2}(c+\frac{dx}{a})\right) dx}{2a} \\
&= -\frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad} \\
&= -\frac{i(e+fx)^3}{ad} - \frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad} \\
&= -\frac{i(e+fx)^3}{ad} - \frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad} \\
&= -\frac{i(e+fx)^3}{ad} - \frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad} \\
&= -\frac{i(e+fx)^3}{ad} - \frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad} \\
&= -\frac{i(e+fx)^3}{ad} - \frac{(e+fx)^4}{4af} + \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2a}\right)}{ad}
\end{aligned}$$

Mathematica [B] time = 3.00083, size = 1314, normalized size = 5.32

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] ((-6 + 4*I)*d^3*e^3*Cos[(c + d*x)/2] + 6*d^2*e^2*f*Cos[(c + d*x)/2] + 12*d*e*f^2*Cos[(c + d*x)/2] - 12*f^3*Cos[(c + d*x)/2] - 4*d^4*e^3*x*Cos[(c + d*x)/2] - (18 - 12*I)*d^3*e^2*f*x*Cos[(c + d*x)/2] + 12*d^2*e*f^2*x*Cos[(c + d*x)/2] + 12*d*f^3*x*Cos[(c + d*x)/2] - 6*d^4*e^2*f*x^2*Cos[(c + d*x)/2] - (18 - 12*I)*d^3*e*f^2*x^2*Cos[(c + d*x)/2] + 6*d^2*f^3*x^2*Cos[(c + d*x)/2] - 4*d^4*e*f^2*x^3*Cos[(c + d*x)/2] - (6 - 4*I)*d^3*f^3*x^3*Cos[(c + d*x)/2] - d^4*f^3*x^4*Cos[(c + d*x)/2] - 2*d^3*e^3*Cos[(3*(c + d*x))/2] - 6*d^2*e^2*f*Cos[(3*(c + d*x))/2] + 12*d*e*f^2*Cos[(3*(c + d*x))/2] + 12*f^3*Cos[(3*(c + d*x))/2] - 6*d^3*e^2*f*x*Cos[(3*(c + d*x))/2] - 12*d^2*e*f^2*x*Cos[(3*(c + d*x))/2] + 12*d*f^3*x*Cos[(3*(c + d*x))/2] - 6*d^3*e*f^2*x^2*Cos[(3*(c + d*x))/2] - 6*d^2*f^3*x^2*Cos[(3*(c + d*x))/2] - 2*d^3*f^3*x^3*Cos[(3*(c + d*x))/2] + 24*d^2*e^2*f*Cos[(c + d*x)/2]*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]] + 48*d^2*e*f^2*x*Cos[(c + d*x)/2]*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]] + 24*d^2*f^3*x^2*Cos[(c + d*x)/2]*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]] + (6 + 4*I)*d^3*e^3*Sin[(c + d*x)/2] + 6*d^2*e^2*f*Sin[(c + d*x)/2] - 12*d*e*f^2*Sin[(c + d*x)/2] - 12*f^3*Sin[(c + d*x)/2] - 4*d^4*e^3*x*Sin[(c + d*x)/2] + (18 + 12*I)*d^3*e^2*f*x*Sin[(c + d*x)/2] + 12*d^2*e*f^2*x*Sin[(c + d*x)/2] - 12*d*f^3*x*Sin[(c + d*x)/2] - 6*d^4*e^2*f*x^2*Sin[(c + d*x)/2] + (18 + 12*I)*d^3*e*f^2*x^2*Sin[(c + d*x)/2] + 6*d^2*f^3*x^2*Sin[(c + d*x)/2] - 4*d^4*e*f^2*x^3*Sin[(c + d*x)/2] + (6 + 4*I)*d^3*f^3*x^3*Sin[(c + d*x)/2]

$$\begin{aligned} & /2] - d^4 f^3 x^4 \sin[(c + dx)/2] + 24 d^2 e^2 f \log[1 + I \cos[c + dx] + \\ & \sin[c + dx]] \sin[(c + dx)/2] + 48 d^2 e f^2 x \log[1 + I \cos[c + dx] + \sin \\ & [c + dx]] \sin[(c + dx)/2] + 24 d^2 f^3 x^2 \log[1 + I \cos[c + dx] + \sin \\ & [c + dx]] \sin[(c + dx)/2] + (48 I) d f^2 (e + f x) \text{PolyLog}[2, (-I) \cos[c + \\ & dx] - \sin[c + dx]] (\cos[(c + dx)/2] + \sin[(c + dx)/2]) + 48 f^3 \text{PolyLo} \\ & \text{g}[3, (-I) \cos[c + dx] - \sin[c + dx]] (\cos[(c + dx)/2] + \sin[(c + dx)/2] \\ &) - 2 d^3 e^3 \sin[(3(c + dx))/2] + 6 d^2 e^2 f \sin[(3(c + dx))/2] + 12 \\ & d e f^2 \sin[(3(c + dx))/2] - 12 f^3 \sin[(3(c + dx))/2] - 6 d^3 e^2 f x \\ & \sin[(3(c + dx))/2] + 12 d^2 e f^2 x \sin[(3(c + dx))/2] + 12 d f^3 x \sin \\ & [(3(c + dx))/2] - 6 d^3 e f^2 x^2 \sin[(3(c + dx))/2] + 6 d^2 f^3 x^2 \sin \\ & [(3(c + dx))/2] - 2 d^3 f^3 x^3 \sin[(3(c + dx))/2] / (4 a d^4 (\cos[(c + \\ & dx)/2] + \sin[(c + dx)/2])) \end{aligned}$$

Maple [B] time = 0.296, size = 748, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^3*sin(d*x+c)^2/(a+a*sin(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2I/d/a/f^3x^3+4I/d^4/a/f^3c^3+12f^2/d^2/a*e*\ln(1-I*\exp(I*(d*x+c)))x- \\ & 1/4/a*f^3x^4-1/a*e^3x-6f^3/d^4/a*c^2*\ln(\exp(I*(d*x+c)))+6f/d^2/a*\ln(\exp \\ & (I*(d*x+c))+I)*e^2+6f^3/d^4/a*c^2*\ln(\exp(I*(d*x+c))+I)-6f/d^2/a*\ln(\exp(I* \\ & (d*x+c))*e^2-1/a*e*f^2*x^3-3/2/a*e^2*f*x^2-2*(f^3*x^3+3*e*f^2*x^2+3*e^2*f* \\ & x+e^3)/d/a/(\exp(I*(d*x+c))+I)+12f^2/d^3/a*e*\ln(1-I*\exp(I*(d*x+c)))*c+6f^3 \\ & /d^2/a*\ln(1-I*\exp(I*(d*x+c)))*x^2-6f^3/d^4/a*\ln(1-I*\exp(I*(d*x+c)))*c^2+12 \\ & *f^2/d^3/a*e*c*\ln(\exp(I*(d*x+c)))-12f^2/d^3/a*e*c*\ln(\exp(I*(d*x+c))+I)-12* \\ & I/d^3/a*f^3*\text{polylog}(2,I*\exp(I*(d*x+c)))*x+6I/d^3/a*f^3*c^2*x-6I/d/a*e*f^2 \\ & *x^2-6I/d^3/a*e*f^2*c^2-12I/d^3/a*e*f^2*\text{polylog}(2,I*\exp(I*(d*x+c)))-1/2*(\\ & f^3*x^3*d^3-3I*d^2*f^3*x^2+3*d^3*e*f^2*x^2-6I*d^2*e*f^2*x+3*d^3*e^2*f*x-3 \\ & *I*d^2*e^2*f+d^3*e^3-6*d*f^3*x+6I*f^3-6f^2*e*d)/a/d^4*\exp(-I*(d*x+c))-1/2 \\ & *(f^3*x^3*d^3+3I*d^2*f^3*x^2+3*d^3*e*f^2*x^2+6I*d^2*e*f^2*x+3*d^3*e^2*f*x \\ & +3I*d^2*e^2*f+d^3*e^3-6*d*f^3*x-6I*f^3-6f^2*e*d)/a/d^4*\exp(I*(d*x+c))+12 \\ & *f^3*\text{polylog}(3,I*\exp(I*(d*x+c)))/a/d^4-12I/d^2/a*e*f^2*c*x \end{aligned}$$

Maxima [B] time = 3.0692, size = 6209, normalized size = 25.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/2*(12*c^2*e*f^2*((\sin(d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^2/(\cos(\\ & d*x + c) + 1)^2 + 2)/(a*d^2 + a*d^2*\sin(d*x + c)/(\cos(d*x + c) + 1) + a*d^2 \\ & * \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*d^2*\sin(d*x + c)^3/(\cos(d*x + c) + \\ & 1)^3) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d^2)) - 12*c*e^2*f*((\sin \\ & (d*x + c))/(\cos(d*x + c) + 1) + \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 2)/(a \\ & *d + a*d*\sin(d*x + c)/(\cos(d*x + c) + 1) + a*d*\sin(d*x + c)^2/(\cos(d*x + c) \\ & + 1)^2 + a*d*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) + \arctan(\sin(d*x + c)/(c \\ & os(d*x + c) + 1))/(a*d)) - 6*(((d*x + c)^2 - 1)*\cos(d*x + c)^4 + ((d*x + c) \\ & ^2 - 1)*\sin(d*x + c)^4 + ((d*x + c)*\cos(d*x + c) + \sin(d*x + c) + 1)*\cos(2* \\ & d*x + 2*c)^3 + 7*(d*x + c)*\cos(d*x + c)^3 + (d*x + (d*x + c)*\sin(d*x + c) + \end{aligned}$$

$$\begin{aligned}
& c - \cos(dx + c)) \sin(2dx + 2c)^3 + (2(dx + c)^2 - 3) \sin(dx + c)^3 \\
& + (((dx + c)^2 - 1) \cos(dx + c)^2 + ((dx + c)^2 - 3) \sin(dx + c)^2 + (d \\
& *x + c)^2 + 6(dx + c) \cos(dx + c) + 2((dx + c)^2 - (dx + c) \cos(dx + \\
& c) - 2) \sin(dx + c) - 1) \cos(2dx + 2c)^2 + ((dx + c)^2 - 1) \cos(dx + \\
& c)^2 + (((dx + c)^2 - 3) \cos(dx + c)^2 + ((dx + c)^2 - 1) \sin(dx + c)^ \\
& 2 + (dx + c)^2 + ((dx + c) \cos(dx + c) + \sin(dx + c) + 1) \cos(2dx + 2 \\
& *c) + 8(dx + c) \cos(dx + c) + 2((dx + c)^2 + (dx + c) \cos(dx + c) - \\
& 1) \sin(dx + c) - 1) \sin(2dx + 2c)^2 + (2((dx + c)^2 - 1) \cos(dx + c) \\
& ^2 + (dx + c)^2 + 7(dx + c) \cos(dx + c) - 3) \sin(dx + c)^2 + ((dx + c \\
&) \cos(dx + c)^3 - (2(dx + c)^2 - 3) \sin(dx + c)^3 - (4(dx + c)^2 - (d \\
& *x + c) \cos(dx + c) - 6) \sin(dx + c)^2 + 2 \cos(dx + c)^2 - ((2(dx + c) \\
& ^2 - 3) \cos(dx + c)^2 + 2(dx + c)^2 + 12(dx + c) \cos(dx + c) - 4) \sin \\
& (dx + c) + 1) \cos(2dx + 2c) + (dx + c) \cos(dx + c) - 2(\cos(dx + c)^ \\
& 4 + \sin(dx + c)^4 + (\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \sin(dx + c) + 1) \\
& * \cos(2dx + 2c)^2 + (\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \sin(dx + c) + 1) \\
& * \sin(2dx + 2c)^2 + 2 \cos(dx + c)^2 \sin(dx + c) + (2 \cos(dx + c)^2 + \\
& 1) \sin(dx + c)^2 + 2 \sin(dx + c)^3 - 2(\sin(dx + c)^3 + (\cos(dx + c)^2 \\
& + 1) \sin(dx + c) + 2 \sin(dx + c)^2) \cos(2dx + 2c) + \cos(dx + c)^2 + 2 \\
& * (\cos(dx + c)^3 + \cos(dx + c) \sin(dx + c)^2 + 2 \cos(dx + c) \sin(dx + c \\
&) + \cos(dx + c)) \sin(2dx + 2c) * \log(\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \\
& * \sin(dx + c) + 1) + ((2(dx + c)^2 - 3) \cos(dx + c)^3 + (dx + c) \sin(dx \\
& *x + c)^3 + (dx + (dx + c) \sin(dx + c) + c - \cos(dx + c)) \cos(2dx + 2 \\
& *c)^2 + 14(dx + c) \cos(dx + c)^2 + (2dx + (2(dx + c)^2 - 3) \cos(dx + \\
& c) + 2c) \sin(dx + c)^2 + dx + 2((dx + c) \cos(dx + c)^2 - (dx + c) \sin \\
& (dx + c)^2 - (dx + c - 2 \cos(dx + c)) \sin(dx + c) + \cos(dx + c)) \cos \\
& (2dx + 2c) + 2((dx + c)^2 - 1) \cos(dx + c) + ((dx + c) \cos(dx + c)^ \\
& 2 + 2dx + 4((dx + c)^2 - 1) \cos(dx + c) + 2c) \sin(dx + c) + c) \sin(2 \\
& *dx + 2c) + ((2(dx + c)^2 - 3) \cos(dx + c)^2 + 2(dx + c) \cos(dx + c \\
&) - 1) \sin(dx + c)) * e^{f^2} / (a * d^2 \cos(dx + c)^4 + a * d^2 \sin(dx + c)^4 + \\
& 2 * a * d^2 \cos(dx + c)^2 \sin(dx + c) + 2 * a * d^2 \sin(dx + c)^3 + a * d^2 \cos(dx \\
& *x + c)^2 + (a * d^2 \cos(dx + c)^2 + a * d^2 \sin(dx + c)^2 + 2 * a * d^2 \sin(dx \\
& + c) + a * d^2) \cos(2dx + 2c)^2 + (a * d^2 \cos(dx + c)^2 + a * d^2 \sin(dx + \\
& c)^2 + 2 * a * d^2 \sin(dx + c) + a * d^2) \sin(2dx + 2c)^2 + (2 * a * d^2 \cos(dx \\
& + c)^2 + a * d^2) \sin(dx + c)^2 - 2 * (a * d^2 \sin(dx + c)^3 + 2 * a * d^2 \sin(dx \\
& + c)^2 + (a * d^2 \cos(dx + c)^2 + a * d^2) \sin(dx + c)) \cos(2dx + 2c) + 2 * \\
& (a * d^2 \cos(dx + c)^3 + a * d^2 \cos(dx + c) \sin(dx + c)^2 + 2 * a * d^2 \cos(dx \\
& + c) \sin(dx + c) + a * d^2 \cos(dx + c)) \sin(2dx + 2c) + 4 * e^3 * ((\sin(dx \\
& *x + c) / (\cos(dx + c) + 1) + \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 2) / (a + a \\
& * \sin(dx + c) / (\cos(dx + c) + 1) + a \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \\
& a \sin(dx + c)^3 / (\cos(dx + c) + 1)^3) + \arctan(\sin(dx + c) / (\cos(dx + c) \\
& + 1)) / a + 3 * (((dx + c)^2 - 1) \cos(dx + c)^4 + ((dx + c)^2 - 1) \sin(dx \\
& + c)^4 + ((dx + c) \cos(dx + c) + \sin(dx + c) + 1) \cos(2dx + 2c)^3 + 7 \\
& * (dx + c) \cos(dx + c)^3 + (dx + (dx + c) \sin(dx + c) + c - \cos(dx + c \\
&)) \sin(2dx + 2c)^3 + (2(dx + c)^2 - 3) \sin(dx + c)^3 + (((dx + c)^2 \\
& - 1) \cos(dx + c)^2 + ((dx + c)^2 - 3) \sin(dx + c)^2 + (dx + c)^2 + 6(dx \\
& *x + c) \cos(dx + c) + 2((dx + c)^2 - (dx + c) \cos(dx + c) - 2) \sin(dx \\
& + c) - 1) \cos(2dx + 2c)^2 + ((dx + c)^2 - 1) \cos(dx + c)^2 + (((dx + \\
& c)^2 - 3) \cos(dx + c)^2 + ((dx + c)^2 - 1) \sin(dx + c)^2 + (dx + c)^2 \\
& + ((dx + c) \cos(dx + c) + \sin(dx + c) + 1) \cos(2dx + 2c) + 8(dx + c \\
&) \cos(dx + c) + 2((dx + c)^2 + (dx + c) \cos(dx + c) - 1) \sin(dx + c) \\
& - 1) \sin(2dx + 2c)^2 + (2((dx + c)^2 - 1) \cos(dx + c)^2 + (dx + c)^2 \\
& + 7(dx + c) \cos(dx + c) - 3) \sin(dx + c)^2 + ((dx + c) \cos(dx + c)^3 \\
& - (2(dx + c)^2 - 3) \sin(dx + c)^3 - (4(dx + c)^2 - (dx + c) \cos(dx \\
& + c) - 6) \sin(dx + c)^2 + 2 \cos(dx + c)^2 - ((2(dx + c)^2 - 3) \cos(dx \\
& + c)^2 + 2(dx + c)^2 + 12(dx + c) \cos(dx + c) - 4) \sin(dx + c) + 1) \cos \\
& (2dx + 2c) + (dx + c) \cos(dx + c) - 2(\cos(dx + c)^4 + \sin(dx + c) \\
& ^4 + (\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \sin(dx + c) + 1) \cos(2dx + 2c \\
&)^2 + (\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \sin(dx + c) + 1) \sin(2dx + 2 \\
& *c)^2 + 2 \cos(dx + c)^2 \sin(dx + c) + (2 \cos(dx + c)^2 + 1) \sin(dx + c)^
\end{aligned}$$

$$\begin{aligned}
& 2 + 2*\sin(d*x + c)^3 - 2*(\sin(d*x + c)^3 + (\cos(d*x + c)^2 + 1)*\sin(d*x + c) \\
&) + 2*\sin(d*x + c)^2*\cos(2*d*x + 2*c) + \cos(d*x + c)^2 + 2*(\cos(d*x + c)^3 \\
& + \cos(d*x + c)*\sin(d*x + c)^2 + 2*\cos(d*x + c)*\sin(d*x + c) + \cos(d*x + c) \\
&)*\sin(2*d*x + 2*c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + \\
& 1) + ((2*(d*x + c)^2 - 3)*\cos(d*x + c)^3 + (d*x + c)*\sin(d*x + c)^3 + (d*x \\
& + (d*x + c)*\sin(d*x + c) + c - \cos(d*x + c))*\cos(2*d*x + 2*c)^2 + 14*(d*x + \\
& c)*\cos(d*x + c)^2 + (2*d*x + (2*(d*x + c)^2 - 3)*\cos(d*x + c) + 2*c)*\sin(d \\
& *x + c)^2 + d*x + 2*((d*x + c)*\cos(d*x + c)^2 - (d*x + c)*\sin(d*x + c)^2 - \\
& (d*x + c - 2*\cos(d*x + c))*\sin(d*x + c) + \cos(d*x + c))*\cos(2*d*x + 2*c) + \\
& 2*((d*x + c)^2 - 1)*\cos(d*x + c) + ((d*x + c)*\cos(d*x + c)^2 + 2*d*x + 4*((\\
& d*x + c)^2 - 1)*\cos(d*x + c) + 2*c)*\sin(d*x + c) + c)*\sin(2*d*x + 2*c) + ((\\
& 2*(d*x + c)^2 - 3)*\cos(d*x + c)^2 + 2*(d*x + c)*\cos(d*x + c) - 1)*\sin(d*x + \\
& c))*e^2*f/(a*d*\cos(d*x + c)^4 + a*d*\sin(d*x + c)^4 + 2*a*d*\cos(d*x + c)^2* \\
& \sin(d*x + c) + 2*a*d*\sin(d*x + c)^3 + a*d*\cos(d*x + c)^2 + (a*d*\cos(d*x + c) \\
&)^2 + a*d*\sin(d*x + c)^2 + 2*a*d*\sin(d*x + c) + a*d)*\cos(2*d*x + 2*c)^2 + (\\
& a*d*\cos(d*x + c)^2 + a*d*\sin(d*x + c)^2 + 2*a*d*\sin(d*x + c) + a*d)*\sin(2*d \\
& *x + 2*c)^2 + (2*a*d*\cos(d*x + c)^2 + a*d)*\sin(d*x + c)^2 - 2*(a*d*\sin(d*x \\
& + c)^3 + 2*a*d*\sin(d*x + c)^2 + (a*d*\cos(d*x + c)^2 + a*d)*\sin(d*x + c))*\co \\
& s(2*d*x + 2*c) + 2*(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)*\sin(d*x + c)^2 + \\
& 2*a*d*\cos(d*x + c)*\sin(d*x + c) + a*d*\cos(d*x + c))*\sin(2*d*x + 2*c)) + 2*(\\
& (d*x + c)^4*f^3 + (4*d*e*f^2 - (4*c + 2*I)*f^3)*(d*x + c)^3 + 12*I*d*e*f^2 \\
& - (-10*I*c^3 + 6*c^2 + 12*I*c - 12)*f^3 - (6*I*d*e*f^2 - 6*(c^2 + I*c - 1)* \\
& f^3)*(d*x + c)^2 - (12*d*e*f^2 + (4*c^3 + 6*I*c^2 - 12*c - 12*I)*f^3)*(d*x \\
& + c) - (24*c^2*f^3*\cos(d*x + c) + 24*I*c^2*f^3*\sin(d*x + c) + 24*I*c^2*f^3) \\
& *arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (-24*I*(d*x + c)^2*f^3 + (-48*I* \\
& d*e*f^2 + 48*I*c*f^3)*(d*x + c) - 24*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3) \\
& *(d*x + c))*\cos(d*x + c) + (-24*I*(d*x + c)^2*f^3 + (-48*I*d*e*f^2 + 48*I*c \\
& *f^3)*(d*x + c))*\sin(d*x + c))*arctan2(\cos(d*x + c), \sin(d*x + c) + 1) - (2 \\
& *I*(d*x + c)^3*f^3 - 12*I*d*e*f^2 + (-2*I*c^3 - 6*c^2 + 12*I*c + 12)*f^3 - \\
& 6*(-I*d*e*f^2 + (I*c + 1)*f^3)*(d*x + c)^2 - (12*d*e*f^2 - (6*I*c^2 + 12*c \\
& - 12*I)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) - (I*(d*x + c)^4*f^3 - 2*(-2*I*d*e \\
& *f^2 + (2*I*c + 5)*f^3)*(d*x + c)^3 + 12*d*e*f^2 + (2*c^3 - 6*I*c^2 - 12*c \\
& + 12*I)*f^3 - (30*d*e*f^2 - (6*I*c^2 + 30*c - 6*I)*f^3)*(d*x + c)^2 + (-12* \\
& I*d*e*f^2 + (-4*I*c^3 - 30*c^2 + 12*I*c + 12)*f^3)*(d*x + c))*\cos(d*x + c) \\
& - (-48*I*d*e*f^2 - 48*I*(d*x + c)*f^3 + 48*I*c*f^3 - 48*(d*e*f^2 + (d*x + c) \\
&)*f^3 - c*f^3)*\cos(d*x + c) + (-48*I*d*e*f^2 - 48*I*(d*x + c)*f^3 + 48*I*c* \\
& f^3)*\sin(d*x + c))*dilog(I*e^(I*d*x + I*c)) - (12*(d*x + c)^2*f^3 + 12*c^2* \\
& f^3 + 24*(d*e*f^2 - c*f^3)*(d*x + c) + (-12*I*(d*x + c)^2*f^3 - 12*I*c^2*f^ \\
& 3 + (-24*I*d*e*f^2 + 24*I*c*f^3)*(d*x + c))*\cos(d*x + c) + 12*((d*x + c)^2* \\
& f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + \\
& c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + 48*(I*f^3*\cos(d*x + c) - f^3* \\
& \sin(d*x + c) - f^3)*polylog(3, I*e^(I*d*x + I*c)) + (2*(d*x + c)^3*f^3 - 12 \\
& *d*e*f^2 - (2*c^3 - 6*I*c^2 - 12*c + 12*I)*f^3 + (6*d*e*f^2 - (6*c - 6*I)*f \\
& ^3)*(d*x + c)^2 + 6*(2*I*d*e*f^2 + (c^2 - 2*I*c - 2)*f^3)*(d*x + c))*\sin(2* \\
& d*x + 2*c) + ((d*x + c)^4*f^3 + (4*d*e*f^2 - (4*c - 10*I)*f^3)*(d*x + c)^3 \\
& - 12*I*d*e*f^2 - (2*I*c^3 + 6*c^2 - 12*I*c - 12)*f^3 + 6*(5*I*d*e*f^2 + (c^ \\
& 2 - 5*I*c - 1)*f^3)*(d*x + c)^2 - (12*d*e*f^2 + (4*c^3 - 30*I*c^2 - 12*c + \\
& 12*I)*f^3)*(d*x + c))*\sin(d*x + c))/(-4*I*a*d^3*\cos(d*x + c) + 4*a*d^3*\sin(\\
& d*x + c) + 4*a*d^3))/d
\end{aligned}$$

Fricas [C] time = 2.598, size = 2984, normalized size = 12.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

```
[Out] -1/4*(d^4*f^3*x^4 + 4*d^3*e^3 - 12*d^2*e^2*f + 4*(d^4*e*f^2 + d^3*f^3)*x^3
+ 24*f^3 + 6*(d^4*e^2*f + 2*d^3*e*f^2 - 2*d^2*f^3)*x^2 + 4*(d^3*f^3*x^3 + d
^3*e^3 + 3*d^2*e^2*f - 6*d*e*f^2 - 6*f^3 + 3*(d^3*e*f^2 + d^2*f^3)*x^2 + 3*
(d^3*e^2*f + 2*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x + c)^2 + 4*(d^4*e^3 + 3*d^3*
e^2*f - 6*d^2*e*f^2)*x + (d^4*f^3*x^4 + 8*d^3*e^3 - 24*d*e*f^2 + 4*(d^4*e*f
^2 + 2*d^3*f^3)*x^3 + 6*(d^4*e^2*f + 4*d^3*e*f^2)*x^2 + 4*(d^4*e^3 + 6*d^3*
e^2*f - 6*d*f^3)*x)*cos(d*x + c) - (-24*I*d*f^3*x - 24*I*d*e*f^2 + (-24*I*d
*f^3*x - 24*I*d*e*f^2)*cos(d*x + c) + (-24*I*d*f^3*x - 24*I*d*e*f^2)*sin(d*
x + c))*dilog(I*cos(d*x + c) - sin(d*x + c)) - (24*I*d*f^3*x + 24*I*d*e*f^2
+ (24*I*d*f^3*x + 24*I*d*e*f^2)*cos(d*x + c) + (24*I*d*f^3*x + 24*I*d*e*f^
2)*sin(d*x + c))*dilog(-I*cos(d*x + c) - sin(d*x + c)) - 12*(d^2*e^2*f - 2*
c*d*e*f^2 + c^2*f^3 + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*cos(d*x + c) + (d
^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*sin(d*x + c))*log(cos(d*x + c) + I*sin(d*
x + c) + I) - 12*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3 + (d
^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*cos(d*x + c) + (d^2*f^3*
x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*sin(d*x + c))*log(I*cos(d*x +
c) + sin(d*x + c) + 1) - 12*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c
^2*f^3 + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*cos(d*x + c)
+ (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*sin(d*x + c))*log(-
I*cos(d*x + c) + sin(d*x + c) + 1) - 12*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3
+ (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*cos(d*x + c) + (d^2*e^2*f - 2*c*d*e*f
^2 + c^2*f^3)*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + I) - 24*(f
^3*cos(d*x + c) + f^3*sin(d*x + c) + f^3)*polylog(3, I*cos(d*x + c) - sin(d
*x + c)) - 24*(f^3*cos(d*x + c) + f^3*sin(d*x + c) + f^3)*polylog(3, -I*cos
(d*x + c) - sin(d*x + c)) + (d^4*f^3*x^4 - 4*d^3*e^3 - 12*d^2*e^2*f + 4*(d
^4*e*f^2 - d^3*f^3)*x^3 + 24*f^3 + 6*(d^4*e^2*f - 2*d^3*e*f^2 - 2*d^2*f^3)*x
^2 + 4*(d^4*e^3 - 3*d^3*e^2*f - 6*d^2*e*f^2)*x + 4*(d^3*f^3*x^3 + d^3*e^3 -
3*d^2*e^2*f - 6*d*e*f^2 + 6*f^3 + 3*(d^3*e*f^2 - d^2*f^3)*x^2 + 3*(d^3*e^2
*f - 2*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x + c))*sin(d*x + c))/(a*d^4*cos(d*x +
c) + a*d^4*sin(d*x + c) + a*d^4)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \sin^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \sin^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \sin^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \sin^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*sin(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**3*sin(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*
sin(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*sin(c + d*x
)**2/(sin(c + d*x) + 1), x) + Integral(3*e**2*f*x*sin(c + d*x)**2/(sin(c +
d*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*sin(d*x + c)^2/(a*sin(d*x + c) + a), x)
```

$$3.186 \quad \int \frac{(e+fx)^2 \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=188

$$-\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{2f(e+fx) \sin(c+dx)}{ad^2} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad}$$

[Out] $((-1)*(e + f*x)^2)/(a*d) - (e + f*x)^3/(3*a*f) + (2*f^2*\text{Cos}[c + d*x])/(a*d^3) - ((e + f*x)^2*\text{Cos}[c + d*x])/(a*d) - ((e + f*x)^2*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + (4*f*(e + f*x)*\text{Log}[1 - I*E^{I*(c + d*x)}])/(a*d^2) - ((4*I)*f^2*\text{PolyLog}[2, I*E^{I*(c + d*x)}])/(a*d^3) + (2*f*(e + f*x)*\text{Sin}[c + d*x])/(a*d^2)$

Rubi [A] time = 0.347819, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4515, 3296, 2638, 32, 3318, 4184, 3717, 2190, 2279, 2391}

$$-\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{2f(e+fx) \sin(c+dx)}{ad^2} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] $((-1)*(e + f*x)^2)/(a*d) - (e + f*x)^3/(3*a*f) + (2*f^2*\text{Cos}[c + d*x])/(a*d^3) - ((e + f*x)^2*\text{Cos}[c + d*x])/(a*d) - ((e + f*x)^2*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + (4*f*(e + f*x)*\text{Log}[1 - I*E^{I*(c + d*x)}])/(a*d^2) - ((4*I)*f^2*\text{PolyLog}[2, I*E^{I*(c + d*x)}])/(a*d^3) + (2*f*(e + f*x)*\text{Sin}[c + d*x])/(a*d^2)$

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \sin^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^2 \sin(c+dx) dx}{a} - \int \frac{(e+fx)^2 \sin(c+dx)}{a+a\sin(c+dx)} dx \\
&= -\frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{\int (e+fx)^2 dx}{a} + \frac{(2f) \int (e+fx) \cos(c+dx) dx}{ad} + \int \frac{(e+fx)}{a+a\sin(c+dx)} dx \\
&= -\frac{(e+fx)^3}{3af} - \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{2f(e+fx) \sin(c+dx)}{ad^2} + \frac{\int (e+fx)^2 \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)\right) dx}{2a} \\
&= -\frac{(e+fx)^3}{3af} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} + \frac{2f}{ad} \\
&= -\frac{i(e+fx)^2}{ad} - \frac{(e+fx)^3}{3af} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} \\
&= -\frac{i(e+fx)^2}{ad} - \frac{(e+fx)^3}{3af} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} \\
&= -\frac{i(e+fx)^2}{ad} - \frac{(e+fx)^3}{3af} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} \\
&= -\frac{i(e+fx)^2}{ad} - \frac{(e+fx)^3}{3af} + \frac{2f^2 \cos(c+dx)}{ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad}
\end{aligned}$$

Mathematica [A] time = 2.56786, size = 295, normalized size = 1.57

$$\frac{12f(\cos(c)+i\sin(c))\left(\frac{f(\cos(c)-i(\sin(c)+1))\text{PolyLog}(2,-\sin(c+dx)-i\cos(c+dx))}{d^2} - \frac{(\sin(c)+i\cos(c)+1)(e+fx)\log(\sin(c+dx)+i\cos(c+dx)+1)}{d} + \frac{(\cos(c)-i\sin(c))(e+fx)^2}{2f}\right)}{d(\cos(c)+i(\sin(c)+1))} + \frac{3\cos(d)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] $-\frac{(x^3(3e^2 + 3efx + f^2x^2) + (3\cos[d*x]*((-2f^2 + d^2(e+fx)^2)*\cos[c] - 2d*f*(e+fx)*\sin[c]))/d^3 + (12f*(\cos[c] + I*\sin[c])*((e+fx)^2*(\cos[c] - I*\sin[c]))/(2f) - ((e+fx)*\log[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(1 + I*\cos[c] + \sin[c]))/d + (f*\text{PolyLog}[2, (-I)*\cos[c + d*x] - \sin[c + d*x]]*(\cos[c] - I*(1 + \sin[c]))/d^2))/(d*(\cos[c] + I*(1 + \sin[c]))) - (3*(2d*f*(e+fx)*\cos[c] + (-2f^2 + d^2(e+fx)^2)*\sin[c])*\sin[d*x])/d^3 - (6*(e+fx)^2*\sin[(d*x)/2])/(d*(\cos[c/2] + \sin[c/2])*\cos[(c+d*x)/2] + \sin[(c+d*x)/2]))/(3*a)$

Maple [B] time = 0.336, size = 408, normalized size = 2.2

$$-\frac{f^2x^3}{3a} - \frac{fex^2}{a} - \frac{e^2x}{a} - \frac{(f^2x^2d^2 + 2idf^2x + 2d^2efx + 2idef + d^2e^2 - 2f^2)e^{i(dx+c)}}{2d^3a} - \frac{(f^2x^2d^2 - 2idf^2x + 2d^2efx - 2idef + d^2e^2 - 2f^2)e^{i(dx+c)}}{2d^3a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(d*x+c)^2/(a+a*sin(d*x+c)),x)

```
[Out] -1/3/a*f^2*x^3-1/a*f*e*x^2-1/a*e^2*x-1/2*(f^2*x^2*d^2+2*I*d*f^2*x+2*d^2*e*f
*x+2*I*d*e*f+d^2*e^2-2*f^2)/d^3/a*exp(I*(d*x+c))-1/2*(f^2*x^2*d^2-2*I*d*f^2
*x+2*d^2*e*f*x-2*I*d*e*f+d^2*e^2-2*f^2)/d^3/a*exp(-I*(d*x+c))-2*(f^2*x^2+2*
e*f*x+e^2)/d/a/(exp(I*(d*x+c))+I)+4*f/d^2/a*ln(exp(I*(d*x+c))+I)*e-4*f/d^2/
a*ln(exp(I*(d*x+c)))*e-4*I/d^2/a*f^2*c*x-2*I/d/a*f^2*x^2-4*I*f^2*polylog(2,
I*exp(I*(d*x+c)))/a/d^3+4*f^2/d^2/a*ln(1-I*exp(I*(d*x+c)))*x+4*f^2/d^3/a*ln
(1-I*exp(I*(d*x+c)))*c-2*I/d^3/a*f^2*c^2-4*f^2/d^3/a*c*ln(exp(I*(d*x+c))+I)
+4*f^2/d^3/a*c*ln(exp(I*(d*x+c)))
```

Maxima [B] time = 2.45847, size = 815, normalized size = 4.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] -(2*d^3*f^2*x^3 - 15*I*d^2*e^2 - 6*d*e*f + 3*(2*d^3*e*f - I*d^2*f^2))*x^2 +
6*I*f^2 + (6*d^3*e^2 - 6*I*d^2*e*f - 6*d*f^2)*x - (24*d*e*f*cos(d*x + c) +
24*I*d*e*f*sin(d*x + c) + 24*I*d*e*f)*arctan2(sin(d*x + c) + 1, cos(d*x + c
)) + (24*d*f^2*x*cos(d*x + c) + 24*I*d*f^2*x*sin(d*x + c) + 24*I*d*f^2*x)*a
rctan2(cos(d*x + c), sin(d*x + c) + 1) - (3*I*d^2*f^2*x^2 + 3*I*d^2*e^2 - 6
*d*e*f - 6*I*f^2 + (6*I*d^2*e*f - 6*d*f^2)*x)*cos(2*d*x + 2*c) - (2*I*d^3*f
^2*x^3 - 3*d^2*e^2 - 6*I*d*e*f + (6*I*d^3*e*f - 15*d^2*f^2))*x^2 + 6*f^2 + (
6*I*d^3*e^2 - 30*d^2*e*f - 6*I*d*f^2)*x)*cos(d*x + c) + (24*f^2*cos(d*x + c
) + 24*I*f^2*sin(d*x + c) + 24*I*f^2)*dilog(I*e^(I*d*x + I*c)) - (12*d*f^2*x
+ 12*d*e*f + (-12*I*d*f^2*x - 12*I*d*e*f)*cos(d*x + c) + 12*(d*f^2*x + d*
e*f)*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1
) + (3*d^2*f^2*x^2 + 3*d^2*e^2 + 6*I*d*e*f - 6*f^2 + 6*(d^2*e*f + I*d*f^2)*
x)*sin(2*d*x + 2*c) + (2*d^3*f^2*x^3 + 3*I*d^2*e^2 - 6*d*e*f + 3*(2*d^3*e*f
+ 5*I*d^2*f^2))*x^2 - 6*I*f^2 + (6*d^3*e^2 + 30*I*d^2*e*f - 6*d*f^2)*x)*sin
(d*x + c))/(-6*I*a*d^3*cos(d*x + c) + 6*a*d^3*sin(d*x + c) + 6*a*d^3)
```

Fricas [B] time = 2.18301, size = 1674, normalized size = 8.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/3*(d^3*f^2*x^3 + 3*d^2*e^2 - 6*d*e*f + 3*(d^3*e*f + d^2*f^2))*x^2 + 3*(d^
2*f^2*x^2 + d^2*e^2 + 2*d*e*f - 2*f^2 + 2*(d^2*e*f + d*f^2)*x)*cos(d*x + c)
^2 + 3*(d^3*e^2 + 2*d^2*e*f - 2*d*f^2)*x + (d^3*f^2*x^3 + 6*d^2*e^2 + 3*(d^
3*e*f + 2*d^2*f^2))*x^2 - 6*f^2 + 3*(d^3*e^2 + 4*d^2*e*f)*x)*cos(d*x + c) -
(-6*I*f^2*cos(d*x + c) - 6*I*f^2*sin(d*x + c) - 6*I*f^2)*dilog(I*cos(d*x +
c) - sin(d*x + c)) - (6*I*f^2*cos(d*x + c) + 6*I*f^2*sin(d*x + c) + 6*I*f^2
)*dilog(-I*cos(d*x + c) - sin(d*x + c)) - 6*(d*e*f - c*f^2 + (d*e*f - c*f^2
)*cos(d*x + c) + (d*e*f - c*f^2)*sin(d*x + c))*log(cos(d*x + c) + I*sin(d*x
+ c) + I) - 6*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*cos(d*x + c) + (d*f^2*x
+ c*f^2)*sin(d*x + c))*log(I*cos(d*x + c) + sin(d*x + c) + 1) - 6*(d*f^2*x
+ c*f^2 + (d*f^2*x + c*f^2)*cos(d*x + c) + (d*f^2*x + c*f^2)*sin(d*x + c))
*log(-I*cos(d*x + c) + sin(d*x + c) + 1) - 6*(d*e*f - c*f^2 + (d*e*f - c*f^
2)*cos(d*x + c) + (d*e*f - c*f^2)*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d
*x + c) + I) + (d^3*f^2*x^3 - 3*d^2*e^2 - 6*d*e*f + 3*(d^3*e*f - d^2*f^2))*x
```

$$\begin{aligned} &^2 + 3*(d^3*e^2 - 2*d^2*e*f - 2*d*f^2)*x + 3*(d^2*f^2*x^2 + d^2*e^2 - 2*d*e \\ &*f - 2*f^2 + 2*(d^2*e*f - d*f^2)*x)*\cos(d*x + c))*\sin(d*x + c))/(a*d^3*\cos(\\ &d*x + c) + a*d^3*\sin(d*x + c) + a*d^3) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \sin^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \sin^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \sin^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**2*sin(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*sin(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*sin(c + d*x)**2/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)^2/(a*sin(d*x + c) + a), x)

$$3.187 \quad \int \frac{(e+fx) \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=111

$$\frac{f \sin(c+dx)}{ad^2} + \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} - \frac{(e+fx) \cos(c+dx)}{ad} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{ex}{a} - \frac{fx^2}{2a}$$

[Out] -((e*x)/a) - (f*x^2)/(2*a) - ((e + f*x)*Cos[c + d*x])/(a*d) - ((e + f*x)*Co
t[c/2 + Pi/4 + (d*x)/2])/(a*d) + (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^
2) + (f*Sin[c + d*x])/(a*d^2)

Rubi [A] time = 0.159696, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4515, 3296, 2637, 3318, 4184, 3475}

$$\frac{f \sin(c+dx)}{ad^2} + \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} - \frac{(e+fx) \cos(c+dx)}{ad} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{ex}{a} - \frac{fx^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] -((e*x)/a) - (f*x^2)/(2*a) - ((e + f*x)*Cos[c + d*x])/(a*d) - ((e + f*x)*Co
t[c/2 + Pi/4 + (d*x)/2])/(a*d) + (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^
2) + (f*Sin[c + d*x])/(a*d^2)

Rule 4515

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\sin^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)\sin(c+dx) dx}{a} - \int \frac{(e+fx)\sin(c+dx)}{a+a\sin(c+dx)} dx \\ &= -\frac{(e+fx)\cos(c+dx)}{ad} - \frac{\int (e+fx) dx}{a} + \frac{f \int \cos(c+dx) dx}{ad} + \int \frac{e+fx}{a+a\sin(c+dx)} dx \\ &= -\frac{ex}{a} - \frac{fx^2}{2a} - \frac{(e+fx)\cos(c+dx)}{ad} + \frac{f \sin(c+dx)}{ad^2} + \frac{\int (e+fx) \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} \\ &= -\frac{ex}{a} - \frac{fx^2}{2a} - \frac{(e+fx)\cos(c+dx)}{ad} - \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{f \sin(c+dx)}{ad^2} + \frac{f \int \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right) dx}{ad^2} \\ &= -\frac{ex}{a} - \frac{fx^2}{2a} - \frac{(e+fx)\cos(c+dx)}{ad} - \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{2f \log\left(\sin\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)\right)}{ad^2} \end{aligned}$$

Mathematica [B] time = 0.787383, size = 236, normalized size = 2.13

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\left(c^2(-f) + 2d(e+fx)\cos(c+dx) + 2cde - 2f\sin(c+dx) - 4f\log\left(\sin\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)\right)\right)\right)}{ad^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]),x]
```

```
[Out] -((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(Sin[(c + d*x)/2]*(-4*d*e + 2*c*d*e
+ 2*c*f - c^2*f + 2*d^2*e*x - 2*d*f*x + d^2*f*x^2 + 2*d*(e + f*x)*Cos[c +
d*x] - 4*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 2*f*Sin[c + d*x]) + C
os[(c + d*x)/2]*(2*c*d*e + 2*c*f - c^2*f + 2*d^2*e*x + 2*d*f*x + d^2*f*x^2
+ 2*d*(e + f*x)*Cos[c + d*x] - 4*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]
- 2*f*Sin[c + d*x])))/(2*a*d^2*(1 + Sin[c + d*x]))
```

Maple [B] time = 0.116, size = 216, normalized size = 2.

$$-2 \frac{e}{da (\tan(1/2 dx + c/2) + 1)} - \frac{fx}{da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} + \frac{fx}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} + 2 \frac{f \ln(\tan(1/2 dx + c/2) + 1)}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*sin(d*x+c)^2/(a+a*sin(d*x+c)),x)
```

```
[Out] -2/a*e/d/(tan(1/2*d*x+1/2*c)+1)-1/a/(tan(1/2*d*x+1/2*c)+1)/d*x*f+1/a/(tan(1
/2*d*x+1/2*c)+1)/d*x*f*tan(1/2*d*x+1/2*c)+2/a*f/d^2*ln(tan(1/2*d*x+1/2*c)+1
)-1/a*f/d^2*ln(1+tan(1/2*d*x+1/2*c)^2)-2/a*e/d/(1+tan(1/2*d*x+1/2*c)^2)-2/a
```

$*e/d*\arctan(\tan(1/2*d*x+1/2*c))+f*\sin(d*x+c)/a/d^2-1/a*f/d*\cos(d*x+c)*x-1/2$
 $*f*x^2/a+1/2/a*f/d^2*c^2$

Maxima [B] time = 1.57833, size = 2379, normalized size = 21.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $1/2*(4*c*f*((\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 2)/(a*d + a*d*\sin(d*x + c)/(\cos(d*x + c) + 1) + a*d*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*d*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d)) - 4*e*((\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 2)/(a + a*\sin(d*x + c)/(\cos(d*x + c) + 1) + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a) - (((d*x + c)^2 - 1)*\cos(d*x + c)^4 + ((d*x + c)^2 - 1)*\sin(d*x + c)^4 + ((d*x + c)*\cos(d*x + c) + \sin(d*x + c) + 1)*\cos(2*d*x + 2*c)^3 + 7*(d*x + c)*\cos(d*x + c)^3 + (d*x + (d*x + c)*\sin(d*x + c) + c - \cos(d*x + c))*\sin(2*d*x + 2*c)^3 + (2*(d*x + c)^2 - 3)*\sin(d*x + c)^3 + (((d*x + c)^2 - 1)*\cos(d*x + c)^2 + ((d*x + c)^2 - 3)*\sin(d*x + c)^2 + (d*x + c)^2 + 6*(d*x + c)*\cos(d*x + c) + 2*((d*x + c)^2 - (d*x + c)*\cos(d*x + c) - 2)*\sin(d*x + c) - 1)*\cos(2*d*x + 2*c)^2 + ((d*x + c)^2 - 1)*\cos(d*x + c)^2 + (((d*x + c)^2 - 3)*\cos(d*x + c)^2 + ((d*x + c)^2 - 1)*\sin(d*x + c)^2 + (d*x + c)^2 + ((d*x + c)*\cos(d*x + c) + \sin(d*x + c) + 1)*\cos(2*d*x + 2*c) + 8*(d*x + c)*\cos(d*x + c) + 2*((d*x + c)^2 + (d*x + c)*\cos(d*x + c) - 1)*\sin(d*x + c) - 1)*\sin(2*d*x + 2*c)^2 + (2*((d*x + c)^2 - 1)*\cos(d*x + c)^2 + (d*x + c)^2 + 7*(d*x + c)*\cos(d*x + c) - 3)*\sin(d*x + c)^2 + ((d*x + c)*\cos(d*x + c)^3 - (2*(d*x + c)^2 - 3)*\sin(d*x + c)^3 - (4*(d*x + c)^2 - (d*x + c)*\cos(d*x + c) - 6)*\sin(d*x + c)^2 + 2*\cos(d*x + c)^2 - ((2*(d*x + c)^2 - 3)*\cos(d*x + c)^2 + 2*(d*x + c)^2 + 12*(d*x + c)*\cos(d*x + c) - 4)*\sin(d*x + c) + 1)*\cos(2*d*x + 2*c) + (d*x + c)*\cos(d*x + c) - 2*(\cos(d*x + c)^4 + \sin(d*x + c)^4 + (\cos(d*x + c))^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1)*\cos(2*d*x + 2*c)^2 + (\cos(d*x + c))^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1)*\sin(2*d*x + 2*c)^2 + 2*\cos(d*x + c)^2 * \sin(d*x + c) + (2*\cos(d*x + c)^2 + 1)*\sin(d*x + c)^2 + 2*\sin(d*x + c)^3 - 2*(\sin(d*x + c)^3 + (\cos(d*x + c)^2 + 1)*\sin(d*x + c) + 2*\sin(d*x + c)^2)*\cos(2*d*x + 2*c) + \cos(d*x + c)^2 + 2*(\cos(d*x + c)^3 + \cos(d*x + c)*\sin(d*x + c)^2 + 2*\cos(d*x + c)*\sin(d*x + c) + \cos(d*x + c))*\sin(2*d*x + 2*c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + ((2*(d*x + c)^2 - 3)*\cos(d*x + c)^3 + (d*x + c)*\sin(d*x + c)^3 + (d*x + (d*x + c)*\sin(d*x + c) + c - \cos(d*x + c))*\cos(2*d*x + 2*c)^2 + 14*(d*x + c)*\cos(d*x + c)^2 + (2*d*x + (2*(d*x + c)^2 - 3)*\cos(d*x + c) + 2*c)*\sin(d*x + c)^2 + d*x + 2*((d*x + c)*\cos(d*x + c)^2 - (d*x + c)*\sin(d*x + c)^2 - (d*x + c - 2*\cos(d*x + c))*\sin(d*x + c) + \cos(d*x + c))*\cos(2*d*x + 2*c) + 2*((d*x + c)^2 - 1)*\cos(d*x + c) + ((d*x + c)*\cos(d*x + c)^2 + 2*d*x + 4*((d*x + c)^2 - 1)*\cos(d*x + c) + 2*c)*\sin(d*x + c) + c)*\sin(2*d*x + 2*c) + ((2*(d*x + c)^2 - 3)*\cos(d*x + c)^2 + 2*(d*x + c)*\cos(d*x + c) - 1)*\sin(d*x + c))*f/(a*d*\cos(d*x + c)^4 + a*d*\sin(d*x + c)^4 + 2*a*d*\cos(d*x + c)^2*\sin(d*x + c) + 2*a*d*\sin(d*x + c)^3 + a*d*\cos(d*x + c)^2 + (a*d*\cos(d*x + c)^2 + a*d*\sin(d*x + c)^2 + 2*a*d*\sin(d*x + c) + a*d)*\cos(2*d*x + 2*c)^2 + (a*d*\cos(d*x + c)^2 + a*d*\sin(d*x + c)^2 + 2*a*d*\sin(d*x + c) + a*d)*\sin(2*d*x + 2*c)^2 + (2*a*d*\cos(d*x + c)^2 + a*d)*\sin(d*x + c)^2 - 2*(a*d*\sin(d*x + c)^3 + 2*a*d*\sin(d*x + c)^2 + (a*d*\cos(d*x + c)^2 + a*d)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 2*(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)*\sin(d*x + c)^2 + 2*a*d*\cos(d*x + c)*\sin(d*x + c) + a*d*\cos(d*x + c))*\sin(2*d*x + 2*c)))/d$

Fricas [B] time = 1.72685, size = 481, normalized size = 4.33

$$\frac{d^2fx^2 + 2(df x + de + f) \cos(dx + c)^2 + 2de + 2(d^2e + df)x + (d^2fx^2 + 4de + 2(d^2e + 2df)x) \cos(dx + c) - 2(f \cos(dx + c) + f \sin(dx + c) + f) \log(\sin(dx + c) + 1) + (d^2fx^2 - 2d^2e + 2(d^2e - d^2f)x + 2(d^2fx + d^2e - f) \cos(dx + c) - 2df) \sin(dx + c) - 2df}{2(ad^2 \cos(dx + c) + ad^2 \sin(dx + c) + ad^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/2*(d^2*f*x^2 + 2*(d*f*x + d*e + f)*\cos(d*x + c)^2 + 2*d*e + 2*(d^2*e + d*f)*x + (d^2*f*x^2 + 4*d*e + 2*(d^2*e + 2*d*f)*x)*\cos(d*x + c) - 2*(f*\cos(d*x + c) + f*\sin(d*x + c) + f)*\log(\sin(d*x + c) + 1) + (d^2*f*x^2 - 2*d^2*e + 2*(d^2*e - d*f)*x + 2*(d*f*x + d*e - f)*\cos(d*x + c) - 2*f)*\sin(d*x + c) - 2*f)/(a*d^2*\cos(d*x + c) + a*d^2*\sin(d*x + c) + a*d^2)$$

Sympy [A] time = 4.42202, size = 2086, normalized size = 18.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out]
$$\text{Piecewise}\left(\frac{-2*d**2*e*x*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*d**2*e*x*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*d**2*e*x*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*d**2*f*x**2*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - d**2*f*x**2*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - d**2*f*x**2*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 6*d*e*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 2*d*e*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 2*d*e*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*d*e/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 4*d*f*x*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 4*d*f*x/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 4*f*\log(\tan(c/2 + d*x/2) + 1)*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 4*f*\log(\tan(c/2 + d*x/2) + 1)*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 4*f*\log(\tan(c/2 + d*x/2) + 1)*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 4*f*\log(\tan(c/2 + d*x/2) + 1)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2)}$$

$$\begin{aligned}
& 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f*\log(\tan(c/2 + d*x/2)**2 + 1)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f*\tan(c/2 + d*x/2)**3/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 2*f*\tan(c/2 + d*x/2)**2/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) + 2*f*\tan(c/2 + d*x/2)/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2) - 2*f/(2*a*d**2*\tan(c/2 + d*x/2)**3 + 2*a*d**2*\tan(c/2 + d*x/2)**2 + 2*a*d**2*\tan(c/2 + d*x/2) + 2*a*d**2), \\
& \text{Ne}(d, 0)), ((e*x + f*x**2/2)*\sin(c)**2/(a*\sin(c) + a), \text{True}))
\end{aligned}$$

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.188 \quad \int \frac{\sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=45

$$-\frac{\cos(c+dx)}{ad} - \frac{\cos(c+dx)}{ad(\sin(c+dx)+1)} - \frac{x}{a}$$

[Out] $-(x/a) - \text{Cos}[c + d*x]/(a*d) - \text{Cos}[c + d*x]/(a*d*(1 + \text{Sin}[c + d*x]))$

Rubi [A] time = 0.0815769, antiderivative size = 45, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.19$, Rules used = {2746, 12, 2735, 2648}

$$-\frac{\cos(c+dx)}{ad} - \frac{\cos(c+dx)}{ad(\sin(c+dx)+1)} - \frac{x}{a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + d*x]^2/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $-(x/a) - \text{Cos}[c + d*x]/(a*d) - \text{Cos}[c + d*x]/(a*d*(1 + \text{Sin}[c + d*x]))$

Rule 2746

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^2/((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x])/(d*f), x] + \text{Dist}[1/d, \text{Int}[\text{Simp}[a^2*d - b*(b*c - 2*a*d)*\text{Sin}[e + f*x], x]/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 12

$\text{Int}[(a_)*(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

Rule 2735

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rule 2648

$\text{Int}[(a_ + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2(c+dx)}{a+a\sin(c+dx)} dx &= -\frac{\cos(c+dx)}{ad} - \frac{\int \frac{a\sin(c+dx)}{a+a\sin(c+dx)} dx}{a} \\
&= -\frac{\cos(c+dx)}{ad} - \int \frac{\sin(c+dx)}{a+a\sin(c+dx)} dx \\
&= -\frac{x}{a} - \frac{\cos(c+dx)}{ad} + \int \frac{1}{a+a\sin(c+dx)} dx \\
&= -\frac{x}{a} - \frac{\cos(c+dx)}{ad} - \frac{\cos(c+dx)}{d(a+a\sin(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.139283, size = 85, normalized size = 1.89

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\cos(c+dx) + c + dx\right) + \sin\left(\frac{1}{2}(c+dx)\right)\left(\cos(c+dx) + c + dx\right)}{ad(\sin(c+dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] -(((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(Cos[(c + d*x)/2]*(c + d*x + Cos[c + d*x]) + (-2 + c + d*x + Cos[c + d*x])*Sin[(c + d*x)/2]))/(a*d*(1 + Sin[c + d*x])))

Maple [A] time = 0.026, size = 64, normalized size = 1.4

$$-2 \frac{1}{da \left(1 + (\tan(1/2 dx + c/2))^2\right)} - 2 \frac{\arctan(\tan(1/2 dx + c/2))}{da} - 2 \frac{1}{da (\tan(1/2 dx + c/2) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] -2/a/d/(1+tan(1/2*d*x+1/2*c)^2)-2/a/d*arctan(tan(1/2*d*x+1/2*c))-2/a/d/(tan(1/2*d*x+1/2*c)+1)

Maxima [B] time = 1.45721, size = 174, normalized size = 3.87

$$-\frac{2 \left(\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 2}{a + \frac{a\sin(dx+c)}{\cos(dx+c)+1} + \frac{a\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a\sin(dx+c)^3}{(\cos(dx+c)+1)^3}} + \frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] -2*((sin(d*x + c)/(cos(d*x + c) + 1) + sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 2)/(a + a*sin(d*x + c)/(cos(d*x + c) + 1) + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a*sin(d*x + c)^3/(cos(d*x + c) + 1)^3) + arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a)/d

Fricas [A] time = 1.66073, size = 186, normalized size = 4.13

$$\frac{dx + (dx + 2) \cos(dx + c) + \cos(dx + c)^2 + (dx + \cos(dx + c) - 1) \sin(dx + c) + 1}{ad \cos(dx + c) + ad \sin(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] -(d*x + (d*x + 2)*cos(d*x + c) + cos(d*x + c)^2 + (d*x + cos(d*x + c) - 1)*sin(d*x + c) + 1)/(a*d*cos(d*x + c) + a*d*sin(d*x + c) + a*d)

Sympy [A] time = 3.37656, size = 478, normalized size = 10.62

$$\left\{ \begin{array}{l} \frac{dx \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{dx \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} \\ \frac{x \sin^2(c)}{a \sin(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Piecewise((-d*x*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) - d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) - d*x*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) - d*x/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) + 3*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) + tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) + tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d) - 1/(a*d*tan(c/2 + d*x/2)**3 + a*d*tan(c/2 + d*x/2)**2 + a*d*tan(c/2 + d*x/2) + a*d), Ne(d, 0)), (x*sin(c)**2/(a*sin(c) + a), True))

Giac [A] time = 1.10098, size = 104, normalized size = 2.31

$$\frac{\frac{dx+c}{a} + \frac{2\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] -((d*x + c)/a + 2*(tan(1/2*d*x + 1/2*c)^2 + tan(1/2*d*x + 1/2*c) + 2)/((tan(1/2*d*x + 1/2*c)^3 + tan(1/2*d*x + 1/2*c)^2 + tan(1/2*d*x + 1/2*c) + 1)*a)/d

$$3.189 \quad \int \frac{\sin^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sin^2(c+dx)}{(e+fx)(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.071648, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx = \int \frac{\sin^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 8.56318, size = 0, normalized size = 0.

$$\int \frac{\sin^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.369, size = 0, normalized size = 0.

$$\int \frac{(\sin(dx+c))^2}{(fx+e)(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\cos(dx+c)^2-1}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**2/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)^2}{(fx+e)(a\sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)^2/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.190 \quad \int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sin^2(c+dx)}{(e+fx)^2(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0690869, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx = \int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 9.67415, size = 0, normalized size = 0.

$$\int \frac{\sin^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.639, size = 0, normalized size = 0.

$$\int \frac{(\sin(dx+c))^2}{(fx+e)^2(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{\cos(dx+c)^2-1}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**2/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)^2}{(fx+e)^2(a\sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)^2/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.191 \quad \int \frac{(e+fx)^3 \sin^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=382

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} - \frac{6f^2(e+fx)\cos(c+dx)}{ad^3} + \frac{3f^2(e+fx)\sin(c+dx)}{4ad^3}$$

```
[Out] (-3*e*f^2*x)/(4*a*d^2) - (3*f^3*x^2)/(8*a*d^2) + (I*(e + f*x)^3)/(a*d) + (3
*(e + f*x)^4)/(8*a*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) + ((e + f*x)
^3*Cos[c + d*x])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6
*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*
PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x
))])/(a*d^4) + (6*f^3*Sin[c + d*x])/(a*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x]
)/(a*d^2) + (3*f^2*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^3) - ((e + f
*x)^3*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - (3*f^3*Sin[c + d*x]^2)/(8*a*d^4)
+ (3*f*(e + f*x)^2*Sin[c + d*x]^2)/(4*a*d^2)
```

Rubi [A] time = 0.621256, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4515, 3311, 32, 3310, 3296, 2637, 3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{12f^3\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^4} - \frac{6f^2(e+fx)\cos(c+dx)}{ad^3} + \frac{3f^2(e+fx)\sin(c+dx)}{4ad^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-3*e*f^2*x)/(4*a*d^2) - (3*f^3*x^2)/(8*a*d^2) + (I*(e + f*x)^3)/(a*d) + (3
*(e + f*x)^4)/(8*a*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) + ((e + f*x)
^3*Cos[c + d*x])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6
*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*
PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x
))])/(a*d^4) + (6*f^3*Sin[c + d*x])/(a*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x]
)/(a*d^2) + (3*f^2*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^3) - ((e + f
*x)^3*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) - (3*f^3*Sin[c + d*x]^2)/(8*a*d^4)
+ (3*f*(e + f*x)^2*Sin[c + d*x]^2)/(4*a*d^2)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c +
d*x]^(n - 1), x], x] - Dist[a/b, Int[(((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a
+ b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &&
IGtQ[n, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
```

FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sine[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -

1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int \frac{(e+fx)^3 \sin^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^3 \sin^2(c+dx) dx}{a} - \int \frac{(e+fx)^3 \sin^2(c+dx)}{a+a \sin(c+dx)} dx \\
 &= -\frac{(e+fx)^3 \cos(c+dx) \sin(c+dx)}{2ad} + \frac{3f(e+fx)^2 \sin^2(c+dx)}{4ad^2} + \frac{\int (e+fx)^3 dx}{2a} - \frac{\int (e+fx)^3 \cos(c+dx) dx}{2a} \\
 &= \frac{(e+fx)^4}{8af} + \frac{(e+fx)^3 \cos(c+dx)}{ad} + \frac{3f^2(e+fx) \cos(c+dx) \sin(c+dx)}{4ad^3} - \frac{(e+fx)^3 \cos(c+dx)}{2a} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{3(e+fx)^4}{8af} + \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{3f(e+fx)^2 \sin(c+dx)}{ad^2} + \frac{3f^2(e+fx) \cos(c+dx) \sin(c+dx)}{ad^3} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{3(e+fx)^4}{8af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} + \frac{(e+fx)^3 \cos(c+dx)}{2a} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{i(e+fx)^3}{ad} + \frac{3(e+fx)^4}{8af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{i(e+fx)^3}{ad} + \frac{3(e+fx)^4}{8af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{i(e+fx)^3}{ad} + \frac{3(e+fx)^4}{8af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} \\
 &= -\frac{3ef^2x}{4ad^2} - \frac{3f^3x^2}{8ad^2} + \frac{i(e+fx)^3}{ad} + \frac{3(e+fx)^4}{8af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad}
 \end{aligned}$$

Mathematica [A] time = 2.62818, size = 538, normalized size = 1.41

$$\frac{192f(\cos(c)+i\sin(c)) \left(\frac{2f(\cos(c)-i(\sin(c)+1))(d(e+fx)\text{PolyLog}(2,-\sin(c+dx)-i\cos(c+dx))-i f \text{PolyLog}(3,-\sin(c+dx)-i\cos(c+dx)))}{d^3} - \frac{(\sin(c)+i\cos(c)+1)(e+fx)^2 \log(\sin(c+dx)+i\cos(c+dx))}{d} \right)}{d(\cos(c)+i(\sin(c)+1))}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^3*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (48*e^3*x + 72*e^2*f*x^2 + 48*e*f^2*x^3 + 12*f^3*x^4 + (192*f*(Cos[c] + I*Sin[c]))*((e + f*x)^3*(Cos[c] - I*Sin[c]))/(3*f) - ((e + f*x)^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (2*f*(d*(e + f*x)*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*f*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])))/d^3)/(d*(Cos[c] + I*(1 + Sin[c]))) - (64*(e + f*x)^3*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])) + (16*((6*I)*f^3 - 6*d*f^2*(e + f*x) - (3*I)*d^2*f*(e + f*x)^2 + d^3*(e + f*x)^3)*(Cos[c + d*x] - I*Sin[c + d*x])/d^4 + (16*((-6*I)*f^3 - 6*d*f^2*(e + f*x) + (3*I)*d^2*f*(e + f*x)^2 + d^3*(e + f*x)^3)*(Cos[c + d*x] + I*Sin[c + d*x])/d^4 + ((3*f^3 + (6*I)*d*f^2*(e + f*x) - 6*d^2*f*(e + f*x)^2 - (4*I)*d^3*(e + f*x)^3)*(Cos[2*(c + d*x)] - I*Sin[2*(c + d*x)])/d^4 + ((3*f^3 - (6*I)*d*f^2*(e + f*x) - 6*d^2*f*(e + f*x)^2 + (4*I)*d^3*(e + f*x)^3)*(Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)])/d^4)/(32*a)
```

Maple [B] time = 0.18, size = 974, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*sin(d*x+c)^3/(a+a*sin(d*x+c)),x)
```

```
[Out] -12*f^2/d^2/a*e*ln(1-I*exp(I*(d*x+c)))*x+3/8/a*f^3*x^4+3/2/a*e^3*x+6*f^3/d^4/a*c^2*ln(exp(I*(d*x+c)))-6*f/d^2/a*ln(exp(I*(d*x+c))+I)*e^2-6*f^3/d^4/a*c^2*ln(exp(I*(d*x+c))+I)-4*I*f^3/d^4/a*c^3+2*I*f^3/d/a*x^3+6*f/d^2/a*ln(exp(I*(d*x+c)))*e^2+3/2/a*e*f^2*x^3+9/4/a*e^2*f*x^2+1/32*I*(4*f^3*x^3*d^3+6*I*d^2*f^3*x^2+12*d^3*e*f^2*x^2+12*I*d^2*e*f^2*x+12*d^3*e^2*f*x+6*I*d^2*e^2*f+4*d^3*e^3-6*d*f^3*x-3*I*f^3-6*f^2*e*d)/a/d^4*exp(2*I*(d*x+c))-1/32*I*(4*f^3*x^3*d^3-6*I*d^2*f^3*x^2+12*d^3*e*f^2*x^2-12*I*d^2*e*f^2*x+12*d^3*e^2*f*x-6*I*d^2*e^2*f+4*d^3*e^3-6*d*f^3*x+3*I*f^3-6*f^2*e*d)/a/d^4*exp(-2*I*(d*x+c))+2*(f^3*x^3+3*e*f^2*x^2+3*e^2*f*x+e^3)/d/a/(exp(I*(d*x+c))+I)+12*I*f^2/d^2/a*e*c*x-12*f^2/d^3/a*e*ln(1-I*exp(I*(d*x+c)))*c-6*f^3/d^2/a*ln(1-I*exp(I*(d*x+c)))*x^2+6*f^3/d^4/a*ln(1-I*exp(I*(d*x+c)))*c^2-12*f^2/d^3/a*e*c*ln(exp(I*(d*x+c)))+12*f^2/d^3/a*e*c*ln(exp(I*(d*x+c))+I)-6*I*f^3/d^3/a*c^2*x+12*I*f^3/d^3/a*polylog(2,I*exp(I*(d*x+c)))*x+12*I*f^2/d^3/a*e*polylog(2,I*exp(I*(d*x+c)))+6*I*f^2/d/a*e*x^2+6*I*f^2/d^3/a*e*c^2+1/2*(f^3*x^3*d^3-3*I*d^2*f^3*x^2+3*d^3*e*f^2*x^2-6*I*d^2*e*f^2*x+3*d^3*e^2*f*x-3*I*d^2*e^2*f+d^3*e^3-6*d*f^3*x+6*I*f^3-6*f^2*e*d)/a/d^4*exp(-I*(d*x+c))+1/2*(f^3*x^3*d^3+3*I*d^2*f^3*x^2+3*d^3*e*f^2*x^2+6*I*d^2*e*f^2*x+3*d^3*e^2*f*x+3*I*d^2*e^2*f+d^3*e^3-6*d*f^3*x-6*I*f^3-6*f^2*e*d)/a/d^4*exp(I*(d*x+c))-12*f^3*polylog(3,I*exp(I*(d*x+c)))/a/d^4
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```


Fricas [C] time = 2.78325, size = 3534, normalized size = 9.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\frac{1}{16} \cdot (6d^4f^3x^4 + 16d^3e^3 - 42d^2e^2f + 8(3d^4e^2f^2 + 2d^3f^3)x^3 + 2(4d^3f^3x^3 + 4d^3e^3 - 6d^2e^2f - 6d^2e^2f + 3f^3 + 6(2d^3e^2f^2 - d^2f^3)x^2 + 6(2d^3e^2f - 2d^2e^2f^2 - df^3)x) \cos(d*x + c)^3 + 93f^3 + 6(6d^4e^2f + 8d^3e^2f^2 - 7d^2f^3)x^2 + 2(8d^3f^3x^3 + 8d^3e^3 + 18d^2e^2f - 48d^2e^2f - 45f^3 + 6(4d^3e^2f^2 + 3d^2f^3)x^2 + 12(2d^3e^2f + 3d^2e^2f^2 - 4df^3)x) \cos(d*x + c)^2 + 12(2d^4e^3 + 4d^3e^2f - 7d^2e^2f^2)x + 3(2d^4f^3x^4 + 8d^3e^3 + 2d^2e^2f - 28d^2e^2f + 8(d^4e^2f^2 + d^3f^3)x^3 - f^3 + 2(6d^4e^2f + 12d^3e^2f^2 + d^2f^3)x^2 + 4(2d^4e^3 + 6d^3e^2f + d^2e^2f^2 - 7df^3)x) \cos(d*x + c) + (96I^2df^3x + 96I^2d^2e^2f + (96I^2df^3x + 96I^2d^2e^2f) \cos(d*x + c) + (96I^2df^3x + 96I^2d^2e^2f) \sin(d*x + c)) \operatorname{dilog}(I \cos(d*x + c) - \sin(d*x + c)) + (-96I^2df^3x - 96I^2d^2e^2f + (-96I^2df^3x - 96I^2d^2e^2f) \cos(d*x + c) + (-96I^2df^3x - 96I^2d^2e^2f) \sin(d*x + c)) \operatorname{dilog}(-I \cos(d*x + c) - \sin(d*x + c)) - 48(d^2e^2f - 2c^2d^2e^2f + c^2f^3 + (d^2e^2f - 2c^2d^2e^2f + c^2f^3) \cos(d*x + c) + (d^2e^2f - 2c^2d^2e^2f + c^2f^3) \sin(d*x + c)) \log(\cos(d*x + c) + I \sin(d*x + c) + I) - 48(d^2f^3x^2 + 2d^2e^2f^2x + 2c^2d^2e^2f - c^2f^3 + (d^2f^3x^2 + 2d^2e^2f^2x + 2c^2d^2e^2f - c^2f^3) \cos(d*x + c) + (d^2f^3x^2 + 2d^2e^2f^2x + 2c^2d^2e^2f - c^2f^3) \sin(d*x + c)) \log(I \cos(d*x + c) + \sin(d*x + c) + 1) - 48(d^2f^3x^2 + 2d^2e^2f^2x + 2c^2d^2e^2f - c^2f^3) \cos(d*x + c) + (d^2f^3x^2 + 2d^2e^2f^2x + 2c^2d^2e^2f - c^2f^3) \sin(d*x + c)) \log(-I \cos(d*x + c) + \sin(d*x + c) + 1) - 48(d^2e^2f - 2c^2d^2e^2f + c^2f^3 + (d^2e^2f - 2c^2d^2e^2f + c^2f^3) \cos(d*x + c) + (d^2e^2f - 2c^2d^2e^2f + c^2f^3) \sin(d*x + c)) \log(-\cos(d*x + c) + I \sin(d*x + c) + I) - 96(f^3 \cos(d*x + c) + f^3 \sin(d*x + c) + f^3) \operatorname{polylog}(3, I \cos(d*x + c) - \sin(d*x + c)) - 96(f^3 \cos(d*x + c) + f^3 \sin(d*x + c) + f^3) \operatorname{polylog}(3, -I \cos(d*x + c) - \sin(d*x + c)) + (6d^4f^3x^4 - 16d^3e^3 - 42d^2e^2f + 8(3d^4e^2f^2 - 2d^3f^3)x^3 + 93f^3 + 6(6d^4e^2f - 8d^3e^2f^2 - 7d^2f^3)x^2 - 2(4d^3f^3x^3 + 4d^3e^3 + 6d^2e^2f - 6d^2e^2f - 3f^3 + 6(2d^3e^2f^2 + d^2f^3)x^2 + 6(2d^3e^2f + 2d^2e^2f^2 - df^3)x) \cos(d*x + c)^2 + 12(2d^4e^3 - 4d^3e^2f - 7d^2e^2f^2)x + 4(2d^3f^3x^3 + 2d^3e^3 - 12d^2e^2f - 21d^2e^2f + 24f^3 + 6(d^3e^2f^2 - 2d^2f^3)x^2 + 3(2d^3e^2f - 8d^2e^2f^2 - 7df^3)x) \cos(d*x + c)) \sin(d*x + c)) / (a^4 \cos(d*x + c) + a^4 \sin(d*x + c) + a^4)$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \sin^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \sin^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \sin^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \sin^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**3*sin(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*sin(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*sin(c + d*x

```
)**3/(sin(c + d*x) + 1), x) + Integral(3*e**2*f*x*sin(c + d*x)**3/(sin(c +
d*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*sin(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.192 \quad \int \frac{(e+fx)^2 \sin^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=278

$$\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{f(e+fx) \sin^2(c+dx)}{2ad^2} - \frac{2f(e+fx) \sin(c+dx)}{ad^2} - \frac{2f^2 \cos(c+dx)}{ad^2}$$

```
[Out] -(f^2*x)/(4*a*d^2) + (I*(e + f*x)^2)/(a*d) + (e + f*x)^3/(2*a*f) - (2*f^2*Cos[c + d*x])/(a*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2) + (f^2*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^3) - ((e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (f*(e + f*x)*Sin[c + d*x]^2)/(2*a*d^2)
```

Rubi [A] time = 0.492938, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4515, 3311, 32, 2635, 8, 3296, 2638, 3318, 4184, 3717, 2190, 2279, 2391}

$$\frac{4if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{4f(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad^2} + \frac{f(e+fx) \sin^2(c+dx)}{2ad^2} - \frac{2f(e+fx) \sin(c+dx)}{ad^2} - \frac{2f^2 \cos(c+dx)}{ad^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] -(f^2*x)/(4*a*d^2) + (I*(e + f*x)^2)/(a*d) + (e + f*x)^3/(2*a*f) - (2*f^2*Cos[c + d*x])/(a*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2) + (f^2*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^3) - ((e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (f*(e + f*x)*Sin[c + d*x]^2)/(2*a*d^2)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*COS[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*COS[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[COS[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*SIN[(1*(e + (Pi*a)/(2*b)))/(2 + (f*x)/2)^(2*n)], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*COT[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*COT[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int((((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
 \int \frac{(e+fx)^2 \sin^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^2 \sin^2(c+dx) dx}{a} - \int \frac{(e+fx)^2 \sin^2(c+dx)}{a+a \sin(c+dx)} dx \\
 &= -\frac{(e+fx)^2 \cos(c+dx) \sin(c+dx)}{2ad} + \frac{f(e+fx) \sin^2(c+dx)}{2ad^2} + \frac{\int (e+fx)^2 dx}{2a} - \frac{\int (e+fx)^2 \sin^2(c+dx) dx}{2ad} \\
 &= \frac{(e+fx)^3}{6af} + \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{f^2 \cos(c+dx) \sin(c+dx)}{4ad^3} - \frac{(e+fx)^2 \cos(c+dx)}{2ad} \\
 &= -\frac{f^2 x}{4ad^2} + \frac{(e+fx)^3}{2af} + \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{2f(e+fx) \sin(c+dx)}{ad^2} + \frac{f^2 \cos(c+dx)}{4ad^3} \\
 &= -\frac{f^2 x}{4ad^2} + \frac{(e+fx)^3}{2af} - \frac{2f^2 \cos(c+dx)}{ad^3} + \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4}\right)}{ad} \\
 &= -\frac{f^2 x}{4ad^2} + \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{2af} - \frac{2f^2 \cos(c+dx)}{ad^3} + \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4}\right)}{ad} \\
 &= -\frac{f^2 x}{4ad^2} + \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{2af} - \frac{2f^2 \cos(c+dx)}{ad^3} + \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4}\right)}{ad} \\
 &= -\frac{f^2 x}{4ad^2} + \frac{i(e+fx)^2}{ad} + \frac{(e+fx)^3}{2af} - \frac{2f^2 \cos(c+dx)}{ad^3} + \frac{(e+fx)^2 \cos(c+dx)}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4}\right)}{ad}
 \end{aligned}$$

Mathematica [B] time = 2.86717, size = 830, normalized size = 2.99

$$\frac{-8f^2 x^3 \sin\left(\frac{1}{2}(c+dx)\right) d^3 - 24efx^2 \sin\left(\frac{1}{2}(c+dx)\right) d^3 - 24e^2 x \sin\left(\frac{1}{2}(c+dx)\right) d^3 - 6e^2 \cos\left(\frac{3}{2}(c+dx)\right) d^2 - 6f^2 x^2 \cos\left(\frac{3}{2}(c+dx)\right) d^2}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out]
$$\begin{aligned}
 & -(-6*d^2*e^2*\text{Cos}[(3*(c + d*x))/2] - 14*d*e*f*\text{Cos}[(3*(c + d*x))/2] + 15*f^2* \\
 & \text{Cos}[(3*(c + d*x))/2] - 12*d^2*e*f*x*\text{Cos}[(3*(c + d*x))/2] - 14*d*f^2*x*\text{Cos}[(3*(c + d*x))/2] - 6*d^2*f^2*x^2*\text{Cos}[(3*(c + d*x))/2] - 2*d^2*e^2*\text{Cos}[(5*(c + d*x))/2] + 2*d*e*f*\text{Cos}[(5*(c + d*x))/2] + f^2*\text{Cos}[(5*(c + d*x))/2] - 4*d^2*e*f*x*\text{Cos}[(5*(c + d*x))/2] + 2*d*f^2*x*\text{Cos}[(5*(c + d*x))/2] - 2*d^2*f^2*x^2*\text{Cos}[(5*(c + d*x))/2] - 8*\text{Cos}[(c + d*x)/2]*(-2*f^2 - 2*d*f*(e + f*x) + (3 - 2*I)*d^2*(e + f*x)^2 + d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2) - 8*d*f*(e + f*x)*\text{Log}[1 + I*\text{Cos}[c + d*x] + \text{Sin}[c + d*x]]) + (24 + 16*I)*d^2*e^2*\text{Sin}[(c + d*x)/2] + 16*d*e*f*\text{Sin}[(c + d*x)/2] - 16*f^2*\text{Sin}[(c + d*x)/2] - 24*d^3*e^2*x*\text{Sin}[(c + d*x)/2] + (48 + 32*I)*d^2*e*f*x*\text{Sin}[(c + d*x)/2] + 16*d*f^2*x*\text{Sin}[(c + d*x)/2] - 24*d^3*e*f*x^2*\text{Sin}[(c + d*x)/2] + (24 + 16*I)*d^2*f^2*x^2*\text{Sin}[(c + d*x)/2] - 8*d^3*f^2*x^3*\text{Sin}[(c + d*x)/2] + 64*d*e*f*\text{Log}[1 + I*\text{Cos}[c + d*x] + \text{Sin}[c + d*x]]
 \end{aligned}$$

+ d*x] + Sin[c + d*x]]*Sin[(c + d*x)/2] + 64*d*f^2*x*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*Sin[(c + d*x)/2] + (64*I)*f^2*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 6*d^2*e^2*Sin[(3*(c + d*x))/2] + 14*d*e*f*Sin[(3*(c + d*x))/2] + 15*f^2*Sin[(3*(c + d*x))/2] - 12*d^2*e*f*x*Sin[(3*(c + d*x))/2] + 14*d*f^2*x*Sin[(3*(c + d*x))/2] - 6*d^2*f^2*x^2*Sin[(3*(c + d*x))/2] + 2*d^2*e^2*Sin[(5*(c + d*x))/2] + 2*d*e*f*Sin[(5*(c + d*x))/2] - f^2*Sin[(5*(c + d*x))/2] + 4*d^2*e*f*x*Sin[(5*(c + d*x))/2] + 2*d*f^2*x*Sin[(5*(c + d*x))/2] + 2*d^2*f^2*x^2*Sin[(5*(c + d*x))/2])/(16*a*d^3*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [B] time = 0.447, size = 538, normalized size = 1.9

$$\frac{f^2 x^3}{2a} + \frac{3fex^2}{2a} + \frac{3e^2 x}{2a} + \frac{2if^2x^2}{da} + \frac{(f^2x^2d^2 + 2idf^2x + 2d^2efx + 2idef + d^2e^2 - 2f^2)e^{i(dx+c)}}{2d^3a} + \frac{(f^2x^2d^2 - 2idf^2x + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] 1/2/a*f^2*x^3+3/2/a*f*e*x^2+3/2/a*e^2*x+2*I*f^2/d/a*x^2+1/2*(f^2*x^2*d^2+2*I*d*f^2*x+2*d^2*e*f*x+2*I*d*e*f+d^2*e^2-2*f^2)/d^3/a*exp(I*(d*x+c))+1/2*(f^2*x^2*d^2-2*I*d*f^2*x+2*d^2*e*f*x-2*I*d*e*f+d^2*e^2-2*f^2)/d^3/a*exp(-I*(d*x+c))+4*I*f^2/d^2/a*c*x+2*(f^2*x^2+2*e*f*x+e^2)/d/a/(exp(I*(d*x+c))+I)+4*f/d^2/a*ln(exp(I*(d*x+c)))*e-4*f/d^2/a*ln(exp(I*(d*x+c))+I)*e-1/16*I*(2*f^2*x^2*d^2-2*I*d*f^2*x+4*d^2*e*f*x-2*I*d*e*f+2*d^2*e^2-f^2)/d^3/a*exp(-2*I*(d*x+c))+1/16*I*(2*f^2*x^2*d^2+2*I*d*f^2*x+4*d^2*e*f*x+2*I*d*e*f+2*d^2*e^2-f^2)/d^3/a*exp(2*I*(d*x+c))+4*I*f^2*polylog(2,I*exp(I*(d*x+c)))/a/d^3-4*f^2/d^2/a*ln(1-I*exp(I*(d*x+c)))*x-4*f^2/d^3/a*ln(1-I*exp(I*(d*x+c)))*c+2*I*f^2/d^3/a*c^2-4*f^2/d^3/a*c*ln(exp(I*(d*x+c)))+4*f^2/d^3/a*c*ln(exp(I*(d*x+c))+I)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [B] time = 2.3222, size = 1960, normalized size = 7.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(2*d^3*f^2*x^3 + 4*d^2*e^2 + (2*d^2*f^2*x^2 + 2*d^2*e^2 - 2*d*e*f - f^2 + 2*(2*d^2*e*f - d*f^2)*x)*cos(d*x + c)^3 - 7*d*e*f + 2*(3*d^3*e*f + 2*d^2*f^2)*x^2 + 2*(2*d^2*f^2*x^2 + 2*d^2*e^2 + 3*d*e*f - 4*f^2 + (4*d^2*e*f + 3

```

*d*f^2)*x)*cos(d*x + c)^2 + (6*d^3*e^2 + 8*d^2*e*f - 7*d*f^2)*x + (2*d^3*f^
2*x^3 + 6*d^2*e^2 + d*e*f + 6*(d^3*e*f + d^2*f^2)*x^2 - 7*f^2 + (6*d^3*e^2
+ 12*d^2*e*f + d*f^2)*x)*cos(d*x + c) + (8*I*f^2*cos(d*x + c) + 8*I*f^2*sin
(d*x + c) + 8*I*f^2)*dilog(I*cos(d*x + c) - sin(d*x + c)) + (-8*I*f^2*cos(d
*x + c) - 8*I*f^2*sin(d*x + c) - 8*I*f^2)*dilog(-I*cos(d*x + c) - sin(d*x +
c)) - 8*(d*e*f - c*f^2 + (d*e*f - c*f^2)*cos(d*x + c) + (d*e*f - c*f^2)*si
n(d*x + c))*log(cos(d*x + c) + I*sin(d*x + c) + I) - 8*(d*f^2*x + c*f^2 + (
d*f^2*x + c*f^2)*cos(d*x + c) + (d*f^2*x + c*f^2)*sin(d*x + c))*log(I*cos(d
*x + c) + sin(d*x + c) + 1) - 8*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*cos(d*
x + c) + (d*f^2*x + c*f^2)*sin(d*x + c))*log(-I*cos(d*x + c) + sin(d*x + c)
+ 1) - 8*(d*e*f - c*f^2 + (d*e*f - c*f^2)*cos(d*x + c) + (d*e*f - c*f^2)*s
in(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + I) + (2*d^3*f^2*x^3 - 4*d
^2*e^2 - 7*d*e*f + 2*(3*d^3*e*f - 2*d^2*f^2)*x^2 - (2*d^2*f^2*x^2 + 2*d^2*e
^2 + 2*d*e*f - f^2 + 2*(2*d^2*e*f + d*f^2)*x)*cos(d*x + c)^2 + (6*d^3*e^2 -
8*d^2*e*f - 7*d*f^2)*x + (2*d^2*f^2*x^2 + 2*d^2*e^2 - 8*d*e*f - 7*f^2 + 4*
(d^2*e*f - 2*d*f^2)*x)*cos(d*x + c))*sin(d*x + c))/(a*d^3*cos(d*x + c) + a*
d^3*sin(d*x + c) + a*d^3)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \sin^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \sin^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \sin^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**2*sin(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*
sin(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*sin(c + d*x)**3/(
sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)^3/(a*sin(d*x + c) + a), x)

$$3.193 \quad \int \frac{(e+fx) \sin^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=158

$$\frac{f \sin^2(c+dx)}{4ad^2} - \frac{f \sin(c+dx)}{ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cos(c+dx)}{ad} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{(e+fx)}{ad}$$

[Out] (3*e*x)/(2*a) + (3*f*x^2)/(4*a) + ((e + f*x)*Cos[c + d*x])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) - (f*Sin[c + d*x])/(a*d^2) - ((e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (f*Sin[c + d*x]^2)/(4*a*d^2)

Rubi [A] time = 0.219706, antiderivative size = 158, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {4515, 3310, 3296, 2637, 3318, 4184, 3475}

$$\frac{f \sin^2(c+dx)}{4ad^2} - \frac{f \sin(c+dx)}{ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cos(c+dx)}{ad} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{(e+fx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] (3*e*x)/(2*a) + (3*f*x^2)/(4*a) + ((e + f*x)*Cos[c + d*x])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) - (f*Sin[c + d*x])/(a*d^2) - ((e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (f*Sin[c + d*x]^2)/(4*a*d^2)

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3310

Int[(((c_.) + (d_.)*(x_.))*(b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[(((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3318

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\sin^3(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)\sin^2(c+dx) dx}{a} - \int \frac{(e+fx)\sin^2(c+dx)}{a+a\sin(c+dx)} dx \\ &= -\frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2ad} + \frac{f\sin^2(c+dx)}{4ad^2} + \frac{\int (e+fx) dx}{2a} - \frac{\int (e+fx)\sin(c+dx)}{a} \\ &= \frac{ex}{2a} + \frac{fx^2}{4a} + \frac{(e+fx)\cos(c+dx)}{ad} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2ad} + \frac{f\sin^2(c+dx)}{4ad^2} + \dots \\ &= \frac{3ex}{2a} + \frac{3fx^2}{4a} + \frac{(e+fx)\cos(c+dx)}{ad} - \frac{f\sin(c+dx)}{ad^2} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2ad} \\ &= \frac{3ex}{2a} + \frac{3fx^2}{4a} + \frac{(e+fx)\cos(c+dx)}{ad} + \frac{(e+fx)\cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{f\sin(c+dx)}{ad^2} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2ad} \\ &= \frac{3ex}{2a} + \frac{3fx^2}{4a} + \frac{(e+fx)\cos(c+dx)}{ad} + \frac{(e+fx)\cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{2f\log\left(\sin\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)\right)}{ad^2} \end{aligned}$$

Mathematica [A] time = 1.46918, size = 298, normalized size = 1.89

$$\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\left(2\left(-3c^2f - d(e+fx)\sin(2(c+dx)) + 6cde - 4f\sin(c+dx) - 8\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Sin[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(Sin[(c + d*x)/2]*(8*d*(e + f*x)*Cos
[c + d*x] - f*Cos[2*(c + d*x)] + 2*(-8*d*e + 6*c*d*e + 4*c*f - 3*c^2*f + 6*
d^2*e*x - 4*d*f*x + 3*d^2*f*x^2 - 8*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/
2]] - 4*f*Sin[c + d*x] - d*(e + f*x)*Sin[2*(c + d*x)])) + Cos[(c + d*x)/2]*
(8*d*(e + f*x)*Cos[c + d*x] - f*Cos[2*(c + d*x)] + 2*(6*c*d*e + 4*c*f - 3*c
^2*f + 6*d^2*e*x + 4*d*f*x + 3*d^2*f*x^2 - 8*f*Log[Cos[(c + d*x)/2] + Sin[(
c + d*x)/2]] - 4*f*Sin[c + d*x] - d*(e + f*x)*Sin[2*(c + d*x)])))/(8*a*d^2
*(1 + Sin[c + d*x]))
```

Maple [B] time = 0.149, size = 662, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(d*x+c)^3/(a+a*sin(d*x+c)),x)`

[Out]
$$\begin{aligned} & 3/a*e/d*\arctan(\tan(1/2*d*x+1/2*c))+2/a*e/d/(\tan(1/2*d*x+1/2*c)+1)+1/2/a*f/(\\ & 1+\tan(1/2*d*x+1/2*c)^2)/(\tan(1/2*d*x+1/2*c)+1)*x^2+1/a*f/(1+\tan(1/2*d*x+1/2 \\ & *c)^2)/(\tan(1/2*d*x+1/2*c)+1)*x/d+1/2/a*f/(1+\tan(1/2*d*x+1/2*c)^2)/(\tan(1/2 \\ & *d*x+1/2*c)+1)*x^2*\tan(1/2*d*x+1/2*c)+1/2/a*f/(1+\tan(1/2*d*x+1/2*c)^2)/(\tan \\ & (1/2*d*x+1/2*c)+1)*x^2*\tan(1/2*d*x+1/2*c)^2+1/2/a*f/(1+\tan(1/2*d*x+1/2*c)^2 \\ &)/(\tan(1/2*d*x+1/2*c)+1)*x^2*\tan(1/2*d*x+1/2*c)^3-1/a*f/(1+\tan(1/2*d*x+1/2* \\ & c)^2)/(\tan(1/2*d*x+1/2*c)+1)*x/d*\tan(1/2*d*x+1/2*c)+1/a*f/(1+\tan(1/2*d*x+1/ \\ & 2*c)^2)/(\tan(1/2*d*x+1/2*c)+1)*x/d*\tan(1/2*d*x+1/2*c)^2-1/a*f/(1+\tan(1/2*d* \\ & x+1/2*c)^2)/(\tan(1/2*d*x+1/2*c)+1)*x/d*\tan(1/2*d*x+1/2*c)^3-2/a*f/d^2*\ln(\tan \\ & (1/2*d*x+1/2*c)+1)+1/a*f/d^2*\ln(1+\tan(1/2*d*x+1/2*c)^2)+1/a*e/d/(1+\tan(1/2 \\ & *d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3+2/a*e/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan \\ & (1/2*d*x+1/2*c)^2-1/a*e/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)+2/ \\ & a*e/d/(1+\tan(1/2*d*x+1/2*c)^2)^2-1/2/a*f/d*\sin(d*x+c)*\cos(d*x+c)*x+1/4*f*x^ \\ & 2/a-1/4/a*f/d^2*c^2+1/4*f*\sin(d*x+c)^2/a/d^2-f*\sin(d*x+c)/a/d^2+1/a*f/d*\cos \\ & (d*x+c)*x \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError

Fricas [A] time = 1.88373, size = 625, normalized size = 3.96

$$6d^2fx^2 + 2(2dfx + 2de - f)\cos(dx + c)^3 + 2(4dfx + 4de + 3f)\cos(dx + c)^2 + 8de + 4(3d^2e + 2df)x + (6d^2fx^2 +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out]
$$\begin{aligned} & 1/8*(6*d^2*f*x^2 + 2*(2*d*f*x + 2*d*e - f)*\cos(d*x + c)^3 + 2*(4*d*f*x + 4* \\ & d*e + 3*f)*\cos(d*x + c)^2 + 8*d*e + 4*(3*d^2*e + 2*d*f)*x + (6*d^2*f*x^2 + \\ & 12*d*e + 12*(d^2*e + d*f)*x + f)*\cos(d*x + c) - 8*(f*\cos(d*x + c) + f*\sin(d \\ & *x + c) + f)*\log(\sin(d*x + c) + 1) + (6*d^2*f*x^2 - 2*(2*d*f*x + 2*d*e + f) \\ & *\cos(d*x + c)^2 - 8*d*e + 4*(3*d^2*e - 2*d*f)*x + 4*(d*f*x + d*e - 2*f)*\cos \\ & (d*x + c) - 7*f)*\sin(d*x + c) - 7*f)/(a*d^2*\cos(d*x + c) + a*d^2*\sin(d*x + \\ & c) + a*d^2) \end{aligned}$$

Sympy [A] time = 9.98242, size = 4869, normalized size = 30.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Piecewise((18*d**2*e*x*tan(c/2 + d*x/2)**5/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 18*d**2*e*x*tan(c/2 + d*x/2)**4/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 36*d**2*e*x*tan(c/2 + d*x/2)**3/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 36*d**2*e*x*tan(c/2 + d*x/2)**2/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 18*d**2*e*x*tan(c/2 + d*x/2)/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 18*d**2*e*x/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 9*d**2*f*x**2*tan(c/2 + d*x/2)**5/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 9*d**2*f*x**2*tan(c/2 + d*x/2)**4/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 18*d**2*f*x**2*tan(c/2 + d*x/2)**3/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 18*d**2*f*x**2*tan(c/2 + d*x/2)**2/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 9*d**2*f*x**2*tan(c/2 + d*x/2)/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 9*d**2*f*x**2/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 36*d*e*tan(c/2 + d*x/2)**5/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 36*d*e*tan(c/2 + d*x/2)**3/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 12*d*e*tan(c/2 + d*x/2)**2/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 24*d*e*tan(c/2 + d*x/2)/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 12*d*e/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 24*d*f*x*tan(c/2 + d*x/2)**5/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) + 12*d*f*x*tan(c/2 + d*x/2)**4/(12*a*d**2*tan(c/2 + d*x/2)**5 + 12*a*d**2*tan(c/2 + d*x/2)**4 + 24*a*d**2*tan(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 12*d*f*x*tan(c/2 + d*x/2)**3/(12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2) - 12*d*f*x*tan(c/2 + d*x/2)**3/(12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2)


```
n(c/2 + d*x/2)**3 + 24*a*d**2*tan(c/2 + d*x/2)**2 + 12*a*d**2*tan(c/2 + d*x/2) + 12*a*d**2), Ne(d, 0)), ((e*x + f*x**2/2)*sin(c)**3/(a*sin(c) + a), True))
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.194 \quad \int \frac{\sin^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=75

$$\frac{2 \cos(c+dx)}{ad} + \frac{\sin^2(c+dx) \cos(c+dx)}{d(a \sin(c+dx) + a)} - \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} + \frac{3x}{2a}$$

[Out] (3*x)/(2*a) + (2*Cos[c + d*x])/(a*d) - (3*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (Cos[c + d*x]*Sin[c + d*x]^2)/(d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.0619893, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2767, 2734}

$$\frac{2 \cos(c+dx)}{ad} + \frac{\sin^2(c+dx) \cos(c+dx)}{d(a \sin(c+dx) + a)} - \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} + \frac{3x}{2a}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] (3*x)/(2*a) + (2*Cos[c + d*x])/(a*d) - (3*Cos[c + d*x]*Sin[c + d*x])/(2*a*d) + (Cos[c + d*x]*Sin[c + d*x]^2)/(d*(a + a*Sin[c + d*x]))

Rule 2767

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n - 1))/(a*f*(a + b*Sin[e + f*x])), x] - Dist[d/(a*b), Int[(c + d*Sin[e + f*x])^(n - 2)*Simp[b*d*(n - 1) - a*c*n + (b*c*(n - 1) - a*d*n)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2734

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Cos[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\cos(c+dx) \sin^2(c+dx)}{d(a+a \sin(c+dx))} - \frac{\int \sin(c+dx)(2a-3a \sin(c+dx)) dx}{a^2} \\ &= \frac{3x}{2a} + \frac{2 \cos(c+dx)}{ad} - \frac{3 \cos(c+dx) \sin(c+dx)}{2ad} + \frac{\cos(c+dx) \sin^2(c+dx)}{d(a+a \sin(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.197634, size = 117, normalized size = 1.56

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\left(-\sin(2(c+dx)) + 4 \cos(c+dx) + 6c + 6dx - 8\right) + \cos\left(\frac{1}{2}(c+dx)\right)}{4ad(\sin(c+dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(Sin[(c + d*x)/2]*(-8 + 6*c + 6*d*x + 4*Cos[c + d*x] - Sin[2*(c + d*x)]) + Cos[(c + d*x)/2]*(6*c + 6*d*x + 4*Cos[c + d*x] - Sin[2*(c + d*x)])))/(4*a*d*(1 + Sin[c + d*x]))

Maple [B] time = 0.027, size = 163, normalized size = 2.2

$$\frac{1}{da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} + 2 \frac{(\tan(1/2 dx + c/2))^2}{da (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{1}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] 1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^2-1/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)+2/a/d/(1+tan(1/2*d*x+1/2*c)^2)^2+3/a/d*arctan(tan(1/2*d*x+1/2*c))+2/a/d/(tan(1/2*d*x+1/2*c)+1)

Maxima [B] time = 1.46766, size = 286, normalized size = 3.81

$$\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 4}{a + \frac{a \sin(dx+c)}{\cos(dx+c)+1} + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{2a \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a \sin(dx+c)^5}{(\cos(dx+c)+1)^5}} + \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] ((sin(d*x + c)/(cos(d*x + c) + 1) + 5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 4)/(a + a*sin(d*x + c)/(cos(d*x + c) + 1) + 2*a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 2*a*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + a*sin(d*x + c)^5/(cos(d*x + c) + 1)^5) + 3*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a)/d

Fricas [A] time = 1.79172, size = 247, normalized size = 3.29

$$\frac{\cos(dx+c)^3 + 3dx + 3(dx+1)\cos(dx+c) + 2\cos(dx+c)^2 + (3dx - \cos(dx+c)^2 + \cos(dx+c) - 2)\sin(dx+c)}{2(ad\cos(dx+c) + ad\sin(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(cos(d*x + c)^3 + 3*d*x + 3*(d*x + 1)*cos(d*x + c) + 2*cos(d*x + c)^2 + (3*d*x - cos(d*x + c)^2 + cos(d*x + c) - 2)*sin(d*x + c) + 2)/(a*d*cos(d*x

+ c) + a*d*sin(d*x + c) + a*d)

Sympy [A] time = 7.61435, size = 1127, normalized size = 15.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Piecewise(((3*d*x*tan(c/2 + d*x/2)**5/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 3*d*x*tan(c/2 + d*x/2)**4/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 6*d*x*tan(c/2 + d*x/2)**3/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 6*d*x*tan(c/2 + d*x/2)**2/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 3*d*x*tan(c/2 + d*x/2)/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 3*d*x/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) - 6*tan(c/2 + d*x/2)**5/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) - 6*tan(c/2 + d*x/2)**3/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) - 2*tan(c/2 + d*x/2)**2/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) - 4*tan(c/2 + d*x/2)/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d) + 2/(2*a*d*tan(c/2 + d*x/2)**5 + 2*a*d*tan(c/2 + d*x/2)**4 + 4*a*d*tan(c/2 + d*x/2)**3 + 4*a*d*tan(c/2 + d*x/2)**2 + 2*a*d*tan(c/2 + d*x/2) + 2*a*d), Ne(d, 0)), (x*sin(c)**3/(a*sin(c) + a), True))

Giac [A] time = 1.10078, size = 123, normalized size = 1.64

$$\frac{\frac{3(dx+c)}{a} + \frac{2\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a} + \frac{4}{a\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] 1/2*(3*(d*x + c)/a + 2*(tan(1/2*d*x + 1/2*c)^3 + 2*tan(1/2*d*x + 1/2*c)^2 - tan(1/2*d*x + 1/2*c) + 2)/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a) + 4/(a*(tan(1/2*d*x + 1/2*c) + 1))/d

$$3.195 \quad \int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sin^3(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0685952, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 6.20527, size = 0, normalized size = 0.

$$\int \frac{\sin^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.657, size = 0, normalized size = 0.

$$\int \frac{(\sin(dx+c))^3}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx+c)^2-1)\sin(dx+c)}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)*sin(d*x + c)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**3/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)^3}{(fx+e)(a\sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)^3/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.196 \quad \int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))}, x\right)$$

[Out] Unintegrable[Sin[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0691858, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sin[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx = \int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 5.84541, size = 0, normalized size = 0.

$$\int \frac{\sin^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sin[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.973, size = 0, normalized size = 0.

$$\int \frac{(\sin(dx+c))^3}{(fx+e)^2(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sin(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx+c)^2-1)\sin(dx+c)}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)*sin(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**3/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sin(dx+c)^3}{(fx+e)^2(a\sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sin(d*x + c)^3/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.197 \quad \int \frac{(e+fx)^3 \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=352

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{6f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, e^{i(c+dx)}\right)}{ad^3} + \frac{3if(e+fx)}{ad^3}$$

[Out] (I*(e + f*x)^3)/(a*d) - (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((3*I)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (6*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - ((6*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4)

Rubi [A] time = 0.46895, antiderivative size = 352, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {4535, 4183, 2531, 6609, 2282, 6589, 3318, 4184, 3717, 2190}

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{6f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, e^{i(c+dx)}\right)}{ad^3} + \frac{3if(e+fx)}{ad^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] (I*(e + f*x)^3)/(a*d) - (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((3*I)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (6*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - ((6*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4)

Rule 4535

Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/(a_. + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^(
m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x]
, x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \csc(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^3 \csc(c+dx) dx}{a} - \int \frac{(e+fx)^3}{a+a\sin(c+dx)} dx \\
&= -\frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{\int (e+fx)^3 \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} - \frac{(3f) \int (e+fx)^2}{ad^2} \\
&= -\frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{3if(e+fx)^2 \text{Li}_2(-e^{i(c+dx)})}{ad^2} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{3if(e+fx)^2 \text{Li}_2(-e^{i(c+dx)})}{ad^2} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(\frac{e^{i(c+dx)}+1}{2}\right)}{a} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(\frac{e^{i(c+dx)}+1}{2}\right)}{a} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(\frac{e^{i(c+dx)}+1}{2}\right)}{a} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(\frac{e^{i(c+dx)}+1}{2}\right)}{a} \\
&= \frac{i(e+fx)^3}{ad} - \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{6f(e+fx)^2 \log\left(\frac{e^{i(c+dx)}+1}{2}\right)}{a}
\end{aligned}$$

Mathematica [A] time = 2.56901, size = 443, normalized size = 1.26

$$\frac{3if(d^2(e+fx)^2 \text{PolyLog}(2, -\cos(c+dx)-i\sin(c+dx))+2idf(e+fx) \text{PolyLog}(3, -\cos(c+dx)-i\sin(c+dx))-2f^2 \text{PolyLog}(4, -\cos(c+dx)-i\sin(c+dx)))}{d^3} - \frac{3if(d^2(e+fx)^2 \text{PolyLog}(2, -\cos(c+dx)-i\sin(c+dx))+2idf(e+fx) \text{PolyLog}(3, -\cos(c+dx)-i\sin(c+dx))-2f^2 \text{PolyLog}(4, -\cos(c+dx)-i\sin(c+dx)))}{d^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Csc[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (-2*(e + f*x)^3*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] + ((3*I)*f*(d^2*(e + f*x)^2*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] + (2*I)*d*f*(e + f*x)*PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] - 2*f^2*PolyLog[4, -Cos[c + d*x] - I*Sin[c + d*x]]))/d^3 - ((3*I)*f*(d^2*(e + f*x)^2*PolyLog[2, Cos[c + d*x] + I*Sin[c + d*x]] + (2*I)*d*f*(e + f*x)*PolyLog[3, Cos[c + d*x] + I*Sin[c + d*x]] - 2*f^2*PolyLog[4, Cos[c + d*x] + I*Sin[c + d*x]]))/d^3 + (6*f*(Cos[c] + I*Sin[c])*((e + f*x)^3*(Cos[c] - I*Sin[c]))/(3*f) - ((e + f*x)^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (2*f*(d*(e + f*x)*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*f*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c]))/d^3))/(Cos[c] + I*(1 + Sin[c])) - (2*(e + f*x)^3*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))/(a*d)

Maple [B] time = 0.285, size = 1151, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^3*\text{csc}(d*x+c)/(a+a*\sin(d*x+c)),x)$

[Out] $-12*f^2/d^2/a*e*\ln(1-I*\exp(I*(d*x+c)))*x-6*I*f^3*\text{polylog}(4,-\exp(I*(d*x+c)))/a/d^4+1/d/a*e^3*\ln(\exp(I*(d*x+c))-1)-1/d/a*e^3*\ln(\exp(I*(d*x+c))+1)+6*f^3/d^4/a*c^2*\ln(\exp(I*(d*x+c)))-6*f/d^2/a*\ln(\exp(I*(d*x+c))+I)*e^2-6*f^3/d^4/a*c^2*\ln(\exp(I*(d*x+c))+I)-4*I*f^3/d^4/a*c^3+2*I*f^3/d/a*x^3+6*f/d^2/a*\ln(\exp(I*(d*x+c)))*e^2+2*(f^3*x^3+3*e*f^2*x^2+3*e^2*f*x+e^3)/d/a/(\exp(I*(d*x+c))+I)-3/d^2/a*e^2*f*c*\ln(\exp(I*(d*x+c))-1)+3/d^3/a*e*f^2*c^2*\ln(\exp(I*(d*x+c))-1)-1/d/a*f^3*\ln(\exp(I*(d*x+c))+1)*x^3+12*I*f^2/d^2/a*e*c*x+6*I*f^3*\text{polylog}(4,\exp(I*(d*x+c)))/a/d^4-12*f^2/d^3/a*e*\ln(1-I*\exp(I*(d*x+c)))*c-6*f^3/d^2/a*\ln(1-I*\exp(I*(d*x+c)))*x^2+6*f^3/d^4/a*\ln(1-I*\exp(I*(d*x+c)))*c^2-12*f^2/d^3/a*e*c*\ln(\exp(I*(d*x+c)))+12*f^2/d^3/a*e*c*\ln(\exp(I*(d*x+c))+I)-6*I*f^3/d^3/a*c^2*x+12*I*f^3/d^3/a*\text{polylog}(2,I*\exp(I*(d*x+c)))*x+12*I*f^2/d^3/a*e*\text{polylog}(2,I*\exp(I*(d*x+c)))+6*I*f^2/d/a*e*x^2+6*I*f^2/d^3/a*e*c^2+6*I/d^2/a*e*f^2*\text{polylog}(2,-\exp(I*(d*x+c)))*x-6*I/d^2/a*e*f^2*\text{polylog}(2,\exp(I*(d*x+c)))*x+1/d/a*f^3*\ln(1-\exp(I*(d*x+c)))*x^3+1/d^4/a*f^3*\ln(1-\exp(I*(d*x+c)))*c^3-3/d/a*e*f^2*\ln(\exp(I*(d*x+c))+1)*x^2+3/d/a*\ln(1-\exp(I*(d*x+c)))*e^2*f*x-3/d/a*\ln(\exp(I*(d*x+c))+1)*e^2*f*x+3/d/a*e*f^2*\ln(1-\exp(I*(d*x+c)))*x^2-3/d^3/a*e*f^2*\ln(1-\exp(I*(d*x+c)))*c^2+3/d^2/a*\ln(1-\exp(I*(d*x+c)))*c*e^2*f+3*I/d^2/a*e^2*f*\text{polylog}(2,-\exp(I*(d*x+c)))-3*I/d^2/a*e^2*f*\text{polylog}(2,\exp(I*(d*x+c)))+3*I/d^2/a*f^3*\text{polylog}(2,-\exp(I*(d*x+c)))*x^2-3*I/d^2/a*f^3*\text{polylog}(2,\exp(I*(d*x+c)))*x^2-12*f^3*\text{polylog}(3,I*\exp(I*(d*x+c)))/a/d^4+6/d^3/a*f^3*\text{polylog}(3,\exp(I*(d*x+c)))*x-6/d^3/a*f^3*\text{polylog}(3,-\exp(I*(d*x+c)))*x-1/d^4/a*f^3*c^3*\ln(\exp(I*(d*x+c))-1)+6/d^3/a*e*f^2*\text{polylog}(3,\exp(I*(d*x+c)))-6/d^3/a*e*f^2*\text{polylog}(3,-\exp(I*(d*x+c)))$

Maxima [B] time = 3.40972, size = 3750, normalized size = 10.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^3*\text{csc}(d*x+c)/(a+a*\sin(d*x+c)),x, \text{algorithm}="maxima")$

[Out] $-(3*c*e^2*f*(2/(a*d + a*d*\sin(d*x + c))/(\cos(d*x + c) + 1)) + \log(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d)) - e^3*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 2/(a + a*\sin(d*x + c)/(\cos(d*x + c) + 1))) + (12*I*c^2*d*e*f^2 - 4*I*c^3*f^3 + (12*I*d^2*e^2*f - 24*I*c*d*e*f^2 + 12*I*c^2*f^3 + 12*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3))*\cos(d*x + c) + (12*I*d^2*e^2*f - 24*I*c*d*e*f^2 + 12*I*c^2*f^3)*\sin(d*x + c))*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) + (-12*I*(d*x + c)^2*f^3 + (-24*I*d*e*f^2 + 24*I*c*f^3)*(d*x + c) - 12*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(d*x + c) + (-12*I*(d*x + c)^2*f^3 + (-24*I*d*e*f^2 + 24*I*c*f^3)*(d*x + c))*\sin(d*x + c))*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + (6*I*c^2*d*e*f^2 + 2*I*(d*x + c)^3*f^3 - 2*I*c^3*f^3 + (6*I*d*e*f^2 - 6*I*c*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*c^2*f^3)*(d*x + c) + 2*(3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\cos(d*x + c) + (6*I*c^2*d*e*f^2 + 2*I*(d*x + c)^3*f^3 - 2*I*c^3*f^3 + (6*I*d*e*f^2 - 6*I*c*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*c^2*f^3)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(d*x + c), \cos(d*x + c) + 1) + (-6*I*c^2*d*e*f^2 + 2*I*c^3*f^3 - 2*(3*c^2*d*e*f^2 - c^3*f^3))*\cos(d*x + c) + (-6*I*c^2*d*e*f^2 + 2*I*c^3*f^3)*\sin(d*x + c))*\arctan2(\sin(d*x + c), \cos(d*x + c) - 1) + (2*I*(d*x + c)^3*f^3 + (6*I*d*e*f^2 - 6*I*c*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*c^2*f^3)*(d*x + c) + 2*((d*x + c)^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\cos(d*x + c) + (2*I*(d*x + c)^3*f^3 + (6*I*d*e*f^2 - 6*I*c*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*c^2*f^3)*(d*x$


```

+ c))*sin(d*x + c))*arctan2(sin(d*x + c), -cos(d*x + c) + 1) - 4*((d*x + c)
)^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^
2*f^3)*(d*x + c))*cos(d*x + c) + (-24*I*d*e*f^2 - 24*I*(d*x + c)*f^3 + 24*I
*c*f^3 - 24*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*cos(d*x + c) + (-24*I*d*e*f^2
- 24*I*(d*x + c)*f^3 + 24*I*c*f^3)*sin(d*x + c))*dilog(I*e^(I*d*x + I*c))
+ (-6*I*d^2*e^2*f + 12*I*c*d*e*f^2 - 6*I*(d*x + c)^2*f^3 - 6*I*c^2*f^3 + (-
12*I*d*e*f^2 + 12*I*c*f^3)*(d*x + c) - 6*(d^2*e^2*f - 2*c*d*e*f^2 + (d*x +
c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*cos(d*x + c) + (-6*I*d^
2*e^2*f + 12*I*c*d*e*f^2 - 6*I*(d*x + c)^2*f^3 - 6*I*c^2*f^3 + (-12*I*d*e*f
^2 + 12*I*c*f^3)*(d*x + c))*sin(d*x + c))*dilog(-e^(I*d*x + I*c)) + (6*I*d^
2*e^2*f - 12*I*c*d*e*f^2 + 6*I*(d*x + c)^2*f^3 + 6*I*c^2*f^3 + (12*I*d*e*f^
2 - 12*I*c*f^3)*(d*x + c) + 6*(d^2*e^2*f - 2*c*d*e*f^2 + (d*x + c)^2*f^3 +
c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*cos(d*x + c) + (6*I*d^2*e^2*f - 12
*I*c*d*e*f^2 + 6*I*(d*x + c)^2*f^3 + 6*I*c^2*f^3 + (12*I*d*e*f^2 - 12*I*c*f
^3)*(d*x + c))*sin(d*x + c))*dilog(e^(I*d*x + I*c)) + (3*c^2*d*e*f^2 + (d*x
+ c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*
c*d*e*f^2 + c^2*f^3)*(d*x + c) + (-3*I*c^2*d*e*f^2 - I*(d*x + c)^3*f^3 + I*
c^3*f^3 + (-3*I*d*e*f^2 + 3*I*c*f^3)*(d*x + c)^2 + (-3*I*d^2*e^2*f + 6*I*c*
d*e*f^2 - 3*I*c^2*f^3)*(d*x + c))*cos(d*x + c) + (3*c^2*d*e*f^2 + (d*x + c)
^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e
*f^2 + c^2*f^3)*(d*x + c))*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^
2 + 2*cos(d*x + c) + 1) - (3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d
e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x +
c) - (3*I*c^2*d*e*f^2 + I*(d*x + c)^3*f^3 - I*c^3*f^3 + (3*I*d*e*f^2 - 3*I*
c*f^3)*(d*x + c)^2 + (3*I*d^2*e^2*f - 6*I*c*d*e*f^2 + 3*I*c^2*f^3)*(d*x + c
))*cos(d*x + c) + (3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 -
c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*sin(
d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x + c) + 1) + (6*d^
2*e^2*f - 12*c*d*e*f^2 + 6*(d*x + c)^2*f^3 + 6*c^2*f^3 + 12*(d*e*f^2 - c*f^
3)*(d*x + c) + (-6*I*d^2*e^2*f + 12*I*c*d*e*f^2 - 6*I*(d*x + c)^2*f^3 - 6*I
*c^2*f^3 + (-12*I*d*e*f^2 + 12*I*c*f^3)*(d*x + c))*cos(d*x + c) + 6*(d^2*e^
2*f - 2*c*d*e*f^2 + (d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x +
c))*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1)
+ (12*f^3*cos(d*x + c) + 12*I*f^3*sin(d*x + c) + 12*I*f^3)*polylog(4, -e^(
I*d*x + I*c)) - (12*f^3*cos(d*x + c) + 12*I*f^3*sin(d*x + c) + 12*I*f^3)*po
lylog(4, e^(I*d*x + I*c)) - 24*(I*f^3*cos(d*x + c) - f^3*sin(d*x + c) - f^3)
*polylog(3, I*e^(I*d*x + I*c)) + (12*d*e*f^2 + 12*(d*x + c)*f^3 - 12*c*f^3
+ (-12*I*d*e*f^2 - 12*I*(d*x + c)*f^3 + 12*I*c*f^3)*cos(d*x + c) + 12*(d*e
*f^2 + (d*x + c)*f^3 - c*f^3)*sin(d*x + c))*polylog(3, -e^(I*d*x + I*c)) -
(12*d*e*f^2 + 12*(d*x + c)*f^3 - 12*c*f^3 - (12*I*d*e*f^2 + 12*I*(d*x + c)*
f^3 - 12*I*c*f^3)*cos(d*x + c) + 12*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*sin(
d*x + c))*polylog(3, e^(I*d*x + I*c)) + (-4*I*(d*x + c)^3*f^3 + (-12*I*d*e*f
^2 + 12*I*c*f^3)*(d*x + c)^2 + (-12*I*d^2*e^2*f + 24*I*c*d*e*f^2 - 12*I*c^2
*f^3)*(d*x + c))*sin(d*x + c))/(-2*I*a*d^3*cos(d*x + c) + 2*a*d^3*sin(d*x +
c) + 2*a*d^3))/d

```

Fricas [C] time = 3.22015, size = 6904, normalized size = 19.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 6*d^3*e^2*f*x + 2*d^3*e^3 + 2*(d^3*f
^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x + c) + (-3*I*d^
2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e
```

$$\begin{aligned}
& *f^2*x - 3*I*d^2*e^2*f)*\cos(d*x + c) + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x \\
& - 3*I*d^2*e^2*f)*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + (3*I \\
& d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f + (3*I*d^2*f^3*x^2 + 6*I*d^2 \\
& e*f^2*x + 3*I*d^2*e^2*f)*\cos(d*x + c) + (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x \\
& + 3*I*d^2*e^2*f)*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) + (12*I \\
& *d*f^3*x + 12*I*d*e*f^2 + (12*I*d*f^3*x + 12*I*d*e*f^2)*\cos(d*x + c) + (12* \\
& I*d*f^3*x + 12*I*d*e*f^2)*\sin(d*x + c))*\operatorname{dilog}(I*\cos(d*x + c) - \sin(d*x + c) \\
&) + (-12*I*d*f^3*x - 12*I*d*e*f^2 + (-12*I*d*f^3*x - 12*I*d*e*f^2)*\cos(d*x \\
& + c) + (-12*I*d*f^3*x - 12*I*d*e*f^2)*\sin(d*x + c))*\operatorname{dilog}(-I*\cos(d*x + c) - \\
& \sin(d*x + c)) + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f + (-3* \\
& I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f)*\cos(d*x + c) + (-3*I*d^2*f \\
& ^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) \\
& + I*\sin(d*x + c)) + (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f + (\\
& 3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f)*\cos(d*x + c) + (3*I*d^2* \\
& f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) \\
&) - I*\sin(d*x + c)) - (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3* \\
& e^3 + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*\cos(d*x + c) \\
&) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*\sin(d*x + c)) \\
& * \log(\cos(d*x + c) + I*\sin(d*x + c) + 1) - 6*(d^2*e^2*f - 2*c*d*e*f^2 + c^2* \\
& f^3 + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c) + (d^2*e^2*f - 2*c*d \\
& *e*f^2 + c^2*f^3)*\sin(d*x + c))* \log(\cos(d*x + c) + I*\sin(d*x + c) + I) - (d \\
& ^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3 + (d^3*f^3*x^3 + 3*d \\
& ^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*\cos(d*x + c) + (d^3*f^3*x^3 + 3*d^3 \\
& *e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*\sin(d*x + c))* \log(\cos(d*x + c) - I*si \\
& n(d*x + c) + 1) - 6*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3 + \\
& (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c) + (d^2*f \\
& ^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\sin(d*x + c))* \log(I*\cos(d*x \\
& + c) + \sin(d*x + c) + 1) - 6*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - \\
& c^2*f^3 + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c) \\
&) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\sin(d*x + c))* \log \\
& (-I*\cos(d*x + c) + \sin(d*x + c) + 1) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e \\
& *f^2 - c^3*f^3 + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*\cos(d* \\
& x + c) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*\sin(d*x + c))* \\
& \log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2) + (d^3*e^3 - 3*c*d^2*e^2* \\
& f + 3*c^2*d*e*f^2 - c^3*f^3 + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^ \\
& 3*f^3)*\cos(d*x + c) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*s \\
& in(d*x + c))* \log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2) + (d^3*f^3*x \\
& ^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3* \\
& f^3 + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^ \\
& 2*d*e*f^2 + c^3*f^3)*\cos(d*x + c) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3* \\
& e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*\sin(d*x + c))* \log(-\cos(d \\
& *x + c) + I*\sin(d*x + c) + 1) - 6*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3 + (d^2 \\
& *e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c) + (d^2*e^2*f - 2*c*d*e*f^2 + c \\
& ^2*f^3)*\sin(d*x + c))* \log(-\cos(d*x + c) + I*\sin(d*x + c) + I) + (d^3*f^3*x^ \\
& 3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f \\
& ^3 + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2 \\
& *d*e*f^2 + c^3*f^3)*\cos(d*x + c) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e \\
& ^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*\sin(d*x + c))* \log(-\cos(d* \\
& x + c) - I*\sin(d*x + c) + 1) + (6*I*f^3*\cos(d*x + c) + 6*I*f^3*\sin(d*x + c) \\
& + 6*I*f^3)*\operatorname{polylog}(4, \cos(d*x + c) + I*\sin(d*x + c)) + (-6*I*f^3*\cos(d*x + \\
& c) - 6*I*f^3*\sin(d*x + c) - 6*I*f^3)*\operatorname{polylog}(4, \cos(d*x + c) - I*\sin(d*x + \\
& c)) + (6*I*f^3*\cos(d*x + c) + 6*I*f^3*\sin(d*x + c) + 6*I*f^3)*\operatorname{polylog}(4, - \\
& \cos(d*x + c) + I*\sin(d*x + c)) + (-6*I*f^3*\cos(d*x + c) - 6*I*f^3*\sin(d*x + \\
& c) - 6*I*f^3)*\operatorname{polylog}(4, -\cos(d*x + c) - I*\sin(d*x + c)) + 6*(d*f^3*x + d* \\
& e*f^2 + (d*f^3*x + d*e*f^2)*\cos(d*x + c) + (d*f^3*x + d*e*f^2)*\sin(d*x + c) \\
&)*\operatorname{polylog}(3, \cos(d*x + c) + I*\sin(d*x + c)) + 6*(d*f^3*x + d*e*f^2 + (d*f^3 \\
& *x + d*e*f^2)*\cos(d*x + c) + (d*f^3*x + d*e*f^2)*\sin(d*x + c))*\operatorname{polylog}(3, c \\
& os(d*x + c) - I*\sin(d*x + c)) - 12*(f^3*\cos(d*x + c) + f^3*\sin(d*x + c) + f \\
& ^3)*\operatorname{polylog}(3, I*\cos(d*x + c) - \sin(d*x + c)) - 12*(f^3*\cos(d*x + c) + f^3*
\end{aligned}$$

$$\begin{aligned} & \sin(dx + c) + f^3) \text{polylog}(3, -I \cos(dx + c) - \sin(dx + c)) - 6*(d*f^3*x \\ & + d*e*f^2 + (d*f^3*x + d*e*f^2)*\cos(dx + c) + (d*f^3*x + d*e*f^2)*\sin(dx \\ & + c)) \text{polylog}(3, -\cos(dx + c) + I \sin(dx + c)) - 6*(d*f^3*x + d*e*f^2 + \\ & (d*f^3*x + d*e*f^2)*\cos(dx + c) + (d*f^3*x + d*e*f^2)*\sin(dx + c)) \text{polylo} \\ & \text{g}(3, -\cos(dx + c) - I \sin(dx + c)) - 2*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3 \\ & *d^3*e^2*f*x + d^3*e^3)*\sin(dx + c))/(a*d^4*\cos(dx + c) + a*d^4*\sin(dx + \\ & c) + a*d^4) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \csc(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*csc(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**3*csc(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*csc(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*csc(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e**2*f*x*csc(c + d*x)/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \csc(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*csc(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.198 \quad \int \frac{(e+fx)^2 \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=249

$$\frac{2if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} - \frac{2if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} + \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} - \frac{2f^2\text{PolyLog}(3, -e^{i(c+dx)})}{ad^3}$$

[Out] (I*(e + f*x)^2)/(a*d) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3)

Rubi [A] time = 0.329595, antiderivative size = 249, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {4535, 4183, 2531, 2282, 6589, 3318, 4184, 3717, 2190, 2279, 2391}

$$\frac{2if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} - \frac{2if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} + \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} - \frac{2f^2\text{PolyLog}(3, -e^{i(c+dx)})}{ad^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Csc[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (I*(e + f*x)^2)/(a*d) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3)

Rule 4535

Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f}

, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n * Log[F]), x] - Dist[(d*m)/(b*f*g*n * Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n]/a), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n * Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \csc(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^2 \csc(c+dx) dx}{a} - \int \frac{(e+fx)^2}{a+a\sin(c+dx)} dx \\
&= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{\int (e+fx)^2 \csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} - \frac{(2f)\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad} \\
&= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{2if(e+fx)\text{Li}_2(-e^{i(c+dx)})}{ad^2} - \frac{4f\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad^2} \\
&= \frac{i(e+fx)^2}{ad} - \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{2if(e+fx)\text{Li}_2(-e^{i(c+dx)})}{ad^2} - \frac{4f\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad^2} \\
&= \frac{i(e+fx)^2}{ad} - \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad^2} \\
&= \frac{i(e+fx)^2}{ad} - \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad^2} \\
&= \frac{i(e+fx)^2}{ad} - \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^2 \cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{4f\int (e+fx) \log(1 - e^{i(c+dx)}) dx}{ad^2}
\end{aligned}$$

Mathematica [A] time = 2.02965, size = 330, normalized size = 1.33

$$\frac{2if(d(e+fx)\text{PolyLog}(2,-e^{i(c+dx)})+if\text{PolyLog}(3,-e^{i(c+dx)}))}{d^2} + \frac{2f(f\text{PolyLog}(3,e^{i(c+dx)})-id(e+fx)\text{PolyLog}(2,e^{i(c+dx)}))}{d^2} + \frac{4f(\cos(c)+i\sin(c))\left(\frac{f(\cos(c)-i\sin(c))}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Csc[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] ((e + f*x)^2*Log[1 - E^(I*(c + d*x))] - (e + f*x)^2*Log[1 + E^(I*(c + d*x))] + ((2*I)*f*(d*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))] + I*f*PolyLog[3, -E^(I*(c + d*x))])/d^2 + (2*f*((-I)*d*(e + f*x)*PolyLog[2, E^(I*(c + d*x))] + f*PolyLog[3, E^(I*(c + d*x))])/d^2 + (4*f*(Cos[c] + I*Sin[c])*(((e + f*x)^2*(Cos[c] - I*Sin[c]))/(2*f) - ((e + f*x)*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c]))/d^2))/(Cos[c] + I*(1 + Sin[c])) - (2*(e + f*x)^2*Sin[(d*x)/2])/((Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/(a*d)

Maple [B] time = 0.137, size = 643, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*csc(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] 2*(f^2*x^2+2*e*f*x+e^2)/d/a/(exp(I*(d*x+c))+I)+4*f/d^2/a*ln(exp(I*(d*x+c)))*e-4*f/d^2/a*ln(exp(I*(d*x+c))+I)*e-4*f^2/d^2/a*ln(1-I*exp(I*(d*x+c)))*x-4*f^2/d^3/a*ln(1-I*exp(I*(d*x+c)))*c-4*f^2/d^3/a*c*ln(exp(I*(d*x+c)))+4*f^2/d

$$\begin{aligned} &^3/a*c*\ln(\exp(I*(d*x+c))+I)+2*I*f^2/d/a*x^2+2*I*f^2/d^3/a*c^2+1/a/d^3*f^2*c \\ &^2*\ln(\exp(I*(d*x+c))-1)+1/a/d*f^2*\ln(1-\exp(I*(d*x+c)))*x^2-1/a/d^3*f^2*\ln(1 \\ &-\exp(I*(d*x+c)))*c^2-1/a/d*f^2*\ln(\exp(I*(d*x+c))+1)*x^2+1/a/d*e^2*\ln(\exp(I* \\ &(d*x+c))-1)-1/a/d*e^2*\ln(\exp(I*(d*x+c))+1)+4*I*f^2*\text{polylog}(2, I*\exp(I*(d*x+c) \\ &))/a/d^3+4*I*f^2/d^2/a*c*x+2/a/d^2*\ln(1-\exp(I*(d*x+c)))*c*e*f+2/a/d*\ln(1-e \\ &\exp(I*(d*x+c)))*e*f*x-2/a/d*\ln(\exp(I*(d*x+c))+1)*e*f*x-2/a/d^2*e*f*c*\ln(\exp(\\ &I*(d*x+c))-1)-2*I/a/d^2*e*f*\text{polylog}(2, \exp(I*(d*x+c)))+2*I/a/d^2*e*f*\text{polylog} \\ &(2, -\exp(I*(d*x+c)))-2*I/a/d^2*f^2*\text{polylog}(2, \exp(I*(d*x+c)))*x+2*I/a/d^2*f^2 \\ &*\text{polylog}(2, -\exp(I*(d*x+c)))*x-2*f^2*\text{polylog}(3, -\exp(I*(d*x+c)))/a/d^3+2*f^2* \\ &\text{polylog}(3, \exp(I*(d*x+c)))/a/d^3 \end{aligned}$$

Maxima [B] time = 1.81162, size = 1904, normalized size = 7.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} &-(2*c*e*f*(2/(a*d + a*d*\sin(d*x + c)/(\cos(d*x + c) + 1)) + \log(\sin(d*x + c) \\ &/(\cos(d*x + c) + 1))/(a*d)) - e^2*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + \\ &2/(a + a*\sin(d*x + c)/(\cos(d*x + c) + 1))) + (4*I*c^2*f^2 + (8*I*d*e*f - 8 \\ &*I*c*f^2 + 8*(d*e*f - c*f^2)*\cos(d*x + c) + (8*I*d*e*f - 8*I*c*f^2)*\sin(d*x \\ &+ c))*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (8*(d*x + c)*f^2*\cos(d*x + \\ &c) + 8*I*(d*x + c)*f^2*\sin(d*x + c) + 8*I*(d*x + c)*f^2)*\arctan2(\cos(d*x + \\ &c), \sin(d*x + c) + 1) + (2*I*(d*x + c)^2*f^2 + 2*I*c^2*f^2 + (4*I*d*e*f - \\ &4*I*c*f^2)*(d*x + c) + 2*((d*x + c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d*x \\ &+ c))*\cos(d*x + c) + (2*I*(d*x + c)^2*f^2 + 2*I*c^2*f^2 + (4*I*d*e*f - 4*I \\ &c*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(d*x + c), \cos(d*x + c) + 1) - \\ &(2*c^2*f^2*\cos(d*x + c) + 2*I*c^2*f^2*\sin(d*x + c) + 2*I*c^2*f^2)*\arctan2(\\ &\sin(d*x + c), \cos(d*x + c) - 1) + (2*I*(d*x + c)^2*f^2 + (4*I*d*e*f - 4*I*c \\ &*f^2)*(d*x + c) + 2*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\cos(d*x \\ &+ c) + (2*I*(d*x + c)^2*f^2 + (4*I*d*e*f - 4*I*c*f^2)*(d*x + c))*\sin(d*x + \\ &c))*\arctan2(\sin(d*x + c), -\cos(d*x + c) + 1) - 4*((d*x + c)^2*f^2 + 2*(d*e \\ &*f - c*f^2)*(d*x + c))*\cos(d*x + c) - (8*f^2*\cos(d*x + c) + 8*I*f^2*\sin(d*x \\ &+ c) + 8*I*f^2)*\text{dilog}(I*e^(I*d*x + I*c)) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 \\ &+ 4*I*c*f^2 - 4*(d*e*f + (d*x + c)*f^2 - c*f^2)*\cos(d*x + c) + (-4*I*d*e*f \\ &- 4*I*(d*x + c)*f^2 + 4*I*c*f^2)*\sin(d*x + c))*\text{dilog}(-e^(I*d*x + I*c)) + (\\ &4*I*d*e*f + 4*I*(d*x + c)*f^2 - 4*I*c*f^2 + 4*(d*e*f + (d*x + c)*f^2 - c*f^2 \\ &)*\cos(d*x + c) + (4*I*d*e*f + 4*I*(d*x + c)*f^2 - 4*I*c*f^2)*\sin(d*x + c)) \\ &*\text{dilog}(e^(I*d*x + I*c)) + ((d*x + c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d \\ &*x + c) + (-I*(d*x + c)^2*f^2 - I*c^2*f^2 + (-2*I*d*e*f + 2*I*c*f^2)*(d*x + \\ &c))*\cos(d*x + c) + ((d*x + c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c \\ &))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\cos(d*x + c) + 1) \\ &- ((d*x + c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c) - (I*(d*x + c)^2 \\ &*f^2 + I*c^2*f^2 + (2*I*d*e*f - 2*I*c*f^2)*(d*x + c))*\cos(d*x + c) + ((d*x \\ &+ c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d \\ &*x + c)^2 + \sin(d*x + c)^2 - 2*\cos(d*x + c) + 1) + (4*d*e*f + 4*(d*x + c)*f \\ &^2 - 4*c*f^2 + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + 4*I*c*f^2)*\cos(d*x + c) + \\ &4*(d*e*f + (d*x + c)*f^2 - c*f^2)*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d \\ &x + c)^2 + 2*\sin(d*x + c) + 1) - 4*(I*f^2*\cos(d*x + c) - f^2*\sin(d*x + c) - \\ &f^2)*\text{polylog}(3, -e^(I*d*x + I*c)) - 4*(-I*f^2*\cos(d*x + c) + f^2*\sin(d*x + \\ &c) + f^2)*\text{polylog}(3, e^(I*d*x + I*c)) + (-4*I*(d*x + c)^2*f^2 + (-8*I*d*e*f \\ &+ 8*I*c*f^2)*(d*x + c))*\sin(d*x + c))/(-2*I*a*d^2*\cos(d*x + c) + 2*a*d^2* \\ &\sin(d*x + c) + 2*a*d^2)/d \end{aligned}$$

Fricas [C] time = 2.61848, size = 4084, normalized size = 16.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*d^2*f^2*x^2 + 4*d^2*e*f*x + 2*d^2*e^2 + 2*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\cos(d*x + c) + (-2*I*d*f^2*x - 2*I*d*e*f + (-2*I*d*f^2*x - 2*I*d*e*f)*\cos(d*x + c) + (-2*I*d*f^2*x - 2*I*d*e*f)*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + (2*I*d*f^2*x + 2*I*d*e*f + (2*I*d*f^2*x + 2*I*d*e*f)*\cos(d*x + c) + (2*I*d*f^2*x + 2*I*d*e*f)*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) + (4*I*f^2*\cos(d*x + c) + 4*I*f^2*\sin(d*x + c) + 4*I*f^2)*\operatorname{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) + (-4*I*f^2*\cos(d*x + c) - 4*I*f^2*\sin(d*x + c) - 4*I*f^2)*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) + (-2*I*d*f^2*x - 2*I*d*e*f + (-2*I*d*f^2*x - 2*I*d*e*f)*\cos(d*x + c) + (-2*I*d*f^2*x - 2*I*d*e*f)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + (2*I*d*f^2*x + 2*I*d*e*f + (2*I*d*f^2*x + 2*I*d*e*f)*\cos(d*x + c) + (2*I*d*f^2*x + 2*I*d*e*f)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) - (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 + (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\cos(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1) - 4*(d*e*f - c*f^2 + (d*e*f - c*f^2)*\cos(d*x + c) + (d*e*f - c*f^2)*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) - (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 + (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\cos(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\sin(d*x + c))*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) - 4*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*\cos(d*x + c) + (d*f^2*x + c*f^2)*\sin(d*x + c))*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) - 4*(d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*\cos(d*x + c) + (d*f^2*x + c*f^2)*\sin(d*x + c))*\log(-I*\cos(d*x + c) + \sin(d*x + c) + 1) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2 + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*\cos(d*x + c) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*\sin(d*x + c))*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2 + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*\cos(d*x + c) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*\sin(d*x + c))*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2 + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\cos(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) - 4*(d*e*f - c*f^2 + (d*e*f - c*f^2)*\cos(d*x + c) + (d*e*f - c*f^2)*\sin(d*x + c))*\log(-\cos(d*x + c) + I*\sin(d*x + c) + I) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2 + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\cos(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) + 2*(f^2*\cos(d*x + c) + f^2*\sin(d*x + c) + f^2)*\operatorname{polylog}(3, \cos(d*x + c) + I*\sin(d*x + c)) + 2*(f^2*\cos(d*x + c) + f^2*\sin(d*x + c) + f^2)*\operatorname{polylog}(3, \cos(d*x + c) - I*\sin(d*x + c)) - 2*(f^2*\cos(d*x + c) + f^2*\sin(d*x + c) + f^2)*\operatorname{polylog}(3, -\cos(d*x + c) + I*\sin(d*x + c)) - 2*(f^2*\cos(d*x + c) + f^2*\sin(d*x + c) + f^2)*\operatorname{polylog}(3, -\cos(d*x + c) - I*\sin(d*x + c)) - 2*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\sin(d*x + c))/(a*d^3*\cos(d*x + c) + a*d^3*\sin(d*x + c) + a*d^3)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \csc(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((f*x+e)**2*csc(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**2*csc(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*csc
(c + d*x)/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*csc(c + d*x)/(sin(c + d
*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \csc(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*csc(d*x + c)/(a*sin(d*x + c) + a), x)
```

$$3.199 \quad \int \frac{(e+fx) \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=134

$$\frac{\operatorname{ifPolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{\operatorname{ifPolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{2(e+fx)}{ad}$$

[Out] (-2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) + (I*f*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - (I*f*PolyLog[2, E^(I*(c + d*x))])/(a*d^2)

Rubi [A] time = 0.156537, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {4535, 4183, 2279, 2391, 3318, 4184, 3475}

$$\frac{\operatorname{ifPolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{\operatorname{ifPolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)}{ad} - \frac{2(e+fx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] (-2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) + (I*f*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - (I*f*PolyLog[2, E^(I*(c + d*x))])/(a*d^2)

Rule 4535

Int[(Csc[(c_) + (d_)*(x_)]^(n_)*((e_) + (f_)*(x_))^(m_))/((a_) + (b_) * Sin[(c_) + (d_)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 4183

Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)], x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\csc(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)\csc(c+dx) dx}{a} - \int \frac{e+fx}{a+a\sin(c+dx)} dx \\ &= -\frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{\int (e+fx)\csc^2\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{dx}{2}\right) dx}{2a} - \frac{f\int \log(1-e^{i(c+dx)})}{ad} \\ &= -\frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} + \frac{(if)\text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{i(c+dx)}\right)}{ad^2} \\ &= -\frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)\cot\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)}{ad} - \frac{2f\log\left(\sin\left(\frac{c}{2}+\frac{\pi}{4}+\frac{dx}{2}\right)\right)}{ad^2} + \end{aligned}$$

Mathematica [B] time = 1.06422, size = 300, normalized size = 2.24

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(f\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\left(i\left(\text{PolyLog}\left(2, -e^{i(c+dx)}\right) - \text{PolyLog}\left(2, e^{i(c+dx)}\right)\right)\right)}{ad^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]
```

```
[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(-2*d*(e + f*x)*Sin[(c + d*x)/2] + f
*(c + d*x)*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 2*f*Log[Cos[(c + d*x)/2]
+ Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + d*e*Log[Tan[(c
+ d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - c*f*Log[Tan[(c + d*x)/2
]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + f*((c + d*x)*(Log[1 - E^(I*(c +
d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - Poly
Log[2, E^(I*(c + d*x))]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))/(a*d^2*(1
+ Sin[c + d*x]))
```

Maple [B] time = 0.144, size = 245, normalized size = 1.8

$$2\frac{fx+e}{da\left(e^{i(dx+c)}+i\right)} - 2\frac{f\ln\left(e^{i(dx+c)}+i\right)}{ad^2} + \frac{e\ln\left(e^{i(dx+c)}-1\right)}{da} - \frac{e\ln\left(e^{i(dx+c)}+1\right)}{da} - \frac{fc\ln\left(e^{i(dx+c)}-1\right)}{ad^2} - \frac{if\text{polylog}\left(2, e^{i(dx+c)}\right)}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*csc(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] 2*(f*x+e)/d/a/(exp(I*(d*x+c))+I)-2/d^2/a*f*ln(exp(I*(d*x+c))+I)+1/d/a*e*ln(
exp(I*(d*x+c))-1)-1/d/a*e*ln(exp(I*(d*x+c))+1)-1/d^2/a*f*c*ln(exp(I*(d*x+c)
)-1)-I*f*polylog(2,exp(I*(d*x+c)))/a/d^2+I*f*polylog(2,-exp(I*(d*x+c)))/a/d
^2+2/d^2/a*f*ln(exp(I*(d*x+c)))+1/d/a*ln(1-exp(I*(d*x+c)))*f*x+1/d^2/a*ln(1
-exp(I*(d*x+c)))*c*f-1/d/a*ln(exp(I*(d*x+c))+1)*f*x
```

Maxima [B] time = 1.45336, size = 698, normalized size = 5.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] (4*d*f*x*cos(d*x + c) + 4*I*d*f*x*sin(d*x + c) - 4*I*d*e - (4*f*cos(d*x + c)
) + 4*I*f*sin(d*x + c) + 4*I*f)*arctan2(cos(c) + sin(d*x), cos(d*x) + sin(c
)) - (2*I*d*f*x + 2*I*d*e + 2*(d*f*x + d*e)*cos(d*x + c) + (2*I*d*f*x + 2*I
*d*e)*sin(d*x + c))*arctan2(sin(d*x + c), cos(d*x + c) + 1) + (2*d*e*cos(d*
x + c) + 2*I*d*e*sin(d*x + c) + 2*I*d*e)*arctan2(sin(d*x + c), cos(d*x + c)
- 1) - (2*d*f*x*cos(d*x + c) + 2*I*d*f*x*sin(d*x + c) + 2*I*d*f*x)*arctan2
(sin(d*x + c), -cos(d*x + c) + 1) + (2*f*cos(d*x + c) + 2*I*f*sin(d*x + c)
+ 2*I*f)*dilog(-e^(I*d*x + I*c)) - (2*f*cos(d*x + c) + 2*I*f*sin(d*x + c) +
2*I*f)*dilog(e^(I*d*x + I*c)) - (d*f*x + d*e + (-I*d*f*x - I*d*e)*cos(d*x
+ c) + (d*f*x + d*e)*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*
cos(d*x + c) + 1) + (d*f*x + d*e - (I*d*f*x + I*d*e)*cos(d*x + c) + (d*f*x
+ d*e)*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x + c) +
1) + 2*(I*f*cos(d*x + c) - f*sin(d*x + c) - f)*log(cos(d*x)^2 + cos(c)^2 +
2*cos(c)*sin(d*x) + sin(d*x)^2 + 2*cos(d*x)*sin(c) + sin(c)^2)/(-2*I*a*d^
2*cos(d*x + c) + 2*a*d^2*sin(d*x + c) + 2*a*d^2)
```

Fricas [B] time = 2.10089, size = 1654, normalized size = 12.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(2*d*f*x + 2*d*e + 2*(d*f*x + d*e)*cos(d*x + c) + (-I*f*cos(d*x + c) -
I*f*sin(d*x + c) - I*f)*dilog(cos(d*x + c) + I*sin(d*x + c)) + (I*f*cos(d*x
+ c) + I*f*sin(d*x + c) + I*f)*dilog(cos(d*x + c) - I*sin(d*x + c)) + (-I*
f*cos(d*x + c) - I*f*sin(d*x + c) - I*f)*dilog(-cos(d*x + c) + I*sin(d*x +
c)) + (I*f*cos(d*x + c) + I*f*sin(d*x + c) + I*f)*dilog(-cos(d*x + c) - I*s
in(d*x + c)) - (d*f*x + d*e + (d*f*x + d*e)*cos(d*x + c) + (d*f*x + d*e)*si
n(d*x + c))*log(cos(d*x + c) + I*sin(d*x + c) + 1) - (d*f*x + d*e + (d*f*x
+ d*e)*cos(d*x + c) + (d*f*x + d*e)*sin(d*x + c))*log(cos(d*x + c) - I*sin(
d*x + c) + 1) + (d*e - c*f + (d*e - c*f)*cos(d*x + c) + (d*e - c*f)*sin(d*x
+ c))*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2) + (d*e - c*f + (d*
e - c*f)*cos(d*x + c) + (d*e - c*f)*sin(d*x + c))*log(-1/2*cos(d*x + c) - 1
/2*I*sin(d*x + c) + 1/2) + (d*f*x + c*f + (d*f*x + c*f)*cos(d*x + c) + (d*f
```

```
*x + c*f)*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + 1) + (d*f*x +
c*f + (d*f*x + c*f)*cos(d*x + c) + (d*f*x + c*f)*sin(d*x + c))*log(-cos(d*x
+ c) - I*sin(d*x + c) + 1) - 2*(f*cos(d*x + c) + f*sin(d*x + c) + f)*log(s
in(d*x + c) + 1) - 2*(d*f*x + d*e)*sin(d*x + c))/(a*d^2*cos(d*x + c) + a*d^
2*sin(d*x + c) + a*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \csc(c+dx)}{\sin(c+dx)+1} dx + \int \frac{fx \csc(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e*csc(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f*x*csc(c + d*x)
/(sin(c + d*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \csc(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*csc(d*x + c)/(a*sin(d*x + c) + a), x)
```

$$3.200 \quad \int \frac{\csc(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=38

$$\frac{\cos(c+dx)}{d(a \sin(c+dx)+a)} - \frac{\tanh^{-1}(\cos(c+dx))}{ad}$$

[Out] $-(\text{ArcTanh}[\text{Cos}[c + d*x]]/(a*d)) + \text{Cos}[c + d*x]/(d*(a + a*\text{Sin}[c + d*x]))$

Rubi [A] time = 0.0537851, antiderivative size = 38, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {2747, 3770, 2648}

$$\frac{\cos(c+dx)}{d(a \sin(c+dx)+a)} - \frac{\tanh^{-1}(\cos(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Csc}[c + d*x]/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $-(\text{ArcTanh}[\text{Cos}[c + d*x]]/(a*d)) + \text{Cos}[c + d*x]/(d*(a + a*\text{Sin}[c + d*x]))$

Rule 2747

$\text{Int}[1/(((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$ $\text{FreeQ}\{c, d\}, x]$

Rule 2648

$\text{Int}[(a_. + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /;$ $\text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\csc(c+dx)}{a+a \sin(c+dx)} dx &= \int \frac{\csc(c+dx) dx}{a} - \int \frac{1}{a+a \sin(c+dx)} dx \\ &= -\frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{\cos(c+dx)}{d(a+a \sin(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.0660189, size = 48, normalized size = 1.26

$$-\frac{\sec(c+dx) \left(\sin(c+dx) + \sqrt{\cos^2(c+dx)} \tanh^{-1} \left(\sqrt{\cos^2(c+dx)} \right) - 1 \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] -((Sec[c + d*x]*(-1 + ArcTanh[Sqrt[Cos[c + d*x]^2])*Sqrt[Cos[c + d*x]^2] + Sin[c + d*x]))/(a*d))

Maple [A] time = 0.036, size = 40, normalized size = 1.1

$$2 \frac{1}{da (\tan(1/2 dx + c/2) + 1)} + \frac{1}{da} \ln \left(\tan \left(\frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] 2/a/d/(tan(1/2*d*x+1/2*c)+1)+1/a/d*ln(tan(1/2*d*x+1/2*c))

Maxima [A] time = 1.00464, size = 69, normalized size = 1.82

$$\frac{\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{2}{a + \frac{a \sin(dx+c)}{\cos(dx+c)+1}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] (log(sin(d*x + c)/(cos(d*x + c) + 1))/a + 2/(a + a*sin(d*x + c)/(cos(d*x + c) + 1)))/d

Fricas [B] time = 1.60375, size = 293, normalized size = 7.71

$$\frac{(\cos(dx + c) + \sin(dx + c) + 1) \log\left(\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - (\cos(dx + c) + \sin(dx + c) + 1) \log\left(-\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right)}{2(ad \cos(dx + c) + ad \sin(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] -1/2*((cos(d*x + c) + sin(d*x + c) + 1)*log(1/2*cos(d*x + c) + 1/2) - (cos(d*x + c) + sin(d*x + c) + 1)*log(-1/2*cos(d*x + c) + 1/2) - 2*cos(d*x + c) + 2*sin(d*x + c) - 2)/(a*d*cos(d*x + c) + a*d*sin(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(c+dx)}{\sin(c+dx)+1} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.18004, size = 51, normalized size = 1.34

$$\frac{\frac{\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right|\right)}{a} + \frac{2}{a\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] (log(abs(tan(1/2*d*x + 1/2*c)))/a + 2/(a*(tan(1/2*d*x + 1/2*c) + 1)))/d

$$3.201 \quad \int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\csc(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Csc[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.05991, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 10.959, size = 0, normalized size = 0.

$$\int \frac{\csc(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 3.595, size = 0, normalized size = 0.

$$\int \frac{\csc(dx+c)}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\csc(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(dx+c)}{(fx+e)(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(csc(d*x + c)/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.202 \quad \int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\csc(c+dx)}{(e+fx)^2(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Csc[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0552685, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx = \int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 12.5782, size = 0, normalized size = 0.

$$\int \frac{\csc(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 7.668, size = 0, normalized size = 0.

$$\int \frac{\csc(dx+c)}{(fx+e)^2(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

sage₀x

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] sage₀*x

$$3.203 \quad \int \frac{(e+fx)^3 \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=463

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{3if^2(e+fx)\text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{ad^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} - \frac{6f^2}{ad^3}$$

```
[Out] ((-2*I)*(e + f*x)^3)/(a*d) + (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d)
- ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)^3*Cot[c + d*x
])/ (a*d) + (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + (3*f*(e +
f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((3*I)*f*(e + f*x)^2*PolyLo
g[2, -E^(I*(c + d*x))])/(a*d^2) - ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(
c + d*x))])/(a*d^3) + ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*
d^2) - ((3*I)*f^2*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) + (6*f
^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (12*f^3*PolyLog[3, I*E
^(I*(c + d*x))])/(a*d^4) - (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a
*d^3) + (3*f^3*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a*d^4) + ((6*I)*f^3*Poly
Log[4, -E^(I*(c + d*x))])/(a*d^4) - ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])
/(a*d^4)
```

Rubi [A] time = 0.775845, antiderivative size = 463, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4535, 4184, 3717, 2190, 2531, 2282, 6589, 4183, 6609, 3318}

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{3if^2(e+fx)\text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{ad^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} - \frac{6f^2}{ad^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]
```

```
[Out] ((-2*I)*(e + f*x)^3)/(a*d) + (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d)
- ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)^3*Cot[c + d*x
])/ (a*d) + (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + (3*f*(e +
f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((3*I)*f*(e + f*x)^2*PolyLo
g[2, -E^(I*(c + d*x))])/(a*d^2) - ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(
c + d*x))])/(a*d^3) + ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*
d^2) - ((3*I)*f^2*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) + (6*f
^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (12*f^3*PolyLog[3, I*E
^(I*(c + d*x))])/(a*d^4) - (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a
*d^3) + (3*f^3*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a*d^4) + ((6*I)*f^3*Poly
Log[4, -E^(I*(c + d*x))])/(a*d^4) - ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])
/(a*d^4)
```

Rule 4535

```
Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c +
d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Si
n[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n
, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
```

$t[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m * PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1) * PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m * ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m * PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1) * PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m * Sin[(1*(e + (Pi*a)/(2*b)))]/2 +

$(f*x)/2]^{(2*n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])$

Rubi steps

$$\begin{aligned}
 \int \frac{(e+fx)^3 \csc^2(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^3 \csc^2(c+dx) dx}{a} - \int \frac{(e+fx)^3 \csc(c+dx)}{a+a \sin(c+dx)} dx \\
 &= -\frac{(e+fx)^3 \cot(c+dx)}{ad} - \frac{\int (e+fx)^3 \csc(c+dx) dx}{a} + \frac{(3f) \int (e+fx)^2 \cot(c+dx) dx}{ad} \\
 &= -\frac{i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad} + \frac{\int (e+fx)^3 \csc^2(c+dx) dx}{ad} \\
 &= -\frac{i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
 &= -\frac{2i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
 &= -\frac{2i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
 &= -\frac{2i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
 &= -\frac{2i(e+fx)^3}{ad} + \frac{2(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^3 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^3 \cot(c+dx)}{ad}
 \end{aligned}$$

Mathematica [B] time = 10.7448, size = 1013, normalized size = 2.19

$$\frac{-d^3 x^3 \log(1 - e^{-i(c+dx)}) f^3 + d^3 x^3 \log(1 + e^{-i(c+dx)}) f^3 + 3(id^2 \text{PolyLog}(2, -e^{-i(c+dx)}) x^2 + 2d \text{PolyLog}(3, -e^{-i(c+dx)}))}{a^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (((-2*I)*d^3*(e + f*x)^3)/(-1 + E^((2*I)*c)) - 3*d^2*e*(d*e - 2*f)*f*x*Log[1 - E^((-I)*(c + d*x))] - 3*d^2*(d*e - f)*f^2*x^2*Log[1 - E^((-I)*(c + d*x))] - d^3*f^3*x^3*Log[1 - E^((-I)*(c + d*x))] + 3*d^2*e*f*(d*e + 2*f)*x*Log[1 + E^((-I)*(c + d*x))] + 3*d^2*f^2*(d*e + f)*x^2*Log[1 + E^((-I)*(c + d*x))] + d^3*f^3*x^3*Log[1 + E^((-I)*(c + d*x))] + I*d^2*e^2*(d*e - 3*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]) + d^2*e^2*(d*e + 3*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))]) + (3*I)*d*e*f*(d*e + 2*f)*PolyLog[2, -E^((-I)*(c + d*x))] - (3*I)*d*e*(d*e - 2*f)*f*PolyLog[2, E^((-I)*(c + d*x))] + 6*f^2*(d*e + f)*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))]) - (6*I)*(d*e - f)*f^2*(d*x*PolyLog[2, E^((-I)*(c + d*x))] - I*PolyLog[3, E^((-I)*(c + d*x))]) + 3*f^3*(I*d^2*x^2*PolyLog[2, -E^((-I)*(c + d*x))] + 2*d*x*PolyLog[3, -E^((-I)*(c + d*x))] - (2*I)*PolyLog[4, -E^((-I)*(c + d*x))]) - (3*I)*f^3*(d^2*x^2*PolyLog[2, E^((-I)*(c + d*x))] - (2*I)*d*x*PolyLog[3, E^((-I)*(c + d*x))] - 2*PolyLog[4, E^((-I)*(c + d*x))]))/(a*d^4) - (6*f*(Cos[c

$$\begin{aligned} &] + I \sin[c] * ((e + f*x)^3 * (\cos[c] - I \sin[c])) / (3*f) - ((e + f*x)^2 * \log[1 \\ &+ I \cos[c + d*x] + \sin[c + d*x]] * (1 + I \cos[c] + \sin[c])) / d + (2*f*(d*(e + \\ &f*x)*\text{PolyLog}[2, (-I)*\cos[c + d*x] - \sin[c + d*x]] - I*f*\text{PolyLog}[3, (-I)*\cos \\ &[c + d*x] - \sin[c + d*x]]) * (\cos[c] - I*(1 + \sin[c]))) / (d^3)) / (a*d*(\cos[c] + \\ &I*(1 + \sin[c]))) + (\text{Csc}[c/2]*\text{Csc}[c/2 + (d*x)/2]*(e^3*\sin[(d*x)/2] + 3*e^2* \\ &f*x*\sin[(d*x)/2] + 3*e*f^2*x^2*\sin[(d*x)/2] + f^3*x^3*\sin[(d*x)/2])) / (2*a*d \\ &) + (\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(e^3*\sin[(d*x)/2] + 3*e^2*f*x*\sin[(d*x)/2] \\ &+ 3*e*f^2*x^2*\sin[(d*x)/2] + f^3*x^3*\sin[(d*x)/2])) / (2*a*d) + (2*(e^3*\sin[\\ &(d*x)/2] + 3*e^2*f*x*\sin[(d*x)/2] + 3*e*f^2*x^2*\sin[(d*x)/2] + f^3*x^3*\sin[\\ &(d*x)/2])) / (a*d*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x) \\ &/2])) \end{aligned}$$

Maple [B] time = 0.307, size = 1705, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*csc(d*x+c)^2/(a+a*sin(d*x+c)),x)
```

```
[Out] -2*(-2*f^3*x^3+I*exp(I*(d*x+c))*f^3*x^3-6*e*f^2*x^2+3*I*exp(I*(d*x+c))*e*f^
2*x^2-6*e^2*f*x+3*I*exp(I*(d*x+c))*e^2*f*x-2*e^3+I*exp(I*(d*x+c))*e^3+f^3*x
^3*exp(2*I*(d*x+c))+3*e*f^2*x^2*exp(2*I*(d*x+c))+3*e^2*f*x*exp(2*I*(d*x+c))
+e^3*exp(2*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)/(exp(I*(d*x+c))+I)/d/a+3/d^2/a*
f^3*ln(exp(I*(d*x+c))+1)*x^2+3/d^2/a*f^3*ln(1-exp(I*(d*x+c)))*x^2-3/d^4/a*f
^3*ln(1-exp(I*(d*x+c)))*c^2+3/d^4/a*f^3*c^2*ln(exp(I*(d*x+c))-1)+3/d^2/a*e^
2*f*ln(exp(I*(d*x+c))-1)+3/d^2/a*e^2*f*ln(exp(I*(d*x+c))+1)-4*I/d/a*f^3*x^3
+8*I/d^4/a*f^3*c^3+12*f^2/d^2/a*e*ln(1-I*exp(I*(d*x+c)))*x-6*I*f^3*polylog(
4,exp(I*(d*x+c)))/a/d^4-1/d/a*e^3*ln(exp(I*(d*x+c))-1)+1/d/a*e^3*ln(exp(I*(
d*x+c))+1)-6/d^3/a*e*f^2*c*ln(exp(I*(d*x+c))-1)-12*f^3/d^4/a*c^2*ln(exp(I*(
d*x+c)))+6*f/d^2/a*ln(exp(I*(d*x+c))+I)*e^2+6*f^3/d^4/a*c^2*ln(exp(I*(d*x+c
))+I)-12*f/d^2/a*ln(exp(I*(d*x+c)))*e^2+3/d^2/a*e^2*f*c*ln(exp(I*(d*x+c))-1
)-3/d^3/a*e*f^2*c^2*ln(exp(I*(d*x+c))-1)+1/d/a*f^3*ln(exp(I*(d*x+c))+1)*x^3
+6*I*f^3*polylog(4,-exp(I*(d*x+c)))/a/d^4+12*f^2/d^3/a*e*ln(1-I*exp(I*(d*x+
c)))*c+6*f^3/d^2/a*ln(1-I*exp(I*(d*x+c)))*x^2-6*f^3/d^4/a*ln(1-I*exp(I*(d*x
+c)))*c^2+24*f^2/d^3/a*e*c*ln(exp(I*(d*x+c)))-12*f^2/d^3/a*e*c*ln(exp(I*(d*
x+c))+I)-12*I/d^3/a*f^3*polylog(2,I*exp(I*(d*x+c)))*x-12*I/d^3/a*e*f^2*poly
log(2,I*exp(I*(d*x+c)))+6*f^3*polylog(3,-exp(I*(d*x+c)))/a/d^4+6*f^3*polylo
g(3,exp(I*(d*x+c)))/a/d^4-24*I/d^2/a*e*f^2*c*x+6*I/d^2/a*e*f^2*polylog(2,ex
p(I*(d*x+c)))*x-6*I/d^2/a*e*f^2*polylog(2,-exp(I*(d*x+c)))*x-1/d/a*f^3*ln(1
-exp(I*(d*x+c)))*x^3-1/d^4/a*f^3*ln(1-exp(I*(d*x+c)))*c^3+3/d/a*e*f^2*ln(ex
p(I*(d*x+c))+1)*x^2-3/d/a*ln(1-exp(I*(d*x+c)))*e^2*f*x+3/d/a*ln(exp(I*(d*x+
c))+1)*e^2*f*x-3/d/a*e*f^2*ln(1-exp(I*(d*x+c)))*x^2+3/d^3/a*e*f^2*ln(1-exp(
I*(d*x+c)))*c^2-3/d^2/a*ln(1-exp(I*(d*x+c)))*c*e^2*f+12*f^3*polylog(3,I*exp
(I*(d*x+c)))/a/d^4-6/d^3/a*f^3*polylog(3,exp(I*(d*x+c)))*x+6/d^3/a*f^3*poly
log(3,-exp(I*(d*x+c)))*x+1/d^4/a*f^3*c^3*ln(exp(I*(d*x+c))-1)-6/d^3/a*e*f^2
*polylog(3,exp(I*(d*x+c)))+6/d^3/a*e*f^2*polylog(3,-exp(I*(d*x+c)))+6/d^2/a
*e*f^2*ln(1-exp(I*(d*x+c)))*x+6/d^3/a*e*f^2*ln(1-exp(I*(d*x+c)))*c+6/d^2/a*
e*f^2*ln(exp(I*(d*x+c))+1)*x+3*I/d^2/a*e^2*f*polylog(2,exp(I*(d*x+c)))-3*I/
d^2/a*e^2*f*polylog(2,-exp(I*(d*x+c)))-12*I/d/a*e*f^2*x^2-3*I/d^2/a*f^3*pol
ylog(2,-exp(I*(d*x+c)))*x^2-6*I/d^3/a*e*f^2*polylog(2,exp(I*(d*x+c)))-6*I/d
^3/a*e*f^2*polylog(2,-exp(I*(d*x+c)))-12*I/d^3/a*e*f^2*c^2+12*I/d^3/a*f^3*c
^2*x-6*I/d^3/a*f^3*polylog(2,-exp(I*(d*x+c)))*x-6*I/d^3/a*f^3*polylog(2,exp
(I*(d*x+c)))*x+3*I/d^2/a*f^3*polylog(2,exp(I*(d*x+c)))*x^2
```

Maxima [B] time = 15.8953, size = 10242, normalized size = 22.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{2} \cdot (3 \cdot c \cdot e^{2f} \cdot ((5 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) + 1) / (a \cdot d \cdot \sin(dx + c)) / (\cos(dx + c) + 1) + a \cdot d \cdot \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 2 \cdot \log(\sin(dx + c) / (\cos(dx + c) + 1))) / (a \cdot d) - \sin(dx + c) / (a \cdot d \cdot (\cos(dx + c) + 1))) - e^3 \cdot ((5 \cdot \sin(dx + c)) / (\cos(dx + c) + 1) + 1) / (a \cdot \sin(dx + c) / (\cos(dx + c) + 1) + a \cdot \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 2 \cdot \log(\sin(dx + c) / (\cos(dx + c) + 1))) / a - \sin(dx + c) / (a \cdot (\cos(dx + c) + 1))) + 2 \cdot (-24 \cdot I \cdot c^2 \cdot d \cdot e \cdot f^2 + 8 \cdot I \cdot c^3 \cdot f^3 + (-12 \cdot I \cdot d^2 \cdot e^2 \cdot f + 24 \cdot I \cdot c \cdot d \cdot e \cdot f^2 - 12 \cdot I \cdot c^2 \cdot f^3 + 12 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot c \cdot d \cdot e \cdot f^2 + c^2 \cdot f^3)) \cdot \cos(3 \cdot dx + 3 \cdot c) + (12 \cdot I \cdot d^2 \cdot e^2 \cdot f - 24 \cdot I \cdot c \cdot d \cdot e \cdot f^2 + 12 \cdot I \cdot c^2 \cdot f^3) \cdot \cos(2 \cdot dx + 2 \cdot c) - 12 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot c \cdot d \cdot e \cdot f^2 + c^2 \cdot f^3) \cdot \cos(dx + c) + (12 \cdot I \cdot d^2 \cdot e^2 \cdot f - 24 \cdot I \cdot c \cdot d \cdot e \cdot f^2 + 12 \cdot I \cdot c^2 \cdot f^3) \cdot \sin(3 \cdot dx + 3 \cdot c) - 12 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot c \cdot d \cdot e \cdot f^2 + c^2 \cdot f^3) \cdot \sin(2 \cdot dx + 2 \cdot c) + (-12 \cdot I \cdot d^2 \cdot e^2 \cdot f + 24 \cdot I \cdot c \cdot d \cdot e \cdot f^2 - 12 \cdot I \cdot c^2 \cdot f^3) \cdot \sin(dx + c)) \cdot \arctan2(\sin(dx + c) + 1, \cos(dx + c)) + (12 \cdot I \cdot (dx + c)^2 \cdot f^3 + (24 \cdot I \cdot d \cdot e \cdot f^2 - 24 \cdot I \cdot c \cdot f^3) \cdot (dx + c) - 12 \cdot ((dx + c)^2 \cdot f^3 + 2 \cdot (d \cdot e \cdot f^2 - c \cdot f^3) \cdot (dx + c))) \cdot \cos(3 \cdot dx + 3 \cdot c) + (-12 \cdot I \cdot (dx + c)^2 \cdot f^3 + (-24 \cdot I \cdot d \cdot e \cdot f^2 + 24 \cdot I \cdot c \cdot f^3) \cdot (dx + c)) \cdot \cos(2 \cdot dx + 2 \cdot c) + 12 \cdot ((dx + c)^2 \cdot f^3 + 2 \cdot (d \cdot e \cdot f^2 - c \cdot f^3) \cdot (dx + c)) \cdot \cos(dx + c) + (-12 \cdot I \cdot (dx + c)^2 \cdot f^3 + (-24 \cdot I \cdot d \cdot e \cdot f^2 + 24 \cdot I \cdot c \cdot f^3) \cdot (dx + c)) \cdot \sin(3 \cdot dx + 3 \cdot c) + 12 \cdot ((dx + c)^2 \cdot f^3 + 2 \cdot (d \cdot e \cdot f^2 - c \cdot f^3) \cdot (dx + c)) \cdot \sin(2 \cdot dx + 2 \cdot c) + (12 \cdot I \cdot (dx + c)^2 \cdot f^3 + (24 \cdot I \cdot d \cdot e \cdot f^2 - 24 \cdot I \cdot c \cdot f^3) \cdot (dx + c)) \cdot \sin(dx + c)) \cdot \arctan2(\cos(dx + c), \sin(dx + c) + 1) + (-2 \cdot I \cdot (dx + c)^3 \cdot f^3 - 6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (2 \cdot I \cdot c^3 - 6 \cdot I \cdot c^2) \cdot f^3 + (-6 \cdot I \cdot d \cdot e \cdot f^2 + (6 \cdot I \cdot c - 6 \cdot I) \cdot f^3) \cdot (dx + c)^2 + (-6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (12 \cdot I \cdot c - 12 \cdot I) \cdot d \cdot e \cdot f^2 + (-6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot f^3) \cdot (dx + c) + 2 \cdot ((dx + c)^3 \cdot f^3 + 3 \cdot d^2 \cdot e^2 \cdot f + 3 \cdot (c^2 - 2 \cdot c) \cdot d \cdot e \cdot f^2 - (c^3 - 3 \cdot c^2) \cdot f^3 + 3 \cdot (d \cdot e \cdot f^2 - (c - 1) \cdot f^3) \cdot (dx + c)^2 + 3 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot (c - 1) \cdot d \cdot e \cdot f^2 + (c^2 - 2 \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \cos(3 \cdot dx + 3 \cdot c) + (2 \cdot I \cdot (dx + c)^3 \cdot f^3 + 6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (-2 \cdot I \cdot c^3 + 6 \cdot I \cdot c^2) \cdot f^3 + (6 \cdot I \cdot d \cdot e \cdot f^2 + (-6 \cdot I \cdot c + 6 \cdot I) \cdot f^3) \cdot (dx + c)^2 + (6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-12 \cdot I \cdot c + 12 \cdot I) \cdot d \cdot e \cdot f^2 + (6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \cos(2 \cdot dx + 2 \cdot c) - 2 \cdot ((dx + c)^3 \cdot f^3 + 3 \cdot d^2 \cdot e^2 \cdot f + 3 \cdot (c^2 - 2 \cdot c) \cdot d \cdot e \cdot f^2 - (c^3 - 3 \cdot c^2) \cdot f^3 + 3 \cdot (d \cdot e \cdot f^2 - (c - 1) \cdot f^3) \cdot (dx + c)^2 + 3 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot (c - 1) \cdot d \cdot e \cdot f^2 + (c^2 - 2 \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \cos(dx + c) + (2 \cdot I \cdot (dx + c)^3 \cdot f^3 + 6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (-2 \cdot I \cdot c^3 + 6 \cdot I \cdot c^2) \cdot f^3 + (6 \cdot I \cdot d \cdot e \cdot f^2 + (-6 \cdot I \cdot c + 6 \cdot I) \cdot f^3) \cdot (dx + c)^2 + (6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-12 \cdot I \cdot c + 12 \cdot I) \cdot d \cdot e \cdot f^2 + (6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \sin(3 \cdot dx + 3 \cdot c) - 2 \cdot ((dx + c)^3 \cdot f^3 + 3 \cdot d^2 \cdot e^2 \cdot f + 3 \cdot (c^2 - 2 \cdot c) \cdot d \cdot e \cdot f^2 - (c^3 - 3 \cdot c^2) \cdot f^3 + 3 \cdot (d \cdot e \cdot f^2 - (c - 1) \cdot f^3) \cdot (dx + c)^2 + 3 \cdot (d^2 \cdot e^2 \cdot f - 2 \cdot (c - 1) \cdot d \cdot e \cdot f^2 + (c^2 - 2 \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \sin(2 \cdot dx + 2 \cdot c) + (-2 \cdot I \cdot (dx + c)^3 \cdot f^3 - 6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (2 \cdot I \cdot c^3 - 6 \cdot I \cdot c^2) \cdot f^3 + (-6 \cdot I \cdot d \cdot e \cdot f^2 + (6 \cdot I \cdot c - 6 \cdot I) \cdot f^3) \cdot (dx + c)^2 + (-6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (12 \cdot I \cdot c - 12 \cdot I) \cdot d \cdot e \cdot f^2 + (-6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot f^3) \cdot (dx + c)) \cdot \sin(dx + c)) \cdot \arctan2(\sin(dx + c), \cos(dx + c) + 1) + (-6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (-2 \cdot I \cdot c^3 - 6 \cdot I \cdot c^2) \cdot f^3 + 2 \cdot (3 \cdot d^2 \cdot e^2 \cdot f - 3 \cdot (c^2 + 2 \cdot c) \cdot d \cdot e \cdot f^2 + (c^3 + 3 \cdot c^2) \cdot f^3) \cdot \cos(3 \cdot dx + 3 \cdot c) + (6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (2 \cdot I \cdot c^3 + 6 \cdot I \cdot c^2) \cdot f^3) \cdot \cos(2 \cdot dx + 2 \cdot c) - 2 \cdot (3 \cdot d^2 \cdot e^2 \cdot f - 3 \cdot (c^2 + 2 \cdot c) \cdot d \cdot e \cdot f^2 + (c^3 + 3 \cdot c^2) \cdot f^3) \cdot \cos(dx + c) + (6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (-6 \cdot I \cdot c^2 - 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (2 \cdot I \cdot c^3 + 6 \cdot I \cdot c^2) \cdot f^3) \cdot \sin(3 \cdot dx + 3 \cdot c) - 2 \cdot (3 \cdot d^2 \cdot e^2 \cdot f - 3 \cdot (c^2 + 2 \cdot c) \cdot d \cdot e \cdot f^2 + (c^3 + 3 \cdot c^2) \cdot f^3) \cdot \sin(2 \cdot dx + 2 \cdot c) + (-6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (6 \cdot I \cdot c^2 + 12 \cdot I \cdot c) \cdot d \cdot e \cdot f^2 + (-2 \cdot I \cdot c^3 - 6 \cdot I \cdot c^2) \cdot f^3) \cdot \sin(dx + c)) \cdot \arctan2(\sin(dx + c), \cos(dx + c) - 1) + (-2 \cdot I \cdot (dx + c)^3 \cdot f^3 + (-6 \cdot I \cdot d \cdot e \cdot f^2 + (6 \cdot I \cdot c + 6 \cdot I) \cdot f^3) \cdot (dx + c)^2 + (-6 \cdot I \cdot d^2 \cdot e^2 \cdot f + (12 \cdot I \cdot c + 12 \cdot I) \cdot d \cdot e \cdot f^2 + (-6 \cdot I \cdot$

$$\begin{aligned}
& c^2 - 12I*c)*f^3)*(d*x + c) + 2*((d*x + c)^3*f^3 + 3*(d*e*f^2 - (c + 1)*f^3) \\
& 3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c)*f^3)*(d*x + \\
& c))*\cos(3*d*x + 3*c) + (2*I*(d*x + c)^3*f^3 + (6*I*d*e*f^2 + (-6*I*c - 6*I \\
&)*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f + (-12*I*c - 12*I)*d*e*f^2 + (6*I*c^2 + \\
& 12*I*c)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) - 2*((d*x + c)^3*f^3 + 3*(d*e*f^2 \\
& - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c \\
&)*f^3)*(d*x + c))*\cos(d*x + c) + (2*I*(d*x + c)^3*f^3 + (6*I*d*e*f^2 + (-6*I \\
& I*c - 6*I)*f^3)*(d*x + c)^2 + (6*I*d^2*e^2*f + (-12*I*c - 12*I)*d*e*f^2 + (\\
& 6*I*c^2 + 12*I*c)*f^3)*(d*x + c))*\sin(3*d*x + 3*c) - 2*((d*x + c)^3*f^3 + 3 \\
& *(d*e*f^2 - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (\\
& c^2 + 2*c)*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + (-2*I*(d*x + c)^3*f^3 + (-6*I \\
& *d*e*f^2 + (6*I*c + 6*I)*f^3)*(d*x + c)^2 + (-6*I*d^2*e^2*f + (12*I*c + 12 \\
& I)*d*e*f^2 + (-6*I*c^2 - 12*I*c)*f^3)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(\\
& d*x + c), -\cos(d*x + c) + 1) - 8*((d*x + c)^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d* \\
& x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\cos(3*d*x + 3*c \\
&) + (12*I*c^2*d*e*f^2 - 4*I*(d*x + c)^3*f^3 - 4*I*c^3*f^3 + (-12*I*d*e*f^2 \\
& + 12*I*c*f^3)*(d*x + c)^2 + (-12*I*d^2*e^2*f + 24*I*c*d*e*f^2 - 12*I*c^2*f^3 \\
& 3)*(d*x + c))*\cos(2*d*x + 2*c) - 4*(3*c^2*d*e*f^2 - (d*x + c)^3*f^3 - c^3*f \\
& ^3 - 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 - 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3 \\
&)*(d*x + c))*\cos(d*x + c) + (24*I*d*e*f^2 + 24*I*(d*x + c)*f^3 - 24*I*c*f^3 \\
& - 24*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\cos(3*d*x + 3*c) + (-24*I*d*e*f^2 - \\
& 24*I*(d*x + c)*f^3 + 24*I*c*f^3)*\cos(2*d*x + 2*c) + 24*(d*e*f^2 + (d*x + c \\
&)*f^3 - c*f^3)*\cos(d*x + c) + (-24*I*d*e*f^2 - 24*I*(d*x + c)*f^3 + 24*I*c* \\
& f^3)*\sin(3*d*x + 3*c) + 24*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(2*d*x + 2* \\
& c) + (24*I*d*e*f^2 + 24*I*(d*x + c)*f^3 - 24*I*c*f^3)*\sin(d*x + c))*\operatorname{dilog}(I \\
& *e^{(I*d*x + I*c)}) + (6*I*d^2*e^2*f + (-12*I*c + 12*I)*d*e*f^2 + 6*I*(d*x + \\
& c)^2*f^3 + (6*I*c^2 - 12*I*c)*f^3 + (12*I*d*e*f^2 + (-12*I*c + 12*I)*f^3)*(\\
& d*x + c) - 6*(d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (d*x + c)^2*f^3 + (c^2 - 2*c) \\
& *f^3 + 2*(d*e*f^2 - (c - 1)*f^3)*(d*x + c))*\cos(3*d*x + 3*c) + (-6*I*d^2*e^ \\
& 2*f + (12*I*c - 12*I)*d*e*f^2 - 6*I*(d*x + c)^2*f^3 + (-6*I*c^2 + 12*I*c)*f \\
& ^3 + (-12*I*d*e*f^2 + (12*I*c - 12*I)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) + 6* \\
& (d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (d*x + c)^2*f^3 + (c^2 - 2*c)*f^3 + 2*(d*e \\
& *f^2 - (c - 1)*f^3)*(d*x + c))*\cos(d*x + c) + (-6*I*d^2*e^2*f + (12*I*c - 1 \\
& 2*I)*d*e*f^2 - 6*I*(d*x + c)^2*f^3 + (-6*I*c^2 + 12*I*c)*f^3 + (-12*I*d*e*f \\
& ^2 + (12*I*c - 12*I)*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + 6*(d^2*e^2*f - 2*(c \\
& - 1)*d*e*f^2 + (d*x + c)^2*f^3 + (c^2 - 2*c)*f^3 + 2*(d*e*f^2 - (c - 1)*f^ \\
& 3)*(d*x + c))*\sin(2*d*x + 2*c) + (6*I*d^2*e^2*f + (-12*I*c + 12*I)*d*e*f^2 \\
& + 6*I*(d*x + c)^2*f^3 + (6*I*c^2 - 12*I*c)*f^3 + (12*I*d*e*f^2 + (-12*I*c + \\
& 12*I)*f^3)*(d*x + c))*\sin(d*x + c))*\operatorname{dilog}(-e^{(I*d*x + I*c)}) + (-6*I*d^2*e^ \\
& 2*f + (12*I*c + 12*I)*d*e*f^2 - 6*I*(d*x + c)^2*f^3 + (-6*I*c^2 - 12*I*c)*f \\
& ^3 + (-12*I*d*e*f^2 + (12*I*c + 12*I)*f^3)*(d*x + c) + 6*(d^2*e^2*f - 2*(c \\
& + 1)*d*e*f^2 + (d*x + c)^2*f^3 + (c^2 + 2*c)*f^3 + 2*(d*e*f^2 - (c + 1)*f^3 \\
&)*(d*x + c))*\cos(3*d*x + 3*c) + (6*I*d^2*e^2*f + (-12*I*c - 12*I)*d*e*f^2 + \\
& 6*I*(d*x + c)^2*f^3 + (6*I*c^2 + 12*I*c)*f^3 + (12*I*d*e*f^2 + (-12*I*c - \\
& 12*I)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) - 6*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + \\
& (d*x + c)^2*f^3 + (c^2 + 2*c)*f^3 + 2*(d*e*f^2 - (c + 1)*f^3)*(d*x + c))*\cos \\
& (d*x + c) + (6*I*d^2*e^2*f + (-12*I*c - 12*I)*d*e*f^2 + 6*I*(d*x + c)^2*f \\
& ^3 + (6*I*c^2 + 12*I*c)*f^3 + (12*I*d*e*f^2 + (-12*I*c - 12*I)*f^3)*(d*x + \\
& c))*\sin(3*d*x + 3*c) - 6*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (d*x + c)^2*f^3 + \\
& (c^2 + 2*c)*f^3 + 2*(d*e*f^2 - (c + 1)*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + \\
& (-6*I*d^2*e^2*f + (12*I*c + 12*I)*d*e*f^2 - 6*I*(d*x + c)^2*f^3 + (-6*I*c^2 \\
& - 12*I*c)*f^3 + (-12*I*d*e*f^2 + (12*I*c + 12*I)*f^3)*(d*x + c))*\sin(d*x + \\
& c))*\operatorname{dilog}(e^{(I*d*x + I*c)}) - ((d*x + c)^3*f^3 + 3*d^2*e^2*f + 3*(c^2 - 2*c \\
&)*d*e*f^2 - (c^3 - 3*c^2)*f^3 + 3*(d*e*f^2 - (c - 1)*f^3)*(d*x + c)^2 + 3*(\\
& d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (c^2 - 2*c)*f^3)*(d*x + c) - (-I*(d*x + c)^ \\
& 3*f^3 - 3*I*d^2*e^2*f + (-3*I*c^2 + 6*I*c)*d*e*f^2 + (I*c^3 - 3*I*c^2)*f^3 \\
& + (-3*I*d*e*f^2 + (3*I*c - 3*I)*f^3)*(d*x + c)^2 + (-3*I*d^2*e^2*f + (6*I*c \\
& - 6*I)*d*e*f^2 + (-3*I*c^2 + 6*I*c)*f^3)*(d*x + c))*\cos(3*d*x + 3*c) - ((d \\
& *x + c)^3*f^3 + 3*d^2*e^2*f + 3*(c^2 - 2*c)*d*e*f^2 - (c^3 - 3*c^2)*f^3 + 3
\end{aligned}$$

$$\begin{aligned}
&*(d*e*f^2 - (c - 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (c^2 - 2*c)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) - (I*(d*x + c)^3*f^3 + 3*I*d^2*e^2*f + (3*I*c^2 - 6*I*c)*d*e*f^2 + (-I*c^3 + 3*I*c^2)*f^3 + (3*I*d*e*f^2 + (-3*I*c + 3*I)*f^3)*(d*x + c)^2 + (3*I*d^2*e^2*f + (-6*I*c + 6*I)*d*e*f^2 + (3*I*c^2 - 6*I*c)*f^3)*(d*x + c))*\cos(d*x + c) - ((d*x + c)^3*f^3 + 3*d^2*e^2*f + 3*(c^2 - 2*c)*d*e*f^2 - (c^3 - 3*c^2)*f^3 + 3*(d*e*f^2 - (c - 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (c^2 - 2*c)*f^3)*(d*x + c))*\sin(3*d*x + 3*c) - (I*(d*x + c)^3*f^3 + 3*I*d^2*e^2*f + (3*I*c^2 - 6*I*c)*d*e*f^2 + (-I*c^3 + 3*I*c^2)*f^3 + (3*I*d*e*f^2 + (-3*I*c + 3*I)*f^3)*(d*x + c)^2 + (3*I*d^2*e^2*f + (-6*I*c + 6*I)*d*e*f^2 + (3*I*c^2 - 6*I*c)*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + ((d*x + c)^3*f^3 + 3*d^2*e^2*f + 3*(c^2 - 2*c)*d*e*f^2 - (c^3 - 3*c^2)*f^3 + 3*(d*e*f^2 - (c - 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c - 1)*d*e*f^2 + (c^2 - 2*c)*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\cos(d*x + c) + 1) + ((d*x + c)^3*f^3 - 3*d^2*e^2*f + 3*(c^2 + 2*c)*d*e*f^2 - (c^3 + 3*c^2)*f^3 + 3*(d*e*f^2 - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c)*f^3)*(d*x + c) + (I*(d*x + c)^3*f^3 - 3*I*d^2*e^2*f + (3*I*c^2 + 6*I*c)*d*e*f^2 + (-I*c^3 - 3*I*c^2)*f^3 + (3*I*d*e*f^2 + (-3*I*c - 3*I)*f^3)*(d*x + c)^2 + (3*I*d^2*e^2*f + (-6*I*c - 6*I)*d*e*f^2 + (3*I*c^2 + 6*I*c)*f^3)*(d*x + c))*\cos(3*d*x + 3*c) - ((d*x + c)^3*f^3 - 3*d^2*e^2*f + 3*(c^2 + 2*c)*d*e*f^2 - (c^3 + 3*c^2)*f^3 + 3*(d*e*f^2 - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) + (-I*(d*x + c)^3*f^3 + 3*I*d^2*e^2*f + (-3*I*c^2 - 6*I*c)*d*e*f^2 + (I*c^3 + 3*I*c^2)*f^3 + (-3*I*d*e*f^2 + (3*I*c + 3*I)*f^3)*(d*x + c)^2 + (-3*I*d^2*e^2*f + (6*I*c + 6*I)*d*e*f^2 + (-3*I*c^2 - 6*I*c)*f^3)*(d*x + c))*\cos(d*x + c) - ((d*x + c)^3*f^3 - 3*d^2*e^2*f + 3*(c^2 + 2*c)*d*e*f^2 - (c^3 + 3*c^2)*f^3 + 3*(d*e*f^2 - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c)*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + (-I*(d*x + c)^3*f^3 + 3*I*d^2*e^2*f + (-3*I*c^2 - 6*I*c)*d*e*f^2 + (I*c^3 + 3*I*c^2)*f^3 + (-3*I*d*e*f^2 + (3*I*c + 3*I)*f^3)*(d*x + c)^2 + (-3*I*d^2*e^2*f + (6*I*c + 6*I)*d*e*f^2 + (-3*I*c^2 - 6*I*c)*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + ((d*x + c)^3*f^3 - 3*d^2*e^2*f + 3*(c^2 + 2*c)*d*e*f^2 - (c^3 + 3*c^2)*f^3 + 3*(d*e*f^2 - (c + 1)*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*(c + 1)*d*e*f^2 + (c^2 + 2*c)*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 - 2*\cos(d*x + c) + 1) - (6*d^2*e^2*f - 12*c*d*e*f^2 + 6*(d*x + c)^2*f^3 + 6*c^2*f^3 + 12*(d*e*f^2 - c*f^3)*(d*x + c) - (-6*I*d^2*e^2*f + 12*I*c*d*e*f^2 - 6*I*(d*x + c)^2*f^3 - 6*I*c^2*f^3 + (-12*I*d*e*f^2 + 12*I*c*f^3)*(d*x + c))*\cos(3*d*x + 3*c) - 6*(d^2*e^2*f - 2*c*d*e*f^2 + (d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(2*d*x + 2*c) - (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*(d*x + c)^2*f^3 + 6*I*c^2*f^3 + (12*I*d*e*f^2 - 12*I*c*f^3)*(d*x + c))*\cos(d*x + c) - 6*(d^2*e^2*f - 2*c*d*e*f^2 + (d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(3*d*x + 3*c) - (6*I*d^2*e^2*f - 12*I*c*d*e*f^2 + 6*I*(d*x + c)^2*f^3 + 6*I*c^2*f^3 + (12*I*d*e*f^2 - 12*I*c*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + 6*(d^2*e^2*f - 2*c*d*e*f^2 + (d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + (12*f^3*\cos(3*d*x + 3*c) + 12*I*f^3*\cos(2*d*x + 2*c) - 12*f^3*\cos(d*x + c) + 12*I*f^3*\sin(3*d*x + 3*c) - 12*f^3*\sin(2*d*x + 2*c) - 12*I*f^3*\sin(d*x + c) - 12*I*f^3)*\text{polylog}(4, -e^{(I*d*x + I*c)}) - (12*f^3*\cos(3*d*x + 3*c) + 12*I*f^3*\cos(2*d*x + 2*c) - 12*f^3*\cos(d*x + c) + 12*I*f^3*\sin(3*d*x + 3*c) - 12*f^3*\sin(2*d*x + 2*c) - 12*I*f^3*\sin(d*x + c) - 12*I*f^3)*\text{polylog}(4, e^{(I*d*x + I*c)}) + (-24*I*f^3*\cos(3*d*x + 3*c) + 24*f^3*\cos(2*d*x + 2*c) + 24*I*f^3*\cos(d*x + c) + 24*f^3*\sin(3*d*x + 3*c) + 24*I*f^3*\sin(2*d*x + 2*c) - 24*f^3*\sin(d*x + c) - 24*f^3)*\text{polylog}(3, I*e^{(I*d*x + I*c)}) - (12*d*e*f^2 + 12*(d*x + c)*f^3 - 12*(c - 1)*f^3 - (-12*I*d*e*f^2 - 12*I*(d*x + c)*f^3 + (12*I*c - 12*I)*f^3)*\cos(3*d*x + 3*c) - 12*(d*e*f^2 + (d*x + c)*f^3 - (c - 1)*f^3)*\cos(2*d*x + 2*c) - (12*I*d*e*f^2 + 12*I*(d*x + c)*f^3 + (-12*I*c + 12*I)*f^3)*\cos(d*x + c) - 12*(d*e*f^2 + (d*x + c)*f^3 - (c - 1)*f^3)*\sin(3*d*x + 3*c) - (12*I*d*e*f^2 + 12*I*(d*x + c)*f^3 + (-12*I*c + 12*I)*f^3)*\sin(2*d*x + 2*c) + 12*(d*e
\end{aligned}$$

```

f^2 + (d*x + c)*f^3 - (c - 1)*f^3)*sin(d*x + c))*polylog(3, -e^(I*d*x + I*c
)) + (12*d*e*f^2 + 12*(d*x + c)*f^3 - 12*(c + 1)*f^3 + (12*I*d*e*f^2 + 12*I
*(d*x + c)*f^3 + (-12*I*c - 12*I)*f^3)*cos(3*d*x + 3*c) - 12*(d*e*f^2 + (d*
x + c)*f^3 - (c + 1)*f^3)*cos(2*d*x + 2*c) + (-12*I*d*e*f^2 - 12*I*(d*x + c
)*f^3 + (12*I*c + 12*I)*f^3)*cos(d*x + c) - 12*(d*e*f^2 + (d*x + c)*f^3 - (
c + 1)*f^3)*sin(3*d*x + 3*c) + (-12*I*d*e*f^2 - 12*I*(d*x + c)*f^3 + (12*I*
c + 12*I)*f^3)*sin(2*d*x + 2*c) + 12*(d*e*f^2 + (d*x + c)*f^3 - (c + 1)*f^3
)*sin(d*x + c))*polylog(3, e^(I*d*x + I*c)) + (-8*I*(d*x + c)^3*f^3 + (-24*
I*d*e*f^2 + 24*I*c*f^3)*(d*x + c)^2 + (-24*I*d^2*e^2*f + 48*I*c*d*e*f^2 - 2
4*I*c^2*f^3)*(d*x + c))*sin(3*d*x + 3*c) - 4*(3*c^2*d*e*f^2 - (d*x + c)^3*f
^3 - c^3*f^3 - 3*(d*e*f^2 - c*f^3)*(d*x + c)^2 - 3*(d^2*e^2*f - 2*c*d*e*f^2
+ c^2*f^3)*(d*x + c))*sin(2*d*x + 2*c) + (-12*I*c^2*d*e*f^2 + 4*I*(d*x + c
)^3*f^3 + 4*I*c^3*f^3 + (12*I*d*e*f^2 - 12*I*c*f^3)*(d*x + c)^2 + (12*I*d^2
*e^2*f - 24*I*c*d*e*f^2 + 12*I*c^2*f^3)*(d*x + c))*sin(d*x + c))/(-2*I*a*d^
3*cos(3*d*x + 3*c) + 2*a*d^3*cos(2*d*x + 2*c) + 2*I*a*d^3*cos(d*x + c) + 2*
a*d^3*sin(3*d*x + 3*c) + 2*I*a*d^3*sin(2*d*x + 2*c) - 2*a*d^3*sin(d*x + c)
- 2*a*d^3))/d

```

Fricas [C] time = 3.96971, size = 10928, normalized size = 23.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

```

[Out] -1/2*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 6*d^3*e^2*f*x + 2*d^3*e^3 - 4*(d^3*
f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x + c)^2 - 2*(d^
3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x + c) + (3*I*
d^2*f^3*x^2 + 3*I*d^2*e^2*f - 6*I*d*e*f^2 + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2
*f + 6*I*d*e*f^2 - 6*I*(d^2*e*f^2 - d*f^3)*x)*cos(d*x + c)^2 + 6*I*(d^2*e*f
^2 - d*f^3)*x + (3*I*d^2*f^3*x^2 + 3*I*d^2*e^2*f - 6*I*d*e*f^2 + 6*I*(d^2*e
*f^2 - d*f^3)*x + (3*I*d^2*f^3*x^2 + 3*I*d^2*e^2*f - 6*I*d*e*f^2 + 6*I*(d^2
*e*f^2 - d*f^3)*x)*cos(d*x + c))*sin(d*x + c))*dilog(cos(d*x + c) + I*sin(d
*x + c)) + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f + 6*I*d*e*f^2 + (3*I*d^2*f^3*x
^2 + 3*I*d^2*e^2*f - 6*I*d*e*f^2 + 6*I*(d^2*e*f^2 - d*f^3)*x)*cos(d*x + c)^
2 - 6*I*(d^2*e*f^2 - d*f^3)*x + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f + 6*I*d*e
*f^2 - 6*I*(d^2*e*f^2 - d*f^3)*x + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f + 6*I*
d*e*f^2 - 6*I*(d^2*e*f^2 - d*f^3)*x)*cos(d*x + c))*sin(d*x + c))*dilog(cos(
d*x + c) - I*sin(d*x + c)) + (-12*I*d*f^3*x - 12*I*d*e*f^2 + (12*I*d*f^3*x
+ 12*I*d*e*f^2)*cos(d*x + c)^2 + (-12*I*d*f^3*x - 12*I*d*e*f^2 + (-12*I*d*f
^3*x - 12*I*d*e*f^2)*cos(d*x + c))*sin(d*x + c))*dilog(I*cos(d*x + c) - sin
(d*x + c)) + (12*I*d*f^3*x + 12*I*d*e*f^2 + (-12*I*d*f^3*x - 12*I*d*e*f^2)*
cos(d*x + c)^2 + (12*I*d*f^3*x + 12*I*d*e*f^2 + (12*I*d*f^3*x + 12*I*d*e*f^
2)*cos(d*x + c))*sin(d*x + c))*dilog(-I*cos(d*x + c) - sin(d*x + c)) + (3*I
*d^2*f^3*x^2 + 3*I*d^2*e^2*f + 6*I*d*e*f^2 + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^
2*f - 6*I*d*e*f^2 - 6*I*(d^2*e*f^2 + d*f^3)*x)*cos(d*x + c)^2 + 6*I*(d^2*e*
f^2 + d*f^3)*x + (3*I*d^2*f^3*x^2 + 3*I*d^2*e^2*f + 6*I*d*e*f^2 + 6*I*(d^2*
e*f^2 + d*f^3)*x + (3*I*d^2*f^3*x^2 + 3*I*d^2*e^2*f + 6*I*d*e*f^2 + 6*I*(d^
2*e*f^2 + d*f^3)*x)*cos(d*x + c))*sin(d*x + c))*dilog(-cos(d*x + c) + I*sin
(d*x + c)) + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f - 6*I*d*e*f^2 + (3*I*d^2*f^3
*x^2 + 3*I*d^2*e^2*f + 6*I*d*e*f^2 + 6*I*(d^2*e*f^2 + d*f^3)*x)*cos(d*x + c
)^2 - 6*I*(d^2*e*f^2 + d*f^3)*x + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f - 6*I*d
*e*f^2 - 6*I*(d^2*e*f^2 + d*f^3)*x + (-3*I*d^2*f^3*x^2 - 3*I*d^2*e^2*f - 6*
I*d*e*f^2 - 6*I*(d^2*e*f^2 + d*f^3)*x)*cos(d*x + c))*sin(d*x + c))*dilog(-c
os(d*x + c) - I*sin(d*x + c)) + (d^3*f^3*x^3 + d^3*e^3 + 3*d^2*e^2*f + 3*(d
^3*e*f^2 + d^2*f^3)*x^2 - (d^3*f^3*x^3 + d^3*e^3 + 3*d^2*e^2*f + 3*(d^3*e*f

```

$$\begin{aligned}
&^2 + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x \cos(dx + c)^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x) \cos(dx + c) \sin(dx + c)) \log(\cos(dx + c) + I \sin(dx + c) + 1) + 6(d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3 - (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3) \cos(dx + c)^2 + (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3 + (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3) \cos(dx + c)) \sin(dx + c)) \log(\cos(dx + c) + I \sin(dx + c) + I) + (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 - (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x) \cos(dx + c)^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + d^3 e^3 + 3d^2 e^{2f} + 3(d^3 e^{f^2} + d^2 f^3) x^2 + 3(d^3 e^{2f} + 2d^2 e^{f^2}) x) \cos(dx + c) \sin(dx + c)) \log(\cos(dx + c) - I \sin(dx + c) + 1) + 6(d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3 - (d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3) \cos(dx + c)^2 + (d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3 + (d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3) \cos(dx + c)) \sin(dx + c)) \log(I \cos(dx + c) + \sin(dx + c) + 1) + 6(d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3 - (d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3) \cos(dx + c)^2 + (d^2 f^3 x^2 + 2d^2 e^{f^2} x + 2c d e^{f^2} - c^2 f^3) \cos(dx + c)) \sin(dx + c)) \log(-I \cos(dx + c) + \sin(dx + c) + 1) - (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3 - (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3) \cos(dx + c)^2 + (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3 + (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3) \cos(dx + c)) \sin(dx + c)) \log(-1/2 \cos(dx + c) + 1/2 I \sin(dx + c) + 1/2) - (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3 - (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3) \cos(dx + c)^2 + (d^3 e^3 - 3(c + 1) d^2 e^{2f} + 3(c^2 + 2c) d e^{f^2} - (c^3 + 3c^2) f^3) \cos(dx + c)) \sin(dx + c)) \log(-1/2 \cos(dx + c) - 1/2 I \sin(dx + c) + 1/2) - (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 - (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x) \cos(dx + c)^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x) \cos(dx + c) \sin(dx + c)) \log(-\cos(dx + c) + I \sin(dx + c) + 1) + 6(d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3 - (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3) \cos(dx + c)^2 + (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3 + (d^2 e^{2f} - 2c d e^{f^2} + c^2 f^3) \cos(dx + c)) \sin(dx + c)) \log(-\cos(dx + c) + I \sin(dx + c) + I) - (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 - (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x) \cos(dx + c)^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x + (d^3 f^3 x^3 + 3c d^2 e^{2f} - 3(c^2 + 2c) d e^{f^2} + (c^3 + 3c^2) f^3 + 3(d^3 e^{f^2} - d^2 f^3) x^2 + 3(d^3 e^{2f} - 2d^2 e^{f^2}) x) \cos(dx + c) \sin(dx + c)) \log(-\cos(dx + c) - I \sin(dx + c) + 1) + (6 I f^3 \cos(dx + c)^2 - 6 I f^3 + (-6 I f^3 \cos(dx + c) - 6 I f^3) \sin(dx + c)) \operatorname{polylog}(4, \cos(dx + c) + I \sin(dx + c)) + (-6 I f^3 \cos(dx + c)^2 + 6 I f^3 + (6 I f^3 \cos(dx + c) + 6 I f^3) \sin(dx + c)) \operatorname{polylog}(4, \cos(dx + c) - I \sin(dx + c)) + (6 I f^3 \cos(dx + c)^2 - 6 I f^3 + (-6 I f^3 \cos(dx + c) - 6 I f^3) \sin(dx + c)) \operatorname{polylog}(4, -\cos(dx + c) + I \sin(dx + c)) + (-6 I f^3 \cos(dx + c)^2 + 6
\end{aligned}$$

```

*I*f^3 + (6*I*f^3*cos(d*x + c) + 6*I*f^3)*sin(d*x + c))*polylog(4, -cos(d*x
+ c) - I*sin(d*x + c)) - 6*(d*f^3*x + d*e*f^2 - f^3 - (d*f^3*x + d*e*f^2 -
f^3)*cos(d*x + c)^2 + (d*f^3*x + d*e*f^2 - f^3 + (d*f^3*x + d*e*f^2 - f^3)
*cos(d*x + c))*sin(d*x + c))*polylog(3, cos(d*x + c) + I*sin(d*x + c)) - 6*
(d*f^3*x + d*e*f^2 - f^3 - (d*f^3*x + d*e*f^2 - f^3)*cos(d*x + c)^2 + (d*f^
3*x + d*e*f^2 - f^3 + (d*f^3*x + d*e*f^2 - f^3)*cos(d*x + c))*sin(d*x + c))
*polylog(3, cos(d*x + c) - I*sin(d*x + c)) - 12*(f^3*cos(d*x + c)^2 - f^3 -
(f^3*cos(d*x + c) + f^3)*sin(d*x + c))*polylog(3, I*cos(d*x + c) - sin(d*x
+ c)) - 12*(f^3*cos(d*x + c)^2 - f^3 - (f^3*cos(d*x + c) + f^3)*sin(d*x +
c))*polylog(3, -I*cos(d*x + c) - sin(d*x + c)) + 6*(d*f^3*x + d*e*f^2 + f^3
- (d*f^3*x + d*e*f^2 + f^3)*cos(d*x + c)^2 + (d*f^3*x + d*e*f^2 + f^3 + (d
*f^3*x + d*e*f^2 + f^3)*cos(d*x + c))*sin(d*x + c))*polylog(3, -cos(d*x + c
) + I*sin(d*x + c)) + 6*(d*f^3*x + d*e*f^2 + f^3 - (d*f^3*x + d*e*f^2 + f^3)
*cos(d*x + c)^2 + (d*f^3*x + d*e*f^2 + f^3 + (d*f^3*x + d*e*f^2 + f^3)*cos
(d*x + c))*sin(d*x + c))*polylog(3, -cos(d*x + c) - I*sin(d*x + c)) - 2*(d^
3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3 + 2*(d^3*f^3*x^3 + 3*
d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x + c))*sin(d*x + c))/(a*d^4
*cos(d*x + c)^2 - a*d^4 - (a*d^4*cos(d*x + c) + a*d^4)*sin(d*x + c))

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*csc(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.204 \quad \int \frac{(e+fx)^2 \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=327

$$\frac{2if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} + \frac{2if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} - \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} - \frac{if^2\text{PolyLog}(2, -e^{i(c+dx)})}{ad^3}$$

```
[Out] ((-2*I)*(e + f*x)^2)/(a*d) + (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d)
- ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)^2*Cot[c + d*x
])/ (a*d) + (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + (2*f*(e + f
*x)*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, -
E^(I*(c + d*x))])/(a*d^2) - ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^
3) + ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (I*f^2*PolyL
og[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(
a*d^3) - (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3)
```

Rubi [A] time = 0.508825, antiderivative size = 327, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {4535, 4184, 3717, 2190, 2279, 2391, 4183, 2531, 2282, 6589, 3318}

$$\frac{2if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} + \frac{2if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} - \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} - \frac{if^2\text{PolyLog}(2, -e^{i(c+dx)})}{ad^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]
```

```
[Out] ((-2*I)*(e + f*x)^2)/(a*d) + (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d)
- ((e + f*x)^2*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)^2*Cot[c + d*x
])/ (a*d) + (4*f*(e + f*x)*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) + (2*f*(e + f
*x)*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, -
E^(I*(c + d*x))])/(a*d^2) - ((4*I)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^
3) + ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) - (I*f^2*PolyL
og[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(
a*d^3) - (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3)
```

Rule 4535

```
Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c +
d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Si
n[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n
, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
```

x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*(d_) + (e_)*(x_)^(n_)], x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4183

Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 3318

Int[(((c_) + (d_)*(x_))^(m_))*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(n_)), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \csc^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^2 \csc^2(c+dx) dx}{a} - \int \frac{(e+fx)^2 \csc(c+dx)}{a+a\sin(c+dx)} dx \\
&= -\frac{(e+fx)^2 \cot(c+dx)}{ad} - \frac{\int (e+fx)^2 \csc(c+dx) dx}{a} + \frac{(2f) \int (e+fx) \cot(c+dx) dx}{ad} + \dots \\
&= -\frac{i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad} + \frac{\int (e+fx)^2 \csc^2(c+dx) dx}{a} \\
&= -\frac{i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad} \\
&= -\frac{2i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad} \\
&= -\frac{2i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad} \\
&= -\frac{2i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad} \\
&= -\frac{2i(e+fx)^2}{ad} + \frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx)^2 \cot(c+dx)}{ad}
\end{aligned}$$

Mathematica [B] time = 8.33988, size = 693, normalized size = 2.12

$$2if(de+f)\text{PolyLog}\left(2,-e^{-i(c+dx)}\right)-2if(de-f)\text{PolyLog}\left(2,e^{-i(c+dx)}\right)+2f^2\left(idx\text{PolyLog}\left(2,-e^{-i(c+dx)}\right)+\text{PolyLog}\right)$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (((-2*I)*d^2*(e + f*x)^2)/(-1 + E^((2*I)*c)) - 2*d*(d*e - f)*f*x*Log[1 - E^((-I)*(c + d*x))] - d^2*f^2*x^2*Log[1 - E^((-I)*(c + d*x))] + 2*d*f*(d*e + f)*x*Log[1 + E^((-I)*(c + d*x))] + d^2*f^2*x^2*Log[1 + E^((-I)*(c + d*x))] + I*d*e*(d*e - 2*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]) + d*e*(d*e + 2*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))]) + (2*I)*f*(d*e + f)*PolyLog[2, -E^((-I)*(c + d*x))] - (2*I)*(d*e - f)*f*PolyLog[2, E^((-I)*(c + d*x))] + 2*f^2*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))]) - (2*I)*f^2*(d*x*PolyLog[2, E^((-I)*(c + d*x))] - I*PolyLog[3, E^((-I)*(c + d*x))]))/(a*d^3) - (4*f*(Cos[c] + I*Sin[c])*((e + f*x)^2*(Cos[c] - I*Sin[c]))/(2*f) - ((e + f*x)*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])))/d^2)/(a*d*(Cos[c] + I*(1 + Sin[c]))) + (Csc[c/2]*Csc[c/2 + (d*x)/2]*(e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2]))/(2*a*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2]))/(2*a*d) + (2*(e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2]))/(a*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))

Maple [B] time = 0.187, size = 942, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*csc(d*x+c)^2/(a+a*sin(d*x+c)),x)`

[Out]
$$\begin{aligned} & -2*(-2*f^2*x^2+I*\exp(I*(d*x+c))*f^2*x^2-4*f*e*x+2*I*\exp(I*(d*x+c))*e*f*x-2* \\ & e^2+I*\exp(I*(d*x+c))*e^2+f^2*x^2*\exp(2*I*(d*x+c))+2*e*f*x*\exp(2*I*(d*x+c))+ \\ & e^2*\exp(2*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)/(exp(I*(d*x+c))+I)/d/a-4*I*f^2*p \\ & olylog(2,I*\exp(I*(d*x+c)))/a/d^3-8*f/d^2/a*\ln(\exp(I*(d*x+c)))*e+4*f/d^2/a*\ln \\ & (\exp(I*(d*x+c))+I)*e+4*f^2/d^2/a*\ln(1-I*\exp(I*(d*x+c)))*x+4*f^2/d^3/a*\ln(1 \\ & -I*\exp(I*(d*x+c)))*c+8*f^2/d^3/a*c*\ln(\exp(I*(d*x+c)))-4*f^2/d^3/a*c*\ln(\exp(\\ & I*(d*x+c))+I)-1/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c))-1)-1/a/d*f^2*\ln(1-\exp(I*(d* \\ & x+c)))*x^2+1/a/d^3*f^2*\ln(1-\exp(I*(d*x+c)))*c^2+1/a/d*f^2*\ln(\exp(I*(d*x+c)) \\ & +1)*x^2-1/a/d*e^2*\ln(\exp(I*(d*x+c))-1)+1/a/d*e^2*\ln(\exp(I*(d*x+c))+1)-2/a/d \\ & ^2*\ln(1-\exp(I*(d*x+c)))*c*e*f-2/a/d*\ln(1-\exp(I*(d*x+c)))*e*f*x+2/a/d*\ln(\exp \\ & (I*(d*x+c))+1)*e*f*x+2/a/d^2*e*f*c*\ln(\exp(I*(d*x+c))-1)+2*f^2*polylog(3,-\exp \\ & (I*(d*x+c)))/a/d^3-2*f^2*polylog(3,\exp(I*(d*x+c)))/a/d^3-2*I*f^2*polylog(2 \\ & ,\exp(I*(d*x+c)))/a/d^3+2*I/a/d^2*f^2*polylog(2,\exp(I*(d*x+c)))*x-2*I/a/d^2*f \\ & ^2*polylog(2,-\exp(I*(d*x+c)))*x-8*I/a/d^2*f^2*c*x+2*I/a/d^2*e*f*polylog(2, \\ & \exp(I*(d*x+c)))-2*I/a/d^2*e*f*polylog(2,-\exp(I*(d*x+c)))+2/a/d^2*f^2*\ln(\exp \\ & (I*(d*x+c))+1)*x-2/a/d^3*f^2*c*\ln(\exp(I*(d*x+c))-1)+2/a/d^2*e*f*\ln(\exp(I*(d \\ & *x+c))-1)+2/a/d^2*e*f*\ln(\exp(I*(d*x+c))+1)-4*I/a/d^3*f^2*c^2-2*I/a/d^3*f^2* \\ & polylog(2,-\exp(I*(d*x+c)))-4*I/a/d*f^2*x^2+2/a/d^2*f^2*\ln(1-\exp(I*(d*x+c))) \\ & *x+2/a/d^3*f^2*\ln(1-\exp(I*(d*x+c)))*c \end{aligned}$$

Maxima [B] time = 4.0475, size = 5003, normalized size = 15.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/2*(2*c*e*f*((5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/(a*d*\sin(d*x + c)/(\cos \\ & (d*x + c) + 1) + a*d*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2) + 2*\log(\sin(d*x \\ & + c)/(\cos(d*x + c) + 1))/(a*d) - \sin(d*x + c)/(a*d*(\cos(d*x + c) + 1))) - e \\ & ^2*((5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/(a*\sin(d*x + c)/(\cos(d*x + c) + \\ & 1) + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2) + 2*\log(\sin(d*x + c)/(\cos(d*x \\ & + c) + 1))/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + 2*(-8*I*c^2*f^2 + (-8 \\ & *I*d*e*f + 8*I*c*f^2 + 8*(d*e*f - c*f^2))*\cos(3*d*x + 3*c) + (8*I*d*e*f - 8 \\ & *I*c*f^2))*\cos(2*d*x + 2*c) - 8*(d*e*f - c*f^2))*\cos(d*x + c) + (8*I*d*e*f - 8 \\ & *I*c*f^2))*\sin(3*d*x + 3*c) - 8*(d*e*f - c*f^2))*\sin(2*d*x + 2*c) + (-8*I*d*e \\ & *f + 8*I*c*f^2))*\sin(d*x + c))*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (8* \\ & (d*x + c)*f^2*\cos(3*d*x + 3*c) + 8*I*(d*x + c)*f^2*\cos(2*d*x + 2*c) - 8*(d* \\ & x + c)*f^2*\cos(d*x + c) + 8*I*(d*x + c)*f^2*\sin(3*d*x + 3*c) - 8*(d*x + c)* \\ & f^2*\sin(2*d*x + 2*c) - 8*I*(d*x + c)*f^2*\sin(d*x + c) - 8*I*(d*x + c)*f^2)* \\ & \arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + (-2*I*(d*x + c)^2*f^2 - 4*I*d*e*f \\ & + (-2*I*c^2 + 4*I*c)*f^2 + (-4*I*d*e*f + (4*I*c - 4*I)*f^2)*(d*x + c) + 2* \\ & ((d*x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f^2)*(d*x \\ & + c))*\cos(3*d*x + 3*c) + (2*I*(d*x + c)^2*f^2 + 4*I*d*e*f + (2*I*c^2 - 4*I \\ & *c)*f^2 + (4*I*d*e*f + (-4*I*c + 4*I)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) - 2* \\ & ((d*x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f^2)*(d*x \\ & + c))*\cos(d*x + c) + (2*I*(d*x + c)^2*f^2 + 4*I*d*e*f + (2*I*c^2 - 4*I*c)* \\ & f^2 + (4*I*d*e*f + (-4*I*c + 4*I)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) - 2*((d* \\ & x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f^2)*(d*x + c \\ &))*\sin(2*d*x + 2*c) + (-2*I*(d*x + c)^2*f^2 - 4*I*d*e*f + (-2*I*c^2 + 4*I*c \\ &)*f^2 + (-4*I*d*e*f + (4*I*c - 4*I)*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin \\ & (d*x + c), \cos(d*x + c) + 1) + (-4*I*d*e*f + (2*I*c^2 + 4*I*c)*f^2 + 2*(2 \end{aligned}$$

$$\begin{aligned}
& *d*e*f - (c^2 + 2*c)*f^2*\cos(3*d*x + 3*c) + (4*I*d*e*f + (-2*I*c^2 - 4*I*c) \\
&)*f^2*\cos(2*d*x + 2*c) - 2*(2*d*e*f - (c^2 + 2*c)*f^2)*\cos(d*x + c) + (4*I \\
& *d*e*f + (-2*I*c^2 - 4*I*c)*f^2)*\sin(3*d*x + 3*c) - 2*(2*d*e*f - (c^2 + 2*c) \\
&)*f^2*\sin(2*d*x + 2*c) + (-4*I*d*e*f + (2*I*c^2 + 4*I*c)*f^2)*\sin(d*x + c) \\
&)*\arctan2(\sin(d*x + c), \cos(d*x + c) - 1) + (-2*I*(d*x + c)^2*f^2 + (-4*I*d \\
& *e*f + (4*I*c + 4*I)*f^2)*(d*x + c) + 2*((d*x + c)^2*f^2 + 2*(d*e*f - (c + \\
& 1)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) + (2*I*(d*x + c)^2*f^2 + (4*I*d*e*f + (\\
& -4*I*c - 4*I)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) - 2*((d*x + c)^2*f^2 + 2*(d* \\
& e*f - (c + 1)*f^2)*(d*x + c))*\cos(d*x + c) + (2*I*(d*x + c)^2*f^2 + (4*I*d* \\
& e*f + (-4*I*c - 4*I)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) - 2*((d*x + c)^2*f^2 \\
& + 2*(d*e*f - (c + 1)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (-2*I*(d*x + c)^2*f \\
& ^2 + (-4*I*d*e*f + (4*I*c + 4*I)*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(\\
& d*x + c), -\cos(d*x + c) + 1) - 8*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x \\
& + c))*\cos(3*d*x + 3*c) + (-4*I*(d*x + c)^2*f^2 + 4*I*c^2*f^2 + (-8*I*d*e*f \\
& + 8*I*c*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + 4*((d*x + c)^2*f^2 - c^2*f^2 + 2 \\
& *(d*e*f - c*f^2)*(d*x + c))*\cos(d*x + c) - (8*f^2*\cos(3*d*x + 3*c) + 8*I*f^ \\
& 2*\cos(2*d*x + 2*c) - 8*f^2*\cos(d*x + c) + 8*I*f^2*\sin(3*d*x + 3*c) - 8*f^2* \\
& \sin(2*d*x + 2*c) - 8*I*f^2*\sin(d*x + c) - 8*I*f^2)*\operatorname{dilog}(I*e^{(I*d*x + I*c)}) \\
& + (4*I*d*e*f + 4*I*(d*x + c)*f^2 + (-4*I*c + 4*I)*f^2 - 4*(d*e*f + (d*x + \\
& c)*f^2 - (c - 1)*f^2)*\cos(3*d*x + 3*c) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + \\
& (4*I*c - 4*I)*f^2)*\cos(2*d*x + 2*c) + 4*(d*e*f + (d*x + c)*f^2 - (c - 1)*f^ \\
& 2)*\cos(d*x + c) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + (4*I*c - 4*I)*f^2)*\sin(\\
& 3*d*x + 3*c) + 4*(d*e*f + (d*x + c)*f^2 - (c - 1)*f^2)*\sin(2*d*x + 2*c) + (\\
& 4*I*d*e*f + 4*I*(d*x + c)*f^2 + (-4*I*c + 4*I)*f^2)*\sin(d*x + c))*\operatorname{dilog}(-e^ \\
& (I*d*x + I*c)) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + (4*I*c + 4*I)*f^2 + 4*(d \\
& *e*f + (d*x + c)*f^2 - (c + 1)*f^2)*\cos(3*d*x + 3*c) + (4*I*d*e*f + 4*I*(d \\
& x + c)*f^2 + (-4*I*c - 4*I)*f^2)*\cos(2*d*x + 2*c) - 4*(d*e*f + (d*x + c)*f^ \\
& 2 - (c + 1)*f^2)*\cos(d*x + c) + (4*I*d*e*f + 4*I*(d*x + c)*f^2 + (-4*I*c - \\
& 4*I)*f^2)*\sin(3*d*x + 3*c) - 4*(d*e*f + (d*x + c)*f^2 - (c + 1)*f^2)*\sin(2* \\
& d*x + 2*c) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + (4*I*c + 4*I)*f^2)*\sin(d*x + \\
& c))*\operatorname{dilog}(e^{(I*d*x + I*c)}) - ((d*x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 \\
& + 2*(d*e*f - (c - 1)*f^2)*(d*x + c) - (-I*(d*x + c)^2*f^2 - 2*I*d*e*f + (-I \\
& *c^2 + 2*I*c)*f^2 + (-2*I*d*e*f + (2*I*c - 2*I)*f^2)*(d*x + c))*\cos(3*d*x + \\
& 3*c) - ((d*x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f \\
& ^2)*(d*x + c))*\cos(2*d*x + 2*c) - (I*(d*x + c)^2*f^2 + 2*I*d*e*f + (I*c^2 - \\
& 2*I*c)*f^2 + (2*I*d*e*f + (-2*I*c + 2*I)*f^2)*(d*x + c))*\cos(d*x + c) - ((\\
& d*x + c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f^2)*(d*x + \\
& c))*\sin(3*d*x + 3*c) - (I*(d*x + c)^2*f^2 + 2*I*d*e*f + (I*c^2 - 2*I*c)*f^ \\
& 2 + (2*I*d*e*f + (-2*I*c + 2*I)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + ((d*x + \\
& c)^2*f^2 + 2*d*e*f + (c^2 - 2*c)*f^2 + 2*(d*e*f - (c - 1)*f^2)*(d*x + c))*\operatorname{s} \\
& \operatorname{in}(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\cos(d*x + c) + 1) + ((\\
& d*x + c)^2*f^2 - 2*d*e*f + (c^2 + 2*c)*f^2 + 2*(d*e*f - (c + 1)*f^2)*(d*x + \\
& c) + (I*(d*x + c)^2*f^2 - 2*I*d*e*f + (I*c^2 + 2*I*c)*f^2 + (2*I*d*e*f + (\\
& -2*I*c - 2*I)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) - ((d*x + c)^2*f^2 - 2*d*e*f \\
& + (c^2 + 2*c)*f^2 + 2*(d*e*f - (c + 1)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + \\
& (-I*(d*x + c)^2*f^2 + 2*I*d*e*f + (-I*c^2 - 2*I*c)*f^2 + (-2*I*d*e*f + (2*I \\
& *c + 2*I)*f^2)*(d*x + c))*\cos(d*x + c) - ((d*x + c)^2*f^2 - 2*d*e*f + (c^2 \\
& + 2*c)*f^2 + 2*(d*e*f - (c + 1)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) + (-I*(d*x \\
& + c)^2*f^2 + 2*I*d*e*f + (-I*c^2 - 2*I*c)*f^2 + (-2*I*d*e*f + (2*I*c + 2*I \\
&)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + ((d*x + c)^2*f^2 - 2*d*e*f + (c^2 + 2* \\
& c)*f^2 + 2*(d*e*f - (c + 1)*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^ \\
& 2 + \sin(d*x + c)^2 - 2*\cos(d*x + c) + 1) - (4*d*e*f + 4*(d*x + c)*f^2 - 4*c \\
& *f^2 - (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + 4*I*c*f^2)*\cos(3*d*x + 3*c) - 4*(d \\
& *e*f + (d*x + c)*f^2 - c*f^2)*\cos(2*d*x + 2*c) - (4*I*d*e*f + 4*I*(d*x + c) \\
& *f^2 - 4*I*c*f^2)*\cos(d*x + c) - 4*(d*e*f + (d*x + c)*f^2 - c*f^2)*\sin(3*d* \\
& x + 3*c) - (4*I*d*e*f + 4*I*(d*x + c)*f^2 - 4*I*c*f^2)*\sin(2*d*x + 2*c) + 4 \\
& *(d*e*f + (d*x + c)*f^2 - c*f^2)*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x \\
& + c)^2 + 2*\sin(d*x + c) + 1) + (-4*I*f^2*\cos(3*d*x + 3*c) + 4*f^2*\cos(2*d* \\
& x + 2*c) + 4*I*f^2*\cos(d*x + c) + 4*f^2*\sin(3*d*x + 3*c) + 4*I*f^2*\sin(2*d*
\end{aligned}$$

$$x + 2c) - 4f^2 \sin(dx + c) - 4f^2 \operatorname{polylog}(3, -e^{(I dx + I c)}) + (4I f^2 \cos(3dx + 3c) - 4f^2 \cos(2dx + 2c) - 4I f^2 \cos(dx + c) - 4f^2 \sin(3dx + 3c) - 4I f^2 \sin(2dx + 2c) + 4f^2 \sin(dx + c) + 4f^2) \operatorname{polylog}(3, e^{(I dx + I c)}) + (-8I (dx + c)^2 f^2 + (-16I d e f + 16I c f^2) (dx + c)) \sin(3dx + 3c) + 4((dx + c)^2 f^2 - c^2 f^2 + 2(d e f - c f^2) (dx + c)) \sin(2dx + 2c) + (4I (dx + c)^2 f^2 - 4I c^2 f^2 + (8I d e f - 8I c f^2) (dx + c)) \sin(dx + c) / (-2I a d^2 \cos(3dx + 3c) + 2a d^2 \cos(2dx + 2c) + 2I a d^2 \cos(dx + c) + 2a d^2 \sin(3dx + 3c) + 2I a d^2 \sin(2dx + 2c) - 2a d^2 \sin(dx + c) - 2a d^2) / d$$

Fricas [C] time = 2.81162, size = 6126, normalized size = 18.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(dx+c)^2/(a+a*sin(dx+c)),x, algorithm="fricas")

[Out]
$$-1/2*(2d^2f^2x^2 + 4d^2e*fx + 2d^2e^2 - 4*(d^2f^2x^2 + 2d^2e*fx + d^2e^2)*\cos(dx + c)^2 - 2*(d^2f^2x^2 + 2d^2e*fx + d^2e^2)*\cos(dx + c) + (2I*d*f^2*x + 2I*d*e*f + (-2I*d*f^2*x - 2I*d*e*f + 2I*f^2)*\cos(dx + c)^2 - 2I*f^2 + (2I*d*f^2*x + 2I*d*e*f - 2I*f^2 + (2I*d*f^2*x + 2I*d*e*f - 2I*f^2)*\cos(dx + c))*\sin(dx + c))*\operatorname{dilog}(\cos(dx + c) + I*\sin(dx + c)) + (-2I*d*f^2*x - 2I*d*e*f + (2I*d*f^2*x + 2I*d*e*f - 2I*f^2)*\cos(dx + c)^2 + 2I*f^2 + (-2I*d*f^2*x - 2I*d*e*f + 2I*f^2 + (-2I*d*f^2*x - 2I*d*e*f + 2I*f^2)*\cos(dx + c))*\sin(dx + c))*\operatorname{dilog}(\cos(dx + c) - I*\sin(dx + c)) + (4I*f^2*\cos(dx + c)^2 - 4I*f^2 + (-4I*f^2*\cos(dx + c) - 4I*f^2)*\sin(dx + c))*\operatorname{dilog}(I*\cos(dx + c) - \sin(dx + c)) + (-4I*f^2*\cos(dx + c)^2 + 4I*f^2 + (4I*f^2*\cos(dx + c) + 4I*f^2)*\sin(dx + c))*\operatorname{dilog}(-I*\cos(dx + c) - \sin(dx + c)) + (2I*d*f^2*x + 2I*d*e*f + (-2I*d*f^2*x - 2I*d*e*f - 2I*f^2)*\cos(dx + c)^2 + 2I*f^2 + (2I*d*f^2*x + 2I*d*e*f + 2I*f^2 + (2I*d*f^2*x + 2I*d*e*f + 2I*f^2)*\cos(dx + c))*\sin(dx + c))*\operatorname{dilog}(-\cos(dx + c) + I*\sin(dx + c)) + (-2I*d*f^2*x - 2I*d*e*f + (2I*d*f^2*x + 2I*d*e*f + 2I*f^2)*\cos(dx + c)^2 - 2I*f^2 + (-2I*d*f^2*x - 2I*d*e*f - 2I*f^2 + (-2I*d*f^2*x - 2I*d*e*f - 2I*f^2)*\cos(dx + c))*\sin(dx + c))*\operatorname{dilog}(-\cos(dx + c) - I*\sin(dx + c)) + (d^2f^2x^2 + d^2e^2 + 2d*e*f - (d^2f^2x^2 + d^2e^2 + 2d*e*f + 2*(d^2e*f + d*f^2)*x)*\cos(dx + c)^2 + 2*(d^2e*f + d*f^2)*x + (d^2f^2x^2 + d^2e^2 + 2d*e*f + 2*(d^2e*f + d*f^2)*x + (d^2f^2x^2 + d^2e^2 + 2d*e*f + 2*(d^2e*f + d*f^2)*x)*\cos(dx + c))*\sin(dx + c))*\log(\cos(dx + c) + I*\sin(dx + c) + 1) + 4*(d*e*f - c*f^2 - (d*e*f - c*f^2)*\cos(dx + c)^2 + (d*e*f - c*f^2 + (d*e*f - c*f^2)*\cos(dx + c))*\sin(dx + c))*\log(\cos(dx + c) + I*\sin(dx + c) + I) + (d^2f^2x^2 + d^2e^2 + 2d*e*f - (d^2f^2x^2 + d^2e^2 + 2d*e*f + 2*(d^2e*f + d*f^2)*x)*\cos(dx + c)^2 + 2*(d^2e*f + d*f^2)*x + (d^2f^2x^2 + d^2e^2 + 2d*e*f + 2*(d^2e*f + d*f^2)*x)*\cos(dx + c))*\sin(dx + c))*\log(\cos(dx + c) - I*\sin(dx + c) + 1) + 4*(d*f^2*x + c*f^2 - (d*f^2*x + c*f^2)*\cos(dx + c)^2 + (d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*\cos(dx + c))*\sin(dx + c))*\log(I*\cos(dx + c) + \sin(dx + c) + 1) + 4*(d*f^2*x + c*f^2 - (d*f^2*x + c*f^2)*\cos(dx + c)^2 + (d*f^2*x + c*f^2 + (d*f^2*x + c*f^2)*\cos(dx + c))*\sin(dx + c))*\log(-I*\cos(dx + c) + \sin(dx + c) + 1) - (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2 - (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2)*\cos(dx + c)^2 + (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2 + (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2)*\cos(dx + c))*\sin(dx + c))*\log(-1/2*\cos(dx + c) + 1/2*I*\sin(dx + c) + 1/2) - (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2 - (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2)*\cos(dx + c)^2 + (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2 + (d^2e^2 - 2*(c + 1)*d*e*f + (c^2 + 2*c)*f^2)*\cos(dx + c))*\sin(dx + c)$$

```
(c^2 + 2*c)*f^2*cos(d*x + c))*sin(d*x + c))*log(-1/2*cos(d*x + c) - 1/2*I*
sin(d*x + c) + 1/2) - (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 - (d^2*f^2
*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d^2*e*f - d*f^2)*x)*cos(d*x + c)^2
+ 2*(d^2*e*f - d*f^2)*x + (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d
^2*e*f - d*f^2)*x + (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d^2*e*f
- d*f^2)*x)*cos(d*x + c))*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c)
+ 1) + 4*(d*e*f - c*f^2 - (d*e*f - c*f^2)*cos(d*x + c)^2 + (d*e*f - c*f^2
+ (d*e*f - c*f^2)*cos(d*x + c))*sin(d*x + c))*log(-cos(d*x + c) + I*sin(d*x
+ c) + I) - (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 - (d^2*f^2*x^2 + 2*
c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d^2*e*f - d*f^2)*x)*cos(d*x + c)^2 + 2*(d^2*
e*f - d*f^2)*x + (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d^2*e*f -
d*f^2)*x + (d^2*f^2*x^2 + 2*c*d*e*f - (c^2 + 2*c)*f^2 + 2*(d^2*e*f - d*f^2)
*x)*cos(d*x + c))*sin(d*x + c))*log(-cos(d*x + c) - I*sin(d*x + c) + 1) + 2
*(f^2*cos(d*x + c)^2 - f^2 - (f^2*cos(d*x + c) + f^2)*sin(d*x + c))*polylog
(3, cos(d*x + c) + I*sin(d*x + c)) + 2*(f^2*cos(d*x + c)^2 - f^2 - (f^2*cos
(d*x + c) + f^2)*sin(d*x + c))*polylog(3, cos(d*x + c) - I*sin(d*x + c)) -
2*(f^2*cos(d*x + c)^2 - f^2 - (f^2*cos(d*x + c) + f^2)*sin(d*x + c))*polylo
g(3, -cos(d*x + c) + I*sin(d*x + c)) - 2*(f^2*cos(d*x + c)^2 - f^2 - (f^2*c
os(d*x + c) + f^2)*sin(d*x + c))*polylog(3, -cos(d*x + c) - I*sin(d*x + c))
- 2*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 + 2*(d^2*f^2*x^2 + 2*d^2*e*f*x +
d^2*e^2)*cos(d*x + c))*sin(d*x + c))/(a*d^3*cos(d*x + c)^2 - a*d^3 - (a*d^3
*cos(d*x + c) + a*d^3)*sin(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \csc^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \csc^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \csc^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*csc(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**2*csc(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*csc(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*csc(c + d*x)**2/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \csc(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*csc(d*x + c)^2/(a*sin(d*x + c) + a), x)

3.205 $\int \frac{(e+fx) \csc^2(c+dx)}{a+a \sin(c+dx)} dx$

Optimal. Leaf size=169

$$-\frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} + \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} + \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{f \log(\sin(c+dx))}{ad^2} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

[Out] (2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) - ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)*Cot[c + d*x])/(a*d) + (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*f*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + (I*f*PolyLog[2, E^(I*(c + d*x))])/(a*d^2)

Rubi [A] time = 0.189351, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {4535, 4184, 3475, 4183, 2279, 2391, 3318}

$$-\frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} + \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} + \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} + \frac{f \log(\sin(c+dx))}{ad^2} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] (2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) - ((e + f*x)*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) - ((e + f*x)*Cot[c + d*x])/(a*d) + (2*f*Log[Sin[c/2 + Pi/4 + (d*x)/2]])/(a*d^2) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*f*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + (I*f*PolyLog[2, E^(I*(c + d*x))])/(a*d^2)

Rule 4535

Int[(Csc[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_)^(m_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx) \csc^2(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx) \csc^2(c+dx) dx}{a} - \int \frac{(e+fx) \csc(c+dx)}{a+a \sin(c+dx)} dx \\ &= -\frac{(e+fx) \cot(c+dx)}{ad} - \frac{\int (e+fx) \csc(c+dx) dx}{a} + \frac{f \int \cot(c+dx) dx}{ad} + \int \frac{e+fx}{a+a \sin(c+dx)} dx \\ &= \frac{2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx) \cot(c+dx)}{ad} + \frac{f \log(\sin(c+dx))}{ad^2} + \frac{\int (e+fx) \csc(c+dx) dx}{a} \\ &= \frac{2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx) \cot(c+dx)}{ad} + \frac{f \log(\sin(c+dx))}{ad^2} \\ &= \frac{2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} - \frac{(e+fx) \cot(c+dx)}{ad} + \frac{2f \log(\sin(c+dx))}{ad^2} \end{aligned}$$

Mathematica [B] time = 1.70638, size = 396, normalized size = 2.34

$$\frac{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \left(-2f\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \left(i\left(\text{PolyLog}\left(2, -e^{i(c+dx)}\right) - \text{PolyLog}\left(2, e^{i(c+dx)}\right)\right)\right)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]),x]
```

```
[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(-(d*(e + f*x)*Cos[(c + d*x)/2]*(1 +
Cot[(c + d*x)/2])) + 4*d*(e + f*x)*Sin[(c + d*x)/2] - 2*f*(c + d*x)*(Cos[(c
+ d*x)/2] + Sin[(c + d*x)/2]) + 4*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/
2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 2*f*Log[Sin[c + d*x]]*(Cos[(c +
d*x)/2] + Sin[(c + d*x)/2]) - 2*d*e*Log[Tan[(c + d*x)/2]]*(Cos[(c + d*x)/2
] + Sin[(c + d*x)/2]) + 2*c*f*Log[Tan[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin
[(c + d*x)/2]) - 2*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c
+ d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))]))
*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + d*(e + f*x)*Sin[(c + d*x)/2]*(1 +
Tan[(c + d*x)/2]))/(2*a*d^2*(1 + Sin[c + d*x]))
```

Maple [B] time = 0.185, size = 351, normalized size = 2.1

$$-2 \frac{-2fx + ie^{i(dx+c)}fx - 2e + ie^{i(dx+c)}e + fxe^{2i(dx+c)} + ee^{2i(dx+c)}}{(e^{2i(dx+c)} - 1)(e^{i(dx+c)} + i)} da + \frac{fc \ln(e^{i(dx+c)} - 1)}{ad^2} + \frac{if \operatorname{polylog}(2, e^{i(dx+c)})}{ad^2} - \frac{if \operatorname{polylog}(2, e^{i(dx+c)})}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*csc(d*x+c)^2/(a+a*sin(d*x+c)),x)`

[Out] `-2*(-2*f*x+I*exp(I*(d*x+c))*f*x-2*e+I*exp(I*(d*x+c))*e+f*x*exp(2*I*(d*x+c))+e*exp(2*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)/(exp(I*(d*x+c))+I)/d/a+1/d^2/a*f*c*ln(exp(I*(d*x+c))-1)+I*f*polylog(2,exp(I*(d*x+c)))/a/d^2-I*f*polylog(2,-exp(I*(d*x+c)))/a/d^2-1/d/a*e*ln(exp(I*(d*x+c))-1)+1/d/a*e*ln(exp(I*(d*x+c))+1)-4/d^2/a*f*ln(exp(I*(d*x+c)))+1/d^2/a*f*ln(exp(I*(d*x+c))-1)+1/d^2/a*f*ln(exp(I*(d*x+c))+1)+2/d^2/a*f*ln(exp(I*(d*x+c))+I)-1/d/a*ln(1-exp(I*(d*x+c)))*f*x-1/d^2/a*ln(1-exp(I*(d*x+c)))*c*f+1/d/a*ln(exp(I*(d*x+c))+1)*f*x`

Maxima [B] time = 2.0077, size = 1727, normalized size = 10.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `-(8*d*f*x*cos(3*d*x + 3*c) + 8*I*d*f*x*sin(3*d*x + 3*c) + 8*I*d*e - (4*f*cos(3*d*x + 3*c) + 4*I*f*cos(2*d*x + 2*c) - 4*f*cos(d*x + c) + 4*I*f*sin(3*d*x + 3*c) - 4*f*sin(2*d*x + 2*c) - 4*I*f*sin(d*x + c) - 4*I*f)*arctan2(cos(c) + sin(d*x), cos(d*x) + sin(c)) - (-2*I*d*f*x - 2*I*d*e + 2*(d*f*x + d*e + f)*cos(3*d*x + 3*c) + (2*I*d*f*x + 2*I*d*e + 2*I*f)*cos(2*d*x + 2*c) - 2*(d*f*x + d*e + f)*cos(d*x + c) + (2*I*d*f*x + 2*I*d*e + 2*I*f)*sin(3*d*x + 3*c) - 2*(d*f*x + d*e + f)*sin(2*d*x + 2*c) + (-2*I*d*f*x - 2*I*d*e - 2*I*f)*sin(d*x + c) - 2*I*f)*arctan2(sin(d*x + c), cos(d*x + c) + 1) - (2*I*d*e - 2*(d*e - f)*cos(3*d*x + 3*c) + (-2*I*d*e + 2*I*f)*cos(2*d*x + 2*c) + 2*(d*e - f)*cos(d*x + c) + (-2*I*d*e + 2*I*f)*sin(3*d*x + 3*c) + 2*(d*e - f)*sin(2*d*x + 2*c) + (2*I*d*e - 2*I*f)*sin(d*x + c) - 2*I*f)*arctan2(sin(d*x + c), cos(d*x + c) - 1) - (2*d*f*x*cos(3*d*x + 3*c) + 2*I*d*f*x*cos(2*d*x + 2*c) - 2*d*f*x*cos(d*x + c) + 2*I*d*f*x*sin(3*d*x + 3*c) - 2*d*f*x*sin(2*d*x + 2*c) - 2*I*d*f*x*sin(d*x + c) - 2*I*d*f*x)*arctan2(sin(d*x + c), -cos(d*x + c) + 1) - (-4*I*d*f*x + 4*I*d*e)*cos(2*d*x + 2*c) - 4*(d*f*x - d*e)*cos(d*x + c) + (2*f*cos(3*d*x + 3*c) + 2*I*f*cos(2*d*x + 2*c) - 2*f*cos(d*x + c) + 2*I*f*sin(3*d*x + 3*c) - 2*f*sin(2*d*x + 2*c) - 2*I*f*sin(d*x + c) - 2*I*f)*dilog(-e^(I*d*x + I*c)) - (2*f*cos(3*d*x + 3*c) + 2*I*f*cos(2*d*x + 2*c) - 2*f*cos(d*x + c) + 2*I*f*sin(3*d*x + 3*c) - 2*f*sin(2*d*x + 2*c) - 2*I*f*sin(d*x + c) - 2*I*f)*dilog(e^(I*d*x + I*c)) + (d*f*x + d*e - (-I*d*f*x - I*d*e - I*f)*cos(3*d*x + 3*c) - (d*f*x + d*e + f)*cos(2*d*x + 2*c) - (I*d*f*x + I*d*e + I*f)*cos(d*x + c) - (d*f*x + d*e + f)*sin(3*d*x + 3*c) - (I*d*f*x + I*d*e + I*f)*sin(2*d*x + 2*c) + (d*f*x + d*e + f)*sin(d*x + c) + f)*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1) - (d*f*x + d*e + (I*d*f*x + I*d*e - I*f)*cos(3*d*x + 3*c) - (d*f*x + d*e - f)*cos(2*d*x + 2*c) + (-I*d*f*x - I*d*e + I*f)*cos(d*x + c) - (d*f*x + d*e - f)*sin(3*d*x + 3*c) + (-I*d*f*x - I*d*e + I*f)*sin(2*d*x + 2*c) + (d*f*x + d*e - f)*sin(d*x + c) - f)*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x + c) + 1) - (-2*I*f*cos(3*d*x + 3*c) + 2*f*cos(2*d*x + 2*c) + 2*I*f*cos(d*x + c) + 2*f*sin(3*d*x + 3*c) + 2*I*f*sin(2*d*x + 2*c) - 2*f*sin(d*x + c) - 2*f)*log(cos(d*x)^2 + cos(c)^2 + 2*cos(c)*sin(d*x) + sin(d*x)^2 + 2*cos(d*x)*sin(c) + sin`

$$(c)^2) - 4*(d*f*x - d*e)*\sin(2*d*x + 2*c) - (4*I*d*f*x - 4*I*d*e)*\sin(d*x + c))/(-2*I*a*d^2*\cos(3*d*x + 3*c) + 2*a*d^2*\cos(2*d*x + 2*c) + 2*I*a*d^2*\cos(d*x + c) + 2*a*d^2*\sin(3*d*x + 3*c) + 2*I*a*d^2*\sin(2*d*x + 2*c) - 2*a*d^2*\sin(d*x + c) - 2*a*d^2)$$

Fricas [B] time = 2.34288, size = 2284, normalized size = 13.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*d*f*x - 4*(d*f*x + d*e)*\cos(d*x + c)^2 + 2*d*e - 2*(d*f*x + d*e)*\cos(d*x + c) + (-I*f*\cos(d*x + c)^2 + (I*f*\cos(d*x + c) + I*f)*\sin(d*x + c) + I*f)*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + (I*f*\cos(d*x + c)^2 + (-I*f*\cos(d*x + c) - I*f)*\sin(d*x + c) - I*f)*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) \\ & + (-I*f*\cos(d*x + c)^2 + (I*f*\cos(d*x + c) + I*f)*\sin(d*x + c) + I*f)*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + (I*f*\cos(d*x + c)^2 + (-I*f*\cos(d*x + c) - I*f)*\sin(d*x + c) - I*f)*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) + (d*f*x - (d*f*x + d*e + f)*\cos(d*x + c)^2 + d*e + (d*f*x + d*e + (d*f*x + d*e + f)*\cos(d*x + c) + f)*\sin(d*x + c) + f)*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1) \\ & + (d*f*x - (d*f*x + d*e + f)*\cos(d*x + c)^2 + d*e + (d*f*x + d*e + (d*f*x + d*e + f)*\cos(d*x + c) + f)*\sin(d*x + c) + f)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) + ((d*e - (c + 1)*f)*\cos(d*x + c)^2 - d*e + (c + 1)*f - (d*e - (c + 1)*f + (d*e - (c + 1)*f)*\cos(d*x + c))*\sin(d*x + c))*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2) + ((d*e - (c + 1)*f)*\cos(d*x + c)^2 - d*e + (c + 1)*f - (d*e - (c + 1)*f + (d*e - (c + 1)*f)*\cos(d*x + c))*\sin(d*x + c))*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2) - (d*f*x - (d*f*x + c*f)*\cos(d*x + c)^2 + c*f + (d*f*x + c*f + (d*f*x + c*f)*\cos(d*x + c))*\sin(d*x + c))*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) - (d*f*x - (d*f*x + c*f)*\cos(d*x + c)^2 + c*f + (d*f*x + c*f + (d*f*x + c*f)*\cos(d*x + c))*\sin(d*x + c))*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) - 2*(f*\cos(d*x + c)^2 - (f*\cos(d*x + c) + f)*\sin(d*x + c) - f)*\log(\sin(d*x + c) + 1) - 2*(d*f*x + d*e + 2*(d*f*x + d*e)*\cos(d*x + c))*\sin(d*x + c))/(a*d^2*\cos(d*x + c)^2 - a*d^2 - (a*d^2*\cos(d*x + c) + a*d^2)*\sin(d*x + c)) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \csc^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f x \csc^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] (Integral(e*csc(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f*x*csc(c + d*x)**2/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \csc(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*csc(d*x + c)^2/(a*sin(d*x + c) + a), x)
```

$$3.206 \quad \int \frac{\csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=51

$$-\frac{2 \cot(c+dx)}{ad} + \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{\cot(c+dx)}{d(a \sin(c+dx)+a)}$$

[Out] ArcTanh[Cos[c + d*x]]/(a*d) - (2*Cot[c + d*x])/(a*d) + Cot[c + d*x]/(d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.0766124, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {2768, 2748, 3767, 8, 3770}

$$-\frac{2 \cot(c+dx)}{ad} + \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{\cot(c+dx)}{d(a \sin(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Csc[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] ArcTanh[Cos[c + d*x]]/(a*d) - (2*Cot[c + d*x])/(a*d) + Cot[c + d*x]/(d*(a + a*Sin[c + d*x]))

Rule 2768

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(b*c - a*d)*(a + b*Sin[e + f*x])), x] + Dist[d/(a*(b*c - a*d)), Int[(c + d*Sin[e + f*x])^n*(a*n - b*(n + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\csc^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\cot(c+dx)}{d(a+a\sin(c+dx))} - \frac{\int \csc^2(c+dx)(-2a+a\sin(c+dx)) dx}{a^2} \\
&= \frac{\cot(c+dx)}{d(a+a\sin(c+dx))} - \frac{\int \csc(c+dx) dx}{a} + \frac{2 \int \csc^2(c+dx) dx}{a} \\
&= \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{\cot(c+dx)}{d(a+a\sin(c+dx))} - \frac{2 \operatorname{Subst}(\int 1 dx, x, \cot(c+dx))}{ad} \\
&= \frac{\tanh^{-1}(\cos(c+dx))}{ad} - \frac{2 \cot(c+dx)}{ad} + \frac{\cot(c+dx)}{d(a+a\sin(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.185737, size = 57, normalized size = 1.12

$$\frac{\sec(c+dx) \left(2 \sin(c+dx) - \csc(c+dx) + \sqrt{\cos^2(c+dx)} \tanh^{-1} \left(\sqrt{\cos^2(c+dx)} \right) - 1 \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[c + d*x]^2/(a + a*Sin[c + d*x]), x]

[Out] (Sec[c + d*x]*(-1 + ArcTanh[Sqrt[Cos[c + d*x]^2]]*Sqrt[Cos[c + d*x]^2] - Cs
c[c + d*x] + 2*Sin[c + d*x]))/(a*d)

Maple [A] time = 0.042, size = 77, normalized size = 1.5

$$\frac{1}{2da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 2 \frac{1}{da (\tan(1/2 dx + c/2) + 1)} - \frac{1}{2da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{-1} - \frac{1}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^2/(a+a*sin(d*x+c)), x)

[Out] 1/2/a/d*tan(1/2*d*x+1/2*c)-2/a/d/(tan(1/2*d*x+1/2*c)+1)-1/2/a/d/tan(1/2*d*x
+1/2*c)-1/a/d*ln(tan(1/2*d*x+1/2*c))

Maxima [B] time = 0.990806, size = 151, normalized size = 2.96

$$-\frac{\frac{\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + 1}{\frac{a \sin(dx+c)}{\cos(dx+c)+1} + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} + \frac{2 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+a*sin(d*x+c)), x, algorithm="maxima")

[Out] -1/2*((5*sin(d*x + c)/(cos(d*x + c) + 1) + 1)/(a*sin(d*x + c)/(cos(d*x + c)
+ 1) + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2) + 2*log(sin(d*x + c)/(cos(d*
x + c) + 1))/a - sin(d*x + c)/(a*(cos(d*x + c) + 1)))/d

Fricas [B] time = 1.8429, size = 433, normalized size = 8.49

$$\frac{4 \cos(dx + c)^2 + (\cos(dx + c)^2 - (\cos(dx + c) + 1) \sin(dx + c) - 1) \log\left(\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - (\cos(dx + c)^2 - (\cos(dx + c) + 1) \sin(dx + c) - 1) \log\left(-\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) + 2(2 \cos(dx + c) + 1) \sin(dx + c) + 2 \cos(dx + c) - 2}{2(ad \cos(dx + c)^2 - ad - (ad \cos(dx + c) + a^2) \sin(dx + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(4*cos(d*x + c)^2 + (cos(d*x + c)^2 - (cos(d*x + c) + 1)*sin(d*x + c) - 1)*log(1/2*cos(d*x + c) + 1/2) - (cos(d*x + c)^2 - (cos(d*x + c) + 1)*sin(d*x + c) - 1)*log(-1/2*cos(d*x + c) + 1/2) + 2*(2*cos(d*x + c) + 1)*sin(d*x + c) + 2*cos(d*x + c) - 2)/(a*d*cos(d*x + c)^2 - a*d - (a*d*cos(d*x + c) + a*d)*sin(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(c+dx)}{\sin(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**2/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.17431, size = 119, normalized size = 2.33

$$\frac{\frac{2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)}{a} - \frac{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] -1/2*(2*log(abs(tan(1/2*d*x + 1/2*c)))/a - tan(1/2*d*x + 1/2*c)/a - (tan(1/2*d*x + 1/2*c)^2 - 4*tan(1/2*d*x + 1/2*c) - 1)/((tan(1/2*d*x + 1/2*c)^2 + tan(1/2*d*x + 1/2*c))*a))/d

$$3.207 \quad \int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\csc^2(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Csc[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0692805, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 23.3752, size = 0, normalized size = 0.

$$\int \frac{\csc^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 3.372, size = 0, normalized size = 0.

$$\int \frac{(\csc(dx+c))^2}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)^2}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)^2/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\csc^2(c+dx)}{e \sin(c+dx)+e+f x \sin(c+dx)+f x} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**2/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**2/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/
a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.208 \quad \int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\csc^2(c+dx)}{(e+fx)^2(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Csc[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0681111, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx = \int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 43.6554, size = 0, normalized size = 0.

$$\int \frac{\csc^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 7.221, size = 0, normalized size = 0.

$$\int \frac{(\csc(dx+c))^2}{(fx+e)^2(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)^2}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)^2/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**2/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**2/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.209 \quad \int \frac{(e+fx)^3 \csc^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=600

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{3if^2(e+fx)\text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{ad^3} - \frac{9f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} + \frac{9f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3}$$

```
[Out] ((2*I)*(e + f*x)^3)/(a*d) - (6*f^2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d^3) - (3*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) + ((e + f*x)^3*Cot[c + d*x])/(a*d) - (3*f*(e + f*x)^2*Csc[c + d*x])/(2*a*d^2) - ((e + f*x)^3*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) - (3*f*(e + f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) + ((3*I)*f^3*PolyLog[2, -E^(I*(c + d*x))])/(a*d^4) + (((9*I)/2)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f^3*PolyLog[2, E^(I*(c + d*x))])/(a*d^4) - (((9*I)/2)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + ((3*I)*f^2*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) - (9*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (9*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - (3*f^3*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a*d^4) - ((9*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((9*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4)
```

Rubi [A] time = 1.10824, antiderivative size = 600, normalized size of antiderivative = 1., number of steps used = 40, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4535, 4186, 4183, 2279, 2391, 2531, 6609, 2282, 6589, 4184, 3717, 2190, 3318}

$$\frac{12if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} + \frac{3if^2(e+fx)\text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{ad^3} - \frac{9f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3} + \frac{9f^2(e+fx)\text{PolyLog}\left(3, -e^{i(c+dx)}\right)}{ad^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Csc[c + d*x]^3)/(a + a*Sin[c + d*x]), x]
```

```
[Out] ((2*I)*(e + f*x)^3)/(a*d) - (6*f^2*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d^3) - (3*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)^3*Cot[c/2 + Pi/4 + (d*x)/2])/(a*d) + ((e + f*x)^3*Cot[c + d*x])/(a*d) - (3*f*(e + f*x)^2*Csc[c + d*x])/(2*a*d^2) - ((e + f*x)^3*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) - (6*f*(e + f*x)^2*Log[1 - I*E^(I*(c + d*x))])/(a*d^2) - (3*f*(e + f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) + ((3*I)*f^3*PolyLog[2, -E^(I*(c + d*x))])/(a*d^4) + (((9*I)/2)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) + ((12*I)*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f^3*PolyLog[2, E^(I*(c + d*x))])/(a*d^4) - (((9*I)/2)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + ((3*I)*f^2*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) - (9*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) - (12*f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (9*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - (3*f^3*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a*d^4) - ((9*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((9*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4)
```

Rule 4535

```
Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c +
```

$d*x]^n, x], x] - \text{Dist}[b/a, \text{Int}[(e + f*x)^m * \text{Csc}[c + d*x]^{(n-1)} / (a + b * \text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0]$

Rule 4186

$\text{Int}[(\text{csc}[e_.] + (f_.) * (x_)) * (b_.)]^{(n_.)} * ((c_.) + (d_.) * (x_))^{(m_.)}, x_Symbol] :> -\text{Simp}[(b^2 * (c + d*x)^m * \text{Cot}[e + f*x] * (b * \text{Csc}[e + f*x])^{(n-2)}) / (f * (n-1)), x] + (\text{Dist}[(b^2 * d^2 * m * (m-1)) / (f^2 * (n-1) * (n-2)), \text{Int}[(c + d*x)^{(m-2)} * (b * \text{Csc}[e + f*x])^{(n-2)}, x], x] + \text{Dist}[(b^2 * (n-2)) / (n-1), \text{Int}[(c + d*x)^m * (b * \text{Csc}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[(b^2 * d * m * (c + d*x)^{(m-1)} * (b * \text{Csc}[e + f*x])^{(n-2)}) / (f^2 * (n-1) * (n-2)), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$

Rule 4183

$\text{Int}[\text{csc}[(e_.) + (f_.) * (x_)] * ((c_.) + (d_.) * (x_))^{(m_.)}, x_Symbol] :> \text{Simp}[(-2 * (c + d*x)^m * \text{ArcTanh}[E^{(I * (e + f*x))}] / f, x] + (-\text{Dist}[(d * m) / f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 - E^{(I * (e + f*x))}], x], x] + \text{Dist}[(d * m) / f, \text{Int}[(c + d*x)^{(m-1)} * \text{Log}[1 + E^{(I * (e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_.) + (b_.) * ((F_.)^{((e_.) * ((c_.) + (d_.) * (x_))))^{(n_.)}], x_Symbol] :> \text{Dist}[1 / (d * e * n * \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x] / x, x], x, (F^{(e * (c + d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.) * ((d_.) + (e_.) * (x_))^{(n_.)}] / (x_), x_Symbol] :> -\text{Simp}[\text{PolyLog}[2, -(c * e * x^n)] / n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c * d, 1]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_.) * ((F_.)^{((c_.) * ((a_.) + (b_.) * (x_))))^{(n_.)}] * ((f_.) + (g_.) * (x_))^{(m_.)}, x_Symbol] :> -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e * (F^{(c * (a + b*x))})^n)] / (b * c * n * \text{Log}[F]), x] + \text{Dist}[(g * m) / (b * c * n * \text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)} * \text{PolyLog}[2, -(e * (F^{(c * (a + b*x))})^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

Rule 6609

$\text{Int}[(e_.) + (f_.) * (x_)]^{(m_.)} * \text{PolyLog}[n_., (d_.) * ((F_.)^{((c_.) * ((a_.) + (b_.) * (x_))))^{(p_.)}], x_Symbol] :> \text{Simp}[(e + f*x)^m * \text{PolyLog}[n + 1, d * (F^{(c * (a + b*x))})^p] / (b * c * p * \text{Log}[F]), x] - \text{Dist}[(f * m) / (b * c * p * \text{Log}[F]), \text{Int}[(e + f*x)^{(m-1)} * \text{PolyLog}[n + 1, d * (F^{(c * (a + b*x))})^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

Rule 2282

$\text{Int}[u_., x_Symbol] :> \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v / D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x] / x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_.) * ((a_.) * (v_))^{(n_.)}]^{(m_.)} /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m * n] \&\& !\text{MatchQ}[u, E^{((c_.) * ((a_.) + (b_.) * x)) * (F_.)}[v_]] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x]
&& GtQ[m, 0]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x]
&& IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x]
&& IGtQ[m, 0]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol]
:> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x]
&& EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \csc^3(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^3 \csc^3(c+dx) dx}{a} - \int \frac{(e+fx)^3 \csc^2(c+dx)}{a+a\sin(c+dx)} dx \\
&= -\frac{3f(e+fx)^2 \csc(c+dx)}{2ad^2} - \frac{(e+fx)^3 \cot(c+dx) \csc(c+dx)}{2ad} + \frac{\int (e+fx)^3 \csc(c+dx) dx}{2a} \\
&= -\frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{2i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{2i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{2i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{2i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad} \\
&= \frac{2i(e+fx)^3}{ad} - \frac{6f^2(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3(e+fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx)^3 \cot(c+dx)}{ad}
\end{aligned}$$

Mathematica [B] time = 31.369, size = 1485, normalized size = 2.48

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Csc[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] (3*e^3*Log[Tan[(c + d*x)/2]])/(2*a*d) + (3*e*f^2*Log[Tan[(c + d*x)/2]])/(a*d^3) + (9*e^2*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) - c*Log[Tan[(c + d*x)/2]] + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))])))/(2*a*d^2) + (3*f^3*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) - c*Log[Tan[(c + d*x)/2]] + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))])))/(a*d^4) + (E^(I*c)*f^3*Csc[c]*(2*d^3*x^3)/E^((2*I)*c) + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 - E^((-I)*(c + d*x))] + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 + E^((-I)*(c + d*x))] - (6*(-1 + E^((2*I)*c))*(d*x*PolyLog[2, -E^((-I)*(c + d*x))] - I*PolyLog[3, -E^((-I)*(c + d*x))]))/E^((2*I)*c) - (6*(-1 + E^((2*I)*c))*(d*x*PolyLog[2, E^((-I)*(c + d*x))] - I*PolyLog[3, E^((-I)*(c + d*x))]))/E^((2*I)*c)))/(2*a*d^4) - (9*e*f^2*(d^2*x^2*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] - I*d*x*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] + I*d*x*PolyLog[2, Cos[c + d*x] + I*Sin[c + d*x]] + PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] - PolyLog[3, Cos[c + d*x] + I*Sin[c + d*x]]))/(a*d^3) + (3*f^3*(-2*d^3*x^3*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] + (3*I)*d^2*x^2*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] - (3*I)*d^2*x^2*PolyLog[2, Cos[c + d*x] + I*Sin[c + d*x]] - 6*d*x*PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] + 6*d*x*PolyLog[3, Cos[c + d*x] + I*Sin[c + d*x]] - (6*I)*PolyLog[4, -Cos[c + d*x] - I*Sin[c + d*x]]

```

] + (6*I)*PolyLog[4, Cos[c + d*x] + I*Sin[c + d*x]])/(2*a*d^4) - (3*e^2*f*
Csc[c]*(-(d*x*Cos[c]) + Log[Cos[d*x]*Sin[c] + Cos[c]*Sin[d*x]]*Sin[c]))/(a*
d^2*(Cos[c]^2 + Sin[c]^2)) + (6*f*(Cos[c] + I*Sin[c])*(((e + f*x)^3*(Cos[c]
- I*Sin[c]))/(3*f) - ((e + f*x)^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(
1 + I*Cos[c] + Sin[c]))/d + (2*f*(d*(e + f*x)*PolyLog[2, (-I)*Cos[c + d*x]
- Sin[c + d*x]] - I*f*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c]
- I*(1 + Sin[c])))/d^3))/(a*d*(Cos[c] + I*(1 + Sin[c]))) + (Csc[c]*Csc[c +
d*x]^2*(e^3*Sin[d*x] + 3*e^2*f*x*Sin[d*x] + 3*e*f^2*x^2*Sin[d*x] + f^3*x^3
*Sin[d*x]))/(2*a*d) + (Csc[c]*Csc[c + d*x]*(-(d*e^3*Cos[c]) - 3*d*e^2*f*x*Cos
[c] - 3*d*e*f^2*x^2*Cos[c] - d*f^3*x^3*Cos[c] - 3*e^2*f*Sin[c] - 6*e*f^2*x
*Sin[c] - 3*f^3*x^2*Sin[c] - 2*d*e^3*Sin[d*x] - 6*d*e^2*f*x*Sin[d*x] - 6*d
*e*f^2*x^2*Sin[d*x] - 2*d*f^3*x^3*Sin[d*x]))/(2*a*d^2) - (2*(e^3*Sin[(d*x)/
2] + 3*e^2*f*x*Sin[(d*x)/2] + 3*e*f^2*x^2*Sin[(d*x)/2] + f^3*x^3*Sin[(d*x)/
2]))/(a*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))
+ (3*e*f^2*Csc[c]*Sec[c]*(d^2*E^(I*ArcTan[Tan[c]])*x^2 + ((I*d*x*(-Pi + 2*Arc
Tan[Tan[c]]) - Pi*Log[1 + E^((-2*I)*d*x)] - 2*(d*x + ArcTan[Tan[c]])*Log[
1 - E^((2*I)*(d*x + ArcTan[Tan[c]])]) + Pi*Log[Cos[d*x]] + 2*ArcTan[Tan[c]]
*Log[Sin[d*x + ArcTan[Tan[c]]]]) + I*PolyLog[2, E^((2*I)*(d*x + ArcTan[Tan[c]
]])]))*Tan[c])/Sqrt[1 + Tan[c]^2]))/(a*d^3*Sqrt[Sec[c]^2*(Cos[c]^2 + Sin[c]^
2)])

```

Maple [B] time = 0.286, size = 2257, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*csc(d*x+c)^3/(a+a*sin(d*x+c)),x)
```

```

[Out] -3/d^4/a*f^3*c*ln(exp(I*(d*x+c))-1)+3/d^3/a*e*f^2*ln(exp(I*(d*x+c))-1)-3/d^
3/a*e*f^2*ln(exp(I*(d*x+c))+1)-3/d^2/a*f^3*ln(exp(I*(d*x+c))+1)*x^2-3/d^2/a
*f^3*ln(1-exp(I*(d*x+c)))*x^2+3/d^4/a*f^3*ln(1-exp(I*(d*x+c)))*c^2-3/d^4/a*
f^3*c^2*ln(exp(I*(d*x+c))-1)-3/d^2/a*e^2*f*ln(exp(I*(d*x+c))-1)-3/d^2/a*e^2
*f*ln(exp(I*(d*x+c))+1)-12*f^2/d^2/a*e*ln(1-I*exp(I*(d*x+c)))*x+24*I/d^2/a*
c*e*f^2*x+3/2/d/a*e^3*ln(exp(I*(d*x+c))-1)-3/2/d/a*e^3*ln(exp(I*(d*x+c))+1)
-9/2*I/d^2/a*f^3*polylog(2,exp(I*(d*x+c)))*x^2+12*I/d^3/a*c^2*e*f^2-12*I/d^
3/a*f^3*c^2*x+9/2*I/d^2/a*f^3*polylog(2,-exp(I*(d*x+c)))*x^2+6*I/d^3/a*f^3*
polylog(2,-exp(I*(d*x+c)))*x+6*I/d^3/a*f^3*polylog(2,exp(I*(d*x+c)))*x+12*I
/d/a*e*f^2*x^2-9/2*I/d^2/a*e^2*f*polylog(2,exp(I*(d*x+c)))+9/2*I/d^2/a*e^2*
f*polylog(2,-exp(I*(d*x+c)))+6*I/d^3/a*e*f^2*polylog(2,exp(I*(d*x+c)))+6*I/
d^3/a*e*f^2*polylog(2,-exp(I*(d*x+c)))+6/d^3/a*e*f^2*c*ln(exp(I*(d*x+c))-1)
+3/d^3/a*f^3*ln(1-exp(I*(d*x+c)))*x+3/d^4/a*f^3*ln(1-exp(I*(d*x+c)))*c-3/d^
3/a*f^3*ln(exp(I*(d*x+c))+1)*x-8*I/d^4/a*f^3*c^3+4*I/d/a*f^3*x^3+12*f^3/d^4
/a*c^2*ln(exp(I*(d*x+c)))-6*f/d^2/a*ln(exp(I*(d*x+c))+I)*e^2-6*f^3/d^4/a*c^
2*ln(exp(I*(d*x+c))+I)+12*f/d^2/a*ln(exp(I*(d*x+c)))*e^2-9/2/d^2/a*e^2*f*c*
ln(exp(I*(d*x+c))-1)+9/2/d^3/a*e*f^2*c^2*ln(exp(I*(d*x+c))-1)-3/2/d/a*f^3*ln
(exp(I*(d*x+c))+1)*x^3-12*f^2/d^3/a*e*ln(1-I*exp(I*(d*x+c)))*c-6*f^3/d^2/a
*ln(1-I*exp(I*(d*x+c)))*x^2+6*f^3/d^4/a*ln(1-I*exp(I*(d*x+c)))*c^2-24*f^2/d
^3/a*e*c*ln(exp(I*(d*x+c)))+12*f^2/d^3/a*e*c*ln(exp(I*(d*x+c))+I)+12*I*f^3/
d^3/a*polylog(2,I*exp(I*(d*x+c)))*x+12*I*f^2/d^3/a*e*polylog(2,I*exp(I*(d*x
+c)))+3*I*f^3*polylog(2,-exp(I*(d*x+c)))/a/d^4+9*I*f^3*polylog(4,exp(I*(d*x
+c)))/a/d^4-6*f^3*polylog(3,-exp(I*(d*x+c)))/a/d^4-6*f^3*polylog(3,exp(I*(d
*x+c)))/a/d^4+3/2/d/a*f^3*ln(1-exp(I*(d*x+c)))*x^3+3/2/d^4/a*f^3*ln(1-exp(I
*(d*x+c)))*c^3-9/2/d/a*e*f^2*ln(exp(I*(d*x+c))+1)*x^2+9/2/d/a*ln(1-exp(I*(d
*x+c)))*e^2*f*x-9/2/d/a*ln(exp(I*(d*x+c))+1)*e^2*f*x+9/2/d/a*e*f^2*ln(1-exp
(I*(d*x+c)))*x^2-9/2/d^3/a*e*f^2*ln(1-exp(I*(d*x+c)))*c^2+9/2/d^2/a*ln(1-ex
p(I*(d*x+c)))*c*e^2*f-3*I*f^3*polylog(2,exp(I*(d*x+c)))/a/d^4+9*I/d^2/a*pol

```

```

ylog(2,-exp(I*(d*x+c)))*e*f^2*x-9*I/d^2/a*polylog(2,exp(I*(d*x+c)))*e*f^2*x
-9*I*f^3*polylog(4,-exp(I*(d*x+c)))/a/d^4-12*f^3*polylog(3,I*exp(I*(d*x+c))
)/a/d^4+9/d^3/a*f^3*polylog(3,exp(I*(d*x+c)))*x-9/d^3/a*f^3*polylog(3,-exp(
I*(d*x+c)))*x-3/2/d^4/a*f^3*c^3*ln(exp(I*(d*x+c))-1)+9/d^3/a*e*f^2*polylog(
3,exp(I*(d*x+c)))-9/d^3/a*e*f^2*polylog(3,-exp(I*(d*x+c)))-6/d^2/a*e*f^2*ln
(1-exp(I*(d*x+c)))*x-6/d^3/a*e*f^2*ln(1-exp(I*(d*x+c)))*c-6/d^2/a*e*f^2*ln(
exp(I*(d*x+c))+1)*x+(3*d*f^3*x^3*exp(4*I*(d*x+c))+6*e*f^2*x*exp(3*I*(d*x+c)
)+3*I*d*e^3*exp(3*I*(d*x+c))+9*I*d*e*f^2*x^2*exp(3*I*(d*x+c))-3*I*f^3*x^2*e
xp(4*I*(d*x+c))-3*I*e^2*f*exp(4*I*(d*x+c))-5*d*f^3*x^3*exp(2*I*(d*x+c))+3*I
*e^2*f*exp(2*I*(d*x+c))+3*I*f^3*x^2*exp(2*I*(d*x+c))+4*d*e^3-5*d*e^3*exp(2*
I*(d*x+c))+3*f^3*x^2*exp(3*I*(d*x+c))+3*d*e^3*exp(4*I*(d*x+c))+3*e^2*f*exp(
3*I*(d*x+c))-3*I*d*e*f^2*x^2*exp(I*(d*x+c))-3*I*d*e^2*f*x*exp(I*(d*x+c))+4*
d*f^3*x^3-3*f^3*x^2*exp(I*(d*x+c))-3*exp(I*(d*x+c))*e^2*f-I*d*e^3*exp(I*(d*
x+c))-6*e*f^2*x*exp(I*(d*x+c))+12*d*e*f^2*x^2+12*d*e^2*f*x-I*d*f^3*x^3*exp(
I*(d*x+c))+9*d*e^2*f*x*exp(4*I*(d*x+c))-6*I*e*f^2*x*exp(4*I*(d*x+c))+3*I*d*
f^3*x^3*exp(3*I*(d*x+c))+6*I*e*f^2*x*exp(2*I*(d*x+c))-15*d*e*f^2*x^2*exp(2*
I*(d*x+c))-15*d*e^2*f*x*exp(2*I*(d*x+c))+9*d*e*f^2*x^2*exp(4*I*(d*x+c))+9*I
*d*e^2*f*x*exp(3*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)^2/d^2/(exp(I*(d*x+c))+I)/
a

```

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Timed out
```

Fricas [C] time = 5.57135, size = 17747, normalized size = 29.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```

[Out] -1/4*(4*d^3*f^3*x^3 + 4*d^3*e^3 - 6*d^2*e^2*f - 8*(d^3*f^3*x^3 + 3*d^3*e*f^
2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x + c)^3 + 6*(2*d^3*e*f^2 - d^2*f^3)
*x^2 - 6*(d^3*f^3*x^3 + d^3*e^3 - d^2*e^2*f + (3*d^3*e*f^2 - d^2*f^3)*x^2 +
(3*d^3*e^2*f - 2*d^2*e*f^2)*x)*cos(d*x + c)^2 + 12*(d^3*e^2*f - d^2*e*f^2)
*x + 6*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*cos(d*x +
c) - (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f - 12*I*d*e*f^2 + (-9*I*d^2*f^3*x^2 -
9*I*d^2*e^2*f + 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*cos
(d*x + c)^3 + 6*I*f^3 + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f + 12*I*d*e*f^2 -
6*I*f^3 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x + c)^2 + 6*I*(3*d^2*e*f^2
- 2*d*f^3)*x + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f - 12*I*d*e*f^2 + 6*I*f^3 +
6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x + c) + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^
2*f - 12*I*d*e*f^2 + 6*I*f^3 + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f + 12*I*d*
e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x + c)^2 + 6*I*(3*d^2
*e*f^2 - 2*d*f^3)*x)*sin(d*x + c))*dilog(cos(d*x + c) + I*sin(d*x + c)) - (
-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f + 12*I*d*e*f^2 + (9*I*d^2*f^3*x^2 + 9*I*d^
2*e^2*f - 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*cos(d*x +
c)^3 - 6*I*f^3 + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f - 12*I*d*e*f^2 + 6*I*f^3

```

$$\begin{aligned}
& + 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x*\cos(d*x + c)^2 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f + 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*\cos(d*x + c) + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f + 12*I*d*e*f^2 - 6*I*f^3 + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f - 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*\cos(d*x + c)^2 - 6*I*(3*d^2*e*f^2 - 2*d*f^3)*x)*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) - (-24*I*d*f^3*x - 24*I*d*e*f^2 + (24*I*d*f^3*x + 24*I*d*e*f^2)*\cos(d*x + c)^3 + (24*I*d*f^3*x + 24*I*d*e*f^2)*\cos(d*x + c)^2 + (-24*I*d*f^3*x - 24*I*d*e*f^2)*\cos(d*x + c) + (-24*I*d*f^3*x - 24*I*d*e*f^2 + (24*I*d*f^3*x + 24*I*d*e*f^2)*\cos(d*x + c)^2)*\sin(d*x + c))*\operatorname{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) - (24*I*d*f^3*x + 24*I*d*e*f^2 + (-24*I*d*f^3*x - 24*I*d*e*f^2)*\cos(d*x + c)^3 + (-24*I*d*f^3*x - 24*I*d*e*f^2)*\cos(d*x + c)^2 + (24*I*d*f^3*x + 24*I*d*e*f^2)*\cos(d*x + c) + (24*I*d*f^3*x + 24*I*d*e*f^2 + (-24*I*d*f^3*x - 24*I*d*e*f^2)*\cos(d*x + c)^2)*\sin(d*x + c))*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) - (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^3 + 6*I*f^3 + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c) + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + 6*I*f^3 + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) - (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^3 - 6*I*f^3 + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 - 6*I*f^3 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c) + (-9*I*d^2*f^3*x^2 - 9*I*d^2*e^2*f - 12*I*d*e*f^2 - 6*I*f^3 + (9*I*d^2*f^3*x^2 + 9*I*d^2*e^2*f + 12*I*d*e*f^2 + 6*I*f^3 + 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 - 6*I*(3*d^2*e*f^2 + 2*d*f^3)*x)*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) - 3*(d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^3 + (3*d^3*e*f^2 + 2*d^2*f^3)*x^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x + (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c) + (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\sin(d*x + c) + 1) - 12*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3 - (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c)^3 - (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c)^2 + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c) + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3 - (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c)^2)*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1) - 3*(d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^3 + (3*d^3*e*f^2 + 2*d^2*f^3)*x^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x + (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c) + (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 - (d^3*f^3*x^3 + d^3*e^3 + 2*d^2*e^2*f + 2*d*e*f^2 + (3*d^3*e*f^2 + 2*d^2*f^3)*x)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x + c)^2 + (3*d^3*e^2*f + 4*d^2*e*f^2 + 2*d*f^3)*x)*\sin(d*x + c))
\end{aligned}$$

$$\begin{aligned}
& * \log(\cos(dx + c) - I \sin(dx + c) + 1) - 12*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + \\
& 2*c*d*e*f^2 - c^2*f^3 - (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3) \\
& ^3)*\cos(dx + c)^3 - (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)* \\
& \cos(dx + c)^2 + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(\\
& dx + c) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3 - (d^2*f^3* \\
& x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(dx + c)^2)*\sin(dx + c))* \\
& \log(I*\cos(dx + c) + \sin(dx + c) + 1) - 12*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + \\
& 2*c*d*e*f^2 - c^2*f^3 - (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3) \\
& ^3)*\cos(dx + c)^3 - (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*c \\
& \cos(dx + c)^2 + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d \\
& *x + c) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3 - (d^2*f^3*x \\
& ^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(dx + c)^2)*\sin(dx + c))*l \\
& \log(-I*\cos(dx + c) + \sin(dx + c) + 1) + 3*(d^3*e^3 - (3*c + 2)*d^2*e^2*f + \\
& (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3 - (d^3*e^3 - (3*c + 2) \\
& *d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3)*\cos(dx + \\
& c)^3 - (d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + \\
& 2*c^2 + 2*c)*f^3)*\cos(dx + c)^2 + (d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 \\
& + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3)*\cos(dx + c) + (d^3*e^3 - (3 \\
& *c + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3 - (\\
& d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + \\
& 2*c)*f^3)*\cos(dx + c)^2)*\sin(dx + c))*\log(-1/2*\cos(dx + c) + 1/2*I*\sin(d \\
& *x + c) + 1/2) + 3*(d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f \\
& ^2 - (c^3 + 2*c^2 + 2*c)*f^3 - (d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 + 4* \\
& c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3)*\cos(dx + c)^3 - (d^3*e^3 - (3*c \\
& + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3)*\cos(d \\
& *x + c)^2 + (d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c \\
& ^3 + 2*c^2 + 2*c)*f^3)*\cos(dx + c) + (d^3*e^3 - (3*c + 2)*d^2*e^2*f + (3*c \\
& ^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3 - (d^3*e^3 - (3*c + 2)*d^2* \\
& e^2*f + (3*c^2 + 4*c + 2)*d*e*f^2 - (c^3 + 2*c^2 + 2*c)*f^3)*\cos(dx + c)^2 \\
&)*\sin(dx + c))*\log(-1/2*\cos(dx + c) - 1/2*I*\sin(dx + c) + 1/2) + 3*(d^3* \\
& f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 - \\
& (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c) \\
& *f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3 \\
&)*x)*\cos(dx + c)^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 - (d^3*f^3*x^3 + 3*c*d^ \\
& 2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - \\
& 2*d^2*f^3)*x^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(dx + c)^2 + \\
& (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x + (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3 \\
& *c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x \\
& ^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(dx + c) + (d^3*f^3*x^3 + \\
& 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e \\
& *f^2 - 2*d^2*f^3)*x^2 - (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^ \\
& ^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 + (3*d^3*e^2*f \\
& - 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(dx + c)^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2 \\
& *d*f^3)*x)*\sin(dx + c))*\log(-\cos(dx + c) + I*\sin(dx + c) + 1) - 12*(d^2* \\
& e^2*f - 2*c*d*e*f^2 + c^2*f^3 - (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(dx + \\
& c)^3 - (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(dx + c)^2 + (d^2*e^2*f - \\
& 2*c*d*e*f^2 + c^2*f^3)*\cos(dx + c) + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3 - \\
& (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(dx + c)^2)*\sin(dx + c))*\log(-\cos \\
& (dx + c) + I*\sin(dx + c) + I) + 3*(d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + \\
& 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 - (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3 \\
& *c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x \\
& ^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(dx + c)^3 + (3*d^3*e*f^2 \\
& - 2*d^2*f^3)*x^2 - (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + \\
& (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 + (3*d^3*e^2*f - 4* \\
& d^2*e*f^2 + 2*d*f^3)*x)*\cos(dx + c)^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f \\
& ^3)*x + (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 \\
& + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + \\
& 2*d*f^3)*x)*\cos(dx + c) + (d^3*f^3*x^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e \\
& *f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d^3*e*f^2 - 2*d^2*f^3)*x^2 - (d^3*f^3*x
\end{aligned}$$

$$\begin{aligned}
&^3 + 3*c*d^2*e^2*f - (3*c^2 + 4*c)*d*e*f^2 + (c^3 + 2*c^2 + 2*c)*f^3 + (3*d \\
&^3*e*f^2 - 2*d^2*f^3)*x^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x)*\cos(d*x \\
&+ c)^2 + (3*d^3*e^2*f - 4*d^2*e*f^2 + 2*d*f^3)*x)*\sin(d*x + c))*\log(-\cos(\\
&d*x + c) - I*\sin(d*x + c) + 1) - (18*I*f^3*\cos(d*x + c)^3 + 18*I*f^3*\cos(d* \\
&x + c)^2 - 18*I*f^3*\cos(d*x + c) - 18*I*f^3 + (18*I*f^3*\cos(d*x + c)^2 - 18 \\
&*I*f^3)*\sin(d*x + c))*\text{polylog}(4, \cos(d*x + c) + I*\sin(d*x + c)) - (-18*I*f^ \\
&3*\cos(d*x + c)^3 - 18*I*f^3*\cos(d*x + c)^2 + 18*I*f^3*\cos(d*x + c) + 18*I*f \\
&^3 + (-18*I*f^3*\cos(d*x + c)^2 + 18*I*f^3)*\sin(d*x + c))*\text{polylog}(4, \cos(d*x \\
&+ c) - I*\sin(d*x + c)) - (18*I*f^3*\cos(d*x + c)^3 + 18*I*f^3*\cos(d*x + c)^ \\
&2 - 18*I*f^3*\cos(d*x + c) - 18*I*f^3 + (18*I*f^3*\cos(d*x + c)^2 - 18*I*f^3) \\
&*\sin(d*x + c))*\text{polylog}(4, -\cos(d*x + c) + I*\sin(d*x + c)) - (-18*I*f^3*\cos(\\
&d*x + c)^3 - 18*I*f^3*\cos(d*x + c)^2 + 18*I*f^3*\cos(d*x + c) + 18*I*f^3 + (\\
&-18*I*f^3*\cos(d*x + c)^2 + 18*I*f^3)*\sin(d*x + c))*\text{polylog}(4, -\cos(d*x + c) \\
&- I*\sin(d*x + c)) + 6*(3*d*f^3*x + 3*d*e*f^2 - (3*d*f^3*x + 3*d*e*f^2 - 2* \\
&>f^3)*\cos(d*x + c)^3 - 2*f^3 - (3*d*f^3*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c)^ \\
&2 + (3*d*f^3*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c) + (3*d*f^3*x + 3*d*e*f^2 - \\
&2*f^3 - (3*d*f^3*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c)^2)*\sin(d*x + c))*\text{poly} \\
&\log(3, \cos(d*x + c) + I*\sin(d*x + c)) + 6*(3*d*f^3*x + 3*d*e*f^2 - (3*d*f^3 \\
&>*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c)^3 - 2*f^3 - (3*d*f^3*x + 3*d*e*f^2 - 2 \\
&>*f^3)*\cos(d*x + c)^2 + (3*d*f^3*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c) + (3*d* \\
&>f^3*x + 3*d*e*f^2 - 2*f^3 - (3*d*f^3*x + 3*d*e*f^2 - 2*f^3)*\cos(d*x + c)^2) \\
&*\sin(d*x + c))*\text{polylog}(3, \cos(d*x + c) - I*\sin(d*x + c)) + 24*(f^3*\cos(d*x \\
&+ c)^3 + f^3*\cos(d*x + c)^2 - f^3*\cos(d*x + c) - f^3 + (f^3*\cos(d*x + c)^2 \\
&- f^3)*\sin(d*x + c))*\text{polylog}(3, I*\cos(d*x + c) - \sin(d*x + c)) + 24*(f^3*\cos \\
&(d*x + c)^3 + f^3*\cos(d*x + c)^2 - f^3*\cos(d*x + c) - f^3 + (f^3*\cos(d*x + \\
&c)^2 - f^3)*\sin(d*x + c))*\text{polylog}(3, -I*\cos(d*x + c) - \sin(d*x + c)) - 6*(\\
&3*d*f^3*x + 3*d*e*f^2 - (3*d*f^3*x + 3*d*e*f^2 + 2*f^3)*\cos(d*x + c)^3 + 2* \\
&>f^3 - (3*d*f^3*x + 3*d*e*f^2 + 2*f^3)*\cos(d*x + c)^2 + (3*d*f^3*x + 3*d*e*f \\
&^2 + 2*f^3)*\cos(d*x + c) + (3*d*f^3*x + 3*d*e*f^2 + 2*f^3 - (3*d*f^3*x + 3* \\
&>d*e*f^2 + 2*f^3)*\cos(d*x + c)^2)*\sin(d*x + c))*\text{polylog}(3, -\cos(d*x + c) + I \\
&*\sin(d*x + c)) - 6*(3*d*f^3*x + 3*d*e*f^2 - (3*d*f^3*x + 3*d*e*f^2 + 2*f^3) \\
&*\cos(d*x + c)^3 + 2*f^3 - (3*d*f^3*x + 3*d*e*f^2 + 2*f^3)*\cos(d*x + c)^2 + \\
&(3*d*f^3*x + 3*d*e*f^2 + 2*f^3)*\cos(d*x + c) + (3*d*f^3*x + 3*d*e*f^2 + 2*f \\
&^3 - (3*d*f^3*x + 3*d*e*f^2 + 2*f^3)*\cos(d*x + c)^2)*\sin(d*x + c))*\text{polylog}(\\
&3, -\cos(d*x + c) - I*\sin(d*x + c)) - 2*(2*d^3*f^3*x^3 + 2*d^3*e^3 + 3*d^2*e \\
&^2*f + 3*(2*d^3*e*f^2 + d^2*f^3)*x^2 - 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3 \\
&*d^3*e^2*f*x + d^3*e^3)*\cos(d*x + c)^2 + 6*(d^3*e^2*f + d^2*e*f^2)*x - (d^3 \\
&*f^3*x^3 + d^3*e^3 - 3*d^2*e^2*f + 3*(d^3*e*f^2 - d^2*f^3)*x^2 + 3*(d^3*e^2 \\
&>*f - 2*d^2*e*f^2)*x)*\cos(d*x + c))*\sin(d*x + c))/(a*d^4*\cos(d*x + c)^3 + a* \\
&d^4*\cos(d*x + c)^2 - a*d^4*\cos(d*x + c) - a*d^4 + (a*d^4*\cos(d*x + c)^2 - a \\
&*d^4)*\sin(d*x + c))
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*csc(d*x+c)**3/(a+a*sin(d*x+c)), x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.210 \quad \int \frac{(e+fx)^2 \csc^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=392

$$\frac{3if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} - \frac{3if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} + \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} + \frac{if^2\text{PolyLog}(2, e^{2i(c+dx)})}{ad^3}$$

[Out] $((2*I)*(e + f*x)^2)/(a*d) - (3*(e + f*x)^2*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) - (f^2*\text{ArcTanh}[\text{Cos}[c + d*x]])/(a*d^3) + ((e + f*x)^2*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + ((e + f*x)^2*\text{Cot}[c + d*x])/(a*d) - (f*(e + f*x)*\text{Csc}[c + d*x])/(a*d^2) - ((e + f*x)^2*\text{Cot}[c + d*x]*\text{Csc}[c + d*x])/(2*a*d) - (4*f*(e + f*x)*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d^2) - (2*f*(e + f*x)*\text{Log}[1 - E^{((2*I)*(c + d*x))}])/(a*d^2) + ((3*I)*f*(e + f*x)*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) + ((4*I)*f^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^3) - ((3*I)*f*(e + f*x)*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (I*f^2*\text{PolyLog}[2, E^{((2*I)*(c + d*x))}])/(a*d^3) - (3*f^2*\text{PolyLog}[3, -E^{(I*(c + d*x))}])/(a*d^3) + (3*f^2*\text{PolyLog}[3, E^{(I*(c + d*x))}])/(a*d^3)$

Rubi [A] time = 0.722168, antiderivative size = 392, normalized size of antiderivative = 1., number of steps used = 30, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4535, 4186, 3770, 4183, 2531, 2282, 6589, 4184, 3717, 2190, 2279, 2391, 3318}

$$\frac{3if(e+fx)\text{PolyLog}(2, -e^{i(c+dx)})}{ad^2} - \frac{3if(e+fx)\text{PolyLog}(2, e^{i(c+dx)})}{ad^2} + \frac{4if^2\text{PolyLog}(2, ie^{i(c+dx)})}{ad^3} + \frac{if^2\text{PolyLog}(2, e^{2i(c+dx)})}{ad^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Csc}[c + d*x]^3/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $((2*I)*(e + f*x)^2)/(a*d) - (3*(e + f*x)^2*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) - (f^2*\text{ArcTanh}[\text{Cos}[c + d*x]])/(a*d^3) + ((e + f*x)^2*\text{Cot}[c/2 + \text{Pi}/4 + (d*x)/2])/(a*d) + ((e + f*x)^2*\text{Cot}[c + d*x])/(a*d) - (f*(e + f*x)*\text{Csc}[c + d*x])/(a*d^2) - ((e + f*x)^2*\text{Cot}[c + d*x]*\text{Csc}[c + d*x])/(2*a*d) - (4*f*(e + f*x)*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d^2) - (2*f*(e + f*x)*\text{Log}[1 - E^{((2*I)*(c + d*x))}])/(a*d^2) + ((3*I)*f*(e + f*x)*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) + ((4*I)*f^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^3) - ((3*I)*f*(e + f*x)*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (I*f^2*\text{PolyLog}[2, E^{((2*I)*(c + d*x))}])/(a*d^3) - (3*f^2*\text{PolyLog}[3, -E^{(I*(c + d*x))}])/(a*d^3) + (3*f^2*\text{PolyLog}[3, E^{(I*(c + d*x))}])/(a*d^3)$

Rule 4535

$\text{Int}[(\text{Csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[1/a, \text{Int}[(e + f*x)^m*\text{Csc}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int}[(e + f*x)^m*\text{Csc}[c + d*x]^{(n - 1)}]/(a + b*\text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 4186

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(b^2*(c + d*x)^m*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^{(n - 2)})/(f*(n - 1)), x] + (\text{Dist}[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), \text{Int}[(c + d*x)^{(m - 2)}*(b*\text{Csc}[e + f*x])^{(n - 2)}, x], x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[($

$(c + dx)^m (b \operatorname{Csc}[e + fx])^{(n-2)}, x, x] - \operatorname{Simp}[(b^2 d^m (c + dx)^{(m-1)} (b \operatorname{Csc}[e + fx])^{(n-2)}) / (f^2 (n-1)(n-2)), x] /;$ FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)x], x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + dx]]/d, x] /;$ FreeQ[{c, d}, x]

Rule 4183

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)x] * ((c_.) + (d_.)x)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(-2(c + dx)^m \operatorname{ArcTanh}[E^{I(e + fx)}]) / f, x] + (-\operatorname{Dist}[(d^m)/f, \operatorname{Int}[(c + dx)^{(m-1)} \operatorname{Log}[1 - E^{I(e + fx)}], x], x] + \operatorname{Dist}[(d^m)/f, \operatorname{Int}[(c + dx)^{(m-1)} \operatorname{Log}[1 + E^{I(e + fx)}], x], x)] /;$ FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

$\operatorname{Int}[\operatorname{Log}[1 + (e_.) * ((F_.)^{((c_.) * (a_.) + (b_.)x)})^{(n_.)}]] * ((f_.) + (g_.)x)^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(f + gx)^m \operatorname{PolyLog}[2, -(e * (F^{(c * (a + bx))))^n)] / (b * c * n * \operatorname{Log}[F]), x] + \operatorname{Dist}[(g^m) / (b * c * n * \operatorname{Log}[F]), \operatorname{Int}[(f + gx)^{(m-1)} \operatorname{PolyLog}[2, -(e * (F^{(c * (a + bx))))^n)], x], x] /;$ FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

$\operatorname{Int}[u, x_Symbol] \rightarrow \operatorname{With}[\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Dist}[v/D[v, x], \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.) * (v_))^{(n_)}]^{(m_)} /; FreeQ[{a, m, n}, x] && IntegerQ[m * n] && !MatchQ[u, E^{((c_.) * (a_.) + (b_.)x)} * (F_)] [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

$\operatorname{Int}[\operatorname{PolyLog}[n, (c_.) * ((a_.) + (b_.)x)]^{(p_.)} / ((d_.) + (e_.)x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{PolyLog}[n + 1, c * (a + bx)^p] / (e * p), x] /;$ FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b * d, a * e]

Rule 4184

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)x]^{2 * ((c_.) + (d_.)x)^{(m_.)}, x_Symbol] \rightarrow -\operatorname{Simp}[(c + dx)^m \operatorname{Cot}[e + fx] / f, x] + \operatorname{Dist}[(d^m)/f, \operatorname{Int}[(c + dx)^{(m-1)} \operatorname{Cot}[e + fx], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

$\operatorname{Int}[(c_.) + (d_.)x)^{(m_.)} \operatorname{tan}[(e_.) + \operatorname{Pi} * (k_.) + (f_.)x], x_Symbol] \rightarrow \operatorname{Simp}[(I * (c + dx)^{(m+1)}) / (d * (m + 1)), x] - \operatorname{Dist}[2 * I, \operatorname{Int}[(c + dx)^m E^{(2 * I * k * \operatorname{Pi})} * E^{(2 * I * (e + fx))} / (1 + E^{(2 * I * k * \operatorname{Pi})} * E^{(2 * I * (e + fx))}), x], x] /;$ FreeQ[{c, d, e, f}, x] && IntegerQ[4 * k] && IGtQ[m, 0]

Rule 2190

$\operatorname{Int}[(F_.)^{((g_.) * ((e_.) + (f_.)x))} * ((c_.) + (d_.)x)^{(m_.)} / ((a_.) + (b_.) * (F_.)^{((g_.) * ((e_.) + (f_.)x))}^{(n_.)}), x_Symbol] \rightarrow \operatorname{Simp}[(c + dx)^m \operatorname{Log}[1 + (b * (F^{(g * (e + fx))))^n] / a] / (b * f * g * n * \operatorname{Log}[F]), x] - \operatorname{Dist}[(d^m) / (b * f * g * n * \operatorname{Log}[F]), \operatorname{Int}[(c + dx)^{(m-1)} \operatorname{Log}[1 + (b * (F^{(g * (e + fx))))^n], x], x] /;$

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3318

Int[((c_) + (d_)*(x_)^(m_))*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/(2 + (f*x)/2)^(2*n)], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{(e+fx)^2 \csc^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx)^2 \csc^3(c+dx) dx}{a} - \int \frac{(e+fx)^2 \csc^2(c+dx)}{a+a \sin(c+dx)} dx \\
 &= -\frac{f(e+fx) \csc(c+dx)}{ad^2} - \frac{(e+fx)^2 \cot(c+dx) \csc(c+dx)}{2ad} + \frac{\int (e+fx)^2 \csc(c+dx) dx}{2a} \\
 &= -\frac{(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot(c+dx)}{ad} - \frac{f(e+fx)}{ad} \\
 &= \frac{i(e+fx)^2}{ad} - \frac{3(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot(c+dx)}{ad} \\
 &= \frac{i(e+fx)^2}{ad} - \frac{3(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} \\
 &= \frac{2i(e+fx)^2}{ad} - \frac{3(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} \\
 &= \frac{2i(e+fx)^2}{ad} - \frac{3(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} \\
 &= \frac{2i(e+fx)^2}{ad} - \frac{3(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{f^2 \tanh^{-1}(\cos(c+dx))}{ad^3} + \frac{(e+fx)^2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}
 \end{aligned}$$

Mathematica [B] time = 17.4976, size = 951, normalized size = 2.43

$$\frac{32f(\cos(c)+i \sin(c)) \left(\frac{(\cos(c)-i \sin(c))(e+fx)^2}{2f} - \frac{\log(i \cos(c+dx)+\sin(c+dx)+1)(i \cos(c)+\sin(c)+1)(e+fx)}{d} + \frac{f \text{PolyLog}(2,-i \cos(c+dx)-\sin(c+dx))(\cos(c)-i(\sin(c)+1))}{d^2} \right) d^2}{\cos(c)+i(\sin(c)+1)} - \frac{(e+fx)c}{ad}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Csc[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] $(8*((2I)*d^2*e*f*x + I*d^2*f^2*x^2 - 3*d^2*e^2*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] - 2*f^2*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] - 6*d^2*e*f*x*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] - 3*d^2*f^2*x^2*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] + 2*d^2*e*f*x*Cot[c] + d^2*f^2*x^2*Cot[c] - 2*d*e*f*Log[1 - Cos[2*(c + d*x)] - I*Sin[2*(c + d*x)]] - 2*d*f^2*x*Log[1 - Cos[2*(c + d*x)]] - I*Sin[2*(c + d*x)]] + (3I)*d*f*(e + f*x)*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] - (3I)*d*f*(e + f*x)*PolyLog[2, Cos[c + d*x] + I*Sin[c + d*x]] + I*f^2*PolyLog[2, Cos[2*(c + d*x)] + I*Sin[2*(c + d*x)]] - 3*f^2*PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] + 3*f^2*PolyLog[3, Cos[c + d*x] + I*Sin[c + d*x]]) + (32*d^2*f*(Cos[c] + I*Sin[c])*((e + f*x)^2*(Cos[c] - I*Sin[c]))/(2*f) - ((e + f*x)*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])))/d^2)/(Cos[c] + I*(1 + Sin[c])) - (d*(e + f*x)*Csc[c]*Csc[c + d*x]^2*(2*f*Cos[(d*x)/2] + 2*f*Cos[(3*d*x)/2] + 5*d*e*Cos[c - (d*x)/2] + 5*d*f*x*Cos[c - (d*x)/2] - d*e*Cos[c + (d*x)/2] - d*f*x*Cos[c + (d*x)/2] - 2*f*Cos[2*c + (d*x)/2] + d*e*Cos[c + (3*d*x)/2] + d*f*x*Cos[c + (3*d*x)/2] - 2*f*Cos[2*c + (3*d*x)/2] - 3*d*e*Cos[3*c + (3*d*x)/2] - 3*d*f*x*Cos[3*c + (3*d*x)/2] - 4*d*e*Cos[c + (5*d*x)/2] - 4*d*f*x*Cos[c + (5*d*x)/2] + 2*d*e*Cos[3*c + (5*d*x)/2] + 2*d*f*x*Cos[3*c + (5*d*x)/2] + d*e*Sin[(d*x)/2] + d*f*x*Sin[(d*x)/2] + d*e*Sin[(3*d*x)/2] + d*f*x*Sin[(3*d*x)/2] + 2*f*Sin[c - (d*x)/2] + 2*f*Sin[c + (d*x)/2] + 3*d*e*Sin[2*c + (d*x)/2] + 3*d*f*x*Sin[2*c + (d*x)/2] + 2*f*Sin[c + (3*d*x)/2] + d*e*Sin[2*c + (3*d*x)/2] + d*f*x*Sin[2*c + (3*d*x)/2] - 2*f*Sin[3*c + (3*d*x)/2] - 2*d*e*Sin[2*c + (5*d*x)/2] - 2*d*f*x*Sin[2*c + (5*d*x)/2]))/(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))/(8*a*d^3)$

Maple [B] time = 0.231, size = 1215, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*csc(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] $1/a/d^3*f^2*\ln(\exp(I*(d*x+c))-1)-1/a/d^3*f^2*\ln(\exp(I*(d*x+c))+1)+8*f/d^2/a*\ln(\exp(I*(d*x+c)))*e^{-4*f/d^2/a*\ln(\exp(I*(d*x+c))+1)}*e^{-4*f^2/d^2/a*\ln(1-I*\exp(I*(d*x+c)))} * x^{-4*f^2/d^3/a*\ln(1-I*\exp(I*(d*x+c)))} * c^{-8*f^2/d^3/a*c*\ln(\exp(I*(d*x+c)))} + 4*f^2/d^3/a*c*\ln(\exp(I*(d*x+c))+1) + 3/2/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c))-1) + 3/2/a/d*f^2*\ln(1-\exp(I*(d*x+c))) * x^{-2-3/2/a/d^3*f^2*\ln(1-\exp(I*(d*x+c)))} * c^{-2-3/2/a/d*f^2*\ln(\exp(I*(d*x+c))+1)} * x^{-2+3/2/a/d*e^2*\ln(\exp(I*(d*x+c))-1)} - 3/2/a/d*e^2*\ln(\exp(I*(d*x+c))+1) + (3*d*f^2*x^2*\exp(4*I*(d*x+c)) + 6*d*e*f*x*\exp(4*I*(d*x+c)) + 3*d*e^2*\exp(4*I*(d*x+c)) - 5*d*f^2*x^2*\exp(2*I*(d*x+c)) - I*d*f^2*x^2*\exp(I*(d*x+c)) - 10*d*e*f*x*\exp(2*I*(d*x+c)) + 2*f^2*x*\exp(3*I*(d*x+c)) + 2*I*f^2*x*\exp(2*I*(d*x+c)) + 2*I*e*f*\exp(2*I*(d*x+c)) - 5*d*e^2*\exp(2*I*(d*x+c)) + 4*d*f^2*x^2 + 2*e*f*\exp(3*I*(d*x+c)) - I*d*e^2*\exp(I*(d*x+c)) + 3*I*d*f^2*x^2*\exp(3*I*(d*x+c)) + 6*I*d*e*f*x*\exp(3*I*(d*x+c)) + 8*d*e*f*x - 2*f^2*x*\exp(I*(d*x+c)) - 2*I*d*e*f*x*\exp(I*(d*x+c)) + 3*I*d*e^2*\exp(3*I*(d*x+c)) + 4*d*e^2 - 2*\exp(I*(d*x+c))*e*f - 2*I*f^2*x*\exp(4*I*(d*x+c)) - 2*I*e*f*\exp(4*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)^2/d^2/(exp(I*(d*x+c))+1)/a+8*I/a/d^2*c*f^2*x-3*I/a/d^2*polylog(2,exp(I*(d*x+c)))*f^2*x-3*I/a/d^2*e*f*polylog(2,exp(I*(d*x+c)))+3*I/a/d^2*e*f*polylog(2,-exp(I*(d*x+c)))+3*I/a/d^2*polylog(2,-exp(I*(d*x+c)))*f^2*x+4*I*f^2*polylog(2,I*exp(I*(d*x+c)))/a/d^3+3/a/d^2*\ln(1-exp(I*(d*x+c)))*c*e*f+3/a/d*\ln(1-exp(I*(d*x+c)))*e*f*x-3/a/d*\ln(exp(I*(d*x+c))+1)*e*f*x-3/a/d^2*e*f*c*\ln(exp(I*(d*x+c))-1)-3*f^2*polylog(3,-exp(I*(d*x+c)))/a/d^3+3*f^2*polylog(3,exp(I*(d*x+c)))/a/d^3+2*I*f^2*polylog(2,-exp(I*(d*x+c)))/a/d^3+2*$

$$\frac{1}{a/d^3 f^2} \text{polylog}(2, \exp(I*(d*x+c))) + 4 \frac{I}{a/d^3 c^2 f^2} + 4 \frac{I}{a/d f^2 x^2} - 2 \frac{1}{a/d^2 f^2} \ln(\exp(I*(d*x+c))+1) * x + 2 \frac{1}{a/d^3 f^2 c} \ln(\exp(I*(d*x+c))-1) - 2 \frac{1}{a/d^2} e^f \ln(\exp(I*(d*x+c))-1) - 2 \frac{1}{a/d^2} e^f \ln(\exp(I*(d*x+c))+1) - 2 \frac{1}{a/d^2 f^2} \ln(1 - \exp(I*(d*x+c))) * x - 2 \frac{1}{a/d^3 f^2} \ln(1 - \exp(I*(d*x+c))) * c$$

Maxima [B] time = 13.3787, size = 8266, normalized size = 21.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/8*(2*c*e*f*((3*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 - 1)/(a*d*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*d*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) - (4*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)/(a*d) + 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d)) + e^2*((4*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)/a - (3*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 - 1)/(a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1))/a) + 8*(16*I*c^2*f^2 + (16*I*d*e*f - 16*I*c*f^2 + 16*(d*e*f - c*f^2)*\cos(5*d*x + 5*c) + (16*I*d*e*f - 16*I*c*f^2)*\cos(4*d*x + 4*c) - 32*(d*e*f - c*f^2)*\cos(3*d*x + 3*c) + (-32*I*d*e*f + 32*I*c*f^2)*\cos(2*d*x + 2*c) + 16*(d*e*f - c*f^2)*\cos(d*x + c) + (16*I*d*e*f - 16*I*c*f^2)*\sin(5*d*x + 5*c) - 16*(d*e*f - c*f^2)*\sin(4*d*x + 4*c) + (-32*I*d*e*f + 32*I*c*f^2)*\sin(3*d*x + 3*c) + 32*(d*e*f - c*f^2)*\sin(2*d*x + 2*c) + (16*I*d*e*f - 16*I*c*f^2)*\sin(d*x + c))*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (16*(d*x + c)*f^2*\cos(5*d*x + 5*c) + 16*I*(d*x + c)*f^2*\cos(4*d*x + 4*c) - 32*(d*x + c)*f^2*\cos(3*d*x + 3*c) - 32*I*(d*x + c)*f^2*\cos(2*d*x + 2*c) + 16*(d*x + c)*f^2*\cos(d*x + c) + 16*I*(d*x + c)*f^2*\sin(5*d*x + 5*c) - 16*(d*x + c)*f^2*\sin(4*d*x + 4*c) - 32*I*(d*x + c)*f^2*\sin(3*d*x + 3*c) + 32*(d*x + c)*f^2*\sin(2*d*x + 2*c) + 16*I*(d*x + c)*f^2*\sin(d*x + c) + 16*I*(d*x + c)*f^2*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + (6*I*(d*x + c)^2*f^2 + 8*I*d*e*f + (6*I*c^2 - 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c + 8*I)*f^2)*(d*x + c) + 2*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\cos(5*d*x + 5*c) + (6*I*(d*x + c)^2*f^2 + 8*I*d*e*f + (6*I*c^2 - 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c + 8*I)*f^2)*(d*x + c))*\cos(4*d*x + 4*c) - 4*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) + (-12*I*(d*x + c)^2*f^2 - 16*I*d*e*f + (-12*I*c^2 + 16*I*c - 8*I)*f^2 + (-24*I*d*e*f + (24*I*c - 16*I)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + 2*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\cos(d*x + c) + (6*I*(d*x + c)^2*f^2 + 8*I*d*e*f + (6*I*c^2 - 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c + 8*I)*f^2)*(d*x + c))*\sin(5*d*x + 5*c) - 2*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\sin(4*d*x + 4*c) + (-12*I*(d*x + c)^2*f^2 - 16*I*d*e*f + (-12*I*c^2 + 16*I*c - 8*I)*f^2 + (-24*I*d*e*f + (24*I*c - 16*I)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) + 4*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (6*I*(d*x + c)^2*f^2 + 8*I*d*e*f + (6*I*c^2 - 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c + 8*I)*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(d*x + c), \cos(d*x + c) + 1) + (8*I*d*e*f + (-6*I*c^2 - 8*I*c - 4*I)*f^2 + 2*(4*d*e*f - (3*c^2 + 4*c + 2)*f^2)*\cos(5*d*x + 5*c) + (8*I*d*e*f + (-6*I*c^2 - 8*I*c - 4*I)*f^2)*\cos(4*d*x + 4*c) - 4*(4*d*e*f - (3*c^2 + 4*c + 2)*f^2)*\cos(3*d*x + 3*c) + (-16*I*d*e*f + (12*I*c^2 + 16*I*c + 8*I)*f^2)*\cos(2*d*x + 2*c) + 2*(4*d*e*f - (3*c^2 + 4*c + 2)*f^2)*\cos(d*x + c) + (8*I*d*e*f + (-6*I*c^2 - 8*I*c - 4*I)*f^2)*\sin(5*d*x + 5*c) \end{aligned}$$

$$\begin{aligned}
& - 2*(4*d*e*f - (3*c^2 + 4*c + 2)*f^2)*\sin(4*d*x + 4*c) + (-16*I*d*e*f + (12 \\
& *I*c^2 + 16*I*c + 8*I)*f^2)*\sin(3*d*x + 3*c) + 4*(4*d*e*f - (3*c^2 + 4*c + \\
& 2)*f^2)*\sin(2*d*x + 2*c) + (8*I*d*e*f + (-6*I*c^2 - 8*I*c - 4*I)*f^2)*\sin(d \\
& *x + c))*\arctan2(\sin(d*x + c), \cos(d*x + c) - 1) + (6*I*(d*x + c)^2*f^2 + (\\
& 12*I*d*e*f + (-12*I*c - 8*I)*f^2)*(d*x + c) + 2*(3*(d*x + c)^2*f^2 + 2*(3*d \\
& *e*f - (3*c + 2)*f^2)*(d*x + c))*\cos(5*d*x + 5*c) + (6*I*(d*x + c)^2*f^2 + \\
& (12*I*d*e*f + (-12*I*c - 8*I)*f^2)*(d*x + c))*\cos(4*d*x + 4*c) - 4*(3*(d*x \\
& + c)^2*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) + (-12 \\
& *I*(d*x + c)^2*f^2 + (-24*I*d*e*f + (24*I*c + 16*I)*f^2)*(d*x + c))*\cos(2*d \\
& *x + 2*c) + 2*(3*(d*x + c)^2*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*c \\
& \cos(d*x + c) + (6*I*(d*x + c)^2*f^2 + (12*I*d*e*f + (-12*I*c - 8*I)*f^2)*(d* \\
& x + c))*\sin(5*d*x + 5*c) - 2*(3*(d*x + c)^2*f^2 + 2*(3*d*e*f - (3*c + 2)*f^ \\
& 2)*(d*x + c))*\sin(4*d*x + 4*c) + (-12*I*(d*x + c)^2*f^2 + (-24*I*d*e*f + (2 \\
& 4*I*c + 16*I)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) + 4*(3*(d*x + c)^2*f^2 + 2*(\\
& 3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (6*I*(d*x + c)^2*f^2 \\
& + (12*I*d*e*f + (-12*I*c - 8*I)*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\sin(\\
& d*x + c), -\cos(d*x + c) + 1) - 16*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x \\
& + c))*\cos(5*d*x + 5*c) + (-4*I*(d*x + c)^2*f^2 + 8*d*e*f + (12*I*c^2 - 8*c \\
&)*f^2 - 8*(I*d*e*f + (-I*c - 1)*f^2)*(d*x + c))*\cos(4*d*x + 4*c) + (20*(d*x \\
& + c)^2*f^2 + 8*I*d*e*f - 4*(3*c^2 + 2*I*c)*f^2 + (40*d*e*f - (40*c - 8*I)* \\
& f^2)*(d*x + c))*\cos(3*d*x + 3*c) + (12*I*(d*x + c)^2*f^2 - 8*d*e*f + (-20*I \\
& *c^2 + 8*c)*f^2 - 8*(-3*I*d*e*f + (3*I*c + 1)*f^2)*(d*x + c))*\cos(2*d*x + 2 \\
& *c) - (12*(d*x + c)^2*f^2 + 8*I*d*e*f - 4*(c^2 + 2*I*c)*f^2 + (24*d*e*f - (\\
& 24*c - 8*I)*f^2)*(d*x + c))*\cos(d*x + c) - (16*f^2*\cos(5*d*x + 5*c) + 16*I* \\
& f^2*\cos(4*d*x + 4*c) - 32*f^2*\cos(3*d*x + 3*c) - 32*I*f^2*\cos(2*d*x + 2*c) \\
& + 16*f^2*\cos(d*x + c) + 16*I*f^2*\sin(5*d*x + 5*c) - 16*f^2*\sin(4*d*x + 4*c) \\
& - 32*I*f^2*\sin(3*d*x + 3*c) + 32*f^2*\sin(2*d*x + 2*c) + 16*I*f^2*\sin(d*x + \\
& c) + 16*I*f^2)*\operatorname{dilog}(I*e^{(I*d*x + I*c)}) + (-12*I*d*e*f - 12*I*(d*x + c)*f^ \\
& 2 + (12*I*c - 8*I)*f^2 - 4*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c - 2)*f^2)*\cos(\\
& 5*d*x + 5*c) + (-12*I*d*e*f - 12*I*(d*x + c)*f^2 + (12*I*c - 8*I)*f^2)*\cos(\\
& 4*d*x + 4*c) + 8*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c - 2)*f^2)*\cos(3*d*x + 3* \\
& c) + (24*I*d*e*f + 24*I*(d*x + c)*f^2 + (-24*I*c + 16*I)*f^2)*\cos(2*d*x + 2 \\
& *c) - 4*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c - 2)*f^2)*\cos(d*x + c) + (-12*I*d \\
& *e*f - 12*I*(d*x + c)*f^2 + (12*I*c - 8*I)*f^2)*\sin(5*d*x + 5*c) + 4*(3*d*e \\
& *f + 3*(d*x + c)*f^2 - (3*c - 2)*f^2)*\sin(4*d*x + 4*c) + (24*I*d*e*f + 24*I \\
& *(d*x + c)*f^2 + (-24*I*c + 16*I)*f^2)*\sin(3*d*x + 3*c) - 8*(3*d*e*f + 3*(d \\
& *x + c)*f^2 - (3*c - 2)*f^2)*\sin(2*d*x + 2*c) + (-12*I*d*e*f - 12*I*(d*x + \\
& c)*f^2 + (12*I*c - 8*I)*f^2)*\sin(d*x + c))*\operatorname{dilog}(-e^{(I*d*x + I*c)}) + (12*I* \\
& d*e*f + 12*I*(d*x + c)*f^2 + (-12*I*c - 8*I)*f^2 + 4*(3*d*e*f + 3*(d*x + c) \\
& *f^2 - (3*c + 2)*f^2)*\cos(5*d*x + 5*c) + (12*I*d*e*f + 12*I*(d*x + c)*f^2 + \\
& (-12*I*c - 8*I)*f^2)*\cos(4*d*x + 4*c) - 8*(3*d*e*f + 3*(d*x + c)*f^2 - (3* \\
& c + 2)*f^2)*\cos(3*d*x + 3*c) + (-24*I*d*e*f - 24*I*(d*x + c)*f^2 + (24*I*c \\
& + 16*I)*f^2)*\cos(2*d*x + 2*c) + 4*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c + 2)*f^ \\
& 2)*\cos(d*x + c) + (12*I*d*e*f + 12*I*(d*x + c)*f^2 + (-12*I*c - 8*I)*f^2)*s \\
& \sin(5*d*x + 5*c) - 4*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c + 2)*f^2)*\sin(4*d*x + \\
& 4*c) + (-24*I*d*e*f - 24*I*(d*x + c)*f^2 + (24*I*c + 16*I)*f^2)*\sin(3*d*x \\
& + 3*c) + 8*(3*d*e*f + 3*(d*x + c)*f^2 - (3*c + 2)*f^2)*\sin(2*d*x + 2*c) + (\\
& 12*I*d*e*f + 12*I*(d*x + c)*f^2 + (-12*I*c - 8*I)*f^2)*\sin(d*x + c))*\operatorname{dilog}(\\
& e^{(I*d*x + I*c)}) + (3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2 \\
& *(3*d*e*f - (3*c - 2)*f^2)*(d*x + c) + (-3*I*(d*x + c)^2*f^2 - 4*I*d*e*f + \\
& (-3*I*c^2 + 4*I*c - 2*I)*f^2 + (-6*I*d*e*f + (6*I*c - 4*I)*f^2)*(d*x + c))* \\
& \cos(5*d*x + 5*c) + (3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2 \\
& *(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\cos(4*d*x + 4*c) + (6*I*(d*x + c)^2*f^ \\
& ^2 + 8*I*d*e*f + (6*I*c^2 - 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c + 8*I \\
&)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) - 2*(3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^ \\
& 2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) \\
& + (-3*I*(d*x + c)^2*f^2 - 4*I*d*e*f + (-3*I*c^2 + 4*I*c - 2*I)*f^2 + (-6*I* \\
& d*e*f + (6*I*c - 4*I)*f^2)*(d*x + c))*\cos(d*x + c) + (3*(d*x + c)^2*f^2 + 4 \\
& *d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f^2)*(d*x + c))*\sin
\end{aligned}$$

$$\begin{aligned}
& (5*d*x + 5*c) + (3*I*(d*x + c)^2*f^2 + 4*I*d*e*f + (3*I*c^2 - 4*I*c + 2*I)* \\
& f^2 + (6*I*d*e*f + (-6*I*c + 4*I)*f^2)*(d*x + c))*\sin(4*d*x + 4*c) - 2*(3*(\\
& d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c - 2)*f \\
& ^2)*(d*x + c))*\sin(3*d*x + 3*c) + (-6*I*(d*x + c)^2*f^2 - 8*I*d*e*f + (-6*I \\
& *c^2 + 8*I*c - 4*I)*f^2 + (-12*I*d*e*f + (12*I*c - 8*I)*f^2)*(d*x + c))*\sin \\
& (2*d*x + 2*c) + (3*(d*x + c)^2*f^2 + 4*d*e*f + (3*c^2 - 4*c + 2)*f^2 + 2*(3 \\
& *d*e*f - (3*c - 2)*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d \\
& *x + c)^2 + 2*\cos(d*x + c) + 1) - (3*(d*x + c)^2*f^2 - 4*d*e*f + (3*c^2 + 4 \\
& *c + 2)*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c) - (3*I*(d*x + c)^2*f^2 \\
& - 4*I*d*e*f + (3*I*c^2 + 4*I*c + 2*I)*f^2 + (6*I*d*e*f + (-6*I*c - 4*I)*f^2 \\
&)*(d*x + c))*\cos(5*d*x + 5*c) + (3*(d*x + c)^2*f^2 - 4*d*e*f + (3*c^2 + 4*c \\
& + 2)*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*\cos(4*d*x + 4*c) - (-6*I \\
& *(d*x + c)^2*f^2 + 8*I*d*e*f + (-6*I*c^2 - 8*I*c - 4*I)*f^2 + (-12*I*d*e*f \\
& + (12*I*c + 8*I)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) - 2*(3*(d*x + c)^2*f^2 - \\
& 4*d*e*f + (3*c^2 + 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*\co \\
& s(2*d*x + 2*c) - (3*I*(d*x + c)^2*f^2 - 4*I*d*e*f + (3*I*c^2 + 4*I*c + 2*I) \\
& *f^2 + (6*I*d*e*f + (-6*I*c - 4*I)*f^2)*(d*x + c))*\cos(d*x + c) + (3*(d*x + \\
& c)^2*f^2 - 4*d*e*f + (3*c^2 + 4*c + 2)*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(\\
& d*x + c))*\sin(5*d*x + 5*c) - (-3*I*(d*x + c)^2*f^2 + 4*I*d*e*f + (-3*I*c^2 \\
& - 4*I*c - 2*I)*f^2 + (-6*I*d*e*f + (6*I*c + 4*I)*f^2)*(d*x + c))*\sin(4*d*x \\
& + 4*c) - 2*(3*(d*x + c)^2*f^2 - 4*d*e*f + (3*c^2 + 4*c + 2)*f^2 + 2*(3*d*e* \\
& f - (3*c + 2)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) - (6*I*(d*x + c)^2*f^2 - 8*I \\
& *d*e*f + (6*I*c^2 + 8*I*c + 4*I)*f^2 + (12*I*d*e*f + (-12*I*c - 8*I)*f^2)*(\\
& d*x + c))*\sin(2*d*x + 2*c) + (3*(d*x + c)^2*f^2 - 4*d*e*f + (3*c^2 + 4*c + \\
& 2)*f^2 + 2*(3*d*e*f - (3*c + 2)*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + \\
& c)^2 + \sin(d*x + c)^2 - 2*\cos(d*x + c) + 1) + (8*d*e*f + 8*(d*x + c)*f^2 - \\
& 8*c*f^2 + (-8*I*d*e*f - 8*I*(d*x + c)*f^2 + 8*I*c*f^2))*\cos(5*d*x + 5*c) + \\
& 8*(d*e*f + (d*x + c)*f^2 - c*f^2))*\cos(4*d*x + 4*c) + (16*I*d*e*f + 16*I*(d* \\
& x + c)*f^2 - 16*I*c*f^2))*\cos(3*d*x + 3*c) - 16*(d*e*f + (d*x + c)*f^2 - c*f \\
& ^2))*\cos(2*d*x + 2*c) + (-8*I*d*e*f - 8*I*(d*x + c)*f^2 + 8*I*c*f^2))*\cos(d*x \\
& + c) + 8*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(5*d*x + 5*c) + (8*I*d*e*f + 8 \\
& *I*(d*x + c)*f^2 - 8*I*c*f^2))*\sin(4*d*x + 4*c) - 16*(d*e*f + (d*x + c)*f^2 \\
& - c*f^2))*\sin(3*d*x + 3*c) + (-16*I*d*e*f - 16*I*(d*x + c)*f^2 + 16*I*c*f^2) \\
& *\sin(2*d*x + 2*c) + 8*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(d*x + c))*\log(\cos \\
& (d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + (-12*I*f^2*\cos(5*d*x + \\
& 5*c) + 12*f^2*\cos(4*d*x + 4*c) + 24*I*f^2*\cos(3*d*x + 3*c) - 24*f^2*\cos(2* \\
& d*x + 2*c) - 12*I*f^2*\cos(d*x + c) + 12*f^2*\sin(5*d*x + 5*c) + 12*I*f^2*\sin \\
& (4*d*x + 4*c) - 24*f^2*\sin(3*d*x + 3*c) - 24*I*f^2*\sin(2*d*x + 2*c) + 12*f^ \\
& 2*\sin(d*x + c) + 12*f^2)*\text{polylog}(3, -e^{(I*d*x + I*c)}) + (12*I*f^2*\cos(5*d*x \\
& + 5*c) - 12*f^2*\cos(4*d*x + 4*c) - 24*I*f^2*\cos(3*d*x + 3*c) + 24*f^2*\cos(\\
& 2*d*x + 2*c) + 12*I*f^2*\cos(d*x + c) - 12*f^2*\sin(5*d*x + 5*c) - 12*I*f^2*\s \\
& in(4*d*x + 4*c) + 24*f^2*\sin(3*d*x + 3*c) + 24*I*f^2*\sin(2*d*x + 2*c) - 12* \\
& f^2*\sin(d*x + c) - 12*f^2)*\text{polylog}(3, e^{(I*d*x + I*c)}) + (-16*I*(d*x + c)^2 \\
& *f^2 + (-32*I*d*e*f + 32*I*c*f^2)*(d*x + c))*\sin(5*d*x + 5*c) + (4*(d*x + c \\
&)^2*f^2 + 8*I*d*e*f - 4*(3*c^2 + 2*I*c)*f^2 + (8*d*e*f - (8*c - 8*I)*f^2)*(\\
& d*x + c))*\sin(4*d*x + 4*c) + (20*I*(d*x + c)^2*f^2 - 8*d*e*f + (-12*I*c^2 + \\
& 8*c)*f^2 - 8*(-5*I*d*e*f + (5*I*c + 1)*f^2)*(d*x + c))*\sin(3*d*x + 3*c) - \\
& (12*(d*x + c)^2*f^2 + 8*I*d*e*f - 4*(5*c^2 + 2*I*c)*f^2 + (24*d*e*f - (24*c \\
& - 8*I)*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (-12*I*(d*x + c)^2*f^2 + 8*d*e*f \\
& + (4*I*c^2 - 8*c)*f^2 - 8*(3*I*d*e*f + (-3*I*c - 1)*f^2)*(d*x + c))*\sin(d* \\
& x + c))/(-4*I*a*d^2*\cos(5*d*x + 5*c) + 4*a*d^2*\cos(4*d*x + 4*c) + 8*I*a*d^2 \\
& *\cos(3*d*x + 3*c) - 8*a*d^2*\cos(2*d*x + 2*c) - 4*I*a*d^2*\cos(d*x + c) + 4*a \\
& *d^2*\sin(5*d*x + 5*c) + 4*I*a*d^2*\sin(4*d*x + 4*c) - 8*a*d^2*\sin(3*d*x + 3* \\
& c) - 8*I*a*d^2*\sin(2*d*x + 2*c) + 4*a*d^2*\sin(d*x + c) + 4*a*d^2))/d
\end{aligned}$$

Fricas [C] time = 3.54559, size = 9528, normalized size = 24.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(4*d^2*f^2*x^2 + 4*d^2*e^2 - 8*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2))*\cos(d*x + c)^3 - 4*d*e*f - 2*(3*d^2*f^2*x^2 + 3*d^2*e^2 - 2*d*e*f + 2*(3*d^2*e*f - d*f^2)*x)*\cos(d*x + c)^2 + 4*(2*d^2*e*f - d*f^2)*x + 6*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\cos(d*x + c) - (6*I*d*f^2*x + (-6*I*d*f^2*x - 6*I*d*e*f + 4*I*f^2))*\cos(d*x + c)^3 + 6*I*d*e*f + (-6*I*d*f^2*x - 6*I*d*e*f + 4*I*f^2)*\cos(d*x + c)^2 - 4*I*f^2 + (6*I*d*f^2*x + 6*I*d*e*f - 4*I*f^2)*\cos(d*x + c) + (6*I*d*f^2*x + 6*I*d*e*f + (-6*I*d*f^2*x - 6*I*d*e*f + 4*I*f^2))*\cos(d*x + c)^2 - 4*I*f^2*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) - (-6*I*d*f^2*x + (6*I*d*f^2*x + 6*I*d*e*f - 4*I*f^2))*\cos(d*x + c)^3 - 6*I*d*e*f + (6*I*d*f^2*x + 6*I*d*e*f - 4*I*f^2)*\cos(d*x + c)^2 + 4*I*f^2 + (-6*I*d*f^2*x - 6*I*d*e*f + 4*I*f^2)*\cos(d*x + c) + (-6*I*d*f^2*x - 6*I*d*e*f + (6*I*d*f^2*x + 6*I*d*e*f - 4*I*f^2))*\cos(d*x + c)^2 + 4*I*f^2*\sin(d*x + c))*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) - (8*I*f^2*\cos(d*x + c)^3 + 8*I*f^2*\cos(d*x + c)^2 - 8*I*f^2*\cos(d*x + c) - 8*I*f^2 + (8*I*f^2*\cos(d*x + c)^2 - 8*I*f^2)*\sin(d*x + c))*\operatorname{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) - (-8*I*f^2*\cos(d*x + c)^3 - 8*I*f^2*\cos(d*x + c)^2 + 8*I*f^2*\cos(d*x + c) + 8*I*f^2 + (-8*I*f^2*\cos(d*x + c)^2 + 8*I*f^2)*\sin(d*x + c))*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) - (6*I*d*f^2*x + (-6*I*d*f^2*x - 6*I*d*e*f - 4*I*f^2))*\cos(d*x + c)^3 + 6*I*d*e*f + (-6*I*d*f^2*x - 6*I*d*e*f - 4*I*f^2)*\cos(d*x + c)^2 + 4*I*f^2 + (6*I*d*f^2*x + 6*I*d*e*f + 4*I*f^2)*\cos(d*x + c) + (6*I*d*f^2*x + 6*I*d*e*f + (-6*I*d*f^2*x - 6*I*d*e*f - 4*I*f^2))*\cos(d*x + c)^2 + 4*I*f^2*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) - (-6*I*d*f^2*x + (6*I*d*f^2*x + 6*I*d*e*f + 4*I*f^2))*\cos(d*x + c)^3 - 6*I*d*e*f + (6*I*d*f^2*x + 6*I*d*e*f + 4*I*f^2)*\cos(d*x + c)^2 - 4*I*f^2 + (-6*I*d*f^2*x - 6*I*d*e*f - 4*I*f^2)*\cos(d*x + c) + (-6*I*d*f^2*x - 6*I*d*e*f + (6*I*d*f^2*x + 6*I*d*e*f + 4*I*f^2))*\cos(d*x + c)^2 - 4*I*f^2*\sin(d*x + c))*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) - (3*d^2*f^2*x^2 + 3*d^2*e^2 - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^3 + 4*d*e*f - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^2 + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x + (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c) + (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^2 + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1) + 8*((d*e*f - c*f^2)*\cos(d*x + c)^3 - d*e*f + c*f^2 + (d*e*f - c*f^2)*\cos(d*x + c)^2 - (d*e*f - c*f^2)*\cos(d*x + c) - (d*e*f - c*f^2 - (d*e*f - c*f^2)*\cos(d*x + c))^2)*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) - (3*d^2*f^2*x^2 + 3*d^2*e^2 - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^3 + 4*d*e*f - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^2 + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x + (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c) + (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f - (3*d^2*f^2*x^2 + 3*d^2*e^2 + 4*d*e*f + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x))*\cos(d*x + c)^2 + 2*f^2 + 2*(3*d^2*e*f + 2*d*f^2)*x*\sin(d*x + c))*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) - 8*(d*f^2*x - (d*f^2*x + c*f^2))*\cos(d*x + c)^3 + c*f^2 - (d*f^2*x + c*f^2)*\cos(d*x + c)^2 + (d*f^2*x + c*f^2)*\cos(d*x + c) + (d*f^2*x + c*f^2 - (d*f^2*x + c*f^2))*\cos(d*x + c)^2*\sin(d*x + c))*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) - 8*(d*f^2*x - (d*f^2*x + c*f^2))*\cos(d*x + c)^3 + c*f^2 - (d*f^2*x + c*f^2)*\cos(d*x + c)^2 + (d*f^2*x + c*f^2)*\cos(d*x + c) + (d*f^2*x + c*f^2 - (d*f^2*x + c*f^2))*\cos(d*x + c)^2*\sin(d*x + c))*\log(-I*\cos(d*x + c) + \sin(d*x + c) + 1) + (3*d^2*e^2 - 2*(3*c + 2)*d*e*f - (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2))*\cos(d*x + c)^3 + (3*c^2 + 4*c + 2)*f^2 - (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2))*\cos(d*x + c)^2 + (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2))*\cos(d*x + c) + (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2) - (3*d^2*$$

```

e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2)*cos(d*x + c)^2)*sin(d*x +
c))*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2) + (3*d^2*e^2 - 2*(3*c
+ 2)*d*e*f - (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2)*cos(d
*x + c)^3 + (3*c^2 + 4*c + 2)*f^2 - (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2
+ 4*c + 2)*f^2)*cos(d*x + c)^2 + (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 +
4*c + 2)*f^2)*cos(d*x + c) + (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c
+ 2)*f^2 - (3*d^2*e^2 - 2*(3*c + 2)*d*e*f + (3*c^2 + 4*c + 2)*f^2)*cos(d*x
+ c)^2)*sin(d*x + c))*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2) +
(3*d^2*f^2*x^2 + 6*c*d*e*f - (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2
+ 2*(3*d^2*e*f - 2*d*f^2)*x)*cos(d*x + c)^3 - (3*c^2 + 4*c)*f^2 - (3*d^2*f
^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2 + 2*(3*d^2*e*f - 2*d*f^2)*x)*cos(d*x
+ c)^2 + 2*(3*d^2*e*f - 2*d*f^2)*x + (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 +
4*c)*f^2 + 2*(3*d^2*e*f - 2*d*f^2)*x)*cos(d*x + c) + (3*d^2*f^2*x^2 + 6*c*
d*e*f - (3*c^2 + 4*c)*f^2 - (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2
+ 2*(3*d^2*e*f - 2*d*f^2)*x)*cos(d*x + c)^2 + 2*(3*d^2*e*f - 2*d*f^2)*x)*si
n(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + 1) + 8*((d*e*f - c*f^2)*co
s(d*x + c)^3 - d*e*f + c*f^2 + (d*e*f - c*f^2)*cos(d*x + c)^2 - (d*e*f - c*
f^2)*cos(d*x + c) - (d*e*f - c*f^2 - (d*e*f - c*f^2)*cos(d*x + c)^2)*sin(d*
x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + I) + (3*d^2*f^2*x^2 + 6*c*d*e*
f - (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2 + 2*(3*d^2*e*f - 2*d*f^2
)*x)*cos(d*x + c)^3 - (3*c^2 + 4*c)*f^2 - (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c
^2 + 4*c)*f^2 + 2*(3*d^2*e*f - 2*d*f^2)*x)*cos(d*x + c)^2 + 2*(3*d^2*e*f -
2*d*f^2)*x + (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2 + 2*(3*d^2*e*f
- 2*d*f^2)*x)*cos(d*x + c) + (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2
- (3*d^2*f^2*x^2 + 6*c*d*e*f - (3*c^2 + 4*c)*f^2 + 2*(3*d^2*e*f - 2*d*f^2)
*x)*cos(d*x + c)^2 + 2*(3*d^2*e*f - 2*d*f^2)*x)*sin(d*x + c))*log(-cos(d*x
+ c) - I*sin(d*x + c) + 1) - 6*(f^2*cos(d*x + c)^3 + f^2*cos(d*x + c)^2 - f
^2*cos(d*x + c) - f^2 + (f^2*cos(d*x + c)^2 - f^2)*sin(d*x + c))*polylog(3,
cos(d*x + c) + I*sin(d*x + c)) - 6*(f^2*cos(d*x + c)^3 + f^2*cos(d*x + c)^
2 - f^2*cos(d*x + c) - f^2 + (f^2*cos(d*x + c)^2 - f^2)*sin(d*x + c))*polyl
og(3, cos(d*x + c) - I*sin(d*x + c)) + 6*(f^2*cos(d*x + c)^3 + f^2*cos(d*x
+ c)^2 - f^2*cos(d*x + c) - f^2 + (f^2*cos(d*x + c)^2 - f^2)*sin(d*x + c))*
polylog(3, -cos(d*x + c) + I*sin(d*x + c)) + 6*(f^2*cos(d*x + c)^3 + f^2*co
s(d*x + c)^2 - f^2*cos(d*x + c) - f^2 + (f^2*cos(d*x + c)^2 - f^2)*sin(d*x
+ c))*polylog(3, -cos(d*x + c) - I*sin(d*x + c)) - 2*(2*d^2*f^2*x^2 + 2*d^2
*e^2 + 2*d*e*f - 4*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*cos(d*x + c)^2 + 2
*(2*d^2*e*f + d*f^2)*x - (d^2*f^2*x^2 + d^2*e^2 - 2*d*e*f + 2*(d^2*e*f - d*
f^2)*x)*cos(d*x + c))*sin(d*x + c))/(a*d^3*cos(d*x + c)^3 + a*d^3*cos(d*x +
c)^2 - a*d^3*cos(d*x + c) - a*d^3 + (a*d^3*cos(d*x + c)^2 - a*d^3)*sin(d*x
+ c))

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \csc^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \csc^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \csc^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*csc(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**2*csc(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*csc(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*csc(c + d*x)**3/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \csc(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*csc(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.211 \quad \int \frac{(e+fx) \csc^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=216

$$\frac{3if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{2ad^2} - \frac{3if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{2ad^2} - \frac{f \csc(c+dx)}{2ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} - \frac{f \log(\sin(c+dx))}{ad^2}$$

```
[Out] (-3*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 +
(d*x)/2])/(a*d) + ((e + f*x)*Cot[c + d*x])/(a*d) - (f*Csc[c + d*x])/(2*a*d
^2) - ((e + f*x)*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) - (2*f*Log[Sin[c/2 + Pi
/4 + (d*x)/2]])/(a*d^2) - (f*Log[Sin[c + d*x]])/(a*d^2) + (((3*I)/2)*f*Poly
Log[2, -E^(I*(c + d*x))])/(a*d^2) - (((3*I)/2)*f*PolyLog[2, E^(I*(c + d*x))
])/(a*d^2)
```

Rubi [A] time = 0.283136, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4535, 4185, 4183, 2279, 2391, 4184, 3475, 3318}

$$\frac{3if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{2ad^2} - \frac{3if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{2ad^2} - \frac{f \csc(c+dx)}{2ad^2} - \frac{2f \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2} + \frac{\pi}{4}\right)\right)}{ad^2} - \frac{f \log(\sin(c+dx))}{ad^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Csc[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-3*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d) + ((e + f*x)*Cot[c/2 + Pi/4 +
(d*x)/2])/(a*d) + ((e + f*x)*Cot[c + d*x])/(a*d) - (f*Csc[c + d*x])/(2*a*d
^2) - ((e + f*x)*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) - (2*f*Log[Sin[c/2 + Pi
/4 + (d*x)/2]])/(a*d^2) - (f*Log[Sin[c + d*x]])/(a*d^2) + (((3*I)/2)*f*Poly
Log[2, -E^(I*(c + d*x))])/(a*d^2) - (((3*I)/2)*f*PolyLog[2, E^(I*(c + d*x))
])/(a*d^2)
```

Rule 4535

```
Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Csc[c +
d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Si
n[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n
, 0]
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_)), x_Symbol] :>
-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x]
, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
```

[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx) \csc^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx) \csc^3(c+dx) dx}{a} - \int \frac{(e+fx) \csc^2(c+dx)}{a+a \sin(c+dx)} dx \\
&= -\frac{f \csc(c+dx)}{2ad^2} - \frac{(e+fx) \cot(c+dx) \csc(c+dx)}{2ad} + \frac{\int (e+fx) \csc(c+dx) dx}{2a} - \frac{\int (e+fx) \csc^2(c+dx) dx}{2ad} \\
&= -\frac{(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx) \cot(c+dx)}{ad} - \frac{f \csc(c+dx)}{2ad^2} - \frac{(e+fx) \cot(c+dx)}{2ad} \\
&= -\frac{3(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx) \cot(c+dx)}{ad} - \frac{f \csc(c+dx)}{2ad^2} - \frac{(e+fx) \cot(c+dx)}{2ad} \\
&= -\frac{3(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} + \frac{(e+fx) \cot(c+dx)}{ad} - \frac{f \csc(c+dx)}{2ad} \\
&= -\frac{3(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e+fx) \cot\left(\frac{c}{2} + \frac{\pi}{4} + \frac{dx}{2}\right)}{ad} + \frac{(e+fx) \cot(c+dx)}{ad} - \frac{f \csc(c+dx)}{2ad}
\end{aligned}$$

Mathematica [B] time = 3.57546, size = 484, normalized size = 2.24

$$\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \left(12f \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\right) \left(i \left(\text{PolyLog}\left(2, -e^{i(c+dx)}\right) - \text{PolyLog}\left(2, e^{i(c+dx)}\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Csc[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] ((Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*(-(d*(e + f*x)*(1 + Cot[(c + d*x)/2]) * Csc[(c + d*x)/2]) - 16*d*(e + f*x)*Sin[(c + d*x)/2] + 8*f*(c + d*x)*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 2*(-f + 2*d*(e + f*x))*Cot[(c + d*x)/2]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 16*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 8*f*Log[Sin[c + d*x]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 12*d*e*Log[Tan[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 12*c*f*Log[Tan[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 12*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))]))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) - 2*(f + 2*d*(e + f*x))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])*Tan[(c + d*x)/2] + d*(e + f*x)*Sec[(c + d*x)/2]*(1 + Tan[(c + d*x)/2]))/(8*a*d^2*(1 + Sin[c + d*x]))

Maple [B] time = 0.227, size = 468, normalized size = 2.2

$$\frac{3dfxe^{4i(dx+c)} + 3dee^{4i(dx+c)} - 5dfxe^{2i(dx+c)} + 3idfxe^{3i(dx+c)} - 5dee^{2i(dx+c)} + fe^{3i(dx+c)} + 3idee^{3i(dx+c)} - ife^{4i(dx+c)} + 4d^2}{(e^{2i(dx+c)} - 1)^2 d^2 (e^{i(dx+c)} + i) a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*csc(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] (3*d*f*x*exp(4*I*(d*x+c))+3*d*e*exp(4*I*(d*x+c))-5*d*f*x*exp(2*I*(d*x+c))+3*I*d*f*x*exp(3*I*(d*x+c))-5*d*e*exp(2*I*(d*x+c))+f*exp(3*I*(d*x+c))+3*I*d*e*exp(3*I*(d*x+c))-I*f*exp(4*I*(d*x+c))+4*d*f*x-I*d*f*x*exp(I*(d*x+c))+4*d*e*exp(I*(d*x+c))*f-I*d*e*exp(I*(d*x+c))+I*f*exp(2*I*(d*x+c)))/(exp(2*I*(d*x+c))-1)^2/d^2/(exp(I*(d*x+c))+I)/a-3/2/d^2/a*f*c*ln(exp(I*(d*x+c))-1)-3/2*I*f*polylog(2,exp(I*(d*x+c)))/a/d^2+3/2*I*f*polylog(2,-exp(I*(d*x+c)))/a/d^2+3/2/d/a*e*ln(exp(I*(d*x+c))-1)-3/2/d/a*e*ln(exp(I*(d*x+c))+1)+4/d^2/a*f*ln(exp(I*(d*x+c)))-1/d^2/a*f*ln(exp(I*(d*x+c))-1)-1/d^2/a*f*ln(exp(I*(d*x+c))+1)-2/d^2/a*f*ln(exp(I*(d*x+c))+I)+3/2/d/a*ln(1-exp(I*(d*x+c)))*f*x+3/2/d^2/a*ln(1-exp(I*(d*x+c)))*c*f-3/2/d/a*ln(exp(I*(d*x+c))+1)*f*x

Maxima [B] time = 4.08092, size = 2817, normalized size = 13.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] (16*d*f*x*cos(5*d*x + 5*c) + 16*I*d*f*x*sin(5*d*x + 5*c) - 16*I*d*e - (8*f*cos(5*d*x + 5*c) + 8*I*f*cos(4*d*x + 4*c) - 16*f*cos(3*d*x + 3*c) - 16*I*f*cos(2*d*x + 2*c) + 8*f*cos(d*x + c) + 8*I*f*sin(5*d*x + 5*c) - 8*f*sin(4*d*x + 4*c) - 16*I*f*sin(3*d*x + 3*c) + 16*f*sin(2*d*x + 2*c) + 8*I*f*sin(d*x + c) + 8*I*f)*arctan2(cos(c) + sin(d*x), cos(d*x) + sin(c)) - (6*I*d*f*x + 6*I*d*e + 2*(3*d*f*x + 3*d*e + 2*f)*cos(5*d*x + 5*c) + (6*I*d*f*x + 6*I*d*e + 4*I*f)*cos(4*d*x + 4*c) - 4*(3*d*f*x + 3*d*e + 2*f)*cos(3*d*x + 3*c) + (-12*I*d*f*x - 12*I*d*e - 8*I*f)*cos(2*d*x + 2*c) + 2*(3*d*f*x + 3*d*e + 2*f)*cos(d*x + c) + (6*I*d*f*x + 6*I*d*e + 4*I*f)*sin(5*d*x + 5*c) - 2*(3*d*f*x + 3*d*e + 2*f)*sin(4*d*x + 4*c) + (-12*I*d*f*x - 12*I*d*e - 8*I*f)*sin(3*d*x + 3*c) + 2*(3*d*f*x + 3*d*e + 2*f)*sin(2*d*x + 2*c) + 8*f*sin(d*x + c) + 8*I*f)*sin(d*x + c) + 8*I*f)


```

d*x + 3*c) + 4*(3*d*f*x + 3*d*e + 2*f)*sin(2*d*x + 2*c) + (6*I*d*f*x + 6*I*
d*e + 4*I*f)*sin(d*x + c) + 4*I*f)*arctan2(sin(d*x + c), cos(d*x + c) + 1)
- (-6*I*d*e - 2*(3*d*e - 2*f)*cos(5*d*x + 5*c) + (-6*I*d*e + 4*I*f)*cos(4*d
*x + 4*c) + 4*(3*d*e - 2*f)*cos(3*d*x + 3*c) + (12*I*d*e - 8*I*f)*cos(2*d*x
+ 2*c) - 2*(3*d*e - 2*f)*cos(d*x + c) + (-6*I*d*e + 4*I*f)*sin(5*d*x + 5*c
) + 2*(3*d*e - 2*f)*sin(4*d*x + 4*c) + (12*I*d*e - 8*I*f)*sin(3*d*x + 3*c)
- 4*(3*d*e - 2*f)*sin(2*d*x + 2*c) + (-6*I*d*e + 4*I*f)*sin(d*x + c) + 4*I*
f)*arctan2(sin(d*x + c), cos(d*x + c) - 1) - (6*d*f*x*cos(5*d*x + 5*c) + 6*
I*d*f*x*cos(4*d*x + 4*c) - 12*d*f*x*cos(3*d*x + 3*c) - 12*I*d*f*x*cos(2*d*x
+ 2*c) + 6*d*f*x*cos(d*x + c) + 6*I*d*f*x*sin(5*d*x + 5*c) - 6*d*f*x*sin(4
*d*x + 4*c) - 12*I*d*f*x*sin(3*d*x + 3*c) + 12*d*f*x*sin(2*d*x + 2*c) + 6*I
*d*f*x*sin(d*x + c) + 6*I*d*f*x)*arctan2(sin(d*x + c), -cos(d*x + c) + 1) -
(-4*I*d*f*x + 12*I*d*e + 4*f)*cos(4*d*x + 4*c) - (20*d*f*x - 12*d*e + 4*I*
f)*cos(3*d*x + 3*c) - (12*I*d*f*x - 20*I*d*e - 4*f)*cos(2*d*x + 2*c) + (12*
d*f*x - 4*d*e + 4*I*f)*cos(d*x + c) + (6*f*cos(5*d*x + 5*c) + 6*I*f*cos(4*d
*x + 4*c) - 12*f*cos(3*d*x + 3*c) - 12*I*f*cos(2*d*x + 2*c) + 6*f*cos(d*x +
c) + 6*I*f*sin(5*d*x + 5*c) - 6*f*sin(4*d*x + 4*c) - 12*I*f*sin(3*d*x + 3*
c) + 12*f*sin(2*d*x + 2*c) + 6*I*f*sin(d*x + c) + 6*I*f)*dilog(-e^(I*d*x +
I*c)) - (6*f*cos(5*d*x + 5*c) + 6*I*f*cos(4*d*x + 4*c) - 12*f*cos(3*d*x + 3
*c) - 12*I*f*cos(2*d*x + 2*c) + 6*f*cos(d*x + c) + 6*I*f*sin(5*d*x + 5*c) -
6*f*sin(4*d*x + 4*c) - 12*I*f*sin(3*d*x + 3*c) + 12*f*sin(2*d*x + 2*c) + 6
*I*f*sin(d*x + c) + 6*I*f)*dilog(e^(I*d*x + I*c)) - (3*d*f*x + 3*d*e + (-3*
I*d*f*x - 3*I*d*e - 2*I*f)*cos(5*d*x + 5*c) + (3*d*f*x + 3*d*e + 2*f)*cos(4
*d*x + 4*c) + (6*I*d*f*x + 6*I*d*e + 4*I*f)*cos(3*d*x + 3*c) - 2*(3*d*f*x +
3*d*e + 2*f)*cos(2*d*x + 2*c) + (-3*I*d*f*x - 3*I*d*e - 2*I*f)*cos(d*x + c
) + (3*d*f*x + 3*d*e + 2*f)*sin(5*d*x + 5*c) + (3*I*d*f*x + 3*I*d*e + 2*I*f
)*sin(4*d*x + 4*c) - 2*(3*d*f*x + 3*d*e + 2*f)*sin(3*d*x + 3*c) + (-6*I*d*f
*x - 6*I*d*e - 4*I*f)*sin(2*d*x + 2*c) + (3*d*f*x + 3*d*e + 2*f)*sin(d*x +
c) + 2*f)*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1) + (3*d*
f*x + 3*d*e - (3*I*d*f*x + 3*I*d*e - 2*I*f)*cos(5*d*x + 5*c) + (3*d*f*x + 3
*d*e - 2*f)*cos(4*d*x + 4*c) - (-6*I*d*f*x - 6*I*d*e + 4*I*f)*cos(3*d*x + 3
*c) - 2*(3*d*f*x + 3*d*e - 2*f)*cos(2*d*x + 2*c) - (3*I*d*f*x + 3*I*d*e - 2
*I*f)*cos(d*x + c) + (3*d*f*x + 3*d*e - 2*f)*sin(5*d*x + 5*c) - (-3*I*d*f*x
- 3*I*d*e + 2*I*f)*sin(4*d*x + 4*c) - 2*(3*d*f*x + 3*d*e - 2*f)*sin(3*d*x
+ 3*c) - (6*I*d*f*x + 6*I*d*e - 4*I*f)*sin(2*d*x + 2*c) + (3*d*f*x + 3*d*e
- 2*f)*sin(d*x + c) - 2*f)*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x
+ c) + 1) - (-4*I*f*cos(5*d*x + 5*c) + 4*f*cos(4*d*x + 4*c) + 8*I*f*cos(3*d
*x + 3*c) - 8*f*cos(2*d*x + 2*c) - 4*I*f*cos(d*x + c) + 4*f*sin(5*d*x + 5*c
) + 4*I*f*sin(4*d*x + 4*c) - 8*f*sin(3*d*x + 3*c) - 8*I*f*sin(2*d*x + 2*c)
+ 4*f*sin(d*x + c) + 4*f)*log(cos(d*x)^2 + cos(c)^2 + 2*cos(c)*sin(d*x) + s
in(d*x)^2 + 2*cos(d*x)*sin(c) + sin(c)^2) - (4*d*f*x - 12*d*e + 4*I*f)*sin(
4*d*x + 4*c) - (20*I*d*f*x - 12*I*d*e - 4*f)*sin(3*d*x + 3*c) + (12*d*f*x -
20*d*e + 4*I*f)*sin(2*d*x + 2*c) - (-12*I*d*f*x + 4*I*d*e + 4*f)*sin(d*x +
c))/(-4*I*a*d^2*cos(5*d*x + 5*c) + 4*a*d^2*cos(4*d*x + 4*c) + 8*I*a*d^2*co
s(3*d*x + 3*c) - 8*a*d^2*cos(2*d*x + 2*c) - 4*I*a*d^2*cos(d*x + c) + 4*a*d^
2*sin(5*d*x + 5*c) + 4*I*a*d^2*sin(4*d*x + 4*c) - 8*a*d^2*sin(3*d*x + 3*c)
- 8*I*a*d^2*sin(2*d*x + 2*c) + 4*a*d^2*sin(d*x + c) + 4*a*d^2)

```

Fricas [B] time = 2.37466, size = 3522, normalized size = 16.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(8*(d*f*x + d*e)*cos(d*x + c)^3 - 4*d*f*x + 2*(3*d*f*x + 3*d*e - f)*cos(d*x + c)^2 - 4*d*e - 6*(d*f*x + d*e)*cos(d*x + c) + (-3*I*f*cos(d*x + c))^3

$$\begin{aligned}
& - 3I* f * \cos(dx + c)^2 + 3I* f * \cos(dx + c) + (-3I* f * \cos(dx + c)^2 + 3I \\
& * f) * \sin(dx + c) + 3I* f) * \operatorname{dilog}(\cos(dx + c) + I * \sin(dx + c)) + (3I* f * \cos \\
& (dx + c)^3 + 3I* f * \cos(dx + c)^2 - 3I* f * \cos(dx + c) + (3I* f * \cos(dx + \\
& c)^2 - 3I* f) * \sin(dx + c) - 3I* f) * \operatorname{dilog}(\cos(dx + c) - I * \sin(dx + c)) + \\
& (-3I* f * \cos(dx + c)^3 - 3I* f * \cos(dx + c)^2 + 3I* f * \cos(dx + c) + (-3I* \\
& f * \cos(dx + c)^2 + 3I* f) * \sin(dx + c) + 3I* f) * \operatorname{dilog}(-\cos(dx + c) + I * \sin \\
& (dx + c)) + (3I* f * \cos(dx + c)^3 + 3I* f * \cos(dx + c)^2 - 3I* f * \cos(dx + \\
& c) + (3I* f * \cos(dx + c)^2 - 3I* f) * \sin(dx + c) - 3I* f) * \operatorname{dilog}(-\cos(dx + \\
& c) - I * \sin(dx + c)) - ((3*d*f*x + 3*d*e + 2*f) * \cos(dx + c)^3 - 3*d*f*x + \\
& (3*d*f*x + 3*d*e + 2*f) * \cos(dx + c)^2 - 3*d*e - (3*d*f*x + 3*d*e + 2*f) * \cos \\
& os(dx + c) - (3*d*f*x - (3*d*f*x + 3*d*e + 2*f) * \cos(dx + c)^2 + 3*d*e + 2 \\
& * f) * \sin(dx + c) - 2*f) * \log(\cos(dx + c) + I * \sin(dx + c) + 1) - ((3*d*f*x \\
& + 3*d*e + 2*f) * \cos(dx + c)^3 - 3*d*f*x + (3*d*f*x + 3*d*e + 2*f) * \cos(dx + \\
& c)^2 - 3*d*e - (3*d*f*x + 3*d*e + 2*f) * \cos(dx + c) - (3*d*f*x - (3*d*f*x \\
& + 3*d*e + 2*f) * \cos(dx + c)^2 + 3*d*e + 2*f) * \sin(dx + c) - 2*f) * \log(\cos(dx \\
& x + c) - I * \sin(dx + c) + 1) + ((3*d*e - (3*c + 2)*f) * \cos(dx + c)^3 + (3*d \\
& * e - (3*c + 2)*f) * \cos(dx + c)^2 - 3*d*e + (3*c + 2)*f - (3*d*e - (3*c + 2) \\
& * f) * \cos(dx + c) + ((3*d*e - (3*c + 2)*f) * \cos(dx + c)^2 - 3*d*e + (3*c + 2 \\
&) * f) * \sin(dx + c)) * \log(-1/2 * \cos(dx + c) + 1/2 * I * \sin(dx + c) + 1/2) + ((3*d \\
& * e - (3*c + 2)*f) * \cos(dx + c)^3 + (3*d*e - (3*c + 2)*f) * \cos(dx + c)^2 - \\
& 3*d*e + (3*c + 2)*f - (3*d*e - (3*c + 2)*f) * \cos(dx + c) + ((3*d*e - (3*c + \\
& 2)*f) * \cos(dx + c)^2 - 3*d*e + (3*c + 2)*f) * \sin(dx + c)) * \log(-1/2 * \cos(dx \\
& + c) - 1/2 * I * \sin(dx + c) + 1/2) + 3*((d*f*x + c*f) * \cos(dx + c)^3 - d*f*x \\
& + (d*f*x + c*f) * \cos(dx + c)^2 - c*f - (d*f*x + c*f) * \cos(dx + c) - (d*f*x \\
& - (d*f*x + c*f) * \cos(dx + c)^2 + c*f) * \sin(dx + c)) * \log(-\cos(dx + c) + I * \\
& \sin(dx + c) + 1) + 3*((d*f*x + c*f) * \cos(dx + c)^3 - d*f*x + (d*f*x + c*f) \\
& * \cos(dx + c)^2 - c*f - (d*f*x + c*f) * \cos(dx + c) - (d*f*x - (d*f*x + c*f) \\
& * \cos(dx + c)^2 + c*f) * \sin(dx + c)) * \log(-\cos(dx + c) - I * \sin(dx + c) + 1 \\
&) - 4*(f * \cos(dx + c)^3 + f * \cos(dx + c)^2 - f * \cos(dx + c) + (f * \cos(dx + \\
& c)^2 - f) * \sin(dx + c) - f) * \log(\sin(dx + c) + 1) + 2*(2*d*f*x - 4*(d*f*x + \\
& d*e) * \cos(dx + c)^2 + 2*d*e - (d*f*x + d*e - f) * \cos(dx + c) + f) * \sin(dx \\
& + c) + 2*f) / (a*d^2 * \cos(dx + c)^3 + a*d^2 * \cos(dx + c)^2 - a*d^2 * \cos(dx + \\
& c) - a*d^2 + (a*d^2 * \cos(dx + c)^2 - a*d^2) * \sin(dx + c))
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \csc^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{fx \csc^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(dx+c)**3/(a+a*sin(dx+c)),x)

[Out] (Integral(e*csc(c + dx)**3/(sin(c + dx) + 1), x) + Integral(f*x*csc(c + d*x)**3/(sin(c + dx) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \csc(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(dx+c)^3/(a+a*sin(dx+c)),x, algorithm="giac")

```
[Out] integrate((f*x + e)*csc(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.212 \quad \int \frac{\csc^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=82

$$\frac{2 \cot(c+dx)}{ad} - \frac{3 \tanh^{-1}(\cos(c+dx))}{2ad} - \frac{3 \cot(c+dx) \csc(c+dx)}{2ad} + \frac{\cot(c+dx) \csc(c+dx)}{d(a \sin(c+dx) + a)}$$

[Out] (-3*ArcTanh[Cos[c + d*x]])/(2*a*d) + (2*Cot[c + d*x])/(a*d) - (3*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) + (Cot[c + d*x]*Csc[c + d*x])/(d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.0895943, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2768, 2748, 3768, 3770, 3767, 8}

$$\frac{2 \cot(c+dx)}{ad} - \frac{3 \tanh^{-1}(\cos(c+dx))}{2ad} - \frac{3 \cot(c+dx) \csc(c+dx)}{2ad} + \frac{\cot(c+dx) \csc(c+dx)}{d(a \sin(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Csc[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] (-3*ArcTanh[Cos[c + d*x]])/(2*a*d) + (2*Cot[c + d*x])/(a*d) - (3*Cot[c + d*x]*Csc[c + d*x])/(2*a*d) + (Cot[c + d*x]*Csc[c + d*x])/(d*(a + a*Sin[c + d*x]))

Rule 2768

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(b*c - a*d)*(a + b*Sin[e + f*x])), x] + Dist[d/(a*(b*c - a*d)), Int[(c + d*Sin[e + f*x])^n*(a*n - b*(n + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2*n] || EqQ[c, 0])

Rule 2748

Int[(b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3768

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rubi steps

$$\begin{aligned} \int \frac{\csc^3(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\cot(c + dx) \csc(c + dx)}{d(a + a \sin(c + dx))} - \frac{\int \csc^3(c + dx)(-3a + 2a \sin(c + dx)) dx}{a^2} \\ &= \frac{\cot(c + dx) \csc(c + dx)}{d(a + a \sin(c + dx))} - \frac{2 \int \csc^2(c + dx) dx}{a} + \frac{3 \int \csc^3(c + dx) dx}{a} \\ &= -\frac{3 \cot(c + dx) \csc(c + dx)}{2ad} + \frac{\cot(c + dx) \csc(c + dx)}{d(a + a \sin(c + dx))} + \frac{3 \int \csc(c + dx) dx}{2a} + \frac{2 \operatorname{Subst}(\int 1 dx)}{2a} \\ &= -\frac{3 \tanh^{-1}(\cos(c + dx))}{2ad} + \frac{2 \cot(c + dx)}{ad} - \frac{3 \cot(c + dx) \csc(c + dx)}{2ad} + \frac{\cot(c + dx) \csc(c + dx)}{d(a + a \sin(c + dx))} \end{aligned}$$

Mathematica [A] time = 0.511085, size = 85, normalized size = 1.04

$$\frac{4 \tan(c + dx) - 4 \csc(2(c + dx)) - 3 \sec(c + dx) + \csc^2(c + dx) \sec(c + dx) + 3 \sqrt{\cos^2(c + dx)} \sec(c + dx) \tanh^{-1}(\sqrt{\cos(c + dx)})}{2ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] $-\frac{(-4 \operatorname{Csc}[2(c + d*x)] - 3 \operatorname{Sec}[c + d*x] + 3 \operatorname{ArcTanh}[\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]^2]] \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]^2] \operatorname{Sec}[c + d*x] + \operatorname{Csc}[c + d*x]^2 \operatorname{Sec}[c + d*x] + 4 \operatorname{Tan}[c + d*x])}{(2 a d)}$

Maple [A] time = 0.05, size = 115, normalized size = 1.4

$$\frac{1}{8 da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 - \frac{1}{2 da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{1}{da (\tan(1/2 dx + c/2) + 1)} - \frac{1}{8 da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^{-2} + \frac{1}{2 da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] $\frac{1}{8 a d} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - \frac{1}{2 a d} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{2}{a d} \frac{1}{\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)} - \frac{1}{8 a d} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^{-2} + \frac{1}{2 a d} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)$

Maxima [B] time = 0.985118, size = 212, normalized size = 2.59

$$\frac{\frac{4 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2}}{a} - \frac{\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} - 1}{a} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a}$$

$$8 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $-1/8*((4*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)/a - (3*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 - 1)/(a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3) - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1))/a)/d$

Fricas [B] time = 1.81147, size = 636, normalized size = 7.76

$$\frac{8 \cos(dx + c)^3 + 6 \cos(dx + c)^2 - 3(\cos(dx + c)^3 + \cos(dx + c)^2 + (\cos(dx + c)^2 - 1)\sin(dx + c) - \cos(dx + c) - 1)\log(\frac{1}{2}\cos(dx + c) + \frac{1}{2}) + 3(\cos(dx + c)^3 + \cos(dx + c)^2 + (\cos(dx + c)^2 - 1)\sin(dx + c) - \cos(dx + c) - 1)\log(-\frac{1}{2}\cos(dx + c) + \frac{1}{2}) - 2*(4*\cos(dx + c)^2 + \cos(dx + c) - 2)*\sin(dx + c) - 6*\cos(dx + c) - 4}{a*d*\cos(dx + c)^3 + a*d*\cos(dx + c)^2 - a*d*\cos(dx + c) - a*d + (a*d*\cos(dx + c)^2 - a*d)*\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] $1/4*(8*\cos(d*x + c)^3 + 6*\cos(d*x + c)^2 - 3*(\cos(d*x + c)^3 + \cos(d*x + c)^2 + (\cos(d*x + c)^2 - 1)*\sin(d*x + c) - \cos(d*x + c) - 1)*\log(1/2*\cos(d*x + c) + 1/2) + 3*(\cos(d*x + c)^3 + \cos(d*x + c)^2 + (\cos(d*x + c)^2 - 1)*\sin(d*x + c) - \cos(d*x + c) - 1)*\log(-1/2*\cos(d*x + c) + 1/2) - 2*(4*\cos(d*x + c)^2 + \cos(d*x + c) - 2)*\sin(d*x + c) - 6*\cos(d*x + c) - 4)/(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)^2 - a*d*\cos(d*x + c) - a*d + (a*d*\cos(d*x + c)^2 - a*d)*\sin(d*x + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\csc^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**3/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.13823, size = 151, normalized size = 1.84

$$\frac{\frac{12 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)}{a} + \frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 4a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^2} + \frac{16}{a\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)} - \frac{18 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1}{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] $1/8*(12*\log(\text{abs}(\tan(1/2*d*x + 1/2*c))))/a + (a*\tan(1/2*d*x + 1/2*c)^2 - 4*a*\tan(1/2*d*x + 1/2*c))/a^2 + 16/(a*(\tan(1/2*d*x + 1/2*c) + 1)) - (18*\tan(1/2*d*x + 1/2*c)^2 - 4*\tan(1/2*d*x + 1/2*c) + 1)/(a*\tan(1/2*d*x + 1/2*c)^2))/d$

$$3.213 \quad \int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\csc^3(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Csc[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0669059, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 73.5326, size = 0, normalized size = 0.

$$\int \frac{\csc^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 7.305, size = 0, normalized size = 0.

$$\int \frac{(\csc(dx+c))^3}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)^3}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)^3/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\csc^3(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**3/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**3/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/
a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.214 \quad \int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\csc^3(c+dx)}{(e+fx)^2(a \sin(c+dx)+a)}, x \right)$$

[Out] Unintegrable[Csc[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0664905, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Csc[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Csc[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx = \int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 150.7, size = 0, normalized size = 0.

$$\int \frac{\csc^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Csc[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Csc[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 9.902, size = 0, normalized size = 0.

$$\int \frac{(\csc(dx+c))^3}{(fx+e)^2(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(csc(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\csc(dx+c)^3}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(csc(d*x + c)^3/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^3(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**3/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**3/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.215 \quad \int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\sin^2(c+dx)(e+fx)^m}{a \sin(c+dx) + a}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0623214, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 7.32844, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sin[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.325, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\sin(dx+c))^2}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sin(d*x+c)^2/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sin(d*x+c)^2/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sin(d*x + c)^2/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx + c)^2 - 1)(fx + e)^m}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)*(f*x + e)^m/(a*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sin(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sin(d*x + c)^2/(a*sin(d*x + c) + a), x)

$$3.216 \quad \int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sin(c+dx)(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0391888, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 1.73902, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sin[c + d*x])/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.134, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \sin(dx+c)}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sin(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sin(d*x+c)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sin(d*x + c)/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \sin(dx + c)}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sin(d*x + c)/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sin(c+dx)}{a \sin(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sin(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*sin(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sin(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.217 \quad \int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0508557, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int][(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 0.762998, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

[Out] Integrate[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.105, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(fx + e)^m}{a \sin(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{\frac{\sin(c+dx)+1}{a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m/(a*sin(d*x + c) + a), x)

$$3.218 \quad \int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\csc(c+dx)(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0413263, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 5.39632, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Csc[c + d*x])/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.083, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \csc(dx+c)}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*csc(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*csc(d*x+c)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*csc(d*x + c)/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \csc(dx + c)}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*csc(d*x + c)/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \csc(c+dx)}{\sin(c+dx)+1} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*csc(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*csc(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*csc(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.219 \quad \int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\csc^2(c+dx)(e+fx)^m}{a \sin(c+dx) + a}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0646949, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 9.89653, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Csc[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.106, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\csc(dx+c))^2}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*csc(d*x+c)^2/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*csc(d*x+c)^2/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*csc(d*x + c)^2/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(fx + e)^m \csc(dx + c)^2}{a \sin(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*csc(d*x + c)^2/(a*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*csc(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*csc(d*x + c)^2/(a*sin(d*x + c) + a), x)

$$3.220 \quad \int \frac{(e+fx)^3 \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=544

$$\frac{6iaf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{6iaf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{3af(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}}$$

```
[Out] (e + f*x)^4/(4*b*f) + (I*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (3*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (3*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) + ((6*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - ((6*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - (6*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^4) + (6*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^4)
```

Rubi [A] time = 0.967603, antiderivative size = 544, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4515, 32, 3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$\frac{6iaf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{6iaf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{3af(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (e + f*x)^4/(4*b*f) + (I*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (3*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (3*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) + ((6*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - ((6*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - (6*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^4) + (6*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^4)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:> Dist[2, Int[(c + d*x)^m*E^(I*(e + f*x))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol]
:> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol]
:> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^3 dx}{b} - \frac{a \int \frac{(e+fx)^3}{a+b \sin(c+dx)} dx}{b} \\
&= \frac{(e+fx)^4}{4bf} - \frac{(2a) \int \frac{e^{i(c+dx)}(e+fx)^3}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b} \\
&= \frac{(e+fx)^4}{4bf} + \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)^3}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} - \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)^3}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^4}{4bf} + \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{(3iaf) \int (e+fx)^3 dx}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^4}{4bf} + \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{3af(e+fx)^3}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^4}{4bf} + \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{3af(e+fx)^3}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^4}{4bf} + \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{3af(e+fx)^3}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^4}{4bf} + \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{3af(e+fx)^3}{b\sqrt{a^2-b^2}}
\end{aligned}$$

Mathematica [A] time = 3.29527, size = 956, normalized size = 1.76

$$\frac{x(4e^3 + 6fxe^2 + 4f^2x^2e + f^3x^3)}{4b} - \frac{a\left(2\sqrt{b^2-a^2}e^3 \tan^{-1}\left(\frac{ia+be^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)d^3 + \sqrt{a^2-b^2}f^3x^3 \log\left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}-ia}\right)d^3 + 3\sqrt{a^2-b^2}f^3x^3\right)}{4b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3))/(4*b) - (a*(2*sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/sqrt[a^2 - b^2]] + 3*sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + 3*sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - 3*sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 + (b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2])] - 3*sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 + (b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2])] - sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 + (b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2])] - (3*I)*sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + (3*I)*sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] + 6*sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + 6*sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - 6*sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] - 6*sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] + (6*I)*sqrt[a^2 - b^2]*f^3*PolyLog[4, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - (6*I)*sqrt[a^2 - b^2]*f^3*PolyLog[4, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))])/(b*sqrt[-(a^2 - b^2)^2]*d^4)

Maple [F] time = 0.843, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.31947, size = 5493, normalized size = 10.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4} * ((a^2 - b^2) * d^4 * f^3 * x^4 + 4 * (a^2 - b^2) * d^4 * e * f^2 * x^3 + 6 * (a^2 - b^2) * d^4 * e^2 * f * x^2 + 4 * (a^2 - b^2) * d^4 * e^3 * x + 12 * I * a * b * f^3 * \sqrt{-(a^2 - b^2) / b^2} * \text{polylog}(4, \frac{1}{2} * (2 * I * a * \cos(dx + c) - 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b) - 12 * I * a * b * f^3 * \sqrt{-(a^2 - b^2) / b^2} * \text{polylog}(4, \frac{1}{2} * (2 * I * a * \cos(dx + c) - 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b) + 12 * I * a * b * f^3 * \sqrt{-(a^2 - b^2) / b^2} * \text{polylog}(4, -(I * a * \cos(dx + c) + a * \sin(dx + c) + (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b) - 12 * I * a * b * f^3 * \sqrt{-(a^2 - b^2) / b^2} * \text{polylog}(4, -(I * a * \cos(dx + c) + a * \sin(dx + c) - (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b) - 2 * (3 * I * a * b * d^2 * f^3 * x^2 + 6 * I * a * b * d^2 * e * f^2 * x + 3 * I * a * b * d^2 * e^2 * f) * \sqrt{-(a^2 - b^2) / b^2} * \text{dilog}(-\frac{1}{2} * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b + 1) - 2 * (-3 * I * a * b * d^2 * f^3 * x^2 - 6 * I * a * b * d^2 * e * f^2 * x - 3 * I * a * b * d^2 * e^2 * f) * \sqrt{-(a^2 - b^2) / b^2} * \text{dilog}(-\frac{1}{2} * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b + 1) - 2 * (-3 * I * a * b * d^2 * f^3 * x^2 + 6 * I * a * b * d^2 * e * f^2 * x + 3 * I * a * b * d^2 * e^2 * f) * \sqrt{-(a^2 - b^2) / b^2} * \text{dilog}(-\frac{1}{2} * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b + 1) - 2 * (3 * I * a * b * d^2 * f^3 * x^2 + 6 * I * a * b * d^2 * e * f^2 * x + 3 * I * a * b * d^2 * e^2 * f) * \sqrt{-(a^2 - b^2) / b^2} * \text{dilog}(-\frac{1}{2} * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2}) / b + 1) - 2 * (a * b * d^3 * e^3 - 3 * a * b * c * d^2 * e^2 * f + 3 * a * b * c^2 * d * e * f^2 - a * b * c^3 * f^3) * \sqrt{-(a^2 - b^2) / b^2} * \log(2 * b * \cos(dx + c)$

$$\begin{aligned}
& + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 2*(a*b*d^3*e^3 \\
& - 3*a*b*c*d^2*e^2*f + 3*a*b*c^2*d*e*f^2 - a*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& * \log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} \\
& - 2*I*a) + 2*(a*b*d^3*e^3 - 3*a*b*c*d^2*e^2*f + 3*a*b*c^2*d*e*f^2 - a*b*c^3 \\
& *f^3)*\sqrt{-(a^2 - b^2)/b^2} * \log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2 \\
& *b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(a*b*d^3*e^3 - 3*a*b*c*d^2*e^2*f + 3 \\
& *a*b*c^2*d*e*f^2 - a*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} * \log(-2*b*\cos(d*x + c \\
&) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(a*b*d^3*f \\
& ^3*x^3 + 3*a*b*d^3*e*f^2*x^2 + 3*a*b*d^3*e^2*f*x + 3*a*b*c*d^2*e^2*f - 3*a \\
& *b*c^2*d*e*f^2 + a*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(2*I*a*\cos(d*x \\
& + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 \\
& - b^2)/b^2} + 2*b)/b) + 2*(a*b*d^3*f^3*x^3 + 3*a*b*d^3*e*f^2*x^2 + 3*a*b*d^3 \\
& *e^2*f*x + 3*a*b*c*d^2*e^2*f - 3*a*b*c^2*d*e*f^2 + a*b*c^3*f^3)*\sqrt{-(a^2 - \\
& b^2)/b^2} * \log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x \\
& + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(a*b*d^3*f^3*x \\
& x^3 + 3*a*b*d^3*e*f^2*x^2 + 3*a*b*d^3*e^2*f*x + 3*a*b*c*d^2*e^2*f - 3*a*b*c \\
& ^2*d*e*f^2 + a*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(-2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - \\
& b^2)/b^2} + 2*b)/b) + 2*(a*b*d^3*f^3*x^3 + 3*a*b*d^3*e*f^2*x^2 + 3*a*b*d^3 \\
& *e^2*f*x + 3*a*b*c*d^2*e^2*f - 3*a*b*c^2*d*e*f^2 + a*b*c^3*f^3)*\sqrt{-(a^2 - \\
& b^2)/b^2} * \log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + \\
& c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 12*(a*b*d*f^3*x \\
& + a*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2} * \text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - \\
& 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/ \\
& b^2))/b) - 12*(a*b*d*f^3*x + a*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2} * \text{polylog}(3, \\
& 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d \\
& *x + c))*\sqrt{-(a^2 - b^2)/b^2))/b) - 12*(a*b*d*f^3*x + a*b*d*e*f^2)*\sqrt{-(\\
& a^2 - b^2)/b^2} * \text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d \\
& x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2))/b) + 12*(a*b*d*f^3*x + a \\
& *b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2} * \text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d \\
& x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2))/b))/((\\
& a^2*b - b^3)*d^4)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)/(b*sin(d*x + c) + a), x)

3.221 $\int \frac{(e+fx)^2 \sin(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=408

$$\frac{2af(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} - \frac{2af(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{2iaf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{2iaf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}}$$

```
[Out] (e + f*x)^3/(3*b*f) + (I*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d) + (2*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^2) - (2*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^2) + ((2*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^3) - ((2*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^3)
```

Rubi [A] time = 0.858607, antiderivative size = 408, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4515, 32, 3323, 2264, 2190, 2531, 2282, 6589}

$$\frac{2af(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} - \frac{2af(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{2iaf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{2iaf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (e + f*x)^3/(3*b*f) + (I*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d) + (2*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^2) - (2*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^2) + ((2*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^3) - ((2*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*Sqrt[a^2 - b^2]*d^3)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*(e + f*x))]/(I*b + 2*a*E^(I*(e + f*x)))]
```

)) - I*b*E^(2*I*(e + f*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_) + (g_)*(x_)^(m_)))/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_)^(m_)))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^(c_)*((a_) + (b_)*(x_)))^(n_)]*((f_) + (g_)*(x_)^(m_)), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_)^(p_))]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \sin(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^2 dx}{b} - \frac{a \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b} \\
&= \frac{(e+fx)^3}{3bf} - \frac{(2a) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b} \\
&= \frac{(e+fx)^3}{3bf} + \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} - \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^3}{3bf} + \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{(2iaf) \int (e+fx) dx}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^3}{3bf} + \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{2af(e+fx) \int dx}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^3}{3bf} + \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{2af(e+fx) \int dx}{b\sqrt{a^2-b^2}} \\
&= \frac{(e+fx)^3}{3bf} + \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{2af(e+fx) \int dx}{b\sqrt{a^2-b^2}}
\end{aligned}$$

Mathematica [A] time = 2.05572, size = 445, normalized size = 1.09

$$\frac{x(3e^2 + 3efx + f^2x^2)}{3b} - \frac{ia \left(-i \left(2f^2\sqrt{a^2-b^2} \text{PolyLog} \left(3, \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2-ia}} \right) - 2f^2\sqrt{a^2-b^2} \text{PolyLog} \left(3, -\frac{be^{i(c+dx)}}{\sqrt{b^2-a^2+ia}} \right) + d^2 \left(2e^2\sqrt{b^2-a^2} \right) \right)}{b\sqrt{a^2-b^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (x*(3e^2 + 3e*f*x + f^2*x^2))/(3*b) - (I*a*(-2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + 2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] - I*(d^2*(2*sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/sqrt[a^2 - b^2]] + sqrt[a^2 - b^2]*f*x*(2e + f*x)*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - Log[1 + (b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2])])) + 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))])/(b*sqrt[-(a^2 - b^2)^2]*d^3)

Maple [F] time = 0.664, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^2 \sin(dx+c)}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.05961, size = 3943, normalized size = 9.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/6*(2*(a^2 - b^2)*d^3*f^2*x^3 + 6*(a^2 - b^2)*d^3*e*f*x^2 + 6*(a^2 - b^2)* \\ & d^3*e^2*x + 6*a*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, 1/2*(2*I*a*\cos(d*x \\ & + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 \\ & - b^2)/b^2}))/b - 6*a*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, 1/2*(2*I*a*\cos \\ & (d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{ \\ & -(a^2 - b^2)/b^2}))/b - 6*a*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, -(I*a*\cos \\ & (d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a \\ & ^2 - b^2)/b^2}))/b) + 6*a*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, -(I*a*\cos \\ & (d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 \\ & - b^2)/b^2}))/b) - (6*I*a*b*d*f^2*x + 6*I*a*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}* \\ & dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b \\ & *\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (-6*I*a*b*d*f^2*x - 6 \\ & *I*a*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*s \\ & in(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) - (-6*I*a*b*d*f^2*x - 6*I*a*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*d \\ & ilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b \\ & *\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (6*I*a*b*d*f^2*x + 6* \\ & I*a*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*s \\ & in(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & + 2*b)/b + 1) - 3*(a*b*d^2*e^2 - 2*a*b*c*d*e*f + a*b*c^2*f^2)*\sqrt{-(a^2 - \\ & b^2)/b^2}*log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2) \\ & /b^2} + 2*I*a) - 3*(a*b*d^2*e^2 - 2*a*b*c*d*e*f + a*b*c^2*f^2)*\sqrt{-(a^2 - \\ & b^2)/b^2}*log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2) \\ & /b^2} - 2*I*a) + 3*(a*b*d^2*e^2 - 2*a*b*c*d*e*f + a*b*c^2*f^2)*\sqrt{-(a^2 - \\ & b^2)/b^2}*log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2) \\ & /b^2} + 2*I*a) + 3*(a*b*d^2*e^2 - 2*a*b*c*d*e*f + a*b*c^2*f^2)*\sqrt{-(a^2 - \\ & b^2)/b^2}*log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - \\ & b^2)/b^2} - 2*I*a) - 3*(a*b*d^2*f^2*x^2 + 2*a*b*d^2*e*f*x + 2*a*b*c*d*e*f \\ & - a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin \\ & (d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + \\ & 2*b)/b) + 3*(a*b*d^2*f^2*x^2 + 2*a*b*d^2*e*f*x + 2*a*b*c*d*e*f - a*b*c^2*f^2) \\ & *\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - \\ & 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 3* \\ & (a*b*d^2*f^2*x^2 + 2*a*b*d^2*e*f*x + 2*a*b*c*d*e*f - a*b*c^2*f^2)*\sqrt{-(a^2 - \\ & b^2)/b^2}*log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d \\ & x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 3*(a*b*d^2*f^2 \\ & *x^2 + 2*a*b*d^2*e*f*x + 2*a*b*c*d*e*f - a*b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2} \end{aligned}$$

2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2 + 2*b)/b))/((a^2*b - b^3)*d^3)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.222 \quad \int \frac{(e+fx) \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=267

$$\frac{af \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} - \frac{af \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{ia(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd\sqrt{a^2-b^2}} - \frac{ia(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd\sqrt{a^2-b^2}}$$

```
[Out] (e*x)/b + (f*x^2)/(2*b) + (I*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2)
```

Rubi [A] time = 0.584555, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4515, 3323, 2264, 2190, 2279, 2391}

$$\frac{af \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} - \frac{af \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{ia(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd\sqrt{a^2-b^2}} - \frac{ia(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (e*x)/b + (f*x^2)/(2*b) + (I*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\int \frac{(e + fx) \sin(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx) dx}{b} - \frac{a \int \frac{e + fx}{a + b \sin(c + dx)} dx}{b}$$

$$= \frac{ex}{b} + \frac{fx^2}{2b} - \frac{(2a) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b}$$

$$= \frac{ex}{b} + \frac{fx^2}{2b} + \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} - \frac{(2ia) \int \frac{e^{i(c+dx)}(e+fx)}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}}$$

$$= \frac{ex}{b} + \frac{fx^2}{2b} + \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{(iaf) \int \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d}$$

$$= \frac{ex}{b} + \frac{fx^2}{2b} + \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{(af) \text{Subst}\left(\int \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right) dx\right)}{b\sqrt{a^2-b^2}d}$$

$$= \frac{ex}{b} + \frac{fx^2}{2b} + \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} - \frac{ia(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{af \text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2}$$

Mathematica [A] time = 1.58663, size = 299, normalized size = 1.12

$$\frac{x(2e + fx)}{2b} - \frac{ia\left(-f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2-ia}}\right) + f\sqrt{a^2-b^2}\text{PolyLog}\left(2, -\frac{be^{i(c+dx)}}{\sqrt{b^2-a^2+ia}}\right) - id\left(2e\sqrt{b^2-a^2}\tan^{-1}\left(\frac{ia+be^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)\right)\right)}{bd^2\sqrt{-(a^2-b^2)^2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Sin[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (x*(2*e + f*x))/(2*b) - (I*a*((-I)*d*(2*Sqrt[-a^2 + b^2]*e*ArcTan[(I*a + b*
E^(I*(c + d*x))]/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(Log[1 - (b*E^(I*(c
+ d*x))]/((-I)*a + Sqrt[-a^2 + b^2])) - Log[1 + (b*E^(I*(c + d*x))]/(I*a +
Sqrt[-a^2 + b^2])))) - Sqrt[a^2 - b^2]*f*PolyLog[2, (b*E^(I*(c + d*x)))/((-
I)*a + Sqrt[-a^2 + b^2])] + Sqrt[a^2 - b^2]*f*PolyLog[2, -((b*E^(I*(c + d*
x)))/((I*a + Sqrt[-a^2 + b^2])))]/(b*Sqrt[-(a^2 - b^2)^2]*d^2)
```

Maple [B] time = 0.141, size = 548, normalized size = 2.1

$$\frac{fx^2}{2b} + \frac{ex}{b} - \frac{2iae}{bd} \arctan\left(\frac{2ibe^{i(dx+c)} - 2a}{2} \frac{1}{\sqrt{-a^2 + b^2}}\right) \frac{1}{\sqrt{-a^2 + b^2}} - \frac{afx}{bd} \ln\left(\left(ia + be^{i(dx+c)} - \sqrt{-a^2 + b^2}\right)\left(ia - \sqrt{-a^2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] $\frac{1}{2}fx^2/b + ex/b - 2I/b*a/d*e/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}) - 1/b*a/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*x - 1/b*a/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*c + 1/b*a/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*x + 1/b*a/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*c + I/b*a/d^2*f/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})) - I/b*a/d^2*f/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})) + 2*I/b*a/d^2*f*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.13899, size = 2583, normalized size = 9.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*(a^2 - b^2)*d^2*f*x^2 + 4*(a^2 - b^2)*d^2*e*x - 2*I*a*b*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*I*a*b*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*I*a*b*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*I*a*b*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(a*b*d*e - a*b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 2*(a*b*d*e - a*b*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*(a*b*d*e - a*b$

```
*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2
*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*(a*b*d*e - a*b*c*f)*sqrt(-(a^2 - b^2)
)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b
^2) - 2*I*a) - 2*(a*b*d*f*x + a*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*
a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*s
qrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(a*b*d*f*x + a*b*c*f)*sqrt(-(a^2 - b^2)
/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) -
I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(a*b*d*f*x + a*b*c*f
)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) +
2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*
(a*b*d*f*x + a*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) +
2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
/b^2) + 2*b)/b))/((a^2*b - b^3)*d^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sin(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sin(d*x + c)/(b*sin(d*x + c) + a), x)
```

$$3.223 \quad \int \frac{\sin(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=57

$$\frac{x}{b} - \frac{2a \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}} \right)}{bd\sqrt{a^2 - b^2}}$$

[Out] x/b - (2*a*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d)

Rubi [A] time = 0.0676604, antiderivative size = 57, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {2735, 2660, 618, 204}

$$\frac{x}{b} - \frac{2a \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}} \right)}{bd\sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]/(a + b*Sin[c + d*x]), x]

[Out] x/b - (2*a*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d)

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2660

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sin(c+dx)}{a+b\sin(c+dx)} dx &= \frac{x}{b} - \frac{a \int \frac{1}{a+b\sin(c+dx)} dx}{b} \\
&= \frac{x}{b} - \frac{(2a) \text{Subst} \left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right) \right)}{bd} \\
&= \frac{x}{b} + \frac{(4a) \text{Subst} \left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b + 2a \tan\left(\frac{1}{2}(c+dx)\right) \right)}{bd} \\
&= \frac{x}{b} - \frac{2a \tan^{-1} \left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}} \right)}{b\sqrt{a^2-b^2}d}
\end{aligned}$$

Mathematica [A] time = 0.109685, size = 59, normalized size = 1.04

$$-\frac{2a \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2-b^2}} \right)}{d\sqrt{a^2-b^2}} + \frac{c}{d} + x$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]/(a + b*Sin[c + d*x]),x]

[Out] (c/d + x - (2*a*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(Sqrt[a^2 - b^2]*d))/b

Maple [A] time = 0., size = 70, normalized size = 1.2

$$2 \frac{\arctan(\tan(1/2 dx + c/2))}{bd} - 2 \frac{a}{bd\sqrt{a^2-b^2}} \arctan\left(1/2 \frac{2a \tan(1/2 dx + c/2) + 2b}{\sqrt{a^2-b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] 2/d/b*arctan(tan(1/2*d*x+1/2*c))-2/d/b*a/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.89226, size = 510, normalized size = 8.95

$$\left[\frac{2(a^2 - b^2)dx - \sqrt{-a^2 + b^2}a \log\left(-\frac{(2a^2 - b^2)\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2 - 2(a\cos(dx+c)\sin(dx+c) + b\cos(dx+c))\sqrt{-a^2 + b^2}}{b^2\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2}\right)}{2(a^2b - b^3)d}, \frac{(a^2 - b^2)}{2(a^2b - b^3)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(2*(a^2 - b^2)*d*x - sqrt(-a^2 + b^2)*a*log(-((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 - 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)))/((a^2*b - b^3)*d), ((a^2 - b^2)*d*x + sqrt(a^2 - b^2)*a*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))/((a^2*b - b^3)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.10345, size = 104, normalized size = 1.82

$$-\frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right]\operatorname{sgn}(a) + \arctan\left(\frac{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + b}{\sqrt{a^2 - b^2}}\right)\right)a}{\sqrt{a^2 - b^2}b} - \frac{dx+c}{b}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] -(2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))*a/(sqrt(a^2 - b^2)*b) - (d*x + c)/b)/d

$$3.224 \quad \int \frac{(e+fx)^3 \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=643

$$\frac{6ia^2 f^2(e+fx) \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^3 \sqrt{a^2-b^2}} + \frac{6ia^2 f^2(e+fx) \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^3 \sqrt{a^2-b^2}} - \frac{3a^2 f(e+fx)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^2 \sqrt{a^2-b^2}}$$

[Out] $-(a*(e+f*x)^4)/(4*b^2*f) + (6*f^2*(e+f*x)*\text{Cos}[c+d*x])/(b*d^3) - ((e+f*x)^3*\text{Cos}[c+d*x])/(b*d) - (I*a^2*(e+f*x)^3*\text{Log}[1 - (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d) + (I*a^2*(e+f*x)^3*\text{Log}[1 - (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d) - (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^2) + (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^2) - ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^3) + ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^3) + (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^4) - (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^4) - (6*f^3*\text{Sin}[c+d*x])/(b*d^4) + (3*f*(e+f*x)^2*\text{Sin}[c+d*x])/(b*d^2)$

Rubi [A] time = 1.17592, antiderivative size = 643, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {4515, 3296, 2637, 32, 3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$\frac{6ia^2 f^2(e+fx) \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^3 \sqrt{a^2-b^2}} + \frac{6ia^2 f^2(e+fx) \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^3 \sqrt{a^2-b^2}} - \frac{3a^2 f(e+fx)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^2 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] $-(a*(e+f*x)^4)/(4*b^2*f) + (6*f^2*(e+f*x)*\text{Cos}[c+d*x])/(b*d^3) - ((e+f*x)^3*\text{Cos}[c+d*x])/(b*d) - (I*a^2*(e+f*x)^3*\text{Log}[1 - (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d) + (I*a^2*(e+f*x)^3*\text{Log}[1 - (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d) - (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^2) + (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^2) - ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^3) + ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^3) + (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})])/(a - \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^4) - (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})])/(a + \text{Sqrt}[a^2 - b^2])]/(b^2*\text{Sqrt}[a^2 - b^2]*d^4) - (6*f^3*\text{Sin}[c+d*x])/(b*d^4) + (3*f*(e+f*x)^2*\text{Sin}[c+d*x])/(b*d^2)$

Rule 4515

Int[((e_.) + (f_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/b, Int[(e + f*x)^m*Sin[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &&

IGtQ[n, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3323

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.
)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/
((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x
)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_.)))^(n_.)]*((f_.) + (g_.
)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)^n))]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^(c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^3 \sin^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \sin(c + dx) dx}{b} - \frac{a \int \frac{(e + fx)^3 \sin(c + dx)}{a + b \sin(c + dx)} dx}{b} \\ &= -\frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{a \int (e + fx)^3 dx}{b^2} + \frac{a^2 \int \frac{(e + fx)^3}{a + b \sin(c + dx)} dx}{b^2} + \frac{(3f) \int (e + fx)^2 \cos(c + dx) dx}{bd} \\ &= -\frac{a(e + fx)^4}{4b^2 f} - \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{3f(e + fx)^2 \sin(c + dx)}{bd^2} + \frac{(2a^2) \int \frac{e^{i(c + dx)}(e + fx)^3}{ib + 2ae^{i(c + dx)} - ibe^{2i(c + dx)}} dx}{b^2} \\ &= -\frac{a(e + fx)^4}{4b^2 f} + \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} - \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{3f(e + fx)^2 \sin(c + dx)}{bd^2} \\ &= -\frac{a(e + fx)^4}{4b^2 f} + \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} - \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^3 \log\left(1 - \frac{ibe}{a - be^{i(c + dx)}}\right)}{b^2 \sqrt{a^2 - b^2 d}} \\ &= -\frac{a(e + fx)^4}{4b^2 f} + \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} - \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^3 \log\left(1 - \frac{ibe}{a - be^{i(c + dx)}}\right)}{b^2 \sqrt{a^2 - b^2 d}} \\ &= -\frac{a(e + fx)^4}{4b^2 f} + \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} - \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^3 \log\left(1 - \frac{ibe}{a - be^{i(c + dx)}}\right)}{b^2 \sqrt{a^2 - b^2 d}} \\ &= -\frac{a(e + fx)^4}{4b^2 f} + \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} - \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^3 \log\left(1 - \frac{ibe}{a - be^{i(c + dx)}}\right)}{b^2 \sqrt{a^2 - b^2 d}} \end{aligned}$$

Mathematica [A] time = 6.67317, size = 1020, normalized size = 1.59

$$-ax(4e^3 + 6fxe^2 + 4f^2x^2e + f^3x^3)d^4 - 4b(e + fx)(d^2(e + fx)^2 - 6f^2) \cos(c + dx)d + \frac{4a^2 \left(2\sqrt{b^2 - a^2}e^3 \tan^{-1}\left(\frac{ia + be^{i(c + dx)}}{\sqrt{a^2 - b^2}}\right)\right) d^3 + \sqrt{a^2 - b^2}d}{b^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] -(a*d^4*x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)) - 4*b*d*(e + f*x)*(-6*f^2 + d^2*(e + f*x)^2)*Cos[c + d*x] + (4*a^2*(2*sqrt[-a^2 + b^2]*d^3*e^3 *ArcTan[(I*a + b*E^(I*(c + d*x)))/sqrt[a^2 - b^2]] + 3*sqrt[a^2 - b^2]*d^3*
```


$$e^{2fx} \text{Log}\left[1 - \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + 3\sqrt{a^2 - b^2} d^3 e^{fx} x^2 \text{Log}\left[1 - \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + \sqrt{a^2 - b^2} d^3 f^3 x^3 \text{Log}\left[1 - \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] - 3\sqrt{a^2 - b^2} d^3 e^{fx} \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - 3\sqrt{a^2 - b^2} d^3 e^{fx} x^2 \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - \sqrt{a^2 - b^2} d^3 f^3 x^3 \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - (3I)\sqrt{a^2 - b^2} d^2 f (e + fx)^2 \text{PolyLog}\left[2, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + (3I)\sqrt{a^2 - b^2} d^2 f (e + fx)^2 \text{PolyLog}\left[2, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + 6\sqrt{a^2 - b^2} d e f^2 \text{PolyLog}\left[3, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + 6\sqrt{a^2 - b^2} d f^3 x \text{PolyLog}\left[3, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] - 6\sqrt{a^2 - b^2} d e f^2 \text{PolyLog}\left[3, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - 6\sqrt{a^2 - b^2} d f^3 x \text{PolyLog}\left[3, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + (6I)\sqrt{a^2 - b^2} f^3 \text{PolyLog}\left[4, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] - (6I)\sqrt{a^2 - b^2} f^3 \text{PolyLog}\left[4, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] \Big/ \sqrt{-(a^2 - b^2)^2} + 12b f (e + fx)^2 \sin[c + dx] \Big/ (4b^2 d^4)$$

Maple [F] time = 0.894, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\sin(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*sin(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^3*sin(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 4.40277, size = 6095, normalized size = 9.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*((a^3 - a*b^2)*d^4*f^3*x^4 + 4*(a^3 - a*b^2)*d^4*e*f^2*x^3 + 6*(a^3 - a*b^2)*d^4*e^2*f*x^2 + 4*(a^3 - a*b^2)*d^4*e^3*x + 12*I*a^2*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*
```

$$\begin{aligned}
& \cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 12*I*a^2*b*f^3*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(4, 1/2*(2*I*a*\cos(dx + c) - 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 12*I*a^2*b*f^3*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(4, -(I*a*\cos(dx + c) + a*\sin(dx + c) + (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 12*I*a^2*b*f^3*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(4, -(I*a*\cos(dx + c) + a*\sin(dx + c) - (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 2*(-3*I*a^2*b*d^2*f^3*x^2 - 6*I*a^2*b*d^2*e*f^2*x - 3*I*a^2*b*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b + 1) + 2*(3*I*a^2*b*d^2*f^3*x^2 + 6*I*a^2*b*d^2*e*f^2*x + 3*I*a^2*b*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b + 1) + 2*(3*I*a^2*b*d^2*f^3*x^2 + 6*I*a^2*b*d^2*e*f^2*x + 3*I*a^2*b*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b + 1) + 2*(-3*I*a^2*b*d^2*f^3*x^2 - 6*I*a^2*b*d^2*e*f^2*x - 3*I*a^2*b*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b + 1) - 2*(a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(dx + c) + 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) + 2*I*a) - 2*(a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(dx + c) - 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) - 2*I*a) + 2*(a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(dx + c) + 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) + 2*I*a) + 2*(a^2*b*d^3*e^3 - 3*a^2*b*c*d^2*e^2*f + 3*a^2*b*c^2*d*e*f^2 - a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(dx + c) - 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) - 2*I*a) - 2*(a^2*b*d^3*f^3*x^3 + 3*a^2*b*d^3*e*f^2*x^2 + 3*a^2*b*d^3*e^2*f*x + 3*a^2*b*c*d^2*e^2*f - 3*a^2*b*c^2*d*e*f^2 + a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + 2*(a^2*b*d^3*f^3*x^3 + 3*a^2*b*d^3*e*f^2*x^2 + 3*a^2*b*d^3*e^2*f*x + 3*a^2*b*c*d^2*e^2*f - 3*a^2*b*c^2*d*e*f^2 + a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) - 2*(a^2*b*d^3*f^3*x^3 + 3*a^2*b*d^3*e*f^2*x^2 + 3*a^2*b*d^3*e^2*f*x + 3*a^2*b*c*d^2*e^2*f - 3*a^2*b*c^2*d*e*f^2 + a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + 2*(a^2*b*d^3*f^3*x^3 + 3*a^2*b*d^3*e*f^2*x^2 + 3*a^2*b*d^3*e^2*f*x + 3*a^2*b*c*d^2*e^2*f - 3*a^2*b*c^2*d*e*f^2 + a^2*b*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + 12*(a^2*b*d*f^3*x + a^2*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(2*I*a*\cos(dx + c) - 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 12*(a^2*b*d*f^3*x + a^2*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, 1/2*(2*I*a*\cos(dx + c) - 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 12*(a^2*b*d*f^3*x + a^2*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, -(I*a*\cos(dx + c) + a*\sin(dx + c) + (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 12*(a^2*b*d*f^3*x + a^2*b*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2})*\text{polylog}(3, -(I*a*\cos(dx + c) + a*\sin(dx + c) - (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 4*((a^2*b - b^3)*d^3*f^3*x^3 + 3*(a^2*b - b^3)*d^3*e*f^2*x^2 + (a^2*b - b^3)*d^3*e^3 - 6*(a^2*b - b^3)*d*e*f^2 + 3*((a^2*b - b^3)*d^3*e^2*f - 2*(a^2*b - b^3)*d*f^3)*x)*\cos(dx + c) - 12*((a^2*b - b^3)*d^2*f^3*x^2 + 2*(a^2*b - b^3)*d^2*e*f^2*x + (a^2*b - b^3)*d^2*e^2*f - 2*(a^2*b - b^3)*f^3)*\sin(dx + c))/((a^2*b^2 - b^4)*d^4)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.225 \quad \int \frac{(e+fx)^2 \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=479

$$-\frac{2a^2 f(e+fx) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^2 \sqrt{a^2-b^2}} + \frac{2a^2 f(e+fx) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^2 \sqrt{a^2-b^2}} - \frac{2ia^2 f^2 \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^3 \sqrt{a^2-b^2}} + \frac{2ia^2 f^2 \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^3 \sqrt{a^2-b^2}}$$

[Out] $-(a*(e+f*x)^3)/(3*b^2*f) + (2*f^2*\cos[c+d*x])/(b*d^3) - ((e+f*x)^2*\cos[c+d*x])/(b*d) - (I*a^2*(e+f*x)^2*\log[1-(I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d) + (I*a^2*(e+f*x)^2*\log[1-(I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d) - (2*a^2*f*(e+f*x)*\operatorname{PolyLog}[2, (I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^2) + (2*a^2*f*(e+f*x)*\operatorname{PolyLog}[2, (I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^2) - ((2*I)*a^2*f^2*\operatorname{PolyLog}[3, (I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^3) + ((2*I)*a^2*f^2*\operatorname{PolyLog}[3, (I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^3) + (2*f*(e+f*x)*\sin[c+d*x])/(b*d^2)$

Rubi [A] time = 1.03808, antiderivative size = 479, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4515, 3296, 2638, 32, 3323, 2264, 2190, 2531, 2282, 6589}

$$-\frac{2a^2 f(e+fx) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^2 \sqrt{a^2-b^2}} + \frac{2a^2 f(e+fx) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^2 \sqrt{a^2-b^2}} - \frac{2ia^2 f^2 \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d^3 \sqrt{a^2-b^2}} + \frac{2ia^2 f^2 \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2 d^3 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e+f*x)^2*\sin[c+d*x]^2/(a+b*\sin[c+d*x]), x]$

[Out] $-(a*(e+f*x)^3)/(3*b^2*f) + (2*f^2*\cos[c+d*x])/(b*d^3) - ((e+f*x)^2*\cos[c+d*x])/(b*d) - (I*a^2*(e+f*x)^2*\log[1-(I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d) + (I*a^2*(e+f*x)^2*\log[1-(I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d) - (2*a^2*f*(e+f*x)*\operatorname{PolyLog}[2, (I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^2) + (2*a^2*f*(e+f*x)*\operatorname{PolyLog}[2, (I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^2) - ((2*I)*a^2*f^2*\operatorname{PolyLog}[3, (I*b*E^{I*(c+d*x)})]/(a-\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^3) + ((2*I)*a^2*f^2*\operatorname{PolyLog}[3, (I*b*E^{I*(c+d*x)})]/(a+\sqrt{a^2-b^2}))/ (b^2*\sqrt{a^2-b^2}*d^3) + (2*f*(e+f*x)*\sin[c+d*x])/(b*d^2)$

Rule 4515

$\operatorname{Int}[(e + f*x)^m * \sin[c + d*x]^n / (a + b*\sin[c + d*x]), x] \rightarrow \operatorname{Dist}[1/b, \operatorname{Int}[(e + f*x)^m * \sin[c + d*x]^n, x], x] - \operatorname{Dist}[a/b, \operatorname{Int}[(e + f*x)^m * \sin[c + d*x]^n / (a + b*\sin[c + d*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3296

$\operatorname{Int}[(c + d*x)^m * \cos[e + f*x] / f, x] \rightarrow -\operatorname{Simp}[(c + d*x)^m * \cos[e + f*x] / f, x] + \operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{m-1} * \cos[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 32

Int[((a_.) + (b_.)*(x_)^(m_)), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3323

Int[((c_.) + (d_.)*(x_)^(m_))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_)^(m_)))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_)^(m_)))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_)^(m_)), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\int \frac{(e + fx)^2 \sin^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \sin(c + dx) dx}{b} - \frac{a \int \frac{(e+fx)^2 \sin(c+dx)}{a+b \sin(c+dx)} dx}{b}$$

$$= -\frac{(e + fx)^2 \cos(c + dx)}{bd} - \frac{a \int (e + fx)^2 dx}{b^2} + \frac{a^2 \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b^2} + \frac{(2f) \int (e + fx) \cos(c + dx) dx}{bd}$$

$$= -\frac{a(e + fx)^3}{3b^2f} - \frac{(e + fx)^2 \cos(c + dx)}{bd} + \frac{2f(e + fx) \sin(c + dx)}{bd^2} + \frac{(2a^2) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2}$$

$$= -\frac{a(e + fx)^3}{3b^2f} + \frac{2f^2 \cos(c + dx)}{bd^3} - \frac{(e + fx)^2 \cos(c + dx)}{bd} + \frac{2f(e + fx) \sin(c + dx)}{bd^2} - \frac{(2ia^2) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2}$$

$$= -\frac{a(e + fx)^3}{3b^2f} + \frac{2f^2 \cos(c + dx)}{bd^3} - \frac{(e + fx)^2 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d}$$

$$= -\frac{a(e + fx)^3}{3b^2f} + \frac{2f^2 \cos(c + dx)}{bd^3} - \frac{(e + fx)^2 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d}$$

$$= -\frac{a(e + fx)^3}{3b^2f} + \frac{2f^2 \cos(c + dx)}{bd^3} - \frac{(e + fx)^2 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d}$$

$$= -\frac{a(e + fx)^3}{3b^2f} + \frac{2f^2 \cos(c + dx)}{bd^3} - \frac{(e + fx)^2 \cos(c + dx)}{bd} - \frac{ia^2(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d}$$

Mathematica [A] time = 3.1866, size = 531, normalized size = 1.11

$$3ia^2 \left(-i \left(2f^2 \sqrt{a^2 - b^2} \text{PolyLog} \left(3, \frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 - ia}} \right) - 2f^2 \sqrt{a^2 - b^2} \text{PolyLog} \left(3, -\frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 + ia}} \right) + d^2 \left(2e^2 \sqrt{b^2 - a^2} \tan^{-1} \left(\frac{ia + be^{i(c+dx)}}{\sqrt{a^2 - b^2}} \right) + fx \sqrt{a^2 - b^2} (2e + fx) \left(\log \left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 - ia}} \right) - \log \left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 + ia}} \right) \right) \right) \right) \right) / (d^3 \sqrt{-(a^2 - b^2)^2})$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] -(a*x*(3*e^2 + 3*e*f*x + f^2*x^2)) + ((3*I)*a^2*(-2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] + 2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] - I*(d^2*(2*sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/sqrt[a^2 - b^2]] + sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - Log[1 + (b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))]) + 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + sqrt[-a^2 + b^2])] - 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))])/(sqrt[-(a^2 - b^2)^2]*d^3) - (3*b*cos[d*x]*((-2*f^2 + d^2*(e + f*x)^2)*cos[c] - 2*d*f*(e + f*x)*sin[c]))/d^3 + (3*b*(2*d*f*(e + f*x)*cos[c] + (-2*f^2 + d^2*(e + f*x)^2)*sin[c])*sin[d*x])/d^3/(3*b^2)
```

Maple [F] time = 0.976, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\sin(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sin(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*sin(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 3.45094, size = 4311, normalized size = 9.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/6*(2*(a^3 - a*b^2)*d^3*f^2*x^3 + 6*(a^3 - a*b^2)*d^3*e*f*x^2 + 6*(a^3 - a*b^2)*d^3*e^2*x + 6*a^2*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*a^2*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*a^2*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*a^2*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + (-6*I*a^2*b*d*f^2*x - 6*I*a^2*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (6*I*a^2*b*d*f^2*x + 6*I*a^2*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (6*I*a^2*b*d*f^2*x + 6*I*a^2*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-6*I*a^2*b*d*f^2*x - 6*I*a^2*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 3*(a^2*b*d^2*e^2 - 2*a^2*b*c*d*e*f + a^2*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 3*(a^2*b*d^2*e^2 - 2*a^2*b*c*d*e*f + a^2*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 3*(a^2*b*d^2*e^2 - 2*a^2*b*c*d*e*f + a^2*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 3*(a^2*b*d^2*f^2*x^2 + 2*a^2*b*d^2*e*f*x + 2*a^2*b*c*d*e*f - a^2*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) +
```

```

2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 3*
(a^2*b*d^2*f^2*x^2 + 2*a^2*b*d^2*e*f*x + 2*a^2*b*c*d*e*f - a^2*b*c^2*f^2)*s
qrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b
*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 3*(a^2
*b*d^2*f^2*x^2 + 2*a^2*b*d^2*e*f*x + 2*a^2*b*c*d*e*f - a^2*b*c^2*f^2)*sqrt(
-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*co
s(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 3*(a^2*b*
d^2*f^2*x^2 + 2*a^2*b*d^2*e*f*x + 2*a^2*b*c*d*e*f - a^2*b*c^2*f^2)*sqrt(-(a
^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d
*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 6*((a^2*b -
b^3)*d^2*f^2*x^2 + 2*(a^2*b - b^3)*d^2*e*f*x + (a^2*b - b^3)*d^2*e^2 - 2*(a
^2*b - b^3)*f^2)*cos(d*x + c) - 12*((a^2*b - b^3)*d*f^2*x + (a^2*b - b^3)*d
*e*f)*sin(d*x + c))/((a^2*b^2 - b^4)*d^3)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)^2/(b*sin(d*x + c) + a), x)

3.226 $\int \frac{(e+fx) \sin^2(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=311

$$\frac{a^2 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2 d^2 \sqrt{a^2 - b^2}} + \frac{a^2 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^2 d^2 \sqrt{a^2 - b^2}} - \frac{ia^2(e+fx) \log\left(1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2 d \sqrt{a^2 - b^2}} + \frac{ia^2(e+fx) \log\left(1 - \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^2 d \sqrt{a^2 - b^2}}$$

[Out] $-\left(\frac{a e^x}{b^2} - \frac{a f x^2}{2 b^2} - \frac{(e + f x) \cos[c + d x]}{b d} - \left(I a^2 (e + f x) \operatorname{Log}\left[1 - \frac{I b E^{i(c + d x)}}{a - \sqrt{a^2 - b^2}}\right]\right) / (b^2 \sqrt{a^2 - b^2} d) + \left(I a^2 (e + f x) \operatorname{Log}\left[1 - \frac{I b E^{i(c + d x)}}{a + \sqrt{a^2 - b^2}}\right]\right) / (b^2 \sqrt{a^2 - b^2} d) - \frac{a^2 f \operatorname{PolyLog}\left[2, \frac{I b E^{i(c + d x)}}{a - \sqrt{a^2 - b^2}}\right]}{b^2 \sqrt{a^2 - b^2} d^2} + \frac{a^2 f \operatorname{PolyLog}\left[2, \frac{I b E^{i(c + d x)}}{a + \sqrt{a^2 - b^2}}\right]}{b^2 \sqrt{a^2 - b^2} d^2} + (f \sin[c + d x]) / (b d^2)$

Rubi [A] time = 0.550827, antiderivative size = 311, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4515, 3296, 2637, 3323, 2264, 2190, 2279, 2391}

$$\frac{a^2 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2 d^2 \sqrt{a^2 - b^2}} + \frac{a^2 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^2 d^2 \sqrt{a^2 - b^2}} - \frac{ia^2(e+fx) \log\left(1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2 d \sqrt{a^2 - b^2}} + \frac{ia^2(e+fx) \log\left(1 - \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^2 d \sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[\frac{(e + f x) \sin^2[c + d x]}{a + b \sin[c + d x]}, x\right]$

[Out] $-\left(\frac{a e^x}{b^2} - \frac{a f x^2}{2 b^2} - \frac{(e + f x) \cos[c + d x]}{b d} - \left(I a^2 (e + f x) \operatorname{Log}\left[1 - \frac{I b E^{i(c + d x)}}{a - \sqrt{a^2 - b^2}}\right]\right) / (b^2 \sqrt{a^2 - b^2} d) + \left(I a^2 (e + f x) \operatorname{Log}\left[1 - \frac{I b E^{i(c + d x)}}{a + \sqrt{a^2 - b^2}}\right]\right) / (b^2 \sqrt{a^2 - b^2} d) - \frac{a^2 f \operatorname{PolyLog}\left[2, \frac{I b E^{i(c + d x)}}{a - \sqrt{a^2 - b^2}}\right]}{b^2 \sqrt{a^2 - b^2} d^2} + \frac{a^2 f \operatorname{PolyLog}\left[2, \frac{I b E^{i(c + d x)}}{a + \sqrt{a^2 - b^2}}\right]}{b^2 \sqrt{a^2 - b^2} d^2} + (f \sin[c + d x]) / (b d^2)$

Rule 4515

$\operatorname{Int}\left[\frac{((e_{\cdot}) + (f_{\cdot})(x_{\cdot}))^{(m_{\cdot})} \sin[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]^{(n_{\cdot})}}{(a_{\cdot}) + (b_{\cdot}) \sin[(c_{\cdot}) + (d_{\cdot})(x_{\cdot})]}, x_{\text{Symbol}}\right] \rightarrow \operatorname{Dist}\left[\frac{1}{b}, \operatorname{Int}\left[\frac{(e + f x)^m \sin^2[c + d x]^{n-1}}{a + b \sin[c + d x]}, x\right], x\right] - \operatorname{Dist}\left[\frac{a}{b}, \operatorname{Int}\left[\frac{(e + f x)^m \sin^2[c + d x]^{n-1}}{a + b \sin[c + d x]}, x\right], x\right] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3296

$\operatorname{Int}\left[\frac{((c_{\cdot}) + (d_{\cdot})(x_{\cdot}))^{(m_{\cdot})} \sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]}{(c + d x)^m \cos[e + f x]} / f, x_{\text{Symbol}}\right] \rightarrow -\operatorname{Simp}\left[\frac{(c + d x)^m \cos[e + f x]}{f}, x\right] + \operatorname{Dist}\left[\frac{d m}{f}, \operatorname{Int}\left[\frac{(c + d x)^{m-1} \cos[e + f x]}{f}, x\right], x\right] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

$\operatorname{Int}[\sin[\pi/2 + (c_{\cdot}) + (d_{\cdot})(x_{\cdot})], x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[\sin[c + d x] / d, x] /;$ FreeQ[{c, d}, x]

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:= Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol]
:= Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:= -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\sin^2(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int (e+fx)\sin(c+dx) dx}{b} - \frac{a \int \frac{(e+fx)\sin(c+dx)}{a+b\sin(c+dx)} dx}{b} \\ &= -\frac{(e+fx)\cos(c+dx)}{bd} - \frac{a \int (e+fx) dx}{b^2} + \frac{a^2 \int \frac{e+fx}{a+b\sin(c+dx)} dx}{b^2} + \frac{f \int \cos(c+dx) dx}{bd} \\ &= -\frac{aex}{b^2} - \frac{afx^2}{2b^2} - \frac{(e+fx)\cos(c+dx)}{bd} + \frac{f \sin(c+dx)}{bd^2} + \frac{(2a^2) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2} \\ &= -\frac{aex}{b^2} - \frac{afx^2}{2b^2} - \frac{(e+fx)\cos(c+dx)}{bd} + \frac{f \sin(c+dx)}{bd^2} - \frac{(2ia^2) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{b\sqrt{a^2-b^2}} + \dots \\ &= -\frac{aex}{b^2} - \frac{afx^2}{2b^2} - \frac{(e+fx)\cos(c+dx)}{bd} - \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} + \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} \\ &= -\frac{aex}{b^2} - \frac{afx^2}{2b^2} - \frac{(e+fx)\cos(c+dx)}{bd} - \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} + \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} \\ &= -\frac{aex}{b^2} - \frac{afx^2}{2b^2} - \frac{(e+fx)\cos(c+dx)}{bd} - \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} + \frac{ia^2(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b^2\sqrt{a^2-b^2}d} \end{aligned}$$

Mathematica [B] time = 6.73369, size = 709, normalized size = 2.28

$$2a^2d(e+fx) \left(\frac{if \left(\text{PolyLog} \left[2, \frac{a(1-i \tan(\frac{1}{2}(c+dx)))}{a+i(\sqrt{b^2-a^2}+b)} \right) \right) + \log(1-i \tan(\frac{1}{2}(c+dx))) \log \left(\frac{\sqrt{b^2-a^2}+a \tan(\frac{1}{2}(c+dx))+b}{\sqrt{b^2-a^2}-ia+b} \right)}{\sqrt{b^2-a^2}} \right) + \frac{if \left(\text{PolyLog} \left[2, \frac{a(1+i \tan(\frac{1}{2}(c+dx)))}{a-i(\sqrt{b^2-a^2}+b)} \right) \right) + \log(1+i \tan(\frac{1}{2}(c+dx))) \log \left(\frac{\sqrt{b^2-a^2}-a \tan(\frac{1}{2}(c+dx))+b}{\sqrt{b^2-a^2}-ia+b} \right)}{\sqrt{b^2-a^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (a*(c + d*x)*(c*f - d*(2*e + f*x)) - 2*b*d*(e + f*x)*Cos[c + d*x] + (2*a^2*d*(e + f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(-b + Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(I + Tan[(c + d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2]]) + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2]))/(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]]) + 2*b*f*Sin[c + d*x])/(2*b^2*d^2)

Maple [B] time = 0.296, size = 625, normalized size = 2.

$$\frac{afx^2}{2b^2} - \frac{aex}{b^2} - \frac{(dfx + if + de)e^{i(dx+c)}}{2bd^2} - \frac{(dfx - if + de)e^{-i(dx+c)}}{2bd^2} + \frac{2ia^2e}{b^2d} \arctan\left(\frac{2ibe^{i(dx+c)} - 2a}{2} \frac{1}{\sqrt{-a^2 + b^2}}\right) \frac{1}{\sqrt{-a^2 + b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] -1/2*a*f*x^2/b^2-a*e*x/b^2-1/2*(d*f*x+I*f+d*e)/b/d^2*exp(I*(d*x+c))-1/2*(d*f*x-I*f+d*e)/b/d^2*exp(-I*(d*x+c))+2*I*a^2/b^2/d*e/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+a^2/b^2/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x+a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c-a^2/b^2/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x-a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c-I*a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+I*a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-2*I*a^2/b^2/d^2*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.25883, size = 2770, normalized size = 8.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(2*(a^3 - a*b^2)*d^2*f*x^2 - 2*I*a^2*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(
-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d
*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*a^2*b*f*sqrt(-(a^2 - b^
2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x +
c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*a^2*b*f*s
qrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) +
2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)
- 2*I*a^2*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*
sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)
+ 2*b)/b + 1) + 4*(a^3 - a*b^2)*d^2*e*x - 4*(a^2*b - b^3)*f*sin(d*x + c) -
2*(a^2*b*d*e - a^2*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*
I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(a^2*b*d*e - a^2
*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) +
2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(a^2*b*d*e - a^2*b*c*f)*sqrt(-(a^2
- b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b
^2)/b^2) + 2*I*a) + 2*(a^2*b*d*e - a^2*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2
*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)
- 2*(a^2*b*d*f*x + a^2*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x
+ c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2
- b^2)/b^2) + 2*b)/b) + 2*(a^2*b*d*f*x + a^2*b*c*f)*sqrt(-(a^2 - b^2)/b^2)
*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*s
in(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(a^2*b*d*f*x + a^2*b*c*f)
*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2
*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(
a^2*b*d*f*x + a^2*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c
) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b
^2)/b^2) + 2*b)/b) + 4*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*d*e)*cos(d*x +
c))/((a^2*b^2 - b^4)*d^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sin(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sin(d*x + c)^2/(b*sin(d*x + c) + a), x)
```

$$3.227 \quad \int \frac{\sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=75

$$\frac{2a^2 \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}} \right)}{b^2 d \sqrt{a^2-b^2}} - \frac{ax}{b^2} - \frac{\cos(c+dx)}{bd}$$

[Out] $-\left(\frac{a*x}{b^2}\right) + \left(\frac{2*a^2*ArcTan\left[\frac{b + a*\Tan\left[\frac{c + d*x}{2}\right]}{\sqrt{a^2 - b^2}}\right]}{b^2*d*\sqrt{a^2 - b^2}}\right) - \frac{\cos[c + d*x]}{b*d}$

Rubi [A] time = 0.106451, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2746, 12, 2735, 2660, 618, 204}

$$\frac{2a^2 \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}} \right)}{b^2 d \sqrt{a^2-b^2}} - \frac{ax}{b^2} - \frac{\cos(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Sin[c + d*x]^2/(a + b*SIN[c + d*x]),x]

[Out] $-\left(\frac{a*x}{b^2}\right) + \left(\frac{2*a^2*ArcTan\left[\frac{b + a*\Tan\left[\frac{c + d*x}{2}\right]}{\sqrt{a^2 - b^2}}\right]}{b^2*\sqrt{a^2 - b^2}*d}\right) - \frac{\cos[c + d*x]}{b*d}$

Rule 2746

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[(b^2*Cos[e + f*x])/(d*f), x] + Dist[1/d, Int[Simp[a^2*d - b*(b*c - 2*a*d)*Sin[e + f*x], x]/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},
```

$x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a + b \cdot x) \cdot (x^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] \ /; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(c + dx)}{a + b \sin(c + dx)} dx &= -\frac{\cos(c + dx)}{bd} - \frac{\int \frac{a \sin(c + dx)}{a + b \sin(c + dx)} dx}{b} \\ &= -\frac{\cos(c + dx)}{bd} - \frac{a \int \frac{\sin(c + dx)}{a + b \sin(c + dx)} dx}{b} \\ &= -\frac{ax}{b^2} - \frac{\cos(c + dx)}{bd} + \frac{a^2 \int \frac{1}{a + b \sin(c + dx)} dx}{b^2} \\ &= -\frac{ax}{b^2} - \frac{\cos(c + dx)}{bd} + \frac{(2a^2) \text{Subst}\left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b^2 d} \\ &= -\frac{ax}{b^2} - \frac{\cos(c + dx)}{bd} - \frac{(4a^2) \text{Subst}\left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan\left(\frac{1}{2}(c + dx)\right)\right)}{b^2 d} \\ &= -\frac{ax}{b^2} + \frac{2a^2 \tan^{-1}\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a^2 - b^2}}\right)}{b^2 \sqrt{a^2 - b^2} d} - \frac{\cos(c + dx)}{bd} \end{aligned}$$

Mathematica [A] time = 0.179816, size = 71, normalized size = 0.95

$$\frac{2a^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c + dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{\sqrt{a^2 - b^2}} + a(c + dx) + b \cos(c + dx)$$

$$\frac{\hspace{10em}}{b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]^2/(a + b*SIN[c + d*x]),x]

[Out] -((a*(c + d*x) - (2*a^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + b*COS[c + d*x])/(b^2*d)

Maple [A] time = 0.027, size = 96, normalized size = 1.3

$$-2 \frac{1}{bd(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{a \arctan(\tan(1/2 dx + c/2))}{b^2 d} + 2 \frac{a^2}{b^2 d \sqrt{a^2 - b^2}} \arctan\left(1/2 \frac{2a \tan(1/2 dx + c/2)}{\sqrt{a^2 - b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] -2/d/b/(1+tan(1/2*d*x+1/2*c)^2)-2/d/b^2*a*arctan(tan(1/2*d*x+1/2*c))+2/d/b^2/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))*

a^2

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 1.87542, size = 609, normalized size = 8.12

$$\left[\frac{\sqrt{-a^2 + b^2} a^2 \log\left(\frac{(2a^2 - b^2) \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2 + 2(a \cos(dx+c) \sin(dx+c) + b \cos(dx+c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2}\right) + 2(a^3 - ab^2)dx + 2(a^2b - ab^3)}{2(a^2b^2 - b^4)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $[-1/2*(\sqrt{-a^2 + b^2})a^2*\log(((2*a^2 - b^2)*\cos(d*x + c)^2 - 2*a*b*\sin(d*x + c) - a^2 - b^2 + 2*(a*\cos(d*x + c)*\sin(d*x + c) + b*\cos(d*x + c))*\sqrt{-a^2 + b^2}))/ (b^2*\cos(d*x + c)^2 - 2*a*b*\sin(d*x + c) - a^2 - b^2) + 2*(a^3 - a*b^2)*d*x + 2*(a^2*b - b^3)*\cos(d*x + c))/((a^2*b^2 - b^4)*d), -(\sqrt{a^2 - b^2})a^2*\arctan(-(a*\sin(d*x + c) + b)/(\sqrt{a^2 - b^2}*\cos(d*x + c)))/((a^2*b^2 - b^4)*d) + (a^3 - a*b^2)*d*x + (a^2*b - b^3)*\cos(d*x + c))/((a^2*b^2 - b^4)*d)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.12139, size = 134, normalized size = 1.79

$$\frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right) \right)^2}{\sqrt{a^2 - b^2} b^2} - \frac{(dx+c)a}{b^2} - \frac{2}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right) b}$$

d

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] (2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))*a^2/(sqrt(a^2 - b^2)*b^2) - (d*x + c)*a/b^2 - 2/((tan(1/2*d*x + 1/2*c)^2 + 1)*b))/d
```

$$3.228 \quad \int \frac{(e+fx)^3 \sin^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=802

$$\frac{(e+fx)^4}{8bf} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{a \cos(c+dx)(e+fx)^3}{b^2d} + \frac{ia^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)(e+fx)^3}{b^3\sqrt{a^2-b^2}d} - \frac{ia^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)(e+fx)^3}{b^3\sqrt{a^2-b^2}d}$$

```
[Out] (-3*e*f^2*x)/(4*b*d^2) - (3*f^3*x^2)/(8*b*d^2) + (a^2*(e+f*x)^4)/(4*b^3*f)
+ (e+f*x)^4/(8*b*f) - (6*a*f^2*(e+f*x)*Cos[c+d*x])/(b^2*d^3) + (a*(e+f*x)^3*Cos[c+d*x])/(b^2*d)
+ (I*a^3*(e+f*x)^3*Log[1 - (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d)
- (I*a^3*(e+f*x)^3*Log[1 - (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d)
+ (3*a^3*f*(e+f*x)^2*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^2)
- (3*a^3*f*(e+f*x)^2*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^2)
+ ((6*I)*a^3*f^2*(e+f*x)*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^3)
- ((6*I)*a^3*f^2*(e+f*x)*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^3)
- (6*a^3*f^3*PolyLog[4, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^4)
+ (6*a^3*f^3*PolyLog[4, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^4)
+ (6*a*f^3*Sin[c+d*x])/(b^2*d^4) - (3*a*f*(e+f*x)^2*Sin[c+d*x])/(b^2*d^2)
+ (3*f^2*(e+f*x)*Cos[c+d*x]*Sin[c+d*x])/(4*b*d^3) - ((e+f*x)^3*Cos[c+d*x]*Sin[c+d*x])/(2*b*d)
- (3*f^3*Sin[c+d*x]^2)/(8*b*d^4) + (3*f*(e+f*x)^2*Sin[c+d*x]^2)/(4*b*d^2)
```

Rubi [A] time = 1.3412, antiderivative size = 802, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4515, 3311, 32, 3310, 3296, 2637, 3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$\frac{(e+fx)^4}{8bf} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{a \cos(c+dx)(e+fx)^3}{b^2d} + \frac{ia^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)(e+fx)^3}{b^3\sqrt{a^2-b^2}d} - \frac{ia^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)(e+fx)^3}{b^3\sqrt{a^2-b^2}d}$$

Antiderivative was successfully verified.

```
[In] Int[((e+f*x)^3*Sin[c+d*x]^3)/(a+b*Sin[c+d*x]),x]
```

```
[Out] (-3*e*f^2*x)/(4*b*d^2) - (3*f^3*x^2)/(8*b*d^2) + (a^2*(e+f*x)^4)/(4*b^3*f)
+ (e+f*x)^4/(8*b*f) - (6*a*f^2*(e+f*x)*Cos[c+d*x])/(b^2*d^3) + (a*(e+f*x)^3*Cos[c+d*x])/(b^2*d)
+ (I*a^3*(e+f*x)^3*Log[1 - (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d)
- (I*a^3*(e+f*x)^3*Log[1 - (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d)
+ (3*a^3*f*(e+f*x)^2*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^2)
- (3*a^3*f*(e+f*x)^2*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^2)
+ ((6*I)*a^3*f^2*(e+f*x)*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^3)
- ((6*I)*a^3*f^2*(e+f*x)*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^3)
- (6*a^3*f^3*PolyLog[4, (I*b*E^(I*(c+d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^4)
+ (6*a^3*f^3*PolyLog[4, (I*b*E^(I*(c+d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d^4)
+ (6*a*f^3*Sin[c+d*x])/(b^2*d^4) - (3*a*f*(e+f*x)^2*Sin[c+d*x])/(b^2*d^2)
+ (3*f^2*(e+f*x)*Cos[c+d*x]*Sin[c+d*x])/(4*b*d^3) - ((e+f*x)^3*Cos[c+d*x]*Sin[c+d*x])/(2*b*d)
- (3*f^3*Sin[c+d*x]^2)/(8*b*d^4) + (3*f*(e+f*x)^2*Sin[c+d*x]^2)/(4*b*d^2)
```

Rule 4515

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*SIN[c + d*x]^(n - 1), x], x] - Dist[a/b, Int[((e + f*x)^m*SIN[c + d*x]^(n - 1))/(a + b*SIN[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 3311

Int[((c_.) + (d_.)*(x_.))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[SIN[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3323

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.), x_Symbol] := Simp

```

[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Dist
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 6609

```

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin^3(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^3 \sin^2(c+dx) dx}{b} - \frac{a \int \frac{(e+fx)^3 \sin^2(c+dx)}{a+b \sin(c+dx)} dx}{b} \\
&= -\frac{(e+fx)^3 \cos(c+dx) \sin(c+dx)}{2bd} + \frac{3f(e+fx)^2 \sin^2(c+dx)}{4bd^2} - \frac{a \int (e+fx)^3 \sin(c+dx)}{b^2} \\
&= \frac{(e+fx)^4}{8bf} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2d} + \frac{3f^2(e+fx) \cos(c+dx) \sin(c+dx)}{4bd^3} - \frac{(e+fx)^3 c}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2d} - \frac{3af(e+fx)^2 \sin(c+dx)}{b^2d^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2} \\
&= -\frac{3ef^2x}{4bd^2} - \frac{3f^3x^2}{8bd^2} + \frac{a^2(e+fx)^4}{4b^3f} + \frac{(e+fx)^4}{8bf} - \frac{6af^2(e+fx) \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^3 \cos(c+dx)}{b^2}
\end{aligned}$$

Mathematica [B] time = 5.50605, size = 1923, normalized size = 2.4

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sin[c + d*x]^3)/(a + b*Sin[c + d*x]),x]

[Out] (16*a^2*Sqrt[-(a^2 - b^2)^2]*d^4*e^3*x + 8*b^2*Sqrt[-(-a^2 + b^2)^2]*d^4*e^3*x + 24*a^2*Sqrt[-(a^2 - b^2)^2]*d^4*e^2*f*x^2 + 12*b^2*Sqrt[-(-a^2 + b^2)^2]*d^4*e^2*f*x^2 + 16*a^2*Sqrt[-(a^2 - b^2)^2]*d^4*e*f^2*x^3 + 8*b^2*Sqrt[-(-a^2 + b^2)^2]*d^4*e*f^2*x^3 + 4*a^2*Sqrt[-(a^2 - b^2)^2]*d^4*f^3*x^4 + 2*b^2*Sqrt[-(-a^2 + b^2)^2]*d^4*f^3*x^4 - 32*a^3*Sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 16*a*b*Sqrt[-(a^2 - b^2)^2]*d^3*e^3*Cos[c + d*x] - 96*a*b*Sqrt[-(a^2 - b^2)^2]*d*e*f^2*Cos[c + d*x] + 48*a*b*Sqrt[-(a^2 - b^2)^2]*d^3*e^2*f*x*Cos[c + d*x] - 96*a*b*Sqrt[-(a^2 - b^2)^2]*d*f^3*x*Cos[c + d*x] + 48*a*b*Sqrt[-(a^2 - b^2)^2]*d^3*e*f^2*x^2*Cos[c + d*x] + 16*a*b*Sqrt[-(a^2 - b^2)^2]*d^3*f^3*x^3*Cos[c + d*x] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*e^2*f*Cos[2*(c + d*x)] + 3*b^2*Sqrt[-(a^2 - b^2)^2]*f^3*Cos[2*(c + d*x)] - 12*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*e*f^2*x*Cos[2*(c + d*x)] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*f^3*x^2*Cos[2*(c + d*x)] - 48*a^3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 48*a^3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 16*a^3*Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 48*a^3*Sqrt[a^2 - b^2]*

$$d^3 e^{2fx} \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + 48a^3 \sqrt{a^2 - b^2} d^3 e^{f^2 x^2} \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + 16a^3 \sqrt{a^2 - b^2} d^3 f^3 x^3 \text{Log}\left[1 + \frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + (48I)a^3 \sqrt{a^2 - b^2} d^2 f(e + fx)^2 \text{PolyLog}\left[2, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] - (48I)a^3 \sqrt{a^2 - b^2} d^2 f(e + fx)^2 \text{PolyLog}\left[2, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - 96a^3 \sqrt{a^2 - b^2} d e f^2 \text{PolyLog}\left[3, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] - 96a^3 \sqrt{a^2 - b^2} d f^3 x \text{PolyLog}\left[3, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + 96a^3 \sqrt{a^2 - b^2} d e f^2 \text{PolyLog}\left[3, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] + 96a^3 \sqrt{a^2 - b^2} d f^3 x \text{PolyLog}\left[3, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - (96I)a^3 \sqrt{a^2 - b^2} f^3 \text{PolyLog}\left[4, \frac{bE^{I(c+dx)}}{(-I)a + \sqrt{-a^2 + b^2}}\right] + (96I)a^3 \sqrt{a^2 - b^2} f^3 \text{PolyLog}\left[4, -\frac{bE^{I(c+dx)}}{Ia + \sqrt{-a^2 + b^2}}\right] - 48ab \sqrt{-(a^2 - b^2)^2} d^2 e^2 f \sin[c + dx] + 96ab \sqrt{-(a^2 - b^2)^2} f^3 \sin[c + dx] - 96ab \sqrt{-(a^2 - b^2)^2} d^2 e f^2 x \sin[c + dx] - 48ab \sqrt{-(a^2 - b^2)^2} d^2 f^3 x^2 \sin[c + dx] - 4b^2 \sqrt{-(a^2 - b^2)^2} d^3 e^3 \sin[2(c + dx)] + 6b^2 \sqrt{-(a^2 - b^2)^2} d e f^2 \sin[2(c + dx)] - 12b^2 \sqrt{-(a^2 - b^2)^2} d^3 e^2 f x \sin[2(c + dx)] + 6b^2 \sqrt{-(a^2 - b^2)^2} d^2 f^3 x \sin[2(c + dx)] - 12b^2 \sqrt{-(a^2 - b^2)^2} d^3 e f^2 x^2 \sin[2(c + dx)] - 4b^2 \sqrt{-(a^2 - b^2)^2} d^3 f^3 x^3 \sin[2(c + dx)] / (16b^3 \sqrt{-(a^2 - b^2)^2} d^4)$$

Maple [F] time = 0.207, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\sin(dx + c))^3}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(d*x+c)^3/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*sin(d*x+c)^3/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 5.39924, size = 6724, normalized size = 8.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

```

[Out] 1/8*((2*a^4 - a^2*b^2 - b^4)*d^4*f^3*x^4 + 4*(2*a^4 - a^2*b^2 - b^4)*d^4*e*
f^2*x^3 + 24*I*a^3*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d
*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a
^2 - b^2)/b^2))/b) - 24*I*a^3*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(
2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c
))*sqrt(-(a^2 - b^2)/b^2))/b) + 24*I*a^3*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polyl
og(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2))/b) - 24*I*a^3*b*f^3*sqrt(-(a^2 - b^2)/b^2)*pol
ylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x
+ c))*sqrt(-(a^2 - b^2)/b^2))/b) + 3*(2*(2*a^4 - a^2*b^2 - b^4)*d^4*e^2*f
+ (a^2*b^2 - b^4)*d^2*f^3)*x^2 - 3*(2*(a^2*b^2 - b^4)*d^2*f^3*x^2 + 4*(a^2*
b^2 - b^4)*d^2*e*f^2*x + 2*(a^2*b^2 - b^4)*d^2*e^2*f - (a^2*b^2 - b^4)*f^3)
*cos(d*x + c)^2 - 2*(6*I*a^3*b*d^2*f^3*x^2 + 12*I*a^3*b*d^2*e*f^2*x + 6*I*a
^3*b*d^2*e^2*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a
*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2
) + 2*b)/b + 1) - 2*(-6*I*a^3*b*d^2*f^3*x^2 - 12*I*a^3*b*d^2*e*f^2*x - 6*I*
a^3*b*d^2*e^2*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*
a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^
2) + 2*b)/b + 1) - 2*(-6*I*a^3*b*d^2*f^3*x^2 - 12*I*a^3*b*d^2*e*f^2*x - 6*I
*a^3*b*d^2*e^2*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) +
2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/
b^2) + 2*b)/b + 1) - 2*(6*I*a^3*b*d^2*f^3*x^2 + 12*I*a^3*b*d^2*e*f^2*x + 6*
I*a^3*b*d^2*e^2*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) +
2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
/b^2) + 2*b)/b + 1) - 4*(a^3*b*d^3*e^3 - 3*a^3*b*c*d^2*e^2*f + 3*a^3*b*c^2*
d*e*f^2 - a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*
b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 4*(a^3*b*d^3*e^3 - 3
*a^3*b*c*d^2*e^2*f + 3*a^3*b*c^2*d*e*f^2 - a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)
/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2
) - 2*I*a) + 4*(a^3*b*d^3*e^3 - 3*a^3*b*c*d^2*e^2*f + 3*a^3*b*c^2*d*e*f^2 -
a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*
x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 4*(a^3*b*d^3*e^3 - 3*a^3*b*c
*d^2*e^2*f + 3*a^3*b*c^2*d*e*f^2 - a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*lo
g(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I
*a) - 4*(a^3*b*d^3*f^3*x^3 + 3*a^3*b*d^3*e*f^2*x^2 + 3*a^3*b*d^3*e^2*f*x +
3*a^3*b*c*d^2*e^2*f - 3*a^3*b*c^2*d*e*f^2 + a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2
)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) -
I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 4*(a^3*b*d^3*f^3*x^3
+ 3*a^3*b*d^3*e*f^2*x^2 + 3*a^3*b*d^3*e^2*f*x + 3*a^3*b*c*d^2*e^2*f - 3*a^3
*b*c^2*d*e*f^2 + a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d
*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a
^2 - b^2)/b^2) + 2*b)/b) - 4*(a^3*b*d^3*f^3*x^3 + 3*a^3*b*d^3*e*f^2*x^2 + 3
*a^3*b*d^3*e^2*f*x + 3*a^3*b*c*d^2*e^2*f - 3*a^3*b*c^2*d*e*f^2 + a^3*b*c^3*
f^3)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c)
+ 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) +
4*(a^3*b*d^3*f^3*x^3 + 3*a^3*b*d^3*e*f^2*x^2 + 3*a^3*b*d^3*e^2*f*x + 3*a^3
*b*c*d^2*e^2*f - 3*a^3*b*c^2*d*e*f^2 + a^3*b*c^3*f^3)*sqrt(-(a^2 - b^2)/b^2
)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b
*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 24*(a^3*b*d*f^3*x + a^3*b
*d*e*f^2)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*s
in(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))
/b) - 24*(a^3*b*d*f^3*x + a^3*b*d*e*f^2)*sqrt(-(a^2 - b^2)/b^2)*polylog(3,
1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*
x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 24*(a^3*b*d*f^3*x + a^3*b*d*e*f^2)*sq
rt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos
(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 24*(a^3*b*d*f^3*
x + a^3*b*d*e*f^2)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a
*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))
/b) + 2*(2*(2*a^4 - a^2*b^2 - b^4)*d^4*e^3 + 3*(a^2*b^2 - b^4)*d^2*e*f^2)*x

```

$$+ 8*((a^3*b - a*b^3)*d^3*f^3*x^3 + 3*(a^3*b - a*b^3)*d^3*e*f^2*x^2 + (a^3*b - a*b^3)*d^3*e^3 - 6*(a^3*b - a*b^3)*d*e*f^2 + 3*((a^3*b - a*b^3)*d^3*e^2*f - 2*(a^3*b - a*b^3)*d*f^3)*x)*\cos(dx + c) - 2*(12*(a^3*b - a*b^3)*d^2*f^3*x^2 + 24*(a^3*b - a*b^3)*d^2*e*f^2*x + 12*(a^3*b - a*b^3)*d^2*e^2*f - 24*(a^3*b - a*b^3)*f^3 + (2*(a^2*b^2 - b^4)*d^3*f^3*x^3 + 6*(a^2*b^2 - b^4)*d^3*e*f^2*x^2 + 2*(a^2*b^2 - b^4)*d^3*e^3 - 3*(a^2*b^2 - b^4)*d*e*f^2 + 3*(2*(a^2*b^2 - b^4)*d^3*e^2*f - (a^2*b^2 - b^4)*d*f^3)*x)*\cos(dx + c))*\sin(dx + c))/((a^2*b^3 - b^5)*d^4)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)^3/(b*sin(d*x + c) + a), x)

$$3.229 \quad \int \frac{(e+fx)^2 \sin^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=592

$$\frac{2a^3 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d^2 \sqrt{a^2-b^2}} - \frac{2a^3 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3 d^2 \sqrt{a^2-b^2}} + \frac{2ia^3 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d^3 \sqrt{a^2-b^2}} - \frac{2ia^3 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3 d^3 \sqrt{a^2-b^2}}$$

[Out] $-(f^2*x)/(4*b*d^2) + (a^2*(e+f*x)^3)/(3*b^3*f) + (e+f*x)^3/(6*b*f) - (2*a*f^2*\text{Cos}[c+d*x])/(b^2*d^3) + (a*(e+f*x)^2*\text{Cos}[c+d*x])/(b^2*d) + (I*a^3*(e+f*x)^2*\text{Log}[1-(I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d) - (I*a^3*(e+f*x)^2*\text{Log}[1-(I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d) + (2*a^3*f*(e+f*x)*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^2) - (2*a^3*f*(e+f*x)*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^2) + ((2*I)*a^3*f^2*\text{PolyLog}[3, (I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^3) - ((2*I)*a^3*f^2*\text{PolyLog}[3, (I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^3) - (2*a*f*(e+f*x)*\text{Sin}[c+d*x])/(b^2*d^2) + (f^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/((4*b*d^3) - ((e+f*x)^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(2*b*d) + (f*(e+f*x)*\text{Sin}[c+d*x]^2)/(2*b*d^2)$

Rubi [A] time = 1.18028, antiderivative size = 592, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4515, 3311, 32, 2635, 8, 3296, 2638, 3323, 2264, 2190, 2531, 2282, 6589}

$$\frac{2a^3 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d^2 \sqrt{a^2-b^2}} - \frac{2a^3 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3 d^2 \sqrt{a^2-b^2}} + \frac{2ia^3 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d^3 \sqrt{a^2-b^2}} - \frac{2ia^3 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3 d^3 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e+f*x)^2*\text{Sin}[c+d*x]^3/(a+b*\text{Sin}[c+d*x]), x]$

[Out] $-(f^2*x)/(4*b*d^2) + (a^2*(e+f*x)^3)/(3*b^3*f) + (e+f*x)^3/(6*b*f) - (2*a*f^2*\text{Cos}[c+d*x])/(b^2*d^3) + (a*(e+f*x)^2*\text{Cos}[c+d*x])/(b^2*d) + (I*a^3*(e+f*x)^2*\text{Log}[1-(I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d) - (I*a^3*(e+f*x)^2*\text{Log}[1-(I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d) + (2*a^3*f*(e+f*x)*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^2) - (2*a^3*f*(e+f*x)*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^2) + ((2*I)*a^3*f^2*\text{PolyLog}[3, (I*b*E^(I*(c+d*x)))/(a-\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^3) - ((2*I)*a^3*f^2*\text{PolyLog}[3, (I*b*E^(I*(c+d*x)))/(a+\text{Sqrt}[a^2-b^2])])/(b^3*\text{Sqrt}[a^2-b^2]*d^3) - (2*a*f*(e+f*x)*\text{Sin}[c+d*x])/(b^2*d^2) + (f^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/((4*b*d^3) - ((e+f*x)^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(2*b*d) + (f*(e+f*x)*\text{Sin}[c+d*x]^2)/(2*b*d^2)$

Rule 4515

$\text{Int}[(e + f*x)^m * \text{Sin}[c + d*x]^n] / ((a + b*\text{Sin}[c + d*x]), x_Symbol] \rightarrow \text{Dist}[1/b, \text{Int}[(e + f*x)^m * \text{Sin}[c + d*x]^{n-1}, x], x] - \text{Dist}[a/b, \text{Int}[(e + f*x)^m * \text{Sin}[c + d*x]^{n-1} / (a + b*\text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0]$

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:= Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)*((c_.) + (d_.)*(x_))^(m_))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x
)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^2 \sin^3(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^2 \sin^2(c+dx) dx}{b} - \frac{a \int \frac{(e+fx)^2 \sin^2(c+dx)}{a+b \sin(c+dx)} dx}{b} \\ &= -\frac{(e+fx)^2 \cos(c+dx) \sin(c+dx)}{2bd} + \frac{f(e+fx) \sin^2(c+dx)}{2bd^2} - \frac{a \int (e+fx)^2 \sin(c+dx)}{b^2} \\ &= \frac{(e+fx)^3}{6bf} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} + \frac{f^2 \cos(c+dx) \sin(c+dx)}{4bd^3} - \frac{(e+fx)^2 \cos(c+dx)}{2bd} \\ &= -\frac{f^2x}{4bd^2} + \frac{a^2(e+fx)^3}{3b^3f} + \frac{(e+fx)^3}{6bf} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} - \frac{2af(e+fx) \sin(c+dx)}{b^2d^2} \\ &= -\frac{f^2x}{4bd^2} + \frac{a^2(e+fx)^3}{3b^3f} + \frac{(e+fx)^3}{6bf} - \frac{2af^2 \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} - \frac{2af(e+fx) \sin(c+dx)}{b^2d^2} \\ &= -\frac{f^2x}{4bd^2} + \frac{a^2(e+fx)^3}{3b^3f} + \frac{(e+fx)^3}{6bf} - \frac{2af^2 \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} + \frac{ia^3(e+fx) \sin(c+dx)}{b^2d^2} \\ &= -\frac{f^2x}{4bd^2} + \frac{a^2(e+fx)^3}{3b^3f} + \frac{(e+fx)^3}{6bf} - \frac{2af^2 \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} + \frac{ia^3(e+fx) \sin(c+dx)}{b^2d^2} \\ &= -\frac{f^2x}{4bd^2} + \frac{a^2(e+fx)^3}{3b^3f} + \frac{(e+fx)^3}{6bf} - \frac{2af^2 \cos(c+dx)}{b^2d^3} + \frac{a(e+fx)^2 \cos(c+dx)}{b^2d} + \frac{ia^3(e+fx) \sin(c+dx)}{b^2d^2} \end{aligned}$$

Mathematica [A] time = 4.43864, size = 1166, normalized size = 1.97

$$-48\sqrt{b^2 - a^2}d^2e^2 \tan^{-1}\left(\frac{ia+be^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)a^3 - 24\sqrt{a^2 - b^2}d^2f^2x^2 \log\left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2-ia}}\right)a^3 - 48\sqrt{a^2 - b^2}d^2efx \log\left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2-ia}}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^2*Sin[c + d*x]^3)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (24*a^2*Sqrt[-(a^2 - b^2)^2]*d^3*e^2*x + 12*b^2*Sqrt[-(-a^2 + b^2)^2]*d^3*e^2*x + 24*a^2*Sqrt[-(a^2 - b^2)^2]*d^3*e*f*x^2 + 12*b^2*Sqrt[-(-a^2 + b^2)^2]*d^3*e*f*x^2 + 8*a^2*Sqrt[-(a^2 - b^2)^2]*d^3*f^2*x^3 + 4*b^2*Sqrt[-(-a^2 + b^2)^2]*d^3*f^2*x^3 - 48*a^3*Sqrt[-a^2 + b^2]*d^2*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 24*a*b*Sqrt[-(a^2 - b^2)^2]*d^2*e^2*Cos[c + d*x] - 48*a*b*Sqrt[-(a^2 - b^2)^2]*f^2*Cos[c + d*x] + 48*a*b*Sqrt[-(a^2 - b^2)^2]*d^2*e*f*x*Cos[c + d*x] + 24*a*b*Sqrt[-(a^2 - b^2)^2]*d^2*f^2*x^2*Cos[c + d*x] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d*e*f*Cos[2*(c + d*x)] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d*f^2*x*Cos[2*(c + d*x)] - 48*a^3*Sqrt[a^2 - b^2]*d^2*e*f*x*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 24*a^3*Sqrt[a^2 - b^2]*d^2*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 48*a^3*Sqrt[a^2 - b^2]*d^2*e*f*x*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] + 24*a^3*Sqrt[a^2 - b^2]*d^2*f^2*x^2*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] + (48*I)*a^3*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - (48*I)*a^3*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))] - 48*a^3*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 48*a^3*Sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))] - 48*a*b*Sqrt[-(a^2 - b^2)^2]*d*e*f*Sin[c + d*x] - 48*a*b*Sqrt[-(a^2 - b^2)^2]*d*f^2*x*Sin[c + d*x] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*e^2*Sin[2*(c + d*x)] + 3*b^2*Sqrt[-(a^2 - b^2)^2]*f^2*Sin[2*(c + d*x)] - 12*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*e*f*x*Sin[2*(c + d*x)] - 6*b^2*Sqrt[-(a^2 - b^2)^2]*d^2*f^2*x^2*Sin[2*(c + d*x)]/(24*b^3*Sqrt[-(a^2 - b^2)^2]*d^3)
```

Maple [F] time = 0.388, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\sin(dx + c))^3}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sin(d*x+c)^3/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*sin(d*x+c)^3/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 4.03307, size = 4691, normalized size = 7.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/12*(2*(2*a^4 - a^2*b^2 - b^4)*d^3*f^2*x^3 + 6*(2*a^4 - a^2*b^2 - b^4)*d^3
*e*f*x^2 + 12*a^3*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*
x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^
2 - b^2)/b^2))/b) - 12*a^3*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I
*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2))/b) - 12*a^3*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3,
-(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2))/b) + 12*a^3*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3,
-(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2))/b) - 6*((a^2*b^2 - b^4)*d*f^2*x + (a^2*b^2 - b^4)*d
*e*f)*cos(d*x + c)^2 - 2*(6*I*a^3*b*d*f^2*x + 6*I*a^3*b*d*e*f)*sqrt(-(a^2 -
b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x
+ c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(-6*I*a^
3*b*d*f^2*x - 6*I*a^3*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos
(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-
(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(-6*I*a^3*b*d*f^2*x - 6*I*a^3*b*d*e*f)*s
qrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) +
2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)
- 2*(6*I*a^3*b*d*f^2*x + 6*I*a^3*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2
*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x
+ c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 6*(a^3*b*d^2*e^2 - 2*a^3*b*c*d
*e*f + a^3*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*s
in(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 6*(a^3*b*d^2*e^2 - 2*a^
3*b*c*d*e*f + a^3*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) -
2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 6*(a^3*b*d^2*e^2
- 2*a^3*b*c*d*e*f + a^3*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x
+ c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 6*(a^3*b
*d^2*e^2 - 2*a^3*b*c*d*e*f + a^3*b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b
*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) -
6*(a^3*b*d^2*f^2*x^2 + 2*a^3*b*d^2*e*f*x + 2*a^3*b*c*d*e*f - a^3*b*c^2*f^2)
*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*
(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 6*(a
^3*b*d^2*f^2*x^2 + 2*a^3*b*d^2*e*f*x + 2*a^3*b*c*d*e*f - a^3*b*c^2*f^2)*sqr
t(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*c
os(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 6*(a^3*b
*d^2*f^2*x^2 + 2*a^3*b*d^2*e*f*x + 2*a^3*b*c*d*e*f - a^3*b*c^2*f^2)*sqrt(-
(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(
d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 6*(a^3*b*d^
2*f^2*x^2 + 2*a^3*b*d^2*e*f*x + 2*a^3*b*c*d*e*f - a^3*b*c^2*f^2)*sqrt(-(a^
2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x
+ c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 3*(2*(2*a^4 -
a^2*b^2 - b^4)*d^3*e^2 + (a^2*b^2 - b^4)*d*f^2)*x + 12*((a^3*b - a*b^3)*d^2
*f^2*x^2 + 2*(a^3*b - a*b^3)*d^2*e*f*x + (a^3*b - a*b^3)*d^2*e^2 - 2*(a^3*b
- a*b^3)*f^2)*cos(d*x + c) - 3*(8*(a^3*b - a*b^3)*d*f^2*x + 8*(a^3*b - a*b
^3)*d*e*f + (2*(a^2*b^2 - b^4)*d^2*f^2*x^2 + 4*(a^2*b^2 - b^4)*d^2*e*f*x +
2*(a^2*b^2 - b^4)*d^2*e^2 - (a^2*b^2 - b^4)*f^2)*cos(d*x + c))*sin(d*x + c)
)/((a^2*b^3 - b^5)*d^3)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)^3/(b*sin(d*x + c) + a), x)

3.230 $\int \frac{(e+fx) \sin^3(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=382

$$\frac{a^3 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d^2 \sqrt{a^2 - b^2}} - \frac{a^3 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d^2 \sqrt{a^2 - b^2}} + \frac{i a^3 (e + f x) \log\left(1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d \sqrt{a^2 - b^2}} - \frac{i a^3 (e + f x) \log\left(1 - \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2}}\right)}{b^3 d \sqrt{a^2 - b^2}}$$

```
[Out] (a^2*e*x)/b^3 + (e*x)/(2*b) + (a^2*f*x^2)/(2*b^3) + (f*x^2)/(4*b) + (a*(e +
f*x)*Cos[c + d*x])/(b^2*d) + (I*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))
)/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d) - (I*a^3*(e + f*x)*Log[1
- (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d) + (
a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^
2 - b^2]*d^2) - (a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2
])])/(b^3*Sqrt[a^2 - b^2]*d^2) - (a*f*Sin[c + d*x])/(b^2*d^2) - ((e + f*x)*
Cos[c + d*x]*Sin[c + d*x])/(2*b*d) + (f*Sin[c + d*x]^2)/(4*b*d^2)
```

Rubi [A] time = 0.665739, antiderivative size = 382, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4515, 3310, 3296, 2637, 3323, 2264, 2190, 2279, 2391}

$$\frac{a^3 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d^2 \sqrt{a^2 - b^2}} - \frac{a^3 f \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d^2 \sqrt{a^2 - b^2}} + \frac{i a^3 (e + f x) \log\left(1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d \sqrt{a^2 - b^2}} - \frac{i a^3 (e + f x) \log\left(1 - \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2}}\right)}{b^3 d \sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sin[c + d*x]^3)/(a + b*SIN[c + d*x]),x]
```

```
[Out] (a^2*e*x)/b^3 + (e*x)/(2*b) + (a^2*f*x^2)/(2*b^3) + (f*x^2)/(4*b) + (a*(e +
f*x)*Cos[c + d*x])/(b^2*d) + (I*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))
)/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d) - (I*a^3*(e + f*x)*Log[1
- (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^2 - b^2]*d) + (
a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*Sqrt[a^
2 - b^2]*d^2) - (a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2
])])/(b^3*Sqrt[a^2 - b^2]*d^2) - (a*f*Sin[c + d*x])/(b^2*d^2) - ((e + f*x)*
Cos[c + d*x]*Sin[c + d*x])/(2*b*d) + (f*Sin[c + d*x]^2)/(4*b*d^2)
```

Rule 4515

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sin[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/b, Int[(e + f*x)^m*Sin[c +
d*x]^(n - 1), x], x] - Dist[a/b, Int[(((e + f*x)^m*Sin[c + d*x]^(n - 1))/(a
+ b*SIN[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &&
IGtQ[n, 0]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :=
Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\sin^3(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int (e+fx)\sin^2(c+dx) dx}{b} - \frac{a \int \frac{(e+fx)\sin^2(c+dx)}{a+b\sin(c+dx)} dx}{b} \\
&= -\frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} + \frac{f\sin^2(c+dx)}{4bd^2} - \frac{a \int (e+fx)\sin(c+dx) dx}{b^2} + \frac{a^2 \int \frac{\sin^2(c+dx)}{a+b\sin(c+dx)} dx}{b^2} \\
&= \frac{ex}{2b} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} + \frac{f\sin^2(c+dx)}{4bd^2} \\
&= \frac{a^2ex}{b^3} + \frac{ex}{2b} + \frac{a^2fx^2}{2b^3} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} - \frac{af\sin(c+dx)}{b^2d^2} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} \\
&= \frac{a^2ex}{b^3} + \frac{ex}{2b} + \frac{a^2fx^2}{2b^3} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} - \frac{af\sin(c+dx)}{b^2d^2} - \frac{(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} \\
&= \frac{a^2ex}{b^3} + \frac{ex}{2b} + \frac{a^2fx^2}{2b^3} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} + \frac{ia^3(e+fx)\log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3\sqrt{a^2-b^2}d} - \frac{i(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} \\
&= \frac{a^2ex}{b^3} + \frac{ex}{2b} + \frac{a^2fx^2}{2b^3} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} + \frac{ia^3(e+fx)\log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3\sqrt{a^2-b^2}d} - \frac{i(e+fx)\cos(c+dx)\sin(c+dx)}{2bd} \\
&= \frac{a^2ex}{b^3} + \frac{ex}{2b} + \frac{a^2fx^2}{2b^3} + \frac{fx^2}{4b} + \frac{a(e+fx)\cos(c+dx)}{b^2d} + \frac{ia^3(e+fx)\log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3\sqrt{a^2-b^2}d} - \frac{i(e+fx)\cos(c+dx)\sin(c+dx)}{2bd}
\end{aligned}$$

Mathematica [A] time = 8.03769, size = 752, normalized size = 1.97

$$8a^3d(e+fx) \left(\frac{\operatorname{if}\left(\operatorname{PolyLog}\left[2, \frac{a(1-i\tan(\frac{1}{2}(c+dx)))}{a+i(\sqrt{b^2-a^2}+b)}\right)\right)+\log(1-i\tan(\frac{1}{2}(c+dx)))\log\left(\frac{\sqrt{b^2-a^2}+a\tan(\frac{1}{2}(c+dx))+b}{\sqrt{b^2-a^2}-ia+b}\right)}{\sqrt{b^2-a^2}} \right) + \frac{\operatorname{if}\left(\operatorname{PolyLog}\left[2, \frac{a(1+i\tan(\frac{1}{2}(c+dx)))}{a-i(\sqrt{b^2-a^2}+b)}\right)\right)+\log(1+i\tan(\frac{1}{2}(c+dx)))\log\left(\frac{\sqrt{b^2-a^2}-a\tan(\frac{1}{2}(c+dx))-b}{\sqrt{b^2-a^2}+ia-b}\right)}{\sqrt{b^2-a^2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Sin[c + d*x]^3)/(a + b*SIN[c + d*x]),x]

[Out] $-(2*(2*a^2 + b^2)*(c + d*x)*(c*f - d*(2*e + f*x)) - 8*a*b*d*(e + f*x)*\cos[c + d*x] + b^2*f*\cos[2*(c + d*x)] + (8*a^3*d*(e + f*x)*((2*(d*e - c*f)*\operatorname{ArcTan}[(b + a*\tan[(c + d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2] - (I*f*(\log[1 - I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/((-1)*a + b + sqrt[-a^2 + b^2])] + \operatorname{PolyLog}[2, (a*(1 - I*\tan[(c + d*x)/2]))/(a + I*(b + sqrt[-a^2 + b^2]))])/sqrt[-a^2 + b^2] + (I*f*(\log[1 + I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b + sqrt[-a^2 + b^2])] + \operatorname{PolyLog}[2, (a*(1 + I*\tan[(c + d*x)/2]))/(a - I*(b + sqrt[-a^2 + b^2]))])/sqrt[-a^2 + b^2] + (I*f*(\log[1 - I*\tan[(c + d*x)/2]]*\log[(-b + sqrt[-a^2 + b^2] - a*\tan[(c + d*x)/2])/(I*a - b + sqrt[-a^2 + b^2])] + \operatorname{PolyLog}[2, (a*(I + \tan[(c + d*x)/2]))/(I*a - b + sqrt[-a^2 + b^2])))/sqrt[-a^2 + b^2] - (I*f*(\log[1 + I*\tan[(c + d*x)/2]]*\log[(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b - sqrt[-a^2 + b^2])] + \operatorname{PolyLog}[2, (a + I*a*\tan[(c + d*x)/2])/(a + I*(-b + sqrt[-a^2 + b^2]))])/sqrt[-a^2 + b^2]))/(d*e - c*f + I*f*\log[1 - I*\tan[(c + d*x)/2]] - I*f*\log[1 + I*\tan[(c + d*x)/2]]) + 8*a*b*f*\sin[c + d*x] + 2*b^2*d*(e + f*x)*\sin[2*(c + d*x)]/(8*b^3*d^2)$

Maple [B] time = 0.43, size = 710, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*sin(d*x+c)^3/(a+b*sin(d*x+c)),x)
```

```
[Out] 1/2*a^2*f*x^2/b^3+1/4*f*x^2/b+a^2*e*x/b^3+1/2*e*x/b-1/16*I*(2*d*f*x-I*f+2*d
*e)/b/d^2*exp(-2*I*(d*x+c))+1/2*a*(d*f*x+I*f+d*e)/b^2/d^2*exp(I*(d*x+c))+1/
2*a*(d*f*x-I*f+d*e)/b^2/d^2*exp(-I*(d*x+c))-I*a^3/b^3/d^2*f/(-a^2+b^2)^(1/2
)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))+2*I
*a^3/b^3/d^2*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a
^2+b^2)^(1/2))-a^3/b^3/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+
b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x-a^3/b^3/d^2*f/(-a^2+b^2)^(1/2)*ln((I*
a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+a^3/b^3/d*f/
(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)
^(1/2)))*x+a^3/b^3/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^
2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c-2*I*a^3/b^3/d*e/(-a^2+b^2)^(1/2)*arctan
(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+1/16*I*(2*d*f*x+I*f+2*d*e
)/b/d^2*exp(2*I*(d*x+c))+I*a^3/b^3/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(
I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.59615, size = 2938, normalized size = 7.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(2*I*a^3*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2
*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b
^2) + 2*b)/b + 1) - 2*I*a^3*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*co
s(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(
-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*a^3*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(
-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(
d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*a^3*b*f*sqrt(-(a^2 - b
^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x
+ c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - (2*a^4 - a^
2*b^2 - b^4)*d^2*f*x^2 - 2*(2*a^4 - a^2*b^2 - b^4)*d^2*e*x + (a^2*b^2 - b^4
)*f*cos(d*x + c)^2 + 2*(a^3*b*d*e - a^3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2
*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)
+ 2*(a^3*b*d*e - a^3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2
```

```

*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(a^3*b*d*e - a^
3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c)
+ 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(a^3*b*d*e - a^3*b*c*f)*sqrt(-(a^
2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 -
b^2)/b^2) - 2*I*a) + 2*(a^3*b*d*f*x + a^3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*lo
g(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(
d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(a^3*b*d*f*x + a^3*b*c*f)*sq
rt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*
cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(a^3*
b*d*f*x + a^3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) +
2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/
b^2) + 2*b)/b) - 2*(a^3*b*d*f*x + a^3*b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2
*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x
+ c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 4*((a^3*b - a*b^3)*d*f*x + (a^3*b
- a*b^3)*d*e)*cos(d*x + c) + 2*(2*(a^3*b - a*b^3)*f + ((a^2*b^2 - b^4)*d*f*
x + (a^2*b^2 - b^4)*d*e)*cos(d*x + c))*sin(d*x + c))/((a^2*b^3 - b^5)*d^2)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)**3/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sin(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sin(d*x + c)^3/(b*sin(d*x + c) + a), x)
```

3.231 $\int \frac{\sin^3(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=107

$$-\frac{2a^3 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{b^3 d \sqrt{a^2-b^2}} + \frac{x(2a^2+b^2)}{2b^3} + \frac{a \cos(c+dx)}{b^2 d} - \frac{\sin(c+dx) \cos(c+dx)}{2bd}$$

[Out] $((2a^2 + b^2)x)/(2b^3) - (2a^3 \text{ArcTan}[(b + a \text{Tan}[(c + dx)/2]])/\text{Sqrt}[a^2 - b^2])/(b^3 \text{Sqrt}[a^2 - b^2]d) + (a \text{Cos}[c + dx])/(b^2 d) - (\text{Cos}[c + dx] * \text{Sin}[c + dx])/(2bd)$

Rubi [A] time = 0.18554, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2793, 3023, 2735, 2660, 618, 204}

$$-\frac{2a^3 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{b^3 d \sqrt{a^2-b^2}} + \frac{x(2a^2+b^2)}{2b^3} + \frac{a \cos(c+dx)}{b^2 d} - \frac{\sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[c + dx]^3/(a + b \text{Sin}[c + dx]), x]$

[Out] $((2a^2 + b^2)x)/(2b^3) - (2a^3 \text{ArcTan}[(b + a \text{Tan}[(c + dx)/2]])/\text{Sqrt}[a^2 - b^2])/(b^3 \text{Sqrt}[a^2 - b^2]d) + (a \text{Cos}[c + dx])/(b^2 d) - (\text{Cos}[c + dx] * \text{Sin}[c + dx])/(2bd)$

Rule 2793

$\text{Int}[(a + b \sin(e + f x))^m ((c + d \sin(e + f x))^n), x_Symbol] \rightarrow -\text{Simp}[(b^2 \text{Cos}[e + f x] (a + b \text{Sin}[e + f x]))^{m-2} (c + d \text{Sin}[e + f x])^{n+1} / (d f (m+n)), x] + \text{Dist}[1/(d(m+n)), \text{Int}[(a + b \text{Sin}[e + f x])^{m-3} (c + d \text{Sin}[e + f x])^n \text{Simp}[a^3 d (m+n) + b^2 (b c (m-2) + a d (n+1)) - b (a b c - b^2 d (m+n-1)) - 3 a^2 d (m+n) \text{Sin}[e + f x] - b^2 (b c (m-1) - a d (3m+2n-2)) \text{Sin}[e + f x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2m, 2n]) \&\& !(\text{IGtQ}[n, 2] \&\& (! \text{IntegerQ}[m] \mid \mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

Rule 3023

$\text{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x))^2), x_Symbol] \rightarrow -\text{Simp}[(C \text{Cos}[e + f x] (a + b \text{Sin}[e + f x]))^{m+1} / (b f (m+2)), x] + \text{Dist}[1/(b(m+2)), \text{Int}[(a + b \text{Sin}[e + f x])^m \text{Simp}[A b (m+2) + b C (m+1) + (b B (m+2) - a C) \text{Sin}[e + f x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x \&\& ! \text{LtQ}[m, -1]$

Rule 2735

$\text{Int}[(a + b \sin(e + f x)) / ((c + d \sin(e + f x))^2), x_Symbol] \rightarrow \text{Simp}[b x / d, x] - \text{Dist}[(b c - a d) / d, \text{Int}[1/(c + d \sin(e + f x)), x], x]$

$\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

Rule 2660

$\text{Int}[(a_) + (b_)*\text{sin}[(c_) + (d_)*(x_)]^{(-1)}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + 2*b*e*x + a*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 618

$\text{Int}[(a_) + (b_)*(x_) + (c_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 204

$\text{Int}[(a_) + (b_)*(x_)^2]^{(-1)}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[(\text{Rt}[-b, 2]*x)/\text{Rt}[-a, 2]]/(\text{Rt}[-a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(c+dx)}{a+b\sin(c+dx)} dx &= -\frac{\cos(c+dx)\sin(c+dx)}{2bd} + \frac{\int \frac{a+b\sin(c+dx)-2a\sin^2(c+dx)}{a+b\sin(c+dx)} dx}{2b} \\ &= \frac{a\cos(c+dx)}{b^2d} - \frac{\cos(c+dx)\sin(c+dx)}{2bd} + \frac{\int \frac{ab+(2a^2+b^2)\sin(c+dx)}{a+b\sin(c+dx)} dx}{2b^2} \\ &= \frac{(2a^2+b^2)x}{2b^3} + \frac{a\cos(c+dx)}{b^2d} - \frac{\cos(c+dx)\sin(c+dx)}{2bd} - \frac{a^3 \int \frac{1}{a+b\sin(c+dx)} dx}{b^3} \\ &= \frac{(2a^2+b^2)x}{2b^3} + \frac{a\cos(c+dx)}{b^2d} - \frac{\cos(c+dx)\sin(c+dx)}{2bd} - \frac{(2a^3) \text{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^3d} \\ &= \frac{(2a^2+b^2)x}{2b^3} + \frac{a\cos(c+dx)}{b^2d} - \frac{\cos(c+dx)\sin(c+dx)}{2bd} + \frac{(4a^3) \text{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^3d} \\ &= \frac{(2a^2+b^2)x}{2b^3} - \frac{2a^3 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b^3\sqrt{a^2-b^2}d} + \frac{a\cos(c+dx)}{b^2d} - \frac{\cos(c+dx)\sin(c+dx)}{2bd} \end{aligned}$$

Mathematica [A] time = 0.24686, size = 97, normalized size = 0.91

$$\frac{2(2a^2+b^2)(c+dx) - \frac{8a^3 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + 4ab \cos(c+dx) - b^2 \sin(2(c+dx))}{4b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[c + d*x]^3/(a + b*Sin[c + d*x]),x]

[Out] (2*(2*a^2 + b^2)*(c + d*x) - (8*a^3*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + 4*a*b*Cos[c + d*x] - b^2*Sin[2*(c + d*x)])/(4*b^3*d)

Maple [B] time = 0.028, size = 216, normalized size = 2.

$$\frac{1}{bd} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} + 2 \frac{(\tan(1/2 dx + c/2))^2 a}{b^2 d (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{1}{bd} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(d*x+c)^3/(a+b*sin(d*x+c)),x)

[Out] 1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3+2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^2*a-1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)+2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*a+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))*a^2+1/d/b*arctan(tan(1/2*d*x+1/2*c))-2/d*a^3/b^3/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.27219, size = 768, normalized size = 7.18

$$\left[\frac{\sqrt{-a^2 + b^2} a^3 \log\left(-\frac{(2a^2 - b^2) \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2 - 2(a \cos(dx+c) \sin(dx+c) + b \cos(dx+c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2}\right) - (2a^4 - a^2 b^2 - b^4) dx + (2a^2 b^3 - b^5) d}{2(a^2 b^3 - b^5) d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2))*a^3*log(-((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 - 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)) - (2*a^4 - a^2*b^2 - b^4)*d*x + (a^2*b^2 - b^4)*cos(d*x + c)*sin(d*x + c) - 2*(a^3*b - a*b^3)*cos(d*x + c))/((a^2*b^3 - b^5)*d), 1/2*(2*sqrt(a^2 - b^2)*a^3*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)) + (2*a^4 - a^2*b^2 - b^4)*d*x - (a^2*b^2 - b^4)*cos(d*x + c)*sin(d*x + c) + 2*(a^3*b - a*b^3)*cos(d*x + c))/((a^2*b^3 - b^5)*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.12006, size = 204, normalized size = 1.91

$$\frac{4 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right) \right) a^3}{\sqrt{a^2 - b^2} b^3} - \frac{(2a^2 + b^2)(dx+c)}{b^3} - \frac{2 \left(b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^3 + 2a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 - b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 2a \right)}{\left(\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)^2 + 1 \right)^2 b^2}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] $-1/2*(4*(\pi*\operatorname{floor}(1/2*(d*x + c)/\pi + 1/2)*\operatorname{sgn}(a) + \arctan((a*\tan(1/2*d*x + 1/2*c) + b)/\sqrt{a^2 - b^2}))*a^3/(\sqrt{a^2 - b^2}*b^3) - (2*a^2 + b^2)*(d*x + c)/b^3 - 2*(b*\tan(1/2*d*x + 1/2*c)^3 + 2*a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c) + 2*a)/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d$

$$3.232 \quad \int \frac{(e+fx)^3 \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=732

$$\frac{6ibf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^3\sqrt{a^2-b^2}} - \frac{6ibf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^3\sqrt{a^2-b^2}} + \frac{3bf(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{3bf(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}}$$

[Out] $(-2*(e + f*x)^3*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + (I*b*(e + f*x)^3*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)^3*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d) + ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (3*b*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (3*b*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (6*f^2*(e + f*x)*\text{PolyLog}[3, -E^{(I*(c + d*x))}])/(a*d^3) + (6*f^2*(e + f*x)*\text{PolyLog}[3, E^{(I*(c + d*x))}])/(a*d^3) + ((6*I)*b*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((6*I)*b*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((6*I)*f^3*\text{PolyLog}[4, -E^{(I*(c + d*x))}])/(a*d^4) + ((6*I)*f^3*\text{PolyLog}[4, E^{(I*(c + d*x))}])/(a*d^4) - (6*b*f^3*\text{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^4) + (6*b*f^3*\text{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^4)$

Rubi [A] time = 1.11721, antiderivative size = 732, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4535, 4183, 2531, 6609, 2282, 6589, 3323, 2264, 2190}

$$\frac{6ibf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^3\sqrt{a^2-b^2}} - \frac{6ibf^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^3\sqrt{a^2-b^2}} + \frac{3bf(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{3bf(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Csc[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] $(-2*(e + f*x)^3*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + (I*b*(e + f*x)^3*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)^3*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d) + ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (3*b*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (3*b*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (6*f^2*(e + f*x)*\text{PolyLog}[3, -E^{(I*(c + d*x))}])/(a*d^3) + (6*f^2*(e + f*x)*\text{PolyLog}[3, E^{(I*(c + d*x))}])/(a*d^3) + ((6*I)*b*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((6*I)*b*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((6*I)*f^3*\text{PolyLog}[4, -E^{(I*(c + d*x))}])/(a*d^4) + ((6*I)*f^3*\text{PolyLog}[4, E^{(I*(c + d*x))}])/(a*d^4) - (6*b*f^3*\text{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^4) + (6*b*f^3*\text{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*\text{Sqrt}[a^2 - b^2]*d^4)$

Rule 4535


```
Int[(Csc[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)
)*Sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c +
d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Si
n[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n
, 0]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.)))^(n_.)]*((f_.) + (g_.)
*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^(
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^3 \csc(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \csc(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{(2b) \int \frac{e^{i(c + dx)}(e + fx)^3}{ib + 2ae^{i(c + dx)} - ibe^{2i(c + dx)}} dx}{a} - \frac{(3f) \int (e + fx)^2 \log\left(1 - \frac{ie^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right) dx}{ad}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{3if(e + fx)^2 \text{Li}_2(-e^{i(c + dx)})}{ad^2} - \frac{3if(e + fx)^2 \text{Li}_2(e^{i(c + dx)})}{ad^2} + \dots$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

Mathematica [A] time = 2.60291, size = 894, normalized size = 1.22

$$-2d^3 \tanh^{-1}(\cos(c + dx) + i \sin(c + dx))(e + fx)^3 + \frac{b \left(3d^2 f \text{PolyLog}\left(2, -\frac{ibe^{i(c + dx)}}{\sqrt{a^2 - b^2} - a}\right) (e + fx)^2 + i \left(2ic^3 \tan^{-1}\left(\frac{ia + be^{i(c + dx)}}{\sqrt{a^2 - b^2}}\right) d^3 + f^3 x^3 \log\left(\frac{ie^{i(c + dx)}b}{\sqrt{a^2 - b^2} - a}\right) \right) \right)}{a^2}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3*Csc[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (-2*d^3*(e + f*x)^3*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] + (b*(3*d^2*f*(e
+ f*x)^2*PolyLog[2, ((-I)*b*E^(I*(c + d*x))]/(-a + Sqrt[a^2 - b^2])) + I*(
(2*I)*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 3*d^3*e^2
*f*x*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + 3*d^3*e*f^2*x^
2*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + d^3*f^3*x^3*Log[1
+ (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 3*d^3*e^2*f*x*Log[1 - (I
*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] - 3*d^3*e*f^2*x^2*Log[1 - (I*b*E
^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] - d^3*f^3*x^3*Log[1 - (I*b*E^(I*(c +
d*x)))/(a + Sqrt[a^2 - b^2])] + (3*I)*d^2*f*(e + f*x)^2*PolyLog[2, (I*b*E^
(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + 6*d*f^2*(e + f*x)*PolyLog[3, ((-I)*
b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 6*d*e*f^2*PolyLog[3, (I*b*E^(I
```

$$\begin{aligned} &*(c + d*x)))/(a + \text{Sqrt}[a^2 - b^2]) - 6*d*f^3*x*\text{PolyLog}[3, (I*b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2])] + (6*I)*f^3*\text{PolyLog}[4, ((-I)*b*E^{I*(c + d*x)})/(-a + \text{Sqrt}[a^2 - b^2])] - (6*I)*f^3*\text{PolyLog}[4, (I*b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2])])]/\text{Sqrt}[a^2 - b^2] + (3*I)*f*(d^2*(e + f*x)^2*\text{PolyLog}[2, -\text{Cos}[c + d*x] - I*\text{Sin}[c + d*x]] + (2*I)*d*f*(e + f*x)*\text{PolyLog}[3, -\text{Cos}[c + d*x] - I*\text{Sin}[c + d*x]] - 2*f^2*\text{PolyLog}[4, -\text{Cos}[c + d*x] - I*\text{Sin}[c + d*x]]) - (3*I)*f*(d^2*(e + f*x)^2*\text{PolyLog}[2, \text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]] + (2*I)*d*f*(e + f*x)*\text{PolyLog}[3, \text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]] - 2*f^2*\text{PolyLog}[4, \text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]]))/(a*d^4) \end{aligned}$$

Maple [F] time = 0.864, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \csc(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*csc(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 4.77588, size = 8263, normalized size = 11.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} &-1/4*(-12*I*b^2*f^3*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(4, 1/2*(2*I*a*\text{cos}(d*x + c) - 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 12*I*b^2*f^3*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(4, 1/2*(2*I*a*\text{cos}(d*x + c) - 2*a*\text{sin}(d*x + c) - 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) - 12*I*b^2*f^3*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(4, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 12*I*b^2*f^3*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(4, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) - 12*I*(a^2 - b^2)*f^3*\text{polylog}(4, \text{cos}(d*x + c) + I*\text{sin}(d*x + c)) + 12*I*(a^2 - b^2)*f^3*\text{polylog}(4, \text{cos}(d*x + c) - I*\text{sin}(d*x + c)) - 12*I*(a^2 - b^2)*f^3*\text{polylog}(4, -\text{cos}(d*x + c) + I*\text{sin}(d*x + c)) + 12*I*(a^2 - b^2)*f^3*\text{polylog}(4, -\text{cos}(d*x + c) - I*\text{sin}(d*x + c)) + 2*(3*I*b^2*d^ \end{aligned}$$

$$\begin{aligned}
& 2f^3x^2 + 6Ib^2d^2ef^2x + 3Ib^2d^2e^2f) \sqrt{-(a^2 - b^2)/b^2} \\
& * \operatorname{dilog}(-1/2*(2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b + 1) + 2*(-3Ib^2d^2f^3x^2 \\
& - 6Ib^2d^2ef^2x - 3Ib^2d^2e^2f) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{dilog}(-1/2*(2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b + 1) + 2*(-3Ib^2d^2f^3x^2 - \\
& 6Ib^2d^2ef^2x - 3Ib^2d^2e^2f) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{dilog}(-1/2*(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b + 1) + 2*(3Ib^2d^2f^3x^2 + 6Ib^2 \\
& d^2ef^2x + 3Ib^2d^2e^2f) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{dilog}(-1/2*(-2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b + 1) + 2*(b^2d^3e^3 - 3b^2c^2d^2e^2f + \\
& 3b^2c^2d^2ef^2 - b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(2b \cos(dx + c) + 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} + 2Ia) + 2*(b^2d^3e^3 - 3b^2c^2d^2e^2f + 3b^2c^2d^2ef^2 - b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(2b \cos(dx + c) - 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} - 2Ia) - 2*(b^2d^3e^3 - 3b^2c^2d^2e^2f + 3b^2c^2d^2ef^2 - b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(-2b \cos(dx + c) + 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} + 2Ia) - 2*(b^2d^3e^3 - 3b^2c^2d^2e^2f + 3b^2c^2d^2ef^2 - b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(-2b \cos(dx + c) - 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} - 2Ia) + 2*(b^2d^3ef^3x^3 + 3b^2d^3ef^2x^2 + 3b^2d^3e^2fx + 3b^2c^2d^2ef^2 - 3b^2c^2d^2ef^2 + b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b - 2*(b^2d^3f^3x^3 + 3b^2d^3ef^2x^2 + 3b^2d^3e^2fx + 3b^2c^2d^2ef^2 - 3b^2c^2d^2ef^2 + b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b + 2*(b^2d^3f^3x^3 + 3b^2d^3ef^2x^2 + 3b^2d^3e^2fx + 3b^2c^2d^2ef^2 - 3b^2c^2d^2ef^2 + b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b - 2*(b^2d^3f^3x^3 + 3b^2d^3ef^2x^2 + 3b^2d^3e^2fx + 3b^2c^2d^2ef^2 - 3b^2c^2d^2ef^2 + b^2c^3f^3) \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(-2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b - 12*(b^2df^3x + b^2d^2ef^2) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{polylog}(3, 1/2*(2Ia \cos(dx + c) - 2a \sin(dx + c) + 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2})/b + 12*(b^2df^3x + b^2d^2ef^2) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{polylog}(3, 1/2*(2Ia \cos(dx + c) - 2a \sin(dx + c) - 2(b \cos(dx + c) + I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2})/b + 12*(b^2df^3x + b^2d^2ef^2) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{polylog}(3, -(Ia \cos(dx + c) + a \sin(dx + c) + (b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2})/b - 12*(b^2df^3x + b^2d^2ef^2) \sqrt{-(a^2 - b^2)/b^2} * \operatorname{polylog}(3, -(Ia \cos(dx + c) + a \sin(dx + c) - (b \cos(dx + c) - I b \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2})/b + (6I(a^2 - b^2)d^2f^3x^2 + 12I(a^2 - b^2)d^2ef^2x + 6I(a^2 - b^2)d^2e^2f) * \operatorname{dilog}(\cos(dx + c) + I \sin(dx + c)) + (-6I(a^2 - b^2)d^2f^3x^2 - 12I(a^2 - b^2)d^2ef^2x - 6I(a^2 - b^2)d^2e^2f) * \operatorname{dilog}(\cos(dx + c) - I \sin(dx + c)) + (6I(a^2 - b^2)d^2f^3x^2 + 12I(a^2 - b^2)d^2ef^2x + 6I(a^2 - b^2)d^2e^2f) * \operatorname{dilog}(-\cos(dx + c) + I \sin(dx + c)) + (-6I(a^2 - b^2)d^2f^3x^2 - 12I(a^2 - b^2)d^2ef^2x - 6I(a^2 - b^2)d^2e^2f) * \operatorname{dilog}(-\cos(dx + c) - I \sin(dx + c)) + 2*((a^2 - b^2)d^3f^3x^3 + 3(a^2 - b^2)d^3ef^2x^2 + 3(a^2 - b^2)d^3e^2fx + (a^2 - b^2)d^3e^3) * \log(\cos(dx + c) + I \sin(dx + c) + 1) + 2*((a^2 - b^2)d^3f^3x^3 + 3(a^2 - b^2)d^3ef^2x^2 + 3(a^2 - b^2)d^3e^2fx + (a^2 - b^2)d^3e^3) * \log(\cos(dx + c) - I \sin(dx + c) + 1) - 2*((a^2 - b^2)d^3e^3 - 3(a^2 - b^2)c^2d^2ef^2 + 3(a^2 - b^2)c^2d^2ef^2 - (a^2 - b^2)c^3f^3) * \log(-1/2 \cos(dx + c) + 1/2 I \sin(dx + c) + 1/2) - 2*((a^2 - b^2)d^3e^3 - 3(a^2 - b^2)c^2d^2ef^2 + 3(a^2 - b^2)c^2d^2ef^2 - (a^2 - b^2)c^3f^3) * \log(-1/2 \cos(dx + c) - 1/2 I \sin(dx + c) + 1/2) - 2*
\end{aligned}$$

$$\frac{((a^2 - b^2)d^3f^3x^3 + 3(a^2 - b^2)d^3e^2f^2x^2 + 3(a^2 - b^2)d^3e^2fx + 3(a^2 - b^2)c^2d^2e^2f - 3(a^2 - b^2)c^2d^2e^2f^2 + (a^2 - b^2)c^3f^3)\log(-\cos(dx + c) + I\sin(dx + c) + 1) - 2((a^2 - b^2)d^3f^3x^3 + 3(a^2 - b^2)d^3e^2f^2x^2 + 3(a^2 - b^2)d^3e^2fx + 3(a^2 - b^2)c^2d^2e^2f - 3(a^2 - b^2)c^2d^2e^2f^2 + (a^2 - b^2)c^3f^3)\log(-\cos(dx + c) - I\sin(dx + c) + 1) - 12((a^2 - b^2)d^3fx + (a^2 - b^2)d^2e^2f^2)\text{polylog}(3, \cos(dx + c) + I\sin(dx + c)) - 12((a^2 - b^2)d^3fx + (a^2 - b^2)d^2e^2f^2)\text{polylog}(3, \cos(dx + c) - I\sin(dx + c)) + 12((a^2 - b^2)d^3fx + (a^2 - b^2)d^2e^2f^2)\text{polylog}(3, -\cos(dx + c) + I\sin(dx + c)) + 12((a^2 - b^2)d^3fx + (a^2 - b^2)d^2e^2f^2)\text{polylog}(3, -\cos(dx + c) - I\sin(dx + c))}{(a^3 - a^2b^2)d^4}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \csc(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**3*csc(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.233 \quad \int \frac{(e+fx)^2 \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=528

$$\frac{2bf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{2bf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}} + \frac{2ibf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^3\sqrt{a^2-b^2}} - \frac{2ibf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^3\sqrt{a^2-b^2}}$$

[Out] $(-2*(e + f*x)^2*\text{ArcTanh}[E^{(I*(c + d*x))}]/(a*d) + (I*b*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d) + ((2*I)*f*(e + f*x)*\text{PolyLog}[2, -E^{(I*(c + d*x))}]/(a*d^2) - (2*I)*f*(e + f*x)*\text{PolyLog}[2, E^{(I*(c + d*x))}]/(a*d^2) + (2*b*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (2*b*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (2*f^2*\text{PolyLog}[3, -E^{(I*(c + d*x))}]/(a*d^3) + (2*f^2*\text{PolyLog}[3, E^{(I*(c + d*x))}]/(a*d^3) + ((2*I)*b*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((2*I)*b*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^3))$

Rubi [A] time = 0.946378, antiderivative size = 528, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4535, 4183, 2531, 2282, 6589, 3323, 2264, 2190}

$$\frac{2bf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{2bf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}} + \frac{2ibf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^3\sqrt{a^2-b^2}} - \frac{2ibf^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^3\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Csc}[c + d*x]/(a + b*\text{Sin}[c + d*x]), x]$

[Out] $(-2*(e + f*x)^2*\text{ArcTanh}[E^{(I*(c + d*x))}]/(a*d) + (I*b*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d) + ((2*I)*f*(e + f*x)*\text{PolyLog}[2, -E^{(I*(c + d*x))}]/(a*d^2) - (2*I)*f*(e + f*x)*\text{PolyLog}[2, E^{(I*(c + d*x))}]/(a*d^2) + (2*b*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (2*b*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^2) - (2*f^2*\text{PolyLog}[3, -E^{(I*(c + d*x))}]/(a*d^3) + (2*f^2*\text{PolyLog}[3, E^{(I*(c + d*x))}]/(a*d^3) + ((2*I)*b*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^3) - ((2*I)*b*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])]/(a*\text{Sqrt}[a^2 - b^2]*d^3))$

Rule 4535

$\text{Int}[(\text{Csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[1/a, \text{Int}[(e + f*x)^m*\text{Csc}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int}[(e + f*x)^m*\text{Csc}[c + d*x]^{(n - 1)}/(a + b*\text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0]$

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e+fx)^2 \csc(c+dx)}{a+b \sin(c+dx)} dx = \frac{\int (e+fx)^2 \csc(c+dx) dx}{a} - \frac{b \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{a}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(2b) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{a} - \frac{(2f) \int (e+fx) \log(1-e^{i(c+dx)})}{ad}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{2if(e+fx)\text{Li}_2(-e^{i(c+dx)})}{ad^2} - \frac{2if(e+fx)\text{Li}_2(e^{i(c+dx)})}{ad^2} + \frac{(2f) \int (e+fx) \log(1-e^{i(c+dx)})}{ad}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d} - \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d} - \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d} - \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d}$$

$$= -\frac{2(e+fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d} - \frac{ib(e+fx)^2 \log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d}$$

Mathematica [A] time = 1.68982, size = 573, normalized size = 1.09

$$\frac{b\left(i\left(2idf(e+fx)\text{PolyLog}\left(2,\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2+a}}\right)+2f^2\text{PolyLog}\left(3,-\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2-a}}\right)-2f^2\text{PolyLog}\left(3,\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2+a}}\right)+2id^2e^2 \tan^{-1}\left(\frac{ia+be^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)+2d^2efx \log\left(1+\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2-a}}\right)-2d^2efx \log\left(1-\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2+a}}\right)\right)}{\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Csc[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (d^2*(e + f*x)^2*Log[1 - E^(I*(c + d*x))] - d^2*(e + f*x)^2*Log[1 + E^(I*(c + d*x))] + (2*I)*d*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))] - (2*I)*d*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))] - 2*f^2*PolyLog[3, -E^(I*(c + d*x))] + 2*f^2*PolyLog[3, E^(I*(c + d*x))] + (b*(2*d*f*(e + f*x)*PolyLog[2, ((-I)*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + I*((2*I)*d^2*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 2*d^2*e*f*x*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + d^2*f^2*x^2*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 2*d^2*e*f*x*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] - d^2*f^2*x^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + (2*I)*d*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + 2*f^2*PolyLog[3, ((-I)*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])]/Sqrt[a^2 - b^2])/(a*d^3)
```

Maple [F] time = 0.642, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \csc(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^2*\text{csc}(d*x+c)/(a+b*\sin(d*x+c)),x)$

[Out] $\text{int}((f*x+e)^2*\text{csc}(d*x+c)/(a+b*\sin(d*x+c)),x)$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^2*\text{csc}(d*x+c)/(a+b*\sin(d*x+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [C] time = 3.98515, size = 5696, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^2*\text{csc}(d*x+c)/(a+b*\sin(d*x+c)),x, \text{algorithm}="fricas")$

[Out] $\frac{1}{4}*(4*b^2*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*b^2*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*b^2*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 4*b^2*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 4*(a^2 - b^2)*f^2*\text{polylog}(3, \cos(d*x + c) + I*\sin(d*x + c)) + 4*(a^2 - b^2)*f^2*\text{polylog}(3, \cos(d*x + c) - I*\sin(d*x + c)) - 4*(a^2 - b^2)*f^2*\text{polylog}(3, -\cos(d*x + c) + I*\sin(d*x + c)) - 4*(a^2 - b^2)*f^2*\text{polylog}(3, -\cos(d*x + c) - I*\sin(d*x + c)) - 2*(2*I*b^2*d*f^2*x + 2*I*b^2*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(b^2*d^2*e^2 - 2*b^2*c*d*e*f + b^2*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 2*(b^2*d^2*e^2 - 2*b^2*c*d*e*f + b^2*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*(b^2*d^2*e^2 - 2*b^2*c*d*e*f + b^2*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(b^2*d^2*e^2 - 2*b^2*c*d*e*f + b^2*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + 2*b^2*c*d*e*f - b^2*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))$

```

*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x +
2*b^2*c*d*e*f - b^2*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x
+ c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2
- b^2)/b^2) + 2*b)/b) - 2*(b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + 2*b^2*c*d*e*
f - b^2*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*
sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)
+ 2*b)/b) + 2*(b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + 2*b^2*c*d*e*f - b^2*c^2
*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c
) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)
- (4*I*(a^2 - b^2)*d*f^2*x + 4*I*(a^2 - b^2)*d*e*f)*dilog(cos(d*x + c) + I*
sin(d*x + c)) - (-4*I*(a^2 - b^2)*d*f^2*x - 4*I*(a^2 - b^2)*d*e*f)*dilog(co
s(d*x + c) - I*sin(d*x + c)) - (4*I*(a^2 - b^2)*d*f^2*x + 4*I*(a^2 - b^2)*d
*e*f)*dilog(-cos(d*x + c) + I*sin(d*x + c)) - (-4*I*(a^2 - b^2)*d*f^2*x - 4
*I*(a^2 - b^2)*d*e*f)*dilog(-cos(d*x + c) - I*sin(d*x + c)) - 2*((a^2 - b^2
)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + (a^2 - b^2)*d^2*e^2)*log(cos(d*x
+ c) + I*sin(d*x + c) + 1) - 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2
*e*f*x + (a^2 - b^2)*d^2*e^2)*log(cos(d*x + c) - I*sin(d*x + c) + 1) + 2*((
a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*log(-1/2*
cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2) + 2*((a^2 - b^2)*d^2*e^2 - 2*(a^2
- b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x
+ c) + 1/2) + 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^
2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*log(-cos(d*x + c) + I*sin(d*x + c)
+ 1) + 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2
)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*log(-cos(d*x + c) - I*sin(d*x + c) + 1))/((
a^3 - a*b^2)*d^3)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \csc(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*csc(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.234 \quad \int \frac{(e+fx) \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=325

$$\frac{bf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{bf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}} + \frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} + \frac{ib(e+fx)}{ad^2}$$

[Out] $(-2*(e + f*x)*\operatorname{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + (I*b*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d) + (I*f*\operatorname{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - (I*f*\operatorname{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (b*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d^2) - (b*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d^2)$

Rubi [A] time = 0.615057, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 7, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.292$, Rules used = {4535, 4183, 2279, 2391, 3323, 2264, 2190}

$$\frac{bf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ad^2\sqrt{a^2-b^2}} - \frac{bf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ad^2\sqrt{a^2-b^2}} + \frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2} + \frac{ib(e+fx)}{ad^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Csc}[c + d*x]/(a + b*\operatorname{Sin}[c + d*x]), x]$

[Out] $(-2*(e + f*x)*\operatorname{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + (I*b*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d) - (I*b*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d) + (I*f*\operatorname{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - (I*f*\operatorname{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + (b*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d^2) - (b*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a*\operatorname{Sqrt}[a^2 - b^2]*d^2)$

Rule 4535

$\operatorname{Int}[(\operatorname{Csc}[c_.] + (d_.)*(x_)]^{(n_.)}*((e_.) + (f_.)*(x_)]^{(m_.)}/((a_.) + (b_.)*\operatorname{Sin}[c_.] + (d_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[1/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Csc}[c + d*x]^n, x], x] - \operatorname{Dist}[b/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Csc}[c + d*x]^{(n-1)}/(a + b*\operatorname{Sin}[c + d*x]), x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0] \&\& \operatorname{IGtQ}[n, 0]$

Rule 4183

$\operatorname{Int}[\operatorname{csc}[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_)]^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(-2*(c + d*x)^m*\operatorname{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 - E^{(I*(e + f*x))}], x], x] + \operatorname{Dist}[(d*m)/f, \operatorname{Int}[(c + d*x)^{(m-1)}*\operatorname{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{IGtQ}[m, 0]$

Rule 2279

$\operatorname{Int}[\operatorname{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_)))})^{(n_.)}], x_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})]$

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*(d_) + (e_.)*(x_)^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3323

Int[((c_.) + (d_.)*(x_)^(m_.))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_)^(m_.)))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_)^(m_.)))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rubi steps

$$\int \frac{(e + fx) \csc(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx) \csc(c + dx) dx}{a} - \frac{b \int \frac{e + fx}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{(2b) \int \frac{e^{i(c + dx)}(e + fx)}{ib + 2ae^{i(c + dx)} - ibe^{2i(c + dx)}} dx}{a} - \frac{f \int \log(1 - e^{i(c + dx)}) dx}{ad} + \dots$$

$$= -\frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(2ib^2) \int \frac{e^{i(c + dx)}(e + fx)}{2a - 2\sqrt{a^2 - b^2} - 2ibe^{i(c + dx)}} dx}{a\sqrt{a^2 - b^2}} - \frac{(2ib^2) \int \frac{e^{i(c + dx)}(e + fx)}{2a + 2\sqrt{a^2 - b^2} - 2ibe^{i(c + dx)}} dx}{a\sqrt{a^2 - b^2}}$$

$$= -\frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

$$= -\frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d} - \frac{ib(e + fx) \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{a\sqrt{a^2 - b^2}d}$$

Mathematica [B] time = 6.39248, size = 764, normalized size = 2.35

$$bd(e+fx) \left[\frac{if \left(\text{PolyLog} \left[2, \frac{a(1-i \tan(\frac{1}{2}(c+dx)))}{a+i(\sqrt{b^2-a^2}+b)} \right) \right) + \log(1-i \tan(\frac{1}{2}(c+dx))) \log \left(\frac{\sqrt{b^2-a^2}+a \tan(\frac{1}{2}(c+dx))+b}{\sqrt{b^2-a^2}-ia+b} \right)}{\sqrt{b^2-a^2}} \right] + \frac{if \left(\text{PolyLog} \left[2, \frac{a(1+i \tan(\frac{1}{2}(c+dx)))}{a-i(\sqrt{b^2-a^2}+b)} \right) \right) + \log(1+i \tan(\frac{1}{2}(c+dx))) \log \left(\frac{\sqrt{b^2-a^2}-a \tan(\frac{1}{2}(c+dx))-b}{\sqrt{b^2-a^2}+ia-b} \right)}{\sqrt{b^2-a^2}} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Csc[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (d*e*Log[Tan[(c + d*x)/2]] - c*f*Log[Tan[(c + d*x)/2]] + f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))])) - (b*d*(e + f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])]/((-I)*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))]/(a + I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])]/(I*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))]/(a - I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(-b + Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])]/(I*a - b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(I + Tan[(c + d*x)/2]))]/(I*a - b + Sqrt[-a^2 + b^2])))/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])]/(I*a + b - Sqrt[-a^2 + b^2])) + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])]/(a + I*(-b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2]))/(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]]))/(a*d^2)

Maple [B] time = 0.169, size = 660, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] -2*I/d*e/a*b/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))-1/d/a*e*ln(exp(I*(d*x+c))+1)+1/d/a*e*ln(exp(I*(d*x+c))-1)-1/d^2/a*f*c*ln(exp(I*(d*x+c))-1)-1/d*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))*x-1/d^2*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))*c+1/d*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))*x+1/d^2*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))*c+I/d^2*f*b/a/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))-I/d^2*f*b/a/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))+I/d^2*f/a*dilog(exp(I*(d*x+c)))-1/d/a*ln(exp(I*(d*x+c))+1)*f*x+I/d^2*f/a*dilog(exp(I*(d*x+c))+1)+2*I/d^2*f*c/a*b/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.9389, size = 3510, normalized size = 10.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(2*I*b^2*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a
*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2
) + 2*b)/b + 1) - 2*I*b^2*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*
x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^
2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*b^2*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(
-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b^2*f*sqrt(-(a^2 - b^2)/b^2)
*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I
*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*(a^2 - b^2)*f*d
ilog(cos(d*x + c) + I*sin(d*x + c)) - 2*I*(a^2 - b^2)*f*dilog(cos(d*x + c)
- I*sin(d*x + c)) + 2*I*(a^2 - b^2)*f*dilog(-cos(d*x + c) + I*sin(d*x + c))
- 2*I*(a^2 - b^2)*f*dilog(-cos(d*x + c) - I*sin(d*x + c)) + 2*(b^2*d*e - b
^2*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) +
2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*(b^2*d*e - b^2*c*f)*sqrt(-(a^2 - b^
2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b
^2) - 2*I*a) - 2*(b^2*d*e - b^2*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*
x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b^2*
d*e - b^2*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x
+ c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(b^2*d*f*x + b^2*c*f)*sqrt(
-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos
(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b^2*d*f
*x + b^2*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(
d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2
*b)/b) + 2*(b^2*d*f*x + b^2*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos
(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-
(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b^2*d*f*x + b^2*c*f)*sqrt(-(a^2 - b^2)/b^2)
*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*
sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*((a^2 - b^2)*d*f*x + (a^
2 - b^2)*d*e)*log(cos(d*x + c) + I*sin(d*x + c) + 1) + 2*((a^2 - b^2)*d*f*x
+ (a^2 - b^2)*d*e)*log(cos(d*x + c) - I*sin(d*x + c) + 1) - 2*((a^2 - b^2)
*d*e - (a^2 - b^2)*c*f)*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2) -
2*((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*
x + c) + 1/2) - 2*((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*log(-cos(d*x + c) +
I*sin(d*x + c) + 1) - 2*((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*log(-cos(d*x
+ c) - I*sin(d*x + c) + 1))/((a^3 - a*b^2)*d^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \csc(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*csc(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.235 \quad \int \frac{\csc(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=67

$$-\frac{2b \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{ad\sqrt{a^2-b^2}} - \frac{\tanh^{-1}(\cos(c+dx))}{ad}$$

[Out] $(-2*b*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a*Sqrt[a^2 - b^2]*d) - ArcTanh[Cos[c + d*x]]/(a*d)$

Rubi [A] time = 0.0829515, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$, Rules used = {2747, 3770, 2660, 618, 204}

$$-\frac{2b \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{ad\sqrt{a^2-b^2}} - \frac{\tanh^{-1}(\cos(c+dx))}{ad}$$

Antiderivative was successfully verified.

[In] Int[Csc[c + d*x]/(a + b*Sin[c + d*x]),x]

[Out] $(-2*b*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a*Sqrt[a^2 - b^2]*d) - ArcTanh[Cos[c + d*x]]/(a*d)$

Rule 2747

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 2660

Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[

a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{\csc(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int \csc(c+dx) dx}{a} - \frac{b \int \frac{1}{a+b\sin(c+dx)} dx}{a} \\
 &= -\frac{\tanh^{-1}(\cos(c+dx))}{ad} - \frac{(2b) \text{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{ad} \\
 &= -\frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{(4b) \text{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b+2a\tan\left(\frac{1}{2}(c+dx)\right)\right)}{ad} \\
 &= -\frac{2b \tan^{-1}\left(\frac{b+a\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a\sqrt{a^2-b^2}d} - \frac{\tanh^{-1}(\cos(c+dx))}{ad}
 \end{aligned}$$

Mathematica [A] time = 0.0700474, size = 77, normalized size = 1.15

$$\frac{-\frac{2b \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[c + d*x]/(a + b*Sin[c + d*x]), x]

[Out] ((-2*b*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - Log[Cos[(c + d*x)/2]] + Log[Sin[(c + d*x)/2]])/(a*d)

Maple [A] time = 0.001, size = 69, normalized size = 1.

$$-2 \frac{b}{da\sqrt{a^2-b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(1/2 dx + c/2) + 2b}{\sqrt{a^2-b^2}}\right) + \frac{1}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] -2/d*b/a/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))+1/a/d*ln(tan(1/2*d*x+1/2*c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+b*sin(d*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.75549, size = 698, normalized size = 10.42

$$\left[\frac{\sqrt{-a^2 + b^2} b \log\left(-\frac{(2a^2 - b^2) \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2 - 2(a \cos(dx+c) \sin(dx+c) + b \cos(dx+c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2}\right) + (a^2 - b^2) \log\left(\frac{1}{2} \cos(dx+c)\right)}{2(a^3 - ab^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & [-1/2 * (\sqrt{-a^2 + b^2}) * b * \log(-((2*a^2 - b^2) * \cos(d*x + c)^2 - 2*a*b * \sin(d*x + c) - a^2 - b^2 - 2*(a * \cos(d*x + c) * \sin(d*x + c) + b * \cos(d*x + c)) * \sqrt{-a^2 + b^2})) / (b^2 * \cos(d*x + c)^2 - 2*a*b * \sin(d*x + c) - a^2 - b^2)) + (a^2 - b^2) * \log(1/2 * \cos(d*x + c) + 1/2) - (a^2 - b^2) * \log(-1/2 * \cos(d*x + c) + 1/2)) / ((a^3 - a*b^2) * d), \\ & 1/2 * (2 * \sqrt{a^2 - b^2}) * b * \arctan(-(a * \sin(d*x + c) + b) / (\sqrt{a^2 - b^2} * \cos(d*x + c))) - (a^2 - b^2) * \log(1/2 * \cos(d*x + c) + 1/2) + (a^2 - b^2) * \log(-1/2 * \cos(d*x + c) + 1/2)) / ((a^3 - a*b^2) * d) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.49542, size = 112, normalized size = 1.67

$$\frac{2 \left(\pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}}\right) \right) b - \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)}{\sqrt{a^2 - b^2} a} \frac{1}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out]
$$-(2 * (\pi * \text{floor}(1/2 * (d*x + c) / \pi + 1/2)) * \operatorname{sgn}(a) + \arctan((a * \tan(1/2 * d*x + 1/2 * c) + b) / \sqrt{a^2 - b^2})) * b / (\sqrt{a^2 - b^2} * a) - \log(\operatorname{abs}(\tan(1/2 * d*x + 1/2 * c))) / a) / d$$

$$3.236 \quad \int \frac{(e+fx)^3 \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=882

$$\frac{3 \operatorname{PolyLog}\left(3, e^{2i(c+dx)}\right) f^3}{2ad^4} + \frac{6ib \operatorname{PolyLog}\left(4, -e^{i(c+dx)}\right) f^3}{a^2d^4} - \frac{6ib \operatorname{PolyLog}\left(4, e^{i(c+dx)}\right) f^3}{a^2d^4} + \frac{6b^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) f}{a^2\sqrt{a^2-b^2}d^4}$$

[Out] $((-I)*(e + f*x)^3)/(a*d) + (2*b*(e + f*x)^3*\operatorname{ArcTanh}[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)^3*\operatorname{Cot}[c + d*x])/(a*d) - (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d) + (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d) + (3*f*(e + f*x)^2*\operatorname{Log}[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((3*I)*b*f*(e + f*x)^2*\operatorname{PolyLog}[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((3*I)*b*f*(e + f*x)^2*\operatorname{PolyLog}[2, E^(I*(c + d*x))])/(a^2*d^2) - (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^2) + (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^2) - ((3*I)*f^2*(e + f*x)*\operatorname{PolyLog}[2, E^((2*I)*(c + d*x))])/(a*d^3) + (6*b*f^2*(e + f*x)*\operatorname{PolyLog}[3, -E^(I*(c + d*x))])/(a^2*d^3) - (6*b*f^2*(e + f*x)*\operatorname{PolyLog}[3, E^(I*(c + d*x))])/(a^2*d^3) - ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^3) + ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^3) + (3*f^3*\operatorname{PolyLog}[3, E^((2*I)*(c + d*x))])/(2*a*d^4) + ((6*I)*b*f^3*\operatorname{PolyLog}[4, -E^(I*(c + d*x))])/(a^2*d^4) - ((6*I)*b*f^3*\operatorname{PolyLog}[4, E^(I*(c + d*x))])/(a^2*d^4) + (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^4) - (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^4)$

Rubi [A] time = 1.55123, antiderivative size = 882, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {4535, 4184, 3717, 2190, 2531, 2282, 6589, 4183, 6609, 3323, 2264}

$$\frac{3 \operatorname{PolyLog}\left(3, e^{2i(c+dx)}\right) f^3}{2ad^4} + \frac{6ib \operatorname{PolyLog}\left(4, -e^{i(c+dx)}\right) f^3}{a^2d^4} - \frac{6ib \operatorname{PolyLog}\left(4, e^{i(c+dx)}\right) f^3}{a^2d^4} + \frac{6b^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) f}{a^2\sqrt{a^2-b^2}d^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^3*\operatorname{Csc}[c + d*x]^2/(a + b*\operatorname{Sin}[c + d*x]), x]$

[Out] $((-I)*(e + f*x)^3)/(a*d) + (2*b*(e + f*x)^3*\operatorname{ArcTanh}[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)^3*\operatorname{Cot}[c + d*x])/(a*d) - (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d) + (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d) + (3*f*(e + f*x)^2*\operatorname{Log}[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((3*I)*b*f*(e + f*x)^2*\operatorname{PolyLog}[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((3*I)*b*f*(e + f*x)^2*\operatorname{PolyLog}[2, E^(I*(c + d*x))])/(a^2*d^2) - (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^2) + (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^2) - ((3*I)*f^2*(e + f*x)*\operatorname{PolyLog}[2, E^((2*I)*(c + d*x))])/(a*d^3) + (6*b*f^2*(e + f*x)*\operatorname{PolyLog}[3, -E^(I*(c + d*x))])/(a^2*d^3) - (6*b*f^2*(e + f*x)*\operatorname{PolyLog}[3, E^(I*(c + d*x))])/(a^2*d^3) - ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^3) + ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^3) + (3*f^3*\operatorname{PolyLog}[3, E^((2*I)*(c + d*x))])/(2*a*d^4) + ((6*I)*b*f^3*\operatorname{PolyLog}[4, -E^(I*(c + d*x))])/(a^2*d^4) - ((6*I)*b*f^3*\operatorname{PolyLog}[4, E^(I*(c + d*x))])/(a^2*d^4) + (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^(I*(c + d*x))])/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^4) - (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^(I*(c + d*x))])/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*\operatorname{Sqrt}[a^2 - b^2]*d^4)$

```

+ d*x)))]/(a^2*d^4) - ((6*I)*b*f^3*PolyLog[4, E^(I*(c + d*x)))]/(a^2*d^4)
+ (6*b^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*
Sqrt[a^2 - b^2]*d^4) - (6*b^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqr
t[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d^4)

```

Rule 4535

```

Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c +
d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Si
n[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n
, 0]

```

Rule 4184

```

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

```

Rule 3717

```

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

```

Rule 2190

```

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

Rule 2531

```

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rule 4183

```

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(

```

$-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}]/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 6609

$\text{Int}[(c + (f*x)^m)*\text{PolyLog}[n, (d + (F + (c + (a + b*x)^p))^m], x_Symbol] := \text{Simp}[(e + f*x)^m*\text{PolyLog}[n + 1, d*(F + (c + (a + b*x)^p))^m]/(b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m)/(b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^{(m-1)}*\text{PolyLog}[n + 1, d*(F + (c + (a + b*x)^p))^m], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x\} \&\& \text{GtQ}[m, 0]$

Rule 3323

$\text{Int}[(c + (d*x)^m)/((a + (b*\sin(e + f*x)))^m), x_Symbol] := \text{Dist}[2, \text{Int}[(c + d*x)^m*E^{(I*(e + f*x))}/(I*b + 2*a*E^{(I*(e + f*x))}) - I*b*E^{(2*I*(e + f*x))}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2264

$\text{Int}[(F + (f + (g*x)^m))/((a + (b*(F + (c + (f + g*x)^m))^u)), x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x] /; \text{FreeQ}\{F, a, b, c, f, g\}, x\} \&\& \text{EqQ}[v, 2*u] \&\& \text{LinearQ}[u, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^3 \csc^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \csc^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \csc(c + dx)}{a + b \sin(c + dx)} dx}{a} \\ &= -\frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{b \int (e + fx)^3 \csc(c + dx) dx}{a^2} + \frac{b^2 \int \frac{(e + fx)^3}{a + b \sin(c + dx)} dx}{a^2} + \frac{(3f) \int (e + fx)^2 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}} dx}{a^2} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} + \frac{(2b^2) \int \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}} dx}{a^2} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} + \frac{3f(e + fx)^2 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{ad^2} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^3 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{a^2 \sqrt{a^2}} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^3 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{a^2 \sqrt{a^2}} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^3 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{a^2 \sqrt{a^2}} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^3 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{a^2 \sqrt{a^2}} \\ &= -\frac{i(e + fx)^3}{ad} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^3 \log \frac{e^{i(c+dx)}}{ib + 2ae^{i(c+dx)}}}{a^2 \sqrt{a^2}} \end{aligned}$$

Mathematica [A] time = 43.0345, size = 1680, normalized size = 1.9

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (((-2*I)*a*d^3*(e + f*x)^3)/(-1 + E^((2*I)*c)) - 3*d^2*e*f*(b*d*e - 2*a*f)*x*Log[1 - E^((-I)*(c + d*x))] - 3*d^2*f^2*(b*d*e - a*f)*x^2*Log[1 - E^((-I)*(c + d*x))] - b*d^3*f^3*x^3*Log[1 - E^((-I)*(c + d*x))] + 3*d^2*e*f*(b*d*e + 2*a*f)*x*Log[1 + E^((-I)*(c + d*x))] + 3*d^2*f^2*(b*d*e + a*f)*x^2*Log[1 + E^((-I)*(c + d*x))] + b*d^3*f^3*x^3*Log[1 + E^((-I)*(c + d*x))] + I*d^2*e^2*(b*d*e - 3*a*f)*(d*x + I*Log[1 - E^((I*(c + d*x)))])) + d^2*e^2*(b*d*e + 3*a*f)*((-I)*d*x + Log[1 + E^((I*(c + d*x)))])) + (3*I)*d*e*f*(b*d*e + 2*a*f)*PolyLog[2, -E^((-I)*(c + d*x))] - (3*I)*d*e*f*(b*d*e - 2*a*f)*PolyLog[2, E^((-I)*(c + d*x))] + 6*f^2*(b*d*e + a*f)*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))]) + 6*f^2*(-(b*d*e) + a*f)*(I*d*x*PolyLog[2, E^((-I)*(c + d*x))] + PolyLog[3, E^((-I)*(c + d*x))]) + 3*b*f^3*(I*d^2*x^2*PolyLog[2, -E^((-I)*(c + d*x))] + 2*d*x*PolyLog[3, -E^((-I)*(c + d*x))]) - (2*I)*PolyLog[4, -E^((-I)*(c + d*x))] - (3*I)*b*f^3*(d^2*x^2*PolyLog[2, E^((-I)*(c + d*x))] - (2*I)*d*x*PolyLog[3, E^((-I)*(c + d*x))] - 2*PolyLog[4, E^((-I)*(c + d*x))]))/(a^2*d^4) + (b^2*(2*Sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^((I*(c + d*x)))/Sqrt[a^2 - b^2]] + 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 + (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 + (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 + (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - (3*I)*Sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + (3*I)*Sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, -((b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]))] + 6*Sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 6*Sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 6*Sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, -((b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]))] - 6*Sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, -((b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]))] + (6*I)*Sqrt[a^2 - b^2]*f^3*PolyLog[4, (b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - (6*I)*Sqrt[a^2 - b^2]*f^3*PolyLog[4, -((b*E^((I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]))]))/(a^2*Sqrt[-(a^2 - b^2)^2]*d^4) + (Csc[c/2]*Csc[c/2 + (d*x)/2]*(e^3*Sin[(d*x)/2] + 3*e^2*f*x*Sin[(d*x)/2] + 3*e*f^2*x^2*Sin[(d*x)/2] + f^3*x^3*Sin[(d*x)/2]))/(2*a*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(e^3*Sin[(d*x)/2] + 3*e^2*f*x*Sin[(d*x)/2] + 3*e*f^2*x^2*Sin[(d*x)/2] + f^3*x^3*Sin[(d*x)/2]))/(2*a*d)

Maple [F] time = 2.592, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\csc(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*csc(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*csc(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 7.45504, size = 10330, normalized size = 11.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(12*I*b^3*f^3*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) - 12*I*b^3*f^3*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) + 12*I*b^3*f^3*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) - 12*I*b^3*f^3*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) + 12*I*(a^2*b - b^3)*f^3*\text{polylog}(4, \cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - 12*I*(a^2*b - b^3)*f^3*\text{polylog}(4, \cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) + 12*I*(a^2*b - b^3)*f^3*\text{polylog}(4, -\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - 12*I*(a^2*b - b^3)*f^3*\text{polylog}(4, -\cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) + 2*(-3*I*b^3*d^2*f^3*x^2 - 6*I*b^3*d^2*e*f^2*x - 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + c) + 2*(3*I*b^3*d^2*f^3*x^2 + 6*I*b^3*d^2*e*f^2*x + 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + c) + 2*(3*I*b^3*d^2*f^3*x^2 + 6*I*b^3*d^2*e*f^2*x + 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + c) + 2*(-3*I*b^3*d^2*f^3*x^2 - 6*I*b^3*d^2*e*f^2*x - 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + c) - 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a)*\sin(d*x + c) - 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a)*\sin(d*x + c) + 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a)*\sin(d*x + c) + 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a)*\sin(d*x + c) - 2*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d$$

$$\begin{aligned}
& e^{f^2} + b^3 c^3 f^3 \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) - Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)/b \sin(dx + c) \\
& + 2(b^3 d^3 f^3 x^3 + 3b^3 d^3 e^{f^2} x^2 + 3b^3 d^3 e^{2f} x + 3b^3 c^2 d^2 e^{2f} - 3b^3 c^2 d e^{f^2} + b^3 c^3 f^3) \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) - Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)/b \sin(dx + c) \\
& - 2(b^3 d^3 f^3 x^3 + 3b^3 d^3 e^{f^2} x^2 + 3b^3 d^3 e^{2f} x + 3b^3 c^2 d^2 e^{2f} - 3b^3 c^2 d e^{f^2} + b^3 c^3 f^3) \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) + Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)/b \sin(dx + c) \\
& + 2(b^3 d^3 f^3 x^3 + 3b^3 d^3 e^{f^2} x^2 + 3b^3 d^3 e^{2f} x + 3b^3 c^2 d^2 e^{2f} - 3b^3 c^2 d e^{f^2} + b^3 c^3 f^3) \sqrt{-(a^2 - b^2)/b^2} \log\left(\frac{1}{2}(-2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) + Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2} + 2b\right)/b \sin(dx + c) \\
& + 12(b^3 d^3 f^3 x + b^3 d^2 e^{f^2}) \sqrt{-(a^2 - b^2)/b^2} \text{polylog}\left(3, \frac{1}{2}(2Ia \cos(dx + c) - 2a \sin(dx + c) + 2(b \cos(dx + c) + Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2}\right)/b \sin(dx + c) \\
& - 12(b^3 d^3 f^3 x + b^3 d^2 e^{f^2}) \sqrt{-(a^2 - b^2)/b^2} \text{polylog}\left(3, \frac{1}{2}(2Ia \cos(dx + c) - 2a \sin(dx + c) - 2(b \cos(dx + c) + Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2}\right)/b \sin(dx + c) \\
& - 12(b^3 d^3 f^3 x + b^3 d^2 e^{f^2}) \sqrt{-(a^2 - b^2)/b^2} \text{polylog}\left(3, -(Ia \cos(dx + c) + a \sin(dx + c) + (b \cos(dx + c) - Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2}\right)/b \sin(dx + c) \\
& + 12(b^3 d^3 f^3 x + b^3 d^2 e^{f^2}) \sqrt{-(a^2 - b^2)/b^2} \text{polylog}\left(3, -(Ia \cos(dx + c) + a \sin(dx + c) - (b \cos(dx + c) - Ib \sin(dx + c))) \sqrt{-(a^2 - b^2)/b^2}\right)/b \sin(dx + c) \\
& + (-6I(a^2 b - b^3) d^2 f^3 x^2 - 6I(a^2 b - b^3) d^2 e^{2f} + 12I(a^3 - a b^2) d^2 e^{f^2} - 12I((a^2 b - b^3) d^2 e^{f^2} - (a^3 - a b^2) d^2 f^3) x) \text{dilog}(\cos(dx + c) + I \sin(dx + c)) \sin(dx + c) \\
& + (6I(a^2 b - b^3) d^2 f^3 x^2 + 6I(a^2 b - b^3) d^2 e^{2f} - 12I(a^3 - a b^2) d^2 e^{f^2} + 12I((a^2 b - b^3) d^2 e^{f^2} - (a^3 - a b^2) d^2 f^3) x) \text{dilog}(\cos(dx + c) - I \sin(dx + c)) \sin(dx + c) \\
& + (-6I(a^2 b - b^3) d^2 f^3 x^2 - 6I(a^2 b - b^3) d^2 e^{2f} - 12I(a^3 - a b^2) d^2 e^{f^2} - 12I((a^2 b - b^3) d^2 e^{f^2} + (a^3 - a b^2) d^2 f^3) x) \text{dilog}(-\cos(dx + c) + I \sin(dx + c)) \sin(dx + c) \\
& + (6I(a^2 b - b^3) d^2 f^3 x^2 + 6I(a^2 b - b^3) d^2 e^{2f} + 12I(a^3 - a b^2) d^2 e^{f^2} + 12I((a^2 b - b^3) d^2 e^{f^2} + (a^3 - a b^2) d^2 f^3) x) \text{dilog}(-\cos(dx + c) - I \sin(dx + c)) \sin(dx + c) \\
& - 2((a^2 b - b^3) d^3 f^3 x^3 + (a^2 b - b^3) d^3 e^3 + 3(a^3 - a b^2) d^2 e^{2f} + 3((a^2 b - b^3) d^3 e^{f^2} + (a^3 - a b^2) d^2 f^3) x^2 + 3((a^2 b - b^3) d^3 e^{2f} + 2(a^3 - a b^2) d^2 e^{f^2}) x) \log(\cos(dx + c) + I \sin(dx + c) + 1) \sin(dx + c) \\
& - 2((a^2 b - b^3) d^3 f^3 x^3 + (a^2 b - b^3) d^3 e^3 + 3(a^3 - a b^2) d^2 e^{2f} + 3((a^2 b - b^3) d^3 e^{f^2} + (a^3 - a b^2) d^2 f^3) x^2 + 3((a^2 b - b^3) d^3 e^{2f} + 2(a^3 - a b^2) d^2 e^{f^2}) x) \log(\cos(dx + c) - I \sin(dx + c) + 1) \sin(dx + c) \\
& + 2((a^2 b - b^3) d^3 f^3 x^3 + 3(a^2 b - b^3) c^2 d^2 e^{2f} - 3((a^2 b - b^3) c^2 + 3(a^3 - a b^2) c^2) f^3) \log(-1/2 \cos(dx + c) + 1/2 I \sin(dx + c) + 1/2) \sin(dx + c) \\
& + 2((a^2 b - b^3) d^3 e^3 - 3(a^3 - a b^2 + (a^2 b - b^3) c) d^2 e^{2f} + 3((a^2 b - b^3) c^2 + 2(a^3 - a b^2) c) d^2 e^{f^2} - ((a^2 b - b^3) c^3 + 3(a^3 - a b^2) c^2) f^3) \log(-1/2 \cos(dx + c) - 1/2 I \sin(dx + c) + 1/2) \sin(dx + c) \\
& + 2((a^2 b - b^3) d^3 f^3 x^3 + 3(a^2 b - b^3) c^2 d^2 e^{2f} - 3((a^2 b - b^3) c^2 + 2(a^3 - a b^2) c) d^2 e^{f^2} + ((a^2 b - b^3) c^3 + 3(a^3 - a b^2) c^2) f^3 + 3((a^2 b - b^3) d^3 e^{f^2} - (a^3 - a b^2) d^2 f^3) x^2 + 3((a^2 b - b^3) d^3 e^{2f} - 2(a^3 - a b^2) d^2 e^{f^2}) x) \log(-\cos(dx + c) - I \sin(dx + c) + 1) \sin(dx + c) \\
& + 12((a^2 b - b^3) d^3 f^3 x + (a^2 b - b^3) d^2 e^{f^2} - (a^3 - a b^2) f^3) \text{polylog}\left(3, \cos(dx + c) + I \sin(dx + c)\right) \sin(dx + c) \\
& + 12((a^2 b - b^3) d^3 f^3 x + (a^2 b - b^3) d^2 e^{f^2} - (a^3 - a b^2) f^3) \text{polylog}\left(3, \cos(dx + c) - I \sin(dx + c)\right) \sin(dx + c)
\end{aligned}$$


```

in(d*x + c))*sin(d*x + c) - 12*((a^2*b - b^3)*d*f^3*x + (a^2*b - b^3)*d*e*f
^2 + (a^3 - a*b^2)*f^3)*polylog(3, -cos(d*x + c) + I*sin(d*x + c))*sin(d*x
+ c) - 12*((a^2*b - b^3)*d*f^3*x + (a^2*b - b^3)*d*e*f^2 + (a^3 - a*b^2)*f
^3)*polylog(3, -cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 4*((a^3 - a*b^
2)*d^3*f^3*x^3 + 3*(a^3 - a*b^2)*d^3*e*f^2*x^2 + 3*(a^3 - a*b^2)*d^3*e^2*f*
x + (a^3 - a*b^2)*d^3*e^3)*cos(d*x + c))/((a^4 - a^2*b^2)*d^4*sin(d*x + c))

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \csc^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*csc(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Integral((e + f*x)**3*csc(c + d*x)**2/(a + b*sin(c + d*x)), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.237 \quad \int \frac{(e+fx)^2 \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=639

$$-\frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^2 \sqrt{a^2-b^2}} + \frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^2 \sqrt{a^2-b^2}} - \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^3 \sqrt{a^2-b^2}} + \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^3 \sqrt{a^2-b^2}}$$

[Out] $((-1)*(e + f*x)^2)/(a*d) + (2*b*(e + f*x)^2*\text{ArcTanh}[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)^2*\text{Cot}[c + d*x])/(a*d) - (I*b^2*(e + f*x)^2*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d) + (I*b^2*(e + f*x)^2*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d) + (2*f*(e + f*x)*\text{Log}[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*b*f*(e + f*x)*\text{PolyLog}[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((2*I)*b*f*(e + f*x)*\text{PolyLog}[2, E^(I*(c + d*x))])/(a^2*d^2) - (2*b^2*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^2) + (2*b^2*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^2) - (I*f^2*\text{PolyLog}[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*b*f^2*\text{PolyLog}[3, -E^(I*(c + d*x))])/(a^2*d^3) - (2*b*f^2*\text{PolyLog}[3, E^(I*(c + d*x))])/(a^2*d^3) - ((2*I)*b^2*f^2*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^3) + ((2*I)*b^2*f^2*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^3)$

Rubi [A] time = 1.20559, antiderivative size = 639, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 12, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4535, 4184, 3717, 2190, 2279, 2391, 4183, 2531, 2282, 6589, 3323, 2264}

$$-\frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^2 \sqrt{a^2-b^2}} + \frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^2 \sqrt{a^2-b^2}} - \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^3 \sqrt{a^2-b^2}} + \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^3 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] $((-1)*(e + f*x)^2)/(a*d) + (2*b*(e + f*x)^2*\text{ArcTanh}[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)^2*\text{Cot}[c + d*x])/(a*d) - (I*b^2*(e + f*x)^2*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d) + (I*b^2*(e + f*x)^2*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d) + (2*f*(e + f*x)*\text{Log}[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*b*f*(e + f*x)*\text{PolyLog}[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((2*I)*b*f*(e + f*x)*\text{PolyLog}[2, E^(I*(c + d*x))])/(a^2*d^2) - (2*b^2*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^2) + (2*b^2*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^2) - (I*f^2*\text{PolyLog}[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*b*f^2*\text{PolyLog}[3, -E^(I*(c + d*x))])/(a^2*d^3) - (2*b*f^2*\text{PolyLog}[3, E^(I*(c + d*x))])/(a^2*d^3) - ((2*I)*b^2*f^2*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^3) + ((2*I)*b^2*f^2*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*\text{Sqrt}[a^2 - b^2]*d^3)$

Rule 4535

Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n

, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(c + d*x)^m*Cot[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[(c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/((b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol]
:> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x]
&& EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^2 \csc^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \csc^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^2 \csc(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{(e + fx)^2 \cot(c + dx)}{ad} - \frac{b \int (e + fx)^2 \csc(c + dx) dx}{a^2} + \frac{b^2 \int \frac{(e + fx)^2}{a + b \sin(c + dx)} dx}{a^2} + \frac{(2f) \int (e + fx) dx}{a^2}$$

$$= -\frac{i(e + fx)^2}{ad} + \frac{2b(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{a^2 d} - \frac{(e + fx)^2 \cot(c + dx)}{ad} + \frac{(2b^2) \int \frac{e^{i(c + dx)}(e + fx)}{ib + 2ae^{i(c + dx)}} dx}{a^2}$$

$$= -\frac{i(e + fx)^2}{ad} + \frac{2b(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{a^2 d} - \frac{(e + fx)^2 \cot(c + dx)}{ad} + \frac{2f(e + fx) \log(1 - \frac{e^{i(c + dx)}}{ib + 2ae^{i(c + dx)}})}{ad^2}$$

$$= -\frac{i(e + fx)^2}{ad} + \frac{2b(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{a^2 d} - \frac{(e + fx)^2 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^2 \log(1 - \frac{e^{i(c + dx)}}{ib + 2ae^{i(c + dx)}})}{a^2 \sqrt{a^2 - b^2}}$$

$$= -\frac{i(e + fx)^2}{ad} + \frac{2b(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{a^2 d} - \frac{(e + fx)^2 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^2 \log(1 - \frac{e^{i(c + dx)}}{ia + \sqrt{b^2 - a^2}})}{a^2 \sqrt{a^2 - b^2}}$$

$$= -\frac{i(e + fx)^2}{ad} + \frac{2b(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{a^2 d} - \frac{(e + fx)^2 \cot(c + dx)}{ad} - \frac{ib^2(e + fx)^2 \log(1 - \frac{e^{i(c + dx)}}{ia + \sqrt{b^2 - a^2}})}{a^2 \sqrt{a^2 - b^2}}$$

Mathematica [A] time = 11.9213, size = 911, normalized size = 1.43

$$i \left(-2\sqrt{a^2 - b^2} df(e + fx) \text{PolyLog} \left(2, \frac{be^{i(c + dx)}}{\sqrt{b^2 - a^2} - ia} \right) + 2\sqrt{a^2 - b^2} df(e + fx) \text{PolyLog} \left(2, -\frac{be^{i(c + dx)}}{ia + \sqrt{b^2 - a^2}} \right) - i \left((2\sqrt{b^2 - a^2} \tan^{-1} \left(\frac{e^{i(c + dx)}}{ib + 2ae^{i(c + dx)}} \right) - \log \left(1 - \frac{e^{i(c + dx)}}{ib + 2ae^{i(c + dx)}} \right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^2*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (((-2*I)*a*d^2*(e + f*x)^2)/(-1 + E^((2*I)*c)) - 2*d*f*(b*d*e - a*f)*x*Log[
1 - E^((-I)*(c + d*x))] - b*d^2*f^2*x^2*Log[1 - E^((-I)*(c + d*x))] + 2*d*f
*(b*d*e + a*f)*x*Log[1 + E^((-I)*(c + d*x))] + b*d^2*f^2*x^2*Log[1 + E^((-I
)*(c + d*x))] + I*d*e*(b*d*e - 2*a*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]) +
d*e*(b*d*e + 2*a*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))]) + (2*I)*f*(b*d*e
+ a*f)*PolyLog[2, -E^((-I)*(c + d*x))] + (2*I)*f*(-(b*d*e) + a*f)*PolyLog[2
, E^((-I)*(c + d*x))] + 2*b*f^2*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + Po
lyLog[3, -E^((-I)*(c + d*x))]) - (2*I)*b*f^2*(d*x*PolyLog[2, E^((-I)*(c + d
*x))] - I*PolyLog[3, E^((-I)*(c + d*x))])/(a^2*d^3) + (I*b^2*(-2*Sqrt[a^2
- b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b
^2]]) + 2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I
*a + Sqrt[-a^2 + b^2]))] - I*(d^2*(2*Sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E
^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 -
(b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]]) - Log[1 + (b*E^(I*(c + d
*x)))/(I*a + Sqrt[-a^2 + b^2]))]) + 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I
*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3
, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))])/(a^2*Sqrt[-(a^2 - b^2
)^2]*d^3) + (Csc[c/2]*Csc[c/2 + (d*x)/2]*(e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d
*x)/2] + f^2*x^2*Sin[(d*x)/2]))/(2*a*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]*(e^2
*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2]))/(2*a*d)
```

Maple [F] time = 2.214, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\csc(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*csc(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*csc(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 4.9288, size = 6947, normalized size = 10.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(4*b^3*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) -
2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
```

$$\begin{aligned}
& /b^2)) / b) * \sin(dx + c) - 4*b^3*f^2*\sqrt{-(a^2 - b^2)/b^2} * \text{polylog}(3, 1/2*(2 \\
& *I*a*\cos(dx + c) - 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c) \\
&)*\sqrt{-(a^2 - b^2)/b^2}) / b) * \sin(dx + c) - 4*b^3*f^2*\sqrt{-(a^2 - b^2)/b^2} \\
&) * \text{polylog}(3, -(I*a*\cos(dx + c) + a*\sin(dx + c) + (b*\cos(dx + c) - I*b*\sin \\
& n(dx + c)) * \sqrt{-(a^2 - b^2)/b^2}) / b) * \sin(dx + c) + 4*b^3*f^2*\sqrt{-(a^2 \\
& - b^2)/b^2} * \text{polylog}(3, -(I*a*\cos(dx + c) + a*\sin(dx + c) - (b*\cos(dx + c) \\
&) - I*b*\sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2}) / b) * \sin(dx + c) + 4*(a^2*b - \\
& b^3)*f^2 * \text{polylog}(3, \cos(dx + c) + I*\sin(dx + c)) * \sin(dx + c) + 4*(a^2*b - \\
& b^3)*f^2 * \text{polylog}(3, \cos(dx + c) - I*\sin(dx + c)) * \sin(dx + c) - 4*(a^2*b \\
& - b^3)*f^2 * \text{polylog}(3, -\cos(dx + c) + I*\sin(dx + c)) * \sin(dx + c) - 4*(a \\
& ^2*b - b^3)*f^2 * \text{polylog}(3, -\cos(dx + c) - I*\sin(dx + c)) * \sin(dx + c) + 2 \\
& *(-2*I*b^3*d*f^2*x - 2*I*b^3*d*e*f) * \sqrt{-(a^2 - b^2)/b^2} * \text{dilog}(-1/2*(2*I* \\
& a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) - I*b*\sin(dx + c)) * \sqrt{ \\
& -(a^2 - b^2)/b^2} + 2*b) / b + 1) * \sin(dx + c) + 2*(2*I*b^3*d*f^2*x + 2*I \\
& *b^3*d*e*f) * \sqrt{-(a^2 - b^2)/b^2} * \text{dilog}(-1/2*(2*I*a*\cos(dx + c) + 2*a*\sin \\
& (dx + c) - 2*(b*\cos(dx + c) - I*b*\sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2} + \\
& 2*b) / b + 1) * \sin(dx + c) + 2*(2*I*b^3*d*f^2*x + 2*I*b^3*d*e*f) * \sqrt{-(a^2 - \\
& b^2)/b^2} * \text{dilog}(-1/2*(-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx \\
& x + c) + I*b*\sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2*b) / b + 1) * \sin(dx + c \\
&) + 2*(-2*I*b^3*d*f^2*x - 2*I*b^3*d*e*f) * \sqrt{-(a^2 - b^2)/b^2} * \text{dilog}(-1/2* \\
& (-2*I*a*\cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + \\
& c)) * \sqrt{-(a^2 - b^2)/b^2} + 2*b) / b + 1) * \sin(dx + c) - 2*(b^3*d^2*e^2 - 2 \\
& *b^3*c*d*e*f + b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(2*b*\cos(dx + c) + 2 \\
& *I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) * \sin(dx + c) - 2*(b \\
& ^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(2*b*co \\
& s(dx + c) - 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) * \sin(dx \\
& x + c) + 2*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b \\
& ^2} * \log(-2*b*\cos(dx + c) + 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} \\
& + 2*I*a) * \sin(dx + c) + 2*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2) * \sqrt{ \\
& -(a^2 - b^2)/b^2} * \log(-2*b*\cos(dx + c) - 2*I*b*\sin(dx + c) + 2*b*\sqrt{-(\\
& a^2 - b^2)/b^2} - 2*I*a) * \sin(dx + c) - 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f* \\
& x + 2*b^3*c*d*e*f - b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(2*I*a*\cos(\\
& dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) - I*b*\sin(dx + c)) * \sqrt{-(\\
& a^2 - b^2)/b^2} + 2*b) / b) * \sin(dx + c) + 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f \\
& *x + 2*b^3*c*d*e*f - b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(2*I*a*\cos \\
& (dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) - I*b*\sin(dx + c)) * \sqrt{-(\\
& a^2 - b^2)/b^2} + 2*b) / b) * \sin(dx + c) - 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e* \\
& f*x + 2*b^3*c*d*e*f - b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(-2*I*a*c \\
& os(dx + c) + 2*a*\sin(dx + c) + 2*(b*\cos(dx + c) + I*b*\sin(dx + c)) * \sqrt{ \\
& -(a^2 - b^2)/b^2} + 2*b) / b) * \sin(dx + c) + 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2* \\
& e*f*x + 2*b^3*c*d*e*f - b^3*c^2*f^2) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2*(-2*I*a \\
& *cos(dx + c) + 2*a*\sin(dx + c) - 2*(b*\cos(dx + c) + I*b*\sin(dx + c)) * \sqrt{ \\
& -(a^2 - b^2)/b^2} + 2*b) / b) * \sin(dx + c) + (-4*I*(a^2*b - b^3)*d*f^2*x - \\
& 4*I*(a^2*b - b^3)*d*e*f + 4*I*(a^3 - a*b^2)*f^2) * \text{dilog}(\cos(dx + c) + I*\sin \\
& n(dx + c)) * \sin(dx + c) + (4*I*(a^2*b - b^3)*d*f^2*x + 4*I*(a^2*b - b^3)*d \\
& *e*f - 4*I*(a^3 - a*b^2)*f^2) * \text{dilog}(\cos(dx + c) - I*\sin(dx + c)) * \sin(dx \\
& + c) + (-4*I*(a^2*b - b^3)*d*f^2*x - 4*I*(a^2*b - b^3)*d*e*f - 4*I*(a^3 - a \\
& *b^2)*f^2) * \text{dilog}(-\cos(dx + c) + I*\sin(dx + c)) * \sin(dx + c) + (4*I*(a^2*b \\
& - b^3)*d*f^2*x + 4*I*(a^2*b - b^3)*d*e*f + 4*I*(a^3 - a*b^2)*f^2) * \text{dilog}(-c \\
& os(dx + c) - I*\sin(dx + c)) * \sin(dx + c) - 2*((a^2*b - b^3)*d^2*f^2*x^2 + \\
& (a^2*b - b^3)*d^2*e^2 + 2*(a^3 - a*b^2)*d*e*f + 2*((a^2*b - b^3)*d^2*e*f + \\
& (a^3 - a*b^2)*d*f^2)*x) * \log(\cos(dx + c) + I*\sin(dx + c) + 1) * \sin(dx + c \\
&) - 2*((a^2*b - b^3)*d^2*f^2*x^2 + (a^2*b - b^3)*d^2*e^2 + 2*(a^3 - a*b^2)* \\
& d*e*f + 2*((a^2*b - b^3)*d^2*e*f + (a^3 - a*b^2)*d*f^2)*x) * \log(\cos(dx + c) \\
& - I*\sin(dx + c) + 1) * \sin(dx + c) + 2*((a^2*b - b^3)*d^2*e^2 - 2*(a^3 - a \\
& *b^2 + (a^2*b - b^3)*c)*d*e*f + ((a^2*b - b^3)*c^2 + 2*(a^3 - a*b^2)*c)*f^2 \\
&) * \log(-1/2*\cos(dx + c) + 1/2*I*\sin(dx + c) + 1/2) * \sin(dx + c) + 2*((a^2* \\
& b - b^3)*d^2*e^2 - 2*(a^3 - a*b^2 + (a^2*b - b^3)*c)*d*e*f + ((a^2*b - b^3) \\
& *c^2 + 2*(a^3 - a*b^2)*c)*f^2) * \log(-1/2*\cos(dx + c) - 1/2*I*\sin(dx + c) +
\end{aligned}$$

$$\frac{1}{2} \sin(dx + c) + 2((a^2b - b^3)d^2f^2x^2 + 2(a^2b - b^3)cd*ef - ((a^2b - b^3)c^2 + 2(a^3 - ab^2)c)*f^2 + 2((a^2b - b^3)d^2*ef - (a^3 - ab^2)d*f^2)*x) \log(-\cos(dx + c) + I \sin(dx + c) + 1) \sin(dx + c) + 2((a^2b - b^3)d^2f^2x^2 + 2(a^2b - b^3)cd*ef - ((a^2b - b^3)c^2 + 2(a^3 - ab^2)c)*f^2 + 2((a^2b - b^3)d^2*ef - (a^3 - ab^2)d*f^2)*x) \log(-\cos(dx + c) - I \sin(dx + c) + 1) \sin(dx + c) + 4((a^3 - ab^2)d^2f^2x^2 + 2(a^3 - ab^2)d^2*ef*x + (a^3 - ab^2)d^2*e^2) \cos(dx + c) / ((a^4 - a^2b^2)d^3 \sin(dx + c))$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \csc^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*csc(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*csc(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.238 $\int \frac{(e+fx) \csc^2(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=370

$$-\frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^2 \sqrt{a^2-b^2}} + \frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^2 \sqrt{a^2-b^2}} - \frac{ib f \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2 d^2} + \frac{ib f \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{a^2 d^2} - \frac{ib^2(e+fx) \operatorname{Cot}[c+dx]}{a^2 d^2}$$

[Out] (2*b*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)*Cot[c + d*x])/(a*d) - (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d) + (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*b*f*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + (I*b*f*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d^2) + (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d^2)

Rubi [A] time = 0.616411, antiderivative size = 370, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4535, 4184, 3475, 4183, 2279, 2391, 3323, 2264, 2190}

$$-\frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2 d^2 \sqrt{a^2-b^2}} + \frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2 d^2 \sqrt{a^2-b^2}} - \frac{ib f \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2 d^2} + \frac{ib f \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{a^2 d^2} - \frac{ib^2(e+fx) \operatorname{Cot}[c+dx]}{a^2 d^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (2*b*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a^2*d) - ((e + f*x)*Cot[c + d*x])/(a*d) - (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d) + (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*b*f*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + (I*b*f*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d^2) + (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(a^2*Sqrt[a^2 - b^2]*d^2)

Rule 4535

Int[(Csc[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Csc[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Csc[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)], x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx) \csc^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx) \csc^2(c + dx) dx}{a} - \frac{b \int \frac{(e+fx) \csc(c+dx)}{a+b \sin(c+dx)} dx}{a} \\
 &= -\frac{(e + fx) \cot(c + dx)}{ad} - \frac{b \int (e + fx) \csc(c + dx) dx}{a^2} + \frac{b^2 \int \frac{e+fx}{a+b \sin(c+dx)} dx}{a^2} + \frac{f \int \cot(c + dx) dx}{ad} \\
 &= \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx) \cot(c + dx)}{ad} + \frac{f \log(\sin(c + dx))}{ad^2} + \frac{(2b^2) \int \frac{e^{i(c+dx)}}{ib+2ae^{i(c+dx)}} dx}{a^2} \\
 &= \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx) \cot(c + dx)}{ad} + \frac{f \log(\sin(c + dx))}{ad^2} - \frac{(2ib^3) \int \frac{e^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}} dx}{a^2 \sqrt{a^2-b^2}} \\
 &= \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx) \cot(c + dx)}{ad} - \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} + \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} \\
 &= \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx) \cot(c + dx)}{ad} - \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} + \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} \\
 &= \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d} - \frac{(e + fx) \cot(c + dx)}{ad} - \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} + \frac{ib^2(e + fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d}
 \end{aligned}$$

Mathematica [B] time = 11.2584, size = 933, normalized size = 2.52

$$(de + dfx) \left(\frac{2(de - cf) \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{if \left(\log\left(1 - i \tan\left(\frac{1}{2}(c+dx)\right)\right) \log\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right) + \sqrt{b^2-a^2}}{-ia+b+\sqrt{b^2-a^2}}\right) + \text{PolyLog}\left(2, \frac{a^{1-i \tan\left(\frac{1}{2}(c+dx)\right)}}{a+i(b+\sqrt{b^2-a^2})}\right) \right)}{\sqrt{b^2-a^2}} \right) + \frac{if \left(\log\left(1 - i \tan\left(\frac{1}{2}(c+dx)\right)\right) \right)}{\sqrt{b^2-a^2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-(d*e*Cos[(c + d*x)/2]) + c*f*Cos[(c + d*x)/2] - f*(c + d*x)*Cos[(c + d*x)/2])*Csc[(c + d*x)/2])/(2*a*d^2) + (f*Log[Sin[c + d*x]])/(a*d^2) - (b*e*Log[Tan[(c + d*x)/2]])/(a^2*d) + (b*c*f*Log[Tan[(c + d*x)/2]])/(a^2*d^2) - (b*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))]))/(a^2*d^2) + (b^2*(d*e + d*f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])]) + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])]) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[-((b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))]) + PolyLog[2, (a*(I + Tan[(c + d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])]) + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2]))/(a^2*d^2*(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]])) + (Sec[(c + d*x)/2]*(d*e*Sin[(c + d*x)/2] - c*f*Sin[(c + d*x)/2] + f*(c + d*x)*Sin[(c + d*x)/2]))/(2*a*d^2)
```

Maple [B] time = 0.194, size = 766, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*csc(d*x+c)^2/(a+b*sin(d*x+c)),x)`

[Out]
$$2*I/d/a^2*b^2*e/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})-I/d^2/a^2*b*f*\operatorname{dilog}(\exp(I*(d*x+c))+1)-2*I*(f*x+e)/d/a/(\exp(2*I*(d*x+c))-1)-2/d^2/a*f*\ln(\exp(I*(d*x+c)))+I/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))-I/d^2/a^2*b*f*\operatorname{dilog}(\exp(I*(d*x+c))+1/d/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*x+1/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*c+1/d^2/a*f*\ln(\exp(I*(d*x+c))-1)+1/d^2/a*f*\ln(\exp(I*(d*x+c))+1)-1/d/a^2*b*e*\ln(\exp(I*(d*x+c))-1)+1/d/a^2*b*e*\ln(\exp(I*(d*x+c))+1)+1/d^2/a^2*b*f*c*\ln(\exp(I*(d*x+c))-1)+1/d/a^2*b*f*\ln(\exp(I*(d*x+c))+1)*x-2*I/d^2/a^2*b^2*f*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})-1/d/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*x-1/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*c-I/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 4.48821, size = 4132, normalized size = 11.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")`

[Out]
$$-1/4*(-2*I*b^3*f*\sqrt{-(a^2-b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x+c)+2*a*\sin(d*x+c)+2*(b*\cos(d*x+c)-I*b*\sin(d*x+c)))*\sqrt{-(a^2-b^2)/b^2}+2*b)/b+1)*\sin(d*x+c)+2*I*b^3*f*\sqrt{-(a^2-b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x+c)+2*a*\sin(d*x+c)-2*(b*\cos(d*x+c)-I*b*\sin(d*x+c)))*\sqrt{-(a^2-b^2)/b^2}+2*b)/b+1)*\sin(d*x+c)+2*I*b^3*f*\sqrt{-(a^2-b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x+c)+2*a*\sin(d*x+c)+2*(b*\cos(d*x+c)+I*b*\sin(d*x+c)))*\sqrt{-(a^2-b^2)/b^2}+2*b)/b+1)*\sin(d*x+c)-2*I*b^3*f*\sqrt{-(a^2-b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x+c)+2*a*\sin(d*x+c)-2*(b*\cos(d*x+c)+I*b*\sin(d*x+c)))*\sqrt{-(a^2-b^2)/b^2})$$

```

b^2) + 2*b)/b + 1)*sin(d*x + c) - 2*I*(a^2*b - b^3)*f*dilog(cos(d*x + c) +
I*sin(d*x + c))*sin(d*x + c) + 2*I*(a^2*b - b^3)*f*dilog(cos(d*x + c) - I*s
in(d*x + c))*sin(d*x + c) - 2*I*(a^2*b - b^3)*f*dilog(-cos(d*x + c) + I*sin
(d*x + c))*sin(d*x + c) + 2*I*(a^2*b - b^3)*f*dilog(-cos(d*x + c) - I*sin(d
*x + c))*sin(d*x + c) - 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*
b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*s
in(d*x + c) - 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x
+ c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c
) + 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*
I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) + 2*(b^
3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d
*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c) - 2*(b^3*d*f*x +
b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x
+ c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/
b)*sin(d*x + c) + 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2
*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c)
))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*(b^3*d*f*x + b^3*c*f)*s
qrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(
b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x
+ c) + 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(
d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(
a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*((a^2*b - b^3)*d*f*x + (a^2*b -
b^3)*d*e + (a^3 - a*b^2)*f)*log(cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x
+ c) - 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*d*e + (a^3 - a*b^2)*f)*log(co
s(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 2*((a^2*b - b^3)*d*e - (a^3
- a*b^2 + (a^2*b - b^3)*c)*f)*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) +
1/2)*sin(d*x + c) + 2*((a^2*b - b^3)*d*e - (a^3 - a*b^2 + (a^2*b - b^3)*c)
*f)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 2*((a^
2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*log(-cos(d*x + c) + I*sin(d*x + c) +
1)*sin(d*x + c) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*log(-cos(d*x
+ c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 4*((a^3 - a*b^2)*d*f*x + (a^3 - a
*b^2)*d*e)*cos(d*x + c))/((a^4 - a^2*b^2)*d^2*sin(d*x + c))

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \csc^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*csc(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.239 \quad \int \frac{\csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=83

$$\frac{2b^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{a^2 d \sqrt{a^2-b^2}} + \frac{b \tanh^{-1}(\cos(c+dx))}{a^2 d} - \frac{\cot(c+dx)}{ad}$$

[Out] (2*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2*Sqrt[a^2 - b^2]*d) + (b*ArcTanh[Cos[c + d*x]])/(a^2*d) - Cot[c + d*x]/(a*d)

Rubi [A] time = 0.128176, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2802, 12, 2747, 3770, 2660, 618, 204}

$$\frac{2b^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{a^2 d \sqrt{a^2-b^2}} + \frac{b \tanh^{-1}(\cos(c+dx))}{a^2 d} - \frac{\cot(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Csc[c + d*x]^2/(a + b*Sin[c + d*x]),x]

[Out] (2*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2*Sqrt[a^2 - b^2]*d) + (b*ArcTanh[Cos[c + d*x]])/(a^2*d) - Cot[c + d*x]/(a*d)

Rule 2802

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 12

```
Int[(a_.)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_) /; FreeQ[b, x]]
```

Rule 2747

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 2660

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\csc^2(c+dx)}{a+b\sin(c+dx)} dx &= -\frac{\cot(c+dx)}{ad} - \frac{\int \frac{b\csc(c+dx)}{a+b\sin(c+dx)} dx}{a} \\
&= -\frac{\cot(c+dx)}{ad} - \frac{b \int \frac{\csc(c+dx)}{a+b\sin(c+dx)} dx}{a} \\
&= -\frac{\cot(c+dx)}{ad} - \frac{b \int \csc(c+dx) dx}{a^2} + \frac{b^2 \int \frac{1}{a+b\sin(c+dx)} dx}{a^2} \\
&= \frac{b \tanh^{-1}(\cos(c+dx))}{a^2 d} - \frac{\cot(c+dx)}{ad} + \frac{(2b^2) \text{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{a^2 d} \\
&= \frac{b \tanh^{-1}(\cos(c+dx))}{a^2 d} - \frac{\cot(c+dx)}{ad} - \frac{(4b^2) \text{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b+2a \tan\left(\frac{1}{2}(c+dx)\right)\right)}{a^2 d} \\
&= \frac{2b^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^2 \sqrt{a^2-b^2} d} + \frac{b \tanh^{-1}(\cos(c+dx))}{a^2 d} - \frac{\cot(c+dx)}{ad}
\end{aligned}$$

Mathematica [A] time = 0.44458, size = 111, normalized size = 1.34

$$\frac{4b^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{a \tan\left(\frac{1}{2}(c+dx)\right) - a \cot\left(\frac{1}{2}(c+dx)\right) - 2b \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + 2b \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)}{2a^2 d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Csc[c + d*x]^2/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((4*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - a*Cot[(c + d*x)/2] + 2*b*Log[Cos[(c + d*x)/2]] - 2*b*Log[Sin[(c + d*x)/2]] + a*Tan[(c + d*x)/2])/(2*a^2*d)
```

Maple [A] time = 0.001, size = 109, normalized size = 1.3

$$\frac{1}{2da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{b^2}{da^2 \sqrt{a^2 - b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(1/2 dx + c/2) + 2b}{\sqrt{a^2 - b^2}}\right) - \frac{1}{2da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{-1} - \frac{b}{da^2} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] 1/2/a/d*tan(1/2*d*x+1/2*c)+2/d*b^2/a^2/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))-1/2/a/d/tan(1/2*d*x+1/2*c)-1/d/a^2*b*ln(tan(1/2*d*x+1/2*c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.70463, size = 944, normalized size = 11.37

$$\frac{\sqrt{-a^2 + b^2} b^2 \log\left(\frac{(2a^2 - b^2) \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2 + 2(a \cos(dx+c) \sin(dx+c) + b \cos(dx+c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2}\right) \sin(dx+c) - (a^2 b - b^3)}{2(a^4 - a^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*(sqrt(-a^2 + b^2))*b^2*log(((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 + 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2))*sin(d*x + c) - (a^2*b - b^3)*log(1/2*cos(d*x + c) + 1/2)*sin(d*x + c) + (a^2*b - b^3)*log(-1/2*cos(d*x + c) + 1/2)*sin(d*x + c) + 2*(a^3 - a*b^2)*cos(d*x + c)/((a^4 - a^2*b^2)*d*sin(d*x + c)), -1/2*(2*sqrt(a^2 - b^2)*b^2*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))*sin(d*x + c) - (a^2*b - b^3)*log(1/2*cos(d*x + c) + 1/2)*sin(d*x + c) + (a^2*b - b^3)*log(-1/2*cos(d*x + c) + 1/2)*sin(d*x + c) + 2*(a^3 - a*b^2)*cos(d*x + c)/((a^4 - a^2*b^2)*d*sin(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\csc^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral(csc(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.26924, size = 176, normalized size = 2.12

$$\frac{4 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right) \right) b^2}{\sqrt{a^2 - b^2} a^2} - \frac{2 b \log \left(\left| \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right| \right)}{a^2} + \frac{\tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{a} + \frac{2 b \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right) - a}{a^2 \tan \left(\frac{1}{2} dx + \frac{1}{2} c \right)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] 1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))*b^2/(sqrt(a^2 - b^2)*a^2) - 2*b*log(abs(tan(1/2*d*x + 1/2*c)))/a^2 + tan(1/2*d*x + 1/2*c)/a + (2*b*tan(1/2*d*x + 1/2*c) - a)/(a^2*tan(1/2*d*x + 1/2*c))/d

$$3.240 \quad \int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\sin^2(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0683369, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 7.66317, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sin^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sin[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.296, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\sin(dx+c))^2}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sin(d*x+c)^2/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sin(d*x+c)^2/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sin(d*x + c)^2/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx + c)^2 - 1)(fx + e)^m}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(-(cos(d*x + c)^2 - 1)*(f*x + e)^m/(b*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sin(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sin(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.241 \quad \int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sin(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Sin[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0415453, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sin[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sin[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 0.798472, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sin(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sin[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sin[c + d*x])/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.154, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \sin(dx+c)}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sin(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sin(d*x+c)/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sin(d*x + c)/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \sin(dx + c)}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sin(d*x + c)/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m \sin(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sin(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*sin(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sin(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sin(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sin(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.242 \quad \int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0536151, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 0.306019, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

[Out] Integrate[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.067, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m/(b*sin(d*x + c) + a), x)

$$3.243 \quad \int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\csc(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Csc[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0416573, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Csc[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Csc[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 36.3038, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \csc(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Csc[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Csc[c + d*x])/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.079, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \csc(dx+c)}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*csc(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*csc(d*x+c)/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*csc(d*x + c)/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \csc(dx + c)}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*csc(d*x + c)/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m \csc(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*csc(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*csc(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*csc(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.244 \quad \int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\csc^2(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0678792, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 6.38634, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \csc^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Csc[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.108, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\csc(dx+c))^2}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*csc(d*x+c)^2/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*csc(d*x+c)^2/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*csc(d*x + c)^2/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(fx + e)^m \csc(dx + c)^2}{b \sin(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*csc(d*x + c)^2/(b*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*csc(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \csc(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*csc(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*csc(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.245 \quad \int \frac{(e+fx) \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$$

Optimal. Leaf size=574

$$\frac{a^2 f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b d^2 (a^2 - b^2)^{3/2}} - \frac{a^2 f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b d^2 (a^2 - b^2)^{3/2}} - \frac{f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b d^2 \sqrt{a^2 - b^2}} + \frac{f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b d^2 \sqrt{a^2 - b^2}} + \frac{a f \text{Log}\left[1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right]}{b d^2 \sqrt{a^2 - b^2}}$$

```
[Out] (I*a^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) - (I*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + (I*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (a*f*Log[a + b*Sin[c + d*x]])/(b*(a^2 - b^2)*d^2) + (a^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) + (f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a*(e + f*x)*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 1.61675, antiderivative size = 574, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 9, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {6742, 3324, 3323, 2264, 2190, 2279, 2391, 2668, 31}

$$\frac{a^2 f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b d^2 (a^2 - b^2)^{3/2}} - \frac{a^2 f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b d^2 (a^2 - b^2)^{3/2}} - \frac{f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b d^2 \sqrt{a^2 - b^2}} + \frac{f \text{PolyLog}\left(2, \frac{i b e^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b d^2 \sqrt{a^2 - b^2}} + \frac{a f \text{Log}\left[1 - \frac{i b e^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right]}{b d^2 \sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sin[c + d*x])/(a + b*Sin[c + d*x])^2, x]
```

```
[Out] (I*a^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) - (I*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - (I*a^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + (I*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (a*f*Log[a + b*Sin[c + d*x]])/(b*(a^2 - b^2)*d^2) + (a^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) + (f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - (a*(e + f*x)*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x],
```

$x] - \text{Dist}[(b*d*m)/(f*(a^2 - b^2)), \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x]]/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$

Rule 3323

$\text{Int}[(c + d*x)^m/(a + b*\text{sin}[e + f*x]), x_Symbol] := \text{Dist}[2, \text{Int}[(c + d*x)^m*\text{E}^{I*(e + f*x)}]/(I*b + 2*a*\text{E}^{I*(e + f*x)}) - I*b*\text{E}^{2*I*(e + f*x)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2264

$\text{Int}[(F)^u*(f + g*x)^m/(a + b*(F)^u + c*(F)^v), x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m*(F)^u/(b - q + 2*c*(F)^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m*(F)^u/(b + q + 2*c*(F)^u), x], x] /; \text{FreeQ}\{F, a, b, c, f, g\}, x\} \&\& \text{EqQ}[v, 2*u] \&\& \text{LinearQ}[u, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F)^n*(c + d*x)^m/((a + b*(F)^n*(c + d*x)^m), x_Symbol] := \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F)^n*(c + d*x)^m)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F)^n*(c + d*x)^m)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[a + b*x]^n, x_Symbol] := \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F)^{e*(c + d*x)^n}], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \&\& \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[c + d*x + e*x^n], x_Symbol] := -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)/n], x] /; \text{FreeQ}\{c, d, e, n\}, x\} \&\& \text{EqQ}[c*d, 1]$

Rule 2668

$\text{Int}[\text{cos}[e + f*x]^p*(a + b*\text{sin}[e + f*x])^m, x_Symbol] := \text{Dist}[1/(b^p*f), \text{Subst}[\text{Int}[(a + x)^m*(b^2 - x^2)^{(p-1)/2}, x], x, b*\text{Sin}[e + f*x]], x] /; \text{FreeQ}\{a, b, e, f, m\}, x\} \&\& \text{IntegerQ}[(p-1)/2] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 31

$\text{Int}[(a + b*x)^{-1}, x_Symbol] := \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(e + fx) \sin(c + dx)}{(a + b \sin(c + dx))^2} dx &= \int \left(-\frac{a(e + fx)}{b(a + b \sin(c + dx))^2} + \frac{e + fx}{b(a + b \sin(c + dx))} \right) dx \\
&= \frac{\int \frac{e + fx}{a + b \sin(c + dx)} dx}{b} - \frac{a \int \frac{e + fx}{(a + b \sin(c + dx))^2} dx}{b} \\
&= -\frac{a(e + fx) \cos(c + dx)}{(a^2 - b^2) d(a + b \sin(c + dx))} + \frac{2 \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b} - \frac{a^2 \int \frac{e+fx}{a+b \sin(c+dx)} dx}{b(a^2 - b^2)} + \frac{af}{b} \\
&= -\frac{a(e + fx) \cos(c + dx)}{(a^2 - b^2) d(a + b \sin(c + dx))} - \frac{(2a^2) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b(a^2 - b^2)} - \frac{(2i) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2 - b^2}} \\
&= -\frac{i(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}d} + \frac{i(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}d} + \frac{af \log(a + b \sin(c + dx))}{b(a^2 - b^2)d^2} \\
&= \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d} - \frac{i(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}d} - \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d} \\
&= \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d} - \frac{i(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}d} - \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d} \\
&= \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d} - \frac{i(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b\sqrt{a^2 - b^2}d} - \frac{ia^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}d}
\end{aligned}$$

Mathematica [B] time = 15.4048, size = 2141, normalized size = 3.73

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Sin[c + d*x])/(a + b*SIN[c + d*x])^2,x]

[Out]
$$\begin{aligned}
&(-a*d*e*\cos[c + d*x]) + a*c*f*\cos[c + d*x] - a*f*(c + d*x)*\cos[c + d*x]) / (\\
&(a - b)*(a + b)*d^2*(a + b*\sin[c + d*x])) + (((2*a*f*\arctan[(b + a*\tan[(c + \\
&d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2] - (2*(-(b*d*e) + a*f + b*c*f)*\arctan \\
&[(b + a*\tan[(c + d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2] + (a*f*\log \\
&[\sec[(c + d*x)/2]^2])/b - (a*f*\log[\sec[(c + d*x)/2]^2*(a + b*\sin[c + d*x])]) \\
&)/b - (I*b*f*(\log[1 - I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan \\
&[(c + d*x)/2])/((-I)*a + b + sqrt[-a^2 + b^2])]) + \text{PolyLog}[2, (a*(1 - I*\tan \\
&(c + d*x)/2))]/(a + I*(b + sqrt[-a^2 + b^2])))/sqrt[-a^2 + b^2] + (I*b*f* \\
&(\log[1 + I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2] \\
&))/(I*a + b + sqrt[-a^2 + b^2])) + \text{PolyLog}[2, (a*(1 + I*\tan[(c + d*x)/2]))]/(\\
&a - I*(b + sqrt[-a^2 + b^2])))/sqrt[-a^2 + b^2] + (I*b*f*(\log[1 - I*\tan[(c \\
&+ d*x)/2]]*\log[-(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a - b + S \\
&qrt[-a^2 + b^2])) + \text{PolyLog}[2, (a*(I + \tan[(c + d*x)/2]))/(I*a - b + sqrt[\\
&-a^2 + b^2])))/sqrt[-a^2 + b^2] - (I*b*f*(\log[1 + I*\tan[(c + d*x)/2]]*\log[\\
&(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b - sqrt[-a^2 + b^2])) + \\
&\text{PolyLog}[2, (a + I*a*\tan[(c + d*x)/2])/(a + I*(-b + sqrt[-a^2 + b^2]))))/S \\
&qrt[-a^2 + b^2])*(-(b*e)/((a^2 - b^2)*(a + b*\sin[c + d*x])) + (b*c*f)/((a \\
&^2 - b^2)*d*(a + b*\sin[c + d*x])) - (b*f*(c + d*x))/((a^2 - b^2)*d*(a + b*S \\
&\sin[c + d*x])) + (a*f*\cos[c + d*x])/((a^2 - b^2)*d*(a + b*\sin[c + d*x])))/ \\
&d*((a*f*\tan[(c + d*x)/2])/b - (a*f*\cos[(c + d*x)/2]^2*(b*\cos[c + d*x]*\sec[
\end{aligned}$$

$$\begin{aligned}
& (c + dx)/2)^2 + \sec[(c + dx)/2]^2 * (a + b \sin[(c + dx)/2]) * \tan[(c + dx)/2]) / \\
& (b * (a + b \sin[(c + dx)/2]) + (a^2 * f * \sec[(c + dx)/2]^2) / ((a^2 - b^2) * (1 + (b \\
& + a * \tan[(c + dx)/2])^2 / (a^2 - b^2))) - (a * (-b * d * e) + a * f + b * c * f) * \sec[(c \\
& + dx)/2]^2) / ((a^2 - b^2) * (1 + (b + a * \tan[(c + dx)/2])^2 / (a^2 - b^2))) + (\\
& I * b * f * (((-I/2) * \log[-((b - \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2]) / (I * a - b + \\
& \sqrt{-a^2 + b^2})]) * \sec[(c + dx)/2]^2) / (1 - I * \tan[(c + dx)/2]) - (\log[1 \\
& - (a * (I + \tan[(c + dx)/2])) / (I * a - b + \sqrt{-a^2 + b^2})]) * \sec[(c + dx)/2] \\
& ^2) / (2 * (I + \tan[(c + dx)/2])) + (a * \log[1 - I * \tan[(c + dx)/2]] * \sec[(c + dx) \\
& x)/2]^2) / (2 * (b - \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2])) / \sqrt{-a^2 + b^2} \\
& - (I * b * f * (((I/2) * \log[(b - \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2]) / (I * a + b \\
& - \sqrt{-a^2 + b^2})]) * \sec[(c + dx)/2]^2) / (1 + I * \tan[(c + dx)/2]) - ((I/2) * \\
& a * \log[1 - (a + I * a * \tan[(c + dx)/2]) / (a + I * (-b + \sqrt{-a^2 + b^2})]) * \sec[(c \\
& + dx)/2]^2) / (a + I * a * \tan[(c + dx)/2]) + (a * \log[1 + I * \tan[(c + dx)/2]] * \\
& \sec[(c + dx)/2]^2) / (2 * (b - \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2])) / \sqrt{-a^2 + b^2} \\
& - (I * b * f * (((I/2) * \log[1 - (a * (1 - I * \tan[(c + dx)/2])) / (a + I * (b \\
& + \sqrt{-a^2 + b^2}))]) * \sec[(c + dx)/2]^2) / (1 - I * \tan[(c + dx)/2]) - ((I/2) * \\
& \log[(b + \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2]) / ((-I) * a + b + \sqrt{-a^2 + b^2}) \\
& ^2]) * \sec[(c + dx)/2]^2) / (1 - I * \tan[(c + dx)/2]) + (a * \log[1 - I * \tan[(c \\
& + dx)/2]] * \sec[(c + dx)/2]^2) / (2 * (b + \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2] \\
& ^2)) / \sqrt{-a^2 + b^2} + (I * b * f * (((-I/2) * \log[1 - (a * (1 + I * \tan[(c + dx)/2] \\
&)) / (a - I * (b + \sqrt{-a^2 + b^2}))]) * \sec[(c + dx)/2]^2) / (1 + I * \tan[(c + dx) \\
& /2]) + ((I/2) * \log[(b + \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2]) / (I * a + b + \sqrt{-a^2 + b^2}) \\
& ^2]) * \sec[(c + dx)/2]^2) / (1 + I * \tan[(c + dx)/2]) + (a * \log[1 + I * \tan[(c + dx)/2]] * \sec[(c + dx)/2]^2) / (2 * (b + \sqrt{-a^2 + b^2}) + a * \tan[(c + dx)/2])) / \sqrt{-a^2 + b^2}
\end{aligned}$$

Maple [A] time = 0.917, size = 750, normalized size = 1.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)*\sin(d*x+c)/(a+b*\sin(d*x+c))^2,x)$

[Out] $\begin{aligned}
& 2*I*a*(f*x+e)*(b-I*a*\exp(I*(d*x+c)))/b/(-a^2+b^2)/d/(b*\exp(2*I*(d*x+c))-b+2 \\
& *I*a*\exp(I*(d*x+c)))-2/(a^2-b^2)/d^2/b*a*f*\ln(\exp(I*(d*x+c)))+1/(a^2-b^2)/d \\
& ^2/b*a*f*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-2*I/(a^2-b^2)/d*b* \\
& e/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})- \\
& 1/(a^2-b^2)/d*b*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)} \\
&))/(I*a-(-a^2+b^2)^{(1/2)})*x-1/(a^2-b^2)/d^2*b*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b \\
& *exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*c+1/(a^2-b^2)/d*b \\
& *f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b \\
& ^2)^{(1/2)}))*x+1/(a^2-b^2)/d^2*b*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c)) \\
& +(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*c-I/(a^2-b^2)/d^2*b*f/(-a^2+b^2) \\
& ^{(1/2)}*dilog((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)} \\
&))+I/(a^2-b^2)/d^2*b*f/(-a^2+b^2)^{(1/2)}*dilog((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2) \\
& ^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))+2*I/(a^2-b^2)/d^2*b*c*f/(-a^2+b^2)^{(1/2)}* \\
& \arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})
\end{aligned}$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 4.06444, size = 3528, normalized size = 6.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] 1/2*((-I*b^4*f*sin(d*x + c) - I*a*b^3*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (I*b^4*f*sin(d*x + c) + I*a*b^3*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (I*b^4*f*sin(d*x + c) + I*a*b^3*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-I*b^4*f*sin(d*x + c) - I*a*b^3*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - (a*b^3*d*f*x + a*b^3*c*f + (b^4*d*f*x + b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a*b^3*d*f*x + a*b^3*c*f + (b^4*d*f*x + b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a*b^3*d*f*x + a*b^3*c*f + (b^4*d*f*x + b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a*b^3*d*f*x + a*b^3*c*f + (b^4*d*f*x + b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*d*e)*cos(d*x + c) + ((a^3*b - a*b^3)*f*sin(d*x + c) + (a^4 - a^2*b^2)*f - (a*b^3*d*e - a*b^3*c*f + (b^4*d*e - b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + ((a^3*b - a*b^3)*f*sin(d*x + c) + (a^4 - a^2*b^2)*f - (a*b^3*d*e - a*b^3*c*f + (b^4*d*e - b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + ((a^3*b - a*b^3)*f*sin(d*x + c) + (a^4 - a^2*b^2)*f + (a*b^3*d*e - a*b^3*c*f + (b^4*d*e - b^4*c*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + ((a^4*b^2 - 2*a^2*b^4 + b^6)*d^2*sin(d*x + c) + (a^5*b - 2*a^3*b^3 + a*b^5)*d^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))**2,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sin(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sin(d*x + c)/(b*sin(d*x + c) + a)^2, x)
```


$$3.246 \quad \int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$$

Optimal. Leaf size=1106

$$\frac{i(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d} - \frac{i(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d} + \frac{2f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d^2} - \frac{2f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d^2}$$

```
[Out] ((-I)*a*(e + f*x)^2)/(b*(a^2 - b^2)*d) + (2*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) + (I*a^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) - (I*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (2*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) - (I*a^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + (I*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - ((2*I)*a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) + (2*a^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - ((2*I)*a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) - (2*a^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) + (2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) + ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) - ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - (a*(e + f*x)^2*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 2.55663, antiderivative size = 1106, normalized size of antiderivative = 1., number of steps used = 30, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {6742, 3324, 3323, 2264, 2190, 2531, 2282, 6589, 4519, 2279, 2391}

$$\frac{i(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d} - \frac{i(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d} + \frac{2f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d^2} - \frac{2f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right) a^2}{b(a^2-b^2)^{3/2} d^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x])^2,x]
```

```
[Out] ((-I)*a*(e + f*x)^2)/(b*(a^2 - b^2)*d) + (2*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) + (I*a^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) - (I*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) + (2*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) - (I*a^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + (I*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d) - ((2*I)*a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) + (2*a^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) - ((2*I)*a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) - (2*a^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) + (2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^2) + ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) - ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^3) - (a*(e + f*x)^2*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

2) - ((2*I)*a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)*d^3) - (2*a^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d^2) + (2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*Sqrt[a^2 - b^2]*d^2) + ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d^3) - ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(b*Sqrt[a^2 - b^2]*d^3) - ((2*I)*a^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d^3) + ((2*I)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*Sqrt[a^2 - b^2]*d^3) - (a*(e + f*x)^2*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))))

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 3324

Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a + b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3323

Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^(c_)*((a_) + (b_)*(x_)))]^(n_)*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4519

```
Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_)]/((a_) + (b_)*Sin[(c_) + (d_)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx &= \int \left(-\frac{a(e+fx)^2}{b(a+b \sin(c+dx))^2} + \frac{(e+fx)^2}{b(a+b \sin(c+dx))} \right) dx \\
&= \frac{\int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b} - \frac{a \int \frac{(e+fx)^2}{(a+b \sin(c+dx))^2} dx}{b} \\
&= -\frac{a(e+fx)^2 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} + \frac{2 \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b} - \frac{a^2 \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b(a^2-b^2)} + \frac{(2af)}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} - \frac{a(e+fx)^2 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} - \frac{(2a^2) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b(a^2-b^2)} - \frac{(2i) \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} + \frac{2af(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} - \frac{i(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{2af(e+fx)}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} + \frac{2af(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)^2}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} + \frac{2af(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)^2}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} + \frac{2af(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)^2}{b} \\
&= -\frac{ia(e+fx)^2}{b(a^2-b^2)d} + \frac{2af(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)^2}{b}
\end{aligned}$$

Mathematica [B] time = 24.8248, size = 3757, normalized size = 3.4

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x])^2,x]

[Out] (2*b*e*f*((Pi*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (2*(-c + Pi/2 - d*x)*ArcTanh[((a + b)*Cot[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]] - 2*(-c + ArcCos[-(a/b)])*ArcTanh[((-a + b)*Tan[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]] + (ArcCos[-(a/b)] - (2*I)*(ArcTanh[((a + b)*Cot[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]] - ArcTanh[((-a + b)*Tan[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]]))*Log[Sqrt[-a^2 + b^2]/(Sqrt[2]*Sqrt[b]*E^((I/2)*(-c + Pi/2 - d*x))*Sqrt[a + b*Sin[c + d*x]])] + (ArcCos[-(a/b)] + (2*I)*(ArcTanh[((a + b)*Cot[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]] - ArcTanh[((-a + b)*Tan[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]]))*Log[(Sqrt[-a^2 + b^2]*E^((I/2)*(-c + Pi/2 - d*x)))/(Sqrt[2]*Sqrt[b]*Sqrt[a + b*Sin[c + d*x]])] - (ArcCos[-(a/b)] + (2*I)*ArcTanh[((-a + b)*Tan[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]])*Log[1 - ((a - I*Sqrt[-a^2 + b^2])*(a + b - Sqrt[-a^2 + b^2]*Tan[(-c + Pi/2 - d*x)/2]))/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(-c + Pi/2 - d*x)/2]))] + (-ArcCos[-(a/b)] + (2*I)*ArcTanh[((-a + b)*Tan[(-c + Pi/2 - d*x)/2])/Sqrt[-a^2 + b^2]])*Log[1 - ((a + I*Sqrt[-a^2 + b^2])*(a + b - Sqrt[-a^2 + b^2]*Tan[(-c + Pi/2 - d*x)/2]))/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(-c + Pi/2 - d*x)/2]))]

$$\begin{aligned}
& 2 - d*x)/2])) + I*(PolyLog[2, ((a - I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))] - PolyLog[2, ((a + I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2])))]/sqrt[-a^2 + b^2])/((-a^2 + b^2)*d^2) + (2*a^2*f^2*cot[c] * ((pi*arctan[(b + a*tan[(c + d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2] + (2*(-c + pi/2 - d*x)*arctanh[((a + b)*cot[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]] - 2*(-c + arcCos[-(a/b)])*arctanh[((-a + b)*tan[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]] + (arcCos[-(a/b)] - (2*I)*(arctanh[((a + b)*cot[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]] - arctanh[((-a + b)*tan[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]]))*log[sqrt[-a^2 + b^2]/(sqrt[2]*sqrt[b]*e^((I/2)*(-c + pi/2 - d*x))*sqrt[a + b*sin[c + d*x]])] + (arcCos[-(a/b)] + (2*I)*(arctanh[((a + b)*cot[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]] - arctanh[((-a + b)*tan[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]]))*log[(sqrt[-a^2 + b^2]*e^((I/2)*(-c + pi/2 - d*x)))/(sqrt[2]*sqrt[b]*sqrt[a + b*sin[c + d*x]])] - (arcCos[-(a/b)] + (2*I)*arctanh[((-a + b)*tan[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]])*log[1 - ((a - I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))] + (-arcCos[-(a/b)] + (2*I)*arctanh[((-a + b)*tan[(-c + pi/2 - d*x)/2])/sqrt[-a^2 + b^2]])*log[1 - ((a + I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))] + I*(PolyLog[2, ((a - I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))] - PolyLog[2, ((a + I*sqrt[-a^2 + b^2])*(a + b - sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2]))/(b*(a + b + sqrt[-a^2 + b^2]*tan[(-c + pi/2 - d*x)/2])))]/sqrt[-a^2 + b^2])/((b*(-a^2 + b^2)*d^3) + (b*e^(I*c)*f^2*(d^2*x^2*log[1 + (b*e^(I*(2*c + d*x)))/(I*a*e^(I*c) - sqrt[(-a^2 + b^2)*e^((2*I)*c)]]] - d^2*x^2*log[1 + (b*e^(I*(2*c + d*x)))/(I*a*e^(I*c) + sqrt[(-a^2 + b^2)*e^((2*I)*c)]]] - (2*I)*d*x*polyLog[2, (I*b*e^(I*(2*c + d*x)))/(a*e^(I*c) + I*sqrt[(-a^2 + b^2)*e^((2*I)*c)]]] + (2*I)*d*x*polyLog[2, -((b*e^(I*(2*c + d*x)))/(I*a*e^(I*c) + sqrt[(-a^2 + b^2)*e^((2*I)*c)]])] + 2*polyLog[3, (I*b*e^(I*(2*c + d*x)))/(a*e^(I*c) + I*sqrt[(-a^2 + b^2)*e^((2*I)*c)]]] - 2*polyLog[3, -((b*e^(I*(2*c + d*x)))/(I*a*e^(I*c) + sqrt[(-a^2 + b^2)*e^((2*I)*c)]])])))/((-a^2 + b^2)*d^3*sqrt[(-a^2 + b^2)*e^((2*I)*c)] + ((2*I)*b*e^2*arctan[(I*b*cos[c] - I*(-a + b*sin[c])*tan[(d*x)/2])/sqrt[-a^2 + b^2*cos[c]^2 + b^2*sin[c]^2]])/((-a^2 + b^2)*d*sqrt[-a^2 + b^2*cos[c]^2 + b^2*sin[c]^2]) + ((4*I)*a^2*e*f*arctan[(I*b*cos[c] - I*(-a + b*sin[c])*tan[(d*x)/2])/sqrt[-a^2 + b^2*cos[c]^2 + b^2*sin[c]^2]]*cot[c])/(b*(-a^2 + b^2)*d^2*sqrt[-a^2 + b^2*cos[c]^2 + b^2*sin[c]^2]) + (2*a*f^2*csc[c]*(-x^2*cos[c])/(2*b) + (x*(d*x*cos[c] - (2*a*arctan[(sec[(d*x)/2]*(cos[c] - I*sin[c])*(b*cos[c] + (d*x)/2 + a*sin[(d*x)/2]))/(sqrt[a^2 - b^2]*sqrt[(cos[c] - I*sin[c])^2]))*cos[c]*(cos[c] - I*sin[c]))/(sqrt[a^2 - b^2]*sqrt[(cos[c] - I*sin[c])^2]) - log[a + b*sin[c + d*x]]*sin[c]))/(b*d) + (-((a*cos[c]*((-I)*d*x*(log[1 + (I*b*e^(I*(c + d*x)))/(-a + sqrt[a^2 - b^2])]) - log[1 - (I*b*e^(I*(c + d*x)))/(a + sqrt[a^2 - b^2])]) - polyLog[2, ((-I)*b*e^(I*(c + d*x)))/(-a + sqrt[a^2 - b^2])]) + polyLog[2, (I*b*e^(I*(c + d*x)))/(a + sqrt[a^2 - b^2])])/(sqrt[a^2 - b^2]*d) + (2*a*x*arctan[(sec[(d*x)/2]*(cos[c] - I*sin[c])*(b*cos[c] + (d*x)/2 + a*sin[(d*x)/2]))/(sqrt[a^2 - b^2]*sqrt[(cos[c] - I*sin[c])^2])]*cos[c]*(cos[c] - I*sin[c]))/(sqrt[a^2 - b^2]*sqrt[(cos[c] - I*sin[c])^2]) + ((c + d*x)*log[a + b*sin[c + d*x]]*sin[c])/d - (b*((c + d*x)*log[a + b*sin[c + d*x]])/b - ((-I/2)*(-c + pi/2 - d*x)^2 + (4*I)*arcsin[sqrt[(a + b)/b]/sqrt[2]]*arctan[((a - b)*tan[(-c + pi/2 - d*x)/2])/sqrt[a^2 - b^2]] + (-c + pi/2 - d*x + 2*arcsin[sqrt[(a + b)/b]/sqrt[2]])*log[1 + ((a - sqrt[a^2 - b^2])*e^(I*(-c + pi/2 - d*x)))/b] + (-c + pi/2 - d*x - 2*arcsin[sqrt[(a + b)/b]/sqrt[2]])*log[1 + ((a + sqrt[a^2 - b^2])*e^(I*(-c + pi/2 - d*x)))/b] - (-c + pi/2 - d*x)*log[a + b*sin[c + d*x]] - I*(polyLog[2, -((a - sqrt[a^2 - b^2])*e^(I*(-c + pi/2 - d*x)))/b]) + polyLog[2, -((a + sqrt[a^2 - b^2])*e^(I*(-c + pi/2 - d*x)))/b]))/b)*sin[c])/d)/(b*d))/((-a^2 + b^2)*d) - (2*a*e*f*csc[c]*(-b*d*x*cos[c]) + b*log[a + b*cos[d*x]*sin[c] + b*cos[
\end{aligned}$$

```
c]*Sin[d*x]]*Sin[c] + ((2*I)*a*b*ArcTan[(I*b*Cos[c] - I*(-a + b*Sin[c])*Tan
[(d*x)/2])/Sqrt[-a^2 + b^2*Cos[c]^2 + b^2*Sin[c]^2]]*Cos[c])/Sqrt[-a^2 + b^
2*Cos[c]^2 + b^2*Sin[c]^2]))/((-a^2 + b^2)*d^2*(b^2*Cos[c]^2 + b^2*Sin[c]^2
)) + (Csc[c/2]*Sec[c/2]*(a^2*e^2*Cos[c] + 2*a^2*e*f*x*Cos[c] + a^2*f^2*x^2*
Cos[c] + a*b*e^2*Sin[d*x] + 2*a*b*e*f*x*Sin[d*x] + a*b*f^2*x^2*Sin[d*x]))/(
2*(a - b)*b*(a + b)*d*(a + b*Sin[c + d*x]))
```

Maple [F] time = 1.519, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{(a + b \sin(dx + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^2,x)
```

```
[Out] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^2,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 4.88813, size = 7002, normalized size = 6.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] 1/4*(4*(b^4*f^2*sin(d*x + c) + a*b^3*f^2)*sqrt(-(a^2 - b^2)/b^2)*polylog(3,
1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d
*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 4*(b^4*f^2*sin(d*x + c) + a*b^3*f^2)*
sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c
) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 4*(b
^4*f^2*sin(d*x + c) + a*b^3*f^2)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*co
s(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^
2 - b^2)/b^2))/b) + 4*(b^4*f^2*sin(d*x + c) + a*b^3*f^2)*sqrt(-(a^2 - b^2)/
b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b
*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 4*((a^3*b - a*b^3)*d^2*f^2*x^2
+ 2*(a^3*b - a*b^3)*d^2*e*f*x + (a^3*b - a*b^3)*d^2*e^2)*cos(d*x + c) + (4*
I*(a^3*b - a*b^3)*f^2*sin(d*x + c) + 4*I*(a^4 - a^2*b^2)*f^2 + 2*(-2*I*a*b^
3*d*f^2*x - 2*I*a*b^3*d*e*f + (-2*I*b^4*d*f^2*x - 2*I*b^4*d*e*f)*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x +
c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b
```

$$\begin{aligned}
& + 1) + (4*I*(a^3*b - a*b^3)*f^2*\sin(d*x + c) + 4*I*(a^4 - a^2*b^2)*f^2 + 2* \\
& (2*I*a*b^3*d*f^2*x + 2*I*a*b^3*d*e*f + (2*I*b^4*d*f^2*x + 2*I*b^4*d*e*f)*\sin \\
& (d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin \\
& (d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + \\
& 2*b)/b + 1) + (-4*I*(a^3*b - a*b^3)*f^2*\sin(d*x + c) - 4*I*(a^4 - a^2*b^2) \\
& *f^2 + 2*(2*I*a*b^3*d*f^2*x + 2*I*a*b^3*d*e*f + (2*I*b^4*d*f^2*x + 2*I*b^4* \\
& d*e*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) \\
&) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b \\
& ^2)/b^2} + 2*b)/b + 1) + (-4*I*(a^3*b - a*b^3)*f^2*\sin(d*x + c) - 4*I*(a^4 \\
& - a^2*b^2)*f^2 + 2*(-2*I*a*b^3*d*f^2*x - 2*I*a*b^3*d*e*f + (-2*I*b^4*d*f^2*x \\
& - 2*I*b^4*d*e*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(-2*I*a \\
& *\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{ \\
& -(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*(2*(a^4 - a^2*b^2)*d*e*f - 2*(a^4 - \\
& a^2*b^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*e*f - (a^3*b - a*b^3)*c*f^2)*\sin(d*x \\
& + c) - (a*b^3*d^2*e^2 - 2*a*b^3*c*d*e*f + a*b^3*c^2*f^2 + (b^4*d^2*e^2 - 2* \\
& b^4*c*d*e*f + b^4*c^2*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos \\
& (d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(\\
& 2*(a^4 - a^2*b^2)*d*e*f - 2*(a^4 - a^2*b^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*e*f \\
& - (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c) - (a*b^3*d^2*e^2 - 2*a*b^3*c*d*e*f \\
& + a*b^3*c^2*f^2 + (b^4*d^2*e^2 - 2*b^4*c*d*e*f + b^4*c^2*f^2)*\sin(d*x + c)) \\
& *\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{ \\
& -(a^2 - b^2)/b^2} - 2*I*a) + 2*(2*(a^4 - a^2*b^2)*d*e*f - 2*(a^4 - a^2*b^2) \\
& ^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*e*f - (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c) \\
& + (a*b^3*d^2*e^2 - 2*a*b^3*c*d*e*f + a*b^3*c^2*f^2 + (b^4*d^2*e^2 - 2*b^4*c \\
& *d*e*f + b^4*c^2*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(d* \\
& x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(2*(a \\
& ^4 - a^2*b^2)*d*e*f - 2*(a^4 - a^2*b^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*e*f - \\
& (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c) + (a*b^3*d^2*e^2 - 2*a*b^3*c*d*e*f + a \\
& b^3*c^2*f^2 + (b^4*d^2*e^2 - 2*b^4*c*d*e*f + b^4*c^2*f^2)*\sin(d*x + c))*\sqrt{ \\
& -(a^2 - b^2)/b^2})*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{ \\
& -(a^2 - b^2)/b^2} - 2*I*a) + 2*(2*(a^4 - a^2*b^2)*d*f^2*x + 2*(a^4 - a^2*b^ \\
& 2)*c*f^2 + 2*((a^3*b - a*b^3)*d*f^2*x + (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c) \\
& - (a*b^3*d^2*f^2*x^2 + 2*a*b^3*d^2*e*f*x + 2*a*b^3*c*d*e*f - a*b^3*c^2*f^2 \\
& + (b^4*d^2*f^2*x^2 + 2*b^4*d^2*e*f*x + 2*b^4*c*d*e*f - b^4*c^2*f^2)*\sin(d* \\
& x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + \\
& c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b \\
&) + 2*(2*(a^4 - a^2*b^2)*d*f^2*x + 2*(a^4 - a^2*b^2)*c*f^2 + 2*((a^3*b - a* \\
& b^3)*d*f^2*x + (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c) + (a*b^3*d^2*f^2*x^2 + 2 \\
& *a*b^3*d^2*e*f*x + 2*a*b^3*c*d*e*f - a*b^3*c^2*f^2 + (b^4*d^2*f^2*x^2 + 2*b \\
& ^4*d^2*e*f*x + 2*b^4*c*d*e*f - b^4*c^2*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2) \\
& /b^2})*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - \\
& I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(2*(a^4 - a^2*b^2)* \\
& d*f^2*x + 2*(a^4 - a^2*b^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*f^2*x + (a^3*b - a \\
& *b^3)*c*f^2)*\sin(d*x + c) - (a*b^3*d^2*f^2*x^2 + 2*a*b^3*d^2*e*f*x + 2*a*b^ \\
& 3*c*d*e*f - a*b^3*c^2*f^2 + (b^4*d^2*f^2*x^2 + 2*b^4*d^2*e*f*x + 2*b^4*c*d* \\
& e*f - b^4*c^2*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos \\
& (d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{ \\
& -(a^2 - b^2)/b^2} + 2*b)/b) + 2*(2*(a^4 - a^2*b^2)*d*f^2*x + 2*(a^4 - a^2*b \\
& ^2)*c*f^2 + 2*((a^3*b - a*b^3)*d*f^2*x + (a^3*b - a*b^3)*c*f^2)*\sin(d*x + c \\
&) + (a*b^3*d^2*f^2*x^2 + 2*a*b^3*d^2*e*f*x + 2*a*b^3*c*d*e*f - a*b^3*c^2*f^ \\
& 2 + (b^4*d^2*f^2*x^2 + 2*b^4*d^2*e*f*x + 2*b^4*c*d*e*f - b^4*c^2*f^2)*\sin(d \\
& *x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x \\
& + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b) \\
& /b))/((a^4*b^2 - 2*a^2*b^4 + b^6)*d^3*\sin(d*x + c) + (a^5*b - 2*a^3*b^3 + a \\
& *b^5)*d^3)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)/(a+b*sin(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(d*x + c)/(b*sin(d*x + c) + a)^2, x)

$$3.247 \quad \int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx$$

Optimal. Leaf size=1512

result too large to display

```
[Out] ((-I)*a*(e + f*x)^3)/(b*(a^2 - b^2)*d) + (3*a*f*(e + f*x)^2*Log[1 - (I*b*E^
(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) + (I*a^2*(e + f*
x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(
3/2)*d) - (I*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]
)])/ (b*Sqrt[a^2 - b^2]*d) + (3*a*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)
))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) - (I*a^2*(e + f*x)^3*Log[1 -
(I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + (I*
(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*Sqrt[a
^2 - b^2]*d) - ((6*I)*a*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a -
Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) + (3*a^2*f*(e + f*x)^2*PolyLog[2, (
I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (3
*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*
Sqrt[a^2 - b^2]*d^2) - ((6*I)*a*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x
)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) - (3*a^2*f*(e + f*x)^2*Poly
Log[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d
^2) + (3*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2
]
)])/ (b*Sqrt[a^2 - b^2]*d^2) + (6*a*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a
- Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^4) + ((6*I)*a^2*f^2*(e + f*x)*PolyLo
g[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3
) - ((6*I)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b
^2]
)])/ (b*Sqrt[a^2 - b^2]*d^3) + (6*a*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(
a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^4) - ((6*I)*a^2*f^2*(e + f*x)*Poly
Log[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d
^3) + ((6*I)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 -
b^2]
)])/ (b*Sqrt[a^2 - b^2]*d^3) - (6*a^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)
)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^4) + (6*f^3*PolyLog[4, (
I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*Sqrt[a^2 - b^2]*d^4) + (6*a
^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b
^2)^(3/2)*d^4) - (6*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^
2]
)])/ (b*Sqrt[a^2 - b^2]*d^4) - (a*(e + f*x)^3*Cos[c + d*x])/((a^2 - b^2)*d
*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 3.06644, antiderivative size = 1512, normalized size of antiderivative = 1., number of steps used = 36, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {6742, 3324, 3323, 2264, 2190, 2531, 6609, 2282, 6589, 4519}

$$\frac{6a \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) f^3}{b(a^2-b^2)d^4} + \frac{6a \operatorname{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right) f^3}{b(a^2-b^2)d^4} + \frac{6 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) f^3}{b\sqrt{a^2-b^2}d^4} - \frac{6a^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d^4}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x])^2,x]
```

```
[Out] ((-I)*a*(e + f*x)^3)/(b*(a^2 - b^2)*d) + (3*a*f*(e + f*x)^2*Log[1 - (I*b*E^
(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) + (I*a^2*(e + f*
x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(
3/2)*d) - (I*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]
)])/ (b*Sqrt[a^2 - b^2]*d) + (3*a*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)
))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) - (I*a^2*(e + f*x)^3*Log[1 -
```

$$\begin{aligned} & (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})/(b*(a^2-b^2)^{(3/2)*d}) + (I*(e+f*x)^3*\text{Log}[1-(I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d) \\ & - ((6*I)*a*f^2*(e+f*x)*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*(a^2-b^2)*d^3) + (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^2}) \\ & - (3*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^2) - ((6*I)*a*f^2*(e+f*x)*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*(a^2-b^2)*d^3) \\ & - (3*a^2*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^2}) + (3*f*(e+f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^2) \\ & + (6*a*f^3*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*(a^2-b^2)*d^4) + ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^3}) \\ & - ((6*I)*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^3) + (6*a*f^3*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*(a^2-b^2)*d^4) \\ & - ((6*I)*a^2*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^3}) + ((6*I)*f^2*(e+f*x)*\text{PolyLog}[3, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^3) \\ & - (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^4}) + (6*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})/(a-\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^4) \\ & + (6*a^2*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*(a^2-b^2)^{(3/2)*d^4}) - (6*f^3*\text{PolyLog}[4, (I*b*E^{I*(c+d*x)})/(a+\sqrt{a^2-b^2})])/(b*\sqrt{a^2-b^2}*d^4) \\ & - (a*(e+f*x)^3*\text{Cos}[c+d*x])/((a^2-b^2)*d*(a+b*\text{Sin}[c+d*x])) \end{aligned}$$
Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 3324

$$\begin{aligned} & \text{Int}[\frac{(c + d*x)^m}{(a + b*\text{sin}[e + f*x])^2}, x_Symbol] := \text{Simp}[\frac{b*(c + d*x)^m*\text{Cos}[e + f*x]}{f*(a^2 - b^2)*(a + b*\text{Sin}[e + f*x])}, x] \\ & + (\text{Dist}[a/(a^2 - b^2), \text{Int}[(c + d*x)^m/(a + b*\text{Sin}[e + f*x]), x], x] - \text{Dist}[(b*d*m)/(f*(a^2 - b^2)), \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x]/(a + b*\text{Sin}[e + f*x]), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0] \end{aligned}$$
Rule 3323

$$\text{Int}[\frac{(c + d*x)^m}{(a + b*\text{sin}[e + f*x])}, x_Symbol] := \text{Dist}[2, \text{Int}[\frac{(c + d*x)^m*E^{I*(e + f*x)}}{I*b + 2*a*E^{I*(e + f*x)} - I*b*E^{2*I*(e + f*x)}}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$$
Rule 2264

$$\begin{aligned} & \text{Int}[\frac{(F_*)^{u_*}*((f_*) + (g_*)*(x_*))^{m_*}}{(a_*) + (b_*)*(F_*)^{u_*} + (c_*)*(F_*)^{v_*}}, x_Symbol] := \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[\frac{(f + g*x)^m*F^u}{(b - q + 2*c*F^u)}, x], x] - \text{Dist}[(2*c)/q, \text{Int}[\frac{(f + g*x)^m*F^u}{(b + q + 2*c*F^u)}, x], x]] /; \text{FreeQ}\{F, a, b, c, f, g\}, x \} \&\& \text{EqQ}[v, 2*u] \&\& \text{LinearQ}[u, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[m, 0] \end{aligned}$$
Rule 2190

$$\text{Int}[\frac{(F_*)^{(g_*)*((e_*) + (f_*)*(x_*))^{n_*}}*((c_*) + (d_*)*(x_*))^{m_*}}{(a_*) + (b_*)*(F_*)^{(g_*)*((e_*) + (f_*)*(x_*))^{n_*}}}, x_Symbol] := \text{Simp}$$

```
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*(F_)^((c_.)*(a_.) + (b_.)*(x_)))]^(n_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*(F_)^((c_.)*(a_.) + (b_.)*(x_)))]^(p_.), x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/ (b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*(a_.) + (b_.)*(x_)]^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*(e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx &= \int \left(-\frac{a(e+fx)^3}{b(a+b \sin(c+dx))^2} + \frac{(e+fx)^3}{b(a+b \sin(c+dx))} \right) dx \\
&= \frac{\int \frac{(e+fx)^3}{a+b \sin(c+dx)} dx}{b} - \frac{a \int \frac{(e+fx)^3}{(a+b \sin(c+dx))^2} dx}{b} \\
&= -\frac{a(e+fx)^3 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} + \frac{2 \int \frac{e^{i(c+dx)}(e+fx)^3}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b} - \frac{a^2 \int \frac{(e+fx)^3}{a+b \sin(c+dx)} dx}{b(a^2-b^2)} + \frac{(3af)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} - \frac{a(e+fx)^3 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} - \frac{(2a^2) \int \frac{e^{i(c+dx)}(e+fx)^3}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b(a^2-b^2)} - \frac{(2i) \int \frac{(e+fx)^3}{a+b \sin(c+dx)} dx}{b(a^2-b^2)} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} - \frac{i(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d} + \frac{3af(e+fx)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)}{2a} \\
&= -\frac{ia(e+fx)^3}{b(a^2-b^2)d} + \frac{3af(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} + \frac{ia^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{i(e+fx)}{2a}
\end{aligned}$$

Mathematica [B] time = 21.9973, size = 5444, normalized size = 3.6

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x])^2,x]

[Out] Result too large to show

Maple [F] time = 1.612, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^3 \sin(dx+c)}{(a+b \sin(dx+c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^2,x)

```
[Out] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^2,x)
```

Maxima [F-2] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 7.11266, size = 11271, normalized size = 7.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(6*I*b^4*f^3*sin(d*x + c) + 6*I*a*b^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(-6*I*b^4*f^3*sin(d*x + c) - 6*I*a*b^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(6*I*b^4*f^3*sin(d*x + c) + 6*I*a*b^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(-6*I*b^4*f^3*sin(d*x + c) - 6*I*a*b^3*f^3)*sqrt(-(a^2 - b^2)/b^2)*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 4*((a^3*b - a*b^3)*d^3*f^3*x^3 + 3*(a^3*b - a*b^3)*d^3*e*f^2*x^2 + 3*(a^3*b - a*b^3)*d^3*e^2*f*x + (a^3*b - a*b^3)*d^3*e^3)*cos(d*x + c) + (12*I*(a^4 - a^2*b^2)*d*f^3*x + 12*I*(a^4 - a^2*b^2)*d*e*f^2 + (12*I*(a^3*b - a*b^3)*d*f^3*x + 12*I*(a^3*b - a*b^3)*d*e*f^2)*sin(d*x + c) + 2*(-3*I*a*b^3*d^2*f^3*x^2 - 6*I*a*b^3*d^2*e*f^2*x - 3*I*a*b^3*d^2*e^2*f + (-3*I*b^4*d^2*f^3*x^2 - 6*I*b^4*d^2*e*f^2*x - 3*I*b^4*d^2*e^2*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (12*I*(a^4 - a^2*b^2)*d*f^3*x + 12*I*(a^4 - a^2*b^2)*d*e*f^2 + (12*I*(a^3*b - a*b^3)*d*f^3*x + 12*I*(a^3*b - a*b^3)*d*e*f^2)*sin(d*x + c) + 2*(3*I*a*b^3*d^2*f^3*x^2 + 6*I*a*b^3*d^2*e*f^2*x + 3*I*a*b^3*d^2*e^2*f + (3*I*b^4*d^2*f^3*x^2 + 6*I*b^4*d^2*e*f^2*x + 3*I*b^4*d^2*e^2*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-12*I*(a^4 - a^2*b^2)*d*f^3*x - 12*I*(a^4 - a^2*b^2)*d*e*f^2 + (-12*I*(a^3*b - a*b^3)*d*f^3*x - 12*I*(a^3*b - a*b^3)*d*e*f^2)*sin(d*x + c) + 2*(-3*I*a*b^3*d^2*f^3*x^2 - 6*I*a*b^3*d^2*e*f^2*x - 3*I*a*b^3*d^2*e^2*f + (-3*I*b^4*d^2*f^3*x^2 - 6*I*b^4*d^2*e*f^2*x - 3*I*b^4*d^2*e^2*f)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b
```

$$\begin{aligned}
& \sin(dx + c) \sqrt{-(a^2 - b^2)/b^2} + 2b/b + 1 + 2(3(a^4 - a^2b^2)d^2e^2f - 6(a^4 - a^2b^2)cde^2f^2 + 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2e^2f - 2(a^3b - ab^3)cde^2f^2 + (a^3b - ab^3)c^2f^3) \sin(dx + c) - (ab^3d^3e^3 - 3a^2b^3cd^2e^2f + 3a^2b^3c^2de^2f^2 - ab^3c^3f^3 + (b^4d^3e^3 - 3b^4cd^2e^2f + 3b^4c^2de^2f^2 - b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(2b \cos(dx + c) + 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} + 2Ia) + 2(3(a^4 - a^2b^2)d^2e^2f - 6(a^4 - a^2b^2)cde^2f^2 + 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2e^2f - 2(a^3b - ab^3)cde^2f^2 + (a^3b - ab^3)c^2f^3) \sin(dx + c) - (ab^3d^3e^3 - 3a^2b^3cd^2e^2f + 3a^2b^3c^2de^2f^2 - ab^3c^3f^3 + (b^4d^3e^3 - 3b^4cd^2e^2f + 3b^4c^2de^2f^2 - b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(2b \cos(dx + c) - 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} - 2Ia) + 2(3(a^4 - a^2b^2)d^2e^2f - 6(a^4 - a^2b^2)cde^2f^2 + 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2e^2f - 2(a^3b - ab^3)cde^2f^2 + (a^3b - ab^3)c^2f^3) \sin(dx + c) + (ab^3d^3e^3 - 3a^2b^3cd^2e^2f + 3a^2b^3c^2de^2f^2 - ab^3c^3f^3 + (b^4d^3e^3 - 3b^4cd^2e^2f + 3b^4c^2de^2f^2 - b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(-2b \cos(dx + c) + 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} + 2Ia) + 2(3(a^4 - a^2b^2)d^2e^2f - 6(a^4 - a^2b^2)cde^2f^2 + 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2e^2f - 2(a^3b - ab^3)cde^2f^2 + (a^3b - ab^3)c^2f^3) \sin(dx + c) + (ab^3d^3e^3 - 3a^2b^3cd^2e^2f + 3a^2b^3c^2de^2f^2 - ab^3c^3f^3 + (b^4d^3e^3 - 3b^4cd^2e^2f + 3b^4c^2de^2f^2 - b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(-2b \cos(dx + c) - 2Ib \sin(dx + c) + 2b \sqrt{-(a^2 - b^2)/b^2} - 2Ia) + 2(3(a^4 - a^2b^2)d^2f^3x^2 + 6(a^4 - a^2b^2)d^2e^2fx + 6(a^4 - a^2b^2)cde^2f^2 - 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2f^3x^2 + 2(a^3b - ab^3)d^2e^2fx + 2(a^3b - ab^3)cde^2f^2 - (a^3b - ab^3)c^2f^3) \sin(dx + c) - (ab^3d^3f^3x^3 + 3a^2b^3d^3e^2fx^2 + 3a^2b^3cd^3e^2fx + 3a^2b^3c^2de^2fx + 3a^2b^3c^3f^3x^3 + (b^4d^3f^3x^3 + 3b^4d^3e^2fx^2 + 3b^4d^3e^2fx + 3b^4cd^3e^2fx + 3b^4c^2de^2fx - 3b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1/2(2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) - Ib \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b) + 2(3(a^4 - a^2b^2)d^2f^3x^2 + 6(a^4 - a^2b^2)d^2e^2fx + 6(a^4 - a^2b^2)cde^2f^2 - 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2f^3x^2 + 2(a^3b - ab^3)d^2e^2fx + 2(a^3b - ab^3)cde^2f^2 - (a^3b - ab^3)c^2f^3) \sin(dx + c) + (ab^3d^3f^3x^3 + 3a^2b^3d^3e^2fx^2 + 3a^2b^3cd^3e^2fx + 3a^2b^3c^2de^2fx + 3a^2b^3c^3f^3 + (b^4d^3f^3x^3 + 3b^4d^3e^2fx^2 + 3b^4d^3e^2fx + 3b^4cd^3e^2fx + 3b^4c^2de^2fx - 3b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1/2(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) + Ib \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b) + 2(3(a^4 - a^2b^2)d^2f^3x^2 + 6(a^4 - a^2b^2)d^2e^2fx + 6(a^4 - a^2b^2)cde^2f^2 - 3(a^4 - a^2b^2)c^2f^3 + 3((a^3b - ab^3)d^2f^3x^2 + 2(a^3b - ab^3)d^2e^2fx + 2(a^3b - ab^3)cde^2f^2 - (a^3b - ab^3)c^2f^3) \sin(dx + c) + (ab^3d^3f^3x^3 + 3a^2b^3d^3e^2fx^2 + 3a^2b^3cd^3e^2fx + 3a^2b^3c^2de^2fx + 3a^2b^3c^3f^3 + (b^4d^3f^3x^3 + 3b^4d^3e^2fx^2 + 3b^4d^3e^2fx + 3b^4cd^3e^2fx + 3b^4c^2de^2fx - 3b^4c^3f^3) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1/2(-2Ia \cos
\end{aligned}$$

```
(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-
(a^2 - b^2)/b^2) + 2*b)/b) + 12*((a^3*b - a*b^3)*f^3*sin(d*x + c) + (a^4 -
a^2*b^2)*f^3 + (a*b^3*d*f^3*x + a*b^3*d*e*f^2 + (b^4*d*f^3*x + b^4*d*e*f^2)
*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*polylog(3, 1/2*(2*I*a*cos(d*x + c) -
2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
/b^2))/b) + 12*((a^3*b - a*b^3)*f^3*sin(d*x + c) + (a^4 - a^2*b^2)*f^3 - (a
*b^3*d*f^3*x + a*b^3*d*e*f^2 + (b^4*d*f^3*x + b^4*d*e*f^2)*sin(d*x + c))*sq
rt(-(a^2 - b^2)/b^2))*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c)
- 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 12*((
a^3*b - a*b^3)*f^3*sin(d*x + c) + (a^4 - a^2*b^2)*f^3 - (a*b^3*d*f^3*x + a
*b^3*d*e*f^2 + (b^4*d*f^3*x + b^4*d*e*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b
^2))*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b
*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 12*((a^3*b - a*b^3)*f^3*sin(d*x
+ c) + (a^4 - a^2*b^2)*f^3 + (a*b^3*d*f^3*x + a*b^3*d*e*f^2 + (b^4*d*f^3*x
+ b^4*d*e*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*polylog(3, -(I*a*cos(
d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2
- b^2)/b^2))/b))/((a^4*b^2 - 2*a^2*b^4 + b^6)*d^4*sin(d*x + c) + (a^5*b - 2
*a^3*b^3 + a*b^5)*d^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)/(a+b*sin(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)/(b*sin(d*x + c) + a)^2, x)

$$3.248 \quad \int \frac{(e+fx) \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$$

Optimal. Leaf size=751

$$\frac{3a^3 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2bd^2 (a^2-b^2)^{5/2}} - \frac{3a^3 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{2bd^2 (a^2-b^2)^{5/2}} - \frac{3af \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2bd^2 (a^2-b^2)^{3/2}} + \frac{3af \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{2bd^2 (a^2-b^2)^{3/2}}$$

```
[Out] (((3*I)/2)*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d) - (((3*I)/2)*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d) + (3*a^2*f*Log[a + b*Sin[c + d*x]])/(2*b*(a^2 - b^2)^2*d^2) - (f*Log[a + b*Sin[c + d*x]])/(b*(a^2 - b^2)*d^2) + (3*a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(5/2)*d^2) - (3*a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(3/2)*d^2) - (3*a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(5/2)*d^2) + (3*a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(3/2)*d^2) - (a*(e + f*x)*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (a*f)/(2*b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)*Cos[c + d*x])/(a^2 - b^2)*d*(a + b*Sin[c + d*x])
```

Rubi [A] time = 2.95513, antiderivative size = 751, normalized size of antiderivative = 1., number of steps used = 48, number of rules used = 11, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.458$, Rules used = {6742, 3325, 3324, 3323, 2264, 2190, 2279, 2391, 2668, 31, 32}

$$\frac{3a^3 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2bd^2 (a^2-b^2)^{5/2}} - \frac{3a^3 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{2bd^2 (a^2-b^2)^{5/2}} - \frac{3af \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2bd^2 (a^2-b^2)^{3/2}} + \frac{3af \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{2bd^2 (a^2-b^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sin[c + d*x])/(a + b*Sin[c + d*x])^3,x]
```

```
[Out] (((3*I)/2)*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d) - (((3*I)/2)*a^3*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(b*(a^2 - b^2)^(3/2)*d) + (3*a^2*f*Log[a + b*Sin[c + d*x]])/(2*b*(a^2 - b^2)^2*d^2) - (f*Log[a + b*Sin[c + d*x]])/(b*(a^2 - b^2)*d^2) + (3*a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(5/2)*d^2) - (3*a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(3/2)*d^2) - (3*a^3*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(5/2)*d^2) + (3*a*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/(2*b*(a^2 - b^2)^(3/2)*d^2) - (a*(e + f*x)*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (a*f)/(2*b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)*Cos[c + d*x])/(a^2 - b^2)*d*(a + b*Sin[c + d*x])
```

Rule 6742

Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]

Rule 3325

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*(c + d*x)^m*cos[e + f*x]*(a + b*sin[e + f*x])^(n + 1))/(f*(n + 1)*(a^2 - b^2)), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m*(a + b*sin[e + f*x])^(n + 1), x], x] - Dist[(b*(n + 2))/((n + 1)*(a^2 - b^2)), Int[(c + d*x)^m*sin[e + f*x]*(a + b*sin[e + f*x])^(n + 1), x], x] + Dist[(b*d*m)/(f*(n + 1)*(a^2 - b^2)), Int[(c + d*x)^(m - 1)*cos[e + f*x]*(a + b*sin[e + f*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && ILtQ[n, -2] && IGtQ[m, 0]

Rule 3324

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*cos[e + f*x]/(f*(a^2 - b^2)*(a + b*sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*cos[e + f*x])/(a + b*sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.)/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m
_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 31

```
Int[((a_.) + (b_.)*(x_.))^(n_.), x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\sin(c+dx)}{(a+b\sin(c+dx))^3} dx &= \int \left(-\frac{a(e+fx)}{b(a+b\sin(c+dx))^3} + \frac{e+fx}{b(a+b\sin(c+dx))^2} \right) dx \\
&= \frac{\int \frac{e+fx}{(a+b\sin(c+dx))^2} dx}{b} - \frac{a \int \frac{e+fx}{(a+b\sin(c+dx))^3} dx}{b} \\
&= -\frac{a(e+fx)\cos(c+dx)}{2(a^2-b^2)d(a+b\sin(c+dx))^2} + \frac{(e+fx)\cos(c+dx)}{(a^2-b^2)d(a+b\sin(c+dx))} + \frac{a \int \frac{(e+fx)\sin(c+dx)}{(a+b\sin(c+dx))^2} dx}{2(a^2-b^2)} + \\
&= -\frac{a(e+fx)\cos(c+dx)}{2(a^2-b^2)d(a+b\sin(c+dx))^2} - \frac{a^2(e+fx)\cos(c+dx)}{(a^2-b^2)^2 d(a+b\sin(c+dx))} + \frac{(e+fx)\cos(c+dx)}{(a^2-b^2)d(a+b\sin(c+dx))} \\
&= -\frac{f \log(a+b\sin(c+dx))}{b(a^2-b^2)d^2} - \frac{a(e+fx)\cos(c+dx)}{2(a^2-b^2)d(a+b\sin(c+dx))^2} - \frac{af}{2b(a^2-b^2)d^2(a+b\sin(c+dx))} \\
&= -\frac{ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} + \frac{ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} + \frac{a^2 f \log(a+b\sin(c+dx))}{b(a^2-b^2)^2 d^2} \\
&= \frac{ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{5/2}d} - \frac{ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2}d} - \frac{ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{5/2}d} \\
&= \frac{ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{5/2}d} - \frac{3ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{3/2}d} - \frac{ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{5/2}d} \\
&= \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d} - \frac{3ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{3/2}d} - \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d} \\
&= \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d} - \frac{3ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{3/2}d} - \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d} \\
&= \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d} - \frac{3ia(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{3/2}d} - \frac{3ia^3(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^{5/2}d}
\end{aligned}$$

Mathematica [B] time = 15.4607, size = 2408, normalized size = 3.21

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Sin[c + d*x])/(a + b*SIN[c + d*x])^3,x]

[Out]
$$\frac{-(a*d*e*\cos[c + d*x]) + a*c*f*\cos[c + d*x] - a*f*(c + d*x)*\cos[c + d*x]}{2*(a - b)*(a + b)*d^2*(a + b*\sin[c + d*x])^2} + \frac{-(a^3*f) + a*b^2*f - a^2*b*d*e*\cos[c + d*x] - 2*b^3*d*e*\cos[c + d*x] + a^2*b*c*f*\cos[c + d*x] + 2*b^3*c*f*\cos[c + d*x] - a^2*b*f*(c + d*x)*\cos[c + d*x] - 2*b^3*f*(c + d*x)*\cos[c + d*x]}{(2*(a - b)^2*b*(a + b)^2*d^2*(a + b*\sin[c + d*x]))} + \frac{((-2*(a^2 + 2*b^2)*f*\arctan[(b + a*\tan[(c + d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2] + (2*(a^2*f + 2*b^2*f + a*b*(-3*d*e + 3*c*f))*\arctan[(b + a*\tan[(c + d*x)/2])/sqrt[a^2 - b^2]])/sqrt[a^2 - b^2]}{b + ((a^2 + 2*b^2)*f*\log[\sec[(c + d*x)/2]^2*(a + b*\sin[c + d*x])])} + \frac{((3*I)*a*b*f*(\log[1 - I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/((-I)*a + b + sqrt[-a^2 + b^2])]) + \text{PolyLog}[2, (a*(1 - I*\tan[(c + d*x)/2]))/(a + I*(b + sqrt[-a^2 + b^2]))]}{sqrt[-a^2 + b^2]} - \frac{((3*I)*a*b*f*(\log[1 + I*\tan[(c + d*x)/2]]*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b + sqrt[-a^2 + b^2])]) + \text{PolyLog}[2, (a*(1 + I*\tan[(c + d*x)/2]))/(a - I*(b + sqrt[-a^2 + b^2]))]}{sqrt[-a^2 + b^2]} - \frac{((3*I)*a*b*f*(\log[1 - I*\tan[(c + d*x)/2]]*\log[-((b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a - b + sqrt[-a^2 + b^2])]) + \text{PolyLog}[2, (a*(I + \tan[(c + d*x)/2]))/(I*a - b + sqrt[-a^2 + b^2])]}{sqrt[-a^2 + b^2]} + \frac{((3*I)*a*b*f*(\log[1 + I*\tan[(c + d*x)/2]]*\log[(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b - sqrt[-a^2 + b^2])]) + \text{PolyLog}[2, (a + I*a*\tan[(c + d*x)/2])/(a + I*(-b + sqrt[-a^2 + b^2]))]}{sqrt[-a^2 + b^2]} * \frac{((-3*a*b*e)/(2*(a^2 - b^2)^2*(a + b*\sin[c + d*x])) + (3*a*b*c*f)/(2*(a^2 - b^2)^2*d*(a + b*\sin[c + d*x])) - (3*a*b*f*(c + d*x))/(2*(a^2 - b^2)^2*d*(a + b*\sin[c + d*x])) + (a^2*f*\cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*\sin[c + d*x])) + (b^2*f*\cos[c + d*x])/(a^2 - b^2)^2*d*(a + b*\sin[c + d*x]))}{d*(-((a^2 + 2*b^2)*f*\tan[(c + d*x)/2])/b + ((a^2 + 2*b^2)*f*\cos[(c + d*x)/2]^2*(b*\cos[c + d*x]*\sec[(c + d*x)/2]^2 + \sec[(c + d*x)/2]^2*(a + b*\sin[c + d*x])*\tan[(c + d*x)/2]))/(b*(a + b*\sin[c + d*x]))} - \frac{(a*(a^2 + 2*b^2)*f*\sec[(c + d*x)/2]^2)/((a^2 - b^2)*(1 + (b + a*\tan[(c + d*x)/2])^2/(a^2 - b^2))) + (a*(a^2*f + 2*b^2*f + a*b*(-3*d*e + 3*c*f))*\sec[(c + d*x)/2]^2)/((a^2 - b^2)*(1 + (b + a*\tan[(c + d*x)/2])^2/(a^2 - b^2))) - ((3*I)*a*b*f*(((-I/2)*\log[-((b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a - b + sqrt[-a^2 + b^2])])*\sec[(c + d*x)/2]^2)/(1 - I*\tan[(c + d*x)/2]) - (\log[1 - (a*(I + \tan[(c + d*x)/2]))/(I*a - b + sqrt[-a^2 + b^2])]*\sec[(c + d*x)/2]^2)/(2*(I + \tan[(c + d*x)/2])) + (a*\log[1 - I*\tan[(c + d*x)/2]]*\sec[(c + d*x)/2]^2)/(2*(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])))}{sqrt[-a^2 + b^2]} + \frac{((3*I)*a*b*f*(((I/2)*\log[(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b - sqrt[-a^2 + b^2])]*\sec[(c + d*x)/2]^2)/(1 + I*\tan[(c + d*x)/2]) - ((I/2)*a*\log[1 - (a + I*a*\tan[(c + d*x)/2])/(a + I*(-b + sqrt[-a^2 + b^2])])*\sec[(c + d*x)/2]^2)/(a + I*a*\tan[(c + d*x)/2]) + (a*\log[1 + I*\tan[(c + d*x)/2]]*\sec[(c + d*x)/2]^2)/(2*(b - sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])))}{sqrt[-a^2 + b^2]} + \frac{((3*I)*a*b*f*(((I/2)*\log[1 - (a*(1 - I*\tan[(c + d*x)/2]))/(a + I*(b + sqrt[-a^2 + b^2]))]*\sec[(c + d*x)/2]^2)/(1 - I*\tan[(c + d*x)/2]) - ((I/2)*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/((-I)*a + b + sqrt[-a^2 + b^2])]*\sec[(c + d*x)/2]^2)/(1 - I*\tan[(c + d*x)/2]) + (a*\log[1 - I*\tan[(c + d*x)/2]]*\sec[(c + d*x)/2]^2)/(2*(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])))}{sqrt[-a^2 + b^2]} - \frac{((3*I)*a*b*f*(((-I/2)*\log[1 - (a*(1 + I*\tan[(c + d*x)/2]))/(a - I*(b + sqrt[-a^2 + b^2]))]*\sec[(c + d*x)/2]^2)/(1 + I*\tan[(c + d*x)/2]) + ((I/2)*\log[(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])/(I*a + b + sqrt[-a^2 + b^2])]*\sec[(c + d*x)/2]^2)/(1 + I*\tan[(c + d*x)/2]) + (a*\log[1 + I*\tan[(c + d*x)/2]]*\sec[(c + d*x)/2]^2)/(2*(b + sqrt[-a^2 + b^2] + a*\tan[(c + d*x)/2])))}{sqrt[-a^2 + b^2]}$$

Maple [A] time = 1.699, size = 1084, normalized size = 1.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^3,x)`

[Out]
$$\begin{aligned} & I*(4*I*b*a^3*d*f*x*\exp(I*(d*x+c))+5*I*b^3*a*d*f*x*\exp(I*(d*x+c))+4*I*b*a^3* \\ & d*e*\exp(I*(d*x+c))-3*I*b^3*a*d*e*\exp(3*I*(d*x+c))+2*a^4*d*f*x*\exp(2*I*(d*x+ \\ & c))+5*b^2*d*f*x*\exp(2*I*(d*x+c))*a^2+2*b^4*d*f*x*\exp(2*I*(d*x+c))-2*I*b^2*f \\ & * \exp(2*I*(d*x+c))*a^2+5*I*b^3*a*d*e*\exp(I*(d*x+c))-3*I*b^3*a*d*f*x*\exp(3*I* \\ & (d*x+c))+2*I*a^4*f*\exp(2*I*(d*x+c))+2*a^4*d*e*\exp(2*I*(d*x+c))+b*a^3*f*\exp(\\ & 3*I*(d*x+c))+5*b^2*d*e*\exp(2*I*(d*x+c))*a^2-b^3*a*f*\exp(3*I*(d*x+c))+2*b^4* \\ & d*e*\exp(2*I*(d*x+c))-a^2*b^2*d*f*x-2*b^4*d*f*x-b*a^3*f*\exp(I*(d*x+c))-a^2*b \\ & ^2*d*e+b^3*a*f*\exp(I*(d*x+c))-2*b^4*d*e)/(I*b+2*a*\exp(I*(d*x+c))-I*b*\exp(2* \\ & I*(d*x+c)))^2/(a^2-b^2)^2/d^2/b-1/(-a^2+b^2)^2/d^2/b*a^2*f*\ln(\exp(I*(d*x+c) \\ &))+1/2/(-a^2+b^2)^2/d^2/b*a^2*f*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))- \\ & I*b)-2/(-a^2+b^2)^2/d^2*b*f*\ln(\exp(I*(d*x+c)))+1/(-a^2+b^2)^2/d^2*b*f*\ln(I* \\ & b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+3/2*I/(-a^2+b^2)^(5/2)/d^2*b*a*f \\ & * \operatorname{dilog}((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))-3*I/ \\ & (-a^2+b^2)^(5/2)/d^2*b*a*e*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(\\ & 1/2))+3*I/(-a^2+b^2)^(5/2)/d^2*b*a*f*c*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a \\ &)/(-a^2+b^2)^(1/2))-3/2*I/(-a^2+b^2)^(5/2)/d^2*b*a*f*\operatorname{dilog}((I*a+b*\exp(I*(d* \\ & x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))+3/2/(-a^2+b^2)^(5/2)/d^2*b*a* \\ & f*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x+3/2/ \\ & (-a^2+b^2)^(5/2)/d^2*b*a*f*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+ \\ & (-a^2+b^2)^(1/2)))*c-3/2/(-a^2+b^2)^(5/2)/d^2*b*a*f*\ln((I*a+b*\exp(I*(d*x+c))- \\ & (-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x-3/2/(-a^2+b^2)^(5/2)/d^2*b*a*f* \\ & \ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 5.517, size = 5449, normalized size = 7.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")`

[Out]
$$\begin{aligned} & 1/4*((-3*I*a*b^5*f*\cos(d*x + c)^2 + 6*I*a^2*b^4*f*\sin(d*x + c) + 3*I*(a^3*b \\ & ^3 + a*b^5)*f)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a* \\ & \sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} \end{aligned}$$

$$\begin{aligned}
& + 2*b)/b + 1) + (3*I*a*b^5*f*\cos(d*x + c)^2 - 6*I*a^2*b^4*f*\sin(d*x + c) - \\
& 3*I*(a^3*b^3 + a*b^5)*f)*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(2*I*a*\cos(d*x \\
& + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 \\
& - b^2)/b^2} + 2*b)/b + 1) + (3*I*a*b^5*f*\cos(d*x + c)^2 - 6*I*a^2*b^4*f*\sin \\
& (d*x + c) - 3*I*(a^3*b^3 + a*b^5)*f)*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(-2* \\
& I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)) \\
& *\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-3*I*a*b^5*f*\cos(d*x + c)^2 + 6*I* \\
& a^2*b^4*f*\sin(d*x + c) + 3*I*(a^3*b^3 + a*b^5)*f)*\sqrt{-(a^2 - b^2)/b^2}*di \\
& log(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b* \\
& \sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 3*((a^3*b^3 + a*b^5)*d \\
& *f*x + (a^3*b^3 + a*b^5)*c*f - (a*b^5*d*f*x + a*b^5*c*f)*\cos(d*x + c)^2 + 2 \\
& *(a^2*b^4*d*f*x + a^2*b^4*c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}*log(1/2 \\
& *(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + \\
& c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 3*((a^3*b^3 + a*b^5)*d*f*x + (a^3*b \\
& ^3 + a*b^5)*c*f - (a*b^5*d*f*x + a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*f \\
& *x + a^2*b^4*c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(2*I*a*\cos(d \\
& *x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a \\
& ^2 - b^2)/b^2} + 2*b)/b) + 3*((a^3*b^3 + a*b^5)*d*f*x + (a^3*b^3 + a*b^5)*c \\
& *f - (a*b^5*d*f*x + a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*f*x + a^2*b^4* \\
& c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(-2*I*a*\cos(d*x + c) + 2* \\
& a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^ \\
& 2} + 2*b)/b) - 3*((a^3*b^3 + a*b^5)*d*f*x + (a^3*b^3 + a*b^5)*c*f - (a*b^5* \\
& d*f*x + a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*f*x + a^2*b^4*c*f)*\sin(d*x \\
& + c))*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + \\
& c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) \\
& + 2*(a^6 - 2*a^4*b^2 + a^2*b^4)*f + 2*((2*a^5*b - a^3*b^3 - a*b^5)*d*f*x + \\
& (2*a^5*b - a^3*b^3 - a*b^5)*d*e)*\cos(d*x + c) + ((a^4*b^2 + a^2*b^4 - 2*b^ \\
& 6)*f*\cos(d*x + c)^2 - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*f*\sin(d*x + c) - (a^6 + \\
& 2*a^4*b^2 - a^2*b^4 - 2*b^6)*f + 3*((a^3*b^3 + a*b^5)*d*e - (a^3*b^3 + a*b \\
& ^5)*c*f - (a*b^5*d*e - a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*e - a^2*b^4 \\
& *c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*log(2*b*\cos(d*x + c) + 2*I*b*si \\
& n(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + ((a^4*b^2 + a^2*b^4 - 2* \\
& b^6)*f*\cos(d*x + c)^2 - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*f*\sin(d*x + c) - (a^6 \\
& + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*f + 3*((a^3*b^3 + a*b^5)*d*e - (a^3*b^3 + a \\
& *b^5)*c*f - (a*b^5*d*e - a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*e - a^2*b \\
& ^4*c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*log(2*b*\cos(d*x + c) - 2*I*b* \\
& sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + ((a^4*b^2 + a^2*b^4 - \\
& 2*b^6)*f*\cos(d*x + c)^2 - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*f*\sin(d*x + c) - (a \\
& ^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*f - 3*((a^3*b^3 + a*b^5)*d*e - (a^3*b^3 + \\
& a*b^5)*c*f - (a*b^5*d*e - a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*e - a^2 \\
& *b^4*c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*log(-2*b*\cos(d*x + c) + 2*I \\
& *b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + ((a^4*b^2 + a^2*b^4 - \\
& 2*b^6)*f*\cos(d*x + c)^2 - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*f*\sin(d*x + c) - \\
& (a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*f - 3*((a^3*b^3 + a*b^5)*d*e - (a^3*b^3 + \\
& a*b^5)*c*f - (a*b^5*d*e - a*b^5*c*f)*\cos(d*x + c)^2 + 2*(a^2*b^4*d*e - a^2 \\
& *b^4*c*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*log(-2*b*\cos(d*x + c) - \\
& 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*((a^5*b - 2*a^ \\
& 3*b^3 + a*b^5)*f + ((a^4*b^2 + a^2*b^4 - 2*b^6)*d*f*x + (a^4*b^2 + a^2*b^4 \\
& - 2*b^6)*d*e)*\cos(d*x + c))*\sin(d*x + c))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 \\
& - b^9)*d^2*\cos(d*x + c)^2 - 2*(a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*d^ \\
& 2*\sin(d*x + c) - (a^8*b - 2*a^6*b^3 + 2*a^2*b^7 - b^9)*d^2)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sin(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sin(d*x + c)/(b*sin(d*x + c) + a)^3, x)
```

3.249 $\int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$

Optimal. Leaf size=1584

result too large to display

```
[Out] (((-3*I)/2)*a^2*(e + f*x)^2)/(b*(a^2 - b^2)^2*d) + (I*(e + f*x)^2)/(b*(a^2 - b^2)*d) + (2*a*f^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)*d^3) + (3*a^2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^2) - (2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^2) + (((3*I)/2)*a^3*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d) + (3*a^2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^2) - (2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^2) - (((3*I)/2)*a^3*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d) - ((3*I)*a^2*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^3) + ((2*I)*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^3) + (3*a^3*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^2) - (3*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^2) - ((3*I)*a^2*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^3) + ((2*I)*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^3) - (3*a^3*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^2) + (3*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^2) + ((3*I)*a^3*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^3) - ((3*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^3) - ((3*I)*a^3*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^3) + ((3*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^3) - (a*(e + f*x)^2*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (a*f*(e + f*x))/(b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)^2*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)^2*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 5.94317, antiderivative size = 1584, normalized size of antiderivative = 1., number of steps used = 73, number of rules used = 16, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.615$, Rules used = {6742, 3325, 3324, 3323, 2264, 2190, 2531, 2282, 6589, 4519, 2279, 2391, 4422, 2660, 618, 204}

$$\frac{3i(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) a^3}{2b(a^2 - b^2)^{5/2} d} - \frac{3i(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right) a^3}{2b(a^2 - b^2)^{5/2} d} + \frac{3f(e + fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) a^3}{b(a^2 - b^2)^{5/2} d^2} - \frac{3f(e + fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right) a^3}{b(a^2 - b^2)^{5/2} d^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x])^3,x]
```

```
[Out] (((-3*I)/2)*a^2*(e + f*x)^2)/(b*(a^2 - b^2)^2*d) + (I*(e + f*x)^2)/(b*(a^2 - b^2)*d) + (2*a*f^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)*d^3) + (3*a^2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^2) - (2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^2) + (((3*I)/2)*a^3*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d) + (3*a^2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^2) - (2*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^2) - (((3*I)/2)*a^3*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d) - ((3*I)*a^2*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^3) + ((2*I)*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^3) + (3*a^3*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^2) - (3*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^2) - ((3*I)*a^2*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^2*d^3) + ((2*I)*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)*d^3) - (3*a^3*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^2) + (3*a*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^2) + ((3*I)*a^3*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^3) - ((3*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^3) - ((3*I)*a^3*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(5/2)*d^3) + ((3*I)*a*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]]))/(b*(a^2 - b^2)^(3/2)*d^3) - (a*(e + f*x)^2*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (a*f*(e + f*x))/(b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)^2*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)^2*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

$$\begin{aligned}
& a^2 - b^2)^{(3/2)}d^3) + (3a^2f(e + fx)\text{Log}[1 - (IbE^{I(c + dx)})]/(a \\
& - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^2d^2) - (2f(e + fx)\text{Log}[1 - (IbE^{I(c + dx)}) \\
& ^{I(c + dx)})]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)d^2) + (((3I)/2)a^3 \\
& 3(e + fx)^2\text{Log}[1 - (IbE^{I(c + dx)})]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 \\
& - b^2)^{(5/2)}d) - (((3I)/2)a*(e + fx)^2\text{Log}[1 - (IbE^{I(c + dx)})]/(\\
& a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(3/2)}d) + (3a^2f(e + fx)\text{Log}[1 - \\
& (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^2d^2) - (2f \\
& *(e + fx)\text{Log}[1 - (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - \\
& b^2)d^2) - (((3I)/2)a^3(e + fx)^2\text{Log}[1 - (IbE^{I(c + dx)})]/(a + \text{S} \\
& \text{qrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(5/2)}d) + (((3I)/2)a*(e + fx)^2\text{Log}[1 \\
& - (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(3/2)}d) - (\\
& (3I)a^2f^2\text{PolyLog}[2, (IbE^{I(c + dx)})]/(a - \text{Sqrt}[a^2 - b^2])]/(b(\\
& a^2 - b^2)^2d^3) + ((2I)*f^2\text{PolyLog}[2, (IbE^{I(c + dx)})]/(a - \text{Sqrt}[a \\
& ^2 - b^2])]/(b(a^2 - b^2)d^3) + (3a^3f(e + fx)\text{PolyLog}[2, (IbE^{I(c + \\
& dx))]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(5/2)}d^2) - (3a*f(e + \\
& fx)\text{PolyLog}[2, (IbE^{I(c + dx)})]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^ \\
& 2)^{(3/2)}d^2) - ((3I)a^2f^2\text{PolyLog}[2, (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a \\
& ^2 - b^2])]/(b(a^2 - b^2)^2d^3) + ((2I)*f^2\text{PolyLog}[2, (IbE^{I(c + d \\
& *x))]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)d^3) - (3a^3f(e + fx)\text{Poly} \\
& \text{Log}[2, (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(5/2)}d \\
& ^2) + (3a*f(e + fx)\text{PolyLog}[2, (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2 \\
&])]/(b(a^2 - b^2)^{(3/2)}d^2) + ((3I)a^3f^2\text{PolyLog}[3, (IbE^{I(c + d \\
& *x))]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(5/2)}d^3) - ((3I)a*f^2\text{Poly} \\
& \text{Log}[3, (IbE^{I(c + dx)})]/(a - \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(3/2)}d \\
& ^3) - ((3I)a^3f^2\text{PolyLog}[3, (IbE^{I(c + dx)})]/(a + \text{Sqrt}[a^2 - b^2]) \\
&]]/(b(a^2 - b^2)^{(5/2)}d^3) + ((3I)a*f^2\text{PolyLog}[3, (IbE^{I(c + dx)) \\
&]]/(a + \text{Sqrt}[a^2 - b^2])]/(b(a^2 - b^2)^{(3/2)}d^3) - (a*(e + fx)^2\text{Cos}[c \\
& + dx])/(2*(a^2 - b^2)*d*(a + b*\text{Sin}[c + dx])^2) - (a*f*(e + fx))/(b(a^2 \\
& - b^2)*d^2*(a + b*\text{Sin}[c + dx])) - (3a^2*(e + fx)^2\text{Cos}[c + dx])/(2*(a^2 \\
& - b^2)^2*d*(a + b*\text{Sin}[c + dx])) + ((e + fx)^2\text{Cos}[c + dx])/((a^2 - b^2) \\
& *d*(a + b*\text{Sin}[c + dx]))
\end{aligned}$$
Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 3325

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
  x_Symbol] := -Simp[(b*(c + dx)^m*cos[e + fx]*(a + b*sin[e + fx])^(n + 1)
)/ (f*(n + 1)*(a^2 - b^2)), x] + (Dist[a/(a^2 - b^2), Int[(c + dx)^m*(a +
b*sin[e + fx])^(n + 1), x], x] - Dist[(b*(n + 2))/((n + 1)*(a^2 - b^2)), I
nt[(c + dx)^m*sin[e + fx]*(a + b*sin[e + fx])^(n + 1), x], x] + Dist[(b*
d*m)/(f*(n + 1)*(a^2 - b^2)), Int[(c + dx)^(m - 1)*cos[e + fx]*(a + b*sin
[e + fx])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^
2, 0] && ILtQ[n, -2] && IGtQ[m, 0]
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_
Symbol] := Simp[(b*(c + dx)^m*cos[e + fx])/(f*(a^2 - b^2)*(a + b*sin[e +
fx])), x] + (Dist[a/(a^2 - b^2), Int[(c + dx)^m/(a + b*sin[e + fx]), x],
x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + dx)^(m - 1)*cos[e + fx])/(a
+ b*sin[e + fx]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^
2, 0] && IGtQ[m, 0]
```

Rule 3323

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_)^(m_.))*((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[((e + f*x)^m*(a + b*SIN[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*SIN[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 2660

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx &= \int \left(-\frac{a(e+fx)^2}{b(a+b \sin(c+dx))^3} + \frac{(e+fx)^2}{b(a+b \sin(c+dx))^2} \right) dx \\
&= \frac{\int \frac{(e+fx)^2}{(a+b \sin(c+dx))^2} dx}{b} - \frac{a \int \frac{(e+fx)^2}{(a+b \sin(c+dx))^3} dx}{b} \\
&= -\frac{a(e+fx)^2 \cos(c+dx)}{2(a^2-b^2)d(a+b \sin(c+dx))^2} + \frac{(e+fx)^2 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} + \frac{a \int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{i(e+fx)^2}{b(a^2-b^2)d} - \frac{a(e+fx)^2 \cos(c+dx)}{2(a^2-b^2)d(a+b \sin(c+dx))^2} - \frac{af(e+fx)}{b(a^2-b^2)d^2(a+b \sin(c+dx))} - \frac{a \int \frac{(e+fx)^2 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{ia^2(e+fx)^2}{b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} - \frac{2f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} - \frac{2f(e+fx) \log\left(1 - \frac{ib}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} \\
&= -\frac{ia^2(e+fx)^2}{b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} - \frac{2f(e+fx) \log\left(1 - \frac{ib}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{2a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^2}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^2}{b(a^2-b^2)d} + \frac{2af^2 \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx) \log\left(1 - \frac{ib e^{i(c+dx)}}{a - \sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2}
\end{aligned}$$

Mathematica [B] time = 25.016, size = 13567, normalized size = 8.57

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Sin[c + d*x])/(a + b*Sin[c + d*x])^3,x]

[Out] Result too large to show

Maple [F] time = 3.147, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{(a + b \sin(dx + c))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^3,x)

[Out] int((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 7.4687, size = 12407, normalized size = 7.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/8*(8*(a^6 - 2*a^4*b^2 + a^2*b^4)*d*f^2*x + 8*(a^6 - 2*a^4*b^2 + a^2*b^4)* \\ & d*e*f + 12*(a*b^5*f^2*\cos(d*x + c)^2 - 2*a^2*b^4*f^2*\sin(d*x + c) - (a^3*b^3 \\ & + a*b^5)*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - \\ & 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2) \\ & /b^2}))/b) - 12*(a*b^5*f^2*\cos(d*x + c)^2 - 2*a^2*b^4*f^2*\sin(d*x + c) - (a^3 \\ & *b^3 + a*b^5)*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + \\ & c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - \\ & b^2)/b^2}))/b) - 12*(a*b^5*f^2*\cos(d*x + c)^2 - 2*a^2*b^4*f^2*\sin(d*x + c) - \\ & (a^3*b^3 + a*b^5)*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) \\ &) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/ \\ & b^2}))/b) + 12*(a*b^5*f^2*\cos(d*x + c)^2 - 2*a^2*b^4*f^2*\sin(d*x + c) - (a^3 \\ & *b^3 + a*b^5)*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) + a \\ & *\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & /b) + 4*((2*a^5*b - a^3*b^3 - a*b^5)*d^2*f^2*x^2 + 2*(2*a^5*b - a^3*b^3 - a \\ & *b^5)*d^2*e*f*x + (2*a^5*b - a^3*b^3 - a*b^5)*d^2*e^2)*\cos(d*x + c) + (4*I* \\ & (a^4*b^2 + a^2*b^4 - 2*b^6)*f^2*\cos(d*x + c)^2 - 8*I*(a^5*b + a^3*b^3 - 2*a \\ & *b^5)*f^2*\sin(d*x + c) - 4*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*f^2 + 2*(6 \\ & *I*(a^3*b^3 + a*b^5)*d*f^2*x + 6*I*(a^3*b^3 + a*b^5)*d*e*f + (-6*I*a*b^5*d* \\ & f^2*x - 6*I*a*b^5*d*e*f)*\cos(d*x + c)^2 + (12*I*a^2*b^4*d*f^2*x + 12*I*a^2* \\ & b^4*d*e*f)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\text{dilog}(-1/2*(2*I*a*\cos(d*x \\ & + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 \\ & - b^2)/b^2} + 2*b)/b + 1) + (4*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*f^2*\cos(d*x + \\ & c)^2 - 8*I*(a^5*b + a^3*b^3 - 2*a*b^5)*f^2*\sin(d*x + c) - 4*I*(a^6 + 2*a^4* \end{aligned}$$

$$\begin{aligned}
& + a*b^5*d^2*e*f*x + 2*(a^3*b^3 + a*b^5)*c*d*e*f - (a^3*b^3 + a*b^5)*c^2*f^2 \\
& - (a*b^5*d^2*f^2*x^2 + 2*a*b^5*d^2*e*f*x + 2*a*b^5*c*d*e*f - a*b^5*c^2*f^2) \\
& *cos(d*x + c)^2 + 2*(a^2*b^4*d^2*f^2*x^2 + 2*a^2*b^4*d^2*e*f*x + 2*a^2*b^4*c*d*e*f \\
& - a^2*b^4*c^2*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2 \\
& *(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c)) \\
& *sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6) \\
& *d*f^2*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*f^2 - 2*((a^4*b^2 + a^2*b^4 - 2*b^6) \\
& *d*f^2*x + (a^4*b^2 + a^2*b^4 - 2*b^6)*c*f^2)*cos(d*x + c)^2 + 4*((a^5*b + a^3*b^3 - 2*a*b^5) \\
& *d*f^2*x + (a^5*b + a^3*b^3 - 2*a*b^5)*c*f^2)*sin(d*x + c) + 3*((a^3*b^3 + a*b^5) \\
& *d^2*f^2*x^2 + 2*(a^3*b^3 + a*b^5)*d^2*e*f*x + 2*(a^3*b^3 + a*b^5)*c*d*e*f - (a^3*b^3 + a*b^5) \\
& *c^2*f^2 - (a*b^5*d^2*f^2*x^2 + 2*a*b^5*d^2*e*f*x + 2*a*b^5*c*d*e*f - a*b^5*c^2*f^2) \\
& *cos(d*x + c)^2 + 2*(a^2*b^4*d^2*f^2*x^2 + 2*a^2*b^4*d^2*e*f*x + 2*a^2*b^4*c*d*e*f \\
& - a^2*b^4*c^2*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(2*I*a*cos(d*x + c) \\
& + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) \\
& + 2*b)/b) - 2*(2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*f^2*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6) \\
& *c*f^2 - 2*((a^4*b^2 + a^2*b^4 - 2*b^6)*d*f^2*x + (a^4*b^2 + a^2*b^4 - 2*b^6)*c*f^2) \\
& *cos(d*x + c)^2 + 4*((a^5*b + a^3*b^3 - 2*a*b^5)*d*f^2*x + (a^5*b + a^3*b^3 - 2*a*b^5) \\
& *c*f^2)*sin(d*x + c) - 3*((a^3*b^3 + a*b^5)*d^2*f^2*x^2 + 2*(a^3*b^3 + a*b^5) \\
& *d^2*e*f*x + 2*(a^3*b^3 + a*b^5)*c*d*e*f - (a^3*b^3 + a*b^5)*c^2*f^2 - (a*b^5*d^2*f^2 \\
& *x^2 + 2*a*b^5*d^2*e*f*x + 2*a*b^5*c*d*e*f - a*b^5*c^2*f^2)*cos(d*x + c)^2 \\
& + 2*(a^2*b^4*d^2*f^2*x^2 + 2*a^2*b^4*d^2*e*f*x + 2*a^2*b^4*c*d*e*f - a^2*b^4*c^2*f^2) \\
& *sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) \\
& + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6) \\
& *d*f^2*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*f^2 - 2*((a^4*b^2 + a^2*b^4 - 2*b^6) \\
& *d*f^2*x + (a^4*b^2 + a^2*b^4 - 2*b^6)*c*f^2)*cos(d*x + c)^2 + 4*((a^5*b + a^3*b^3 - 2*a*b^5) \\
& *d*f^2*x + (a^5*b + a^3*b^3 - 2*a*b^5)*c*f^2)*sin(d*x + c) + 3*((a^3*b^3 + a*b^5) \\
& *d^2*f^2*x^2 + 2*(a^3*b^3 + a*b^5)*d^2*e*f*x + 2*(a^3*b^3 + a*b^5)*c*d*e*f - (a^3*b^3 + a*b^5) \\
& *c^2*f^2 - (a*b^5*d^2*f^2*x^2 + 2*a*b^5*d^2*e*f*x + 2*a*b^5*c*d*e*f - a*b^5*c^2*f^2) \\
& *cos(d*x + c)^2 + 2*(a^2*b^4*d^2*f^2*x^2 + 2*a^2*b^4*d^2*e*f*x + 2*a^2*b^4*c*d*e*f - a^2*b^4*c^2*f^2) \\
& *sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) \\
& + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 4*(2*(a^5*b - 2*a^3*b^3 + a*b^5) \\
& *d*f^2*x + 2*(a^5*b - 2*a^3*b^3 + a*b^5)*d*e*f + ((a^4*b^2 + a^2*b^4 - 2*b^6) \\
& *d^2*f^2*x^2 + 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e*f*x + (a^4*b^2 + a^2*b^4 - 2*b^6) \\
& *d^2*e^2)*cos(d*x + c))*sin(d*x + c))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9) \\
& *d^3*cos(d*x + c)^2 - 2*(a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*d^3*sin(d*x + c) - (a^8 \\
& *b - 2*a^6*b^3 + 2*a^2*b^7 - b^9)*d^3)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(d*x+c)/(a+b*sin(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sin(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*sin(d*x + c)/(b*sin(d*x + c) + a)^3, x)
```

$$3.250 \quad \int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx$$

Optimal. Leaf size=2348

result too large to display

```
[Out] (((-3*I)/2)*a^2*(e + f*x)^3)/(b*(a^2 - b^2)^2*d) + (I*(e + f*x)^3)/(b*(a^2 - b^2)*d) - ((3*I)*a*f^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^2*d^2) - (3*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) + (((3*I)/2)*a^3*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) + ((3*I)*a*f^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^2*d^2) - (3*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^2) - (((3*I)/2)*a^3*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d) - (3*a*f^3*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^4) - ((9*I)*a^2*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^2*d^3) + ((6*I)*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) + (9*a^3*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^(5/2)*d^2) - (9*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^(3/2)*d^2) + (3*a*f^3*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^4) - ((9*I)*a^2*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^2*d^3) + ((6*I)*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^3) - (9*a^3*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^(5/2)*d^2) + (9*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(2*b*(a^2 - b^2)^(3/2)*d^2) + (9*a^2*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^2*d^4) - (6*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^4) + ((9*I)*a^3*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d^3) - ((9*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^2*d^4) - (6*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)*d^4) - ((9*I)*a^3*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d^3) + ((9*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) - (9*a^3*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d^4) + (9*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^4) + (9*a^3*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(5/2)*d^4) - (9*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^4) - (a*(e + f*x)^3*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (3*a*f*(e + f*x)^2)/(2*b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)^3*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)^3*Cos[c + d*x])/((a^2 - b^2)*d*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 8.37404, antiderivative size = 2348, normalized size of antiderivative = 1., number of steps used = 92, number of rules used = 14, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}}$

= 0.538, Rules used = {6742, 3325, 3324, 3323, 2264, 2190, 2531, 6609, 2282, 6589, 4519, 4422, 2279, 2391}

result too large to display

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x])^3,x]

[Out] (((-3*I)/2)*a^2*(e + f*x)^3)/(b*(a^2 - b^2)^2*d) + (I*(e + f*x)^3)/(b*(a^2 - b^2)*d) - ((3*I)*a*f^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^2*d^2) - (3*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^2) + (((3*I)/2)*a^3*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d) - (((3*I)/2)*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d) + ((3*I)*a*f^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^2*d^2) - (3*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^2) - (((3*I)/2)*a^3*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d) + (((3*I)/2)*a*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d) - (3*a*f^3*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^4) - ((9*I)*a^2*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^2*d^3) + ((6*I)*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^3) + (9*a^3*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^(5/2)*d^2) - (9*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^(3/2)*d^2) + (3*a*f^3*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^4) - ((9*I)*a^2*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^2*d^3) + ((6*I)*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^3) - (9*a^3*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^(5/2)*d^2) + (9*a*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(2*b*(a^2 - b^2)^(3/2)*d^2) + (9*a^2*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^2*d^4) - (6*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^4) + ((9*I)*a^3*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d^3) - ((9*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^3) + (9*a^2*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^2*d^4) - (6*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)*d^4) - ((9*I)*a^3*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d^3) + ((9*I)*a*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^3) - (9*a^3*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d^4) + (9*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^4) + (9*a^3*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(5/2)*d^4) - (9*a*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*(a^2 - b^2)^(3/2)*d^4) - (a*(e + f*x)^3*Cos[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x])^2) - (3*a*f*(e + f*x)^2)/(2*b*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x])) - (3*a^2*(e + f*x)^3*Cos[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*Sin[c + d*x])) + ((e + f*x)^3*Cos[c + d*x])/(a^2 - b^2)*d*(a + b*Sin[c + d*x]))

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 3325

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
 x_Symbol] := -Simp[(b*(c + d*x)^m*cos[e + f*x]*(a + b*sin[e + f*x])^(n + 1))/
(f*(n + 1)*(a^2 - b^2)), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m*(a + b*sin[e + f*x])^(n + 1), x], x] - Dist[(b*(n + 2))/((n + 1)*(a^2 - b^2)), Int[(c + d*x)^m*sin[e + f*x]*(a + b*sin[e + f*x])^(n + 1), x], x] + Dist[(b*d*m)/(f*(n + 1)*(a^2 - b^2)), Int[(c + d*x)^(m - 1)*cos[e + f*x]*(a + b*sin[e + f*x])^(n + 1), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && ILtQ[n, -2] && IGtQ[m, 0]
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Simp[(b*(c + d*x)^m*cos[e + f*x]/(f*(a^2 - b^2)*(a + b*sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[(c + d*x)^(m - 1)*cos[e + f*x]/(a + b*sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[(c + d*x)^m*E^(I*(e + f*x))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, p}, x] && GtQ[m, 0]
```

$(m - 1) \text{PolyLog}[n + 1, d \cdot (F^{c(a + b \cdot x)})^p], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4519

Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_)]/((a_) + (b_)*Sin[(c_) + (d_)*(x_)]), x_Symbol] :=> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m * E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b * E^(I*(c + d*x))), x] + Int[((e + f*x)^m * E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b * E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 4422

Int[Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)]^(n_)), x_Symbol] :=> Simp[((e + f*x)^m * (a + b * Sin[c + d * x])^(n + 1))/(b * d * (n + 1)), x] - Dist[(f * m)/(b * d * (n + 1)), Int[(e + f * x)^(m - 1) * (a + b * Sin[c + d * x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] :=> Dist[1/(d * e * n * Log[F]), Subst[Int[Log[a + b * x]/x, x], x, (F^(e * (c + d * x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] :=> -Simp[PolyLog[2, -(c * e * x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c * d, 1]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^3} dx &= \int \left(-\frac{a(e+fx)^3}{b(a+b \sin(c+dx))^3} + \frac{(e+fx)^3}{b(a+b \sin(c+dx))^2} \right) dx \\
&= \frac{\int \frac{(e+fx)^3}{(a+b \sin(c+dx))^2} dx}{b} - \frac{a \int \frac{(e+fx)^3}{(a+b \sin(c+dx))^3} dx}{b} \\
&= -\frac{a(e+fx)^3 \cos(c+dx)}{2(a^2-b^2)d(a+b \sin(c+dx))^2} + \frac{(e+fx)^3 \cos(c+dx)}{(a^2-b^2)d(a+b \sin(c+dx))} + \frac{a \int \frac{(e+fx)^3 \sin(c+dx)}{(a+b \sin(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{a(e+fx)^3 \cos(c+dx)}{2(a^2-b^2)d(a+b \sin(c+dx))^2} - \frac{3af(e+fx)^2}{2b(a^2-b^2)d^2(a+b \sin(c+dx))} - \frac{a}{(a^2-b^2)d} \\
&= -\frac{ia^2(e+fx)^3}{b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} - \frac{3f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} \\
&= -\frac{ia^2(e+fx)^3}{b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} + \frac{3a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} - \frac{3f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{3a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2} \\
&= -\frac{3ia^2(e+fx)^3}{2b(a^2-b^2)^2 d} + \frac{i(e+fx)^3}{b(a^2-b^2)d} - \frac{3iaf^2(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2-b^2)^{3/2} d^3} + \frac{9a^2 f(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{2b(a^2-b^2)^2 d^2}
\end{aligned}$$

Mathematica [B] time = 22.235, size = 11204, normalized size = 4.77

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sin[c + d*x])/(a + b*Sin[c + d*x])^3,x]

[Out] Result too large to show

Maple [F] time = 1.711, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{(a + b \sin(dx + c))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^3,x)

[Out] int((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^3,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 13.0213, size = 22152, normalized size = 9.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/8*(12*(a^6 - 2*a^4*b^2 + a^2*b^4)*d^2*f^3*x^2 + 24*(a^6 - 2*a^4*b^2 + a^2*b^4)*d^2*e*f^2*x + 12*(a^6 - 2*a^4*b^2 + a^2*b^4)*d^2*e^2*f + 2*(18*I*a*b^5*f^3*\cos(d*x + c)^2 - 36*I*a^2*b^4*f^3*\sin(d*x + c) - 18*I*(a^3*b^3 + a*b^5)*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 2*(-18*I*a*b^5*f^3*\cos(d*x + c)^2 + 36*I*a^2*b^4*f^3*\sin(d*x + c) + 18*I*(a^3*b^3 + a*b^5)*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 2*(18*I*a*b^5*f^3*\cos(d*x + c)^2 - 36*I*a^2*b^4*f^3*\sin(d*x + c) - 18*I*(a^3*b^3 + a*b^5)*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 2*(-18*I*a*b^5*f^3*\cos(d*x + c)^2 + 36*I*a^2*b^4*f^3*\sin(d*x + c) + 18*I*(a^3*b^3 + a*b^5)*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 4*((2*a^5*b - a^3*b^3 - a*b^5)*d^3*f^3*x^3 + 3*(2*a^5*b - a^3*b^3 - a*b^5)*d^3*e*f^2*x^2 + 3*(2*a^5*b - a^3*b^3 - a*b^5)*d^3*e^2*f*x + (2*a^5*b - a^3*b^3 - a*b^5)*d^3*e^3)*\cos(d*x + c) + (-12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*f^3*x - 12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*e*f^2 + (12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d*f^3*x + 12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d*e*f^2)*\cos(d*x + c)^2 + (-24*I*(a^5*b + a^3*b^3 - a*b^5)*d^2*f^3*x^2 + 24*I*(a^5*b + a^3*b^3 - a*b^5)*d^2*e*f^2*x + 12*I*(a^5*b + a^3*b^3 - a*b^5)*d^2*e^2*f + 2*(18*I*a*b^5*f^3*\cos(d*x + c)^2 - 36*I*a^2*b^4*f^3*\sin(d*x + c) - 18*I*(a^3*b^3 + a*b^5)*f^3)*\sqrt{-(a^2 - b^2)/b^2}))/b) \end{aligned}$$

$$\begin{aligned}
& b^3 - 2*a*b^5)*d*f^3*x - 24*I*(a^5*b + a^3*b^3 - 2*a*b^5)*d*e*f^2)*\sin(d*x \\
& + c) + 2*(9*I*(a^3*b^3 + a*b^5)*d^2*f^3*x^2 + 18*I*(a^3*b^3 + a*b^5)*d^2*e* \\
& f^2*x + 9*I*(a^3*b^3 + a*b^5)*d^2*e^2*f - 6*I*(a^5*b - a*b^5)*f^3 + (-9*I*a \\
& *b^5*d^2*f^3*x^2 - 18*I*a*b^5*d^2*e*f^2*x - 9*I*a*b^5*d^2*e^2*f + 6*I*(a^3* \\
& b^3 - a*b^5)*f^3)*\cos(d*x + c)^2 + (18*I*a^2*b^4*d^2*f^3*x^2 + 36*I*a^2*b^4 \\
& *d^2*e*f^2*x + 18*I*a^2*b^4*d^2*e^2*f - 12*I*(a^4*b^2 - a^2*b^4)*f^3)*\sin(d \\
& *x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d \\
& *x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2* \\
& b)/b + 1) + (-12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*f^3*x - 12*I*(a^6 \\
& + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*e*f^2 + (12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)* \\
& d*f^3*x + 12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d*e*f^2)*\cos(d*x + c)^2 + (-24*I \\
& *(a^5*b + a^3*b^3 - 2*a*b^5)*d*f^3*x - 24*I*(a^5*b + a^3*b^3 - 2*a*b^5)*d*e \\
& *f^2)*\sin(d*x + c) + 2*(-9*I*(a^3*b^3 + a*b^5)*d^2*f^3*x^2 - 18*I*(a^3*b^3 \\
& + a*b^5)*d^2*e*f^2*x - 9*I*(a^3*b^3 + a*b^5)*d^2*e^2*f + 6*I*(a^5*b - a*b^5 \\
&)*f^3 + (9*I*a*b^5*d^2*f^3*x^2 + 18*I*a*b^5*d^2*e*f^2*x + 9*I*a*b^5*d^2*e^2 \\
& *f - 6*I*(a^3*b^3 - a*b^5)*f^3)*\cos(d*x + c)^2 + (-18*I*a^2*b^4*d^2*f^3*x^2 \\
& - 36*I*a^2*b^4*d^2*e*f^2*x - 18*I*a^2*b^4*d^2*e^2*f + 12*I*(a^4*b^2 - a^2* \\
& b^4)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - \\
& b^2)/b^2} + 2*b)/b + 1) + (12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*f^3* \\
& x + 12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*e*f^2 + (-12*I*(a^4*b^2 + a^ \\
& 2*b^4 - 2*b^6)*d*f^3*x - 12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d*e*f^2)*\cos(d*x \\
& + c)^2 + (24*I*(a^5*b + a^3*b^3 - 2*a*b^5)*d*f^3*x + 24*I*(a^5*b + a^3*b^3 \\
& - 2*a*b^5)*d*e*f^2)*\sin(d*x + c) + 2*(-9*I*(a^3*b^3 + a*b^5)*d^2*f^3*x^2 - \\
& 18*I*(a^3*b^3 + a*b^5)*d^2*e*f^2*x - 9*I*(a^3*b^3 + a*b^5)*d^2*e^2*f + 6*I* \\
& (a^5*b - a*b^5)*f^3 + (9*I*a*b^5*d^2*f^3*x^2 + 18*I*a*b^5*d^2*e*f^2*x + 9*I \\
& *a*b^5*d^2*e^2*f - 6*I*(a^3*b^3 - a*b^5)*f^3)*\cos(d*x + c)^2 + (-18*I*a^2*b \\
& ^4*d^2*f^3*x^2 - 36*I*a^2*b^4*d^2*e*f^2*x - 18*I*a^2*b^4*d^2*e^2*f + 12*I*(\\
& a^4*b^2 - a^2*b^4)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\operatorname{dilog}(-1/2*(- \\
& 2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c \\
&))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 \\
& - 2*b^6)*d*f^3*x + 12*I*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d*e*f^2 + (-12* \\
& I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d*f^3*x - 12*I*(a^4*b^2 + a^2*b^4 - 2*b^6)*d* \\
& e*f^2)*\cos(d*x + c)^2 + (24*I*(a^5*b + a^3*b^3 - 2*a*b^5)*d*f^3*x + 24*I*(a \\
& ^5*b + a^3*b^3 - 2*a*b^5)*d*e*f^2)*\sin(d*x + c) + 2*(9*I*(a^3*b^3 + a*b^5)* \\
& d^2*f^3*x^2 + 18*I*(a^3*b^3 + a*b^5)*d^2*e*f^2*x + 9*I*(a^3*b^3 + a*b^5)*d^ \\
& 2*e^2*f - 6*I*(a^5*b - a*b^5)*f^3 + (-9*I*a*b^5*d^2*f^3*x^2 - 18*I*a*b^5*d^ \\
& 2*e*f^2*x - 9*I*a*b^5*d^2*e^2*f + 6*I*(a^3*b^3 - a*b^5)*f^3)*\cos(d*x + c)^2 \\
& + (18*I*a^2*b^4*d^2*f^3*x^2 + 36*I*a^2*b^4*d^2*e*f^2*x + 18*I*a^2*b^4*d^2* \\
& e^2*f - 12*I*(a^4*b^2 - a^2*b^4)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})* \\
& *\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I \\
& *b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 6*((a^6 + 2*a^4*b^2 \\
& - a^2*b^4 - 2*b^6)*d^2*e^2*f - 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*d*e \\
& *f^2 + (a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c^2*f^3 - ((a^4*b^2 + a^2*b^4 - \\
& 2*b^6)*d^2*e^2*f - 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*c*d*e*f^2 + (a^4*b^2 + a^2 \\
& *b^4 - 2*b^6)*c^2*f^3)*\cos(d*x + c)^2 + 2*((a^5*b + a^3*b^3 - 2*a*b^5)*d^2* \\
& e^2*f - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*c*d*e*f^2 + (a^5*b + a^3*b^3 - 2*a*b^ \\
& 5)*c^2*f^3)*\sin(d*x + c) - ((a^3*b^3 + a*b^5)*d^3*e^3 - 3*(a^3*b^3 + a*b^5) \\
& *c*d^2*e^2*f - (2*a^5*b - 2*a*b^5 - 3*(a^3*b^3 + a*b^5)*c^2)*d*e*f^2 - ((a^ \\
& 3*b^3 + a*b^5)*c^3 - 2*(a^5*b - a*b^5)*c)*f^3 - (a*b^5*d^3*e^3 - 3*a*b^5*c* \\
& d^2*e^2*f + (3*a*b^5*c^2 - 2*a^3*b^3 + 2*a*b^5)*d*e*f^2 - (a*b^5*c^3 - 2*(a \\
& ^3*b^3 - a*b^5)*c)*f^3)*\cos(d*x + c)^2 + 2*(a^2*b^4*d^3*e^3 - 3*a^2*b^4*c*d \\
& ^2*e^2*f + (3*a^2*b^4*c^2 - 2*a^4*b^2 + 2*a^2*b^4)*d*e*f^2 - (a^2*b^4*c^3 - \\
& 2*(a^4*b^2 - a^2*b^4)*c)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(2* \\
& b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - \\
& 6*((a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d^2*e^2*f - 2*(a^6 + 2*a^4*b^2 - a^ \\
& 2*b^4 - 2*b^6)*c*d*e*f^2 + (a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c^2*f^3 - ((\\
& a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e^2*f - 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*c*d*e* \\
& f^2 + (a^4*b^2 + a^2*b^4 - 2*b^6)*c^2*f^3)*\cos(d*x + c)^2 + 2*((a^5*b + a^3
\end{aligned}$$

$$\begin{aligned}
& *b^3 - 2*a*b^5)*d^2*e^2*f - 2*(a^5*b + a^3*b^3 - 2*a*b^5)*c*d*e*f^2 + (a^5* \\
& b + a^3*b^3 - 2*a*b^5)*c^2*f^3)*\sin(d*x + c) - ((a^3*b^3 + a*b^5)*d^3*e^3 - \\
& 3*(a^3*b^3 + a*b^5)*c*d^2*e^2*f - (2*a^5*b - 2*a*b^5 - 3*(a^3*b^3 + a*b^5) \\
& *c^2)*d*e*f^2 - ((a^3*b^3 + a*b^5)*c^3 - 2*(a^5*b - a*b^5)*c)*f^3 - (a*b^5* \\
& d^3*e^3 - 3*a*b^5*c*d^2*e^2*f + (3*a*b^5*c^2 - 2*a^3*b^3 + 2*a*b^5)*d*e*f^2 \\
& - (a*b^5*c^3 - 2*(a^3*b^3 - a*b^5)*c)*f^3)*\cos(d*x + c)^2 + 2*(a^2*b^4*d^3 \\
& *e^3 - 3*a^2*b^4*c*d^2*e^2*f + (3*a^2*b^4*c^2 - 2*a^4*b^2 + 2*a^2*b^4)*d*e* \\
& f^2 - (a^2*b^4*c^3 - 2*(a^4*b^2 - a^2*b^4)*c)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 \\
& - b^2)/b^2})*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - \\
& b^2)/b^2} - 2*I*a) - 6*((a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d^2*e^2*f - 2*(\\
& a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*d*e*f^2 + (a^6 + 2*a^4*b^2 - a^2*b^4 - \\
& 2*b^6)*c^2*f^3 - ((a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e^2*f - 2*(a^4*b^2 + a^2 \\
& *b^4 - 2*b^6)*c*d*e*f^2 + (a^4*b^2 + a^2*b^4 - 2*b^6)*c^2*f^3)*\cos(d*x + c) \\
& ^2 + 2*((a^5*b + a^3*b^3 - 2*a*b^5)*d^2*e^2*f - 2*(a^5*b + a^3*b^3 - 2*a*b^ \\
& 5)*c*d*e*f^2 + (a^5*b + a^3*b^3 - 2*a*b^5)*c^2*f^3)*\sin(d*x + c) + ((a^3*b^ \\
& 3 + a*b^5)*d^3*e^3 - 3*(a^3*b^3 + a*b^5)*c*d^2*e^2*f - (2*a^5*b - 2*a*b^5 - \\
& 3*(a^3*b^3 + a*b^5)*c^2)*d*e*f^2 - ((a^3*b^3 + a*b^5)*c^3 - 2*(a^5*b - a*b \\
& ^5)*c)*f^3 - (a*b^5*d^3*e^3 - 3*a*b^5*c*d^2*e^2*f + (3*a*b^5*c^2 - 2*a^3*b^ \\
& 3 + 2*a*b^5)*d*e*f^2 - (a*b^5*c^3 - 2*(a^3*b^3 - a*b^5)*c)*f^3)*\cos(d*x + c \\
&)^2 + 2*(a^2*b^4*d^3*e^3 - 3*a^2*b^4*c*d^2*e^2*f + (3*a^2*b^4*c^2 - 2*a^4*b \\
& ^2 + 2*a^2*b^4)*d*e*f^2 - (a^2*b^4*c^3 - 2*(a^4*b^2 - a^2*b^4)*c)*f^3)*\sin(\\
& d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c \\
&) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 6*((a^6 + 2*a^4*b^2 - a^2*b^4 - 2 \\
& *b^6)*d^2*e^2*f - 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*d*e*f^2 + (a^6 + \\
& 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c^2*f^3 - ((a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e^2 \\
& *f - 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*c*d*e*f^2 + (a^4*b^2 + a^2*b^4 - 2*b^6)* \\
& c^2*f^3)*\cos(d*x + c)^2 + 2*((a^5*b + a^3*b^3 - 2*a*b^5)*d^2*e^2*f - 2*(a^5 \\
& *b + a^3*b^3 - 2*a*b^5)*c*d*e*f^2 + (a^5*b + a^3*b^3 - 2*a*b^5)*c^2*f^3)*\si \\
& n(d*x + c) + ((a^3*b^3 + a*b^5)*d^3*e^3 - 3*(a^3*b^3 + a*b^5)*c*d^2*e^2*f - \\
& (2*a^5*b - 2*a*b^5 - 3*(a^3*b^3 + a*b^5)*c^2)*d*e*f^2 - ((a^3*b^3 + a*b^5) \\
& *c^3 - 2*(a^5*b - a*b^5)*c)*f^3 - (a*b^5*d^3*e^3 - 3*a*b^5*c*d^2*e^2*f + (3 \\
& *a*b^5*c^2 - 2*a^3*b^3 + 2*a*b^5)*d*e*f^2 - (a*b^5*c^3 - 2*(a^3*b^3 - a*b^5 \\
&)*c)*f^3)*\cos(d*x + c)^2 + 2*(a^2*b^4*d^3*e^3 - 3*a^2*b^4*c*d^2*e^2*f + (3* \\
& a^2*b^4*c^2 - 2*a^4*b^2 + 2*a^2*b^4)*d*e*f^2 - (a^2*b^4*c^3 - 2*(a^4*b^2 - \\
& a^2*b^4)*c)*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(d*x + c \\
&) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 6*((a^6 + 2* \\
& a^4*b^2 - a^2*b^4 - 2*b^6)*d^2*e^2*f*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b \\
& ^6)*d^2*e*f^2*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c*d*e*f^2 - (a^6 + \\
& 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c^2*f^3 - ((a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*f^3 \\
& *x^2 + 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e*f^2*x + 2*(a^4*b^2 + a^2*b^4 - 2 \\
& *b^6)*c*d*e*f^2 - (a^4*b^2 + a^2*b^4 - 2*b^6)*c^2*f^3)*\cos(d*x + c)^2 + 2*(\\
& (a^5*b + a^3*b^3 - 2*a*b^5)*d^2*f^3*x^2 + 2*(a^5*b + a^3*b^3 - 2*a*b^5)*d^2 \\
& *e*f^2*x + 2*(a^5*b + a^3*b^3 - 2*a*b^5)*c*d*e*f^2 - (a^5*b + a^3*b^3 - 2*a \\
& *b^5)*c^2*f^3)*\sin(d*x + c) - ((a^3*b^3 + a*b^5)*d^3*f^3*x^3 + 3*(a^3*b^3 + \\
& a*b^5)*d^3*e*f^2*x^2 + 3*(a^3*b^3 + a*b^5)*c*d^2*e^2*f - 3*(a^3*b^3 + a*b^ \\
& 5)*c^2*d*e*f^2 + ((a^3*b^3 + a*b^5)*c^3 - 2*(a^5*b - a*b^5)*c)*f^3 - (a*b^5 \\
& *d^3*f^3*x^3 + 3*a*b^5*d^3*e*f^2*x^2 + 3*a*b^5*c*d^2*e^2*f - 3*a*b^5*c^2*d* \\
& e*f^2 + (a*b^5*c^3 - 2*(a^3*b^3 - a*b^5)*c)*f^3 + (3*a*b^5*d^3*e^2*f - 2*(a \\
& ^3*b^3 - a*b^5)*d*f^3)*x)*\cos(d*x + c)^2 + (3*(a^3*b^3 + a*b^5)*d^3*e^2*f - \\
& 2*(a^5*b - a*b^5)*d*f^3)*x + 2*(a^2*b^4*d^3*f^3*x^3 + 3*a^2*b^4*d^3*e*f^2* \\
& x^2 + 3*a^2*b^4*c*d^2*e^2*f - 3*a^2*b^4*c^2*d*e*f^2 + (a^2*b^4*c^3 - 2*(a^4 \\
& *b^2 - a^2*b^4)*c)*f^3 + (3*a^2*b^4*d^3*e^2*f - 2*(a^4*b^2 - a^2*b^4)*d*f^3 \\
&)*x)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(d*x + c) + 2* \\
& a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^ \\
& 2) + 2*b)/b) - 6*((a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d^2*f^3*x^2 + 2*(a^6 \\
& + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*d^2*e*f^2*x + 2*(a^6 + 2*a^4*b^2 - a^2*b^4 - \\
& 2*b^6)*c*d*e*f^2 - (a^6 + 2*a^4*b^2 - a^2*b^4 - 2*b^6)*c^2*f^3 - ((a^4*b^2 \\
& + a^2*b^4 - 2*b^6)*d^2*f^3*x^2 + 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*d^2*e*f^2*x \\
& + 2*(a^4*b^2 + a^2*b^4 - 2*b^6)*c*d*e*f^2 - (a^4*b^2 + a^2*b^4 - 2*b^6)*c^
\end{aligned}$$

$$\begin{aligned}
& 2f^3) \cos(dx + c)^2 + 2*((a^5b + a^3b^3 - 2ab^5)d^2f^3x^2 + 2*(a^5b + a^3b^3 - 2ab^5)d^2ef^2x + 2*(a^5b + a^3b^3 - 2ab^5)c^2f^3) \sin(dx + c) + ((a^3b^3 + ab^5) \\
& *d^3f^3x^3 + 3*(a^3b^3 + ab^5)d^3ef^2x^2 + 3*(a^3b^3 + ab^5)c^2d^2ef^2 + ((a^3b^3 + ab^5)c^3 - 2*(a^5b - ab^5)c) *f^3 - (ab^5d^3f^3x^3 + 3ab^5d^3ef^2x^2 + 3ab^5c \\
& *d^2e^2f - 3ab^5c^2d^2ef^2 + (ab^5c^3 - 2*(a^3b^3 - ab^5)c) *f^3 + (3ab^5d^3e^2f - 2*(a^3b^3 - ab^5)d^2ef^3) *x) \cos(dx + c)^2 + (3*(a \\
& ^3b^3 + ab^5)d^3e^2f - 2*(a^5b - ab^5)d^2ef^3) *x + 2*(a^2b^4d^3f^3 \\
& *x^3 + 3a^2b^4d^3ef^2x^2 + 3a^2b^4cd^2e^2f - 3a^2b^4c^2d^2ef^2 + (a^2b^4c^3 - 2*(a^4b^2 - a^2b^4)c) *f^3 + (3a^2b^4d^3e^2f - \\
& 2*(a^4b^2 - a^2b^4)d^2ef^3) *x) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1 \\
& /2*(2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) - I b \sin(dx \\
& + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b) - 6*((a^6 + 2a^4b^2 - a^2b^4 - 2 \\
& *b^6)d^2f^3x^2 + 2*(a^6 + 2a^4b^2 - a^2b^4 - 2b^6)d^2ef^2x + 2*(\\
& a^6 + 2a^4b^2 - a^2b^4 - 2b^6)c^2d^2ef^2 - (a^6 + 2a^4b^2 - a^2b^4 - \\
& 2b^6)c^2f^3 - ((a^4b^2 + a^2b^4 - 2b^6)d^2f^3x^2 + 2*(a^4b^2 + a \\
& ^2b^4 - 2b^6)d^2ef^2x + 2*(a^4b^2 + a^2b^4 - 2b^6)c^2d^2ef^2 - (a^ \\
& 4b^2 + a^2b^4 - 2b^6)c^2f^3) \cos(dx + c)^2 + 2*((a^5b + a^3b^3 - 2 \\
& ab^5)d^2f^3x^2 + 2*(a^5b + a^3b^3 - 2ab^5)d^2ef^2x + 2*(a^5b + \\
& a^3b^3 - 2ab^5)c^2d^2ef^2 - (a^5b + a^3b^3 - 2ab^5)c^2f^3) \sin(dx \\
& x + c) - ((a^3b^3 + ab^5)d^3f^3x^3 + 3*(a^3b^3 + ab^5)d^3ef^2x^2 \\
& + 3*(a^3b^3 + ab^5)c^2d^2ef^2 + ((a^3b^3 + ab^5)c^3 - 2*(a^5b - ab^5)c) *f^3 - (ab^5d^3f^3x^3 + 3ab^5d^3ef^2x^2 + 3ab^5c \\
& *d^2e^2f - 3ab^5c^2d^2ef^2 + (ab^5c^3 - \\
& 2*(a^3b^3 - ab^5)c) *f^3 + (3ab^5d^3e^2f - 2*(a^3b^3 - ab^5)d^2ef^3) \\
&) *x) \cos(dx + c)^2 + (3*(a^3b^3 + ab^5)d^3e^2f - 2*(a^5b - ab^5)d^2 \\
& ef^3) *x + 2*(a^2b^4d^3f^3x^3 + 3a^2b^4d^3ef^2x^2 + 3a^2b^4cd^2 \\
& *e^2f - 3a^2b^4c^2d^2ef^2 + (a^2b^4c^3 - 2*(a^4b^2 - a^2b^4)c) *f^3 \\
& + (3a^2b^4d^3e^2f - 2*(a^4b^2 - a^2b^4)d^2ef^3) *x) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1/2*(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2*(\\
& b \cos(dx + c) + I b \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b) - 6*((a \\
& ^6 + 2a^4b^2 - a^2b^4 - 2b^6)d^2f^3x^2 + 2*(a^6 + 2a^4b^2 - a^2b^4 \\
& - 2b^6)d^2ef^2x + 2*(a^6 + 2a^4b^2 - a^2b^4 - 2b^6)c^2d^2ef^2 - \\
& (a^6 + 2a^4b^2 - a^2b^4 - 2b^6)c^2f^3 - ((a^4b^2 + a^2b^4 - 2b^6) * \\
& d^2f^3x^2 + 2*(a^4b^2 + a^2b^4 - 2b^6)d^2ef^2x + 2*(a^4b^2 + a^2* \\
& b^4 - 2b^6)c^2d^2ef^2 - (a^4b^2 + a^2b^4 - 2b^6)c^2f^3) \cos(dx + c)^ \\
& 2 + 2*((a^5b + a^3b^3 - 2ab^5)d^2f^3x^2 + 2*(a^5b + a^3b^3 - 2ab \\
& ^5)d^2ef^2x + 2*(a^5b + a^3b^3 - 2ab^5)c^2d^2ef^2 - (a^5b + a^3b^ \\
& 3 - 2ab^5)c^2f^3) \sin(dx + c) + ((a^3b^3 + ab^5)d^3f^3x^3 + 3*(a^ \\
& 3b^3 + ab^5)d^3ef^2x^2 + 3*(a^3b^3 + ab^5)c^2d^2ef^2 - 3*(a^3b^3 \\
& + ab^5)c^2d^2ef^2 + ((a^3b^3 + ab^5)c^3 - 2*(a^5b - ab^5)c) *f^3 - \\
& (ab^5d^3f^3x^3 + 3ab^5d^3ef^2x^2 + 3ab^5c^2d^2e^2f - 3ab^5 \\
& *c^2d^2ef^2 + (ab^5c^3 - 2*(a^3b^3 - ab^5)c) *f^3 + (3ab^5d^3e^2f \\
& - 2*(a^3b^3 - ab^5)d^2ef^3) *x) \cos(dx + c)^2 + (3*(a^3b^3 + ab^5)d^3* \\
& e^2f - 2*(a^5b - ab^5)d^2ef^3) *x + 2*(a^2b^4d^3f^3x^3 + 3a^2b^4d^3 \\
& *ef^2x^2 + 3a^2b^4cd^2e^2f - 3a^2b^4c^2d^2ef^2 + (a^2b^4c^3 - \\
& 2*(a^4b^2 - a^2b^4)c) *f^3 + (3a^2b^4d^3e^2f - 2*(a^4b^2 - a^2b^4 \\
&) *d^2ef^3) *x) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \log(1/2*(-2Ia \cos(dx + \\
& c) + 2a \sin(dx + c) - 2(b \cos(dx + c) + I b \sin(dx + c)) \sqrt{-(a^2 - \\
& b^2)/b^2} + 2b)/b) + 12*((a^4b^2 + a^2b^4 - 2b^6) *f^3 \cos(dx + c)^2 - \\
& 2*(a^5b + a^3b^3 - 2ab^5) *f^3 \sin(dx + c) - (a^6 + 2a^4b^2 - a^2b^ \\
& 4 - 2b^6) *f^3 - 3*((a^3b^3 + ab^5) *d^2ef^3x + (a^3b^3 + ab^5) *d^2ef^2 - \\
& (ab^5 *d^2ef^3x + ab^5 *d^2ef^2) \cos(dx + c)^2 + 2*(a^2b^4 *d^2ef^3x + a^2* \\
& b^4 *d^2ef^2) \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2}) \operatorname{polylog}(3, 1/2*(2Ia \cos \\
& (dx + c) - 2a \sin(dx + c) + 2*(b \cos(dx + c) + I b \sin(dx + c)) \sqrt{-(a^2 - \\
& b^2)/b^2})/b) + 12*((a^4b^2 + a^2b^4 - 2b^6) *f^3 \cos(dx + c)^2 \\
& - 2*(a^5b + a^3b^3 - 2ab^5) *f^3 \sin(dx + c) - (a^6 + 2a^4b^2 - a^2b^ \\
& ^4 - 2b^6) *f^3 + 3*((a^3b^3 + ab^5) *d^2ef^3x + (a^3b^3 + ab^5) *d^2ef^2
\end{aligned}$$


```

- (a*b^5*d*f^3*x + a*b^5*d*e*f^2)*cos(d*x + c)^2 + 2*(a^2*b^4*d*f^3*x + a^2
*b^4*d*e*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*polylog(3, 1/2*(2*I*a*c
os(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt
(-(a^2 - b^2)/b^2))/b) + 12*((a^4*b^2 + a^2*b^4 - 2*b^6)*f^3*cos(d*x + c)^2
- 2*(a^5*b + a^3*b^3 - 2*a*b^5)*f^3*sin(d*x + c) - (a^6 + 2*a^4*b^2 - a^2*
b^4 - 2*b^6)*f^3 + 3*((a^3*b^3 + a*b^5)*d*f^3*x + (a^3*b^3 + a*b^5)*d*e*f^2
- (a*b^5*d*f^3*x + a*b^5*d*e*f^2)*cos(d*x + c)^2 + 2*(a^2*b^4*d*f^3*x + a^
2*b^4*d*e*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*polylog(3, -(I*a*cos(d
*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 -
b^2)/b^2))/b) + 12*((a^4*b^2 + a^2*b^4 - 2*b^6)*f^3*cos(d*x + c)^2 - 2*(a^
5*b + a^3*b^3 - 2*a*b^5)*f^3*sin(d*x + c) - (a^6 + 2*a^4*b^2 - a^2*b^4 - 2*
b^6)*f^3 - 3*((a^3*b^3 + a*b^5)*d*f^3*x + (a^3*b^3 + a*b^5)*d*e*f^2 - (a*b^
5*d*f^3*x + a*b^5*d*e*f^2)*cos(d*x + c)^2 + 2*(a^2*b^4*d*f^3*x + a^2*b^4*d
e*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*polylog(3, -(I*a*cos(d*x + c)
+ a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^
2))/b) + 4*(3*(a^5*b - 2*a^3*b^3 + a*b^5)*d^2*f^3*x^2 + 6*(a^5*b - 2*a^3*b^
3 + a*b^5)*d^2*e*f^2*x + 3*(a^5*b - 2*a^3*b^3 + a*b^5)*d^2*e^2*f + ((a^4*b^
2 + a^2*b^4 - 2*b^6)*d^3*f^3*x^3 + 3*(a^4*b^2 + a^2*b^4 - 2*b^6)*d^3*e*f^2*
x^2 + 3*(a^4*b^2 + a^2*b^4 - 2*b^6)*d^3*e^2*f*x + (a^4*b^2 + a^2*b^4 - 2*b^
6)*d^3*e^3)*cos(d*x + c))*sin(d*x + c))/((a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 -
b^9)*d^4*cos(d*x + c)^2 - 2*(a^7*b^2 - 3*a^5*b^4 + 3*a^3*b^6 - a*b^8)*d^4*
sin(d*x + c) - (a^8*b - 2*a^6*b^3 + 2*a^2*b^7 - b^9)*d^4)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(d*x+c)/(a+b*sin(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sin(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(d*x + c)/(b*sin(d*x + c) + a)^3, x)

$$3.251 \quad \int \frac{(e+fx)^3 \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=151

$$\frac{12f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} - \frac{6if(e+fx)^2\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{12if^3\text{PolyLog}\left(4, ie^{i(c+dx)}\right)}{ad^4} + \frac{2(e+fx)^3 \log\left(\frac{1}{ad}\right)}{ad}$$

[Out] $((-I/4)*(e + f*x)^4)/(a*f) + (2*(e + f*x)^3*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d) - ((6*I)*f*(e + f*x)^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2) + (12*f^2*(e + f*x)*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^3) + ((12*I)*f^3*\text{PolyLog}[4, I*E^{(I*(c + d*x))}])/(a*d^4)$

Rubi [A] time = 0.233964, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4517, 2190, 2531, 6609, 2282, 6589}

$$\frac{12f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} - \frac{6if(e+fx)^2\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{12if^3\text{PolyLog}\left(4, ie^{i(c+dx)}\right)}{ad^4} + \frac{2(e+fx)^3 \log\left(\frac{1}{ad}\right)}{ad}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^3*\text{Cos}[c + d*x]/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $((-I/4)*(e + f*x)^4)/(a*f) + (2*(e + f*x)^3*\text{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d) - ((6*I)*f*(e + f*x)^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2) + (12*f^2*(e + f*x)*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^3) + ((12*I)*f^3*\text{PolyLog}[4, I*E^{(I*(c + d*x))}])/(a*d^4)$

Rule 4517

$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]*(e_.) + (f_.)*(x_.))^{(m_.)}]/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{(m + 1)})/(b*f*(m + 1)), x] + \text{Dist}[2, \text{Int}[(e + f*x)^m*E^{(I*(c + d*x))}]/(a - I*b*E^{(I*(c + d*x))}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

Rule 2190

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}}]/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a]/(b*f*g^n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g^n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^{(g*(e + f*x)))^n})/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}}]*((f_.) + (g_.)*(x_.))^{(m_.)}], x_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))^n})], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 6609

$\text{Int}[(e_.) + (f_.)*(x_.))^{(m_.)*\text{PolyLog}[n_, (d_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(p_.)}})], x_Symbol] \rightarrow \text{Simp}[(e + f*x)^m*\text{PolyLog}[n + 1, d*(F^{(c*(a + b*x)))^p}]/(b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m)/(b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^m$

$(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\int \frac{(e + fx)^3 \cos(c + dx)}{a + a \sin(c + dx)} dx = -\frac{i(e + fx)^4}{4af} + 2 \int \frac{e^{i(c+dx)}(e + fx)^3}{a - ia e^{i(c+dx)}} dx$$

$$= -\frac{i(e + fx)^4}{4af} + \frac{2(e + fx)^3 \log(1 - ie^{i(c+dx)})}{ad} - \frac{(6f) \int (e + fx)^2 \log(1 - ie^{i(c+dx)}) dx}{ad}$$

$$= -\frac{i(e + fx)^4}{4af} + \frac{2(e + fx)^3 \log(1 - ie^{i(c+dx)})}{ad} - \frac{6if(e + fx)^2 \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{(12if^2) \int (e + fx) \log(1 - ie^{i(c+dx)}) dx}{ad^2}$$

$$= -\frac{i(e + fx)^4}{4af} + \frac{2(e + fx)^3 \log(1 - ie^{i(c+dx)})}{ad} - \frac{6if(e + fx)^2 \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{12f^2(e + fx) \log(1 - ie^{i(c+dx)})}{ad^2}$$

$$= -\frac{i(e + fx)^4}{4af} + \frac{2(e + fx)^3 \log(1 - ie^{i(c+dx)})}{ad} - \frac{6if(e + fx)^2 \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{12f^2(e + fx) \log(1 - ie^{i(c+dx)})}{ad^2}$$

$$= -\frac{i(e + fx)^4}{4af} + \frac{2(e + fx)^3 \log(1 - ie^{i(c+dx)})}{ad} - \frac{6if(e + fx)^2 \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{12f^2(e + fx) \log(1 - ie^{i(c+dx)})}{ad^2}$$

Mathematica [A] time = 1.40661, size = 276, normalized size = 1.83

$$\frac{x \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) \left(6e^2 f x + 4e^3 + 4ef^2 x^2 + f^3 x^3 \right)}{4a \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right)} - \frac{2(\cos(c) + i \sin(c)) \left(\frac{3f(\cos(c) - i \sin(c))(\sin(c) - i \cos(c) + 1)(d^2(e + fx)^2 \text{PolyLog}[2, (-I)\cos[c + d*x] - \sin[c + d*x]] - (2I)*d*f*(e + f*x)*\text{PolyLog}[3, (-I)\cos[c + d*x] - \sin[c + d*x]] - 2*f^2*\text{PolyLog}[4, (-I)\cos[c + d*x] - \sin[c + d*x]]*(\cos[c] - I*\sin[c])*(1 - I*\cos[c] + \sin[c]))}{d^4} - ((e + f*x)^3*\text{Log}[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(1 + I*\cos[c] + \sin[c]))}{d} \right)}{a*(\cos[c] + I*(1 + \sin[c]))}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Cos[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*(Cos[c/2] - Sin[c/2]))/(4*a*(Cos[c/2] + Sin[c/2])) - (2*(Cos[c] + I*Sin[c])*((e + f*x)^4*(Cos[c] - I*Sin[c]))/(4*f) + (3*f*(d^2*(e + f*x)^2*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - (2*I)*d*f*(e + f*x)*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]] - 2*f^2*PolyLog[4, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*Sin[c])*(1 - I*Cos[c] + Sin[c]))/d^4 - ((e + f*x)^3*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d)/(a*(Cos[c] + I*(1 + Sin[c])))

Maple [B] time = 0.184, size = 679, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^3*cos(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out]
$$\begin{aligned} & I/a*e^3*x-1/4*I/a*f^3*x^4-2/a/d*\ln(\exp(I*(d*x+c)))*e^3+2/a/d*\ln(\exp(I*(d*x+c))+I)*e^3+2/a/d^4*f^3*c^3*\ln(\exp(I*(d*x+c)))-I/a*e*f^2*x^3-2/a/d^4*f^3*c^3 \\ & *\ln(\exp(I*(d*x+c))+I)+12/a/d^3*e*f^2*\text{polylog}(3,I*\exp(I*(d*x+c)))+12/a/d^3*f^3 \\ & *\text{polylog}(3,I*\exp(I*(d*x+c)))*x-3/2*I/a/d^4*f^3*c^4-3/2*I/a*e^2*f*x^2+12*I \\ & *f^3*\text{polylog}(4,I*\exp(I*(d*x+c)))/a/d^4+2/a/d^4*f^3*c^3*\ln(1-I*\exp(I*(d*x+c) \\ &))+2/a/d*f^3*\ln(1-I*\exp(I*(d*x+c)))*x^3+4*I/a/d^3*e*f^2*c^3-3*I/a/d^2*e^2*f \\ & *c^2-6*I/a/d^2*e^2*f*\text{polylog}(2,I*\exp(I*(d*x+c)))-6*I/a/d^2*f^3*\text{polylog}(2,I* \\ & \exp(I*(d*x+c)))*x^2-2*I/a/d^3*f^3*c^3*x+6*I/a/d^2*e*f^2*c^2*x+6/a/d*e*f^2*\ln(1-I*\exp(I*(d*x+c)))*x^2-12*I/a/d^2*e*f^2*\text{polylog}(2,I*\exp(I*(d*x+c)))*x-6*I/a/d*e^2*f*c*x-6/a/d^3*e*f^2*c^2*\ln(1-I*\exp(I*(d*x+c)))+6/a/d*e^2*f*\ln(1-I*\exp(I*(d*x+c)))*x+6/a/d^2*e^2*f*\ln(1-I*\exp(I*(d*x+c)))*c-6/a/d^2*e^2*f*c*\ln(\exp(I*(d*x+c))+I)+6/a/d^3*e*f^2*c^2*\ln(\exp(I*(d*x+c))+I)+6/a/d^2*e^2*f*c*\ln(\exp(I*(d*x+c)))-6/a/d^3*e*f^2*c^2*\ln(\exp(I*(d*x+c))) \end{aligned}$$

Maxima [B] time = 1.39536, size = 689, normalized size = 4.56

$$\frac{12ce^2f \log(ad \sin(dx+c)+ad)}{ad} - \frac{4e^3 \log(a \sin(dx+c)+a)}{a} - \frac{-i(dx+c)^4 f^3 + (-4i def^2 + 4icf^3)(dx+c)^3 + 48i f^3 \text{Li}_4(i e^{i(dx+c)}) + (-6i d^2 e^2 f + 12i cdef^2 - 6i c^2 f^3)(dx+c)^2 + (-4i d^2 e^2 f + 4i c^2 f^3)(dx+c) + (-4i d^2 e^2 f + 4i c^2 f^3)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/4*(12*c*e^2*f*\log(a*d*\sin(d*x + c) + a*d)/(a*d) - 4*e^3*\log(a*\sin(d*x + c) + a)/a - (-I*(d*x + c)^4*f^3 + (-4*I*d*e*f^2 + 4*I*c*f^3)*(d*x + c)^3 + 48*I*f^3*\text{polylog}(4, I*e^{(I*d*x + I*c)}) + (-6*I*d^2*e^2*f + 12*I*c*d*e*f^2 - 6*I*c^2*f^3)*(d*x + c)^2 + (-12*I*c^2*d*e*f^2 + 4*I*c^3*f^3)*(d*x + c) + (24*I*c^2*d*e*f^2 - 8*I*c^3*f^3)*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) + (-8*I*(d*x + c)^3*f^3 + (-24*I*d*e*f^2 + 24*I*c*f^3)*(d*x + c)^2 + (-24*I*d^2*e^2*f + 48*I*c*d*e*f^2 - 24*I*c^2*f^3)*(d*x + c))*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + (-24*I*d^2*e^2*f + 48*I*c*d*e*f^2 - 24*I*(d*x + c)^2*f^3 - 24*I*c^2*f^3 + (-48*I*d*e*f^2 + 48*I*c*f^3)*(d*x + c))*\text{dilog}(I*e^{(I*d*x + I*c)}) + 4*(3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3))*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + 48*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\text{polylog}(3, I*e^{(I*d*x + I*c)})/(a*d^3))/d \end{aligned}$$

Fricas [C] time = 2.03033, size = 1189, normalized size = 7.87

$$6i f^3 \text{polylog}(4, i \cos(dx+c) - \sin(dx+c)) - 6i f^3 \text{polylog}(4, -i \cos(dx+c) - \sin(dx+c)) + (-3i d^2 f^3 x^2 - 6i d^2 e f^2 x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^3*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")`

```
[Out] (6*I*f^3*polylog(4, I*cos(d*x + c) - sin(d*x + c)) - 6*I*f^3*polylog(4, -I*
cos(d*x + c) - sin(d*x + c)) + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^
2*e^2*f)*dilog(I*cos(d*x + c) - sin(d*x + c)) + (3*I*d^2*f^3*x^2 + 6*I*d^2*
e*f^2*x + 3*I*d^2*e^2*f)*dilog(-I*cos(d*x + c) - sin(d*x + c)) + (d^3*e^3 -
3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*log(cos(d*x + c) + I*sin(d*x + c)
+ I) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*
c^2*d*e*f^2 + c^3*f^3)*log(I*cos(d*x + c) + sin(d*x + c) + 1) + (d^3*f^3*x^
3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f
^3)*log(-I*cos(d*x + c) + sin(d*x + c) + 1) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*
c^2*d*e*f^2 - c^3*f^3)*log(-cos(d*x + c) + I*sin(d*x + c) + I) + 6*(d*f^3*x
+ d*e*f^2)*polylog(3, I*cos(d*x + c) - sin(d*x + c)) + 6*(d*f^3*x + d*e*f^
2)*polylog(3, -I*cos(d*x + c) - sin(d*x + c)))/(a*d^4)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \cos(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*cos(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**3*cos(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*cos
(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*cos(c + d*x)/(sin
(c + d*x) + 1), x) + Integral(3*e**2*f*x*cos(c + d*x)/(sin(c + d*x) + 1), x
))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*cos(d*x + c)/(a*sin(d*x + c) + a), x)
```

$$3.252 \quad \int \frac{(e+fx)^2 \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=114

$$-\frac{4if(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{4f^2\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} + \frac{2(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad} - \frac{i(e+fx)^3}{3af}$$

[Out] $((-I/3)*(e + f*x)^3)/(a*f) + (2*(e + f*x)^2*\text{Log}[1 - I*E^(I*(c + d*x))])/(a*d) - ((4*I)*f*(e + f*x)*\text{PolyLog}[2, I*E^(I*(c + d*x))])/(a*d^2) + (4*f^2*\text{PolyLog}[3, I*E^(I*(c + d*x))])/(a*d^3)$

Rubi [A] time = 0.211358, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {4517, 2190, 2531, 2282, 6589}

$$-\frac{4if(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{4f^2\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} + \frac{2(e+fx)^2 \log\left(1 - ie^{i(c+dx)}\right)}{ad} - \frac{i(e+fx)^3}{3af}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Cos}[c + d*x]/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $((-I/3)*(e + f*x)^3)/(a*f) + (2*(e + f*x)^2*\text{Log}[1 - I*E^(I*(c + d*x))])/(a*d) - ((4*I)*f*(e + f*x)*\text{PolyLog}[2, I*E^(I*(c + d*x))])/(a*d^2) + (4*f^2*\text{PolyLog}[3, I*E^(I*(c + d*x))])/(a*d^3)$

Rule 4517

$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow -\text{Simp}[(I*(e + f*x)^{(m + 1)})/(b*f*(m + 1)), x] + \text{Dist}[2, \text{Int}[(e + f*x)^m*E^(I*(c + d*x))]/(a - I*b*E^(I*(c + d*x))), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{EqQ}[a^2 - b^2, 0]$

Rule 2190

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)*((c_.) + (d_.)*(x_.))^{(m_.)}}/((a_.) + (b_.)*((F_)^{((g_.)*((e_.) + (f_.)*(x_.)))^{(n_.)}), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))^{(n_.)}}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$

Rule 2282

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_.)*(v_)^{(n_.)})^{(m_.)} /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^((c_.)*((a_.) + (b_.)*x))*$

(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\int \frac{(e + fx)^2 \cos(c + dx)}{a + a \sin(c + dx)} dx = -\frac{i(e + fx)^3}{3af} + 2 \int \frac{e^{i(c+dx)}(e + fx)^2}{a - iae^{i(c+dx)}} dx$$

$$= -\frac{i(e + fx)^3}{3af} + \frac{2(e + fx)^2 \log(1 - ie^{i(c+dx)})}{ad} - \frac{(4f) \int (e + fx) \log(1 - ie^{i(c+dx)}) dx}{ad}$$

$$= -\frac{i(e + fx)^3}{3af} + \frac{2(e + fx)^2 \log(1 - ie^{i(c+dx)})}{ad} - \frac{4if(e + fx) \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{(4f^2) \int \text{Li}_2(ie^{i(c+dx)}) dx}{ad^2}$$

$$= -\frac{i(e + fx)^3}{3af} + \frac{2(e + fx)^2 \log(1 - ie^{i(c+dx)})}{ad} - \frac{4if(e + fx) \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{(4f^2) \text{Subst}(\int \text{Li}_2(ie^{i(c+dx)}) dx)}{ad^2}$$

$$= -\frac{i(e + fx)^3}{3af} + \frac{2(e + fx)^2 \log(1 - ie^{i(c+dx)})}{ad} - \frac{4if(e + fx) \text{Li}_2(ie^{i(c+dx)})}{ad^2} + \frac{4f^2 \text{Li}_3(ie^{i(c+dx)})}{ad^3}$$

Mathematica [A] time = 0.990181, size = 221, normalized size = 1.94

$$\frac{x \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right) (3e^2 + 3efx + f^2x^2)}{3a \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right)} - \frac{2(\cos(c) + i \sin(c)) \left(\frac{2f(\cos(c) - i(\sin(c)+1))(d(e+fx)\text{PolyLog}(2, -\sin(c+dx) - i \cos(c+dx)))}{d^3} \right)}{3a \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right) \right)}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Cos[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (x*(3*e^2 + 3*e*f*x + f^2*x^2)*(Cos[c/2] - Sin[c/2]))/(3*a*(Cos[c/2] + Sin[c/2])) - (2*(Cos[c] + I*Sin[c])*(((e + f*x)^3*(Cos[c] - I*Sin[c]))/(3*f) - ((e + f*x)^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c]))/d + (2*f*(d*(e + f*x)*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*f*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])))/d^3))/(a*(Cos[c] + I*(1 + Sin[c])))

Maple [B] time = 0.131, size = 421, normalized size = 3.7

$$\frac{2if^2c^2x}{ad^2} - \frac{ifex^2}{a} - \frac{2ifec^2}{ad^2} + 4 \frac{ef \ln(1 - ie^{i(dx+c)})x}{da} + 4 \frac{ef \ln(1 - ie^{i(dx+c)})c}{ad^2} + 4 \frac{efc \ln(e^{i(dx+c)})}{ad^2} - \frac{4ifepolylog(2, ie^{i(dx+c)})}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] 2*I/a/d^2*f^2*c^2*x-I/a*f*e*x^2-2*I/a/d^2*e*f*c^2+4/a/d*f*e*ln(1-I*exp(I*(d*x+c)))*x+4/a/d^2*f*e*ln(1-I*exp(I*(d*x+c)))*c+4/a/d^2*f*e*c*ln(exp(I*(d*x+c)))-4*I/a/d^2*f*e*polylog(2,I*exp(I*(d*x+c)))-4/a/d^2*f*e*c*ln(exp(I*(d*x+c)))+I)-1/3*I/a*f^2*x^3-4*I/a/d*e*f*c*x+4*f^2*polylog(3,I*exp(I*(d*x+c)))/a/

$$d^3-2/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c)))+2/a/d*f^2*\ln(1-I*\exp(I*(d*x+c)))*x^2-2/a/d^3*f^2*\ln(1-I*\exp(I*(d*x+c)))*c^2+2/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c)))+I)-4*I/a/d^2*f^2*polylog(2,I*\exp(I*(d*x+c)))*x+4/3*I/a/d^3*f^2*c^3+I/a*e^2*x+2/a/d*\ln(\exp(I*(d*x+c))+I)*e^2-2/a/d*\ln(\exp(I*(d*x+c)))*e^2$$

Maxima [B] time = 1.67445, size = 396, normalized size = 3.47

$$\frac{6cef \log(ad \sin(dx+c)+ad)}{ad} - \frac{3e^2 \log(a \sin(dx+c)+a)}{a} - \frac{-i(dx+c)^3 f^2 - 3i(dx+c)^2 f^2 + 6i c^2 f^2 \arctan(\sin(dx+c)+1, \cos(dx+c)) + (-3i def + 3i c f^2)(dx+c)^2 + 12}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/3*(6*c*e*f*log(a*d*sin(d*x + c) + a*d)/(a*d) - 3*e^2*log(a*sin(d*x + c) + a)/a - (-I*(d*x + c)^3*f^2 - 3*I*(d*x + c)*c^2*f^2 + 6*I*c^2*f^2*arctan2(sin(d*x + c) + 1, cos(d*x + c)) + (-3*I*d*e*f + 3*I*c*f^2)*(d*x + c)^2 + 12*f^2*polylog(3, I*e^(I*d*x + I*c)) + (-6*I*(d*x + c)^2*f^2 + (-12*I*d*e*f + 12*I*c*f^2)*(d*x + c))*arctan2(cos(d*x + c), sin(d*x + c) + 1) + (-12*I*d*e*f - 12*I*(d*x + c)*f^2 + 12*I*c*f^2)*dilog(I*e^(I*d*x + I*c)) + 3*((d*x + c)^2*f^2 + c^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1))/(a*d^2))/d
```

Fricas [C] time = 1.79578, size = 772, normalized size = 6.77

$$2 f^2 \text{polylog}(3, i \cos(dx + c) - \sin(dx + c)) + 2 f^2 \text{polylog}(3, -i \cos(dx + c) - \sin(dx + c)) + (-2i df^2 x - 2i def) Li_2(i$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] (2*f^2*polylog(3, I*cos(d*x + c) - sin(d*x + c)) + 2*f^2*polylog(3, -I*cos(d*x + c) - sin(d*x + c)) + (-2*I*d*f^2*x - 2*I*d*e*f)*dilog(I*cos(d*x + c) - sin(d*x + c)) + (2*I*d*f^2*x + 2*I*d*e*f)*dilog(-I*cos(d*x + c) - sin(d*x + c)) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(cos(d*x + c) + I*sin(d*x + c) + I) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(I*cos(d*x + c) + sin(d*x + c) + 1) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(-I*cos(d*x + c) + sin(d*x + c) + 1) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(-cos(d*x + c) + I*sin(d*x + c) + I))/(a*d^3)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \cos(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*cos(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**2*cos(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*cos(c + d*x)/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*cos(c + d*x)/(sin(c + d
```


`*x) + 1), x))/a`

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")`

[Out] `integrate((f*x + e)^2*cos(d*x + c)/(a*sin(d*x + c) + a), x)`

$$3.253 \quad \int \frac{(e+fx) \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=79

$$-\frac{2i \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{2(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad} - \frac{i(e+fx)^2}{2af}$$

[Out] $((-I/2)*(e + f*x)^2)/(a*f) + (2*(e + f*x)*\operatorname{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d) - ((2*I)*f*\operatorname{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2)$

Rubi [A] time = 0.125063, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4517, 2190, 2279, 2391}

$$-\frac{2i \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^2} + \frac{2(e+fx) \log\left(1 - ie^{i(c+dx)}\right)}{ad} - \frac{i(e+fx)^2}{2af}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\frac{(e + f*x)*\operatorname{Cos}[c + d*x]}{(a + a*\operatorname{Sin}[c + d*x])}, x]$

[Out] $((-I/2)*(e + f*x)^2)/(a*f) + (2*(e + f*x)*\operatorname{Log}[1 - I*E^{(I*(c + d*x))}])/(a*d) - ((2*I)*f*\operatorname{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2)$

Rule 4517

$\operatorname{Int}[\frac{\operatorname{Cos}[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^{(m_.)}}{(a_.) + (b_.)*\operatorname{Sin}[(c_.) + (d_.)*(x_)]}, x_Symbol] \rightarrow -\operatorname{Simp}[\frac{I*(e + f*x)^{(m + 1)}}{(b*f*(m + 1))}, x] + \operatorname{Dist}[2, \operatorname{Int}[\frac{(e + f*x)^m * E^{(I*(c + d*x))}}{(a - I*b*E^{(I*(c + d*x))})}], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \operatorname{IGtQ}[m, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 2190

$\operatorname{Int}[\frac{((F_.)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}}{(a_.) + (b_.)*((F_.)^{((g_.)*((e_.) + (f_.)*(x_)))})^{(n_.)}}}, x_Symbol] \rightarrow \operatorname{Simp}[\frac{(c + d*x)^m * \operatorname{Log}[1 + (b*(F^{(g*(e + f*x))))^n]/a]}{(b*f*g*n*\operatorname{Log}[F])}, x] - \operatorname{Dist}[\frac{(d*m)}{(b*f*g*n*\operatorname{Log}[F])}, \operatorname{Int}[(c + d*x)^{(m - 1)} * \operatorname{Log}[1 + (b*(F^{(g*(e + f*x))))^n]/a}], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \ \&\& \operatorname{IGtQ}[m, 0]$

Rule 2279

$\operatorname{Int}[\operatorname{Log}[(a_.) + (b_.)*((F_.)^{((e_.)*((c_.) + (d_.)*(x_)))})^{(n_.)}], x_Symbol] \rightarrow \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \operatorname{GtQ}[a, 0]$

Rule 2391

$\operatorname{Int}[\operatorname{Log}[(c_.)*((d_.) + (e_.)*(x_))^{(n_.)}]/(x_), x_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{PolyLog}[2, -(c*e*x^n)]/n, x] /;$ $\operatorname{FreeQ}\{c, d, e, n\}, x \ \&\& \operatorname{EqQ}[c*d, 1]$

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\cos(c+dx)}{a+a\sin(c+dx)} dx &= -\frac{i(e+fx)^2}{2af} + 2 \int \frac{e^{i(c+dx)}(e+fx)}{a-iae^{i(c+dx)}} dx \\
&= -\frac{i(e+fx)^2}{2af} + \frac{2(e+fx)\log(1-ie^{i(c+dx)})}{ad} - \frac{(2f)\int\log(1-ie^{i(c+dx)})dx}{ad} \\
&= -\frac{i(e+fx)^2}{2af} + \frac{2(e+fx)\log(1-ie^{i(c+dx)})}{ad} + \frac{(2if)\text{Subst}\left(\int\frac{\log(1-ix)}{x}dx, x, e^{i(c+dx)}\right)}{ad^2} \\
&= -\frac{i(e+fx)^2}{2af} + \frac{2(e+fx)\log(1-ie^{i(c+dx)})}{ad} - \frac{2if\text{Li}_2\left(ie^{i(c+dx)}\right)}{ad^2}
\end{aligned}$$

Mathematica [B] time = 0.506804, size = 246, normalized size = 3.11

$$-4if\text{PolyLog}\left(2, ie^{i(c+dx)}\right) - ic^2f + 4de\log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) - 2icdfx + 4cf\log(1-ie^{i(c+dx)}) + 4\pi$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] $((-I)*c^2*f + I*c*f*Pi - (2*I)*c*d*f*x + I*d*f*Pi*x - I*d^2*f*x^2 + 4*f*Pi*Log[1 + E^{(-I)*(c + d*x)}]) + 4*c*f*Log[1 - I*E^{(I*(c + d*x)}]) + 2*f*Pi*Log[1 - I*E^{(I*(c + d*x)}]) + 4*d*f*x*Log[1 - I*E^{(I*(c + d*x)}]) - 4*f*Pi*Log[Cos[(c + d*x)/2]] + 4*d*e*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 4*c*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 2*f*Pi*Log[Sin[(2*c + Pi + 2*d*x)/4]] - (4*I)*f*PolyLog[2, I*E^{(I*(c + d*x)})]/(2*a*d^2)$

Maple [B] time = 0.148, size = 203, normalized size = 2.6

$$-\frac{i}{2}fx^2 + \frac{ie}{a} - 2\frac{\ln(e^{i(dx+c)})e}{da} + 2\frac{\ln(e^{i(dx+c)} + i)e}{da} - \frac{2ifcx}{da} - \frac{ifc^2}{ad^2} + 2\frac{f\ln(1-ie^{i(dx+c)})x}{da} + 2\frac{f\ln(1-ie^{i(dx+c)})c}{ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*cos(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] $-1/2*I/a*f*x^2 + I/a*e*x - 2/a/d*\ln(\exp(I*(d*x+c)))*e + 2/a/d*\ln(\exp(I*(d*x+c)) + I)*e - 2*I/a/d*f*c*x - I/a/d^2*f*c^2 + 2/a/d*f*\ln(1-I*\exp(I*(d*x+c)))*x + 2/a/d^2*f*\ln(1-I*\exp(I*(d*x+c)))*c - 2*I*f*polylog(2, I*\exp(I*(d*x+c)))/a/d^2 + 2/a/d^2*f*c*\ln(\exp(I*(d*x+c))) - 2/a/d^2*f*c*\ln(\exp(I*(d*x+c)) + I)$

Maxima [A] time = 1.36503, size = 157, normalized size = 1.99

$$-i d^2 f x^2 - 2i d^2 e x - 4i d f x \arctan(\cos(dx+c), \sin(dx+c)+1) + 4i d e \arctan(\sin(dx+c)+1, \cos(dx+c)) - 4i f$$

$$2ad^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+a*sin(d*x+c)), x, algorithm="maxima")

[Out] $\frac{1}{2}*(-I*d^2*f*x^2 - 2*I*d^2*e*x - 4*I*d*f*x*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + 4*I*d*e*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - 4*I*f*\operatorname{dilog}(I*e^{(I*d*x + I*c)}) + 2*(d*f*x + d*e)*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1))/(a*d^2)$

Fricas [B] time = 1.94904, size = 425, normalized size = 5.38

$-i f \operatorname{Li}_2(i \cos(dx + c) - \sin(dx + c)) + i f \operatorname{Li}_2(-i \cos(dx + c) - \sin(dx + c)) + (de - cf) \log(\cos(dx + c) + i \sin(dx + c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] $(-I*f*\operatorname{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) + I*f*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) + (d*e - c*f)*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) + (d*f*x + c*f)*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) + (d*f*x + c*f)*\log(-I*\cos(d*x + c) + \sin(d*x + c) + 1) + (d*e - c*f)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + I))/(a*d^2)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \cos(c+dx)}{\sin(c+dx)+1} dx + \int \frac{fx \cos(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*cos(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out] $(\operatorname{Integral}(e*\cos(c + d*x)/(\sin(c + d*x) + 1), x) + \operatorname{Integral}(f*x*\cos(c + d*x)/(\sin(c + d*x) + 1), x))/a$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")`

[Out] `integrate((f*x + e)*cos(d*x + c)/(a*sin(d*x + c) + a), x)`

$$3.254 \quad \int \frac{\cos(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=16

$$\frac{\log(\sin(c+dx)+1)}{ad}$$

[Out] Log[1 + Sin[c + d*x]]/(a*d)

Rubi [A] time = 0.0253777, antiderivative size = 16, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2667, 31}

$$\frac{\log(\sin(c+dx)+1)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] Log[1 + Sin[c + d*x]]/(a*d)

Rule 2667

Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rule 31

Int[((a_.) + (b_.)*(x_.))^(-1), x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, a \sin(c+dx)\right)}{ad} \\ &= \frac{\log(1 + \sin(c+dx))}{ad} \end{aligned}$$

Mathematica [A] time = 0.0112043, size = 16, normalized size = 1.

$$\frac{\log(\sin(c+dx)+1)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] Log[1 + Sin[c + d*x]]/(a*d)

Maple [A] time = 0.012, size = 19, normalized size = 1.2

$$\frac{\ln(a + a \sin(dx + c))}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out] `1/d*ln(a+a*sin(d*x+c))/a`

Maxima [A] time = 0.995789, size = 24, normalized size = 1.5

$$\frac{\log(a \sin(dx + c) + a)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `log(a*sin(d*x + c) + a)/(a*d)`

Fricas [A] time = 1.71757, size = 39, normalized size = 2.44

$$\frac{\log(\sin(dx + c) + 1)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `log(sin(d*x + c) + 1)/(a*d)`

Sympy [A] time = 0.490675, size = 24, normalized size = 1.5

$$\begin{cases} \frac{\log(\sin(c+dx)+1)}{ad} & \text{for } d \neq 0 \\ \frac{x \cos(c)}{a \sin(c)+a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*sin(d*x+c)),x)`

[Out] `Piecewise((log(sin(c + d*x) + 1)/(a*d), Ne(d, 0)), (x*cos(c)/(a*sin(c) + a), True))`

Giac [A] time = 1.14857, size = 26, normalized size = 1.62

$$\frac{\log(|a \sin(dx + c) + a|)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] log(abs(a*sin(d*x + c) + a))/(a*d)
```

$$3.255 \quad \int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\cos(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Cos[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0468099, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Cos[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 3.06412, size = 0, normalized size = 0.

$$\int \frac{\cos(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Cos[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.181, size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)}{(fx + e)(a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d*x + c)/((f*x + e)*(a*sin(d*x + c) + a)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\cos(dx + c)}{afx + ae + (afx + ae)\sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(cos(d*x + c)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\cos(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(cos(c + d*x)/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)}{(fx + e)(a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(cos(d*x + c)/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.256 \quad \int \frac{\cos(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\cos(c+dx)}{(e+fx)^2(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Cos[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.047282, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\cos(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Cos[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\cos(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx = \int \frac{\cos(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 3.91048, size = 0, normalized size = 0.

$$\int \frac{\cos(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Cos[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 0.217, size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)}{(fx+e)^2(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(cos(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)}{(fx + e)^2 (a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d*x + c)/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\cos(dx + c)}{af^2x^2 + 2aefx + ae^2 + (af^2x^2 + 2aefx + ae^2)\sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(cos(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)}{(fx + e)^2 (a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(cos(d*x + c)/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.257 \quad \int \frac{(e+fx)^3 \cos^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=99

$$-\frac{6f^2(e+fx)\cos(c+dx)}{ad^3} - \frac{3f(e+fx)^2\sin(c+dx)}{ad^2} + \frac{6f^3\sin(c+dx)}{ad^4} + \frac{(e+fx)^3\cos(c+dx)}{ad} + \frac{(e+fx)^4}{4af}$$

[Out] (e + f*x)^4/(4*a*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) + ((e + f*x)^3 *Cos[c + d*x])/(a*d) + (6*f^3*Sin[c + d*x])/(a*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(a*d^2)

Rubi [A] time = 0.144176, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4523, 32, 3296, 2637}

$$-\frac{6f^2(e+fx)\cos(c+dx)}{ad^3} - \frac{3f(e+fx)^2\sin(c+dx)}{ad^2} + \frac{6f^3\sin(c+dx)}{ad^4} + \frac{(e+fx)^3\cos(c+dx)}{ad} + \frac{(e+fx)^4}{4af}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (e + f*x)^4/(4*a*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) + ((e + f*x)^3 *Cos[c + d*x])/(a*d) + (6*f^3*Sin[c + d*x])/(a*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(a*d^2)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.) *Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \cos^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^3 dx}{a} - \frac{\int (e+fx)^3 \sin(c+dx) dx}{a} \\
&= \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{(3f) \int (e+fx)^2 \cos(c+dx) dx}{ad} \\
&= \frac{(e+fx)^4}{4af} + \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{3f(e+fx)^2 \sin(c+dx)}{ad^2} + \frac{(6f^2) \int (e+fx) \sin(c+dx) dx}{ad^2} \\
&= \frac{(e+fx)^4}{4af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} - \frac{3f(e+fx)^2 \sin(c+dx)}{ad^2} \\
&= \frac{(e+fx)^4}{4af} - \frac{6f^2(e+fx) \cos(c+dx)}{ad^3} + \frac{(e+fx)^3 \cos(c+dx)}{ad} + \frac{6f^3 \sin(c+dx)}{ad^4} - \frac{3f(e+fx)^2 \sin(c+dx)}{ad^2}
\end{aligned}$$

Mathematica [A] time = 0.642866, size = 102, normalized size = 1.03

$$\frac{-12f \sin(c+dx) (d^2(e+fx)^2 - 2f^2) + 4d(e+fx) \cos(c+dx) (d^2(e+fx)^2 - 6f^2) + d^4x (6e^2fx + 4e^3 + 4ef^2x^2 + f^3x^3)}{4ad^4}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (d^4*x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3) + 4*d*(e + f*x)*(-6*f^2 + d^2*(e + f*x)^2)*Cos[c + d*x] - 12*f*(-2*f^2 + d^2*(e + f*x)^2)*Sin[c + d*x])/(4*a*d^4)

Maple [B] time = 0.066, size = 436, normalized size = 4.4

$$-\frac{1}{d^4 a} \left(f^3 \left(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) \right) - 3cf^3 \left(-(dx+c)^3 \cos(dx+c) + 3(dx+c)^2 \sin(dx+c) - 6 \sin(dx+c) + 6(dx+c) \cos(dx+c) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] -1/d^4/a*(f^3*(-(d*x+c)^3*cos(d*x+c)+3*(d*x+c)^2*sin(d*x+c)-6*sin(d*x+c)+6*(d*x+c)*cos(d*x+c))-3*c*f^3*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+3*f^2*e*d*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))+3*c^2*f^3*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-6*c*d*e*f^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+3*d^2*e^2*f*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+c^3*f^3*cos(d*x+c)-3*c^2*d*e*f^2*cos(d*x+c)+3*c*d^2*e^2*f*cos(d*x+c)-d^3*e^3*cos(d*x+c)-1/4*f^3*(d*x+c)^4+c*f^3*(d*x+c)^3-f^2*e*d*(d*x+c)^3-3/2*c^2*f^3*(d*x+c)^2+3*c*d*e*f^2*(d*x+c)^2-3/2*d^2*e^2*f*(d*x+c)^2+c^3*f^3*(d*x+c)-3*c^2*d*e*f^2*(d*x+c)+3*c*d^2*e^2*f*(d*x+c)-d^3*e^3*(d*x+c))

Maxima [B] time = 1.63407, size = 721, normalized size = 7.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/4*(8*c^3*f^3*(1/(a*d^3 + a*d^3*\sin(d*x + c))^2/(\cos(d*x + c) + 1)^2) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d^3)) - 24*c^2*e*f^2*(1/(a*d^2 + a*d^2*\sin(d*x + c))^2/(\cos(d*x + c) + 1)^2) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d^2)) + 24*c*e^2*f*(1/(a*d + a*d*\sin(d*x + c))^2/(\cos(d*x + c) + 1)^2) + \arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/(a*d)) - 8*e^3*(\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 1/(a + a*\sin(d*x + c))^2/(\cos(d*x + c) + 1)^2)) - 6*((d*x + c)^2 + 2*(d*x + c)*\cos(d*x + c) - 2*\sin(d*x + c))*e^2*f/(a*d) + 12*((d*x + c)^2 + 2*(d*x + c)*\cos(d*x + c) - 2*\sin(d*x + c))*c*e*f^2/(a*d^2) - 6*((d*x + c)^2 + 2*(d*x + c)*\cos(d*x + c) - 2*\sin(d*x + c))*c^2*f^3/(a*d^3) - 4*((d*x + c)^3 + 3*((d*x + c)^2 - 2)*\cos(d*x + c) - 6*(d*x + c)*\sin(d*x + c))*e*f^2/(a*d^2) + 4*((d*x + c)^3 + 3*((d*x + c)^2 - 2)*\cos(d*x + c) - 6*(d*x + c)*\sin(d*x + c))*c*f^3/(a*d^3) - ((d*x + c)^4 + 4*((d*x + c)^3 - 6*d*x - 6*c)*\cos(d*x + c) - 12*((d*x + c)^2 - 2)*\sin(d*x + c))*f^3/(a*d^3))/d$$

Fricas [A] time = 1.6683, size = 329, normalized size = 3.32

$$\frac{d^4 f^3 x^4 + 4 d^4 e f^2 x^3 + 6 d^4 e^2 f x^2 + 4 d^4 e^3 x + 4 (d^3 f^3 x^3 + 3 d^3 e f^2 x^2 + d^3 e^3 - 6 d e f^2 + 3 (d^3 e^2 f - 2 d f^3) x) \cos(dx + c) - 1}{4 a d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$1/4*(d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + d^3*e^3 - 6*d*e*f^2 + 3*(d^3*e^2*f - 2*d*f^3)*x)*\cos(d*x + c) - 12*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f - 2*f^3)*\sin(d*x + c))/(a*d^4)$$

Sympy [A] time = 12.7856, size = 1232, normalized size = 12.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out]
$$\text{Piecewise}((4*d**4*e**3*x*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 4*d**4*e**3*x/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 6*d**4*e**2*f*x**2*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 6*d**4*e**2*f*x**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 4*d**4*e*f**2*x**3*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 4*d**4*e*f**2*x**3/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + d**4*f**3*x**4*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + d**4*f**3*x**4/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) - 4*d**3*e**3*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 4*d**3*e**3/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) - 12*d**3*e**2*f*x*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 12*d**3*e**2*f*x/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) - 12*d**3*e*f**2*x**2*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 12*d**3*e*f**2*x**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) - 4*d**3*f**3*x**3*\tan(c/2 + d*x/2)**2/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4) + 4*d**3*f**3*x**3/(4*a*d**4*\tan(c/2 + d*x/2)**2 + 4*a*d**4))$$

```

2 + 4*a*d**4) + 12*d**2*e**2*f*tan(c/2 + d*x/2)**2/(4*a*d**4*tan(c/2 + d*x/
2)**2 + 4*a*d**4) - 24*d**2*e**2*f*tan(c/2 + d*x/2)/(4*a*d**4*tan(c/2 + d*x
/2)**2 + 4*a*d**4) + 12*d**2*e**2*f/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**
4) - 48*d**2*e*f**2*x*tan(c/2 + d*x/2)/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*
d**4) - 24*d**2*f**3*x**2*tan(c/2 + d*x/2)/(4*a*d**4*tan(c/2 + d*x/2)**2 +
4*a*d**4) + 24*d*e*f**2*tan(c/2 + d*x/2)**2/(4*a*d**4*tan(c/2 + d*x/2)**2 +
4*a*d**4) - 24*d*e*f**2/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**4) + 24*d*f
**3*x*tan(c/2 + d*x/2)**2/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**4) - 24*d*
f**3*x/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**4) - 24*f**3*tan(c/2 + d*x/2)
**2/(4*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**4) + 48*f**3*tan(c/2 + d*x/2)/(4
*a*d**4*tan(c/2 + d*x/2)**2 + 4*a*d**4) - 24*f**3/(4*a*d**4*tan(c/2 + d*x/2
)**2 + 4*a*d**4), Ne(d, 0)), ((e**3*x + 3*e**2*f*x**2/2 + e*f**2*x**3 + f**
3*x**4/4)*cos(c)**2/(a*sin(c) + a), True))

```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.258 \quad \int \frac{(e+fx)^2 \cos^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=75

$$-\frac{2f(e+fx)\sin(c+dx)}{ad^2} - \frac{2f^2\cos(c+dx)}{ad^3} + \frac{(e+fx)^2\cos(c+dx)}{ad} + \frac{(e+fx)^3}{3af}$$

[Out] (e + f*x)^3/(3*a*f) - (2*f^2*Cos[c + d*x])/(a*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2)

Rubi [A] time = 0.114828, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4523, 32, 3296, 2638}

$$-\frac{2f(e+fx)\sin(c+dx)}{ad^2} - \frac{2f^2\cos(c+dx)}{ad^3} + \frac{(e+fx)^2\cos(c+dx)}{ad} + \frac{(e+fx)^3}{3af}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (e + f*x)^3/(3*a*f) - (2*f^2*Cos[c + d*x])/(a*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2)

Rule 4523

```
Int[((Cos[(c_.) + (d_.)*(x_.)]^(n_.))*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \cos^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^2 dx}{a} - \frac{\int (e+fx)^2 \sin(c+dx) dx}{a} \\
&= \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{(2f) \int (e+fx) \cos(c+dx) dx}{ad} \\
&= \frac{(e+fx)^3}{3af} + \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{2f(e+fx) \sin(c+dx)}{ad^2} + \frac{(2f^2) \int \sin(c+dx) dx}{ad^2} \\
&= \frac{(e+fx)^3}{3af} - \frac{2f^2 \cos(c+dx)}{ad^3} + \frac{(e+fx)^2 \cos(c+dx)}{ad} - \frac{2f(e+fx) \sin(c+dx)}{ad^2}
\end{aligned}$$

Mathematica [A] time = 0.423374, size = 74, normalized size = 0.99

$$\frac{3 \cos(c+dx) (d^2(e+fx)^2 - 2f^2) - 6df(e+fx) \sin(c+dx) + d^3x(3e^2 + 3efx + f^2x^2)}{3ad^3}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2) + 3*(-2*f^2 + d^2*(e + f*x)^2)*Cos[c + d*x] - 6*d*f*(e + f*x)*Sin[c + d*x])/(3*a*d^3)

Maple [B] time = 0.059, size = 215, normalized size = 2.9

$$-\frac{1}{ad^3} \left(f^2 \left(-(dx+c)^2 \cos(dx+c) + 2 \cos(dx+c) + 2(dx+c) \sin(dx+c) \right) - 2cf^2 (\sin(dx+c) - (dx+c) \cos(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] -1/d^3/a*(f^2*(-(d*x+c)^2*cos(d*x+c)+2*cos(d*x+c)+2*(d*x+c)*sin(d*x+c))-2*c*f^2*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+2*d*e*f*(sin(d*x+c)-(d*x+c)*cos(d*x+c))-c^2*f^2*cos(d*x+c)+2*c*d*e*f*cos(d*x+c)-d^2*e^2*cos(d*x+c)-1/3*f^2*(d*x+c)^3+c*f^2*(d*x+c)^2-d*e*f*(d*x+c)^2-c^2*f^2*(d*x+c)+2*c*d*e*f*(d*x+c)-d^2*e^2*(d*x+c))

Maxima [B] time = 1.56341, size = 417, normalized size = 5.56

$$6c^2f^2 \left(\frac{1}{ad^2 + \frac{ad^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} + \frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{ad^2} \right) - 12cef \left(\frac{1}{ad + \frac{ad \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} + \frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{ad} \right) + 6e^2 \left(\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{1}{a + \frac{1}{\cos(dx+c)+1}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] 1/3*(6*c^2*f^2*(1/(a*d^2 + a*d^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2) + arc tan(sin(d*x + c)/(cos(d*x + c) + 1))/(a*d^2)) - 12*c*e*f*(1/(a*d + a*d*sin(

$$\frac{d^3 f^2 x^3 + 3 d^3 e f x^2 + 3 d^3 e^2 x + 3 (d^2 f^2 x^2 + 2 d^2 e f x + d^2 e^2 - 2 f^2) \cos(dx + c) - 6 (d f^2 x + d e f) \sin(dx + c)}{3 a d^3}$$

Fricas [A] time = 1.75602, size = 209, normalized size = 2.79

$$\frac{d^3 f^2 x^3 + 3 d^3 e f x^2 + 3 d^3 e^2 x + 3 (d^2 f^2 x^2 + 2 d^2 e f x + d^2 e^2 - 2 f^2) \cos(dx + c) - 6 (d f^2 x + d e f) \sin(dx + c)}{3 a d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/3*(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 - 2*f^2)*cos(d*x + c) - 6*(d*f^2*x + d*e*f)*sin(d*x + c))/(a*d^3)
```

Sympy [A] time = 8.52252, size = 770, normalized size = 10.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*cos(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] Piecewise(((3*d**3*e**2*x*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 3*d**3*e**2*x/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 3*d**3*e*f*x**2*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 3*d**3*e*f*x**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + d**3*f**2*x**3*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + d**3*f**2*x**3/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 3*d**2*e**2*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 3*d**2*e**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 6*d**2*e*f*x*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 6*d**2*e*f*x/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 3*d**2*f**2*x**2*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 3*d**2*f**2*x**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 6*d*e*f*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 12*d*e*f*tan(c/2 + d*x/2)/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 6*d*e*f/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 12*d*f**2*x*tan(c/2 + d*x/2)/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) + 6*f**2*tan(c/2 + d*x/2)**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3) - 6*f**2/(3*a*d**3*tan(c/2 + d*x/2)**2 + 3*a*d**3), Ne(d, 0)), ((e**2*x + e*f*x**2 + f**2*x**3/3)*cos(c)**2/(a*sin(c) + a), True))
```

Giac [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError
```

$$3.259 \quad \int \frac{(e+fx) \cos^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=51

$$-\frac{f \sin(c+dx)}{ad^2} + \frac{(e+fx) \cos(c+dx)}{ad} + \frac{ex}{a} + \frac{fx^2}{2a}$$

[Out] (e*x)/a + (f*x^2)/(2*a) + ((e + f*x)*Cos[c + d*x])/(a*d) - (f*Sin[c + d*x])/(a*d^2)

Rubi [A] time = 0.0641802, antiderivative size = 51, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$, Rules used = {4523, 3296, 2637}

$$-\frac{f \sin(c+dx)}{ad^2} + \frac{(e+fx) \cos(c+dx)}{ad} + \frac{ex}{a} + \frac{fx^2}{2a}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (e*x)/a + (f*x^2)/(2*a) + ((e + f*x)*Cos[c + d*x])/(a*d) - (f*Sin[c + d*x])/(a*d^2)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(e+fx) \cos^2(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\int (e+fx) dx}{a} - \frac{\int (e+fx) \sin(c+dx) dx}{a} \\ &= \frac{ex}{a} + \frac{fx^2}{2a} + \frac{(e+fx) \cos(c+dx)}{ad} - \frac{f \int \cos(c+dx) dx}{ad} \\ &= \frac{ex}{a} + \frac{fx^2}{2a} + \frac{(e+fx) \cos(c+dx)}{ad} - \frac{f \sin(c+dx)}{ad^2} \end{aligned}$$

Mathematica [A] time = 0.505234, size = 53, normalized size = 1.04

$$\frac{(c + dx)(cf - 2de - dfx) - 2d(e + fx) \cos(c + dx) + 2f \sin(c + dx)}{2ad^2}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] -((c + d*x)*(-2*d*e + c*f - d*f*x) - 2*d*(e + f*x)*Cos[c + d*x] + 2*f*Sin[c + d*x])/(2*a*d^2)

Maple [A] time = 0.058, size = 78, normalized size = 1.5

$$-\frac{1}{ad^2} \left(f(\sin(dx+c) - (dx+c)\cos(dx+c)) + cf\cos(dx+c) - de\cos(dx+c) - \frac{f(dx+c)^2}{2} + cf(dx+c) - de(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*cos(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] -1/d^2/a*(f*(sin(d*x+c)-(d*x+c)*cos(d*x+c))+c*f*cos(d*x+c)-d*e*cos(d*x+c)-1/2*f*(d*x+c)^2+c*f*(d*x+c)-d*e*(d*x+c))

Maxima [B] time = 1.52251, size = 204, normalized size = 4.

$$\frac{4cf \left(\frac{1}{ad + \frac{ad \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} + \frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{ad} \right) - 4e \left(\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{1}{a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} \right) - \frac{((dx+c)^2 + 2(dx+c)\cos(dx+c) - 2\sin(dx+c))f}{ad}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(4*c*f*(1/(a*d + a*d*sin(d*x + c)^2/(cos(d*x + c) + 1)^2) + arctan(sin(d*x + c)/(cos(d*x + c) + 1))/(a*d)) - 4*e*(arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + 1/(a + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)) - ((d*x + c)^2 + 2*(d*x + c)*cos(d*x + c) - 2*sin(d*x + c))*f/(a*d))/d

Fricas [A] time = 1.60205, size = 117, normalized size = 2.29

$$\frac{d^2fx^2 + 2d^2ex + 2(df x + de) \cos(dx + c) - 2f \sin(dx + c)}{2ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(d^2*f*x^2 + 2*d^2*e*x + 2*(d*f*x + d*e)*cos(d*x + c) - 2*f*sin(d*x + c))/(a*d^2)

Sympy [A] time = 5.37991, size = 439, normalized size = 8.61

$$\left(\frac{2d^2ex \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{2d^2ex}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{d^2fx^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{d^2fx^2}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} - \frac{2de \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} + \frac{2d}{2ad^2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad^2} \right) \frac{\left(ex + \frac{fx^2}{2} \right) \cos^2(c)}{a \sin(c) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Piecewise((2*d**2*e*x*tan(c/2 + d*x/2)**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + 2*d**2*e*x/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + d**2*f*x**2*tan(c/2 + d*x/2)**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + d**2*f*x**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) - 2*d*e*tan(c/2 + d*x/2)**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + 2*d*e/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) - 2*d*f*x*tan(c/2 + d*x/2)**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + 2*d*f*x/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + 2*f*tan(c/2 + d*x/2)**2/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) - 4*f*tan(c/2 + d*x/2)/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2) + 2*f/(2*a*d**2*tan(c/2 + d*x/2)**2 + 2*a*d**2), Ne(d, 0)), ((e*x + f*x**2/2)*cos(c)**2/(a*sin(c) + a), True))

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.260 \quad \int \frac{\cos^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=19

$$\frac{\cos(c+dx)}{ad} + \frac{x}{a}$$

[Out] x/a + Cos[c + d*x]/(a*d)

Rubi [A] time = 0.0421265, antiderivative size = 19, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2682, 8}

$$\frac{\cos(c+dx)}{ad} + \frac{x}{a}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] x/a + Cos[c + d*x]/(a*d)

Rule 2682

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1))/(b*f*(p - 1)), x] + Dist[g^2/a, Int[(g*Cos[e + f*x])^(p - 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && GtQ[p, 1] && IntegerQ[2*p]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\cos(c+dx)}{ad} + \frac{\int 1 dx}{a} \\ &= \frac{x}{a} + \frac{\cos(c+dx)}{ad} \end{aligned}$$

Mathematica [B] time = 0.138564, size = 97, normalized size = 5.11

$$\frac{\left(2\sqrt{1-\sin(c+dx)} \sin^{-1}\left(\frac{\sqrt{1-\sin(c+dx)}}{\sqrt{2}}\right) + (\sin(c+dx)-1)\sqrt{\sin(c+dx)+1}\right) \cos^3(c+dx)}{ad(\sin(c+dx)-1)^2(\sin(c+dx)+1)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] -((Cos[c + d*x]^3*(2*ArcSin[Sqrt[1 - Sin[c + d*x]]/Sqrt[2]]*Sqrt[1 - Sin[c + d*x]] + (-1 + Sin[c + d*x])*Sqrt[1 + Sin[c + d*x]]))/(a*d*(-1 + Sin[c + d*x])^2*(1 + Sin[c + d*x])^(3/2)))

Maple [B] time = 0.048, size = 43, normalized size = 2.3

$$2 \frac{1}{da(1 + (\tan(1/2 dx + c/2))^2)} + 2 \frac{\arctan(\tan(1/2 dx + c/2))}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2/(a+a*sin(d*x+c)),x)`

[Out] `2/a/d/(1+tan(1/2*d*x+1/2*c)^2)+2/a/d*arctan(tan(1/2*d*x+1/2*c))`

Maxima [B] time = 1.59223, size = 70, normalized size = 3.68

$$2 \left(\frac{\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{1}{a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `2*(arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a + 1/(a + a*sin(d*x + c)^2/(cos(d*x + c) + 1)^2))/d`

Fricas [A] time = 1.59846, size = 38, normalized size = 2.

$$\frac{dx + \cos(dx + c)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `(d*x + cos(d*x + c))/(a*d)`

Sympy [A] time = 3.26248, size = 119, normalized size = 6.26

$$\begin{cases} \frac{dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{\tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{1}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{a \sin(c) + a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*sin(d*x+c)),x)`

[Out] `Piecewise((d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) + d*x/(a*d*tan(c/2 + d*x/2)**2 + a*d) - tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) + 1/(a*d*tan(c/2 + d*x/2)**2 + a*d), Ne(d, 0)), (x*cos(c)**2/(a*si`

n(c) + a), True))

Giac [A] time = 1.11696, size = 46, normalized size = 2.42

$$\frac{\frac{dx+c}{a} + \frac{2}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] ((d*x + c)/a + 2/((tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d

$$3.261 \quad \int \frac{\cos^2(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=72

$$\frac{\sin\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(\frac{de}{f} + dx\right)}{af} - \frac{\cos\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af} + \frac{\log(e+fx)}{af}$$

[Out] Log[e + f*x]/(a*f) - (CosIntegral[(d*e)/f + d*x]*Sin[c - (d*e)/f])/(a*f) - (Cos[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f)

Rubi [A] time = 0.20148, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {4523, 31, 3303, 3299, 3302}

$$\frac{\sin\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(\frac{de}{f} + dx\right)}{af} - \frac{\cos\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af} + \frac{\log(e+fx)}{af}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])),x]

[Out] Log[e + f*x]/(a*f) - (CosIntegral[(d*e)/f + d*x]*Sin[c - (d*e)/f])/(a*f) - (Cos[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rubi steps

$$\int \frac{\cos^2(c + dx)}{(e + fx)(a + a \sin(c + dx))} dx = \frac{\int \frac{1}{e+fx} dx}{a} - \frac{\int \frac{\sin(c+dx)}{e+fx} dx}{a}$$

$$= \frac{\log(e + fx)}{af} - \frac{\cos\left(c - \frac{de}{f}\right) \int \frac{\sin\left(\frac{de}{f} + dx\right)}{e+fx} dx}{a} - \frac{\sin\left(c - \frac{de}{f}\right) \int \frac{\cos\left(\frac{de}{f} + dx\right)}{e+fx} dx}{a}$$

$$= \frac{\log(e + fx)}{af} - \frac{\text{Ci}\left(\frac{de}{f} + dx\right) \sin\left(c - \frac{de}{f}\right)}{af} - \frac{\cos\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af}$$

Mathematica [A] time = 0.275474, size = 58, normalized size = 0.81

$$\frac{-\sin\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(d\left(\frac{e}{f} + x\right)\right) - \cos\left(c - \frac{de}{f}\right) \text{Si}\left(d\left(\frac{e}{f} + x\right)\right) + \log(e + fx)}{af}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])),x]

[Out] (Log[e + f*x] - CosIntegral[d*(e/f + x)]*Sin[c - (d*e)/f] - Cos[c - (d*e)/f]*SinIntegral[d*(e/f + x)])/(a*f)

Maple [A] time = 0.054, size = 102, normalized size = 1.4

$$-\frac{1}{af} \text{Si}\left(dx + c + \frac{-cf + de}{f}\right) \cos\left(\frac{-cf + de}{f}\right) + \frac{1}{af} \text{Ci}\left(dx + c + \frac{-cf + de}{f}\right) \sin\left(\frac{-cf + de}{f}\right) + \frac{\ln\left((dx + c)f - cf + de\right)}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] -1/a*Si(d*x+c+(-c*f+d*e)/f)*cos((-c*f+d*e)/f)/f+1/a*Ci(d*x+c+(-c*f+d*e)/f)*sin((-c*f+d*e)/f)/f+1/a*ln((d*x+c)*f-c*f+d*e)/f

Maxima [C] time = 1.32096, size = 220, normalized size = 3.06

$$\frac{d\left(i E_1\left(\frac{ide+i(dx+c)f-icf}{f}\right) - i E_1\left(-\frac{ide+i(dx+c)f-icf}{f}\right)\right) \cos\left(-\frac{de-cf}{f}\right) + d\left(E_1\left(\frac{ide+i(dx+c)f-icf}{f}\right) + E_1\left(-\frac{ide+i(dx+c)f-icf}{f}\right)\right) \sin\left(-\frac{de-cf}{f}\right)}{2adf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(d*(I*exp_integral_e(1, (I*d*e + I*(d*x + c)*f - I*c*f)/f) - I*exp_integral_e(1, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*cos(-(d*e - c*f)/f) + d*(exp_integral_e(1, (I*d*e + I*(d*x + c)*f - I*c*f)/f) + exp_integral_e(1, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*sin(-(d*e - c*f)/f) + 2*d*log(d*e + (d*x +

$c \cdot f - c \cdot f) / (a \cdot d \cdot f)$

Fricas [A] time = 1.73619, size = 230, normalized size = 3.19

$$\frac{\left(\operatorname{Ci}\left(\frac{dfx+de}{f}\right) + \operatorname{Ci}\left(-\frac{dfx+de}{f}\right) \right) \sin\left(-\frac{de-cf}{f}\right) + 2 \cos\left(-\frac{de-cf}{f}\right) \operatorname{Si}\left(\frac{dfx+de}{f}\right) - 2 \log(fx + e)}{2af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] -1/2*((cos_integral((d*f*x + d*e)/f) + cos_integral(-(d*f*x + d*e)/f))*sin(-(d*e - c*f)/f) + 2*cos(-(d*e - c*f)/f)*sin_integral((d*f*x + d*e)/f) - 2*log(f*x + e))/(a*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [C] time = 1.3586, size = 967, normalized size = 13.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] -1/2*(imag_part(cos_integral(d*x + d*e/f))*tan(1/2*c)^2*tan(1/2*d*e/f)^2 - imag_part(cos_integral(-d*x - d*e/f))*tan(1/2*c)^2*tan(1/2*d*e/f)^2 - 2*log(abs(f*x + e))*tan(1/2*c)^2*tan(1/2*d*e/f)^2 + 2*sin_integral((d*f*x + d*e)/f)*tan(1/2*c)^2*tan(1/2*d*e/f)^2 + 2*real_part(cos_integral(d*x + d*e/f))*tan(1/2*c)^2*tan(1/2*d*e/f) + 2*real_part(cos_integral(-d*x - d*e/f))*tan(1/2*c)^2*tan(1/2*d*e/f) - 2*real_part(cos_integral(d*x + d*e/f))*tan(1/2*c)*tan(1/2*d*e/f)^2 - 2*real_part(cos_integral(-d*x - d*e/f))*tan(1/2*c)*tan(1/2*d*e/f)^2 - imag_part(cos_integral(d*x + d*e/f))*tan(1/2*c)^2 + imag_part(cos_integral(-d*x - d*e/f))*tan(1/2*c)^2 - 2*log(abs(f*x + e))*tan(1/2*c)^2 - 2*sin_integral((d*f*x + d*e)/f)*tan(1/2*c)^2 + 4*imag_part(cos_integral(d*x + d*e/f))*tan(1/2*c)*tan(1/2*d*e/f) - 4*imag_part(cos_integral(-d*x - d*e/f))*tan(1/2*c)*tan(1/2*d*e/f) + 8*sin_integral((d*f*x + d*e)/f)*tan(1/2*c)*tan(1/2*d*e/f) - imag_part(cos_integral(d*x + d*e/f))*tan(1/2*d*e/f)^2 + imag_part(cos_integral(-d*x - d*e/f))*tan(1/2*d*e/f)^2 - 2*log(abs(f*x + e))*tan(1/2*d*e/f)^2 - 2*sin_integral((d*f*x + d*e)/f)*tan(1/2*d*e/f)^2 + 2*real_part(cos_integral(d*x + d*e/f))*tan(1/2*c) + 2*real_part(cos_integral(-d*x - d*e/f))*tan(1/2*c) - 2*real_part(cos_integral(d*x + d*e/f))*tan(1/2*d*e/f) - 2*real_part(cos_integral(-d*x - d*e/f))*tan(1/2*d*e/f) + imag_par

```
t(cos_integral(d*x + d*e/f)) - imag_part(cos_integral(-d*x - d*e/f)) - 2*log(abs(f*x + e)) + 2*sin_integral((d*f*x + d*e)/f)/(a*f*tan(1/2*c)^2*tan(1/2*d*e/f)^2 + a*f*tan(1/2*c)^2 + a*f*tan(1/2*d*e/f)^2 + a*f)
```

$$3.262 \quad \int \frac{\cos^2(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=95

$$-\frac{d \cos\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(\frac{de}{f} + dx\right)}{af^2} + \frac{d \sin\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af^2} + \frac{\sin(c+dx)}{af(e+fx)} - \frac{1}{af(e+fx)}$$

[Out] -(1/(a*f*(e + f*x))) - (d*Cos[c - (d*e)/f]*CosIntegral[(d*e)/f + d*x])/(a*f^2) + Sin[c + d*x]/(a*f*(e + f*x)) + (d*Sin[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f^2)

Rubi [A] time = 0.200108, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4523, 32, 3297, 3303, 3299, 3302}

$$-\frac{d \cos\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(\frac{de}{f} + dx\right)}{af^2} + \frac{d \sin\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af^2} + \frac{\sin(c+dx)}{af(e+fx)} - \frac{1}{af(e+fx)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])),x]

[Out] -(1/(a*f*(e + f*x))) - (d*Cos[c - (d*e)/f]*CosIntegral[(d*e)/f + d*x])/(a*f^2) + Sin[c + d*x]/(a*f*(e + f*x)) + (d*Sin[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f^2)

Rule 4523

Int[((Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)}{(e + fx)^2(a + a \sin(c + dx))} dx &= \int \frac{1}{(e+fx)^2} dx - \int \frac{\sin(c+dx)}{(e+fx)^2} dx \\ &= -\frac{1}{af(e+fx)} + \frac{\sin(c+dx)}{af(e+fx)} - \frac{d \int \frac{\cos(c+dx)}{e+fx} dx}{af} \\ &= -\frac{1}{af(e+fx)} + \frac{\sin(c+dx)}{af(e+fx)} - \frac{\left(d \cos\left(c - \frac{de}{f}\right)\right) \int \frac{\cos\left(\frac{de}{f}+dx\right)}{e+fx} dx}{af} + \frac{\left(d \sin\left(c - \frac{de}{f}\right)\right)}{af} \\ &= -\frac{1}{af(e+fx)} - \frac{d \cos\left(c - \frac{de}{f}\right) \text{Ci}\left(\frac{de}{f} + dx\right)}{af^2} + \frac{\sin(c+dx)}{af(e+fx)} + \frac{d \sin\left(c - \frac{de}{f}\right) \text{Si}\left(\frac{de}{f} + dx\right)}{af^2} \end{aligned}$$

Mathematica [A] time = 0.415589, size = 80, normalized size = 0.84

$$\frac{-d(e+fx) \cos\left(c - \frac{de}{f}\right) \text{CosIntegral}\left(d\left(\frac{e}{f} + x\right)\right) + d(e+fx) \sin\left(c - \frac{de}{f}\right) \text{Si}\left(d\left(\frac{e}{f} + x\right)\right) + f(\sin(c+dx) - 1)}{af^2(e+fx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])),x]

[Out] $(-d*(e + f*x)*\text{Cos}[c - (d*e)/f]*\text{CosIntegral}[d*(e/f + x)]) + f*(-1 + \text{Sin}[c + d*x]) + d*(e + f*x)*\text{Sin}[c - (d*e)/f]*\text{SinIntegral}[d*(e/f + x)]/(a*f^2*(e + f*x))$

Maple [A] time = 0.053, size = 132, normalized size = 1.4

$$\frac{d}{a} \left(\frac{\sin(dx + c)}{((dx + c)f - cf + de)f} - \frac{1}{f} \left(\frac{1}{f} \text{Si}\left(dx + c + \frac{-cf + de}{f}\right) \sin\left(\frac{-cf + de}{f}\right) + \frac{1}{f} \text{Ci}\left(dx + c + \frac{-cf + de}{f}\right) \cos\left(\frac{-cf + de}{f}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x)

[Out] $d/a*(\sin(d*x+c)/((d*x+c)*f-c*f+d*e)/f - (\text{Si}(d*x+c+(-c*f+d*e)/f)*\sin((-c*f+d*e)/f)/f + \text{Ci}(d*x+c+(-c*f+d*e)/f)*\cos((-c*f+d*e)/f)/f - 1/((d*x+c)*f-c*f+d*e)/f)$

Maxima [C] time = 1.41665, size = 232, normalized size = 2.44

$$\frac{d^2 \left(i E_2 \left(\frac{i d e + i (d x + c) f - i c f}{f} \right) - i E_2 \left(-\frac{i d e + i (d x + c) f - i c f}{f} \right) \right) \cos \left(-\frac{d e - c f}{f} \right) + d^2 \left(E_2 \left(\frac{i d e + i (d x + c) f - i c f}{f} \right) + E_2 \left(-\frac{i d e + i (d x + c) f - i c f}{f} \right) \right) \sin \left(-\frac{d e - c f}{f} \right)}{2 (a d e f + (d x + c) a f^2 - a c f^2) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] 1/2*(d^2*(I*exp_integral_e(2, (I*d*e + I*(d*x + c)*f - I*c*f)/f) - I*exp_integral_e(2, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*cos(-(d*e - c*f)/f) + d^2*(exp_integral_e(2, (I*d*e + I*(d*x + c)*f - I*c*f)/f) + exp_integral_e(2, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*sin(-(d*e - c*f)/f) - 2*d^2/((a*d*e*f + (d*x + c)*a*f^2 - a*c*f^2)*d)

Fricas [A] time = 1.61146, size = 315, normalized size = 3.32

$$\frac{2 (d f x + d e) \sin \left(-\frac{d e - c f}{f} \right) \operatorname{Si} \left(\frac{d f x + d e}{f} \right) - \left((d f x + d e) \operatorname{Ci} \left(\frac{d f x + d e}{f} \right) + (d f x + d e) \operatorname{Ci} \left(-\frac{d f x + d e}{f} \right) \right) \cos \left(-\frac{d e - c f}{f} \right) + 2 f \sin (d x + c)}{2 (a f^3 x + a e f^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*(d*f*x + d*e)*sin(-(d*e - c*f)/f)*sin_integral((d*f*x + d*e)/f) - ((d*f*x + d*e)*cos_integral((d*f*x + d*e)/f) + (d*f*x + d*e)*cos_integral(-(d*f*x + d*e)/f))*cos(-(d*e - c*f)/f) + 2*f*sin(d*x + c) - 2*f)/(a*f^3*x + a*e*f^2)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)^2}{(fx + e)^2 (a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(cos(d*x + c)^2/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.263 \quad \int \frac{(e+fx)^3 \cos^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=219

$$\frac{3f^2(e+fx)\sin^2(c+dx)}{4ad^3} - \frac{6f^2(e+fx)\sin(c+dx)}{ad^3} + \frac{3f(e+fx)^2\cos(c+dx)}{ad^2} - \frac{3f(e+fx)^2\sin(c+dx)\cos(c+dx)}{4ad^2}$$

```
[Out] (-3*f^3*x)/(8*a*d^3) + (e + f*x)^3/(4*a*d) - (6*f^3*Cos[c + d*x])/(a*d^4) +
(3*f*(e + f*x)^2*Cos[c + d*x])/(a*d^2) - (6*f^2*(e + f*x)*Sin[c + d*x])/(a
*d^3) + ((e + f*x)^3*Sin[c + d*x])/(a*d) + (3*f^3*Cos[c + d*x]*Sin[c + d*x]
)/(8*a*d^4) - (3*f*(e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^2) + (3*f^
2*(e + f*x)*Sin[c + d*x]^2)/(4*a*d^3) - ((e + f*x)^3*Sin[c + d*x]^2)/(2*a*d
)
```

Rubi [A] time = 0.242949, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4523, 3296, 2638, 4404, 3311, 32, 2635, 8}

$$\frac{3f^2(e+fx)\sin^2(c+dx)}{4ad^3} - \frac{6f^2(e+fx)\sin(c+dx)}{ad^3} + \frac{3f(e+fx)^2\cos(c+dx)}{ad^2} - \frac{3f(e+fx)^2\sin(c+dx)\cos(c+dx)}{4ad^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-3*f^3*x)/(8*a*d^3) + (e + f*x)^3/(4*a*d) - (6*f^3*Cos[c + d*x])/(a*d^4) +
(3*f*(e + f*x)^2*Cos[c + d*x])/(a*d^2) - (6*f^2*(e + f*x)*Sin[c + d*x])/(a
*d^3) + ((e + f*x)^3*Sin[c + d*x])/(a*d) + (3*f^3*Cos[c + d*x]*Sin[c + d*x]
)/(8*a*d^4) - (3*f*(e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(4*a*d^2) + (3*f^
2*(e + f*x)*Sin[c + d*x]^2)/(4*a*d^3) - ((e + f*x)^3*Sin[c + d*x]^2)/(2*a*d
)
```

Rule 4523

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c
+ d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2
- b^2, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x
_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1))
, x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1),
```

$x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[n, -1]$

Rule 3311

$\text{Int}[(c + d*x)^m * (b * \sin[e + f*x])^n, x_Symbol] \rightarrow \text{Simp}[(d*m*(c + d*x)^{m-1} * (b*\sin[e + f*x])^n) / (f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)^m * (b*\sin[e + f*x])^{n-2}, x], x] - \text{Dist}[d^2*m*(m-1)/(f^2*n^2), \text{Int}[(c + d*x)^{m-2} * (b*\sin[e + f*x])^n, x], x] - \text{Simp}[(b*(c + d*x)^m * \cos[e + f*x] * (b*\sin[e + f*x])^{n-1}) / (f*n), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{GtQ}[m, 1]$

Rule 32

$\text{Int}[(a + b*x)^m, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1} / (b*(m+1)), x] /; \text{FreeQ}\{a, b, m\}, x] \&\& \text{NeQ}[m, -1]$

Rule 2635

$\text{Int}[(b * \sin[c + d*x])^n, x_Symbol] \rightarrow -\text{Simp}[(b*\cos[c + d*x] * (b*\sin[c + d*x])^{n-1}) / (d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\sin[c + d*x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 8

$\text{Int}[a, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^3 \cos^3(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \cos(c + dx) dx}{a} - \frac{\int (e + fx)^3 \cos(c + dx) \sin(c + dx) dx}{a} \\ &= \frac{(e + fx)^3 \sin(c + dx)}{ad} - \frac{(e + fx)^3 \sin^2(c + dx)}{2ad} + \frac{(3f) \int (e + fx)^2 \sin^2(c + dx) dx}{2ad} - \frac{(3f) \int (e + fx)^2 \cos^2(c + dx) dx}{2ad} \\ &= \frac{3f(e + fx)^2 \cos(c + dx)}{ad^2} + \frac{(e + fx)^3 \sin(c + dx)}{ad} - \frac{3f(e + fx)^2 \cos(c + dx) \sin(c + dx)}{4ad^2} + \frac{3f(e + fx)^2 \sin(c + dx) \cos(c + dx)}{4ad^2} \\ &= \frac{(e + fx)^3}{4ad} + \frac{3f(e + fx)^2 \cos(c + dx)}{ad^2} - \frac{6f^2(e + fx) \sin(c + dx)}{ad^3} + \frac{(e + fx)^3 \sin(c + dx)}{ad} + \frac{3f(e + fx)^2 \sin(c + dx) \cos(c + dx)}{4ad^2} \\ &= -\frac{3f^3 x}{8ad^3} + \frac{(e + fx)^3}{4ad} - \frac{6f^3 \cos(c + dx)}{ad^4} + \frac{3f(e + fx)^2 \cos(c + dx)}{ad^2} - \frac{6f^2(e + fx) \sin(c + dx)}{ad^3} \end{aligned}$$

Mathematica [A] time = 1.14536, size = 132, normalized size = 0.6

$$\frac{96f \cos(c + dx) (d^2(e + fx)^2 - 2f^2) + 4d(e + fx) \cos(2(c + dx)) (2d^2(e + fx)^2 - 3f^2) + 4 \sin(c + dx) (8d(e + fx) (d^2(e + fx)^2 - 2f^2) + 4d^2(e + fx)^2 \cos(2(c + dx)))}{32ad^4}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3 * Cos[c + d*x]^3) / (a + a * Sin[c + d*x]), x]

[Out] (96*f*(-2*f^2 + d^2*(e + f*x)^2)*Cos[c + d*x] + 4*d*(e + f*x)*(-3*f^2 + 2*d^2*(e + f*x)^2)*Cos[2*(c + d*x)] + 4*(8*d*(e + f*x)*(-6*f^2 + d^2*(e + f*x)^2) - 3*f*(-f^2 + 2*d^2*(e + f*x)^2)*Cos[c + d*x])*Sin[c + d*x]) / (32*a*d^4)

Maple [B] time = 0.063, size = 737, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^3*\cos(d*x+c)^3/(a+a*\sin(d*x+c)),x)$

[Out]
$$-1/d^4/a*(f^3*(-1/2*(d*x+c)^3*\cos(d*x+c)^2+3/2*(d*x+c)^2*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+3/4*(d*x+c)*\cos(d*x+c)^2-3/8*\cos(d*x+c)*\sin(d*x+c)-3/8*d*x-3/8*c-1/2*(d*x+c)^3)-3*c*f^3*(-1/2*(d*x+c)^2*\cos(d*x+c)^2+(d*x+c)*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)-1/4*(d*x+c)^2-1/4*\sin(d*x+c)^2)+3*f^2*e*d*(-1/2*(d*x+c)^2*\cos(d*x+c)^2+(d*x+c)*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)-1/4*(d*x+c)^2-1/4*\sin(d*x+c)^2)+3*c^2*f^3*(-1/2*(d*x+c)*\cos(d*x+c)^2+1/4*\cos(d*x+c)*\sin(d*x+c)+1/4*d*x+1/4*c)-6*c*d*e*f^2*(-1/2*(d*x+c)*\cos(d*x+c)^2+1/4*\cos(d*x+c)*\sin(d*x+c)+1/4*d*x+1/4*c)+3*d^2*e^2*f*(-1/2*(d*x+c)*\cos(d*x+c)^2+1/4*\cos(d*x+c)*\sin(d*x+c)+1/4*d*x+1/4*c)+1/2*c^3*f^3*\cos(d*x+c)^2-3/2*c^2*d*e*f^2*\cos(d*x+c)^2+3/2*c*d^2*e^2*f*\cos(d*x+c)^2-1/2*d^3*e^3*\cos(d*x+c)^2-f^3*((d*x+c)^3*\sin(d*x+c)+3*(d*x+c)^2*\cos(d*x+c)-6*\cos(d*x+c)-6*(d*x+c)*\sin(d*x+c))+3*c*f^3*((d*x+c)^2*\sin(d*x+c)-2*\sin(d*x+c)+2*(d*x+c))*\cos(d*x+c))-3*f^2*e*d*((d*x+c)^2*\sin(d*x+c)-2*\sin(d*x+c)+2*(d*x+c))*\cos(d*x+c))-3*c^2*f^3*(\cos(d*x+c)+(d*x+c)*\sin(d*x+c))+6*c*d*e*f^2*(\cos(d*x+c)+(d*x+c)*\sin(d*x+c))-3*d^2*e^2*f*(\cos(d*x+c)+(d*x+c)*\sin(d*x+c))+\sin(d*x+c)*c^3*f^3-3*\sin(d*x+c)*c^2*d*e*f^2+3*\sin(d*x+c)*c*d^2*e^2*f-\sin(d*x+c)*d^3*e^3)$$

Maxima [B] time = 1.19585, size = 772, normalized size = 3.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^3*\cos(d*x+c)^3/(a+a*\sin(d*x+c)),x, \text{algorithm}="maxima")$

[Out]
$$-1/16*(8*(\sin(d*x+c))^2-2*\sin(d*x+c))*e^3/a-24*(\sin(d*x+c))^2-2*\sin(d*x+c))*c*e^2*f/(a*d)+24*(\sin(d*x+c))^2-2*\sin(d*x+c))*c^2*e*f^2/(a*d^2)-8*(\sin(d*x+c))^2-2*\sin(d*x+c))*c^3*f^3/(a*d^3)-6*(2*(d*x+c)*\cos(2*d*x+2*c)+8*(d*x+c)*\sin(d*x+c)+8*\cos(d*x+c)-\sin(2*d*x+2*c))*e^2*f/(a*d)+12*(2*(d*x+c)*\cos(2*d*x+2*c)+8*(d*x+c)*\sin(d*x+c)+8*\cos(d*x+c)-\sin(2*d*x+2*c))*c*e*f^2/(a*d^2)-6*(2*(d*x+c)*\cos(2*d*x+2*c)+8*(d*x+c)*\sin(d*x+c)+8*\cos(d*x+c)-\sin(2*d*x+2*c))*c^2*f^3/(a*d^3)-6*((2*(d*x+c))^2-1)*\cos(2*d*x+2*c)+16*(d*x+c)*\cos(d*x+c)-2*(d*x+c)*\sin(2*d*x+2*c)+8*((d*x+c)^2-2)*\sin(d*x+c))*e*f^2/(a*d^2)+6*((2*(d*x+c))^2-1)*\cos(2*d*x+2*c)+16*(d*x+c)*\cos(d*x+c)-2*(d*x+c)*\sin(2*d*x+2*c)+8*((d*x+c)^2-2)*\sin(d*x+c))*c*f^3/(a*d^3)-(2*(2*(d*x+c)^3-3*d*x-3*c)*\cos(2*d*x+2*c)+48*((d*x+c)^2-2)*\cos(d*x+c)-3*(2*(d*x+c)^2-1)*\sin(2*d*x+2*c)+16*((d*x+c)^3-6*d*x-6*c)*\sin(d*x+c))*f^3/(a*d^3))/d$$

Fricas [A] time = 1.69721, size = 570, normalized size = 2.6

$$\frac{2d^3f^3x^3+6d^3ef^2x^2-2(2d^3f^3x^3+6d^3ef^2x^2+2d^3e^3-3def^2+3(2d^3e^2f-df^3)x)\cos(dx+c)^2+3(2d^3e^2f-}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/8*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 - 2*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 2*d^3*e^3 - 3*d*e*f^2 + 3*(2*d^3*e^2*f - d*f^3)*x)*\cos(d*x + c)^2 + 3*(2*d^3*e^2*f - d*f^3)*x - 24*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f - 2*f^3)*\cos(d*x + c) - (8*d^3*f^3*x^3 + 24*d^3*e*f^2*x^2 + 8*d^3*e^3 - 48*d*e*f^2 + 24*(d^3*e^2*f - 2*d*f^3)*x - 3*(2*d^2*f^3*x^2 + 4*d^2*e*f^2*x + 2*d^2*e^2*f - f^3)*\cos(d*x + c))*\sin(d*x + c))/(a*d^4)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.264 \quad \int \frac{(e+fx)^2 \cos^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=161

$$\frac{2f(e+fx)\cos(c+dx)}{ad^2} - \frac{f(e+fx)\sin(c+dx)\cos(c+dx)}{2ad^2} + \frac{f^2\sin^2(c+dx)}{4ad^3} - \frac{2f^2\sin(c+dx)}{ad^3} - \frac{(e+fx)^2\sin^2(c+dx)}{2ad}$$

[Out] (e*f*x)/(2*a*d) + (f^2*x^2)/(4*a*d) + (2*f*(e + f*x)*Cos[c + d*x])/(a*d^2) - (2*f^2*Sin[c + d*x])/(a*d^3) + ((e + f*x)^2*Sin[c + d*x])/(a*d) - (f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d^2) + (f^2*Sin[c + d*x]^2)/(4*a*d^3) - ((e + f*x)^2*Sin[c + d*x]^2)/(2*a*d)

Rubi [A] time = 0.172781, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {4523, 3296, 2637, 4404, 3310}

$$\frac{2f(e+fx)\cos(c+dx)}{ad^2} - \frac{f(e+fx)\sin(c+dx)\cos(c+dx)}{2ad^2} + \frac{f^2\sin^2(c+dx)}{4ad^3} - \frac{2f^2\sin(c+dx)}{ad^3} - \frac{(e+fx)^2\sin^2(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] (e*f*x)/(2*a*d) + (f^2*x^2)/(4*a*d) + (2*f*(e + f*x)*Cos[c + d*x])/(a*d^2) - (2*f^2*Sin[c + d*x])/(a*d^3) + ((e + f*x)^2*Sin[c + d*x])/(a*d) - (f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a*d^2) + (f^2*Sin[c + d*x]^2)/(4*a*d^3) - ((e + f*x)^2*Sin[c + d*x]^2)/(2*a*d)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
Simp[(d*(b*SIn[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIn[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIn[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\int \frac{(e + fx)^2 \cos^3(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx)^2 \cos(c + dx) dx}{a} - \frac{\int (e + fx)^2 \cos(c + dx) \sin(c + dx) dx}{a}$$

$$= \frac{(e + fx)^2 \sin(c + dx)}{ad} - \frac{(e + fx)^2 \sin^2(c + dx)}{2ad} + \frac{f \int (e + fx) \sin^2(c + dx) dx}{ad} - \frac{(2f) \int (e + fx) \cos(c + dx) \sin(c + dx) dx}{ad}$$

$$= \frac{2f(e + fx) \cos(c + dx)}{ad^2} + \frac{(e + fx)^2 \sin(c + dx)}{ad} - \frac{f(e + fx) \cos(c + dx) \sin(c + dx)}{2ad^2} + \frac{f^2 \int (e + fx) \sin^2(c + dx) dx}{ad}$$

$$= \frac{efx}{2ad} + \frac{f^2 x^2}{4ad} + \frac{2f(e + fx) \cos(c + dx)}{ad^2} - \frac{2f^2 \sin(c + dx)}{ad^3} + \frac{(e + fx)^2 \sin(c + dx)}{ad} - \frac{f(e + fx) \cos(c + dx) \sin(c + dx)}{ad}$$

Mathematica [A] time = 0.795724, size = 95, normalized size = 0.59

$$\frac{\cos(2(c + dx)) (2d^2(e + fx)^2 - f^2) - 4 \sin(c + dx) (df(e + fx) \cos(c + dx) - 2 (d^2(e + fx)^2 - 2f^2)) + 16df(e + fx) \cos(c + dx)}{8ad^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (16*d*f*(e + f*x)*Cos[c + d*x] + (-f^2 + 2*d^2*(e + f*x)^2)*Cos[2*(c + d*x)] - 4*(-2*(-2*f^2 + d^2*(e + f*x)^2) + d*f*(e + f*x)*Cos[c + d*x])*Sin[c + d*x])/(8*a*d^3)
```

Maple [B] time = 0.062, size = 339, normalized size = 2.1

$$-\frac{1}{ad^3} \left(f^2 \left(-\frac{(dx + c)^2 (\cos(dx + c))^2}{2} + (dx + c) \left(\frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) - \frac{(dx + c)^2}{4} - \frac{(\sin(dx + c))^2}{4} \right) - 2c \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*cos(d*x+c)^3/(a+a*sin(d*x+c)),x)
```

```
[Out] -1/d^3/a*(f^2*(-1/2*(d*x+c)^2*cos(d*x+c)^2+(d*x+c)*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)-1/4*(d*x+c)^2-1/4*sin(d*x+c)^2)-2*c*f^2*(-1/2*(d*x+c)*cos(d*x+c)^2+1/4*cos(d*x+c)*sin(d*x+c)+1/4*d*x+1/4*c)+2*d*e*f*(-1/2*(d*x+c)*cos(d*x+c)^2+1/4*cos(d*x+c)*sin(d*x+c)+1/4*d*x+1/4*c)-1/2*c^2*f^2*cos(d*x+c)^2+c*d*e*f*cos(d*x+c)^2-1/2*d^2*e^2*cos(d*x+c)^2-f^2*((d*x+c)^2*sin(d*x+c)-2*sin(d*x+c)+2*(d*x+c)*cos(d*x+c))+2*c*f^2*(cos(d*x+c)+(d*x+c)*sin(d*x+c))-2*d*e*f*(cos(d*x+c)+(d*x+c)*sin(d*x+c))-sin(d*x+c)*c^2*f^2+2*sin(d*x+c)*c*d*e*f-sin(d*x+c)*d^2*e^2)
```

Maxima [A] time = 1.09502, size = 390, normalized size = 2.42

$$\frac{4(\sin(dx+c)^2-2 \sin(dx+c))e^2}{a} - \frac{8(\sin(dx+c)^2-2 \sin(dx+c))cef}{ad} + \frac{4(\sin(dx+c)^2-2 \sin(dx+c))c^2f^2}{ad^2} - \frac{2(2(dx+c) \cos(2dx+2c)+8(dx+c) \sin(dx+c)+8 \cos(2dx+2c))}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/8*(4*(\sin(dx + c)^2 - 2*\sin(dx + c))*e^2/a - 8*(\sin(dx + c)^2 - 2*\sin(dx + c))*c*ef/(a*d) + 4*(\sin(dx + c)^2 - 2*\sin(dx + c))*c^2*f^2/(a*d^2) - 2*(2*(dx + c)*\cos(2*dx + 2*c) + 8*(dx + c)*\sin(dx + c) + 8*\cos(dx + c) - \sin(2*dx + 2*c))*ef/(a*d) + 2*(2*(dx + c)*\cos(2*dx + 2*c) + 8*(dx + c)*\sin(dx + c) + 8*\cos(dx + c) - \sin(2*dx + 2*c))*c*f^2/(a*d^2) - ((2*(dx + c)^2 - 1)*\cos(2*dx + 2*c) + 16*(dx + c)*\cos(dx + c) - 2*(dx + c)*\sin(2*dx + 2*c) + 8*((dx + c)^2 - 2)*\sin(dx + c))*f^2/(a*d^2))/d$$

Fricas [A] time = 1.72647, size = 327, normalized size = 2.03

$$\frac{d^2 f^2 x^2 + 2 d^2 e f x - (2 d^2 f^2 x^2 + 4 d^2 e f x + 2 d^2 e^2 - f^2) \cos(dx + c)^2 - 8 (d f^2 x + d e f) \cos(dx + c) - 2 (2 d^2 f^2 x^2 + 4 d^2 e f x + 2 d^2 e^2 - f^2) \cos(dx + c)^2 - 8 (d f^2 x + d e f) \cos(dx + c) - 2 (2 d^2 f^2 x^2 + 4 d^2 e f x + 2 d^2 e^2 - f^2) \cos(dx + c)^2}{4 a d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(d^2*f^2*x^2 + 2*d^2*e*f*x - (2*d^2*f^2*x^2 + 4*d^2*e*f*x + 2*d^2*e^2 - f^2)*\cos(dx + c)^2 - 8*(d*f^2*x + d*e*f)*\cos(dx + c) - 2*(2*d^2*f^2*x^2 + 4*d^2*e*f*x + 2*d^2*e^2 - 4*f^2 - (d*f^2*x + d*e*f)*\cos(dx + c))*\sin(dx + c))/(a*d^3)$$

Sympy [A] time = 17.4589, size = 1705, normalized size = 10.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out]
$$\text{Piecewise}\left(\frac{24*d**2*e**2*\tan(c/2 + d*x/2)**3}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} - \frac{24*d**2*e**2*\tan(c/2 + d*x/2)**2}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{24*d**2*e**2*\tan(c/2 + d*x/2)}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{6*d**2*e*f*x*\tan(c/2 + d*x/2)**4}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{48*d**2*e*f*x*\tan(c/2 + d*x/2)**3}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} - \frac{36*d**2*e*f*x*\tan(c/2 + d*x/2)**2}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{48*d**2*e*f*x*\tan(c/2 + d*x/2)}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{6*d**2*e*f*x}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{3*d**2*f**2*x**2*\tan(c/2 + d*x/2)**4}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{24*d**2*f**2*x**2*\tan(c/2 + d*x/2)**3}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} - \frac{18*d**2*f**2*x**2*\tan(c/2 + d*x/2)**2}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{24*d**2*f**2*x**2*\tan(c/2 + d*x/2)}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} + \frac{3*d**2*f**2*x**2}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)} - \frac{28*d*e*f*\tan(c/2 + d*x/2)**4}{(12*a*d**3*\tan(c/2 + d*x/2)**4 + 24*a*d**3*\tan(c/2 + d*x/2)**2 + 12*a*d**3)}$$

```

*3*tan(c/2 + d*x/2)**2 + 12*a*d**3) + 12*d*e*f*tan(c/2 + d*x/2)**3/(12*a*d*
*3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) - 8*d*e
*f*tan(c/2 + d*x/2)**2/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 +
d*x/2)**2 + 12*a*d**3) - 12*d*e*f*tan(c/2 + d*x/2)/(12*a*d**3*tan(c/2 + d*
x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) + 20*d*e*f/(12*a*d**3*
tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) - 24*d*f**
2*x*tan(c/2 + d*x/2)**4/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2
+ d*x/2)**2 + 12*a*d**3) + 12*d*f**2*x*tan(c/2 + d*x/2)**3/(12*a*d**3*tan(c
/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) - 12*d*f**2*x*t
an(c/2 + d*x/2)/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)
**2 + 12*a*d**3) + 24*d*f**2*x/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*t
an(c/2 + d*x/2)**2 + 12*a*d**3) + 12*f**2*tan(c/2 + d*x/2)**4/(12*a*d**3*ta
n(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) - 48*f**2*ta
n(c/2 + d*x/2)**3/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/
2)**2 + 12*a*d**3) + 36*f**2*tan(c/2 + d*x/2)**2/(12*a*d**3*tan(c/2 + d*x/2
)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**3) - 48*f**2*tan(c/2 + d*x/2
)/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2 + 12*a*d**
3) + 12*f**2/(12*a*d**3*tan(c/2 + d*x/2)**4 + 24*a*d**3*tan(c/2 + d*x/2)**2
+ 12*a*d**3), Ne(d, 0)), ((e**2*x + e*f*x**2 + f**2*x**3/3)*cos(c)**3/(a*s
in(c) + a), True))

```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```


$$3.265 \quad \int \frac{(e+fx) \cos^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=91

$$\frac{f \cos(c+dx)}{ad^2} - \frac{f \sin(c+dx) \cos(c+dx)}{4ad^2} - \frac{(e+fx) \sin^2(c+dx)}{2ad} + \frac{(e+fx) \sin(c+dx)}{ad} + \frac{fx}{4ad}$$

[Out] (f*x)/(4*a*d) + (f*cos[c + d*x])/(a*d^2) + ((e + f*x)*Sin[c + d*x])/(a*d) - (f*cos[c + d*x]*Sin[c + d*x])/(4*a*d^2) - ((e + f*x)*Sin[c + d*x]^2)/(2*a*d)

Rubi [A] time = 0.0910735, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4523, 3296, 2638, 4404, 2635, 8}

$$\frac{f \cos(c+dx)}{ad^2} - \frac{f \sin(c+dx) \cos(c+dx)}{4ad^2} - \frac{(e+fx) \sin^2(c+dx)}{2ad} + \frac{(e+fx) \sin(c+dx)}{ad} + \frac{fx}{4ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] (f*x)/(4*a*d) + (f*cos[c + d*x])/(a*d^2) + ((e + f*x)*Sin[c + d*x])/(a*d) - (f*cos[c + d*x]*Sin[c + d*x])/(4*a*d^2) - ((e + f*x)*Sin[c + d*x]^2)/(2*a*d)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2635

Int[(b_.)*sin[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c

$+ d*x])^{(n - 2), x], x] /; FreeQ[\{b, c, d\}, x] \&\& GtQ[n, 1] \&\& IntegerQ[2*n]$

Rule 8

$Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]$

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos^3(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\int (e + fx) \cos(c + dx) dx}{a} - \frac{\int (e + fx) \cos(c + dx) \sin(c + dx) dx}{a} \\ &= \frac{(e + fx) \sin(c + dx)}{ad} - \frac{(e + fx) \sin^2(c + dx)}{2ad} + \frac{f \int \sin^2(c + dx) dx}{2ad} - \frac{f \int \sin(c + dx) dx}{ad} \\ &= \frac{f \cos(c + dx)}{ad^2} + \frac{(e + fx) \sin(c + dx)}{ad} - \frac{f \cos(c + dx) \sin(c + dx)}{4ad^2} - \frac{(e + fx) \sin^2(c + dx)}{2ad} + \dots \\ &= \frac{fx}{4ad} + \frac{f \cos(c + dx)}{ad^2} + \frac{(e + fx) \sin(c + dx)}{ad} - \frac{f \cos(c + dx) \sin(c + dx)}{4ad^2} - \frac{(e + fx) \sin^2(c + dx)}{2ad} + \dots \end{aligned}$$

Mathematica [A] time = 0.886143, size = 52, normalized size = 0.57

$$\frac{d(e + fx)(4 \sin(c + dx) + \cos(2(c + dx))) - f(\sin(c + dx) - 4) \cos(c + dx)}{4ad^2}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] $(-(f*\text{Cos}[c + d*x]*(-4 + \text{Sin}[c + d*x])) + d*(e + f*x)*(Cos[2*(c + d*x)] + 4*\text{Sin}[c + d*x]))/(4*a*d^2)$

Maple [A] time = 0.054, size = 114, normalized size = 1.3

$$-\frac{1}{ad^2} \left(f \left(-\frac{(dx+c) \cos(dx+c)^2}{2} + \frac{\cos(dx+c) \sin(dx+c)}{4} + \frac{dx}{4} + \frac{c}{4} \right) + \frac{cf \cos(dx+c)^2}{2} - \frac{(\cos(dx+c))^2 de}{2} - f(c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*cos(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] $-1/d^2/a*(f*(-1/2*(d*x+c)*\cos(d*x+c)^2+1/4*\cos(d*x+c)*\sin(d*x+c)+1/4*d*x+1/4*c)+1/2*c*f*\cos(d*x+c)^2-1/2*\cos(d*x+c)^2*d*e-f*(\cos(d*x+c)+(d*x+c)*\sin(d*x+c))+\sin(d*x+c)*c*f-\sin(d*x+c)*d*e)$

Maxima [A] time = 1.03606, size = 154, normalized size = 1.69

$$\frac{4(\sin(dx+c)^2-2 \sin(dx+c))e}{a} - \frac{4(\sin(dx+c)^2-2 \sin(dx+c))cf}{ad} - \frac{(2(dx+c) \cos(2 dx+2 c)+8(dx+c) \sin(dx+c)+8 \cos(dx+c)-\sin(2 dx+2 c))f}{ad}$$

$8d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/8*(4*(\sin(dx+c)^2 - 2*\sin(dx+c))*e/a - 4*(\sin(dx+c)^2 - 2*\sin(dx+c))*c*f/(a*d) - (2*(dx+c)*\cos(2*dx+2*c) + 8*(dx+c)*\sin(dx+c) + 8*\cos(dx+c) - \sin(2*dx+2*c))*f/(a*d))/d$$

Fricas [A] time = 1.6327, size = 167, normalized size = 1.84

$$\frac{dfx - 2(dfxc + de)\cos(dx+c)^2 - 4f\cos(dx+c) - (4dfx + 4de - f\cos(dx+c))\sin(dx+c)}{4ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(d*f*x - 2*(d*f*x + d*e)*\cos(dx+c)^2 - 4*f*\cos(dx+c) - (4*d*f*x + 4*d*e - f*\cos(dx+c))*\sin(dx+c))/(a*d^2)$$

Sympy [A] time = 10.7832, size = 787, normalized size = 8.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out]
$$\text{Piecewise}\left(\frac{24*d*e*\tan(c/2 + d*x/2)**3}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} - \frac{24*d*e*\tan(c/2 + d*x/2)**2}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{24*d*e*\tan(c/2 + d*x/2)}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{3*d*f*x*\tan(c/2 + d*x/2)**4}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{24*d*f*x*\tan(c/2 + d*x/2)**3}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} - \frac{18*d*f*x*\tan(c/2 + d*x/2)**2}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{24*d*f*x*\tan(c/2 + d*x/2)}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{3*d*f*x}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} - \frac{14*f*\tan(c/2 + d*x/2)**4}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{6*f*\tan(c/2 + d*x/2)**3}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} - \frac{4*f*\tan(c/2 + d*x/2)**2}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} - \frac{6*f*\tan(c/2 + d*x/2)}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)} + \frac{10*f}{(12*a*d**2*\tan(c/2 + d*x/2)**4 + 24*a*d**2*\tan(c/2 + d*x/2)**2 + 12*a*d**2)}, \text{Ne}(d, 0)), ((e*x + f*x**2/2)*\cos(c)**3/(a*\sin(c) + a), \text{True}))$$

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.266 \quad \int \frac{\cos^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=32

$$\frac{\sin(c+dx)}{ad} - \frac{\sin^2(c+dx)}{2ad}$$

[Out] Sin[c + d*x]/(a*d) - Sin[c + d*x]^2/(2*a*d)

Rubi [A] time = 0.045625, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 1, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$, Rules used = {2667}

$$\frac{\sin(c+dx)}{ad} - \frac{\sin^2(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] Sin[c + d*x]/(a*d) - Sin[c + d*x]^2/(2*a*d)

Rule 2667

Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{a+a \sin(c+dx)} dx &= \frac{\text{Subst}\left(\int (a-x) dx, x, a \sin(c+dx)\right)}{a^3 d} \\ &= \frac{\sin(c+dx)}{ad} - \frac{\sin^2(c+dx)}{2ad} \end{aligned}$$

Mathematica [A] time = 0.0423879, size = 24, normalized size = 0.75

$$-\frac{(\sin(c+dx)-2)\sin(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] -((-2 + Sin[c + d*x])*Sin[c + d*x])/(2*a*d)

Maple [A] time = 0.016, size = 28, normalized size = 0.9

$$-\frac{1}{da} \left(\frac{(\sin(dx+c))^2}{2} - \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3/(a+a*sin(d*x+c)),x)`

[Out] `-1/d/a*(1/2*sin(d*x+c)^2-sin(d*x+c))`

Maxima [A] time = 1.01049, size = 34, normalized size = 1.06

$$\frac{\sin(dx+c)^2 - 2 \sin(dx+c)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `-1/2*(sin(d*x + c)^2 - 2*sin(d*x + c))/(a*d)`

Fricas [A] time = 1.63596, size = 61, normalized size = 1.91

$$\frac{\cos(dx+c)^2 + 2 \sin(dx+c)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `1/2*(cos(d*x + c)^2 + 2*sin(d*x + c))/(a*d)`

Sympy [A] time = 7.35931, size = 158, normalized size = 4.94

$$\left\{ \begin{array}{ll} \frac{2 \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{2 \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} & \text{for } d \neq 0 \\ \frac{x \cos^3(c)}{a \sin(c) + a} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3/(a+a*sin(d*x+c)),x)`

[Out] `Piecewise((2*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**4 + 2*a*d*tan(c/2 + d*x/2)**2 + a*d) - 2*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**4 + 2*a*d*tan(c/2 + d*x/2)**2 + a*d) + 2*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**4 + 2*a*d*tan(c/2 + d*x/2)**2 + a*d), Ne(d, 0)), (x*cos(c)**3/(a*sin(c) + a), True))`

Giac [A] time = 1.14697, size = 34, normalized size = 1.06

$$\frac{\sin(dx+c)^2 - 2 \sin(dx+c)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/2*(sin(d*x + c)^2 - 2*sin(d*x + c))/(a*d)
```

$$3.267 \quad \int \frac{\cos^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=128

$$-\frac{\sin\left(2c - \frac{2de}{f}\right) \operatorname{CosIntegral}\left(\frac{2de}{f} + 2dx\right)}{2af} + \frac{\cos\left(c - \frac{de}{f}\right) \operatorname{CosIntegral}\left(\frac{de}{f} + dx\right)}{af} - \frac{\sin\left(c - \frac{de}{f}\right) \operatorname{Si}\left(\frac{de}{f} + dx\right)}{af} - \frac{\cos\left(2c - \frac{2de}{f}\right)}{2af}$$

[Out] (Cos[c - (d*e)/f]*CosIntegral[(d*e)/f + d*x])/(a*f) - (CosIntegral[(2*d*e)/f + 2*d*x]*Sin[2*c - (2*d*e)/f])/(2*a*f) - (Sin[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f) - (Cos[2*c - (2*d*e)/f]*SinIntegral[(2*d*e)/f + 2*d*x])/(2*a*f)

Rubi [A] time = 0.296219, antiderivative size = 128, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4523, 3303, 3299, 3302, 4406, 12}

$$-\frac{\sin\left(2c - \frac{2de}{f}\right) \operatorname{CosIntegral}\left(\frac{2de}{f} + 2dx\right)}{2af} + \frac{\cos\left(c - \frac{de}{f}\right) \operatorname{CosIntegral}\left(\frac{de}{f} + dx\right)}{af} - \frac{\sin\left(c - \frac{de}{f}\right) \operatorname{Si}\left(\frac{de}{f} + dx\right)}{af} - \frac{\cos\left(2c - \frac{2de}{f}\right)}{2af}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])),x]

[Out] (Cos[c - (d*e)/f]*CosIntegral[(d*e)/f + d*x])/(a*f) - (CosIntegral[(2*d*e)/f + 2*d*x]*Sin[2*c - (2*d*e)/f])/(2*a*f) - (Sin[c - (d*e)/f]*SinIntegral[(d*e)/f + d*x])/(a*f) - (Cos[2*c - (2*d*e)/f]*SinIntegral[(2*d*e)/f + 2*d*x])/(2*a*f)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 4406

Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx &= \frac{\int \frac{\cos(c+dx)}{e+fx} dx}{a} - \frac{\int \frac{\cos(c+dx)\sin(c+dx)}{e+fx} dx}{a} \\ &= -\frac{\int \frac{\sin(2c+2dx)}{2(e+fx)} dx}{a} + \frac{\cos\left(c-\frac{de}{f}\right) \int \frac{\cos\left(\frac{de}{f}+dx\right)}{e+fx} dx}{a} - \frac{\sin\left(c-\frac{de}{f}\right) \int \frac{\sin\left(\frac{de}{f}+dx\right)}{e+fx} dx}{a} \\ &= \frac{\cos\left(c-\frac{de}{f}\right) \text{Ci}\left(\frac{de}{f}+dx\right)}{af} - \frac{\sin\left(c-\frac{de}{f}\right) \text{Si}\left(\frac{de}{f}+dx\right)}{af} - \frac{\int \frac{\sin(2c+2dx)}{e+fx} dx}{2a} \\ &= \frac{\cos\left(c-\frac{de}{f}\right) \text{Ci}\left(\frac{de}{f}+dx\right)}{af} - \frac{\sin\left(c-\frac{de}{f}\right) \text{Si}\left(\frac{de}{f}+dx\right)}{af} - \frac{\cos\left(2c-\frac{2de}{f}\right) \int \frac{\sin\left(\frac{2de}{f}+2dx\right)}{e+fx} dx}{2a} \\ &= \frac{\cos\left(c-\frac{de}{f}\right) \text{Ci}\left(\frac{de}{f}+dx\right)}{af} - \frac{\text{Ci}\left(\frac{2de}{f}+2dx\right) \sin\left(2c-\frac{2de}{f}\right)}{2af} - \frac{\sin\left(c-\frac{de}{f}\right) \text{Si}\left(\frac{de}{f}+dx\right)}{af} \end{aligned}$$

Mathematica [A] time = 0.386467, size = 105, normalized size = 0.82

$$\frac{\sin\left(2c-\frac{2de}{f}\right) \text{CosIntegral}\left(\frac{2d(e+fx)}{f}\right) - 2\cos\left(c-\frac{de}{f}\right) \text{CosIntegral}\left(d\left(\frac{e}{f}+x\right)\right) + 2\sin\left(c-\frac{de}{f}\right) \text{Si}\left(d\left(\frac{e}{f}+x\right)\right) + \cos\left(2c-\frac{2de}{f}\right) \text{Si}\left(\frac{2de}{f}+2dx\right)}{2af}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])),x]

[Out] -(-2*Cos[c - (d*e)/f]*CosIntegral[d*(e/f + x)] + CosIntegral[(2*d*(e + f*x))/f]*Sin[2*c - (2*d*e)/f] + 2*Sin[c - (d*e)/f]*SinIntegral[d*(e/f + x)] + Cos[2*c - (2*d*e)/f]*SinIntegral[(2*d*(e + f*x))/f])/(2*a*f)

Maple [A] time = 0.051, size = 161, normalized size = 1.3

$$-\frac{1}{a} \left(\frac{1}{2f} \text{Si} \left(2dx + 2c + 2 \frac{-cf + de}{f} \right) \cos \left(2 \frac{-cf + de}{f} \right) - \frac{1}{2f} \text{Ci} \left(2dx + 2c + 2 \frac{-cf + de}{f} \right) \sin \left(2 \frac{-cf + de}{f} \right) - \frac{1}{f} \text{Si} \left(dx + c + \frac{-cf + de}{f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] -1/a*(1/2*Si(2*d*x+2*c+2*(-c*f+d*e)/f)*cos(2*(-c*f+d*e)/f)/f-1/2*Ci(2*d*x+2*c+2*(-c*f+d*e)/f)*sin(2*(-c*f+d*e)/f)/f-Si(d*x+c+(-c*f+d*e)/f)*sin((-c*f+d

$*e)/f)/f - \text{Ci}(d*x+c+(-c*f+d*e)/f)*\cos((-c*f+d*e)/f)/f)$

Maxima [C] time = 1.40728, size = 378, normalized size = 2.95

$$2d \left(E_1 \left(\frac{ide+i(dx+c)f-icf}{f} \right) + E_1 \left(-\frac{ide+i(dx+c)f-icf}{f} \right) \right) \cos \left(-\frac{de-cf}{f} \right) - d \left(i E_1 \left(\frac{2ide+2i(dx+c)f-2icf}{f} \right) - i E_1 \left(-\frac{2ide+2i(dx+c)f-2icf}{f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $-1/4*(2*d*(\exp_integral_e(1, (I*d*e + I*(d*x + c)*f - I*c*f)/f) + \exp_integral_e(1, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*\cos(-(d*e - c*f)/f) - d*(I*\exp_integral_e(1, (2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f) - I*\exp_integral_e(1, -(2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f))*\cos(-2*(d*e - c*f)/f) - d*(2*I*\exp_integral_e(1, (I*d*e + I*(d*x + c)*f - I*c*f)/f) - 2*I*\exp_integral_e(1, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*\sin(-(d*e - c*f)/f) - d*(\exp_integral_e(1, (2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f) + \exp_integral_e(1, -(2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f))*\sin(-2*(d*e - c*f)/f))/(a*d*f)$

Fricas [A] time = 1.72022, size = 412, normalized size = 3.22

$$\frac{2 \left(\text{Ci} \left(\frac{dfx+de}{f} \right) + \text{Ci} \left(-\frac{dfx+de}{f} \right) \right) \cos \left(-\frac{de-cf}{f} \right) - \left(\text{Ci} \left(\frac{2(dfx+de)}{f} \right) + \text{Ci} \left(-\frac{2(dfx+de)}{f} \right) \right) \sin \left(-\frac{2(de-cf)}{f} \right) - 2 \cos \left(-\frac{2(de-cf)}{f} \right) \text{Si} \left(\frac{2(de-cf)}{f} \right)}{4af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] $1/4*(2*(\cos_integral((d*f*x + d*e)/f) + \cos_integral(-(d*f*x + d*e)/f))*\cos(-(d*e - c*f)/f) - (\cos_integral(2*(d*f*x + d*e)/f) + \cos_integral(-2*(d*f*x + d*e)/f))*\sin(-2*(d*e - c*f)/f) - 2*\cos(-2*(d*e - c*f)/f)*\sin_integral(2*(d*f*x + d*e)/f) - 4*\sin(-(d*e - c*f)/f)*\sin_integral((d*f*x + d*e)/f))/(a*f)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [C] time = 2.10492, size = 6518, normalized size = 50.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/8*(3*\pi + 3*\pi*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + \\ & 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f) - 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f) + 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^4*\tan(d*e/f)^2*\tan(1/2*d*e/f) - 4*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 3*\pi*\tan(1/2*c)^4*\tan(d*e/f)^2 - 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2 + 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2 + 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2 + 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4*\tan(d*e/f)^2 - 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^4*\tan(d*e/f)^2 - 16*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f) - 16*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2*\tan(1/2*d*e/f) + 3*\pi*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 + 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 - 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 + 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^4*\tan(1/2*d*e/f)^2 - 16*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 16*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 32*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^3*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 6*\pi*\tan(1/2*c)^2*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 12*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 12*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 24*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^2*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f) - 4*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4*\tan(d*e/f) + 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2 - 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2 + 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2 + 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f)^2 + 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^3*\tan(d*e/f)^2 + 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f) - 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4*\tan(1/2*d*e/f) + 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^4*\tan(1/2*d*e/f) - 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f)^2 - 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f)^2 - 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f)^2 - 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^3*\tan(1/2*d*e/f)^2 + 24*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 24*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{im} \end{aligned}$$

$$\begin{aligned}
& \text{ag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 \\
& - 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 \\
& - 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 \\
& - 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 \\
& + 3*\pi*\tan(1/2*c)^4 + 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^4 \\
& - 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^4 + 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^4 \\
& + 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^4 + 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^4 \\
& - 16*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3*\tan(d*e/f) + 16*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3 \\
& *\tan(d*e/f) - 32*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^3*\tan(d*e/f) + 6*\pi*\tan(1/2*c)^2*\tan(d*e/f)^2 \\
& + 12*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f)^2 - 12*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2 \\
& *\tan(d*e/f)^2 + 24*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^2*\tan(d*e/f)^2 - 16*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f) \\
& - 16*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3*\tan(1/2*d*e/f) - 16*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f) \\
& - 16*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2*\tan(1/2*d*e/f) + 6*\pi*\tan(1/2*c)^2*\tan(1/2*d*e/f)^2 - 12*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2*\tan(1/2*d*e/f)^2 \\
& + 12*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2*\tan(1/2*d*e/f)^2 - 24*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^2*\tan(1/2*d*e/f)^2 + 16*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 16*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 32*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 3*\pi*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 - 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)^3 - 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)^3 - 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^3 - 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^3 + 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)^3 + 24*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f) + 24*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2*\tan(d*e/f) + 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2 - 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2 - 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2 - 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f)^2 + 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)*\tan(d*e/f)^2 - 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f) + 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(d*e/f)^2*\tan(1/2*d*e/f) - 16*\sin_integral((d*f*x + d*e)/f)*\tan(d*e/f)^2*\tan(1/2*d*e/f) - 8*\text{imag_part}(\cos_integral(d*x + d*e/f))*\tan(1/2*c)*\tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\cos_integral(-d*x - d*e/f))*\tan(1/2*c)*\tan(1/2*d*e/f)^2 + 8*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)*\tan(1/2*d*e/f)^2 + 8*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)*\tan(1/2*d*e/f)^2 - 16*\sin_integral((d*f*x + d*e)/f)*\tan(1/2*c)*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(d*e/f)*\tan(1/2*d*e/f)^2 - 4*\text{real_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(d*e/f)*\tan(1/2*d*e/f)^2 + 6*\pi*\tan(1/2*c)^2 - 12*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)^2 + 12*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)^2 - 24*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)^2 + 16*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f) - 16*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(1/2*c)*\tan(d*e/f) + 32*\sin_integral(2*(d*f*x + d*e)/f)*\tan(1/2*c)*\tan(d*e/f) + 3*\pi*\tan(d*e/f)^2 - 2*\text{imag_part}(\cos_integral(2*d*x + 2*d*e/f))*\tan(d*e/f)^2 + 2*\text{imag_part}(\cos_integral(-2*d*x - 2*d*e/f))*\tan(d*e/f)^2 - 4*\text{real_part}(\cos_integral(d*x + d*e/f))*\tan(d*e/f)^2 - 4*\text{real_part}(\cos_integral(-d*x - d*e/f))*\tan(d*e/f)^2 - 4*\sin_integral(2*(d*f*x + d*e)/f)*\tan(d*e/f)^2 - 16*\text{real_part}(\cos_integral(d*x +
\end{aligned}$$

$$\begin{aligned}
& d*e/f)) * \tan(1/2*c) * \tan(1/2*d*e/f) - 16*\text{real_part}(\text{cos_integral}(-d*x - d*e/f)) \\
& * \tan(1/2*c) * \tan(1/2*d*e/f) + 3*\pi * \tan(1/2*d*e/f)^2 + 2*\text{imag_part}(\text{cos_integ} \\
& \text{ral}(2*d*x + 2*d*e/f)) * \tan(1/2*d*e/f)^2 - 2*\text{imag_part}(\text{cos_integral}(-2*d*x - \\
& 2*d*e/f)) * \tan(1/2*d*e/f)^2 + 4*\text{real_part}(\text{cos_integral}(d*x + d*e/f)) * \tan(1/2 \\
& *d*e/f)^2 + 4*\text{real_part}(\text{cos_integral}(-d*x - d*e/f)) * \tan(1/2*d*e/f)^2 + 4*\text{si} \\
& \text{n_integral}(2*(d*f*x + d*e)/f) * \tan(1/2*d*e/f)^2 + 8*\text{imag_part}(\text{cos_integral}(d \\
& *x + d*e/f)) * \tan(1/2*c) - 8*\text{imag_part}(\text{cos_integral}(-d*x - d*e/f)) * \tan(1/2*c \\
&) + 8*\text{real_part}(\text{cos_integral}(2*d*x + 2*d*e/f)) * \tan(1/2*c) + 8*\text{real_part}(\text{cos} \\
& _integral(-2*d*x - 2*d*e/f)) * \tan(1/2*c) + 16*\text{sin_integral}((d*f*x + d*e)/f) * \\
& \tan(1/2*c) - 4*\text{real_part}(\text{cos_integral}(2*d*x + 2*d*e/f)) * \tan(d*e/f) - 4*\text{real} \\
& _part(\text{cos_integral}(-2*d*x - 2*d*e/f)) * \tan(d*e/f) - 8*\text{imag_part}(\text{cos_integral} \\
& (d*x + d*e/f)) * \tan(1/2*d*e/f) + 8*\text{imag_part}(\text{cos_integral}(-d*x - d*e/f)) * \tan \\
& (1/2*d*e/f) - 16*\text{sin_integral}((d*f*x + d*e)/f) * \tan(1/2*d*e/f) + 2*\text{imag_part} \\
& (\text{cos_integral}(2*d*x + 2*d*e/f)) - 2*\text{imag_part}(\text{cos_integral}(-2*d*x - 2*d*e/f \\
&)) - 4*\text{real_part}(\text{cos_integral}(d*x + d*e/f)) - 4*\text{real_part}(\text{cos_integral}(-d*x \\
& - d*e/f)) + 4*\text{sin_integral}(2*(d*f*x + d*e)/f)) / (a*f*\tan(1/2*c)^4*\tan(d*e/f \\
&)^2*\tan(1/2*d*e/f)^2 + a*f*\tan(1/2*c)^4*\tan(d*e/f)^2 + a*f*\tan(1/2*c)^4*\tan \\
& (1/2*d*e/f)^2 + 2*a*f*\tan(1/2*c)^2*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + a*f*\tan(\\
& 1/2*c)^4 + 2*a*f*\tan(1/2*c)^2*\tan(d*e/f)^2 + 2*a*f*\tan(1/2*c)^2*\tan(1/2*d*e \\
& /f)^2 + a*f*\tan(d*e/f)^2*\tan(1/2*d*e/f)^2 + 2*a*f*\tan(1/2*c)^2 + a*f*\tan(d* \\
& e/f)^2 + a*f*\tan(1/2*d*e/f)^2 + a*f)
\end{aligned}$$

$$3.268 \quad \int \frac{\cos^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=175

$$-\frac{d \sin\left(c - \frac{de}{f}\right) \operatorname{CosIntegral}\left(\frac{de}{f} + dx\right)}{af^2} - \frac{d \cos\left(2c - \frac{2de}{f}\right) \operatorname{CosIntegral}\left(\frac{2de}{f} + 2dx\right)}{af^2} + \frac{d \sin\left(2c - \frac{2de}{f}\right) \operatorname{Si}\left(\frac{2de}{f} + 2dx\right)}{af^2} - \frac{d \cos\left(2c - \frac{2de}{f}\right) \operatorname{Ci}\left(\frac{2de}{f} + 2dx\right)}{af^2}$$

[Out] $-(\operatorname{Cos}[c + d*x]/(a*f*(e + f*x))) - (d*\operatorname{Cos}[2*c - (2*d*e)/f]*\operatorname{CosIntegral}[(2*d*e)/f + 2*d*x])/(a*f^2) - (d*\operatorname{CosIntegral}[(d*e)/f + d*x]*\operatorname{Sin}[c - (d*e)/f])/(a*f^2) + \operatorname{Sin}[2*c + 2*d*x]/(2*a*f*(e + f*x)) - (d*\operatorname{Cos}[c - (d*e)/f]*\operatorname{SinIntegral}[(d*e)/f + d*x])/(a*f^2) + (d*\operatorname{Sin}[2*c - (2*d*e)/f]*\operatorname{SinIntegral}[(2*d*e)/f + 2*d*x])/(a*f^2)$

Rubi [A] time = 0.334109, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4523, 3297, 3303, 3299, 3302, 4406, 12}

$$-\frac{d \sin\left(c - \frac{de}{f}\right) \operatorname{CosIntegral}\left(\frac{de}{f} + dx\right)}{af^2} - \frac{d \cos\left(2c - \frac{2de}{f}\right) \operatorname{CosIntegral}\left(\frac{2de}{f} + 2dx\right)}{af^2} + \frac{d \sin\left(2c - \frac{2de}{f}\right) \operatorname{Si}\left(\frac{2de}{f} + 2dx\right)}{af^2} - \frac{d \cos\left(2c - \frac{2de}{f}\right) \operatorname{Ci}\left(\frac{2de}{f} + 2dx\right)}{af^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Cos}[c + d*x]^3/((e + f*x)^2*(a + a*\operatorname{Sin}[c + d*x])), x]$

[Out] $-(\operatorname{Cos}[c + d*x]/(a*f*(e + f*x))) - (d*\operatorname{Cos}[2*c - (2*d*e)/f]*\operatorname{CosIntegral}[(2*d*e)/f + 2*d*x])/(a*f^2) - (d*\operatorname{CosIntegral}[(d*e)/f + d*x]*\operatorname{Sin}[c - (d*e)/f])/(a*f^2) + \operatorname{Sin}[2*c + 2*d*x]/(2*a*f*(e + f*x)) - (d*\operatorname{Cos}[c - (d*e)/f]*\operatorname{SinIntegral}[(d*e)/f + d*x])/(a*f^2) + (d*\operatorname{Sin}[2*c - (2*d*e)/f]*\operatorname{SinIntegral}[(2*d*e)/f + 2*d*x])/(a*f^2)$

Rule 4523

$\operatorname{Int}[(\operatorname{Cos}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\operatorname{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \operatorname{Dist}[1/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^{(n - 2)}, x], x] - \operatorname{Dist}[1/b, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^{(n - 2)}*\operatorname{Sin}[c + d*x], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \operatorname{IGtQ}[n, 1] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

Rule 3297

$\operatorname{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\operatorname{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{LtQ}[m, -1]$

Rule 3303

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{NeQ}[d*e - c*f, 0]$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx &= \frac{\int \frac{\cos(c+dx)}{(e+fx)^2} dx}{a} - \frac{\int \frac{\cos(c+dx)\sin(c+dx)}{(e+fx)^2} dx}{a} \\ &= -\frac{\cos(c+dx)}{af(e+fx)} - \frac{\int \frac{\sin(2c+2dx)}{2(e+fx)^2} dx}{a} - \frac{d \int \frac{\sin(c+dx)}{e+fx} dx}{af} \\ &= -\frac{\cos(c+dx)}{af(e+fx)} - \frac{\int \frac{\sin(2c+2dx)}{(e+fx)^2} dx}{2a} - \frac{\left(d \cos\left(c - \frac{de}{f}\right)\right) \int \frac{\sin\left(\frac{de}{f}+dx\right)}{e+fx} dx}{af} - \frac{\left(d \sin\left(c - \frac{de}{f}\right)\right) \int \frac{\cos\left(\frac{de}{f}+dx\right)}{e+fx} dx}{af} \\ &= -\frac{\cos(c+dx)}{af(e+fx)} - \frac{d \operatorname{Ci}\left(\frac{de}{f}+dx\right) \sin\left(c - \frac{de}{f}\right)}{af^2} + \frac{\sin(2c+2dx)}{2af(e+fx)} - \frac{d \cos\left(c - \frac{de}{f}\right) \operatorname{Si}\left(\frac{de}{f}+dx\right)}{af^2} \\ &= -\frac{\cos(c+dx)}{af(e+fx)} - \frac{d \operatorname{Ci}\left(\frac{de}{f}+dx\right) \sin\left(c - \frac{de}{f}\right)}{af^2} + \frac{\sin(2c+2dx)}{2af(e+fx)} - \frac{d \cos\left(c - \frac{de}{f}\right) \operatorname{Si}\left(\frac{de}{f}+dx\right)}{af^2} \\ &= -\frac{\cos(c+dx)}{af(e+fx)} - \frac{d \cos\left(2c - \frac{2de}{f}\right) \operatorname{Ci}\left(\frac{2de}{f}+2dx\right)}{af^2} - \frac{d \operatorname{Ci}\left(\frac{de}{f}+dx\right) \sin\left(c - \frac{de}{f}\right)}{af^2} + \frac{\sin(2c+2dx)}{2af(e+fx)} \end{aligned}$$

Mathematica [A] time = 0.571508, size = 203, normalized size = 1.16

$$\frac{-2d(e+fx) \sin\left(c - \frac{de}{f}\right) \operatorname{CosIntegral}\left(d\left(\frac{e}{f}+x\right)\right) - 2d(e+fx) \cos\left(2c - \frac{2de}{f}\right) \operatorname{CosIntegral}\left(\frac{2d(e+fx)}{f}\right) + 2de \sin\left(2c - \frac{2de}{f}\right) \operatorname{Si}\left(\frac{de}{f}+dx\right)}{af^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])),x]
```

```
[Out] (-2*f*Cos[c + d*x] - 2*d*(e + f*x)*Cos[2*c - (2*d*e)/f]*CosIntegral[(2*d*(e
+ f*x))/f] - 2*d*(e + f*x)*CosIntegral[d*(e/f + x)]*Sin[c - (d*e)/f] + f*Si
n[2*(c + d*x)] - 2*d*e*Cos[c - (d*e)/f]*SinIntegral[d*(e/f + x)] - 2*d*f*x
*Cos[c - (d*e)/f]*SinIntegral[d*(e/f + x)] + 2*d*e*Sin[2*c - (2*d*e)/f]*Sin
```

Integral[(2*d*(e + f*x))/f] + 2*d*f*x*Sin[2*c - (2*d*e)/f]*SinIntegral[(2*d*(e + f*x))/f]/(2*a*f^2*(e + f*x))

Maple [A] time = 0.049, size = 230, normalized size = 1.3

$$-\frac{d}{a} \left(-\frac{\sin(2dx + 2c)}{(2(dx + c)f - 2cf + 2de)f} + \frac{1}{2f} \left(2\frac{1}{f} \operatorname{Si} \left(2dx + 2c + 2\frac{-cf + de}{f} \right) \sin \left(2\frac{-cf + de}{f} \right) + 2\frac{1}{f} \operatorname{Ci} \left(2dx + 2c + 2\frac{-cf + de}{f} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x)

[Out] -d/a*(-1/2*sin(2*d*x+2*c)/((d*x+c)*f-c*f+d*e)/f+1/2*(2*Si(2*d*x+2*c+2*(-c*f+d*e)/f)*sin(2*(-c*f+d*e)/f)/f+2*Ci(2*d*x+2*c+2*(-c*f+d*e)/f)*cos(2*(-c*f+d*e)/f)/f)/f+cos(d*x+c)/((d*x+c)*f-c*f+d*e)/f+(Si(d*x+c+(-c*f+d*e)/f)*cos((-c*f+d*e)/f)/f-Ci(d*x+c+(-c*f+d*e)/f)*sin((-c*f+d*e)/f)/f)/f

Maxima [C] time = 1.61909, size = 414, normalized size = 2.37

$$2d^2 \left(E_2 \left(\frac{ide+i(dx+c)f-icf}{f} \right) + E_2 \left(-\frac{ide+i(dx+c)f-icf}{f} \right) \right) \cos \left(-\frac{de-cf}{f} \right) - d^2 \left(i E_2 \left(\frac{2ide+2i(dx+c)f-2icf}{f} \right) - i E_2 \left(-\frac{2ide+2i(dx+c)f-2icf}{f} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] -1/4*(2*d^2*(exp_integral_e(2, (I*d*e + I*(d*x + c)*f - I*c*f)/f) + exp_integral_e(2, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*cos(-(d*e - c*f)/f) - d^2*(I*exp_integral_e(2, (2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f) - I*exp_integral_e(2, -(2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f))*cos(-2*(d*e - c*f)/f) - d^2*(2*I*exp_integral_e(2, (I*d*e + I*(d*x + c)*f - I*c*f)/f) - 2*I*exp_integral_e(2, -(I*d*e + I*(d*x + c)*f - I*c*f)/f))*sin(-(d*e - c*f)/f) - d^2*(exp_integral_e(2, (2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f) + exp_integral_e(2, -(2*I*d*e + 2*I*(d*x + c)*f - 2*I*c*f)/f))*sin(-2*(d*e - c*f)/f))/((a*d*e*f + (d*x + c)*a*f^2 - a*c*f^2)*d)

Fricas [A] time = 1.92626, size = 610, normalized size = 3.49

$$2f \cos(dx + c) \sin(dx + c) + 2(dx + de) \sin \left(-\frac{2(de-cf)}{f} \right) \operatorname{Si} \left(\frac{2(dfx+de)}{f} \right) - 2(dfx + de) \cos \left(-\frac{de-cf}{f} \right) \operatorname{Si} \left(\frac{dfx+de}{f} \right) - 2f \cos$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*f*cos(d*x + c)*sin(d*x + c) + 2*(d*f*x + d*e)*sin(-2*(d*e - c*f)/f)*sin_integral(2*(d*f*x + d*e)/f) - 2*(d*f*x + d*e)*cos(-(d*e - c*f)/f)*sin_integral((d*f*x + d*e)/f) - 2*f*cos(d*x + c) - ((d*f*x + d*e)*cos_integral(2*(d*f*x + d*e)/f) + (d*f*x + d*e)*cos_integral(-2*(d*f*x + d*e)/f))*cos(-2*

$(d*e - c*f)/f) - ((d*f*x + d*e)*\cos_integral((d*f*x + d*e)/f) + (d*f*x + d*e)*\cos_integral(-(d*f*x + d*e)/f))*\sin(-(d*e - c*f)/f))/(a*f^3*x + a*e*f^2)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c)^3}{(fx + e)^2(a \sin(dx + c) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(cos(d*x + c)^3/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.269 \quad \int \frac{(e+fx)^3 \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=502

$$\frac{3f^2(e+fx)\text{PolyLog}\left(3, -ie^{i(c+dx)}\right)}{ad^3} + \frac{3f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} + \frac{3if(e+fx)^2\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{2ad^2} - \frac{3if(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{2ad^2}$$

[Out] (((-3*I)/2)*f*(e + f*x)^2)/(a*d^2) - ((6*I)*f^2*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d^3) - (I*(e + f*x)^3*ArcTan[E^(I*(c + d*x))])/(a*d) + (3*f^2*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/(a*d^3) + ((3*I)*f^3*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^4) + (((3*I)/2)*f*(e + f*x)^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - ((3*I)*f^3*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^4) - (((3*I)/2)*f*(e + f*x)^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/2)*f^3*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^4) - (3*f^2*(e + f*x)*PolyLog[3, (-I)*E^(I*(c + d*x))])/(a*d^3) + (3*f^2*(e + f*x)*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f^3*PolyLog[4, (-I)*E^(I*(c + d*x))])/(a*d^4) + ((3*I)*f^3*PolyLog[4, I*E^(I*(c + d*x))])/(a*d^4) - (3*f*(e + f*x)^2*Sec[c + d*x])/(2*a*d^2) - ((e + f*x)^3*Sec[c + d*x]^2)/(2*a*d) + (3*f*(e + f*x)^2*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)^3*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)

Rubi [A] time = 0.488311, antiderivative size = 502, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 13, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4531, 4186, 4181, 2279, 2391, 2531, 6609, 2282, 6589, 4409, 4184, 3719, 2190}

$$\frac{3f^2(e+fx)\text{PolyLog}\left(3, -ie^{i(c+dx)}\right)}{ad^3} + \frac{3f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{ad^3} + \frac{3if(e+fx)^2\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{2ad^2} - \frac{3if(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{2ad^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] (((-3*I)/2)*f*(e + f*x)^2)/(a*d^2) - ((6*I)*f^2*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d^3) - (I*(e + f*x)^3*ArcTan[E^(I*(c + d*x))])/(a*d) + (3*f^2*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/(a*d^3) + ((3*I)*f^3*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^4) + (((3*I)/2)*f*(e + f*x)^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - ((3*I)*f^3*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^4) - (((3*I)/2)*f*(e + f*x)^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/2)*f^3*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^4) - (3*f^2*(e + f*x)*PolyLog[3, (-I)*E^(I*(c + d*x))])/(a*d^3) + (3*f^2*(e + f*x)*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^3) - ((3*I)*f^3*PolyLog[4, (-I)*E^(I*(c + d*x))])/(a*d^4) + ((3*I)*f^3*PolyLog[4, I*E^(I*(c + d*x))])/(a*d^4) - (3*f*(e + f*x)^2*Sec[c + d*x])/(2*a*d^2) - ((e + f*x)^3*Sec[c + d*x]^2)/(2*a*d) + (3*f*(e + f*x)^2*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)^3*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)

Rule 4531

Int[(((e_.) + (f_.)*(x_))^(m_.)*Sec[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]

Rule 4186

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -

1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4409

Int[((c_.) + (d_.)*(x_.))^(m_.)*Sec[(a_.) + (b_.)*(x_.)]^(n_.)*Tan[(a_.) + (b_.)*(x_.)]^(p_.), x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] -

Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rubi steps

$$\int \frac{(e + fx)^3 \sec(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx)^3 \sec^3(c + dx) dx}{a} - \frac{\int (e + fx)^3 \sec^2(c + dx) \tan(c + dx) dx}{a}$$

$$= -\frac{3f(e + fx)^2 \sec(c + dx)}{2ad^2} - \frac{(e + fx)^3 \sec^2(c + dx)}{2ad} + \frac{(e + fx)^3 \sec(c + dx) \tan(c + dx)}{2ad} + \dots$$

$$= -\frac{6if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{ad} - \frac{3f(e + fx)^2 \sec(c + dx)}{2ad^2} - \dots$$

$$= -\frac{3if(e + fx)^2}{2ad^2} - \frac{6if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{3if(e + fx)^2 \sec(c + dx)}{2ad^2} + \dots$$

$$= -\frac{3if(e + fx)^2}{2ad^2} - \frac{6if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{3f^2(e + fx) \log(e + fx)}{a} + \dots$$

$$= -\frac{3if(e + fx)^2}{2ad^2} - \frac{6if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{3f^2(e + fx) \log(e + fx)}{a} + \dots$$

Mathematica [A] time = 8.75896, size = 865, normalized size = 1.72

$$\frac{(e + fx)^3 (\cos(c) + i \sin(c)) \left(\frac{(\cos(c) - i \sin(c))(e + fx)^4}{4f} + \frac{\log(-i \cos(c + dx) - \sin(c + dx) + 1)(-i \cos(c) - \sin(c) + 1)}{d} \right)}{2ad \left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \right)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sec[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] (x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3))/(8*a*(Cos[c/2] - Sin[c/2]))*(Cos[c/2] + Sin[c/2]) - ((Cos[c] + I*Sin[c])*((e + f*x)^3*Log[1 - I*Cos[c

$$\begin{aligned}
& + d*x] - \sin[c + d*x]]*(1 - I*\cos[c] - \sin[c])/d + ((e + f*x)^4*(\cos[c] - \\
& I*\sin[c]))/(4*f) + (3*f*(d^2*(e + f*x)^2*\text{PolyLog}[2, I*\cos[c + d*x] + \sin[c] \\
& + d*x]] - (2*I)*d*f*(e + f*x)*\text{PolyLog}[3, I*\cos[c + d*x] + \sin[c + d*x]] - \\
& 2*f^2*\text{PolyLog}[4, I*\cos[c + d*x] + \sin[c + d*x]])*(\cos[c] + I*(-1 + \sin[c])) \\
& *(I*\cos[c] + \sin[c])/d^4)/(2*a*(\cos[c] + I*(-1 + \sin[c]))) - ((12*f^2 + d \\
& ^2*(e + f*x)^2)^2 + 12*f^2*(d^2*e^2 + 4*f^2)*\text{PolyLog}[2, (-I)*\cos[c + d*x] - \\
& \sin[c + d*x]]*(1 - I*\cos[c] + \sin[c]) + 24*d*e*f^3*(d*x*\text{PolyLog}[2, (-I)*\cos \\
& [c + d*x] - \sin[c + d*x]] - I*\text{PolyLog}[3, (-I)*\cos[c + d*x] - \sin[c + d*x]] \\
&)*(1 - I*\cos[c] + \sin[c]) + 12*f^4*(d^2*x^2*\text{PolyLog}[2, (-I)*\cos[c + d*x] - \\
& \sin[c + d*x]] - (2*I)*d*x*\text{PolyLog}[3, (-I)*\cos[c + d*x] - \sin[c + d*x]] - 2* \\
& \text{PolyLog}[4, (-I)*\cos[c + d*x] - \sin[c + d*x]])*(1 - I*\cos[c] + \sin[c]) - 12* \\
& d*f^2*(d^2*e^2 + 4*f^2)*x*\text{Log}[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(\cos[c] + \\
& I*(1 + \sin[c])) - 12*d^3*e*f^3*x^2*\text{Log}[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(\\
& \cos[c] + I*(1 + \sin[c])) - 4*d^3*f^4*x^3*\text{Log}[1 + I*\cos[c + d*x] + \sin[c + d \\
& *x]]*(\cos[c] + I*(1 + \sin[c])) + (4*I)*d*e*f*(d^2*e^2 + 12*f^2)*(d*x + I*\text{Lo} \\
& g[\cos[c + d*x] + I*(1 + \sin[c + d*x])])*(\cos[c] + I*(1 + \sin[c]))/(8*a*d^4 \\
& *f*(\cos[c] + I*(1 + \sin[c]))) - (e + f*x)^3/(2*a*d*(\cos[c/2 + (d*x)/2] + \text{Si} \\
& n[c/2 + (d*x)/2])^2) + (3*(e^2*f*\sin[(d*x)/2] + 2*e*f^2*x*\sin[(d*x)/2] + f^ \\
& 3*x^2*\sin[(d*x)/2]))/(a*d^2*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \text{Si} \\
& n[c/2 + (d*x)/2]))
\end{aligned}$$

Maple [B] time = 0.26, size = 1265, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out]
$$\begin{aligned}
& -3/2/d/a*\ln(1+I*\exp(I*(d*x+c)))*e^2*f*x-3/2/d^2/a*\ln(1+I*\exp(I*(d*x+c)))*c* \\
& e^2*f-6*I/d^3/a*f^3*c*x+3/2*I/d^2/a*e^2*f*polylog(2,-I*\exp(I*(d*x+c)))-3/2* \\
& I/d^2/a*e^2*f*polylog(2,I*\exp(I*(d*x+c)))-3/2*I/d^2/a*f^3*polylog(2,I*\exp(I \\
& *(d*x+c)))*x^2+3/2*I/d^2/a*f^3*polylog(2,-I*\exp(I*(d*x+c)))*x^2-1/2/d^4/a*f \\
& ^3*\ln(1+I*\exp(I*(d*x+c)))*c^3-3/2/d^3/a*e*f^2*c^2*\ln(\exp(I*(d*x+c))-I)+3/2/ \\
& d^2/a*e^2*f*c*\ln(\exp(I*(d*x+c))-I)-1/2/d/a*f^3*\ln(1+I*\exp(I*(d*x+c)))*x^3-1 \\
& /2/d/a*e^3*\ln(\exp(I*(d*x+c))-I)+6/d^3/a*e*f^2*\ln(\exp(I*(d*x+c))+I)-3/d^3/a* \\
& e*f^2*polylog(3,-I*\exp(I*(d*x+c)))-6/d^3/a*e*f^2*\ln(\exp(I*(d*x+c)))+1/2/d^4 \\
& /a*f^3*c^3*\ln(\exp(I*(d*x+c))-I)+6/d^4/a*f^3*c*\ln(\exp(I*(d*x+c)))-6/d^4/a*f^ \\
& 3*c*\ln(\exp(I*(d*x+c))+I)-3/d^3/a*f^3*polylog(3,-I*\exp(I*(d*x+c)))*x+6/d^3/a \\
& *f^3*\ln(1-I*\exp(I*(d*x+c)))*x+6/d^4/a*f^3*\ln(1-I*\exp(I*(d*x+c)))*c-3*I/d^2/ \\
& a*f^3*x^2-6*I/d^4/a*f^3*polylog(2,I*\exp(I*(d*x+c)))-3*I/d^4/a*f^3*c^2+3/2/d \\
& ^3/a*\ln(1+I*\exp(I*(d*x+c)))*c^2*e*f^2-3/2/d/a*\ln(1+I*\exp(I*(d*x+c)))*e*f^2* \\
& x^2-3*I/d^2/a*polylog(2,I*\exp(I*(d*x+c)))*e*f^2*x+1/2/a/d*\ln(\exp(I*(d*x+c)) \\
& +I)*e^3-3*I*f^3*polylog(4,-I*\exp(I*(d*x+c)))/a/d^4-1/2/a/d^4*f^3*c^3*\ln(\exp \\
& (I*(d*x+c))+I)+3/a/d^3*e*f^2*polylog(3,I*\exp(I*(d*x+c)))+3/a/d^3*f^3*polylo \\
& g(3,I*\exp(I*(d*x+c)))*x+3*I/d^2/a*polylog(2,-I*\exp(I*(d*x+c)))*e*f^2*x+3*I* \\
& f^3*polylog(4,I*\exp(I*(d*x+c)))/a/d^4+1/2/a/d^4*f^3*c^3*\ln(1-I*\exp(I*(d*x+c) \\
&))+1/2/a/d*f^3*\ln(1-I*\exp(I*(d*x+c)))*x^3-I*(d*f^3*x^3*\exp(I*(d*x+c))+3*d* \\
& e*f^2*x^2*\exp(I*(d*x+c))+3*d*e^2*f*x*\exp(I*(d*x+c))+d*e^3*\exp(I*(d*x+c))+3* \\
& f^3*x^2-3*I*f^3*x^2*\exp(I*(d*x+c))+6*e*f^2*x-6*I*e*f^2*x*\exp(I*(d*x+c))+3*e \\
& ^2*f-3*I*e^2*f*\exp(I*(d*x+c))/d^2/(\exp(I*(d*x+c))+I)^2/a+3/2/a/d*e*f^2*\ln(\\
& 1-I*\exp(I*(d*x+c)))*x^2-3/2/a/d^3*e*f^2*c^2*\ln(1-I*\exp(I*(d*x+c)))+3/2/a/d* \\
& e^2*f*\ln(1-I*\exp(I*(d*x+c)))*x+3/2/a/d^2*e^2*f*\ln(1-I*\exp(I*(d*x+c)))*c-3/2 \\
& /a/d^2*e^2*f*c*\ln(\exp(I*(d*x+c))+I)+3/2/a/d^3*e*f^2*c^2*\ln(\exp(I*(d*x+c))+I) \\
&)
\end{aligned}$$

Maxima [B] time = 5.55909, size = 5164, normalized size = 10.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $\frac{1}{4} * (3 * c * e^{2 * f} * (2 / (a * d * \sin(d * x + c) + a * d) - \log(\sin(d * x + c) + 1) / (a * d) + \log(\sin(d * x + c) - 1) / (a * d)) + e^3 * (\log(\sin(d * x + c) + 1) / a - \log(\sin(d * x + c) - 1) / a - 2 / (a * \sin(d * x + c) + a)) - 4 * (12 * d^2 * e^{2 * f} - 24 * c * d * e * f^2 + 12 * c^2 * f^3 + (6 * (c^2 + 4) * d * e * f^2 - 2 * (c^3 + 12 * c) * f^3 - 2 * (3 * (c^2 + 4) * d * e * f^2 - (c^3 + 12 * c) * f^3) * \cos(2 * d * x + 2 * c) - ((12 * I * c^2 + 48 * I) * d * e * f^2 + (-4 * I * c^3 - 48 * I * c) * f^3) * \cos(d * x + c) - ((6 * I * c^2 + 24 * I) * d * e * f^2 + (-2 * I * c^3 - 24 * I * c) * f^3) * \sin(2 * d * x + 2 * c) + 4 * (3 * (c^2 + 4) * d * e * f^2 - (c^3 + 12 * c) * f^3) * \sin(d * x + c)) * \arctan2(\sin(d * x + c) + 1, \cos(d * x + c)) - (6 * c^2 * d * e * f^2 - 2 * c^3 * f^3 - 2 * (3 * c^2 * d * e * f^2 - c^3 * f^3) * \cos(2 * d * x + 2 * c) + (-12 * I * c^2 * d * e * f^2 + 4 * I * c^3 * f^3) * \cos(d * x + c) + (-6 * I * c^2 * d * e * f^2 + 2 * I * c^3 * f^3) * \sin(2 * d * x + 2 * c) + 4 * (3 * c^2 * d * e * f^2 - c^3 * f^3) * \sin(d * x + c)) * \arctan2(\sin(d * x + c) - 1, \cos(d * x + c)) - (2 * (d * x + c)^3 * f^3 + 6 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 6 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (c^2 + 4) * f^3) * (d * x + c) - 2 * ((d * x + c)^3 * f^3 + 3 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 3 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (c^2 + 4) * f^3) * (d * x + c)) * \cos(2 * d * x + 2 * c) + (-4 * I * (d * x + c)^3 * f^3 + (-12 * I * d * e * f^2 + 12 * I * c * f^3) * (d * x + c)^2 + (-12 * I * d^2 * e^{2 * f} + 24 * I * c * d * e * f^2 + (-12 * I * c^2 - 48 * I) * f^3) * (d * x + c)) * \cos(d * x + c) + (-2 * I * (d * x + c)^3 * f^3 + (-6 * I * d * e * f^2 + 6 * I * c * f^3) * (d * x + c)^2 + (-6 * I * d^2 * e^{2 * f} + 12 * I * c * d * e * f^2 + (-6 * I * c^2 - 24 * I) * f^3) * (d * x + c)) * \sin(2 * d * x + 2 * c) + 4 * ((d * x + c)^3 * f^3 + 3 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 3 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (c^2 + 4) * f^3) * (d * x + c)) * \sin(d * x + c)) * \arctan2(\cos(d * x + c), \sin(d * x + c) + 1) - (2 * (d * x + c)^3 * f^3 + 6 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 6 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + c^2 * f^3) * (d * x + c) - 2 * ((d * x + c)^3 * f^3 + 3 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 3 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + c^2 * f^3) * (d * x + c)) * \cos(2 * d * x + 2 * c) + (-4 * I * (d * x + c)^3 * f^3 + (-12 * I * d * e * f^2 + 12 * I * c * f^3) * (d * x + c)^2 + (-12 * I * d^2 * e^{2 * f} + 24 * I * c * d * e * f^2 - 12 * I * c^2 * f^3) * (d * x + c)) * \cos(d * x + c) + (-2 * I * (d * x + c)^3 * f^3 + (-6 * I * d * e * f^2 + 6 * I * c * f^3) * (d * x + c)^2 + (-6 * I * d^2 * e^{2 * f} + 12 * I * c * d * e * f^2 - 6 * I * c^2 * f^3) * (d * x + c)) * \sin(2 * d * x + 2 * c) + 4 * ((d * x + c)^3 * f^3 + 3 * (d * e * f^2 - c * f^3) * (d * x + c)^2 + 3 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + c^2 * f^3) * (d * x + c)) * \sin(d * x + c)) * \arctan2(\cos(d * x + c), -\sin(d * x + c) + 1) + 12 * ((d * x + c)^2 * f^3 + 2 * (d * e * f^2 - c * f^3) * (d * x + c)) * \cos(2 * d * x + 2 * c) + (4 * (d * x + c)^3 * f^3 - 12 * I * d^2 * e^{2 * f} + 12 * (c^2 + 2 * I * c) * d * e * f^2 - 4 * (c^3 + 3 * I * c^2) * f^3 + (12 * d * e * f^2 - (12 * c - 12 * I) * f^3) * (d * x + c)^2 + (12 * d^2 * e^{2 * f} - (24 * c - 24 * I) * d * e * f^2 + 12 * (c^2 - 2 * I * c) * f^3) * (d * x + c)) * \cos(d * x + c) - (6 * d^2 * e^{2 * f} - 12 * c * d * e * f^2 + 6 * (d * x + c)^2 * f^3 + 6 * (c^2 + 4) * f^3 + 12 * (d * e * f^2 - c * f^3) * (d * x + c) - 6 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (d * x + c)^2 * f^3 + (c^2 + 4) * f^3 + 2 * (d * e * f^2 - c * f^3) * (d * x + c)) * \cos(2 * d * x + 2 * c) + (-12 * I * d^2 * e^{2 * f} + 24 * I * c * d * e * f^2 - 12 * I * (d * x + c)^2 * f^3 + (-12 * I * c^2 - 48 * I) * f^3 + (-24 * I * d * e * f^2 + 24 * I * c * f^3) * (d * x + c)) * \cos(d * x + c) + (-6 * I * d^2 * e^{2 * f} + 12 * I * c * d * e * f^2 - 6 * I * (d * x + c)^2 * f^3 + (-6 * I * c^2 - 24 * I) * f^3 + (-12 * I * d * e * f^2 + 12 * I * c * f^3) * (d * x + c)) * \sin(2 * d * x + 2 * c) + 12 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (d * x + c)^2 * f^3 + (c^2 + 4) * f^3 + 2 * (d * e * f^2 - c * f^3) * (d * x + c)) * \sin(d * x + c)) * \operatorname{dilog}(I * e^{(I * d * x + I * c)}) + (6 * d^2 * e^{2 * f} - 12 * c * d * e * f^2 + 6 * (d * x + c)^2 * f^3 + 6 * c^2 * f^3 + 12 * (d * e * f^2 - c * f^3) * (d * x + c) - 6 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (d * x + c)^2 * f^3 + c^2 * f^3 + 2 * (d * e * f^2 - c * f^3) * (d * x + c)) * \cos(2 * d * x + 2 * c) - (12 * I * d^2 * e^{2 * f} - 24 * I * c * d * e * f^2 + 12 * I * (d * x + c)^2 * f^3 + 12 * I * c^2 * f^3 + (24 * I * d * e * f^2 - 24 * I * c * f^3) * (d * x + c)) * \cos(d * x + c) - (6 * I * d^2 * e^{2 * f} - 12 * I * c * d * e * f^2 + 6 * I * (d * x + c)^2 * f^3 + 6 * I * c^2 * f^3 + (12 * I * d * e * f^2 - 12 * I * c * f^3) * (d * x + c)) * \sin(2 * d * x + 2 * c) + 12 * (d^2 * e^{2 * f} - 2 * c * d * e * f^2 + (d * x + c)^2 * f^3 + c^2 * f^3 + 2 * (d * e * f^2 - c * f^3) * (d * x + c)) * \sin(d * x + c)) * \operatorname{dilog}(-I * e^{(I * d * x + I * c)}) - (I * (d * x + c)^3 * f^3 + (3 * I * c^2 + 12 * I) * d * e * f^2 + (-I * c^3 - 12 * I * c) * f^3 + (3 * I * d * e * f^2$

$$\begin{aligned}
& 2 - 3I*c*f^3)*(d*x + c)^2 + (3*I*d^2*e^2*f - 6*I*c*d*e*f^2 + (3*I*c^2 + 12 \\
& *I)*f^3)*(d*x + c) + (-I*(d*x + c)^3*f^3 + (-3*I*c^2 - 12*I)*d*e*f^2 + (I*c \\
& ^3 + 12*I*c)*f^3 + (-3*I*d*e*f^2 + 3*I*c*f^3)*(d*x + c)^2 + (-3*I*d^2*e^2*f \\
& + 6*I*c*d*e*f^2 + (-3*I*c^2 - 12*I)*f^3)*(d*x + c))*\cos(2*d*x + 2*c) + 2*(\\
& (d*x + c)^3*f^3 + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)*f^3 + 3*(d*e*f^2 - c*f \\
& ^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + (c^2 + 4)*f^3)*(d*x + c))*\co \\
& s(d*x + c) + ((d*x + c)^3*f^3 + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)*f^3 + 3* \\
& (d*e*f^2 - c*f^3)*(d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + (c^2 + 4)*f^3) \\
& *(d*x + c))*\sin(2*d*x + 2*c) + (2*I*(d*x + c)^3*f^3 + (6*I*c^2 + 24*I)*d*e* \\
& f^2 + (-2*I*c^3 - 24*I*c)*f^3 + (6*I*d*e*f^2 - 6*I*c*f^3)*(d*x + c)^2 + (6* \\
& I*d^2*e^2*f - 12*I*c*d*e*f^2 + (6*I*c^2 + 24*I)*f^3)*(d*x + c))*\sin(d*x + c \\
&))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) - (-3*I*c^2*d* \\
& e*f^2 - I*(d*x + c)^3*f^3 + I*c^3*f^3 + (-3*I*d*e*f^2 + 3*I*c*f^3)*(d*x + c \\
&)^2 + (-3*I*d^2*e^2*f + 6*I*c*d*e*f^2 - 3*I*c^2*f^3)*(d*x + c) + (3*I*c^2*d \\
& *e*f^2 + I*(d*x + c)^3*f^3 - I*c^3*f^3 + (3*I*d*e*f^2 - 3*I*c*f^3)*(d*x + c \\
&)^2 + (3*I*d^2*e^2*f - 6*I*c*d*e*f^2 + 3*I*c^2*f^3)*(d*x + c))*\cos(2*d*x + \\
& 2*c) - 2*(3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3)*(\\
& d*x + c)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\cos(d*x + c) \\
& - (3*c^2*d*e*f^2 + (d*x + c)^3*f^3 - c^3*f^3 + 3*(d*e*f^2 - c*f^3)*(d*x + c \\
&)^2 + 3*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + c))*\sin(2*d*x + 2*c) + (\\
& -6*I*c^2*d*e*f^2 - 2*I*(d*x + c)^3*f^3 + 2*I*c^3*f^3 + (-6*I*d*e*f^2 + 6*I* \\
& c*f^3)*(d*x + c)^2 + (-6*I*d^2*e^2*f + 12*I*c*d*e*f^2 - 6*I*c^2*f^3)*(d*x + \\
& c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 - 2*\sin(d*x + c) + 1 \\
&) - (12*f^3*\cos(2*d*x + 2*c) + 24*I*f^3*\cos(d*x + c) + 12*I*f^3*\sin(2*d*x + \\
& 2*c) - 24*f^3*\sin(d*x + c) - 12*f^3)*\text{polylog}(4, I*e^{(I*d*x + I*c)}) + (12*f \\
& ^3*\cos(2*d*x + 2*c) + 24*I*f^3*\cos(d*x + c) + 12*I*f^3*\sin(2*d*x + 2*c) - 2 \\
& 4*f^3*\sin(d*x + c) - 12*f^3)*\text{polylog}(4, -I*e^{(I*d*x + I*c)}) - (12*I*d*e*f^2 \\
& + 12*I*(d*x + c)*f^3 - 12*I*c*f^3 + (-12*I*d*e*f^2 - 12*I*(d*x + c)*f^3 + \\
& 12*I*c*f^3)*\cos(2*d*x + 2*c) + 24*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\cos(d*x \\
& + c) + 12*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(2*d*x + 2*c) + (24*I*d*e*f \\
& ^2 + 24*I*(d*x + c)*f^3 - 24*I*c*f^3)*\sin(d*x + c))*\text{polylog}(3, I*e^{(I*d*x + \\
& I*c)}) - (-12*I*d*e*f^2 - 12*I*(d*x + c)*f^3 + 12*I*c*f^3 + (12*I*d*e*f^2 + \\
& 12*I*(d*x + c)*f^3 - 12*I*c*f^3)*\cos(2*d*x + 2*c) - 24*(d*e*f^2 + (d*x + c \\
&)*f^3 - c*f^3)*\cos(d*x + c) - 12*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(2*d* \\
& x + 2*c) + (-24*I*d*e*f^2 - 24*I*(d*x + c)*f^3 + 24*I*c*f^3)*\sin(d*x + c))* \\
& \text{polylog}(3, -I*e^{(I*d*x + I*c)}) - (-12*I*(d*x + c)^2*f^3 + (-24*I*d*e*f^2 + \\
& 24*I*c*f^3)*(d*x + c))*\sin(2*d*x + 2*c) - (-4*I*(d*x + c)^3*f^3 - 12*d^2*e^ \\
& 2*f + (-12*I*c^2 + 24*c)*d*e*f^2 + (4*I*c^3 - 12*c^2)*f^3 - 12*(I*d*e*f^2 + \\
& (-I*c - 1)*f^3)*(d*x + c)^2 + (-12*I*d^2*e^2*f - 24*(-I*c - 1)*d*e*f^2 + (\\
& -12*I*c^2 - 24*c)*f^3)*(d*x + c))*\sin(d*x + c))/(-4*I*a*d^3*\cos(2*d*x + 2*c \\
&) + 8*a*d^3*\cos(d*x + c) + 4*a*d^3*\sin(2*d*x + 2*c) + 8*I*a*d^3*\sin(d*x + c \\
&) + 4*I*a*d^3))/d
\end{aligned}$$

Fricas [C] time = 3.15735, size = 4439, normalized size = 8.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/4*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 6*d^3*e^2*f*x + 2*d^3*e^3 + 6*(d^2* \\
& f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f)*\cos(d*x + c) - (-3*I*d^2*f^3*x^2 - 6*I \\
& *d^2*e*f^2*x - 3*I*d^2*e^2*f + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^ \\
& 2*e^2*f)*\sin(d*x + c))*\text{dilog}(I*\cos(d*x + c) + \sin(d*x + c)) - (-3*I*d^2*f^3 \\
& *x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f - 12*I*f^3 + (-3*I*d^2*f^3*x^2 - 6*I \\
& *d^2*e*f^2*x - 3*I*d^2*e^2*f - 12*I*f^3)*\sin(d*x + c))*\text{dilog}(I*\cos(d*x + c)
\end{aligned}$$

```

- sin(d*x + c)) - (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f + (3*
I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f)*sin(d*x + c))*dilog(-I*cos
(d*x + c) + sin(d*x + c)) - (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^
2*f + 12*I*f^3 + (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f + 12*I*
f^3)*sin(d*x + c))*dilog(-I*cos(d*x + c) - sin(d*x + c)) - (d^3*e^3 - 3*c*d
^2*e^2*f + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)*f^3 + (d^3*e^3 - 3*c*d^2*e^2*
f + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)*f^3)*sin(d*x + c))*log(cos(d*x + c)
+ I*sin(d*x + c) + I) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3
+ (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*sin(d*x + c))*log(cos
(d*x + c) - I*sin(d*x + c) + I) - (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*
e^2*f - 3*c^2*d*e*f^2 + (c^3 + 12*c)*f^3 + 3*(d^3*e^2*f + 4*d*f^3)*x + (d^3
*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + (c^3 + 12*c)*f
^3 + 3*(d^3*e^2*f + 4*d*f^3)*x)*sin(d*x + c))*log(I*cos(d*x + c) + sin(d*x
+ c) + 1) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f
- 3*c^2*d*e*f^2 + c^3*f^3 + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x
+ 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*sin(d*x + c))*log(I*cos(d*x + c)
- sin(d*x + c) + 1) - (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c
^2*d*e*f^2 + (c^3 + 12*c)*f^3 + 3*(d^3*e^2*f + 4*d*f^3)*x + (d^3*f^3*x^3 +
3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + (c^3 + 12*c)*f^3 + 3*(d^3
*e^2*f + 4*d*f^3)*x)*sin(d*x + c))*log(-I*cos(d*x + c) + sin(d*x + c) + 1)
+ (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*
e*f^2 + c^3*f^3 + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*
e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*sin(d*x + c))*log(-I*cos(d*x + c) - sin(d*
x + c) + 1) - (d^3*e^3 - 3*c*d^2*e^2*f + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)
*f^3 + (d^3*e^3 - 3*c*d^2*e^2*f + 3*(c^2 + 4)*d*e*f^2 - (c^3 + 12*c)*f^3)*s
in(d*x + c))*log(-cos(d*x + c) + I*sin(d*x + c) + I) + (d^3*e^3 - 3*c*d^2*e
^2*f + 3*c^2*d*e*f^2 - c^3*f^3 + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 -
c^3*f^3)*sin(d*x + c))*log(-cos(d*x + c) - I*sin(d*x + c) + I) - (6*I*f^3*
sin(d*x + c) + 6*I*f^3)*polylog(4, I*cos(d*x + c) + sin(d*x + c)) - (6*I*f^
3*sin(d*x + c) + 6*I*f^3)*polylog(4, I*cos(d*x + c) - sin(d*x + c)) - (-6*I
*f^3*sin(d*x + c) - 6*I*f^3)*polylog(4, -I*cos(d*x + c) + sin(d*x + c)) - (
-6*I*f^3*sin(d*x + c) - 6*I*f^3)*polylog(4, -I*cos(d*x + c) - sin(d*x + c))
+ 6*(d*f^3*x + d*e*f^2 + (d*f^3*x + d*e*f^2)*sin(d*x + c))*polylog(3, I*co
s(d*x + c) + sin(d*x + c)) - 6*(d*f^3*x + d*e*f^2 + (d*f^3*x + d*e*f^2)*sin
(d*x + c))*polylog(3, I*cos(d*x + c) - sin(d*x + c)) + 6*(d*f^3*x + d*e*f^2
+ (d*f^3*x + d*e*f^2)*sin(d*x + c))*polylog(3, -I*cos(d*x + c) + sin(d*x +
c)) - 6*(d*f^3*x + d*e*f^2 + (d*f^3*x + d*e*f^2)*sin(d*x + c))*polylog(3,
-I*cos(d*x + c) - sin(d*x + c)))/(a*d^4*sin(d*x + c) + a*d^4)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^3 \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^3 x^3 \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3ef^2 x^2 \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{3e^2 f x \sec(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] (Integral(e**3*sec(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**3*x**3*sec(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e*f**2*x**2*sec(c + d*x)/(sin(c + d*x) + 1), x) + Integral(3*e**2*f*x*sec(c + d*x)/(sin(c + d*x) + 1), x))/a

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sec(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*sec(d*x + c)/(a*sin(d*x + c) + a), x)
```

$$3.270 \quad \int \frac{(e+fx)^2 \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=278

$$\frac{if(e+fx)\text{PolyLog}(2, -ie^{i(c+dx)})}{ad^2} - \frac{if(e+fx)\text{PolyLog}(2, ie^{i(c+dx)})}{ad^2} - \frac{f^2\text{PolyLog}(3, -ie^{i(c+dx)})}{ad^3} + \frac{f^2\text{PolyLog}(3, ie^{i(c+dx)})}{ad^3}$$

[Out] $((-I)*(e + f*x)^2*\text{ArcTan}[E^{(I*(c + d*x))}])/(a*d) + (f^2*\text{ArcTanh}[\text{Sin}[c + d*x]])/(a*d^3) + (f^2*\text{Log}[\text{Cos}[c + d*x]])/(a*d^3) + (I*f*(e + f*x)*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}])/(a*d^2) - (I*f*(e + f*x)*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2) - (f^2*\text{PolyLog}[3, (-I)*E^{(I*(c + d*x))}])/(a*d^3) + (f^2*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^3) - (f*(e + f*x)*\text{Sec}[c + d*x])/(a*d^2) - ((e + f*x)^2*\text{Sec}[c + d*x]^2)/(2*a*d) + (f*(e + f*x)*\text{Tan}[c + d*x])/(a*d^2) + ((e + f*x)^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d)$

Rubi [A] time = 0.266679, antiderivative size = 278, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {4531, 4186, 3770, 4181, 2531, 2282, 6589, 4409, 4184, 3475}

$$\frac{if(e+fx)\text{PolyLog}(2, -ie^{i(c+dx)})}{ad^2} - \frac{if(e+fx)\text{PolyLog}(2, ie^{i(c+dx)})}{ad^2} - \frac{f^2\text{PolyLog}(3, -ie^{i(c+dx)})}{ad^3} + \frac{f^2\text{PolyLog}(3, ie^{i(c+dx)})}{ad^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] $((-I)*(e + f*x)^2*\text{ArcTan}[E^{(I*(c + d*x))}])/(a*d) + (f^2*\text{ArcTanh}[\text{Sin}[c + d*x]])/(a*d^3) + (f^2*\text{Log}[\text{Cos}[c + d*x]])/(a*d^3) + (I*f*(e + f*x)*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}])/(a*d^2) - (I*f*(e + f*x)*\text{PolyLog}[2, I*E^{(I*(c + d*x))}])/(a*d^2) - (f^2*\text{PolyLog}[3, (-I)*E^{(I*(c + d*x))}])/(a*d^3) + (f^2*\text{PolyLog}[3, I*E^{(I*(c + d*x))}])/(a*d^3) - (f*(e + f*x)*\text{Sec}[c + d*x])/(a*d^2) - ((e + f*x)^2*\text{Sec}[c + d*x]^2)/(2*a*d) + (f*(e + f*x)*\text{Tan}[c + d*x])/(a*d^2) + ((e + f*x)^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d)$

Rule 4531

Int[((e_.) + (f_.)*(x_))^(m_.)*Sec[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]

Rule 4186

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol]
:> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(e + fx)^2 \sec(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx)^2 \sec^3(c + dx) dx}{a} - \frac{\int (e + fx)^2 \sec^2(c + dx) \tan(c + dx) dx}{a}$$

$$= -\frac{f(e + fx) \sec(c + dx)}{ad^2} - \frac{(e + fx)^2 \sec^2(c + dx)}{2ad} + \frac{(e + fx)^2 \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int (e + fx)^2 \sec^3(c + dx) dx}{a}$$

$$= -\frac{i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{f^2 \tanh^{-1}(\sin(c + dx))}{ad^3} - \frac{f(e + fx) \sec(c + dx)}{ad^2} - \frac{(e + fx)^2 \sec^2(c + dx)}{2ad}$$

$$= -\frac{i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{f^2 \tanh^{-1}(\sin(c + dx))}{ad^3} + \frac{f^2 \log(\cos(c + dx))}{ad^3} + \frac{if(e + fx) \sec(c + dx)}{ad^2}$$

$$= -\frac{i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{f^2 \tanh^{-1}(\sin(c + dx))}{ad^3} + \frac{f^2 \log(\cos(c + dx))}{ad^3} + \frac{if(e + fx) \sec(c + dx)}{ad^2}$$

$$= -\frac{i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{f^2 \tanh^{-1}(\sin(c + dx))}{ad^3} + \frac{f^2 \log(\cos(c + dx))}{ad^3} + \frac{if(e + fx) \sec(c + dx)}{ad^2}$$

Mathematica [B] time = 8.01837, size = 670, normalized size = 2.41

$$(\cos(c) + i \sin(c)) \left(2ef(\cos(c) - i(\sin(c) + 1)) \text{PolyLog}(2, -\sin(c + dx) - i \cos(c + dx)) + \frac{2f^2(\cos(c) - i \sin(c))(\sin(c) - i \cos(c) + 1)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^2*Sec[c + d*x])/(a + a*Sin[c + d*x]),x]
```

```
[Out] -((e + f*x)^3/((-I + E^(I*c))*f) + (3*(e + f*x)^2*Log[1 - I/E^(I*(c + d*x))])/d + (6*f*(I*d*(e + f*x)*PolyLog[2, I/E^(I*(c + d*x))] + f*PolyLog[3, I/E^(I*(c + d*x))])/d^3)/(6*a) + (x*(3*e^2 + 3*e*f*x + f^2*x^2))/(6*a*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])) - ((Cos[c] + I*Sin[c])*(d^2*e*f*x^2*Cos[c] + (d^2*e^2 + 4*f^2)*x*(Cos[c] - I*Sin[c]) + (d^2*f^2*x^3*(Cos[c] - I*Sin[c])))/3 - I*d^2*e*f*x^2*Sin[c] + (2*f^2*(d*x*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]])*(Cos[c] - I*Sin[c])*(1 - I*Cos[c] + Sin[c]))/d + 2*e*f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])) - 2*d*e*f*x*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] - I*Sin[c])*(Cos[c] + I*(1 + Sin[c])) - d*f^2*x^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] - I*Sin[c])*(Cos[c] + I*(1 + Sin[c])) + ((d^2*e^2 + 4*f^2)*(d*x + I*Log[Cos[c + d*x] + I*(1 + Sin[c + d*x]))]*(I*Cos[c] + Sin[c])*(Cos[c] + I*(1 + Sin[c])))/d)/(2*a*d^2*(Cos[c] + I*(1 + Sin[c]))) - (e + f*x)^2/(2*a*d*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2) + (2*(e*f*Sin[(d*x)/2] + f^2*x*Sin[(d*x)/2]))/(a*d^2*(Cos[c/2 + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))
```

Maple [B] time = 0.181, size = 677, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sec(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] -I/d^2/a*e*f*polylog(2,I*exp(I*(d*x+c)))-f^2*polylog(3,-I*exp(I*(d*x+c)))/a/d^3+1/a/d*f*e*ln(1-I*exp(I*(d*x+c)))*x+1/a/d^2*f*e*ln(1-I*exp(I*(d*x+c)))*
```

$$\begin{aligned}
& c-1/a/d^2*f*e*c*\ln(\exp(I*(d*x+c))+I)+1/2/a/d*f^2*\ln(1-I*\exp(I*(d*x+c)))*x^2 \\
& -1/2/a/d^3*f^2*\ln(1-I*\exp(I*(d*x+c)))*c^2+1/d^2/a*e*f*c*\ln(\exp(I*(d*x+c))-I) \\
& -I*(d*f^2*x^2*\exp(I*(d*x+c))+2*d*e*f*x*\exp(I*(d*x+c))+d*e^2*\exp(I*(d*x+c)) \\
& +2*f^2*x-2*I*f^2*x*\exp(I*(d*x+c))+2*e*f-2*I*e*f*\exp(I*(d*x+c)))/d^2/(\exp(I*(d*x+c))+I)^2/a-I/d^2/a*\text{polylog}(2,I*\exp(I*(d*x+c)))*f^2*x+1/2/a/d*\ln(\exp(I*(d*x+c))+I)*e^2+1/2/d^3/a*\ln(1+I*\exp(I*(d*x+c)))*c^2*f^2+I/d^2/a*\text{polylog}(2,-I*\exp(I*(d*x+c)))*f^2*x+I/d^2/a*e*f*\text{polylog}(2,-I*\exp(I*(d*x+c)))-1/2/d/a*\ln(1+I*\exp(I*(d*x+c)))*f^2*x^2-1/d/a*\ln(1+I*\exp(I*(d*x+c)))*e*f*x-1/d^2/a*\ln(1+I*\exp(I*(d*x+c)))*c*e*f+1/2/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c))+I)+f^2*\text{polylog}(3,I*\exp(I*(d*x+c)))/a/d^3-1/2/d^3/a*f^2*c^2*\ln(\exp(I*(d*x+c))-I)-2/d^3/a*f^2*\ln(\exp(I*(d*x+c)))+2/d^3/a*f^2*\ln(\exp(I*(d*x+c))+I)-1/2/d/a*e^2*\ln(\exp(I*(d*x+c))-I)
\end{aligned}$$

Maxima [B] time = 2.28636, size = 2596, normalized size = 9.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $1/4*(2*c*e*f*(2/(a*d*\sin(d*x + c) + a*d) - \log(\sin(d*x + c) + 1)/(a*d) + \log(\sin(d*x + c) - 1)/(a*d)) + e^2*(\log(\sin(d*x + c) + 1)/a - \log(\sin(d*x + c) - 1)/a - 2/(a*\sin(d*x + c) + a)) - 4*(8*(d*x + c)*f^2*\cos(2*d*x + 2*c) + 8*I*(d*x + c)*f^2*\sin(2*d*x + 2*c) + 8*d*e*f - 8*c*f^2 - (2*(c^2 + 4)*f^2*\cos(2*d*x + 2*c) + (4*I*c^2 + 16*I)*f^2*\cos(d*x + c) + (2*I*c^2 + 8*I)*f^2*\sin(2*d*x + 2*c) - 4*(c^2 + 4)*f^2*\sin(d*x + c) - 2*(c^2 + 4)*f^2*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) + (2*c^2*f^2*\cos(2*d*x + 2*c) + 4*I*c^2*f^2*\cos(d*x + c) + 2*I*c^2*f^2*\sin(2*d*x + 2*c) - 4*c^2*f^2*\sin(d*x + c) - 2*c^2*f^2*\arctan2(\sin(d*x + c) - 1, \cos(d*x + c)) - (2*(d*x + c)^2*f^2 + 4*(d*e*f - c*f^2)*(d*x + c) - 2*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + (-4*I*(d*x + c)^2*f^2 + (-8*I*d*e*f + 8*I*c*f^2)*(d*x + c))*\cos(d*x + c) + (-2*I*(d*x + c)^2*f^2 + (-4*I*d*e*f + 4*I*c*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + 4*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) - (2*(d*x + c)^2*f^2 + 4*(d*e*f - c*f^2)*(d*x + c) - 2*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + (-4*I*(d*x + c)^2*f^2 + (-8*I*d*e*f + 8*I*c*f^2)*(d*x + c))*\cos(d*x + c) + (-2*I*(d*x + c)^2*f^2 + (-4*I*d*e*f + 4*I*c*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + 4*((d*x + c)^2*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\sin(d*x + c))*\arctan2(\cos(d*x + c), -\sin(d*x + c) + 1) + (4*(d*x + c)^2*f^2 - 8*I*d*e*f + 4*(c^2 + 2*I*c)*f^2 + (8*d*e*f - (8*c - 8*I)*f^2)*(d*x + c))*\cos(d*x + c) - (4*d*e*f + 4*(d*x + c)*f^2 - 4*c*f^2 - 4*(d*e*f + (d*x + c)*f^2 - c*f^2)*\cos(2*d*x + 2*c) + (-8*I*d*e*f - 8*I*(d*x + c)*f^2 + 8*I*c*f^2)*\cos(d*x + c) + (-4*I*d*e*f - 4*I*(d*x + c)*f^2 + 4*I*c*f^2)*\sin(2*d*x + 2*c) + 8*(d*e*f + (d*x + c)*f^2 - c*f^2)*\sin(d*x + c))*\text{dilog}(I*e^(I*d*x + I*c)) + (4*d*e*f + 4*(d*x + c)*f^2 - 4*c*f^2 - 4*(d*e*f + (d*x + c)*f^2 - c*f^2)*\cos(2*d*x + 2*c) - (8*I*d*e*f + 8*I*(d*x + c)*f^2 - 8*I*c*f^2)*\cos(d*x + c) - (4*I*d*e*f + 4*I*(d*x + c)*f^2 - 4*I*c*f^2)*\sin(2*d*x + 2*c) + 8*(d*e*f + (d*x + c)*f^2 - c*f^2)*\sin(d*x + c))*\text{dilog}(-I*e^(I*d*x + I*c)) - (I*(d*x + c)^2*f^2 + (I*c^2 + 4*I)*f^2 + (2*I*d*e*f - 2*I*c*f^2)*(d*x + c) + (-I*(d*x + c)^2*f^2 + (-I*c^2 - 4*I)*f^2 + (-2*I*d*e*f + 2*I*c*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + 2*((d*x + c)^2*f^2 + (c^2 + 4)*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\cos(d*x + c) + ((d*x + c)^2*f^2 + (c^2 + 4)*f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (2*I*(d*x + c)^2*f^2 + (2*I*c^2 + 8*I)*f^2 + (4*I*d*e*f - 4*I*c*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) - (-I*(d*x + c)^2*f^2 - I*c^2*f^2 + (-2*I*d*e*f + 2*I*c*f^2)*(d*x + c) + (I*(d*x + c)^2*f^2 + I*c^2*f^2 + (2*$

$$\begin{aligned} & I*d*e*f - 2*I*c*f^2*(d*x + c))*\cos(2*d*x + 2*c) - 2*((d*x + c)^2*f^2 + c^2 \\ & *f^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\cos(d*x + c) - ((d*x + c)^2*f^2 + c^2*f \\ & ^2 + 2*(d*e*f - c*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (-2*I*(d*x + c)^2*f^2 \\ & - 2*I*c^2*f^2 + (-4*I*d*e*f + 4*I*c*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d \\ & *x + c)^2 + \sin(d*x + c)^2 - 2*\sin(d*x + c) + 1) - (-4*I*f^2*\cos(2*d*x + 2* \\ & c) + 8*f^2*\cos(d*x + c) + 4*f^2*\sin(2*d*x + 2*c) + 8*I*f^2*\sin(d*x + c) + 4 \\ & *I*f^2)*\text{polylog}(3, I*e^{(I*d*x + I*c)}) - (4*I*f^2*\cos(2*d*x + 2*c) - 8*f^2*c \\ & \cos(d*x + c) - 4*f^2*\sin(2*d*x + 2*c) - 8*I*f^2*\sin(d*x + c) - 4*I*f^2)*\text{poly} \\ & \log(3, -I*e^{(I*d*x + I*c)}) - (-4*I*(d*x + c)^2*f^2 - 8*d*e*f + (-4*I*c^2 + \\ & 8*c)*f^2 - 8*(I*d*e*f + (-I*c - 1)*f^2)*(d*x + c))*\sin(d*x + c))/(-4*I*a*d^ \\ & 2*\cos(2*d*x + 2*c) + 8*a*d^2*\cos(d*x + c) + 4*a*d^2*\sin(2*d*x + 2*c) + 8*I \\ & a*d^2*\sin(d*x + c) + 4*I*a*d^2))/d \end{aligned}$$

Fricas [C] time = 2.6464, size = 2646, normalized size = 9.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4*(2*d^2*f^2*x^2 + 4*d^2*e*f*x + 2*d^2*e^2 + 4*(d*f^2*x + d*e*f)*\cos(d*x \\ & + c) - (-2*I*d*f^2*x - 2*I*d*e*f + (-2*I*d*f^2*x - 2*I*d*e*f)*\sin(d*x + c) \\ &)*\text{dilog}(I*\cos(d*x + c) + \sin(d*x + c)) - (-2*I*d*f^2*x - 2*I*d*e*f + (-2*I* \\ & d*f^2*x - 2*I*d*e*f)*\sin(d*x + c))*\text{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) - (\\ & 2*I*d*f^2*x + 2*I*d*e*f + (2*I*d*f^2*x + 2*I*d*e*f)*\sin(d*x + c))*\text{dilog}(-I* \\ & \cos(d*x + c) + \sin(d*x + c)) - (2*I*d*f^2*x + 2*I*d*e*f + (2*I*d*f^2*x + 2* \\ & I*d*e*f)*\sin(d*x + c))*\text{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) - (d^2*e^2 - 2 \\ & *c*d*e*f + (c^2 + 4)*f^2 + (d^2*e^2 - 2*c*d*e*f + (c^2 + 4)*f^2)*\sin(d*x + \\ & c))*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2 \\ & + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*\sin(d*x + c))*\log(\cos(d*x + c) - I*\sin(d \\ & *x + c) + I) - (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2 + (d^2*f^2* \\ & x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\log(I*\cos(d*x + c) + \\ & \sin(d*x + c) + 1) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2 + (d^ \\ & 2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\log(I*\cos(d*x \\ & + c) - \sin(d*x + c) + 1) - (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2 \\ & + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\log(-I*c \\ & \cos(d*x + c) + \sin(d*x + c) + 1) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - \\ & c^2*f^2 + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*\sin(d*x + c))*\text{l} \\ & \log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) - (d^2*e^2 - 2*c*d*e*f + (c^2 + 4)*f \\ & ^2 + (d^2*e^2 - 2*c*d*e*f + (c^2 + 4)*f^2)*\sin(d*x + c))*\log(-\cos(d*x + c) \\ & + I*\sin(d*x + c) + I) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2 + (d^2*e^2 - 2*c*d*e \\ & *f + c^2*f^2)*\sin(d*x + c))*\log(-\cos(d*x + c) - I*\sin(d*x + c) + I) + 2*(f^ \\ & 2*\sin(d*x + c) + f^2)*\text{polylog}(3, I*\cos(d*x + c) + \sin(d*x + c)) - 2*(f^2*\text{si} \\ & \text{n}(d*x + c) + f^2)*\text{polylog}(3, I*\cos(d*x + c) - \sin(d*x + c)) + 2*(f^2*\text{si} \\ & \text{n}(d*x + c) + f^2)*\text{polylog}(3, -I*\cos(d*x + c) + \sin(d*x + c)) - 2*(f^2*\text{si} \\ & \text{n}(d*x + c) + f^2)*\text{polylog}(3, -I*\cos(d*x + c) - \sin(d*x + c)))/(a*d^3*\sin(d*x + c) \\ & + a*d^3) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \sec(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*sec(d*x+c)/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**2*sec(c + d*x)/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*sec
(c + d*x)/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*sec(c + d*x)/(sin(c + d
*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sec(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*sec(d*x + c)/(a*sin(d*x + c) + a), x)
```

$$3.271 \quad \int \frac{(e+fx) \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=172

$$\frac{ifPolyLog(2, -ie^{i(c+dx)})}{2ad^2} - \frac{ifPolyLog(2, ie^{i(c+dx)})}{2ad^2} + \frac{f \tan(c+dx)}{2ad^2} - \frac{f \sec(c+dx)}{2ad^2} - \frac{i(e+fx) \tan^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)}{ad}$$

[Out] $((-1)*(e + f*x)*ArcTan[E^{(I*(c + d*x))}])/(a*d) + ((I/2)*f*PolyLog[2, (-I)*E^{(I*(c + d*x))}])/(a*d^2) - ((I/2)*f*PolyLog[2, I*E^{(I*(c + d*x))}])/(a*d^2) - (f*Sec[c + d*x])/(2*a*d^2) - ((e + f*x)*Sec[c + d*x]^2)/(2*a*d) + (f*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

Rubi [A] time = 0.138839, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4531, 4185, 4181, 2279, 2391, 4409, 3767, 8}

$$\frac{ifPolyLog(2, -ie^{i(c+dx)})}{2ad^2} - \frac{ifPolyLog(2, ie^{i(c+dx)})}{2ad^2} + \frac{f \tan(c+dx)}{2ad^2} - \frac{f \sec(c+dx)}{2ad^2} - \frac{i(e+fx) \tan^{-1}(e^{i(c+dx)})}{ad} - \frac{(e+fx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] $((-1)*(e + f*x)*ArcTan[E^{(I*(c + d*x))}])/(a*d) + ((I/2)*f*PolyLog[2, (-I)*E^{(I*(c + d*x))}])/(a*d^2) - ((I/2)*f*PolyLog[2, I*E^{(I*(c + d*x))}])/(a*d^2) - (f*Sec[c + d*x])/(2*a*d^2) - ((e + f*x)*Sec[c + d*x]^2)/(2*a*d) + (f*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

Rule 4531

Int[(((e_) + (f_)*(x_)^(m_))*Sec[(c_) + (d_)*(x_)^(n_)])/(a_ + (b_)*Sin[(c_) + (d_)*(x_)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]

Rule 4185

Int[(csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_)), x_Symbol] :> -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rule 4181

Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^{(I*k*Pi)*E^{(I*(e + f*x))}}])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^{(I*k*Pi)*E^{(I*(e + f*x))}}], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^{(I*k*Pi)*E^{(I*(e + f*x))}}], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))]

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4409

Int[((c_.) + (d_.)*(x_)^(m_.))*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\int \frac{(e + fx) \sec(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx) \sec^3(c + dx) dx}{a} - \frac{\int (e + fx) \sec^2(c + dx) \tan(c + dx) dx}{a}$$

$$= -\frac{f \sec(c + dx)}{2ad^2} - \frac{(e + fx) \sec^2(c + dx)}{2ad} + \frac{(e + fx) \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int (e + fx) \sec(c + dx) dx}{2ad}$$

$$= -\frac{i(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad} - \frac{f \sec(c + dx)}{2ad^2} - \frac{(e + fx) \sec^2(c + dx)}{2ad} + \frac{(e + fx) \sec(c + dx)}{2ad}$$

$$= -\frac{i(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad} - \frac{f \sec(c + dx)}{2ad^2} - \frac{(e + fx) \sec^2(c + dx)}{2ad} + \frac{f \tan(c + dx)}{2ad^2} + \frac{(e + fx) \sec(c + dx)}{2ad}$$

$$= -\frac{i(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad} + \frac{if \operatorname{Li}_2(-ie^{i(c+dx)})}{2ad^2} - \frac{if \operatorname{Li}_2(ie^{i(c+dx)})}{2ad^2} - \frac{f \sec(c + dx)}{2ad^2} - \frac{(e + fx) \sec(c + dx)}{2ad}$$

Mathematica [B] time = 2.93253, size = 655, normalized size = 3.81

$$\frac{f \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right) \right)^2 \left((-1)^{3/4} (c+dx)^2 + \frac{4i \operatorname{PolyLog}\left(2, -ie^{i(c+dx)}\right) - 3i\pi(c+dx) - 4\pi \log\left(1 + e^{-i(c+dx)}\right) + 2(-2c - 2dx + \pi) \log\left(1 + ie^{i(c+dx)}\right) - 2\pi \log\left(\sin\left(\frac{1}{4}(2c + 2dx - \pi)\right)\right)}{\sqrt{2}} \right)}{\sqrt{2}}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Sec[c + d*x])/(a + a*Sin[c + d*x]),x]

[Out] -(2*d*(e + f*x) - 4*f*Sin[(c + d*x)/2]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + (c + d*x)*(c*f - d*(2*e + f*x))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + d*e*(c + d*x + 2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - c*f*(c + d*x + 2*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + d*e*(c + d*x - 2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - c*f*(c + d*x - 2*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2

$$\begin{aligned} & d*x)/2] + \text{Sin}[(c + d*x)/2]^2 - (f*((-1)^{(3/4)}*(c + d*x)^2 + ((-3*I)*\text{Pi}*(c \\ & + d*x) - 4*\text{Pi}*\text{Log}[1 + E^{((-I)*(c + d*x))}] + 2*(-2*c + \text{Pi} - 2*d*x)*\text{Log}[1 + I \\ & *E^{(I*(c + d*x))}] + 4*\text{Pi}*\text{Log}[\text{Cos}[(c + d*x)/2]] - 2*\text{Pi}*\text{Log}[\text{Sin}[(2*c - \text{Pi} + 2 \\ & *d*x)/4]]) + (4*I)*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}]/\text{Sqrt}[2])*(\text{Cos}[(c + d*x) \\ & /2] + \text{Sin}[(c + d*x)/2])^2/\text{Sqrt}[2] + (f*((-1)^{(1/4)}*(c + d*x)^2 + ((-I)*\text{Pi}*(c \\ & + d*x) - 4*\text{Pi}*\text{Log}[1 + E^{((-I)*(c + d*x))}] - 2*(2*c + \text{Pi} + 2*d*x)*\text{Log}[1 - \\ & I*E^{(I*(c + d*x))}] + 4*\text{Pi}*\text{Log}[\text{Cos}[(c + d*x)/2]] + 2*\text{Pi}*\text{Log}[\text{Sin}[(2*c + \text{Pi} + 2 \\ & *d*x)/4]]) + (4*I)*\text{PolyLog}[2, I*E^{(I*(c + d*x))}]/\text{Sqrt}[2])*(\text{Cos}[(c + d*x)/ \\ & 2] + \text{Sin}[(c + d*x)/2])^2/\text{Sqrt}[2])/(4*a*d^2*(1 + \text{Sin}[c + d*x])) \end{aligned}$$

Maple [B] time = 0.214, size = 303, normalized size = 1.8

$$\frac{-i(dfxe^{i(dx+c)} + dee^{i(dx+c)} + f - ife^{i(dx+c)})}{d^2(e^{i(dx+c)} + i)^2 a} - \frac{e \ln(e^{i(dx+c)} - i)}{2 da} + \frac{e \ln(e^{i(dx+c)} + i)}{2 da} - \frac{f \ln(1 + ie^{i(dx+c)})x}{2 da} - \frac{f \ln(1 + ie^{i(dx+c)})}{2 ad^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] $-I*(d*f*x*\exp(I*(d*x+c))+d*e*\exp(I*(d*x+c))+f-I*f*\exp(I*(d*x+c)))/d^2/(\exp(I*(d*x+c))+I)^2/a-1/2/a/d*e*\ln(\exp(I*(d*x+c))-I)+1/2/a/d*\ln(\exp(I*(d*x+c))+I)*e-1/2/a/d*f*\ln(1+I*\exp(I*(d*x+c)))*x-1/2/a/d^2*f*\ln(1+I*\exp(I*(d*x+c)))*c+1/2*I*f*\text{polylog}(2,-I*\exp(I*(d*x+c)))/a/d^2+1/2/a/d*f*\ln(1-I*\exp(I*(d*x+c)))*x+1/2/a/d^2*f*\ln(1-I*\exp(I*(d*x+c)))*c-1/2*I*f*\text{polylog}(2,I*\exp(I*(d*x+c)))/a/d^2+1/2/a/d^2*f*c*\ln(\exp(I*(d*x+c))-I)-1/2/a/d^2*f*c*\ln(\exp(I*(d*x+c))+I)$

Maxima [B] time = 1.62525, size = 986, normalized size = 5.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $((2*d*e*\cos(2*d*x + 2*c) + 4*I*d*e*\cos(d*x + c) + 2*I*d*e*\sin(2*d*x + 2*c) - 4*d*e*\sin(d*x + c) - 2*d*e)*\text{arctan2}(\sin(d*x + c) + 1, \cos(d*x + c)) - (2*d*e*\cos(2*d*x + 2*c) + 4*I*d*e*\cos(d*x + c) + 2*I*d*e*\sin(2*d*x + 2*c) - 4*d*e*\sin(d*x + c) - 2*d*e)*\text{arctan2}(\sin(d*x + c) - 1, \cos(d*x + c)) - (2*d*f*x*\cos(2*d*x + 2*c) + 4*I*d*f*x*\cos(d*x + c) + 2*I*d*f*x*\sin(2*d*x + 2*c) - 4*d*f*x*\sin(d*x + c) - 2*d*f*x)*\text{arctan2}(\cos(d*x + c), \sin(d*x + c) + 1) - (2*d*f*x*\cos(2*d*x + 2*c) + 4*I*d*f*x*\cos(d*x + c) + 2*I*d*f*x*\sin(2*d*x + 2*c) - 4*d*f*x*\sin(d*x + c) - 2*d*f*x)*\text{arctan2}(\cos(d*x + c), -\sin(d*x + c) + 1) - (4*d*f*x + 4*d*e - 4*I*f)*\cos(d*x + c) - (2*f*\cos(2*d*x + 2*c) + 4*I*f*\cos(d*x + c) + 2*I*f*\sin(2*d*x + 2*c) - 4*f*\sin(d*x + c) - 2*f)*\text{dilog}(I*e^{(I*d*x + I*c)}) + (2*f*\cos(2*d*x + 2*c) + 4*I*f*\cos(d*x + c) + 2*I*f*\sin(2*d*x + 2*c) - 4*f*\sin(d*x + c) - 2*f)*\text{dilog}(-I*e^{(I*d*x + I*c)}) + (I*d*f*x + I*d*e + (-I*d*f*x - I*d*e)*\cos(2*d*x + 2*c) + 2*(d*f*x + d*e)*\cos(d*x + c) + (d*f*x + d*e)*\sin(2*d*x + 2*c) + (2*I*d*f*x + 2*I*d*e)*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) + (-I*d*f*x - I*d*e + (I*d*f*x + I*d*e)*\cos(2*d*x + 2*c) - 2*(d*f*x + d*e)*\cos(d*x + c) - (d*f*x + d*e)*\sin(2*d*x + 2*c) + (-2*I*d*f*x - 2*I*d*e)*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 - 2*\sin(d*x + c) + 1) + (-4*I*d*f*x - 4*I*d*e - 4*f)*\sin(d*x + c) - 4*f)/(-4*I*a*d^2*\cos(2*d*x + 2*c) + 8*a*d^2*\cos(d*x + c)$

$$+ 4*a*d^2*\sin(2*d*x + 2*c) + 8*I*a*d^2*\sin(d*x + c) + 4*I*a*d^2)$$

Fricas [B] time = 2.11148, size = 1339, normalized size = 7.78

$$\frac{2dfx + 2de + 2f \cos(dx + c) - (-if \sin(dx + c) - if) \operatorname{Li}_2(i \cos(dx + c) + \sin(dx + c)) - (-if \sin(dx + c) - if) \operatorname{Li}_2(-i \cos(dx + c) + \sin(dx + c))}{a^2 \sin(dx + c) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4*(2*d*f*x + 2*d*e + 2*f*\cos(d*x + c) - (-I*f*\sin(d*x + c) - I*f)*\operatorname{dilog}(\\ & I*\cos(d*x + c) + \sin(d*x + c)) - (-I*f*\sin(d*x + c) - I*f)*\operatorname{dilog}(I*\cos(d*x \\ & + c) - \sin(d*x + c)) - (I*f*\sin(d*x + c) + I*f)*\operatorname{dilog}(-I*\cos(d*x + c) + \sin \\ & (d*x + c)) - (I*f*\sin(d*x + c) + I*f)*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) \\ & - (d*e - c*f + (d*e - c*f)*\sin(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x + c) \\ & + I) + (d*e - c*f + (d*e - c*f)*\sin(d*x + c))*\log(\cos(d*x + c) - I*\sin(d*x \\ & + c) + I) - (d*f*x + c*f + (d*f*x + c*f)*\sin(d*x + c))*\log(I*\cos(d*x + c) \\ & + \sin(d*x + c) + 1) + (d*f*x + c*f + (d*f*x + c*f)*\sin(d*x + c))*\log(I*\cos(\\ & d*x + c) - \sin(d*x + c) + 1) - (d*f*x + c*f + (d*f*x + c*f)*\sin(d*x + c))*\log \\ & (-I*\cos(d*x + c) + \sin(d*x + c) + 1) + (d*f*x + c*f + (d*f*x + c*f)*\sin(d \\ & *x + c))*\log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) - (d*e - c*f + (d*e - c*f) \\ & *\sin(d*x + c))*\log(-\cos(d*x + c) + I*\sin(d*x + c) + I) + (d*e - c*f + (d*e \\ & - c*f)*\sin(d*x + c))*\log(-\cos(d*x + c) - I*\sin(d*x + c) + I))/(a*d^2*\sin(d* \\ & x + c) + a*d^2) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \sec(c+dx)}{\sin(c+dx)+1} dx + \int \frac{fx \sec(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out]
$$\left(\operatorname{Integral}(e*\sec(c + d*x)/(\sin(c + d*x) + 1), x) + \operatorname{Integral}(f*x*\sec(c + d*x) / (\sin(c + d*x) + 1), x) \right) / a$$

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sec(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)*sec(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.272 \quad \int \frac{\sec(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=37

$$\frac{\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{1}{2d(a \sin(c+dx) + a)}$$

[Out] ArcTanh[Sin[c + d*x]]/(2*a*d) - 1/(2*d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.051378, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {2667, 44, 206}

$$\frac{\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{1}{2d(a \sin(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]/(a + a*Sin[c + d*x]),x]

[Out] ArcTanh[Sin[c + d*x]]/(2*a*d) - 1/(2*d*(a + a*Sin[c + d*x]))

Rule 2667

```
Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])
```

Rule 44

```
Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

Rule 206

```
Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)}{a+a\sin(c+dx)} dx &= \frac{a \operatorname{Subst}\left(\int \frac{1}{(a-x)(a+x)^2} dx, x, a\sin(c+dx)\right)}{d} \\
&= \frac{a \operatorname{Subst}\left(\int \left(\frac{1}{2a(a+x)^2} + \frac{1}{2a(a^2-x^2)}\right) dx, x, a\sin(c+dx)\right)}{d} \\
&= -\frac{1}{2d(a+a\sin(c+dx))} + \frac{\operatorname{Subst}\left(\int \frac{1}{a^2-x^2} dx, x, a\sin(c+dx)\right)}{2d} \\
&= \frac{\tanh^{-1}(\sin(c+dx))}{2ad} - \frac{1}{2d(a+a\sin(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.0374701, size = 30, normalized size = 0.81

$$\frac{\tanh^{-1}(\sin(c+dx)) - \frac{1}{\sin(c+dx)+1}}{2ad}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]/(a + a*Sin[c + d*x]), x]

[Out] (ArcTanh[Sin[c + d*x]] - (1 + Sin[c + d*x])^(-1))/(2*a*d)

Maple [A] time = 0.052, size = 54, normalized size = 1.5

$$-\frac{\ln(\sin(dx+c)-1)}{4da} - \frac{1}{2da(1+\sin(dx+c))} + \frac{\ln(1+\sin(dx+c))}{4da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] -1/4/a/d*ln(sin(d*x+c)-1)-1/2/a/d/(1+sin(d*x+c))+1/4*ln(1+sin(d*x+c))/a/d

Maxima [A] time = 0.981991, size = 63, normalized size = 1.7

$$\frac{\frac{\log(\sin(dx+c)+1)}{a} - \frac{\log(\sin(dx+c)-1)}{a} - \frac{2}{a\sin(dx+c)+a}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+a*sin(d*x+c)), x, algorithm="maxima")

[Out] 1/4*(log(sin(d*x + c) + 1)/a - log(sin(d*x + c) - 1)/a - 2/(a*sin(d*x + c) + a))/d

Fricas [A] time = 1.69868, size = 163, normalized size = 4.41

$$\frac{(\sin(dx+c)+1)\log(\sin(dx+c)+1) - (\sin(dx+c)+1)\log(-\sin(dx+c)+1) - 2}{4(ad\sin(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/4*((sin(d*x + c) + 1)*log(sin(d*x + c) + 1) - (sin(d*x + c) + 1)*log(-sin(d*x + c) + 1) - 2)/(a*d*sin(d*x + c) + a*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sec(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.20812, size = 78, normalized size = 2.11

$$\frac{\frac{\log(|\sin(dx+c)+1|)}{a} - \frac{\log(|\sin(dx+c)-1|)}{a} - \frac{\sin(dx+c)+3}{a(\sin(dx+c)+1)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] 1/4*(log(abs(sin(d*x + c) + 1))/a - log(abs(sin(d*x + c) - 1))/a - (sin(d*x + c) + 3)/(a*(sin(d*x + c) + 1)))/d

$$3.273 \quad \int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sec(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sec[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0453772, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 13.8387, size = 0, normalized size = 0.

$$\int \frac{\sec(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 1.774, size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-(2*(d*f*x + d*e)*\cos(d*x + c)^2 + 2*(d*f*x + d*e)*\sin(d*x + c)^2 - (f*\cos(d*x + c) + (d*f*x + d*e)*\sin(d*x + c))*\cos(2*d*x + 2*c) - f*\cos(d*x + c) - (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c)^2 - 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))*\integrate(1/2*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 + 4*f^2)*\cos(d*x + c)/(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)^2 + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c)^2 + 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c)), x) - (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c)^2 - 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))*\integrate(1/2*\cos(d*x + c)/(a*f*x + (a*f*x + a*e)*\cos(d*x + c)^2 + (a*f*x + a*e)*\sin(d*x + c)^2 + a*e - 2*(a*f*x + a*e)*\sin(d*x + c)), x) + ((d*f*x + d*e)*\cos(d*x + c) - f*\sin(d*x + c) - f)*\sin(2*d*x + 2*c) + (d*f*x + d*e)*\sin(d*x + c))/(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c)^2 - 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2 + 2*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^2*x^2 + 2*a*d^2*e*f*x + a*d^2*e^2)*\sin(d*x + c))$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\int \left(\frac{\sec(dx + c)}{afx + ae + (afx + ae)\sin(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx$$

$$a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)}{(fx+e)(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sec(d*x + c)/((f*x + e)*(a*sin(d*x + c) + a)), x)

$$3.274 \quad \int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sec(c+dx)}{(e+fx)^2(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sec[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0456112, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx = \int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 22.1101, size = 0, normalized size = 0.

$$\int \frac{\sec(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 3.25, size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)}{(fx+e)^2(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-(2*(d*f*x + d*e)*\cos(d*x + c)^2 + 2*(d*f*x + d*e)*\sin(d*x + c)^2 - (2*f*\cos(d*x + c) + (d*f*x + d*e)*\sin(d*x + c))*\cos(2*d*x + 2*c) - 2*f*\cos(d*x + c) - (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c)^2 - 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))*\integrate(1/2*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2 + 12*f^2)*\cos(d*x + c)/(a*d^2*f^4*x^4 + 4*a*d^2*e*f^3*x^3 + 6*a*d^2*e^2*f^2*x^2 + 4*a*d^2*e^3*f*x + a*d^2*e^4 + (a*d^2*f^4*x^4 + 4*a*d^2*e*f^3*x^3 + 6*a*d^2*e^2*f^2*x^2 + 4*a*d^2*e^3*f*x + a*d^2*e^4)*\cos(d*x + c)^2 + (a*d^2*f^4*x^4 + 4*a*d^2*e*f^3*x^3 + 6*a*d^2*e^2*f^2*x^2 + 4*a*d^2*e^3*f*x + a*d^2*e^4)*\sin(d*x + c)^2 + 2*(a*d^2*f^4*x^4 + 4*a*d^2*e*f^3*x^3 + 6*a*d^2*e^2*f^2*x^2 + 4*a*d^2*e^3*f*x + a*d^2*e^4)*\sin(d*x + c)), x) - (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c)^2 - 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))*\integrate(1/2*\cos(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*\cos(d*x + c)^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*\sin(d*x + c)^2 - 2*(a*f^2*x^2 + 2*a*e*f*x + a*e^2)*\sin(d*x + c)), x) + ((d*f*x + d*e)*\cos(d*x + c) - 2*f*\sin(d*x + c) - 2*f)*\sin(2*d*x + 2*c) + (d*f*x + d*e)*\sin(d*x + c))/(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\cos(d*x + c)*\sin(2*d*x + 2*c) + (a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(2*d*x + 2*c)^2 + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c)^2 - 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3 + 2*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))*\cos(2*d*x + 2*c) + 4*(a*d^2*f^3*x^3 + 3*a*d^2*e*f^2*x^2 + 3*a*d^2*e^2*f*x + a*d^2*e^3)*\sin(d*x + c))\sin(d*x + c)$$

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sec(dx+c)}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)}{(fx+e)^2(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sec(d*x + c)/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.275 \quad \int \frac{(e+fx)^3 \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=475

$$\frac{if^2(e+fx)\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{ad^3} - \frac{if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{2if^2(e+fx)\text{PolyLog}\left(2, -e^{2i(c+dx)}\right)}{ad^3} - \frac{f^3\text{Pol}}{ad^3}$$

```
[Out] (((-2*I)/3)*(e + f*x)^3)/(a*d) - (I*f*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/(a*d^2) + (f^3*ArcTanh[Sin[c + d*x]])/(a*d^4) + (2*f*(e + f*x)^2*Log[1 + E^((2*I)*(c + d*x))])/(a*d^2) + (f^3*Log[Cos[c + d*x]])/(a*d^4) + (I*f^2*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^3) - (I*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f^2*(e + f*x)*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^3) - (f^3*PolyLog[3, (-I)*E^(I*(c + d*x))])/(a*d^4) + (f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (f^3*PolyLog[3, -E^((2*I)*(c + d*x))])/(a*d^4) - (f^2*(e + f*x)*Sec[c + d*x])/(a*d^3) - (f*(e + f*x)^2*Sec[c + d*x]^2)/(2*a*d^2) - ((e + f*x)^3*Sec[c + d*x]^3)/(3*a*d) + (f^2*(e + f*x)*Tan[c + d*x])/(a*d^3) + (2*(e + f*x)^3*Tan[c + d*x])/(3*a*d) + (f*(e + f*x)^2*Sec[c + d*x]*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)^3*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)
```

Rubi [A] time = 0.593911, antiderivative size = 475, normalized size of antiderivative = 1., number of steps used = 20, number of rules used = 12, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4531, 4186, 4184, 3475, 3719, 2190, 2531, 2282, 6589, 4409, 3770, 4181}

$$\frac{if^2(e+fx)\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{ad^3} - \frac{if^2(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{ad^3} - \frac{2if^2(e+fx)\text{PolyLog}\left(2, -e^{2i(c+dx)}\right)}{ad^3} - \frac{f^3\text{Pol}}{ad^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]
```

```
[Out] (((-2*I)/3)*(e + f*x)^3)/(a*d) - (I*f*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/(a*d^2) + (f^3*ArcTanh[Sin[c + d*x]])/(a*d^4) + (2*f*(e + f*x)^2*Log[1 + E^((2*I)*(c + d*x))])/(a*d^2) + (f^3*Log[Cos[c + d*x]])/(a*d^4) + (I*f^2*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^3) - (I*f^2*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f^2*(e + f*x)*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^3) - (f^3*PolyLog[3, (-I)*E^(I*(c + d*x))])/(a*d^4) + (f^3*PolyLog[3, I*E^(I*(c + d*x))])/(a*d^4) + (f^3*PolyLog[3, -E^((2*I)*(c + d*x))])/(a*d^4) - (f^2*(e + f*x)*Sec[c + d*x])/(a*d^3) - (f*(e + f*x)^2*Sec[c + d*x]^2)/(2*a*d^2) - ((e + f*x)^3*Sec[c + d*x]^3)/(3*a*d) + (f^2*(e + f*x)*Tan[c + d*x])/(a*d^3) + (2*(e + f*x)^3*Tan[c + d*x])/(3*a*d) + (f*(e + f*x)^2*Sec[c + d*x]*Tan[c + d*x])/(2*a*d^2) + ((e + f*x)^3*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)
```

Rule 4531

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
```

```
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*(e + f*x))]/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
```

, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rubi steps

$$\int \frac{(e + fx)^3 \sec^2(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx)^3 \sec^4(c + dx) dx}{a} - \frac{\int (e + fx)^3 \sec^3(c + dx) \tan(c + dx) dx}{a}$$

$$= -\frac{f(e + fx)^2 \sec^2(c + dx)}{2ad^2} - \frac{(e + fx)^3 \sec^3(c + dx)}{3ad} + \frac{(e + fx)^3 \sec^2(c + dx) \tan(c + dx)}{3ad}$$

$$= -\frac{f^2(e + fx) \sec(c + dx)}{ad^3} - \frac{f(e + fx)^2 \sec^2(c + dx)}{2ad^2} - \frac{(e + fx)^3 \sec^3(c + dx)}{3ad} + \frac{f^2(e + fx)}{a}$$

$$= -\frac{2i(e + fx)^3}{3ad} - \frac{if(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad^2} + \frac{f^3 \tanh^{-1}(\sin(c + dx))}{ad^4} + \frac{f^3 \log(\cos(c + dx))}{ad^4}$$

$$= -\frac{2i(e + fx)^3}{3ad} - \frac{if(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad^2} + \frac{f^3 \tanh^{-1}(\sin(c + dx))}{ad^4} + \frac{2f(e + fx)^2 \log(\cos(c + dx))}{ad^4}$$

$$= -\frac{2i(e + fx)^3}{3ad} - \frac{if(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad^2} + \frac{f^3 \tanh^{-1}(\sin(c + dx))}{ad^4} + \frac{2f(e + fx)^2 \log(\cos(c + dx))}{ad^4}$$

$$= -\frac{2i(e + fx)^3}{3ad} - \frac{if(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad^2} + \frac{f^3 \tanh^{-1}(\sin(c + dx))}{ad^4} + \frac{2f(e + fx)^2 \log(\cos(c + dx))}{ad^4}$$

$$= -\frac{2i(e + fx)^3}{3ad} - \frac{if(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{ad^2} + \frac{f^3 \tanh^{-1}(\sin(c + dx))}{ad^4} + \frac{2f(e + fx)^2 \log(\cos(c + dx))}{ad^4}$$

Mathematica [B] time = 8.75923, size = 1117, normalized size = 2.35

$$\frac{\frac{d^3(e+fx)^3}{-i+e^{ic}} + 3d^2 f \log(1 - ie^{-i(c+dx)})(e + fx)^2 + 6f^2(id(e + fx)\text{PolyLog}(2, ie^{-i(c+dx)}) + f\text{PolyLog}(3, ie^{-i(c+dx)}))}{2ad^4} - f(c + dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] ((d^3*(e + f*x)^3)/(-I + E^(I*c)) + 3*d^2*f*(e + f*x)^2*Log[1 - I/E^(I*(c + d*x))] + 6*f^2*(I*d*(e + f*x)*PolyLog[2, I/E^(I*(c + d*x))] + f*PolyLog[3, I/E^(I*(c + d*x))])/(2*a*d^4) - (f*(Cos[c] + I*Sin[c])*(5*d^2*e*f*x^2*Cos[c] + (5*d^2*e^2 + 4*f^2)*x*(Cos[c] - I*Sin[c]) + (5*d^2*f^2*x^3*(Cos[c] - I*Sin[c]))/3 - (5*I)*d^2*e*f*x^2*Sin[c] + (10*f^2*(d*x*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]])*(Cos[c] - I*Sin[c])*(1 - I*Cos[c] + Sin[c]))/d + 10*e*f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c])) - 10*d*e*f*x*Log[1 + I*

$$\begin{aligned} & \cos[c + dx] + \sin[c + dx] * (\cos[c] - I * \sin[c]) * (\cos[c] + I * (1 + \sin[c])) \\ & - 5 * d * f^2 * x^2 * \log[1 + I * \cos[c + dx] + \sin[c + dx]] * (\cos[c] - I * \sin[c]) * (\cos[c] + I * (1 + \sin[c])) \\ & + ((5 * d^2 * e^2 + 4 * f^2) * (dx + I * \log[\cos[c + dx] + I * (1 + \sin[c + dx])]) * (I * \cos[c] + \sin[c]) * (\cos[c] + I * (1 + \sin[c]))) / d) / (2 * a * d^3 * (\cos[c] + I * (1 + \sin[c]))) \\ & + (e^3 * \sin[(dx)/2] + 3 * e^2 * f * x * \sin[(dx)/2] + 3 * e * f^2 * x^2 * \sin[(dx)/2] + f^3 * x^3 * \sin[(dx)/2]) / (2 * a * d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (dx)/2] - \sin[c/2 + (dx)/2])) \\ & + (e^3 * \sin[(dx)/2] + 3 * e^2 * f * x * \sin[(dx)/2] + 3 * e * f^2 * x^2 * \sin[(dx)/2] + f^3 * x^3 * \sin[(dx)/2]) / (3 * a * d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (dx)/2] + \sin[c/2 + (dx)/2])^3) \\ & + (-d * e^3 * \cos[c/2] - 3 * e^2 * f * \cos[c/2] - 3 * d * e^2 * f * x * \cos[c/2] - 6 * e * f^2 * x * \cos[c/2] - 3 * d * e * f^2 * x^2 * \cos[c/2] - 3 * f^3 * x^2 * \cos[c/2] - d * f^3 * x^3 * \cos[c/2] + d * e^3 * \sin[c/2] - 3 * e^2 * f * \sin[c/2] + 3 * d * e^2 * f * x * \sin[c/2] - 6 * e * f^2 * x * \sin[c/2] + 3 * d * e * f^2 * x^2 * \sin[c/2] - 3 * f^3 * x^2 * \sin[c/2] + d * f^3 * x^3 * \sin[c/2]) / (6 * a * d^2 * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (dx)/2] + \sin[c/2 + (dx)/2])^2) \\ & + (5 * d^2 * e^3 * \sin[(dx)/2] + 12 * e * f^2 * \sin[(dx)/2] + 15 * d^2 * e^2 * f * x * \sin[(dx)/2] + 12 * f^3 * x * \sin[(dx)/2] + 15 * d^2 * e * f^2 * x^2 * \sin[(dx)/2] + 5 * d^2 * f^3 * x^3 * \sin[(dx)/2]) / (6 * a * d^3 * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (dx)/2] + \sin[c/2 + (dx)/2])) \end{aligned}$$

Maple [B] time = 0.338, size = 1124, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sec(dx+c)^2/(a+a*sin(dx+c)),x)

[Out] $3 * f^3 * \text{polylog}(3, -I * \exp(I * (dx+c))) / a / d^4 + 5 * f^2 / d^2 / a * e * \ln(1 - I * \exp(I * (dx+c))) * x + 3/2 / d^4 / a * f^3 * c^2 * \ln(\exp(I * (dx+c)) - I) + 3/2 / d^2 / a * e^2 * f * \ln(\exp(I * (dx+c)) - I) - 3/2 / d^4 / a * \ln(1 + I * \exp(I * (dx+c))) * c^2 * f^3 + 8/3 * I / d^4 / a * c^3 * f^3 - 4/3 * I / d^4 / a * f^3 * x^3 - 4 * f^3 / d^4 / a * c^2 * \ln(\exp(I * (dx+c))) + 5/2 * f / d^2 / a * \ln(\exp(I * (dx+c)) + I) * e^2 + 5/2 * f^3 / d^4 / a * c^2 * \ln(\exp(I * (dx+c)) + I) - 4 * f / d^2 / a * \ln(\exp(I * (dx+c))) * e^2 + 5 * f^2 / d^3 / a * e * \ln(1 - I * \exp(I * (dx+c))) * c + 5/2 * f^3 / d^2 / a * \ln(1 - I * \exp(I * (dx+c))) * x^2 - 5/2 * f^3 / d^4 / a * \ln(1 - I * \exp(I * (dx+c))) * c^2 + 8 * f^2 / d^3 / a * e * c * \ln(\exp(I * (dx+c))) - 5 * f^2 / d^3 / a * e * c * \ln(\exp(I * (dx+c)) + I) - 1/3 * (12 * I * d^2 * e^2 * f * x + 6 * I * d * e * f^2 * x * \exp(I * (dx+c)) + 6 * f^3 * x * \exp(I * (dx+c)) + 6 * e * f^2 * \exp(I * (dx+c)) + 3 * I * d * f^3 * x^2 * \exp(3 * I * (dx+c)) + 3 * I * d * e^2 * f * \exp(3 * I * (dx+c)) + 6 * I * e * f^2 * \exp(2 * I * (dx+c)) + 12 * I * d^2 * e * f^2 * x^2 + 6 * I * e * f^2 + 6 * I * d * e * f^2 * x * \exp(3 * I * (dx+c)) + 24 * d^2 * e * f^2 * x^2 * \exp(I * (dx+c)) + 24 * d^2 * e^2 * f * x * \exp(I * (dx+c)) + 3 * I * d * e^2 * f * \exp(I * (dx+c)) + 6 * I * f^3 * x * \exp(2 * I * (dx+c)) + 8 * d^2 * f^3 * x^3 * \exp(I * (dx+c)) + 3 * I * d * f^3 * x^2 * \exp(I * (dx+c)) + 4 * I * d^2 * f^3 * x^3 + 8 * d^2 * e^3 * \exp(I * (dx+c)) + 4 * I * d^2 * e^3 + 6 * f^3 * x * \exp(3 * I * (dx+c)) + 6 * e * f^2 * \exp(3 * I * (dx+c)) + 6 * I * f^3 * x) / (\exp(I * (dx+c)) - I) / (\exp(I * (dx+c)) + I)^3 / d^3 / a - 8 * I / d^2 / a * c * e * f^2 * x + 2 / d^4 / a * f^3 * \ln(\exp(I * (dx+c)) + I) - 2 / d^4 / a * f^3 * \ln(\exp(I * (dx+c))) - 3 / d^3 / a * e * f^2 * c * \ln(\exp(I * (dx+c)) - I) + 3 / d^2 / a * \ln(1 + I * \exp(I * (dx+c))) * e * f^2 * x + 3 / d^3 / a * \ln(1 + I * \exp(I * (dx+c))) * c * e * f^2 + 3/2 / d^2 / a * \ln(1 + I * \exp(I * (dx+c))) * f^3 * x^2 - 4 * I / d^3 / a * c^2 * e * f^2 - 3 * I / d^3 / a * \text{polylog}(2, -I * \exp(I * (dx+c))) * f^3 * x - 5 * I / d^3 / a * \text{polylog}(2, I * \exp(I * (dx+c))) * f^3 * x - 3 * I / d^3 / a * e * f^2 * \text{polylog}(2, -I * \exp(I * (dx+c))) - 5 * I / d^3 / a * e * f^2 * \text{polylog}(2, I * \exp(I * (dx+c))) + 4 * I / d^3 / a * c^2 * f^3 * x - 4 * I / d^4 / a * e * f^2 * x^2 + 5 * f^3 * \text{polylog}(3, I * \exp(I * (dx+c))) / a / d^4$

Maxima [B] time = 6.6732, size = 6893, normalized size = 14.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$\frac{1}{12} \cdot (24c^2 e^2 f^2 (\sin(dx+c)/(\cos(dx+c)+1) + 3\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3\sin(dx+c)^3/(\cos(dx+c)+1)^3 - 1)/(a^2 d^2 + 2ad^2 \sin(dx+c)/(\cos(dx+c)+1) - 2ad^2 \sin(dx+c)^3/(\cos(dx+c)+1)^3 - ad^2 \sin(dx+c)^4/(\cos(dx+c)+1)^4) + 6(4(8(dx+c)\cos(dx+c) - \sin(3dx+3c) - \sin(dx+c))\cos(4dx+4c) + 16(2dx+4(dx+c)\sin(dx+c) + 2c + \cos(dx+c))\cos(3dx+3c) + 8\cos(3dx+3c)^2 + 8\cos(dx+c)^2 + 5(2(2\sin(3dx+3c) + 2\sin(dx+c) + 1)\cos(4dx+4c) - \cos(4dx+4c)^2 - 4\cos(3dx+3c)^2 - 8\cos(3dx+3c)\cos(dx+c) - 4\cos(dx+c)^2 - 4(\cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - \sin(4dx+4c)^2 - 4(2\sin(dx+c) + 1)\sin(3dx+3c) - 4\sin(3dx+3c)^2 - 4\sin(dx+c)^2 - 4\sin(dx+c) - 1)\log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2\sin(dx+c) + 1) + 3(2(2\sin(3dx+3c) + 2\sin(dx+c) + 1)\cos(4dx+4c) - \cos(4dx+4c)^2 - 4\cos(3dx+3c)^2 - 8\cos(3dx+3c)\cos(dx+c) - 4\cos(dx+c)^2 - 4(\cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - \sin(4dx+4c)^2 - 4(2\sin(dx+c) + 1)\sin(3dx+3c) - 4\sin(3dx+3c)^2 - 4\sin(dx+c)^2 - 4\sin(dx+c) - 1)\log(\cos(dx+c)^2 + \sin(dx+c)^2 - 2\sin(dx+c) + 1) + 4(4dx+8(dx+c)\sin(dx+c) + 4c + \cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - 4(16(dx+c)\cos(dx+c) - 4\sin(dx+c) - 1)\sin(3dx+3c) + 8\sin(3dx+3c)^2 + 8\sin(dx+c)^2 + 4\sin(dx+c))c e^2 f^2/(a^2 d^2 \cos(4dx+4c)^2 + 4ad^2 \cos(3dx+3c)^2 + 8ad^2 \cos(3dx+3c)\cos(dx+c) + 4ad^2 \cos(dx+c)^2 + ad^2 \sin(4dx+4c)^2 + 4ad^2 \sin(3dx+3c)^2 + 4ad^2 \sin(dx+c)^2 + 4ad^2 \sin(dx+c) + ad^2 - 2(2ad^2 \sin(3dx+3c) + 2ad^2 \sin(dx+c) + ad^2)\cos(4dx+4c) + 4(ad^2 \cos(3dx+3c) + ad^2 \cos(dx+c))\sin(4dx+4c) + 4(2ad^2 \sin(dx+c) + ad^2)\sin(3dx+3c)) - 24c e^2 f (\sin(dx+c)/(\cos(dx+c)+1) + 3\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3\sin(dx+c)^3/(\cos(dx+c)+1)^3 - 1)/(ad + 2ad \sin(dx+c)/(\cos(dx+c)+1) - 2ad \sin(dx+c)^3/(\cos(dx+c)+1)^3 - ad \sin(dx+c)^4/(\cos(dx+c)+1)^4) - 3(4(8(dx+c)\cos(dx+c) - \sin(3dx+3c) - \sin(dx+c))\cos(4dx+4c) + 16(2dx+4(dx+c)\sin(dx+c) + 2c + \cos(dx+c))\cos(3dx+3c) + 8\cos(3dx+3c)^2 + 8\cos(dx+c)^2 + 5(2(2\sin(3dx+3c) + 2\sin(dx+c) + 1)\cos(4dx+4c) - \cos(4dx+4c)^2 - 4\cos(3dx+3c)^2 - 8\cos(3dx+3c)\cos(dx+c) - 4\cos(dx+c)^2 - 4(\cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - \sin(4dx+4c)^2 - 4(2\sin(dx+c) + 1)\sin(3dx+3c) - 4\sin(3dx+3c)^2 - 4\sin(dx+c)^2 - 4\sin(dx+c) - 1)\log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2\sin(dx+c) + 1) + 3(2(2\sin(3dx+3c) + 2\sin(dx+c) + 1)\cos(4dx+4c) - \cos(4dx+4c)^2 - 4\cos(3dx+3c)^2 - 8\cos(3dx+3c)\cos(dx+c) - 4\cos(dx+c)^2 - 4(\cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - \sin(4dx+4c)^2 - 4(2\sin(dx+c) + 1)\sin(3dx+3c) - 4\sin(3dx+3c)^2 - 4\sin(dx+c)^2 - 4\sin(dx+c) - 1)\log(\cos(dx+c)^2 + \sin(dx+c)^2 - 2\sin(dx+c) + 1) + 4(4dx+8(dx+c)\sin(dx+c) + 4c + \cos(3dx+3c) + \cos(dx+c))\sin(4dx+4c) - 4(16(dx+c)\cos(dx+c) - 4\sin(dx+c) - 1)\sin(3dx+3c) + 8\sin(3dx+3c)^2 + 8\sin(dx+c)^2 + 4\sin(dx+c))e^2 f/(ad \cos(4dx+4c)^2 + 4ad \cos(3dx+3c)^2 + 8ad \cos(3dx+3c)\cos(dx+c) + 4ad \cos(dx+c)^2 + ad \sin(4dx+4c)^2 + 4ad \sin(3dx+3c)^2 + 4ad \sin(dx+c)^2 + 4ad \sin(dx+c) + ad - 2(2ad \sin(3dx+3c) + 2ad \sin(dx+c) + ad)\cos(4dx+4c) + 4(ad \cos(3dx+3c) + ad \cos(dx+c))\sin(4dx+4c) + 4(2ad \sin(dx+c) + ad)\sin(3dx+3c)) + 8e^3 (\sin(dx+c)/(\cos(dx+c)+1) + 3\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3\sin(dx+c)^3/(\cos(dx+c)+1)^3 - 1)/(a + 2a \sin(dx+c)/(\cos(dx+c)+1) - 2a \sin(dx+c)^3/(\cos(dx+c)+1)^3 - a \sin(dx+c)^4/(\cos(dx+c)+1)^4) - 12(24d e^2 f^2 - 8(2c^3 + 3c)f^3 - (6(5c^2 + 4)f^3 \cos(4dx+4c) + (60Ic^2 + 48I)f^3 \cos(3dx+3c) + (60Ic^2 + 48I)f^3 \cos(dx+c) + (30Ic^2$$

$$\begin{aligned}
& + 24*I)*f^3*\sin(4*d*x + 4*c) - 12*(5*c^2 + 4)*f^3*\sin(3*d*x + 3*c) - 12*(5*c^2 + 4)*f^3*\sin(d*x + c) - 6*(5*c^2 + 4)*f^3*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (18*c^2*f^3*\cos(4*d*x + 4*c) + 36*I*c^2*f^3*\cos(3*d*x + 3*c) + 36*I*c^2*f^3*\cos(d*x + c) + 18*I*c^2*f^3*\sin(4*d*x + 4*c) - 36*c^2*f^3*\sin(3*d*x + 3*c) - 36*c^2*f^3*\sin(d*x + c) - 18*c^2*f^3*\arctan2(\sin(d*x + c) - 1, \cos(d*x + c)) - (30*(d*x + c)^2*f^3 + 60*(d*e*f^2 - c*f^3)*(d*x + c) - 30*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(4*d*x + 4*c) + (-60*I*(d*x + c)^2*f^3 + (-120*I*d*e*f^2 + 120*I*c*f^3)*(d*x + c))*\cos(3*d*x + 3*c) + (-60*I*(d*x + c)^2*f^3 + (-120*I*d*e*f^2 + 120*I*c*f^3)*(d*x + c))*\cos(d*x + c) + (-30*I*(d*x + c)^2*f^3 + (-60*I*d*e*f^2 + 60*I*c*f^3)*(d*x + c))*\sin(4*d*x + 4*c) + 60*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + 60*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(d*x + c))*\arctan2(\cos(d*x + c), \sin(d*x + c) + 1) + (18*(d*x + c)^2*f^3 + 36*(d*e*f^2 - c*f^3)*(d*x + c) - 18*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(4*d*x + 4*c) - (36*I*(d*x + c)^2*f^3 + (72*I*d*e*f^2 - 72*I*c*f^3)*(d*x + c))*\cos(3*d*x + 3*c) - (36*I*(d*x + c)^2*f^3 + (72*I*d*e*f^2 - 72*I*c*f^3)*(d*x + c))*\cos(d*x + c) - (18*I*(d*x + c)^2*f^3 + (36*I*d*e*f^2 - 36*I*c*f^3)*(d*x + c))*\sin(4*d*x + 4*c) + 36*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + 36*((d*x + c)^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(d*x + c))*\arctan2(\cos(d*x + c), -\sin(d*x + c) + 1) + 8*(2*(d*x + c)^3*f^3 + 3*(2*c^2 + 1)*(d*x + c)*f^3 + 6*(d*e*f^2 - c*f^3)*(d*x + c)^2)*\cos(4*d*x + 4*c) - (-32*I*(d*x + c)^3*f^3 + 24*I*d*e*f^2 - 12*(c^2 + 2*I*c)*f^3 - 12*(8*I*d*e*f^2 + (-8*I*c + 1)*f^3)*(d*x + c)^2 - (24*d*e*f^2 - (-96*I*c^2 + 24*c - 24*I)*f^3)*(d*x + c))*\cos(3*d*x + 3*c) + 24*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\cos(2*d*x + 2*c) + (12*(d*x + c)^2*f^3 - 24*I*d*e*f^2 - (-32*I*c^3 - 12*c^2 - 24*I*c)*f^3 + (24*d*e*f^2 - (24*c - 24*I)*f^3)*(d*x + c))*\cos(d*x + c) - (60*d*e*f^2 + 60*(d*x + c)*f^3 - 60*c*f^3 - 60*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\cos(4*d*x + 4*c) + (-120*I*d*e*f^2 - 120*I*(d*x + c)*f^3 + 120*I*c*f^3)*\cos(3*d*x + 3*c) + (-120*I*d*e*f^2 - 120*I*(d*x + c)*f^3 + 120*I*c*f^3)*\cos(d*x + c) + (-60*I*d*e*f^2 - 60*I*(d*x + c)*f^3 + 60*I*c*f^3)*\sin(4*d*x + 4*c) + 120*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(3*d*x + 3*c) + 120*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(d*x + c))*\operatorname{dilog}(I*e^{(I*d*x + I*c)}) - (36*d*e*f^2 + 36*(d*x + c)*f^3 - 36*c*f^3 - 36*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\cos(4*d*x + 4*c) + (-72*I*d*e*f^2 - 72*I*(d*x + c)*f^3 + 72*I*c*f^3)*\cos(3*d*x + 3*c) + (-72*I*d*e*f^2 - 72*I*(d*x + c)*f^3 + 72*I*c*f^3)*\cos(d*x + c) + (-36*I*d*e*f^2 - 36*I*(d*x + c)*f^3 + 36*I*c*f^3)*\sin(4*d*x + 4*c) + 72*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(3*d*x + 3*c) + 72*(d*e*f^2 + (d*x + c)*f^3 - c*f^3)*\sin(d*x + c))*\operatorname{dilog}(-I*e^{(I*d*x + I*c)}) - (15*I*(d*x + c)^2*f^3 + (15*I*c^2 + 12*I)*f^3 + (30*I*d*e*f^2 - 30*I*c*f^3)*(d*x + c) + (-15*I*(d*x + c)^2*f^3 + (-15*I*c^2 - 12*I)*f^3 + (-30*I*d*e*f^2 + 30*I*c*f^3)*(d*x + c))*\cos(4*d*x + 4*c) + 6*(5*(d*x + c)^2*f^3 + (5*c^2 + 4)*f^3 + 10*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(3*d*x + 3*c) + 6*(5*(d*x + c)^2*f^3 + (5*c^2 + 4)*f^3 + 10*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(d*x + c) + 3*(5*(d*x + c)^2*f^3 + (5*c^2 + 4)*f^3 + 10*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(4*d*x + 4*c) + (30*I*(d*x + c)^2*f^3 + (30*I*c^2 + 24*I)*f^3 + (60*I*d*e*f^2 - 60*I*c*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + (30*I*(d*x + c)^2*f^3 + (30*I*c^2 + 24*I)*f^3 + (60*I*d*e*f^2 - 60*I*c*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) - (9*I*(d*x + c)^2*f^3 + 9*I*c^2*f^3 + (18*I*d*e*f^2 - 18*I*c*f^3)*(d*x + c) + (-9*I*(d*x + c)^2*f^3 - 9*I*c^2*f^3 + (-18*I*d*e*f^2 + 18*I*c*f^3)*(d*x + c))*\cos(4*d*x + 4*c) + 18*((d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(3*d*x + 3*c) + 18*((d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\cos(d*x + c) + 9*((d*x + c)^2*f^3 + c^2*f^3 + 2*(d*e*f^2 - c*f^3)*(d*x + c))*\sin(4*d*x + 4*c) + (18*I*(d*x + c)^2*f^3 + 18*I*c^2*f^3 + (36*I*d*e*f^2 - 36*I*c*f^3)*(d*x + c))*\sin(3*d*x + 3*c) + (18*I*(d*x + c)^2*f^3 + 18*I*c^2*f^3 + (36*I*d*e*f^2 - 36*I*c*f^3)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 - 2*\sin(d*x + c) + 1) - (-60*I*f^3*\cos(4*d*x + 4*c) + 120*f^3*\cos(3*d*x + 3*c) + 120*f^3*\cos(d*x + c) + 60*f^3*\sin(4*d*x + 4*c) + 120*I*f^3*\sin(3*d*x + 3*c) + 120*I*f^3*\sin(d*x
\end{aligned}$$

$$\begin{aligned}
&+ c) + 60*I*f^3)*\text{polylog}(3, I*e^{(I*d*x + I*c)}) - (-36*I*f^3*\cos(4*d*x + 4*c) \\
&+ 72*f^3*\cos(3*d*x + 3*c) + 72*f^3*\cos(d*x + c) + 36*f^3*\sin(4*d*x + 4*c) \\
&+ 72*I*f^3*\sin(3*d*x + 3*c) + 72*I*f^3*\sin(d*x + c) + 36*I*f^3)*\text{polylog}(3, \\
&-I*e^{(I*d*x + I*c)}) - (-16*I*(d*x + c)^3*f^3 + (-48*I*c^2 - 24*I)*(d*x + c) \\
&)*f^3 + (-48*I*d*e*f^2 + 48*I*c*f^3)*(d*x + c)^2)*\sin(4*d*x + 4*c) - (32*(d \\
&*x + c)^3*f^3 - 24*d*e*f^2 + (-12*I*c^2 + 24*c)*f^3 + (96*d*e*f^2 - (96*c + \\
&12*I)*f^3)*(d*x + c)^2 + (-24*I*d*e*f^2 + 24*(4*c^2 + I*c + 1)*f^3)*(d*x + \\
&c))*\sin(3*d*x + 3*c) - (-24*I*d*e*f^2 - 24*I*(d*x + c)*f^3 + 24*I*c*f^3)*\text{sin} \\
&\text{in}(2*d*x + 2*c) - (-12*I*(d*x + c)^2*f^3 - 24*d*e*f^2 + (32*c^3 - 12*I*c^2 \\
&+ 24*c)*f^3 - 24*(I*d*e*f^2 + (-I*c - 1)*f^3)*(d*x + c))*\sin(d*x + c))/(-12 \\
&*I*a*d^3*\cos(4*d*x + 4*c) + 24*a*d^3*\cos(3*d*x + 3*c) + 24*a*d^3*\cos(d*x + \\
&c) + 12*a*d^3*\sin(4*d*x + 4*c) + 24*I*a*d^3*\sin(3*d*x + 3*c) + 24*I*a*d^3*\text{sin} \\
&\text{in}(d*x + c) + 12*I*a*d^3))/d
\end{aligned}$$

Fricas [C] time = 3.11652, size = 3767, normalized size = 7.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned}
&1/12*(4*d^3*f^3*x^3 + 12*d^3*e*f^2*x^2 + 12*d^3*e^2*f*x + 4*d^3*e^3 - 4*(2* \\
&d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 2*d^3*e^3 + 3*d*e*f^2 + 3*(2*d^3*e^2*f + d* \\
&f^3)*x)*\cos(d*x + c)^2 - 6*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f)*\cos(d* \\
&x + c) + ((18*I*d*f^3*x + 18*I*d*e*f^2)*\cos(d*x + c)*\sin(d*x + c) + (18*I*d \\
&*f^3*x + 18*I*d*e*f^2)*\cos(d*x + c))*\text{dilog}(I*\cos(d*x + c) + \sin(d*x + c)) + \\
&((-30*I*d*f^3*x - 30*I*d*e*f^2)*\cos(d*x + c)*\sin(d*x + c) + (-30*I*d*f^3*x \\
&- 30*I*d*e*f^2)*\cos(d*x + c))*\text{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) + ((-18 \\
&*I*d*f^3*x - 18*I*d*e*f^2)*\cos(d*x + c)*\sin(d*x + c) + (-18*I*d*f^3*x - 18* \\
&I*d*e*f^2)*\cos(d*x + c))*\text{dilog}(-I*\cos(d*x + c) + \sin(d*x + c)) + ((30*I*d*f \\
&^3*x + 30*I*d*e*f^2)*\cos(d*x + c)*\sin(d*x + c) + (30*I*d*f^3*x + 30*I*d*e*f \\
&^2)*\cos(d*x + c))*\text{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) + 3*((5*d^2*e^2*f - \\
&10*c*d*e*f^2 + (5*c^2 + 4)*f^3)*\cos(d*x + c)*\sin(d*x + c) + (5*d^2*e^2*f - \\
&10*c*d*e*f^2 + (5*c^2 + 4)*f^3)*\cos(d*x + c))*\log(\cos(d*x + c) + I*\sin(d*x \\
&+ c) + I) + 9*((d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c)*\sin(d*x + \\
&c) + (d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c))*\log(\cos(d*x + c) - I \\
&* \sin(d*x + c) + I) + 15*((d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f \\
&^3)*\cos(d*x + c)*\sin(d*x + c) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 \\
&- c^2*f^3)*\cos(d*x + c))*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) + 9*((d^2*f \\
&^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c)*\sin(d*x + c) + \\
&(d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c))*\log(I* \\
&\cos(d*x + c) - \sin(d*x + c) + 1) + 15*((d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d \\
&*e*f^2 - c^2*f^3)*\cos(d*x + c)*\sin(d*x + c) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x \\
&+ 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c))*\log(-I*\cos(d*x + c) + \sin(d*x + c) \\
&+ 1) + 9*((d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d*x + c) \\
&)*\sin(d*x + c) + (d^2*f^3*x^2 + 2*d^2*e*f^2*x + 2*c*d*e*f^2 - c^2*f^3)*\cos(d \\
&*x + c))*\log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) + 3*((5*d^2*e^2*f - 10*c*d \\
&*e*f^2 + (5*c^2 + 4)*f^3)*\cos(d*x + c)*\sin(d*x + c) + (5*d^2*e^2*f - 10*c*d \\
&*e*f^2 + (5*c^2 + 4)*f^3)*\cos(d*x + c))*\log(-\cos(d*x + c) + I*\sin(d*x + c) \\
&+ I) + 9*((d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c)*\sin(d*x + c) + (\\
&d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*\cos(d*x + c))*\log(-\cos(d*x + c) - I*\sin(\\
&d*x + c) + I) + 18*(f^3*\cos(d*x + c)*\sin(d*x + c) + f^3*\cos(d*x + c))*\text{polyl} \\
&\text{og}(3, I*\cos(d*x + c) + \sin(d*x + c)) + 30*(f^3*\cos(d*x + c)*\sin(d*x + c) + \\
&f^3*\cos(d*x + c))*\text{polylog}(3, I*\cos(d*x + c) - \sin(d*x + c)) + 18*(f^3*\cos(d \\
&*x + c)*\sin(d*x + c) + f^3*\cos(d*x + c))*\text{polylog}(3, -I*\cos(d*x + c) + \sin(d \\
&*x + c)) + 30*(f^3*\cos(d*x + c)*\sin(d*x + c) + f^3*\cos(d*x + c))*\text{polylog}(3,
\end{aligned}$$

```
-I*cos(d*x + c) - sin(d*x + c)) + 8*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3
*e^2*f*x + d^3*e^3)*sin(d*x + c))/(a*d^4*cos(d*x + c)*sin(d*x + c) + a*d^4*
cos(d*x + c))
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*sec(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sec(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*sec(d*x + c)^2/(a*sin(d*x + c) + a), x)
```

$$3.276 \quad \int \frac{(e+fx)^2 \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=343

$$\frac{if^2 \text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{3ad^3} - \frac{if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{3ad^3} - \frac{2if^2 \text{PolyLog}\left(2, -e^{2i(c+dx)}\right)}{3ad^3} + \frac{4f(e+fx) \log\left(1 + e^{2i(c+dx)}\right)}{3ad^2}$$

```
[Out] (((-2*I)/3)*(e + f*x)^2)/(a*d) - (((2*I)/3)*f*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d^2) + (4*f*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/(3*a*d^2) + ((I/3)*f^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^3) - ((I/3)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (((2*I)/3)*f^2*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^3) - (f^2*Sec[c + d*x])/(3*a*d^3) - (f*(e + f*x)*Sec[c + d*x]^2)/(3*a*d^2) - ((e + f*x)^2*Sec[c + d*x]^3)/(3*a*d) + (f^2*Tan[c + d*x])/(3*a*d^3) + (2*(e + f*x)^2*Tan[c + d*x])/(3*a*d) + (f*(e + f*x)*Sec[c + d*x]*Tan[c + d*x])/(3*a*d^2) + ((e + f*x)^2*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)
```

Rubi [A] time = 0.37765, antiderivative size = 343, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 12, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4531, 4186, 3767, 8, 4184, 3719, 2190, 2279, 2391, 4409, 4185, 4181}

$$\frac{if^2 \text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{3ad^3} - \frac{if^2 \text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{3ad^3} - \frac{2if^2 \text{PolyLog}\left(2, -e^{2i(c+dx)}\right)}{3ad^3} + \frac{4f(e+fx) \log\left(1 + e^{2i(c+dx)}\right)}{3ad^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (((-2*I)/3)*(e + f*x)^2)/(a*d) - (((2*I)/3)*f*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d^2) + (4*f*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/(3*a*d^2) + ((I/3)*f^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^3) - ((I/3)*f^2*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^3) - (((2*I)/3)*f^2*PolyLog[2, -E^((2*I)*(c + d*x))])/(a*d^3) - (f^2*Sec[c + d*x])/(3*a*d^3) - (f*(e + f*x)*Sec[c + d*x]^2)/(3*a*d^2) - ((e + f*x)^2*Sec[c + d*x]^3)/(3*a*d) + (f^2*Tan[c + d*x])/(3*a*d^3) + (2*(e + f*x)^2*Tan[c + d*x])/(3*a*d) + (f*(e + f*x)*Sec[c + d*x]*Tan[c + d*x])/(3*a*d^2) + ((e + f*x)^2*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)
```

Rule 4531

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_)), x_Symbol] := -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
```

```
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^2 \sec^2(c + dx)}{a + a \sin(c + dx)} dx = \frac{\int (e + fx)^2 \sec^4(c + dx) dx}{a} - \frac{\int (e + fx)^2 \sec^3(c + dx) \tan(c + dx) dx}{a}$$

$$= -\frac{f(e + fx) \sec^2(c + dx)}{3ad^2} - \frac{(e + fx)^2 \sec^3(c + dx)}{3ad} + \frac{(e + fx)^2 \sec^2(c + dx) \tan(c + dx)}{3ad}$$

$$= -\frac{f^2 \sec(c + dx)}{3ad^3} - \frac{f(e + fx) \sec^2(c + dx)}{3ad^2} - \frac{(e + fx)^2 \sec^3(c + dx)}{3ad} + \frac{2(e + fx)^2 \tan(c + dx)}{3ad}$$

$$= -\frac{2i(e + fx)^2}{3ad} - \frac{2if(e + fx) \tan^{-1}(e^{i(c+dx)})}{3ad^2} - \frac{f^2 \sec(c + dx)}{3ad^3} - \frac{f(e + fx) \sec^2(c + dx)}{3ad^2}$$

$$= -\frac{2i(e + fx)^2}{3ad} - \frac{2if(e + fx) \tan^{-1}(e^{i(c+dx)})}{3ad^2} + \frac{4f(e + fx) \log(1 + e^{2i(c+dx)})}{3ad^2} - \frac{f^2 \sec(c + dx)}{3ad^3}$$

$$= -\frac{2i(e + fx)^2}{3ad} - \frac{2if(e + fx) \tan^{-1}(e^{i(c+dx)})}{3ad^2} + \frac{4f(e + fx) \log(1 + e^{2i(c+dx)})}{3ad^2} + \frac{if^2 \text{Li}_2(-e^{2i(c+dx)})}{3ad^2}$$

$$= -\frac{2i(e + fx)^2}{3ad} - \frac{2if(e + fx) \tan^{-1}(e^{i(c+dx)})}{3ad^2} + \frac{4f(e + fx) \log(1 + e^{2i(c+dx)})}{3ad^2} + \frac{if^2 \text{Li}_2(-e^{2i(c+dx)})}{3ad^2}$$

Mathematica [A] time = 6.60974, size = 637, normalized size = 1.86

$$\frac{12d^2 f(\cos(c) + i \sin(c)) \left(\frac{f(\cos(c) - i(\sin(c) - 1)) \text{PolyLog}(2, \sin(c + dx) + i \cos(c + dx))}{d^2} + \frac{(-\sin(c) - i \cos(c) + 1)(e + fx) \log(-\sin(c + dx) - i \cos(c + dx) + 1)}{d} + \frac{(\cos(c) - i \sin(c))(e + fx)^2}{2f} \right)}{\cos(c) + i(\sin(c) - 1)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^2*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]),x]
```

```
[Out] ((12*d^2*f*((f*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] - I*(-1 + Sin[c]))) / d^2 + ((e + f*x)*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(1 - I*Cos[c] - Sin[c])) / d + ((e + f*x)^2*(Cos[c] - I*Sin[c])) / (2*f)) * (Cos[c] + I*Sin[c])) / (Cos[c] + I*(-1 + Sin[c])) - (20*d^2*f*(Cos[c] + I*Sin[c])) * (((e + f*x)^2*(Cos[c] - I*Sin[c])) / (2*f) - ((e + f*x)*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] + Sin[c])) / d + (f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*(1 + Sin[c]))) / d^2)) / (Cos[c] + I*(1 + Sin[c])) + (-2*f^2*Cos[c] - 2*d*f*(e + f*x)*Cos[d*x] + 2*d^2*e^2*Cos[c + d*x] + 4*f^2*Cos[c + d*x] + 4*d^2*e*f*x*Cos[c + d*x] + 2*d^2*f^2*x^2*Cos[c + d*x] - 2*d*e*f*Cos[2*c + d*x] - 2*d*f^2*x*Cos[2*c + d*x] - 4*d^2*e^2*Cos[c + 2*d*x] - 2*f^2*Cos[c + 2*d*x] - 8*d^2*e*f*x*Cos[c + 2*d*x] - 4*d^2*f^2*x^2*Cos[c + 2*d*x] + 8*d^2*e^2*Sin[d*x] + 2*f^2*Sin[d*x] + 16*d^2*e*f*x*Sin[d*x] + 8*d^2*f^2*x^2*Sin[d*x] + d^2*e^2*Sin[2*(c + d*x)] + 2*f^2*Sin[2*(c + d*x)] + 2*d^2*e*f*x*Sin[2*(c + d*x)] + d^2*f^2*x^2*Sin[2*(c + d*x)] - 2*f^2*Sin[2*c + d*x]) / (((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^3)) / (12*a*d^3)
```

Maple [A] time = 0.236, size = 573, normalized size = 1.7

$$\frac{2 f^2 e^{i(dx+c)} + 2 i f^2 + 16 d^2 e f x e^{i(dx+c)} + 2 i d f^2 x e^{i(dx+c)} + 2 i d e f e^{i(dx+c)} + 2 i d f^2 x e^{3 i(dx+c)} + 2 i d e f e^{3 i(dx+c)} + 8 i d^2 e f x + 2}{(3 e^{i(dx+c)} - 3 i) (e^{i(dx+c)} + i)^3 d^3 a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sec(d*x+c)^2/(a+a*sin(d*x+c)),x)
```

```
[Out] -2/3*(f^2*exp(I*(d*x+c))+I*f^2+8*d^2*e*f*x*exp(I*(d*x+c))+I*d*f^2*x*exp(I*(d*x+c))+I*d*e*f*exp(I*(d*x+c))+I*d*f^2*x*exp(3*I*(d*x+c))+I*d*e*f*exp(3*I*(d*x+c))+4*I*d^2*e*f*x+f^2*exp(3*I*(d*x+c))+4*d^2*e^2*exp(I*(d*x+c))+2*I*d^2*e^2+I*f^2*exp(2*I*(d*x+c))+4*d^2*f^2*x^2*exp(I*(d*x+c))+2*I*d^2*f^2*x^2)/(exp(I*(d*x+c))-I)/(exp(I*(d*x+c))+I)^3/d^3/a+1/d^2/a*e*f*ln(exp(I*(d*x+c))-I)+5/3*f/d^2/a*ln(exp(I*(d*x+c))+I)*e-8/3*f/d^2/a*ln(exp(I*(d*x+c)))*e-1/d^3/a*f^2*c*ln(exp(I*(d*x+c))-I)+8/3*f^2/d^3/a*c*ln(exp(I*(d*x+c)))-5/3*f^2/d^3/a*c*ln(exp(I*(d*x+c))+I)-4/3*I/d^3/a*f^2*c^2-I/d^3/a*f^2*polylog(2,-I*exp(I*(d*x+c)))-5/3*I/d^3/a*f^2*polylog(2,I*exp(I*(d*x+c)))+1/d^2/a*f^2*ln(1+I*exp(I*(d*x+c)))*x+1/d^3/a*f^2*ln(1+I*exp(I*(d*x+c)))*c-4/3*I/d/a*f^2*x^2+5/3*f^2/d^2/a*ln(1-I*exp(I*(d*x+c)))*x+5/3*f^2/d^3/a*ln(1-I*exp(I*(d*x+c)))*c-8/3*I/d^2/a*f^2*c*x
```

Maxima [B] time = 2.92584, size = 1800, normalized size = 5.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] -(8*d^2*e^2 + 4*f^2*cos(2*d*x + 2*c) + 4*I*f^2*sin(2*d*x + 2*c) + 4*f^2 - (10*d*e*f*cos(4*d*x + 4*c) + 20*I*d*e*f*cos(3*d*x + 3*c) + 20*I*d*e*f*cos(d*x + c) + 10*I*d*e*f*sin(4*d*x + 4*c) - 20*d*e*f*sin(3*d*x + 3*c) - 20*d*e*f*sin(d*x + c) - 10*d*e*f)*arctan2(sin(d*x + c) + 1, cos(d*x + c)) - (6*d*e*f*cos(4*d*x + 4*c) + 12*I*d*e*f*cos(3*d*x + 3*c) + 12*I*d*e*f*cos(d*x + c) + 6*I*d*e*f*sin(4*d*x + 4*c) - 12*d*e*f*sin(3*d*x + 3*c) - 12*d*e*f*sin(d*x + c) - 6*d*e*f)*arctan2(sin(d*x + c) - 1, cos(d*x + c)) + (10*d*f^2*x*cos(4*d*x + 4*c) + 20*I*d*f^2*x*cos(3*d*x + 3*c) + 20*I*d*f^2*x*cos(d*x + c) + 10*I*d*f^2*x*sin(4*d*x + 4*c) - 20*d*f^2*x*sin(3*d*x + 3*c) - 20*d*f^2*x*sin(d*x + c) - 10*d*f^2*x)*arctan2(cos(d*x + c), sin(d*x + c) + 1) - (6*d*f^2*x*cos(4*d*x + 4*c) + 12*I*d*f^2*x*cos(3*d*x + 3*c) + 12*I*d*f^2*x*cos(d*x + c) + 6*I*d*f^2*x*sin(4*d*x + 4*c) - 12*d*f^2*x*sin(3*d*x + 3*c) - 12*d*f^2*x*sin(d*x + c) - 6*d*f^2*x)*arctan2(cos(d*x + c), -sin(d*x + c) + 1) + 8*(d^2*f^2*x^2 + 2*d^2*e*f*x)*cos(4*d*x + 4*c) - (-16*I*d^2*f^2*x^2 - 4*d*e*f + 4*I*f^2 + (-32*I*d^2*e*f - 4*d*f^2)*x)*cos(3*d*x + 3*c) - (16*I*d^2*e^2 - 4*d*f^2*x - 4*d*e*f + 4*I*f^2)*cos(d*x + c) + (10*f^2*cos(4*d*x + 4*c) + 20*I*f^2*cos(3*d*x + 3*c) + 20*I*f^2*cos(d*x + c) + 10*I*f^2*sin(4*d*x + 4*c) - 20*f^2*sin(3*d*x + 3*c) - 20*f^2*sin(d*x + c) - 10*f^2)*dilog(I*e^(I*d*x + I*c)) + (6*f^2*cos(4*d*x + 4*c) + 12*I*f^2*cos(3*d*x + 3*c) + 12*I*f^2*cos(d*x + c) + 6*I*f^2*sin(4*d*x + 4*c) - 12*f^2*sin(3*d*x + 3*c) - 12*f^2*sin(d*x + c) - 6*f^2)*dilog(-I*e^(I*d*x + I*c)) - (5*I*d*f^2*x + 5*I*d*e*f + (-5*I*d*f^2*x - 5*I*d*e*f)*cos(4*d*x + 4*c) + 10*(d*f^2*x + d*e*f)*cos(3*d*x + 3*c) + 10*(d*f^2*x + d*e*f)*cos(d*x + c) + 5*(d*f^2*x + d*e*f)*sin(4*d*x + 4*c) + (10*I*d*f^2*x + 10*I*d*e*f)*sin(3*d*x + 3*c) + (10*I*d*f^2*x + 10*I*d*e*f)*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1) - (3*I*d*f^2*x + 3*I*d*e*f + (-3*I*d*f^2*x - 3*I*d*e*f)*cos(4*d
```



```
x + 4*c) + 6*(d*f^2*x + d*e*f)*cos(3*d*x + 3*c) + 6*(d*f^2*x + d*e*f)*cos(d
*x + c) + 3*(d*f^2*x + d*e*f)*sin(4*d*x + 4*c) + (6*I*d*f^2*x + 6*I*d*e*f)*
sin(3*d*x + 3*c) + (6*I*d*f^2*x + 6*I*d*e*f)*sin(d*x + c))*log(cos(d*x + c)
^2 + sin(d*x + c)^2 - 2*sin(d*x + c) + 1) - (-8*I*d^2*f^2*x^2 - 16*I*d^2*e*
f*x)*sin(4*d*x + 4*c) - (16*d^2*f^2*x^2 - 4*I*d*e*f - 4*f^2 + 4*(8*d^2*e*f
- I*d*f^2)*x)*sin(3*d*x + 3*c) + (16*d^2*e^2 + 4*I*d*f^2*x + 4*I*d*e*f + 4*
f^2)*sin(d*x + c))/(-6*I*a*d^3*cos(4*d*x + 4*c) + 12*a*d^3*cos(3*d*x + 3*c)
+ 12*a*d^3*cos(d*x + c) + 6*a*d^3*sin(4*d*x + 4*c) + 12*I*a*d^3*sin(3*d*x
+ 3*c) + 12*I*a*d^3*sin(d*x + c) + 6*I*a*d^3)
```

Fricas [B] time = 2.35719, size = 2186, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/6*(2*d^2*f^2*x^2 + 4*d^2*e*f*x + 2*d^2*e^2 - 2*(2*d^2*f^2*x^2 + 4*d^2*e*f
*x + 2*d^2*e^2 + f^2)*cos(d*x + c)^2 - 2*(d*f^2*x + d*e*f)*cos(d*x + c) + (
3*I*f^2*cos(d*x + c)*sin(d*x + c) + 3*I*f^2*cos(d*x + c))*dilog(I*cos(d*x +
c) + sin(d*x + c)) + (-5*I*f^2*cos(d*x + c)*sin(d*x + c) - 5*I*f^2*cos(d*x
+ c))*dilog(I*cos(d*x + c) - sin(d*x + c)) + (-3*I*f^2*cos(d*x + c)*sin(d*
x + c) - 3*I*f^2*cos(d*x + c))*dilog(-I*cos(d*x + c) + sin(d*x + c)) + (5*I
*f^2*cos(d*x + c)*sin(d*x + c) + 5*I*f^2*cos(d*x + c))*dilog(-I*cos(d*x + c
) - sin(d*x + c)) + 5*((d*e*f - c*f^2)*cos(d*x + c)*sin(d*x + c) + (d*e*f -
c*f^2)*cos(d*x + c))*log(cos(d*x + c) + I*sin(d*x + c) + I) + 3*((d*e*f -
c*f^2)*cos(d*x + c)*sin(d*x + c) + (d*e*f - c*f^2)*cos(d*x + c))*log(cos(d
*x + c) - I*sin(d*x + c) + I) + 5*((d*f^2*x + c*f^2)*cos(d*x + c)*sin(d*x +
c) + (d*f^2*x + c*f^2)*cos(d*x + c))*log(I*cos(d*x + c) + sin(d*x + c) + 1)
+ 3*((d*f^2*x + c*f^2)*cos(d*x + c)*sin(d*x + c) + (d*f^2*x + c*f^2)*cos(d
*x + c))*log(I*cos(d*x + c) - sin(d*x + c) + 1) + 5*((d*f^2*x + c*f^2)*cos(
d*x + c)*sin(d*x + c) + (d*f^2*x + c*f^2)*cos(d*x + c))*log(-I*cos(d*x + c)
+ sin(d*x + c) + 1) + 3*((d*f^2*x + c*f^2)*cos(d*x + c)*sin(d*x + c) + (d*
f^2*x + c*f^2)*cos(d*x + c))*log(-I*cos(d*x + c) - sin(d*x + c) + 1) + 5*((
d*e*f - c*f^2)*cos(d*x + c)*sin(d*x + c) + (d*e*f - c*f^2)*cos(d*x + c))*lo
g(-cos(d*x + c) + I*sin(d*x + c) + I) + 3*((d*e*f - c*f^2)*cos(d*x + c)*sin
(d*x + c) + (d*e*f - c*f^2)*cos(d*x + c))*log(-cos(d*x + c) - I*sin(d*x + c
) + I) + 4*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*sin(d*x + c))/(a*d^3*cos(d
*x + c)*sin(d*x + c) + a*d^3*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e^2 \sec^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f^2 x^2 \sec^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{2efx \sec^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*sec(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e**2*sec(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f**2*x**2*
sec(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(2*e*f*x*sec(c + d*x)**2/(
sin(c + d*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sec(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*sec(d*x + c)^2/(a*sin(d*x + c) + a), x)
```

$$3.277 \quad \int \frac{(e+fx) \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=152

$$-\frac{f \sec^2(c+dx)}{6ad^2} + \frac{f \tanh^{-1}(\sin(c+dx))}{6ad^2} + \frac{2f \log(\cos(c+dx))}{3ad^2} + \frac{f \tan(c+dx) \sec(c+dx)}{6ad^2} + \frac{2(e+fx) \tan(c+dx)}{3ad}$$

[Out] (f*ArcTanh[Sin[c + d*x]])/(6*a*d^2) + (2*f*Log[Cos[c + d*x]])/(3*a*d^2) - (f*Sec[c + d*x]^2)/(6*a*d^2) - ((e + f*x)*Sec[c + d*x]^3)/(3*a*d) + (2*(e + f*x)*Tan[c + d*x])/(3*a*d) + (f*Sec[c + d*x]*Tan[c + d*x])/(6*a*d^2) + ((e + f*x)*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)

Rubi [A] time = 0.145067, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {4531, 4185, 4184, 3475, 4409, 3768, 3770}

$$-\frac{f \sec^2(c+dx)}{6ad^2} + \frac{f \tanh^{-1}(\sin(c+dx))}{6ad^2} + \frac{2f \log(\cos(c+dx))}{3ad^2} + \frac{f \tan(c+dx) \sec(c+dx)}{6ad^2} + \frac{2(e+fx) \tan(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]),x]

[Out] (f*ArcTanh[Sin[c + d*x]])/(6*a*d^2) + (2*f*Log[Cos[c + d*x]])/(3*a*d^2) - (f*Sec[c + d*x]^2)/(6*a*d^2) - ((e + f*x)*Sec[c + d*x]^3)/(3*a*d) + (2*(e + f*x)*Tan[c + d*x])/(3*a*d) + (f*Sec[c + d*x]*Tan[c + d*x])/(6*a*d^2) + ((e + f*x)*Sec[c + d*x]^2*Tan[c + d*x])/(3*a*d)

Rule 4531

Int[(((e_) + (f_)*(x_))^(m_)*Sec[(c_) + (d_)*(x_)]^(n_))/((a_) + (b_) *Sin[(c_) + (d_)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]

Rule 4185

Int[(csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_)), x_Symbol] := -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rule 4184

Int[csc[(e_) + (f_)*(x_)]^2*((c_) + (d_)*(x_))^(m_), x_Symbol] := -Simp[(((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^(m)*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \sec^2(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\int (e + fx) \sec^4(c + dx) dx}{a} - \frac{\int (e + fx) \sec^3(c + dx) \tan(c + dx) dx}{a} \\ &= -\frac{f \sec^2(c + dx)}{6ad^2} - \frac{(e + fx) \sec^3(c + dx)}{3ad} + \frac{(e + fx) \sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{2 \int (e + fx) \sec^2(c + dx) dx}{6ad^2} \\ &= -\frac{f \sec^2(c + dx)}{6ad^2} - \frac{(e + fx) \sec^3(c + dx)}{3ad} + \frac{2(e + fx) \tan(c + dx)}{3ad} + \frac{f \sec(c + dx) \tan(c + dx)}{6ad^2} \\ &= \frac{f \tanh^{-1}(\sin(c + dx))}{6ad^2} + \frac{2f \log(\cos(c + dx))}{3ad^2} - \frac{f \sec^2(c + dx)}{6ad^2} - \frac{(e + fx) \sec^3(c + dx)}{3ad} + \frac{2(e + fx) \tan(c + dx)}{3ad} \end{aligned}$$

Mathematica [A] time = 1.05244, size = 231, normalized size = 1.52

$$\frac{\cos(c + dx) \left(\sin(c + dx) \left(3f \log \left(\cos \left(\frac{1}{2}(c + dx) \right) - \sin \left(\frac{1}{2}(c + dx) \right) \right) + 5f \log \left(\sin \left(\frac{1}{2}(c + dx) \right) + \cos \left(\frac{1}{2}(c + dx) \right) \right) \right) - cf + \frac{2f \log(\cos(c + dx))}{3ad^2}}{6ad^2(\sin(c + dx) + 1) \left(\cos \left(\frac{1}{2}(c + dx) \right) + \sin \left(\frac{1}{2}(c + dx) \right) \right)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-2*d*(e + f*x)*(Cos[2*(c + d*x)] - 2*Sin[c + d*x]) + Cos[c + d*x]*(d*e - f - c*f + 3*f*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 5*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (d*e - c*f + 3*f*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 5*f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])*Sin[c + d*x))/(6*a*d^2*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))*(1 + Sin[c + d*x])
```

Maple [B] time = 0.172, size = 466, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*sec(d*x+c)^2/(a+a*sin(d*x+c)),x)
```

```
[Out] -1/2/a*e/d/(tan(1/2*d*x+1/2*c)-1)-2/3/a*e/d/(tan(1/2*d*x+1/2*c)+1)^3+1/a*e/
d/(tan(1/2*d*x+1/2*c)+1)^2-3/2/a*e/d/(tan(1/2*d*x+1/2*c)+1)+1/3/a*f/(tan(1/
2*d*x+1/2*c)-1)/(tan(1/2*d*x+1/2*c)+1)^3*x/d-4/3/a*f/(tan(1/2*d*x+1/2*c)-1)
/(tan(1/2*d*x+1/2*c)+1)^3*x/d*tan(1/2*d*x+1/2*c)-2/a*f/(tan(1/2*d*x+1/2*c)-
1)/(tan(1/2*d*x+1/2*c)+1)^3*x/d*tan(1/2*d*x+1/2*c)^2-4/3/a*f/(tan(1/2*d*x+1
/2*c)-1)/(tan(1/2*d*x+1/2*c)+1)^3*x/d*tan(1/2*d*x+1/2*c)^3+1/3/a*f/(tan(1/2
*d*x+1/2*c)-1)/(tan(1/2*d*x+1/2*c)+1)^3*x/d*tan(1/2*d*x+1/2*c)^4-1/3/a*f/(t
an(1/2*d*x+1/2*c)-1)/(tan(1/2*d*x+1/2*c)+1)^3/d^2*tan(1/2*d*x+1/2*c)+1/3/a*
f/(tan(1/2*d*x+1/2*c)-1)/(tan(1/2*d*x+1/2*c)+1)^3/d^2*tan(1/2*d*x+1/2*c)^3+
1/2/a*f/d^2*ln(tan(1/2*d*x+1/2*c)-1)+5/6/a*f/d^2*ln(tan(1/2*d*x+1/2*c)+1)-2
/3/a*f/d^2*ln(1+tan(1/2*d*x+1/2*c)^2)
```

Maxima [B] time = 1.13416, size = 1505, normalized size = 9.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] -1/12*(8*c*f*(sin(d*x + c)/(cos(d*x + c) + 1) + 3*sin(d*x + c)^2/(cos(d*x +
c) + 1)^2 + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 1)/(a*d + 2*a*d*sin(d*
x + c)/(cos(d*x + c) + 1) - 2*a*d*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - a*d
*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (4*(8*(d*x + c)*cos(d*x + c) - sin(
3*d*x + 3*c) - sin(d*x + c))*cos(4*d*x + 4*c) + 16*(2*d*x + 4*(d*x + c)*sin
(d*x + c) + 2*c + cos(d*x + c))*cos(3*d*x + 3*c) + 8*cos(3*d*x + 3*c)^2 + 8
*cos(d*x + c)^2 + 5*(2*(2*sin(3*d*x + 3*c) + 2*sin(d*x + c) + 1)*cos(4*d*x
+ 4*c) - cos(4*d*x + 4*c)^2 - 4*cos(3*d*x + 3*c)^2 - 8*cos(3*d*x + 3*c)*cos
(d*x + c) - 4*cos(d*x + c)^2 - 4*(cos(3*d*x + 3*c) + cos(d*x + c))*sin(4*d*
x + 4*c) - sin(4*d*x + 4*c)^2 - 4*(2*sin(d*x + c) + 1)*sin(3*d*x + 3*c) - 4
*sin(3*d*x + 3*c)^2 - 4*sin(d*x + c)^2 - 4*sin(d*x + c) - 1)*log(cos(d*x +
c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1) + 3*(2*(2*sin(3*d*x + 3*c) + 2*
sin(d*x + c) + 1)*cos(4*d*x + 4*c) - cos(4*d*x + 4*c)^2 - 4*cos(3*d*x + 3*c
)^2 - 8*cos(3*d*x + 3*c)*cos(d*x + c) - 4*cos(d*x + c)^2 - 4*(cos(3*d*x + 3
*c) + cos(d*x + c))*sin(4*d*x + 4*c) - sin(4*d*x + 4*c)^2 - 4*(2*sin(d*x +
c) + 1)*sin(3*d*x + 3*c) - 4*sin(3*d*x + 3*c)^2 - 4*sin(d*x + c)^2 - 4*sin(
d*x + c) - 1)*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*sin(d*x + c) + 1) + 4
*(4*d*x + 8*(d*x + c)*sin(d*x + c) + 4*c + cos(3*d*x + 3*c) + cos(d*x + c))
*sin(4*d*x + 4*c) - 4*(16*(d*x + c)*cos(d*x + c) - 4*sin(d*x + c) - 1)*sin(
3*d*x + 3*c) + 8*sin(3*d*x + 3*c)^2 + 8*sin(d*x + c)^2 + 4*sin(d*x + c))*f/
(a*d*cos(4*d*x + 4*c)^2 + 4*a*d*cos(3*d*x + 3*c)^2 + 8*a*d*cos(3*d*x + 3*c)
*cos(d*x + c) + 4*a*d*cos(d*x + c)^2 + a*d*sin(4*d*x + 4*c)^2 + 4*a*d*sin(3
*d*x + 3*c)^2 + 4*a*d*sin(d*x + c)^2 + 4*a*d*sin(d*x + c) + a*d - 2*(2*a*d*
sin(3*d*x + 3*c) + 2*a*d*sin(d*x + c) + a*d)*cos(4*d*x + 4*c) + 4*(a*d*cos(
3*d*x + 3*c) + a*d*cos(d*x + c))*sin(4*d*x + 4*c) + 4*(2*a*d*sin(d*x + c) +
a*d)*sin(3*d*x + 3*c)) - 8*e*(sin(d*x + c)/(cos(d*x + c) + 1) + 3*sin(d*x
+ c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 1)/(a
+ 2*a*sin(d*x + c)/(cos(d*x + c) + 1) - 2*a*sin(d*x + c)^3/(cos(d*x + c) +
1)^3 - a*sin(d*x + c)^4/(cos(d*x + c) + 1)^4))/d
```

Fricas [A] time = 1.73828, size = 417, normalized size = 2.74

$$\frac{4dfx - 8(dfx + de)\cos(dx + c)^2 + 4de - 2f\cos(dx + c) + 5(f\cos(dx + c)\sin(dx + c) + f\cos(dx + c))\log(\sin(dx + c))}{12(ad^2\cos(dx + c)\sin(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/12*(4*d*f*x - 8*(d*f*x + d*e)*cos(d*x + c)^2 + 4*d*e - 2*f*cos(d*x + c) +
5*(f*cos(d*x + c)*sin(d*x + c) + f*cos(d*x + c))*log(sin(d*x + c) + 1) + 3
*(f*cos(d*x + c)*sin(d*x + c) + f*cos(d*x + c))*log(-sin(d*x + c) + 1) + 8*
(d*f*x + d*e)*sin(d*x + c))/(a*d^2*cos(d*x + c)*sin(d*x + c) + a*d^2*cos(d*
x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \sec^2(c+dx)}{\sin(c+dx)+1} dx + \int \frac{f x \sec^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)**2/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e*sec(c + d*x)**2/(sin(c + d*x) + 1), x) + Integral(f*x*sec(c + d
*x)**2/(sin(c + d*x) + 1), x))/a
```

Giac [B] time = 3.82079, size = 8986, normalized size = 59.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/12*(4*d*f*x*tan(1/2*d*x)^4*tan(1/2*c)^4 + 16*d*f*x*tan(1/2*d*x)^4*tan(1/
2*c)^3 + 16*d*f*x*tan(1/2*d*x)^3*tan(1/2*c)^4 + 4*d*e*tan(1/2*d*x)^4*tan(1/
2*c)^4 - 3*f*log(2*(tan(1/2*c)^2 + 1)/(tan(1/2*d*x)^4*tan(1/2*c)^2 + 2*tan(
1/2*d*x)^4*tan(1/2*c) + 2*tan(1/2*d*x)^3*tan(1/2*c)^2 + tan(1/2*d*x)^4 + 2*
tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*tan(1/2*d*x)^3 + 2*tan(1/2*d*x)*tan(1/2*c)^
2 + 2*tan(1/2*d*x)^2 + tan(1/2*c)^2 - 2*tan(1/2*d*x) - 2*tan(1/2*c) + 1))*t
an(1/2*d*x)^4*tan(1/2*c)^4 - 5*f*log(2*(tan(1/2*c)^2 + 1)/(tan(1/2*d*x)^4*t
an(1/2*c)^2 - 2*tan(1/2*d*x)^4*tan(1/2*c) - 2*tan(1/2*d*x)^3*tan(1/2*c)^2 +
tan(1/2*d*x)^4 + 2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*tan(1/2*d*x)^3 - 2*tan(
1/2*d*x)*tan(1/2*c)^2 + 2*tan(1/2*d*x)^2 + tan(1/2*c)^2 + 2*tan(1/2*d*x) +
2*tan(1/2*c) + 1))*tan(1/2*d*x)^4*tan(1/2*c)^4 - 24*d*f*x*tan(1/2*d*x)^4*ta
n(1/2*c)^2 - 64*d*f*x*tan(1/2*d*x)^3*tan(1/2*c)^3 + 16*d*e*tan(1/2*d*x)^4*t
an(1/2*c)^3 + 6*f*log(2*(tan(1/2*c)^2 + 1)/(tan(1/2*d*x)^4*tan(1/2*c)^2 + 2
*tan(1/2*d*x)^4*tan(1/2*c) + 2*tan(1/2*d*x)^3*tan(1/2*c)^2 + tan(1/2*d*x)^4
+ 2*tan(1/2*d*x)^2*tan(1/2*c)^2 - 2*tan(1/2*d*x)^3 + 2*tan(1/2*d*x)*tan(1/
2*c)^2 + 2*tan(1/2*d*x)^2 + tan(1/2*c)^2 - 2*tan(1/2*d*x) - 2*tan(1/2*c) +
1))*tan(1/2*d*x)^4*tan(1/2*c)^3 + 10*f*log(2*(tan(1/2*c)^2 + 1)/(tan(1/2*d*
x)^4*tan(1/2*c)^2 - 2*tan(1/2*d*x)^4*tan(1/2*c) - 2*tan(1/2*d*x)^3*tan(1/2*
c)^2 + tan(1/2*d*x)^4 + 2*tan(1/2*d*x)^2*tan(1/2*c)^2 + 2*tan(1/2*d*x)^3 -
2*tan(1/2*d*x)*tan(1/2*c)^2 + 2*tan(1/2*d*x)^2 + tan(1/2*c)^2 + 2*tan(1/2*d
*x) + 2*tan(1/2*c) + 1))*tan(1/2*d*x)^4*tan(1/2*c)^3 - 24*d*f*x*tan(1/2*d*x
)^2*tan(1/2*c)^4 + 16*d*e*tan(1/2*d*x)^3*tan(1/2*c)^4 + 6*f*log(2*(tan(1/2*
c)^2 + 1)/(tan(1/2*d*x)^4*tan(1/2*c)^2 + 2*tan(1/2*d*x)^4*tan(1/2*c) + 2*ta
n(1/2*d*x)^3*tan(1/2*c)^2 + tan(1/2*d*x)^4 + 2*tan(1/2*d*x)^2*tan(1/2*c)^2
```


$$\begin{aligned}
& 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan(1/2*c) + 1)) * \tan(\\
& 1/2*d*x)^4 + 5*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 - 2* \\
& \tan(1/2*d*x)^4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 \\
& + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(1/2*d*x)*\tan(1/2 \\
& *c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 + 2*\tan(1/2*d*x) + 2*\tan(1/2*c) + 1 \\
&)) * \tan(1/2*d*x)^4 + 64*d*e*\tan(1/2*d*x)^3*\tan(1/2*c) + 12*f*\log(2*(\tan(1/2* \\
& c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^4*\tan(1/2*c) + 2*\tan \\
& (1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 \\
& - 2*\tan(1/2*d*x)^3 + 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1 \\
& /2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan(1/2*c) + 1)) * \tan(1/2*d*x)^3*\tan(1/2*c) + 2 \\
& 0*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^ \\
& 4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan(1/2*d \\
& *x)^2*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*\tan \\
& (1/2*d*x)^2 + \tan(1/2*c)^2 + 2*\tan(1/2*d*x) + 2*\tan(1/2*c) + 1)) * \tan(1/2*d* \\
& x)^3*\tan(1/2*c) + 144*d*e*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 16*d*f*x*\tan(1/2*c) \\
& ^3 + 64*d*e*\tan(1/2*d*x)*\tan(1/2*c)^3 + 12*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(\\
& 1/2*d*x)^4*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^4*\tan(1/2*c) + 2*\tan(1/2*d*x)^3*\tan \\
& (1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*\tan(1/2*d*x) \\
&)^3 + 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan \\
& (1/2*d*x) - 2*\tan(1/2*c) + 1)) * \tan(1/2*d*x)*\tan(1/2*c)^3 + 20*f*\log(2*(\tan(\\
& 1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^4*\tan(1/2*c) - \\
& 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c) \\
&)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan \\
& (1/2*c)^2 + 2*\tan(1/2*d*x) + 2*\tan(1/2*c) + 1)) * \tan(1/2*d*x)*\tan(1/2*c)^3 \\
& + 4*d*e*\tan(1/2*c)^4 + 3*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/ \\
& 2*c)^2 + 2*\tan(1/2*d*x)^4*\tan(1/2*c) + 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(\\
& 1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^3 + 2*\tan(1/2*d \\
& *x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan \\
& (1/2*c) + 1)) * \tan(1/2*c)^4 + 5*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan \\
& (1/2*c)^2 - 2*\tan(1/2*d*x)^4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \\
& \tan(1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(\\
& 1/2*d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 + 2*\tan(1/2*d*x) + \\
& 2*\tan(1/2*c) + 1)) * \tan(1/2*c)^4 - 24*d*f*x*\tan(1/2*d*x)^2 - 16*d*e*\tan(1/2* \\
& d*x)^3 + 6*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 + 2*\tan(\\
& 1/2*d*x)^4*\tan(1/2*c) + 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2* \\
& \tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^3 + 2*\tan(1/2*d*x)*\tan(1/2*c)^ \\
& 2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan(1/2*c) + 1)) * \tan \\
& (1/2*d*x)^3 + 10*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 \\
& - 2*\tan(1/2*d*x)^4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x) \\
&)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(1/2*d*x)*\tan \\
& (1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 + 2*\tan(1/2*d*x) + 2*\tan(1/2*c) \\
& + 1)) * \tan(1/2*d*x)^3 - 2*f*\tan(1/2*d*x)^4 - 64*d*f*x*\tan(1/2*d*x)*\tan(1/2* \\
& c) + 36*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1/2*c)^2 + 2*\tan(1/2 \\
& *d*x)^4*\tan(1/2*c) + 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan \\
& (1/2*d*x)^2*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^3 + 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + \\
& 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan(1/2*c) + 1)) * \tan(\\
& 1/2*d*x)^2*\tan(1/2*c) + 60*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1 \\
& /2*c)^2 - 2*\tan(1/2*d*x)^4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan \\
& (1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^3 - 2*\tan(1/2* \\
& d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 + 2*\tan(1/2*d*x) + 2*\tan \\
& (1/2*c) + 1)) * \tan(1/2*d*x)^2*\tan(1/2*c) - 8*f*\tan(1/2*d*x)^3*\tan(1/2*c) - \\
& 24*d*f*x*\tan(1/2*c)^2 + 36*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan(1/2*d*x)^4*\tan(1 \\
& /2*c)^2 + 2*\tan(1/2*d*x)^4*\tan(1/2*c) + 2*\tan(1/2*d*x)^3*\tan(1/2*c)^2 + \tan \\
& (1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^3 + 2*\tan(1/2* \\
& d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 - 2*\tan(1/2*d*x) - 2*\tan \\
& (1/2*c) + 1)) * \tan(1/2*d*x)*\tan(1/2*c)^2 + 60*f*\log(2*(\tan(1/2*c)^2 + 1)/(\tan \\
& (1/2*d*x)^4*\tan(1/2*c)^2 - 2*\tan(1/2*d*x)^4*\tan(1/2*c) - 2*\tan(1/2*d*x)^3 \\
& *\tan(1/2*c)^2 + \tan(1/2*d*x)^4 + 2*\tan(1/2*d*x)^2*\tan(1/2*c)^2 + 2*\tan(1/2* \\
& d*x)^3 - 2*\tan(1/2*d*x)*\tan(1/2*c)^2 + 2*\tan(1/2*d*x)^2 + \tan(1/2*c)^2 + 2*
\end{aligned}$$

$$3.278 \quad \int \frac{\sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=42

$$\frac{2 \tan(c+dx)}{3ad} - \frac{\sec(c+dx)}{3d(a \sin(c+dx) + a)}$$

[Out] -Sec[c + d*x]/(3*d*(a + a*Sin[c + d*x])) + (2*Tan[c + d*x])/(3*a*d)

Rubi [A] time = 0.0514837, antiderivative size = 42, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2672, 3767, 8}

$$\frac{2 \tan(c+dx)}{3ad} - \frac{\sec(c+dx)}{3d(a \sin(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] -Sec[c + d*x]/(3*d*(a + a*Sin[c + d*x])) + (2*Tan[c + d*x])/(3*a*d)

Rule 2672

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^p]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m, x_Symbol] :> Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(a*f*g*Simplify[2*m + p + 1]), x] + Dist[Simplify[m + p + 1]/(a*Simplify[2*m + p + 1]), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f, g, m, p}, x] && EqQ[a^2 - b^2, 0] && ILtQ[Simplify[m + p + 1], 0] && NeQ[2*m + p + 1, 0] && !IGtQ[m, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^n, x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{a+a \sin(c+dx)} dx &= -\frac{\sec(c+dx)}{3d(a+a \sin(c+dx))} + \frac{2 \int \sec^2(c+dx) dx}{3a} \\ &= -\frac{\sec(c+dx)}{3d(a+a \sin(c+dx))} - \frac{2 \text{Subst}(\int 1 dx, x, -\tan(c+dx))}{3ad} \\ &= -\frac{\sec(c+dx)}{3d(a+a \sin(c+dx))} + \frac{2 \tan(c+dx)}{3ad} \end{aligned}$$

Mathematica [A] time = 0.0520047, size = 45, normalized size = 1.07

$$\frac{2 \tan(c+dx) - \cos(2(c+dx)) \sec(c+dx)}{3ad(\sin(c+dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2/(a + a*Sin[c + d*x]),x]

[Out] $(-(\text{Cos}[2*(c + d*x)]*\text{Sec}[c + d*x]) + 2*\text{Tan}[c + d*x])/(3*a*d*(1 + \text{Sin}[c + d*x]))$

Maple [A] time = 0.05, size = 70, normalized size = 1.7

$$2 \frac{1}{da} \left(-1/4 (\tan(1/2 dx + c/2) - 1)^{-1} - 1/3 (\tan(1/2 dx + c/2) + 1)^{-3} + 1/2 (\tan(1/2 dx + c/2) + 1)^{-2} - 3/4 (\tan(1/2 dx + c/2) + 1)^{-4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] $2/d/a*(-1/4/(\tan(1/2*d*x+1/2*c)-1)-1/3/(\tan(1/2*d*x+1/2*c)+1)^3+1/2/(\tan(1/2*d*x+1/2*c)+1)^2-3/4/(\tan(1/2*d*x+1/2*c)+1))$

Maxima [B] time = 1.00448, size = 174, normalized size = 4.14

$$\frac{2 \left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - 1 \right)}{3 \left(a + \frac{2 a \sin(dx+c)}{\cos(dx+c)+1} - \frac{2 a \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] $2/3*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 1)/((a + 2*a*\sin(d*x + c)/(\cos(d*x + c) + 1) - 2*a*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4)*d)$

Fricas [A] time = 1.60337, size = 131, normalized size = 3.12

$$-\frac{2 \cos(dx + c)^2 - 2 \sin(dx + c) - 1}{3(ad \cos(dx + c) \sin(dx + c) + ad \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] $-1/3*(2*\cos(d*x + c)^2 - 2*\sin(d*x + c) - 1)/(a*d*\cos(d*x + c)*\sin(d*x + c) + a*d*\cos(d*x + c))$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sec^2(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**2/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.17055, size = 90, normalized size = 2.14

$$\frac{\frac{3}{a\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)} + \frac{9\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+12\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+7}{a\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right)^3}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] -1/6*(3/(a*(tan(1/2*d*x + 1/2*c) - 1)) + (9*tan(1/2*d*x + 1/2*c)^2 + 12*tan(1/2*d*x + 1/2*c) + 7)/(a*(tan(1/2*d*x + 1/2*c) + 1)^3))/d

$$3.279 \quad \int \frac{\sec^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sec^2(c+dx)}{(e+fx)(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sec[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0662987, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx = \int \frac{\sec^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 18.8599, size = 0, normalized size = 0.

$$\int \frac{\sec^2(c+dx)}{(e+fx)(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]^2/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 3.027, size = 0, normalized size = 0.

$$\int \frac{(\sec(dx+c))^2}{(fx+e)(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$-1/3*(4*f^2*\cos(2*d*x + 2*c)*\cos(d*x + c) - 2*(d*f^2*x + d*e*f)*\cos(3*d*x + 3*c)^2 + 2*f^2*\cos(d*x + c) - 2*(d*f^2*x + d*e*f)*\cos(d*x + c)^2 - 2*(d*f^2*x + d*e*f)*\sin(3*d*x + 3*c)^2 - 2*(d*f^2*x + d*e*f)*\sin(d*x + c)^2 + (2*f^2*\cos(3*d*x + 3*c) - 2*f^2*\sin(2*d*x + 2*c) + 2*(4*d^2*f^2*x^2 + 8*d^2*e*f*x + 4*d^2*e^2 + f^2)*\cos(d*x + c) + (d*f^2*x + d*e*f)*\sin(3*d*x + 3*c) + (d*f^2*x + d*e*f)*\sin(d*x + c))*\cos(4*d*x + 4*c) + 2*(4*d^2*f^2*x^2 + 8*d^2*e*f*x + 4*d^2*e^2 + 2*f^2*\cos(2*d*x + 2*c) + f^2 - 2*(d*f^2*x + d*e*f)*\cos(d*x + c) + 8*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*\sin(d*x + c))*\cos(3*d*x + 3*c) + 3*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3 + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(4*d*x + 4*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(3*d*x + 3*c)^2 + 8*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(3*d*x + 3*c)*\cos(d*x + c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(d*x + c)^2 + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(4*d*x + 4*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(3*d*x + 3*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(d*x + c)^2 - 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3 + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(3*d*x + 3*c) + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(d*x + c))*\cos(4*d*x + 4*c) + 4*((a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(3*d*x + 3*c) + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\cos(d*x + c))*\sin(4*d*x + 4*c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3 + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(d*x + c))*\sin(3*d*x + 3*c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*\sin(d*x + c))*integrate(1/6*(5*d^2*f^3*x^2 + 10*d^2*e*f^2*x + 5*d^2*e^2*f + 12*f^3)*\cos(d*x + c)/(a*d^3*f^4*x^4 + 4*a*d^3*e*f^3*x^3 + 6*a*d^3*e^2*f^2*x^2 + 4*a*d^3*e^3*f*x + a*d^3*e^4 + (a*d^3*f^4*x^4 + 4*a*d^3*e*f^3*x^3 + 6*a*d^3*e^2*f^2*x^2 + 4*a*d^3*e^3*f*x + a*d^3*e^4)*\cos(d*x + c)^2 + (a*d^3*f^4*x^4 + 4*a*d^3*e*f^3*x^3 + 6*a*d^3*e^2*f^2*x^2 + 4*a*d^3*e^3*f*x + a*d^3*e^4)*\sin(d*x + c)^2 + 2*(a*d^3*f^4*x^4 + 4*a*d^3*e*f^3*x^3 + 6*a*d^3*e^2*f^2*x^2 + 4*a*d^3*e^3*f*x + a*d^3*e^4)*\sin(d*x + c)), x) - 3*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f + (a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(4*d*x + 4*c)^2 + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(3*d*x + 3*c)^2 + 8*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(3*d*x + 3*c)*\cos(d*x + c) + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(d*x + c)^2 + (a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\sin(4*d*x + 4*c)^2 + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\sin(3*d*x + 3*c)^2 + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\sin(d*x + c)^2 - 2*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f + 2*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\sin(3*d*x + 3*c) + 2*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\sin(d*x + c))*\cos(4*d*x + 4*c) + 4*((a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(3*d*x + 3*c) + (a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*\cos(d*x + c))*\sin(4*d*x + 4*c) + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f + 2*$$

```
(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*sin(d*x + c))*sin(3*d*x + 3*c) + 4*(a*d^3*f^4*x^3 + 3*a*d^3*e*f^3*x^2 + 3*a*d^3*e^2*f^2*x + a*d^3*e^3*f)*sin(d*x + c))*integrate(1/2*cos(d*x + c)/(a*d*f^2*x^2 + 2*a*d*e*f*x + a*d*e^2 + (a*d*f^2*x^2 + 2*a*d*e*f*x + a*d*e^2)*cos(d*x + c)^2 + (a*d*f^2*x^2 + 2*a*d*e*f*x + a*d*e^2)*sin(d*x + c))^2 - 2*(a*d*f^2*x^2 + 2*a*d*e*f*x + a*d*e^2)*sin(d*x + c)), x) + (4*d^2*f^2*x^2 + 8*d^2*e*f*x + 4*d^2*e^2 + 2*f^2*cos(2*d*x + 2*c) + 2*f^2*sin(3*d*x + 3*c) + 2*f^2 - (d*f^2*x + d*e*f)*cos(3*d*x + 3*c) - (d*f^2*x + d*e*f)*cos(d*x + c) + 2*(4*d^2*f^2*x^2 + 8*d^2*e*f*x + 4*d^2*e^2 + f^2)*sin(d*x + c))*sin(4*d*x + 4*c) - (d*f^2*x + d*e*f - 4*f^2*sin(2*d*x + 2*c) + 16*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*cos(d*x + c) + 4*(d*f^2*x + d*e*f)*sin(d*x + c))*sin(3*d*x + 3*c) + 2*(2*f^2*sin(d*x + c) + f^2)*sin(2*d*x + 2*c) - (d*f^2*x + d*e*f)*sin(d*x + c))/(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3 + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(4*d*x + 4*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(3*d*x + 3*c)^2 + 8*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(3*d*x + 3*c)*cos(d*x + c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(d*x + c)^2 + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(4*d*x + 4*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(3*d*x + 3*c)^2 + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(d*x + c)^2 - 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(3*d*x + 3*c) + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(d*x + c))*cos(4*d*x + 4*c) + 4*((a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(3*d*x + 3*c) + (a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*cos(d*x + c))*sin(4*d*x + 4*c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3 + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(3*d*x + 3*c) + 2*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(d*x + c))*sin(3*d*x + 3*c) + 4*(a*d^3*f^3*x^3 + 3*a*d^3*e*f^2*x^2 + 3*a*d^3*e^2*f*x + a*d^3*e^3)*sin(d*x + c))
```

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sec(dx+c)^2}{afx+ae+(afx+ae)\sin(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)^2/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sec^2(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**2/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")`

[Out] Timed out

$$3.280 \quad \int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sec^2(c+dx)}{(e+fx)^2(a\sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sec[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0670309, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx = \int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Mathematica [A] time = 24.8459, size = 0, normalized size = 0.

$$\int \frac{\sec^2(c+dx)}{(e+fx)^2(a+a\sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]^2/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 5.532, size = 0, normalized size = 0.

$$\int \frac{(\sec(dx+c))^2}{(fx+e)^2(a+a\sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sec(dx+c)^2}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)^2/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**2/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)^2}{(fx+e)^2(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sec(d*x + c)^2/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

$$3.281 \quad \int \frac{(e+fx)^3 \sec^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=698

$$\frac{9f^2(e+fx)\text{PolyLog}\left(3, -ie^{i(c+dx)}\right)}{4ad^3} + \frac{9f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{4ad^3} + \frac{9if(e+fx)^2\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{8ad^2} - \frac{9if}{8ad^2}$$

[Out] $((-I/2)*f*(e + f*x)^2)/(a*d^2) - ((5*I)*f^2*(e + f*x)*\text{ArcTan}[E^{(I*(c + d*x))}]/(a*d^3) - (((3*I)/4)*(e + f*x)^3*\text{ArcTan}[E^{(I*(c + d*x))}]/(a*d) + (f^2*(e + f*x)*\text{Log}[1 + E^{((2*I)*(c + d*x))}]/(a*d^3) + (((5*I)/2)*f^3*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}]/(a*d^4) + (((9*I)/8)*f*(e + f*x)^2*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}]/(a*d^2) - ((5*I)/2)*f^3*\text{PolyLog}[2, I*E^{(I*(c + d*x))}]/(a*d^4) - (((9*I)/8)*f*(e + f*x)^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}]/(a*d^2) - ((I/2)*f^3*\text{PolyLog}[2, -E^{((2*I)*(c + d*x))}]/(a*d^4) - (9*f^2*(e + f*x)*\text{PolyLog}[3, (-I)*E^{(I*(c + d*x))}]/(4*a*d^3) + (9*f^2*(e + f*x)*\text{PolyLog}[3, I*E^{(I*(c + d*x))}]/(4*a*d^3) - ((9*I)/4)*f^3*\text{PolyLog}[4, (-I)*E^{(I*(c + d*x))}]/(a*d^4) + (((9*I)/4)*f^3*\text{PolyLog}[4, I*E^{(I*(c + d*x))}]/(a*d^4) - (f^3*\text{Sec}[c + d*x])/ (4*a*d^4) - (9*f*(e + f*x)^2*\text{Sec}[c + d*x])/ (8*a*d^2) - (f^2*(e + f*x)*\text{Sec}[c + d*x]^2)/(4*a*d^3) - (f*(e + f*x)^2*\text{Sec}[c + d*x]^3)/(4*a*d^2) - ((e + f*x)^3*\text{Sec}[c + d*x]^4)/(4*a*d) + (f^3*\text{Tan}[c + d*x])/ (4*a*d^4) + (f*(e + f*x)^2*\text{Tan}[c + d*x])/ (2*a*d^2) + (f^2*(e + f*x)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/ (4*a*d^3) + (3*(e + f*x)^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/ (8*a*d) + (f*(e + f*x)^2*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/ (4*a*d^2) + ((e + f*x)^3*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/ (4*a*d))$

Rubi [A] time = 0.73537, antiderivative size = 698, normalized size of antiderivative = 1., number of steps used = 32, number of rules used = 16, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {4531, 4186, 4185, 4181, 2279, 2391, 2531, 6609, 2282, 6589, 4409, 3767, 8, 4184, 3719, 2190}

$$\frac{9f^2(e+fx)\text{PolyLog}\left(3, -ie^{i(c+dx)}\right)}{4ad^3} + \frac{9f^2(e+fx)\text{PolyLog}\left(3, ie^{i(c+dx)}\right)}{4ad^3} + \frac{9if(e+fx)^2\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{8ad^2} - \frac{9if}{8ad^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^3*\text{Sec}[c + d*x]^3/(a + a*\text{Sin}[c + d*x]), x]$

[Out] $((-I/2)*f*(e + f*x)^2)/(a*d^2) - ((5*I)*f^2*(e + f*x)*\text{ArcTan}[E^{(I*(c + d*x))}]/(a*d^3) - (((3*I)/4)*(e + f*x)^3*\text{ArcTan}[E^{(I*(c + d*x))}]/(a*d) + (f^2*(e + f*x)*\text{Log}[1 + E^{((2*I)*(c + d*x))}]/(a*d^3) + (((5*I)/2)*f^3*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}]/(a*d^4) + (((9*I)/8)*f*(e + f*x)^2*\text{PolyLog}[2, (-I)*E^{(I*(c + d*x))}]/(a*d^2) - ((5*I)/2)*f^3*\text{PolyLog}[2, I*E^{(I*(c + d*x))}]/(a*d^4) - (((9*I)/8)*f*(e + f*x)^2*\text{PolyLog}[2, I*E^{(I*(c + d*x))}]/(a*d^2) - ((I/2)*f^3*\text{PolyLog}[2, -E^{((2*I)*(c + d*x))}]/(a*d^4) - (9*f^2*(e + f*x)*\text{PolyLog}[3, (-I)*E^{(I*(c + d*x))}]/(4*a*d^3) + (9*f^2*(e + f*x)*\text{PolyLog}[3, I*E^{(I*(c + d*x))}]/(4*a*d^3) - ((9*I)/4)*f^3*\text{PolyLog}[4, (-I)*E^{(I*(c + d*x))}]/(a*d^4) + (((9*I)/4)*f^3*\text{PolyLog}[4, I*E^{(I*(c + d*x))}]/(a*d^4) - (f^3*\text{Sec}[c + d*x])/ (4*a*d^4) - (9*f*(e + f*x)^2*\text{Sec}[c + d*x])/ (8*a*d^2) - (f^2*(e + f*x)*\text{Sec}[c + d*x]^2)/(4*a*d^3) - (f*(e + f*x)^2*\text{Sec}[c + d*x]^3)/(4*a*d^2) - ((e + f*x)^3*\text{Sec}[c + d*x]^4)/(4*a*d) + (f^3*\text{Tan}[c + d*x])/ (4*a*d^4) + (f*(e + f*x)^2*\text{Tan}[c + d*x])/ (2*a*d^2) + (f^2*(e + f*x)*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/ (4*a*d^3) + (3*(e + f*x)^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/ (8*a*d) + (f*(e + f*x)^2*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/ (4*a*d^2) + ((e + f*x)^3*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/ (4*a*d))$

Rule 4531

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sec[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)
)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Sec[c +
d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[
+ d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2
- b^2, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:= -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_)), x_Symbol] :=
-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x
], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x],
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] - Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^3 \sec^3(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \sec^5(c + dx) dx}{a} - \frac{\int (e + fx)^3 \sec^4(c + dx) \tan(c + dx) dx}{a} \\
 &= -\frac{f(e + fx)^2 \sec^3(c + dx)}{4ad^2} - \frac{(e + fx)^3 \sec^4(c + dx)}{4ad} + \frac{(e + fx)^3 \sec^3(c + dx) \tan(c + dx)}{4ad} + \dots \\
 &= -\frac{f^3 \sec(c + dx)}{4ad^4} - \frac{9f(e + fx)^2 \sec(c + dx)}{8ad^2} - \frac{f^2(e + fx) \sec^2(c + dx)}{4ad^3} - \frac{f(e + fx)^2 \sec^3(c + dx)}{4ad^2} + \dots \\
 &= -\frac{5if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{4ad} - \frac{f^3 \sec(c + dx)}{4ad^4} - \frac{9f(e + fx)^2 \sec^3(c + dx)}{8ad^2} + \dots \\
 &= -\frac{if(e + fx)^2}{2ad^2} - \frac{5if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{9if(e + fx)^2 \sec^3(c + dx)}{8ad^2} + \dots \\
 &= -\frac{if(e + fx)^2}{2ad^2} - \frac{5if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{f^2(e + fx) \sec^2(c + dx)}{4ad} + \dots \\
 &= -\frac{if(e + fx)^2}{2ad^2} - \frac{5if^2(e + fx) \tan^{-1}(e^{i(c+dx)})}{ad^3} - \frac{3i(e + fx)^3 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{f^2(e + fx) \sec^2(c + dx)}{4ad} + \dots
 \end{aligned}$$

Mathematica [B] time = 9.98643, size = 1901, normalized size = 2.72

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^3*Sec[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-3*(4*d^2*e^3*x + 16*e*f^2*x + 6*d^2*e^2*f*x^2 + 8*f^3*x^2 + 4*d^2*e*f^2*x^3 + d^2*f^3*x^4 + (4*e*(d^2*e^2 + 4*f^2))*((-I)*d*x + Log[-Cos[c + d*x] - I*(-1 + Sin[c + d*x])])*(Cos[c] + I*(-1 + Sin[c])))/d + (4*f*(3*d^2*e^2 + 4*f^2)*x*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c])))/d + 12*d*e*f^2*x^2*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c])) + 4*d*f^3*x^3*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c])) + (24*e*f^2*(I*d*x*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]] + PolyLog[3, I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c])))/d + (12*f^3*(I*d^2*x^2*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]] + 2*d*x*PolyLog[3, I*Cos[c + d*x] + Sin[c + d*x]] - (2*I)*PolyLog[4, I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c])))/d^2 + (4*f*(3*d^2*e^2 + 4*f^2)*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]]*(1 + I*Cos[c] - Sin[c])/d^2)/(32*a*d^2*(Cos[c] + I*(-1 + Sin[c]))) - ((28*f^2 + 3*d^2*(e + f*x)^2)^2/f + 12*f*(9*d^2*e^2 + 28*f^2)*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(1 - I*Cos[c] + Sin[c]) + 216*d*e*f^2*(d*x*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - I*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(1 - I*Cos[c] + Sin[c]) + 108*f^3*(d^2*x^2*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]] - (2*I)*d*x*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]] - 2*PolyLog[4, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(1 - I*Cos[c] + Sin[c]) - 12*d*f*(9*d^2*e^2 + 28*f^2)*x*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(1 + Sin[c])) - 108*d^3*e*f^2*x^2*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(1 + Sin[c])) - 36*d^3*f^3*x^3*Log[1 + I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(1 + Sin[c])) + (12*I)*d*e*(3*d^2*e^2 + 28*f^2)*(d*x + I*Log[Cos[c + d*x] + I*(1 + Sin[c + d*x])])*(Cos[c] + I*(1 + Sin[c])))/(96*a*d^4*(Cos[c] + I*(1 + Sin[c]))) + ((3*e^3*x*Cos[c])/(4*a) + (((3*I)/4)*e^3*x*Sin[c])/a)/(1 + Cos[2*c] + I*Sin[2*c]) + ((9*e^2*f*x^2*Cos[c])/(8*a) + (((9*I)/8)*e^2*f*x^2*Sin[c])/a)/(1 + Cos[2*c] + I*Sin[2*c]) + ((3*e*f^2*x^3*Cos[c])/(4*a) + (((3*I)/4)*e*f^2*x^3*Sin[c])/a)/(1 + Cos[2*c] + I*Sin[2*c]) + ((3*f^3*x^4*Cos[c])/(4*a) + (((3*I)/4)*f^3*x^4*Sin[c])/a)/(1 + Cos[2*c] + I*Sin[2*c])
```

$$\begin{aligned} &])/(16*a) + (((3*I)/16)*f^3*x^4*\sin[c])/a/(1 + \cos[2*c] + I*\sin[2*c]) + (e \\ & ^3 + 3*e^2*f*x + 3*e*f^2*x^2 + f^3*x^3)/(8*a*d*(\cos[c/2 + (d*x)/2] - \sin[c/ \\ & 2 + (d*x)/2])^2) - (3*(e^2*f*\sin[(d*x)/2] + 2*e*f^2*x*\sin[(d*x)/2] + f^3*x^ \\ & 2*\sin[(d*x)/2]))/(4*a*d^2*(\cos[c/2] - \sin[c/2])*(\cos[c/2 + (d*x)/2] - \sin[c \\ & /2 + (d*x)/2])) + (-e^3 - 3*e^2*f*x - 3*e*f^2*x^2 - f^3*x^3)/(8*a*d*(\cos[c/ \\ & 2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^4) + (e^2*f*\sin[(d*x)/2] + 2*e*f^2*x*\sin \\ & [(d*x)/2] + f^3*x^2*\sin[(d*x)/2))/(4*a*d^2*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + \\ & (d*x)/2] + \sin[c/2 + (d*x)/2])^3) + (-2*d^2*e^3*\cos[c/2] - d*e^2*f*\cos[c/2 \\ &] - 2*e*f^2*\cos[c/2] - 6*d^2*e^2*f*x*\cos[c/2] - 2*d*e*f^2*x*\cos[c/2] - 2*f^ \\ & 3*x*\cos[c/2] - 6*d^2*e*f^2*x^2*\cos[c/2] - d*f^3*x^2*\cos[c/2] - 2*d^2*f^3*x^ \\ & 3*\cos[c/2] - 2*d^2*e^3*\sin[c/2] + d*e^2*f*\sin[c/2] - 2*e*f^2*\sin[c/2] - 6*d \\ & ^2*e^2*f*x*\sin[c/2] + 2*d*e*f^2*x*\sin[c/2] - 2*f^3*x*\sin[c/2] - 6*d^2*e*f^2 \\ & *x^2*\sin[c/2] + d*f^3*x^2*\sin[c/2] - 2*d^2*f^3*x^3*\sin[c/2))/(8*a*d^3*(\cos[\\ & c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^2) + (7*d^2*e^2* \\ & f*\sin[(d*x)/2] + 2*f^3*\sin[(d*x)/2] + 14*d^2*e*f^2*x*\sin[(d*x)/2] + 7*d^2*f \\ & ^3*x^2*\sin[(d*x)/2))/(4*a*d^4*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin \\ & [c/2 + (d*x)/2])) \end{aligned}$$

Maple [B] time = 0.325, size = 2161, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^3*\sec(d*x+c)^3/(a+a*\sin(d*x+c)),x)$

[Out]
$$\begin{aligned} & -9/8/d/a*\ln(1+I*\exp(I*(d*x+c)))*e^2*f*x-9/8/d^2/a*\ln(1+I*\exp(I*(d*x+c)))*c* \\ & e^2*f-3/8/d^4/a*f^3*\ln(1+I*\exp(I*(d*x+c)))*c^3-9/8/d^3/a*e*f^2*c^2*\ln(\exp(I \\ & *(d*x+c))-I)+9/8/d^2/a*e^2*f*c*\ln(\exp(I*(d*x+c))-I)-3/8/d/a*f^3*\ln(1+I*\exp(\\ & I*(d*x+c)))*x^3-9/4*I*f^3*polylog(4,-I*\exp(I*(d*x+c)))/a/d^4-3/8/d/a*e^3*\ln \\ & (\exp(I*(d*x+c))-I)+7/2/d^3/a*e*f^2*\ln(\exp(I*(d*x+c))+I)-9/4/d^3/a*e*f^2*pol \\ & ylog(3,-I*\exp(I*(d*x+c)))-2/d^3/a*e*f^2*\ln(\exp(I*(d*x+c)))+3/8/d^4/a*f^3*c^ \\ & 3*\ln(\exp(I*(d*x+c))-I)+2/d^4/a*f^3*c*\ln(\exp(I*(d*x+c)))-7/2/d^4/a*f^3*c*\ln(\\ & \exp(I*(d*x+c))+I)-9/4/d^3/a*f^3*polylog(3,-I*\exp(I*(d*x+c)))*x+7/2/d^3/a*f^ \\ & 3*\ln(1-I*\exp(I*(d*x+c)))*x+7/2/d^4/a*f^3*\ln(1-I*\exp(I*(d*x+c)))*c+9/8/d^3/a \\ & *ln(1+I*\exp(I*(d*x+c)))*c^2*e*f^2-9/8/d/a*ln(1+I*\exp(I*(d*x+c)))*e*f^2*x^2+ \\ & 3/8/a/d*\ln(\exp(I*(d*x+c))+I)*e^3+3/2/d^4/a*f^3*c*\ln(\exp(I*(d*x+c))-I)-3/2/d \\ & ^3/a*f^3*\ln(1+I*\exp(I*(d*x+c)))*x-3/2/d^3/a*e*f^2*\ln(\exp(I*(d*x+c))-I)-3/2/ \\ & d^4/a*f^3*c*\ln(1+I*\exp(I*(d*x+c)))-I/d^4/a*f^3*c^2-I/d^2/a*f^3*x^2+3/2*I/d^ \\ & 4/a*f^3*polylog(2,-I*\exp(I*(d*x+c)))-7/2*I/d^4/a*f^3*polylog(2,I*\exp(I*(d*x \\ & +c)))-3/8/a/d^4*f^3*c^3*\ln(\exp(I*(d*x+c))+I)+9/4/a/d^3*e*f^2*polylog(3,I*ex \\ & p(I*(d*x+c)))+9/4/a/d^3*f^3*polylog(3,I*\exp(I*(d*x+c)))*x+3/8/a/d^4*f^3*c^3 \\ & *\ln(1-I*\exp(I*(d*x+c)))+3/8/a/d*f^3*\ln(1-I*\exp(I*(d*x+c)))*x^3-1/4*I*(-9*I* \\ & d^2*e^2*f*\exp(5*I*(d*x+c))-6*I*d^3*f^3*x^3*\exp(2*I*(d*x+c))-8*I*d^2*f^3*x^2 \\ & *\exp(3*I*(d*x+c))-8*I*d^2*e^2*f*\exp(3*I*(d*x+c))+6*d^3*e^2*f*x*\exp(3*I*(d*x \\ & +c))+44*d^2*e*f^2*x*\exp(2*I*(d*x+c))+36*d^2*e*f^2*x*\exp(4*I*(d*x+c))+9*d^3* \\ & e*f^2*x^2*\exp(5*I*(d*x+c))+9*d^3*e^2*f*x*\exp(5*I*(d*x+c))+2*f^3+2*d*f^3*x*e \\ & xp(I*(d*x+c))+2*d*e*f^2*\exp(I*(d*x+c))+3*d^3*f^3*x^3*\exp(I*(d*x+c))-4*I*f^3 \\ & *\exp(3*I*(d*x+c))-2*I*f^3*\exp(5*I*(d*x+c))+2*d^3*f^3*x^3*\exp(3*I*(d*x+c))+4 \\ & *d^2*e^2*f+3*d^3*e^3*\exp(5*I*(d*x+c))+2*d^3*e^3*\exp(3*I*(d*x+c))+3*d^3*e^3* \\ & \exp(I*(d*x+c))-2*I*f^3*\exp(I*(d*x+c))-18*I*d^3*e*f^2*x^2*\exp(2*I*(d*x+c))-1 \\ & 8*I*d^3*e^2*f*x*\exp(2*I*(d*x+c))-16*I*d^2*e*f^2*x*\exp(3*I*(d*x+c))-18*I*d^2 \\ & *e*f^2*x*\exp(5*I*(d*x+c))+4*d^2*f^3*x^2+8*d^2*e*f^2*x+6*I*d^3*f^3*x^3*\exp(4 \\ & *I*(d*x+c))-9*I*d^2*f^3*x^2*\exp(5*I*(d*x+c))+2*f^3*\exp(4*I*(d*x+c))+4*f^3*e \\ & xp(2*I*(d*x+c))+2*I*d^2*e*f^2*x*\exp(I*(d*x+c))+4*d*f^3*x*\exp(3*I*(d*x+c))+4 \\ & *d*e*f^2*\exp(3*I*(d*x+c))+18*I*d^3*e*f^2*x^2*\exp(4*I*(d*x+c))+18*I*d^3*e^2* \\ & f*x*\exp(4*I*(d*x+c))+22*d^2*e^2*f*\exp(2*I*(d*x+c))+22*d^2*f^3*x^2*\exp(2*I*(\end{aligned}$$

$$\begin{aligned} & d*x+c)) + 18*d^2*f^3*x^2*\exp(4*I*(d*x+c)) + 18*d^2*e^2*f*\exp(4*I*(d*x+c)) + 2*d*f \\ & ^3*x*\exp(5*I*(d*x+c)) + 2*d*e*f^2*\exp(5*I*(d*x+c)) + 3*d^3*f^3*x^3*\exp(5*I*(d*x \\ & +c)) - 6*I*d^3*e^3*\exp(2*I*(d*x+c)) + 6*I*d^3*e^3*\exp(4*I*(d*x+c)) + 6*d^3*e*f^2* \\ & x^2*\exp(3*I*(d*x+c)) + 9*d^3*e^2*f*x*\exp(I*(d*x+c)) + 9*d^3*e*f^2*x^2*\exp(I*(d* \\ & x+c)) + I*d^2*f^3*x^2*\exp(I*(d*x+c)) + I*d^2*e^2*f*\exp(I*(d*x+c)) / (\exp(I*(d*x+ \\ & c)) + I)^4/d^4/(\exp(I*(d*x+c)) - I)^2/a + 9/4*I/d^2/a*\text{polylog}(2, -I*\exp(I*(d*x+c)) \\ &) * e*f^2*x - 9/4*I/d^2/a*\text{polylog}(2, I*\exp(I*(d*x+c))) * e*f^2*x + 9/4*I*f^3*\text{polylog} \\ & (4, I*\exp(I*(d*x+c))) / a/d^4 + 9/8/a/d*e*f^2*\ln(1 - I*\exp(I*(d*x+c))) * x^2 - 9/8/a/d \\ & ^3*e*f^2*c^2*\ln(1 - I*\exp(I*(d*x+c))) + 9/8/a/d*e^2*f*\ln(1 - I*\exp(I*(d*x+c))) * x + \\ & 9/8/a/d^2*e^2*f*\ln(1 - I*\exp(I*(d*x+c))) * c - 9/8/a/d^2*e^2*f*c*\ln(\exp(I*(d*x+c) \\ &) + I) + 9/8/a/d^3*e*f^2*c^2*\ln(\exp(I*(d*x+c)) + I) - 9/8*I/d^2/a*f^3*\text{polylog}(2, I*e \\ & xp(I*(d*x+c))) * x^2 + 9/8*I/d^2/a*f^3*\text{polylog}(2, -I*\exp(I*(d*x+c))) * x^2 + 9/8*I/d \\ & ^2/a*e^2*f*\text{polylog}(2, -I*\exp(I*(d*x+c))) - 9/8*I/d^2/a*e^2*f*\text{polylog}(2, I*\exp(I \\ & *(d*x+c))) - 2*I/d^3/a*f^3*c*x \end{aligned}$$

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^3/(a+a*sin(d*x+c)), x, algorithm="maxima")

[Out] Timed out

Fricas [C] time = 4.69846, size = 6093, normalized size = 8.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^3/(a+a*sin(d*x+c)), x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/16*(2*d^3*f^3*x^3 + 6*d^3*e*f^2*x^2 + 6*d^3*e^2*f*x + 2*d^3*e^3 - 4*(2*d^2 \\ & *f^3*x^2 + 4*d^2*e*f^2*x + 2*d^2*e^2*f + f^3)*\cos(d*x + c)^3 - 2*(3*d^3*f^3 \\ & *x^3 + 9*d^3*e*f^2*x^2 + 3*d^3*e^3 + 2*d*e*f^2 + (9*d^3*e^2*f + 2*d*f^3)*x \\ &)*\cos(d*x + c)^2 - 14*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f)*\cos(d*x + c \\ &) + ((-9*I*d^2*f^3*x^2 - 18*I*d^2*e*f^2*x - 9*I*d^2*e^2*f - 12*I*f^3)*\cos(d \\ & *x + c)^2*\sin(d*x + c) + (-9*I*d^2*f^3*x^2 - 18*I*d^2*e*f^2*x - 9*I*d^2*e^2 \\ & *f - 12*I*f^3)*\cos(d*x + c)^2)*\text{dilog}(I*\cos(d*x + c) + \sin(d*x + c)) + ((-9* \\ & I*d^2*f^3*x^2 - 18*I*d^2*e*f^2*x - 9*I*d^2*e^2*f - 28*I*f^3)*\cos(d*x + c)^2 \\ & *\sin(d*x + c) + (-9*I*d^2*f^3*x^2 - 18*I*d^2*e*f^2*x - 9*I*d^2*e^2*f - 28*I \\ & *f^3)*\cos(d*x + c)^2)*\text{dilog}(I*\cos(d*x + c) - \sin(d*x + c)) + ((9*I*d^2*f^3* \\ & x^2 + 18*I*d^2*e*f^2*x + 9*I*d^2*e^2*f + 12*I*f^3)*\cos(d*x + c)^2*\sin(d*x + \\ & c) + (9*I*d^2*f^3*x^2 + 18*I*d^2*e*f^2*x + 9*I*d^2*e^2*f + 12*I*f^3)*\cos(d \\ & *x + c)^2)*\text{dilog}(-I*\cos(d*x + c) + \sin(d*x + c)) + ((9*I*d^2*f^3*x^2 + 18*I \\ & *d^2*e*f^2*x + 9*I*d^2*e^2*f + 28*I*f^3)*\cos(d*x + c)^2*\sin(d*x + c) + (9*I \\ & *d^2*f^3*x^2 + 18*I*d^2*e*f^2*x + 9*I*d^2*e^2*f + 28*I*f^3)*\cos(d*x + c)^2) \\ & *\text{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) + ((3*d^3*e^3 - 9*c*d^2*e^2*f + (9*c \\ & ^2 + 28)*d*e*f^2 - (3*c^3 + 28*c)*f^3)*\cos(d*x + c)^2*\sin(d*x + c) + (3*d^3 \\ & *e^3 - 9*c*d^2*e^2*f + (9*c^2 + 28)*d*e*f^2 - (3*c^3 + 28*c)*f^3)*\cos(d*x + \\ & c)^2)*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) - 3*((d^3*e^3 - 3*c*d^2*e^2*f \\ & + (3*c^2 + 4)*d*e*f^2 - (c^3 + 4*c)*f^3)*\cos(d*x + c)^2*\sin(d*x + c) + (d^ \\ & 3*e^3 - 3*c*d^2*e^2*f + (3*c^2 + 4)*d*e*f^2 - (c^3 + 4*c)*f^3)*\cos(d*x + c \\ & ^2)*\log(\cos(d*x + c) - I*\sin(d*x + c) + I) + ((3*d^3*f^3*x^3 + 9*d^3*e*f^2* \end{aligned}$$


```

x^2 + 9*c*d^2*e^2*f - 9*c^2*d*e*f^2 + (3*c^3 + 28*c)*f^3 + (9*d^3*e^2*f + 2
8*d*f^3)*x)*cos(d*x + c)^2*sin(d*x + c) + (3*d^3*f^3*x^3 + 9*d^3*e*f^2*x^2
+ 9*c*d^2*e^2*f - 9*c^2*d*e*f^2 + (3*c^3 + 28*c)*f^3 + (9*d^3*e^2*f + 28*d*
f^3)*x)*cos(d*x + c)^2*log(I*cos(d*x + c) + sin(d*x + c) + 1) - 3*((d^3*f^
3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + (c^3 + 4*c)*f^3 +
(3*d^3*e^2*f + 4*d*f^3)*x)*cos(d*x + c)^2*sin(d*x + c) + (d^3*f^3*x^3 + 3*
d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + (c^3 + 4*c)*f^3 + (3*d^3*e^
2*f + 4*d*f^3)*x)*cos(d*x + c)^2*log(I*cos(d*x + c) - sin(d*x + c) + 1) +
((3*d^3*f^3*x^3 + 9*d^3*e*f^2*x^2 + 9*c*d^2*e^2*f - 9*c^2*d*e*f^2 + (3*c^3
+ 28*c)*f^3 + (9*d^3*e^2*f + 28*d*f^3)*x)*cos(d*x + c)^2*sin(d*x + c) + (3*
d^3*f^3*x^3 + 9*d^3*e*f^2*x^2 + 9*c*d^2*e^2*f - 9*c^2*d*e*f^2 + (3*c^3 + 28
*c)*f^3 + (9*d^3*e^2*f + 28*d*f^3)*x)*cos(d*x + c)^2*log(-I*cos(d*x + c) +
sin(d*x + c) + 1) - 3*((d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*
c^2*d*e*f^2 + (c^3 + 4*c)*f^3 + (3*d^3*e^2*f + 4*d*f^3)*x)*cos(d*x + c)^2*s
in(d*x + c) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*c*d^2*e^2*f - 3*c^2*d*e*f^
2 + (c^3 + 4*c)*f^3 + (3*d^3*e^2*f + 4*d*f^3)*x)*cos(d*x + c)^2*log(-I*cos
(d*x + c) - sin(d*x + c) + 1) + ((3*d^3*e^3 - 9*c*d^2*e^2*f + (9*c^2 + 28)*
d*e*f^2 - (3*c^3 + 28*c)*f^3)*cos(d*x + c)^2*sin(d*x + c) + (3*d^3*e^3 - 9*
c*d^2*e^2*f + (9*c^2 + 28)*d*e*f^2 - (3*c^3 + 28*c)*f^3)*cos(d*x + c)^2*lo
g(-cos(d*x + c) + I*sin(d*x + c) + I) - 3*((d^3*e^3 - 3*c*d^2*e^2*f + (3*c^
2 + 4)*d*e*f^2 - (c^3 + 4*c)*f^3)*cos(d*x + c)^2*sin(d*x + c) + (d^3*e^3 -
3*c*d^2*e^2*f + (3*c^2 + 4)*d*e*f^2 - (c^3 + 4*c)*f^3)*cos(d*x + c)^2*log(
-cos(d*x + c) - I*sin(d*x + c) + I) + (18*I*f^3*cos(d*x + c)^2*sin(d*x + c)
+ 18*I*f^3*cos(d*x + c)^2)*polylog(4, I*cos(d*x + c) + sin(d*x + c)) + (18
*I*f^3*cos(d*x + c)^2*sin(d*x + c) + 18*I*f^3*cos(d*x + c)^2)*polylog(4, I*
cos(d*x + c) - sin(d*x + c)) + (-18*I*f^3*cos(d*x + c)^2*sin(d*x + c) - 18*
I*f^3*cos(d*x + c)^2)*polylog(4, -I*cos(d*x + c) + sin(d*x + c)) + (-18*I*f
^3*cos(d*x + c)^2*sin(d*x + c) - 18*I*f^3*cos(d*x + c)^2)*polylog(4, -I*cos
(d*x + c) - sin(d*x + c)) - 18*((d*f^3*x + d*e*f^2)*cos(d*x + c)^2*sin(d*x
+ c) + (d*f^3*x + d*e*f^2)*cos(d*x + c)^2)*polylog(3, I*cos(d*x + c) + sin(
d*x + c)) + 18*((d*f^3*x + d*e*f^2)*cos(d*x + c)^2*sin(d*x + c) + (d*f^3*x
+ d*e*f^2)*cos(d*x + c)^2)*polylog(3, I*cos(d*x + c) - sin(d*x + c)) - 18*(
(d*f^3*x + d*e*f^2)*cos(d*x + c)^2*sin(d*x + c) + (d*f^3*x + d*e*f^2)*cos(d
*x + c)^2)*polylog(3, -I*cos(d*x + c) + sin(d*x + c)) + 18*((d*f^3*x + d*e*
f^2)*cos(d*x + c)^2*sin(d*x + c) + (d*f^3*x + d*e*f^2)*cos(d*x + c)^2)*poly
log(3, -I*cos(d*x + c) - sin(d*x + c)) + 2*(3*d^3*f^3*x^3 + 9*d^3*e*f^2*x^2
+ 9*d^3*e^2*f*x + 3*d^3*e^3 - 5*(d^2*f^3*x^2 + 2*d^2*e*f^2*x + d^2*e^2*f)*
cos(d*x + c))*sin(d*x + c))/(a*d^4*cos(d*x + c)^2*sin(d*x + c) + a*d^4*cos(
d*x + c)^2)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sec(d*x+c)**3/(a+a*sin(d*x+c)), x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sec(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*sec(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.282 \quad \int \frac{(e+fx)^2 \sec^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=431

$$\frac{3if(e+fx)\text{PolyLog}(2, -ie^{i(c+dx)})}{4ad^2} - \frac{3if(e+fx)\text{PolyLog}(2, ie^{i(c+dx)})}{4ad^2} - \frac{3f^2\text{PolyLog}(3, -ie^{i(c+dx)})}{4ad^3} + \frac{3f^2\text{PolyLog}(3, ie^{i(c+dx)})}{4ad^3}$$

[Out] (((-3*I)/4)*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/(a*d) + (5*f^2*ArcTanh[Sin[c + d*x]])/(6*a*d^3) + (f^2*Log[Cos[c + d*x]])/(3*a*d^3) + (((3*I)/4)*f*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/4)*f*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^2) - (3*f^2*PolyLog[3, (-I)*E^(I*(c + d*x))])/(4*a*d^3) + (3*f^2*PolyLog[3, I*E^(I*(c + d*x))])/(4*a*d^3) - (3*f*(e + f*x)*Sec[c + d*x])/(4*a*d^2) - (f^2*Sec[c + d*x]^2)/(12*a*d^3) - (f*(e + f*x)*Sec[c + d*x]^3)/(6*a*d^2) - ((e + f*x)^2*Sec[c + d*x]^4)/(4*a*d) + (f*(e + f*x)*Tan[c + d*x])/(3*a*d^2) + (f^2*Sec[c + d*x]*Tan[c + d*x])/(12*a*d^3) + (3*(e + f*x)^2*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + (f*(e + f*x)*Sec[c + d*x]^2*Tan[c + d*x])/(6*a*d^2) + ((e + f*x)^2*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d)

Rubi [A] time = 0.397982, antiderivative size = 431, normalized size of antiderivative = 1., number of steps used = 17, number of rules used = 12, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {4531, 4186, 3768, 3770, 4181, 2531, 2282, 6589, 4409, 4185, 4184, 3475}

$$\frac{3if(e+fx)\text{PolyLog}(2, -ie^{i(c+dx)})}{4ad^2} - \frac{3if(e+fx)\text{PolyLog}(2, ie^{i(c+dx)})}{4ad^2} - \frac{3f^2\text{PolyLog}(3, -ie^{i(c+dx)})}{4ad^3} + \frac{3f^2\text{PolyLog}(3, ie^{i(c+dx)})}{4ad^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Sec[c + d*x]^3)/(a + a*Sin[c + d*x]), x]

[Out] (((-3*I)/4)*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/(a*d) + (5*f^2*ArcTanh[Sin[c + d*x]])/(6*a*d^3) + (f^2*Log[Cos[c + d*x]])/(3*a*d^3) + (((3*I)/4)*f*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/4)*f*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/(a*d^2) - (3*f^2*PolyLog[3, (-I)*E^(I*(c + d*x))])/(4*a*d^3) + (3*f^2*PolyLog[3, I*E^(I*(c + d*x))])/(4*a*d^3) - (3*f*(e + f*x)*Sec[c + d*x])/(4*a*d^2) - (f^2*Sec[c + d*x]^2)/(12*a*d^3) - (f*(e + f*x)*Sec[c + d*x]^3)/(6*a*d^2) - ((e + f*x)^2*Sec[c + d*x]^4)/(4*a*d) + (f*(e + f*x)*Tan[c + d*x])/(3*a*d^2) + (f^2*Sec[c + d*x]*Tan[c + d*x])/(12*a*d^3) + (3*(e + f*x)^2*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + (f*(e + f*x)*Sec[c + d*x]^2*Tan[c + d*x])/(6*a*d^2) + ((e + f*x)^2*Sec[c + d*x]^3*Tan[c + d*x])/(4*a*d)

Rule 4531

Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c + d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2 - b^2, 0]

Rule 4186

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 1), x], x]

$(m - 2) \cdot (b \cdot \csc[e + f \cdot x])^{(n - 2)}, x, x] + \text{Dist}[(b^2 \cdot (n - 2)) / (n - 1), \text{Int}[(c + d \cdot x)^m \cdot (b \cdot \csc[e + f \cdot x])^{(n - 2)}, x, x] - \text{Simp}[(b^2 \cdot d \cdot m \cdot (c + d \cdot x)^{(m - 1)} \cdot (b \cdot \csc[e + f \cdot x])^{(n - 2)}) / (f^2 \cdot (n - 1) \cdot (n - 2)), x]] /;$ FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

Rule 3768

$\text{Int}[(\csc[(c \cdot) + (d \cdot)(x \cdot)] \cdot (b \cdot))^{(n \cdot)}, x_Symbol] := -\text{Simp}[(b \cdot \cos[c + d \cdot x] \cdot (b \cdot \csc[c + d \cdot x])^{(n - 1)}) / (d \cdot (n - 1)), x] + \text{Dist}[(b^2 \cdot (n - 2)) / (n - 1), \text{Int}[(b \cdot \csc[c + d \cdot x])^{(n - 2)}, x, x] /;$ FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2 * n]

Rule 3770

$\text{Int}[\csc[(c \cdot) + (d \cdot)(x \cdot)], x_Symbol] := -\text{Simp}[\text{ArcTanh}[\cos[c + d \cdot x]] / d, x] /;$ FreeQ[{c, d}, x]

Rule 4181

$\text{Int}[\csc[(e \cdot) + \text{Pi} \cdot (k \cdot) + (f \cdot)(x \cdot)] \cdot ((c \cdot) + (d \cdot)(x \cdot))^{(m \cdot)}, x_Symbol] := \text{Simp}[(-2 \cdot (c + d \cdot x)^m \cdot \text{ArcTanh}[E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}]) / f, x] + (-\text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{(m - 1)} \cdot \text{Log}[1 - E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x] + \text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{(m - 1)} \cdot \text{Log}[1 + E^{(I \cdot k \cdot \text{Pi})} \cdot E^{(I \cdot (e + f \cdot x))}], x], x]) /;$ FreeQ[{c, d, e, f}, x] && IntegerQ[2 * k] && IGtQ[m, 0]

Rule 2531

$\text{Int}[\text{Log}[1 + (e \cdot) \cdot ((F \cdot)^{((c \cdot) \cdot ((a \cdot) + (b \cdot)(x \cdot)))})^{(n \cdot)}] \cdot ((f \cdot) + (g \cdot)(x \cdot))^{(m \cdot)}, x_Symbol] := -\text{Simp}[(f + g \cdot x)^m \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x)))})^n]) / (b \cdot c \cdot n \cdot \text{Log}[F]), x] + \text{Dist}[(g \cdot m) / (b \cdot c \cdot n \cdot \text{Log}[F]), \text{Int}[(f + g \cdot x)^{(m - 1)} \cdot \text{PolyLog}[2, -(e \cdot (F^{(c \cdot (a + b \cdot x)))})^n]), x], x] /;$ FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

$\text{Int}[u \cdot, x_Symbol] := \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v / D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x] / x, x], x, v], x] /;$ FunctionOfExponentialQ[u, x] && !MatchQ[u, (w \cdot) \cdot ((a \cdot) \cdot (v \cdot)^{(n \cdot)})^{(m \cdot)} /; FreeQ[{a, m, n}, x] && IntegerQ[m * n] && !MatchQ[u, E^{((c \cdot) \cdot ((a \cdot) + (b \cdot) \cdot x))} \cdot (F \cdot)[v \cdot] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

$\text{Int}[\text{PolyLog}[n \cdot, (c \cdot) \cdot ((a \cdot) + (b \cdot)(x \cdot))^{(p \cdot)}] / ((d \cdot) + (e \cdot)(x \cdot)), x_Symbol] := \text{Simp}[\text{PolyLog}[n + 1, c \cdot (a + b \cdot x)^p] / (e \cdot p), x] /;$ FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b * d, a * e]

Rule 4409

$\text{Int}[(c \cdot) + (d \cdot)(x \cdot)]^{(m \cdot)} \cdot \text{Sec}[(a \cdot) + (b \cdot)(x \cdot)]^{(n \cdot)} \cdot \text{Tan}[(a \cdot) + (b \cdot)(x \cdot)]^{(p \cdot)}, x_Symbol] := \text{Simp}[(c + d \cdot x)^m \cdot \text{Sec}[a + b \cdot x]^n / (b \cdot n), x] - \text{Dist}[(d \cdot m) / (b \cdot n), \text{Int}[(c + d \cdot x)^{(m - 1)} \cdot \text{Sec}[a + b \cdot x]^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4185

$\text{Int}[(\csc[(e \cdot) + (f \cdot)(x \cdot)] \cdot (b \cdot))^{(n \cdot)} \cdot ((c \cdot) + (d \cdot)(x \cdot)), x_Symbol] := -\text{Simp}[(b^2 \cdot (c + d \cdot x) \cdot \cot[e + f \cdot x] \cdot (b \cdot \csc[e + f \cdot x])^{(n - 2)}) / (f \cdot (n - 1)), x] + (\text{Dist}[(b^2 \cdot (n - 2)) / (n - 1), \text{Int}[(c + d \cdot x) \cdot (b \cdot \csc[e + f \cdot x])^{(n - 2)}, x]$

, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3475

Int[tan[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^2 \sec^3(c + dx)}{a + a \sin(c + dx)} dx &= \frac{\int (e + fx)^2 \sec^5(c + dx) dx}{a} - \frac{\int (e + fx)^2 \sec^4(c + dx) \tan(c + dx) dx}{a} \\ &= -\frac{f(e + fx) \sec^3(c + dx)}{6ad^2} - \frac{(e + fx)^2 \sec^4(c + dx)}{4ad} + \frac{(e + fx)^2 \sec^3(c + dx) \tan(c + dx)}{4ad} \\ &= -\frac{3f(e + fx) \sec(c + dx)}{4ad^2} - \frac{f^2 \sec^2(c + dx)}{12ad^3} - \frac{f(e + fx) \sec^3(c + dx)}{6ad^2} - \frac{(e + fx)^2 \sec^4(c + dx)}{4ad} \\ &= -\frac{3i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{5f^2 \tanh^{-1}(\sin(c + dx))}{6ad^3} - \frac{3f(e + fx) \sec(c + dx)}{4ad^2} - \frac{f^2 \log(\cos(c + dx))}{3ad^3} \\ &= -\frac{3i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{5f^2 \tanh^{-1}(\sin(c + dx))}{6ad^3} + \frac{f^2 \log(\cos(c + dx))}{3ad^3} + \frac{3if(e + fx) \sec(c + dx)}{4ad^2} \\ &= -\frac{3i(e + fx)^2 \tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{5f^2 \tanh^{-1}(\sin(c + dx))}{6ad^3} + \frac{f^2 \log(\cos(c + dx))}{3ad^3} + \frac{3if(e + fx) \sec(c + dx)}{4ad^2} \end{aligned}$$

Mathematica [B] time = 8.92612, size = 1468, normalized size = 3.41

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Sec[c + d*x]^3)/(a + a*Sin[c + d*x]),x]

[Out] -((Cos[c] + I*Sin[c])*(3*d^2*e*f*x^2*Cos[c] + 6*e*f*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] - I*(-1 + Sin[c])) + (3*d^2*e^2 + 4*f^2)*x*(Cos[c] - I*Sin[c]) + d^2*f^2*x^3*(Cos[c] - I*Sin[c]) + 6*d*e*f*x*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c]))*(Cos[c] - I*Sin[c]) + 3*d*f^2*x^2*Log[1 - I*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c]))*(Cos[c] - I*Sin[c]) + (6*f^2*(I*d*x*PolyLog[2, I*Cos[c + d*x] + Sin[c + d*x]]) + PolyLog[3, I*Cos[c + d*x] + Sin[c + d*x]]*(Cos[c] + I*(-1 + Sin[c]))*(Cos[c] - I*Sin[c]))/d - (3*I)*d^2*e*f*x^2*Sin[c] + ((3*d^2*e^2 + 4*f^2)*(d*x + I*Log[-Cos[c + d*x] - I*(-1 + Sin[c + d*x])])*(Cos[c] - I*Sin[c])*(-1 - I*Cos[c] + Sin[c])/d)/(8*a*d^2*(Cos[c] + I*(-1 + Sin[c]))) - ((Cos[c] + I*Sin[c])*(9*d^2*e*f*x^2*Cos[c] + 3*d^2*f^2*x^3*Cos[c] + (9*d^2*e^2 + 28*f^2)*x*(Cos[c] - I*Sin[c]) - (9*I)*d^2*e*f*x^2*Sin[c] - (3*I)*d^2*f^2*x^3*Sin[c] + (18*f^2*(d*x*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]) - I*PolyLog[3, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c] - I*Sin[c]))*(1 - I*Cos[c] + Sin[c])/d + 18*e*f*PolyLog[2, (-I)*Cos[c + d*x] - Sin[c + d*x]]*(Cos[c]

$$\begin{aligned}
& - I*(1 + \sin[c]) - 18*d*e*f*x*\log[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(\cos[c] - I*\sin[c])*(\cos[c] + I*(1 + \sin[c])) - 9*d*f^2*x^2*\log[1 + I*\cos[c + d*x] + \sin[c + d*x]]*(\cos[c] - I*\sin[c])*(\cos[c] + I*(1 + \sin[c])) + ((9*d^2*e^2 + 28*f^2)*(d*x + I*\log[\cos[c + d*x] + I*(1 + \sin[c + d*x])])*(I*\cos[c] + \sin[c])*(\cos[c] + I*(1 + \sin[c]))) / (24*a*d^2*(\cos[c] + I*(1 + \sin[c]))) + ((3*e^2*x*\cos[c]) / (4*a) + (((3*I) / 4)*e^2*x*\sin[c]) / a) / (1 + \cos[2*c] + I*\sin[2*c]) + ((3*e*f*x^2*\cos[c]) / (4*a) + (((3*I) / 4)*e*f*x^2*\sin[c]) / a) / (1 + \cos[2*c] + I*\sin[2*c]) + ((f^2*x^3*\cos[c]) / (4*a) + ((I / 4)*f^2*x^3*\sin[c]) / a) / (1 + \cos[2*c] + I*\sin[2*c]) + (e^2 + 2*e*f*x + f^2*x^2) / (8*a*d*(\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])^2) + (-e*f*\sin[(d*x)/2]) - f^2*x*\sin[(d*x)/2]) / (2*a*d^2*(\cos[c/2] - \sin[c/2])*(\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])) + (-e^2 - 2*e*f*x - f^2*x^2) / (8*a*d*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^4) + (e*f*\sin[(d*x)/2] + f^2*x*\sin[(d*x)/2]) / (6*a*d^2*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^3) + (-3*d^2*e^2*\cos[c/2] - d*e*f*\cos[c/2] - f^2*\cos[c/2] - 6*d^2*e*f*x*\cos[c/2] - d*f^2*x*\cos[c/2] - 3*d^2*f^2*x^2*\cos[c/2] - 3*d^2*e^2*\sin[c/2] + d*e*f*\sin[c/2] - f^2*\sin[c/2] - 6*d^2*e*f*x*\sin[c/2] + d*f^2*x*\sin[c/2] - 3*d^2*f^2*x^2*\sin[c/2]) / (12*a*d^3*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2])^2) + (7*(e*f*\sin[(d*x)/2] + f^2*x*\sin[(d*x)/2])) / (6*a*d^2*(\cos[c/2] + \sin[c/2])*(\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]))
\end{aligned}$$

Maple [B] time = 0.361, size = 1119, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*sec(d*x+c)^3/(a+a*sin(d*x+c)),x)`

[Out]
$$\begin{aligned}
& \frac{3}{4}I/d^2/a*\text{polylog}(2, -I*\exp(I*(d*x+c)))*f^2*x-1/2/d^3/a*f^2*\ln(\exp(I*(d*x+c))-I)-3/4*f^2*\text{polylog}(3, -I*\exp(I*(d*x+c)))/a/d^3+3/4/a/d*f*e*\ln(1-I*\exp(I*(d*x+c)))*x+3/4/a/d^2*f*e*\ln(1-I*\exp(I*(d*x+c)))*c-3/4/a/d^2*f*e*c*\ln(\exp(I*(d*x+c))+I)+3/8/a/d*f^2*\ln(1-I*\exp(I*(d*x+c)))*x^2-3/8/a/d^3*f^2*\ln(1-I*\exp(I*(d*x+c)))*c^2+3/4/d^2/a*e*f*c*\ln(\exp(I*(d*x+c))-I)+3/8/a/d*\ln(\exp(I*(d*x+c))+I)*e^2+3/8/d^3/a*\ln(1+I*\exp(I*(d*x+c)))*c^2*f^2-3/8/d/a*\ln(1+I*\exp(I*(d*x+c)))*f^2*x^2-3/4/d/a*\ln(1+I*\exp(I*(d*x+c)))*e*f*x-3/4/d^2/a*\ln(1+I*\exp(I*(d*x+c)))*c*e*f+3/8/a/d^3*f^2*c^2*\ln(\exp(I*(d*x+c))+I)+3/4*f^2*\text{polylog}(3, I*\exp(I*(d*x+c)))/a/d^3-3/8/d^3/a*f^2*c^2*\ln(\exp(I*(d*x+c))-I)-2/3/d^3/a*f^2*\ln(\exp(I*(d*x+c)))+7/6/d^3/a*f^2*\ln(\exp(I*(d*x+c))+I)-3/8/d/a*e^2*\ln(\exp(I*(d*x+c))-I)-1/12*I*(-18*I*d^2*f^2*x^2*\exp(2*I*(d*x+c))-16*I*d*f^2*x*\exp(3*I*(d*x+c))-16*I*d*e*f*\exp(3*I*(d*x+c))+6*d^2*f^2*x^2*\exp(3*I*(d*x+c))+2*f^2*\exp(I*(d*x+c))+18*I*d^2*e^2*\exp(4*I*(d*x+c))+18*d^2*e*f*x*\exp(I*(d*x+c))+2*I*d*e*f*\exp(I*(d*x+c))+2*I*d*f^2*x*\exp(I*(d*x+c))+9*d^2*e^2*\exp(I*(d*x+c))+6*d^2*e^2*\exp(3*I*(d*x+c))+9*d^2*e^2*\exp(5*I*(d*x+c))+44*d*f^2*x*\exp(2*I*(d*x+c))+36*d*e*f*\exp(4*I*(d*x+c))+36*I*d^2*e*f*x*\exp(4*I*(d*x+c))-36*I*d^2*e*f*x*\exp(2*I*(d*x+c))+8*d*f^2*x+2*f^2*\exp(5*I*(d*x+c))+18*I*d^2*f^2*x^2*\exp(4*I*(d*x+c))+18*d^2*e*f*x*\exp(5*I*(d*x+c))+12*d^2*e*f*x*\exp(3*I*(d*x+c))-18*I*d*f^2*x*\exp(5*I*(d*x+c))-18*I*d*e*f*\exp(5*I*(d*x+c))+9*d^2*f^2*x^2*\exp(I*(d*x+c))+8*d*e*f+4*f^2*\exp(3*I*(d*x+c))+44*d*e*f*\exp(2*I*(d*x+c))+9*d^2*f^2*x^2*\exp(5*I*(d*x+c))+36*d*f^2*x*\exp(4*I*(d*x+c))-18*I*d^2*e^2*\exp(2*I*(d*x+c)))/(\exp(I*(d*x+c))+I)^4/d^3/(\exp(I*(d*x+c))-I)^2/a-3/4*I/d^2/a*e*f*\text{polylog}(2, I*\exp(I*(d*x+c)))-3/4*I/d^2/a*\text{polylog}(2, I*\exp(I*(d*x+c)))*f^2*x+3/4*I/d^2/a*e*f*\text{polylog}(2, -I*\exp(I*(d*x+c)))
\end{aligned}$$

Maxima [B] time = 40.6915, size = 7104, normalized size = 16.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$\frac{1}{16} \cdot (2c \cdot e \cdot f \cdot (2(3 \sin(dx+c)^2 + 3 \sin(dx+c) - 2) / (a \cdot d \cdot \sin(dx+c)^3 + a \cdot d \cdot \sin(dx+c)^2 - a \cdot d \cdot \sin(dx+c) - a \cdot d) - 3 \log(\sin(dx+c) + 1) / (a \cdot d) + 3 \log(\sin(dx+c) - 1) / (a \cdot d)) - e^2 \cdot (2(3 \sin(dx+c)^2 + 3 \sin(dx+c) - 2) / (a \cdot \sin(dx+c)^3 + a \cdot \sin(dx+c)^2 - a \cdot \sin(dx+c) - a) - 3 \log(\sin(dx+c) + 1) / a + 3 \log(\sin(dx+c) - 1) / a - 16 \cdot (32 \cdot (dx+c) \cdot f^2 \cdot \cos(6 \cdot dx+6 \cdot c) + 32 \cdot I \cdot (dx+c) \cdot f^2 \cdot \sin(6 \cdot dx+6 \cdot c) + 32 \cdot d \cdot e \cdot f - 32 \cdot c \cdot f^2 - (2 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \cos(6 \cdot dx+6 \cdot c) + (36 \cdot I \cdot c^2 + 112 \cdot I) \cdot f^2 \cdot \cos(5 \cdot dx+5 \cdot c) + 2 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \cos(4 \cdot dx+4 \cdot c) + (72 \cdot I \cdot c^2 + 224 \cdot I) \cdot f^2 \cdot \cos(3 \cdot dx+3 \cdot c) - 2 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \cos(2 \cdot dx+2 \cdot c) + (36 \cdot I \cdot c^2 + 112 \cdot I) \cdot f^2 \cdot \cos(dx+c) + (18 \cdot I \cdot c^2 + 56 \cdot I) \cdot f^2 \cdot \sin(6 \cdot dx+6 \cdot c) - 4 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \sin(5 \cdot dx+5 \cdot c) + (18 \cdot I \cdot c^2 + 56 \cdot I) \cdot f^2 \cdot \sin(4 \cdot dx+4 \cdot c) - 8 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \sin(3 \cdot dx+3 \cdot c) + (-18 \cdot I \cdot c^2 - 56 \cdot I) \cdot f^2 \cdot \sin(2 \cdot dx+2 \cdot c) - 4 \cdot (9 \cdot c^2 + 28) \cdot f^2 \cdot \sin(dx+c) - 2 \cdot (9 \cdot c^2 + 28) \cdot f^2) \cdot \arctan2(\sin(dx+c) + 1, \cos(dx+c)) + (6 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \cos(6 \cdot dx+6 \cdot c) - (-36 \cdot I \cdot c^2 - 48 \cdot I) \cdot f^2 \cdot \cos(5 \cdot dx+5 \cdot c) + 6 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \cos(4 \cdot dx+4 \cdot c) - (-72 \cdot I \cdot c^2 - 96 \cdot I) \cdot f^2 \cdot \cos(3 \cdot dx+3 \cdot c) - 6 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \cos(2 \cdot dx+2 \cdot c) - (-36 \cdot I \cdot c^2 - 48 \cdot I) \cdot f^2 \cdot \cos(dx+c) - (-18 \cdot I \cdot c^2 - 24 \cdot I) \cdot f^2 \cdot \sin(6 \cdot dx+6 \cdot c) - 12 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \sin(5 \cdot dx+5 \cdot c) - (-18 \cdot I \cdot c^2 - 24 \cdot I) \cdot f^2 \cdot \sin(4 \cdot dx+4 \cdot c) - 24 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \sin(3 \cdot dx+3 \cdot c) - (18 \cdot I \cdot c^2 + 24 \cdot I) \cdot f^2 \cdot \sin(2 \cdot dx+2 \cdot c) - 12 \cdot (3 \cdot c^2 + 4) \cdot f^2 \cdot \sin(dx+c) - 6 \cdot (3 \cdot c^2 + 4) \cdot f^2) \cdot \arctan2(\sin(dx+c) - 1, \cos(dx+c)) - (18 \cdot (dx+c)^2 \cdot f^2 + 36 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c) - 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(6 \cdot dx+6 \cdot c) + (-36 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-72 \cdot I \cdot d \cdot e \cdot f + 72 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(5 \cdot dx+5 \cdot c) - 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(4 \cdot dx+4 \cdot c) + (-72 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-144 \cdot I \cdot d \cdot e \cdot f + 144 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(3 \cdot dx+3 \cdot c) + 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(2 \cdot dx+2 \cdot c) + (-36 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-72 \cdot I \cdot d \cdot e \cdot f + 72 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(dx+c) + (-18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-36 \cdot I \cdot d \cdot e \cdot f + 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(6 \cdot dx+6 \cdot c) + 36 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(5 \cdot dx+5 \cdot c) + (-18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-36 \cdot I \cdot d \cdot e \cdot f + 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(4 \cdot dx+4 \cdot c) + 72 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(3 \cdot dx+3 \cdot c) + (18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (36 \cdot I \cdot d \cdot e \cdot f - 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(2 \cdot dx+2 \cdot c) + 36 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(dx+c)) \cdot \arctan2(\cos(dx+c), \sin(dx+c) + 1) - (18 \cdot (dx+c)^2 \cdot f^2 + 36 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c) - 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(6 \cdot dx+6 \cdot c) + (-36 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-72 \cdot I \cdot d \cdot e \cdot f + 72 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(5 \cdot dx+5 \cdot c) - 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(4 \cdot dx+4 \cdot c) + (-72 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-144 \cdot I \cdot d \cdot e \cdot f + 144 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(3 \cdot dx+3 \cdot c) + 18 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \cos(2 \cdot dx+2 \cdot c) + (-36 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-72 \cdot I \cdot d \cdot e \cdot f + 72 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \cos(dx+c) + (-18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-36 \cdot I \cdot d \cdot e \cdot f + 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(6 \cdot dx+6 \cdot c) + 36 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(5 \cdot dx+5 \cdot c) + (-18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (-36 \cdot I \cdot d \cdot e \cdot f + 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(4 \cdot dx+4 \cdot c) + 72 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(3 \cdot dx+3 \cdot c) + (18 \cdot I \cdot (dx+c)^2 \cdot f^2 + (36 \cdot I \cdot d \cdot e \cdot f - 36 \cdot I \cdot c \cdot f^2) \cdot (dx+c)) \cdot \sin(2 \cdot dx+2 \cdot c) + 36 \cdot ((dx+c)^2 \cdot f^2 + 2 \cdot (d \cdot e \cdot f - c \cdot f^2) \cdot (dx+c)) \cdot \sin(dx+c)) \cdot \arctan2(\cos(dx+c), -\sin(dx+c) + 1) + (36 \cdot (dx+c)^2 \cdot f^2 - 72 \cdot I \cdot d \cdot e \cdot f + 4 \cdot (9 \cdot c^2 + 18 \cdot I \cdot c + 2) \cdot f^2 + (72 \cdot d \cdot e \cdot f - (72 \cdot c + 8 \cdot I) \cdot f^2) \cdot (dx+c)) \cdot \cos(5 \cdot dx+5 \cdot c) - (-72 \cdot I \cdot (dx+c)^2 \cdot f^2 - 144 \cdot d \cdot e \cdot f + (-72 \cdot I \cdot c^2 + 144 \cdot c) \cdot f^2 - 16 \cdot (9 \cdot I \cdot d \cdot e \cdot f + (-9 \cdot I \cdot c + 11) \cdot f^2) \cdot (dx+c)) \cdot \cos(4 \cdot dx+4 \cdot c) + (24 \cdot (dx+c)^2 \cdot f^2 - 64 \cdot I \cdot d \cdot e \cdot f + 8 \cdot (3 \cdot c^2 + 8 \cdot I \cdot c + 2) \cdot$$

$$\begin{aligned}
& f^2 + (48*d*e*f - (48*c - 64*I)*f^2)*(d*x + c))*\cos(3*d*x + 3*c) - (72*I*(d \\
& *x + c)^2*f^2 - 176*d*e*f + (72*I*c^2 + 176*c)*f^2 - 144*(-I*d*e*f + (I*c + \\
& 1)*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + (36*(d*x + c)^2*f^2 + 8*I*d*e*f + 4* \\
& (9*c^2 - 2*I*c + 2)*f^2 + (72*d*e*f - (72*c - 72*I)*f^2)*(d*x + c))*\cos(d*x \\
& + c) - (36*d*e*f + 36*(d*x + c)*f^2 - 36*c*f^2 - 36*(d*e*f + (d*x + c)*f^2 \\
& - c*f^2))*\cos(6*d*x + 6*c) + (-72*I*d*e*f - 72*I*(d*x + c)*f^2 + 72*I*c*f^2 \\
&)*\cos(5*d*x + 5*c) - 36*(d*e*f + (d*x + c)*f^2 - c*f^2))*\cos(4*d*x + 4*c) + \\
& (-144*I*d*e*f - 144*I*(d*x + c)*f^2 + 144*I*c*f^2))*\cos(3*d*x + 3*c) + 36*(d \\
& *e*f + (d*x + c)*f^2 - c*f^2))*\cos(2*d*x + 2*c) + (-72*I*d*e*f - 72*I*(d*x + \\
& c)*f^2 + 72*I*c*f^2))*\cos(d*x + c) + (-36*I*d*e*f - 36*I*(d*x + c)*f^2 + 36 \\
& *I*c*f^2))*\sin(6*d*x + 6*c) + 72*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(5*d*x + \\
& 5*c) + (-36*I*d*e*f - 36*I*(d*x + c)*f^2 + 36*I*c*f^2))*\sin(4*d*x + 4*c) + \\
& 144*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(3*d*x + 3*c) + (36*I*d*e*f + 36*I*(\\
& d*x + c)*f^2 - 36*I*c*f^2))*\sin(2*d*x + 2*c) + 72*(d*e*f + (d*x + c)*f^2 - c \\
& *f^2))*\sin(d*x + c))*\operatorname{dilog}(I*e^{(I*d*x + I*c)}) + (36*d*e*f + 36*(d*x + c)*f^2 \\
& - 36*c*f^2 - 36*(d*e*f + (d*x + c)*f^2 - c*f^2))*\cos(6*d*x + 6*c) - (72*I*d \\
& *e*f + 72*I*(d*x + c)*f^2 - 72*I*c*f^2))*\cos(5*d*x + 5*c) - 36*(d*e*f + (d*x \\
& + c)*f^2 - c*f^2))*\cos(4*d*x + 4*c) - (144*I*d*e*f + 144*I*(d*x + c)*f^2 - \\
& 144*I*c*f^2))*\cos(3*d*x + 3*c) + 36*(d*e*f + (d*x + c)*f^2 - c*f^2))*\cos(2*d* \\
& x + 2*c) - (72*I*d*e*f + 72*I*(d*x + c)*f^2 - 72*I*c*f^2))*\cos(d*x + c) - (3 \\
& 6*I*d*e*f + 36*I*(d*x + c)*f^2 - 36*I*c*f^2))*\sin(6*d*x + 6*c) + 72*(d*e*f + \\
& (d*x + c)*f^2 - c*f^2))*\sin(5*d*x + 5*c) - (36*I*d*e*f + 36*I*(d*x + c)*f^2 \\
& - 36*I*c*f^2))*\sin(4*d*x + 4*c) + 144*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(3 \\
& *d*x + 3*c) - (-36*I*d*e*f - 36*I*(d*x + c)*f^2 + 36*I*c*f^2))*\sin(2*d*x + 2 \\
& *c) + 72*(d*e*f + (d*x + c)*f^2 - c*f^2))*\sin(d*x + c))*\operatorname{dilog}(-I*e^{(I*d*x + \\
& I*c)}) - (9*I*(d*x + c)^2*f^2 + (9*I*c^2 + 28*I)*f^2 + (18*I*d*e*f - 18*I*c* \\
& f^2)*(d*x + c) + (-9*I*(d*x + c)^2*f^2 + (-9*I*c^2 - 28*I)*f^2 + (-18*I*d*e \\
& *f + 18*I*c*f^2)*(d*x + c))*\cos(6*d*x + 6*c) + 2*(9*(d*x + c)^2*f^2 + (9*c^ \\
& 2 + 28)*f^2 + 18*(d*e*f - c*f^2)*(d*x + c))*\cos(5*d*x + 5*c) + (-9*I*(d*x + \\
& c)^2*f^2 + (-9*I*c^2 - 28*I)*f^2 + (-18*I*d*e*f + 18*I*c*f^2)*(d*x + c))*c \\
& os(4*d*x + 4*c) + 4*(9*(d*x + c)^2*f^2 + (9*c^2 + 28)*f^2 + 18*(d*e*f - c*f \\
& ^2)*(d*x + c))*\cos(3*d*x + 3*c) + (9*I*(d*x + c)^2*f^2 + (9*I*c^2 + 28*I)*f \\
& ^2 + (18*I*d*e*f - 18*I*c*f^2)*(d*x + c))*\cos(2*d*x + 2*c) + 2*(9*(d*x + c) \\
& ^2*f^2 + (9*c^2 + 28)*f^2 + 18*(d*e*f - c*f^2)*(d*x + c))*\cos(d*x + c) + (9 \\
& *(d*x + c)^2*f^2 + (9*c^2 + 28)*f^2 + 18*(d*e*f - c*f^2)*(d*x + c))*\sin(6*d \\
& *x + 6*c) + (18*I*(d*x + c)^2*f^2 + (18*I*c^2 + 56*I)*f^2 + (36*I*d*e*f - 3 \\
& 6*I*c*f^2)*(d*x + c))*\sin(5*d*x + 5*c) + (9*(d*x + c)^2*f^2 + (9*c^2 + 28)* \\
& f^2 + 18*(d*e*f - c*f^2)*(d*x + c))*\sin(4*d*x + 4*c) + (36*I*(d*x + c)^2*f^ \\
& 2 + (36*I*c^2 + 112*I)*f^2 + (72*I*d*e*f - 72*I*c*f^2)*(d*x + c))*\sin(3*d*x \\
& + 3*c) - (9*(d*x + c)^2*f^2 + (9*c^2 + 28)*f^2 + 18*(d*e*f - c*f^2)*(d*x + \\
& c))*\sin(2*d*x + 2*c) + (18*I*(d*x + c)^2*f^2 + (18*I*c^2 + 56*I)*f^2 + (36 \\
& *I*d*e*f - 36*I*c*f^2)*(d*x + c))*\sin(d*x + c))*\log(\cos(d*x + c)^2 + \sin(d* \\
& x + c)^2 + 2*\sin(d*x + c) + 1) - (-9*I*(d*x + c)^2*f^2 + (-9*I*c^2 - 12*I)* \\
& f^2 + (-18*I*d*e*f + 18*I*c*f^2)*(d*x + c) + (9*I*(d*x + c)^2*f^2 + (9*I*c^ \\
& 2 + 12*I)*f^2 + (18*I*d*e*f - 18*I*c*f^2)*(d*x + c))*\cos(6*d*x + 6*c) - 6*(\\
& 3*(d*x + c)^2*f^2 + (3*c^2 + 4)*f^2 + 6*(d*e*f - c*f^2)*(d*x + c))*\cos(5*d* \\
& x + 5*c) + (9*I*(d*x + c)^2*f^2 + (9*I*c^2 + 12*I)*f^2 + (18*I*d*e*f - 18*I \\
& *c*f^2)*(d*x + c))*\cos(4*d*x + 4*c) - 12*(3*(d*x + c)^2*f^2 + (3*c^2 + 4)*f \\
& ^2 + 6*(d*e*f - c*f^2)*(d*x + c))*\cos(3*d*x + 3*c) + (-9*I*(d*x + c)^2*f^2 \\
& + (-9*I*c^2 - 12*I)*f^2 + (-18*I*d*e*f + 18*I*c*f^2)*(d*x + c))*\cos(2*d*x + \\
& 2*c) - 6*(3*(d*x + c)^2*f^2 + (3*c^2 + 4)*f^2 + 6*(d*e*f - c*f^2)*(d*x + c \\
&))*\cos(d*x + c) - 3*(3*(d*x + c)^2*f^2 + (3*c^2 + 4)*f^2 + 6*(d*e*f - c*f^2) \\
&)*(d*x + c))*\sin(6*d*x + 6*c) + (-18*I*(d*x + c)^2*f^2 + (-18*I*c^2 - 24*I) \\
& *f^2 + (-36*I*d*e*f + 36*I*c*f^2)*(d*x + c))*\sin(5*d*x + 5*c) - 3*(3*(d*x + \\
& c)^2*f^2 + (3*c^2 + 4)*f^2 + 6*(d*e*f - c*f^2)*(d*x + c))*\sin(4*d*x + 4*c) \\
& + (-36*I*(d*x + c)^2*f^2 + (-36*I*c^2 - 48*I)*f^2 + (-72*I*d*e*f + 72*I*c* \\
& f^2)*(d*x + c))*\sin(3*d*x + 3*c) + 3*(3*(d*x + c)^2*f^2 + (3*c^2 + 4)*f^2 + \\
& 6*(d*e*f - c*f^2)*(d*x + c))*\sin(2*d*x + 2*c) + (-18*I*(d*x + c)^2*f^2 + (- \\
& 18*I*c^2 - 24*I)*f^2 + (-36*I*d*e*f + 36*I*c*f^2)*(d*x + c))*\sin(d*x + c)
\end{aligned}$$


```

*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*sin(d*x + c) + 1) - (-36*I*f^2*cos
(6*d*x + 6*c) + 72*f^2*cos(5*d*x + 5*c) - 36*I*f^2*cos(4*d*x + 4*c) + 144*f
^2*cos(3*d*x + 3*c) + 36*I*f^2*cos(2*d*x + 2*c) + 72*f^2*cos(d*x + c) + 36*
f^2*sin(6*d*x + 6*c) + 72*I*f^2*sin(5*d*x + 5*c) + 36*f^2*sin(4*d*x + 4*c)
+ 144*I*f^2*sin(3*d*x + 3*c) - 36*f^2*sin(2*d*x + 2*c) + 72*I*f^2*sin(d*x +
c) + 36*I*f^2)*polylog(3, I*e^(I*d*x + I*c)) - (36*I*f^2*cos(6*d*x + 6*c)
- 72*f^2*cos(5*d*x + 5*c) + 36*I*f^2*cos(4*d*x + 4*c) - 144*f^2*cos(3*d*x +
3*c) - 36*I*f^2*cos(2*d*x + 2*c) - 72*f^2*cos(d*x + c) - 36*f^2*sin(6*d*x
+ 6*c) - 72*I*f^2*sin(5*d*x + 5*c) - 36*f^2*sin(4*d*x + 4*c) - 144*I*f^2*si
n(3*d*x + 3*c) + 36*f^2*sin(2*d*x + 2*c) - 72*I*f^2*sin(d*x + c) - 36*I*f^2
)*polylog(3, -I*e^(I*d*x + I*c)) - (-36*I*(d*x + c)^2*f^2 - 72*d*e*f + (-36
*I*c^2 + 72*c - 8*I)*f^2 - 8*(9*I*d*e*f + (-9*I*c + 1)*f^2)*(d*x + c))*sin(
5*d*x + 5*c) - (72*(d*x + c)^2*f^2 - 144*I*d*e*f + 72*(c^2 + 2*I*c)*f^2 + (
144*d*e*f - (144*c + 176*I)*f^2)*(d*x + c))*sin(4*d*x + 4*c) - (-24*I*(d*x
+ c)^2*f^2 - 64*d*e*f + (-24*I*c^2 + 64*c - 16*I)*f^2 - 16*(3*I*d*e*f + (-3
*I*c - 4)*f^2)*(d*x + c))*sin(3*d*x + 3*c) + (72*(d*x + c)^2*f^2 + 176*I*d*
e*f + 8*(9*c^2 - 22*I*c)*f^2 + (144*d*e*f - (144*c - 144*I)*f^2)*(d*x + c))
*sin(2*d*x + 2*c) - (-36*I*(d*x + c)^2*f^2 + 8*d*e*f + (-36*I*c^2 - 8*c - 8
*I)*f^2 - 72*(I*d*e*f + (-I*c - 1)*f^2)*(d*x + c))*sin(d*x + c))/(-48*I*a*d
^2*cos(6*d*x + 6*c) + 96*a*d^2*cos(5*d*x + 5*c) - 48*I*a*d^2*cos(4*d*x + 4*
c) + 192*a*d^2*cos(3*d*x + 3*c) + 48*I*a*d^2*cos(2*d*x + 2*c) + 96*a*d^2*co
s(d*x + c) + 48*a*d^2*sin(6*d*x + 6*c) + 96*I*a*d^2*sin(5*d*x + 5*c) + 48*a
*d^2*sin(4*d*x + 4*c) + 192*I*a*d^2*sin(3*d*x + 3*c) - 48*a*d^2*sin(2*d*x +
2*c) + 96*I*a*d^2*sin(d*x + c) + 48*I*a*d^2))/d

```

Fricas [C] time = 3.18991, size = 3775, normalized size = 8.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")
```

```

[Out] 1/48*(6*d^2*f^2*x^2 + 12*d^2*e*f*x + 6*d^2*e^2 - 16*(d*f^2*x + d*e*f)*cos(d
*x + c)^3 - 2*(9*d^2*f^2*x^2 + 18*d^2*e*f*x + 9*d^2*e^2 + 2*f^2)*cos(d*x +
c)^2 - 28*(d*f^2*x + d*e*f)*cos(d*x + c) + ((-18*I*d*f^2*x - 18*I*d*e*f)*co
s(d*x + c)^2*sin(d*x + c) + (-18*I*d*f^2*x - 18*I*d*e*f)*cos(d*x + c)^2)*di
log(I*cos(d*x + c) + sin(d*x + c)) + ((-18*I*d*f^2*x - 18*I*d*e*f)*cos(d*x
+ c)^2*sin(d*x + c) + (-18*I*d*f^2*x - 18*I*d*e*f)*cos(d*x + c)^2)*dilog(I*
cos(d*x + c) - sin(d*x + c)) + ((18*I*d*f^2*x + 18*I*d*e*f)*cos(d*x + c)^2*
sin(d*x + c) + (18*I*d*f^2*x + 18*I*d*e*f)*cos(d*x + c)^2)*dilog(-I*cos(d*x
+ c) + sin(d*x + c)) + ((18*I*d*f^2*x + 18*I*d*e*f)*cos(d*x + c)^2*sin(d*x
+ c) + (18*I*d*f^2*x + 18*I*d*e*f)*cos(d*x + c)^2)*dilog(-I*cos(d*x + c) -
sin(d*x + c)) + ((9*d^2*e^2 - 18*c*d*e*f + (9*c^2 + 28)*f^2)*cos(d*x + c)^
2*sin(d*x + c) + (9*d^2*e^2 - 18*c*d*e*f + (9*c^2 + 28)*f^2)*cos(d*x + c)^2
)*log(cos(d*x + c) + I*sin(d*x + c) + I) - 3*((3*d^2*e^2 - 6*c*d*e*f + (3*c
^2 + 4)*f^2)*cos(d*x + c)^2*sin(d*x + c) + (3*d^2*e^2 - 6*c*d*e*f + (3*c^2
+ 4)*f^2)*cos(d*x + c)^2)*log(cos(d*x + c) - I*sin(d*x + c) + I) + 9*((d^2*
f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*cos(d*x + c)^2*sin(d*x + c) +
(d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*cos(d*x + c)^2)*log(I*cos
(d*x + c) + sin(d*x + c) + 1) - 9*((d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f -
c^2*f^2)*cos(d*x + c)^2*sin(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*
e*f - c^2*f^2)*cos(d*x + c)^2)*log(I*cos(d*x + c) - sin(d*x + c) + 1) + 9*(
(d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*cos(d*x + c)^2*sin(d*x +
c) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*cos(d*x + c)^2)*log(
-I*cos(d*x + c) + sin(d*x + c) + 1) - 9*((d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d
*e*f - c^2*f^2)*cos(d*x + c)^2*sin(d*x + c) + (d^2*f^2*x^2 + 2*d^2*e*f*x +

```

```

2*c*d*e*f - c^2*f^2)*cos(d*x + c)^2*log(-I*cos(d*x + c) - sin(d*x + c) + 1
) + ((9*d^2*e^2 - 18*c*d*e*f + (9*c^2 + 28)*f^2)*cos(d*x + c)^2*sin(d*x + c
) + (9*d^2*e^2 - 18*c*d*e*f + (9*c^2 + 28)*f^2)*cos(d*x + c)^2*log(-cos(d*
x + c) + I*sin(d*x + c) + I) - 3*((3*d^2*e^2 - 6*c*d*e*f + (3*c^2 + 4)*f^2)
*cos(d*x + c)^2*sin(d*x + c) + (3*d^2*e^2 - 6*c*d*e*f + (3*c^2 + 4)*f^2)*co
s(d*x + c)^2*log(-cos(d*x + c) - I*sin(d*x + c) + I) - 18*(f^2*cos(d*x + c
)^2*sin(d*x + c) + f^2*cos(d*x + c)^2)*polylog(3, I*cos(d*x + c) + sin(d*x
+ c)) + 18*(f^2*cos(d*x + c)^2*sin(d*x + c) + f^2*cos(d*x + c)^2)*polylog(3
, I*cos(d*x + c) - sin(d*x + c)) - 18*(f^2*cos(d*x + c)^2*sin(d*x + c) + f^
2*cos(d*x + c)^2)*polylog(3, -I*cos(d*x + c) + sin(d*x + c)) + 18*(f^2*cos(
d*x + c)^2*sin(d*x + c) + f^2*cos(d*x + c)^2)*polylog(3, -I*cos(d*x + c) -
sin(d*x + c)) + 2*(9*d^2*f^2*x^2 + 18*d^2*e*f*x + 9*d^2*e^2 - 10*(d*f^2*x +
d*e*f)*cos(d*x + c))*sin(d*x + c))/(a*d^3*cos(d*x + c)^2*sin(d*x + c) + a*
d^3*cos(d*x + c)^2)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sec(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sec(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sec(d*x + c)^3/(a*sin(d*x + c) + a), x)

$$3.283 \quad \int \frac{(e+fx) \sec^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=241

$$\frac{3if \operatorname{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{8ad^2} - \frac{3if \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{8ad^2} + \frac{f \tan^3(c+dx)}{12ad^2} + \frac{f \tan(c+dx)}{4ad^2} - \frac{f \sec^3(c+dx)}{12ad^2} - \frac{3f \sec(c+dx)}{8ad}$$

```
[Out] (((-3*I)/4)*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d) + (((3*I)/8)*f*PolyLog
[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/8)*f*PolyLog[2, I*E^(I*(c + d*
x))])/(a*d^2) - (3*f*Sec[c + d*x])/(8*a*d^2) - (f*Sec[c + d*x]^3)/(12*a*d^2
) - ((e + f*x)*Sec[c + d*x]^4)/(4*a*d) + (f*Tan[c + d*x])/(4*a*d^2) + (3*(e
+ f*x)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((e + f*x)*Sec[c + d*x]^3*Tan[
c + d*x])/(4*a*d) + (f*Tan[c + d*x]^3)/(12*a*d^2)
```

Rubi [A] time = 0.191473, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {4531, 4185, 4181, 2279, 2391, 4409, 3767}

$$\frac{3if \operatorname{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{8ad^2} - \frac{3if \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{8ad^2} + \frac{f \tan^3(c+dx)}{12ad^2} + \frac{f \tan(c+dx)}{4ad^2} - \frac{f \sec^3(c+dx)}{12ad^2} - \frac{3f \sec(c+dx)}{8ad}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sec[c + d*x]^3)/(a + a*Sin[c + d*x]), x]
```

```
[Out] (((-3*I)/4)*(e + f*x)*ArcTan[E^(I*(c + d*x))])/(a*d) + (((3*I)/8)*f*PolyLog
[2, (-I)*E^(I*(c + d*x))])/(a*d^2) - (((3*I)/8)*f*PolyLog[2, I*E^(I*(c + d*
x))])/(a*d^2) - (3*f*Sec[c + d*x])/(8*a*d^2) - (f*Sec[c + d*x]^3)/(12*a*d^2
) - ((e + f*x)*Sec[c + d*x]^4)/(4*a*d) + (f*Tan[c + d*x])/(4*a*d^2) + (3*(e
+ f*x)*Sec[c + d*x]*Tan[c + d*x])/(8*a*d) + ((e + f*x)*Sec[c + d*x]^3*Tan[
c + d*x])/(4*a*d) + (f*Tan[c + d*x]^3)/(12*a*d^2)
```

Rule 4531

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> Dist[1/a, Int[(e + f*x)^m*Sec[c +
d*x]^(n + 2), x], x] - Dist[1/b, Int[(e + f*x)^m*Sec[c + d*x]^(n + 1)*Tan[c
+ d*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && EqQ[a^2
- b^2, 0]
```

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :>
-Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x]
, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol
] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^(n), x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_)^(m_.))*Sec[(a_.) + (b_.)*(x_)^(n_.)*Tan[(a_.) + (b
_.)*(x_)^(p_.)], x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] -
Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)^(n_.)], x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\sec^3(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)\sec^5(c+dx) dx}{a} - \frac{\int (e+fx)\sec^4(c+dx)\tan(c+dx) dx}{a} \\ &= -\frac{f\sec^3(c+dx)}{12ad^2} - \frac{(e+fx)\sec^4(c+dx)}{4ad} + \frac{(e+fx)\sec^3(c+dx)\tan(c+dx)}{4ad} + \frac{3\int (e+fx)\sec^2(c+dx) dx}{8ad} \\ &= -\frac{3f\sec(c+dx)}{8ad^2} - \frac{f\sec^3(c+dx)}{12ad^2} - \frac{(e+fx)\sec^4(c+dx)}{4ad} + \frac{3(e+fx)\sec(c+dx)\tan(c+dx)}{8ad} \\ &= -\frac{3i(e+fx)\tan^{-1}(e^{i(c+dx)})}{4ad} - \frac{3f\sec(c+dx)}{8ad^2} - \frac{f\sec^3(c+dx)}{12ad^2} - \frac{(e+fx)\sec^4(c+dx)}{4ad} + \frac{3f\sec(c+dx)\tan(c+dx)}{8ad} \\ &= -\frac{3i(e+fx)\tan^{-1}(e^{i(c+dx)})}{4ad} - \frac{3f\sec(c+dx)}{8ad^2} - \frac{f\sec^3(c+dx)}{12ad^2} - \frac{(e+fx)\sec^4(c+dx)}{4ad} + \frac{3f\sec(c+dx)\tan(c+dx)}{8ad} \\ &= -\frac{3i(e+fx)\tan^{-1}(e^{i(c+dx)})}{4ad} + \frac{3if\text{Li}_2(-ie^{i(c+dx)})}{8ad^2} - \frac{3if\text{Li}_2(ie^{i(c+dx)})}{8ad^2} - \frac{3f\sec(c+dx)}{8ad^2} - \frac{f\sec^3(c+dx)}{12ad^2} \end{aligned}$$

Mathematica [B] time = 6.59522, size = 1171, normalized size = 4.86

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)*Sec[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (-6*d*e - f + 6*c*f - 6*f*(c + d*x))/(24*d^2*(a + a*Sin[c + d*x])) + (-d*e
) + c*f - f*(c + d*x))/(8*d^2*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2*(a +
a*Sin[c + d*x])) + (f*Sin[(c + d*x)/2])/(12*d^2*(Cos[(c + d*x)/2] + Sin[(c
+ d*x)/2])*(a + a*Sin[c + d*x])) + (7*f*Sin[(c + d*x)/2]*(Cos[(c + d*x)/2]
+ Sin[(c + d*x)/2]))/(12*d^2*(a + a*Sin[c + d*x])) + (3*(c + d*x)*(2*d*e -
2*c*f + f*(c + d*x))*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2)/(16*d^2*(a +
a*Sin[c + d*x])) + (3*e*((-c - d*x)/2 - Log[Cos[(c + d*x)/2] - Sin[(c + d*x
)/2]]*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2)/(8*d*(a + a*Sin[c + d*x]))
```

$$\begin{aligned}
& - (3c*f*((-c - d*x)/2 - \text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(8*d^2*(a + a*\text{Sin}[c + d*x])) - (3*e*((c + d*x)/2 - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(8*d*(a + a*\text{Sin}[c + d*x])) + (3*c*f*((c + d*x)/2 - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(8*d^2*(a + a*\text{Sin}[c + d*x])) - (3*f*((c + d*x)^2/(4*E^((I/4)*Pi)) - (((-3*I)/4)*Pi*(c + d*x) - Pi*\text{Log}[1 + E^((-I)*(c + d*x))]) - 2*(-Pi/4 + (c + d*x)/2)*\text{Log}[1 - E^((2*I)*(-Pi/4 + (c + d*x)/2))]) + Pi*\text{Log}[\text{Cos}[(c + d*x)/2]] - (Pi*\text{Log}[-\text{Sin}[Pi/4 + (-c - d*x)/2]])/2 + I*\text{PolyLog}[2, E^((2*I)*(-Pi/4 + (c + d*x)/2))])/Sqrt[2])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(4*Sqrt[2]*d^2*(a + a*\text{Sin}[c + d*x])) - (3*f*((E^((I/4)*Pi)*(c + d*x)^2)/4 + ((-I/4)*Pi*(c + d*x) - Pi*\text{Log}[1 + E^((-I)*(c + d*x))]) - 2*(Pi/4 + (c + d*x)/2)*\text{Log}[1 - E^((2*I)*(Pi/4 + (c + d*x)/2))]) + Pi*\text{Log}[\text{Cos}[(c + d*x)/2]] + (Pi*\text{Log}[\text{Sin}[Pi/4 + (c + d*x)/2]])/2 + I*\text{PolyLog}[2, E^((2*I)*(Pi/4 + (c + d*x)/2))])/Sqrt[2])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(4*Sqrt[2]*d^2*(a + a*\text{Sin}[c + d*x])) + ((d*e - c*f + f*(c + d*x))*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(8*d^2*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])^2*(a + a*\text{Sin}[c + d*x])) - (f*\text{Sin}[(c + d*x)/2]*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])^2)/(4*d^2*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])*(a + a*\text{Sin}[c + d*x]))
\end{aligned}$$

Maple [B] time = 0.378, size = 483, normalized size = 2.

$$\frac{-\frac{i}{12} (18 \text{idf} x e^{4i(dx+c)} + 9 d f x e^{5i(dx+c)} - 8 i f e^{3i(dx+c)} + 18 i d e e^{4i(dx+c)} + 9 d e e^{5i(dx+c)} - 18 i d e e^{2i(dx+c)} + 6 d f x e^{3i(dx+c)} - (e^{i(dx+c)} + i)^4)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sec(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out]
$$\begin{aligned}
& -1/12*I*(18*I*d*f*x*\exp(4*I*(d*x+c))+9*d*f*x*\exp(5*I*(d*x+c))-8*I*f*\exp(3*I*(d*x+c))+18*I*d*e*\exp(4*I*(d*x+c))+9*d*e*\exp(5*I*(d*x+c))-18*I*d*e*\exp(2*I*(d*x+c))+6*d*f*x*\exp(3*I*(d*x+c))-18*I*d*f*x*\exp(2*I*(d*x+c))+I*f*\exp(I*(d*x+c))+6*d*e*\exp(3*I*(d*x+c))+18*f*\exp(4*I*(d*x+c))+9*d*f*x*\exp(I*(d*x+c))-9*I*f*\exp(5*I*(d*x+c))+9*d*e*\exp(I*(d*x+c))+22*f*\exp(2*I*(d*x+c))+4*f)/(\exp(I*(d*x+c))+I)^4/d^2/(\exp(I*(d*x+c))-I)^2/a-3/8/a/d*e*\ln(\exp(I*(d*x+c))-I)+3/8/a/d*\ln(\exp(I*(d*x+c))+I)*e-3/8/a/d*f*\ln(1+I*\exp(I*(d*x+c)))*x-3/8/a/d^2*f*\ln(1+I*\exp(I*(d*x+c)))*c+3/8*I*f*polylog(2,-I*\exp(I*(d*x+c)))/a/d^2+3/8/a/d*f*\ln(1-I*\exp(I*(d*x+c)))*x+3/8/a/d^2*f*\ln(1-I*\exp(I*(d*x+c)))*c-3/8*I*f*polylog(2,I*\exp(I*(d*x+c)))/a/d^2+3/8/a/d^2*f*c*\ln(\exp(I*(d*x+c))-I)-3/8/a/d^2*f*c*\ln(\exp(I*(d*x+c))+I)
\end{aligned}$$

Maxima [B] time = 4.78787, size = 2665, normalized size = 11.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out]
$$\begin{aligned}
& ((18*d*e*\cos(6*d*x + 6*c) + 36*I*d*e*\cos(5*d*x + 5*c) + 18*d*e*\cos(4*d*x + 4*c) + 72*I*d*e*\cos(3*d*x + 3*c) - 18*d*e*\cos(2*d*x + 2*c) + 36*I*d*e*\cos(d*x + c) + 18*I*d*e*\sin(6*d*x + 6*c) - 36*d*e*\sin(5*d*x + 5*c) + 18*I*d*e*\sin(4*d*x + 4*c) - 72*d*e*\sin(3*d*x + 3*c) - 18*I*d*e*\sin(2*d*x + 2*c) - 36*d*e*\sin(d*x + c) - 18*d*e)*\arctan2(\sin(d*x + c) + 1, \cos(d*x + c)) - (18*d*e
\end{aligned}$$

```

*cos(6*d*x + 6*c) + 36*I*d*e*cos(5*d*x + 5*c) + 18*d*e*cos(4*d*x + 4*c) + 7
2*I*d*e*cos(3*d*x + 3*c) - 18*d*e*cos(2*d*x + 2*c) + 36*I*d*e*cos(d*x + c)
+ 18*I*d*e*sin(6*d*x + 6*c) - 36*d*e*sin(5*d*x + 5*c) + 18*I*d*e*sin(4*d*x
+ 4*c) - 72*d*e*sin(3*d*x + 3*c) - 18*I*d*e*sin(2*d*x + 2*c) - 36*d*e*sin(d
*x + c) - 18*d*e)*arctan2(sin(d*x + c) - 1, cos(d*x + c)) - (18*d*f*x*cos(6
*d*x + 6*c) + 36*I*d*f*x*cos(5*d*x + 5*c) + 18*d*f*x*cos(4*d*x + 4*c) + 72*
I*d*f*x*cos(3*d*x + 3*c) - 18*d*f*x*cos(2*d*x + 2*c) + 36*I*d*f*x*cos(d*x +
c) + 18*I*d*f*x*sin(6*d*x + 6*c) - 36*d*f*x*sin(5*d*x + 5*c) + 18*I*d*f*x*
sin(4*d*x + 4*c) - 72*d*f*x*sin(3*d*x + 3*c) - 18*I*d*f*x*sin(2*d*x + 2*c)
- 36*d*f*x*sin(d*x + c) - 18*d*f*x)*arctan2(cos(d*x + c), sin(d*x + c) + 1)
- (18*d*f*x*cos(6*d*x + 6*c) + 36*I*d*f*x*cos(5*d*x + 5*c) + 18*d*f*x*cos(
4*d*x + 4*c) + 72*I*d*f*x*cos(3*d*x + 3*c) - 18*d*f*x*cos(2*d*x + 2*c) + 36
*I*d*f*x*cos(d*x + c) + 18*I*d*f*x*sin(6*d*x + 6*c) - 36*d*f*x*sin(5*d*x +
5*c) + 18*I*d*f*x*sin(4*d*x + 4*c) - 72*d*f*x*sin(3*d*x + 3*c) - 18*I*d*f*x
*sin(2*d*x + 2*c) - 36*d*f*x*sin(d*x + c) - 18*d*f*x)*arctan2(cos(d*x + c),
-sin(d*x + c) + 1) - (36*d*f*x + 36*d*e - 36*I*f)*cos(5*d*x + 5*c) + (-72*
I*d*f*x - 72*I*d*e - 72*f)*cos(4*d*x + 4*c) - (24*d*f*x + 24*d*e - 32*I*f)*
cos(3*d*x + 3*c) + (72*I*d*f*x + 72*I*d*e - 88*f)*cos(2*d*x + 2*c) - (36*d*
f*x + 36*d*e + 4*I*f)*cos(d*x + c) - (18*f*cos(6*d*x + 6*c) + 36*I*f*cos(5*
d*x + 5*c) + 18*f*cos(4*d*x + 4*c) + 72*I*f*cos(3*d*x + 3*c) - 18*f*cos(2*d
*x + 2*c) + 36*I*f*cos(d*x + c) + 18*I*f*sin(6*d*x + 6*c) - 36*f*sin(5*d*x
+ 5*c) + 18*I*f*sin(4*d*x + 4*c) - 72*f*sin(3*d*x + 3*c) - 18*I*f*sin(2*d*x
+ 2*c) - 36*f*sin(d*x + c) - 18*f)*dilog(I*e^(I*d*x + I*c)) + (18*f*cos(6*
d*x + 6*c) + 36*I*f*cos(5*d*x + 5*c) + 18*f*cos(4*d*x + 4*c) + 72*I*f*cos(3
*d*x + 3*c) - 18*f*cos(2*d*x + 2*c) + 36*I*f*cos(d*x + c) + 18*I*f*sin(6*d*
x + 6*c) - 36*f*sin(5*d*x + 5*c) + 18*I*f*sin(4*d*x + 4*c) - 72*f*sin(3*d*x
+ 3*c) - 18*I*f*sin(2*d*x + 2*c) - 36*f*sin(d*x + c) - 18*f)*dilog(-I*e^(I
*d*x + I*c)) + (9*I*d*f*x + 9*I*d*e + (-9*I*d*f*x - 9*I*d*e)*cos(6*d*x + 6*
c) + 18*(d*f*x + d*e)*cos(5*d*x + 5*c) + (-9*I*d*f*x - 9*I*d*e)*cos(4*d*x +
4*c) + 36*(d*f*x + d*e)*cos(3*d*x + 3*c) + (9*I*d*f*x + 9*I*d*e)*cos(2*d*x
+ 2*c) + 18*(d*f*x + d*e)*cos(d*x + c) + 9*(d*f*x + d*e)*sin(6*d*x + 6*c)
+ (18*I*d*f*x + 18*I*d*e)*sin(5*d*x + 5*c) + 9*(d*f*x + d*e)*sin(4*d*x + 4*
c) + (36*I*d*f*x + 36*I*d*e)*sin(3*d*x + 3*c) - 9*(d*f*x + d*e)*sin(2*d*x +
2*c) + (18*I*d*f*x + 18*I*d*e)*sin(d*x + c))*log(cos(d*x + c)^2 + sin(d*x
+ c)^2 + 2*sin(d*x + c) + 1) + (-9*I*d*f*x - 9*I*d*e + (9*I*d*f*x + 9*I*d*e
)*cos(6*d*x + 6*c) - 18*(d*f*x + d*e)*cos(5*d*x + 5*c) + (9*I*d*f*x + 9*I*d
*e)*cos(4*d*x + 4*c) - 36*(d*f*x + d*e)*cos(3*d*x + 3*c) + (-9*I*d*f*x - 9*
I*d*e)*cos(2*d*x + 2*c) - 18*(d*f*x + d*e)*cos(d*x + c) - 9*(d*f*x + d*e)*s
in(6*d*x + 6*c) + (-18*I*d*f*x - 18*I*d*e)*sin(5*d*x + 5*c) - 9*(d*f*x + d*
e)*sin(4*d*x + 4*c) + (-36*I*d*f*x - 36*I*d*e)*sin(3*d*x + 3*c) + 9*(d*f*x
+ d*e)*sin(2*d*x + 2*c) + (-18*I*d*f*x - 18*I*d*e)*sin(d*x + c))*log(cos(d*
x + c)^2 + sin(d*x + c)^2 - 2*sin(d*x + c) + 1) + (-36*I*d*f*x - 36*I*d*e -
36*f)*sin(5*d*x + 5*c) + (72*d*f*x + 72*d*e - 72*I*f)*sin(4*d*x + 4*c) + (
-24*I*d*f*x - 24*I*d*e - 32*f)*sin(3*d*x + 3*c) - (72*d*f*x + 72*d*e + 88*I
*f)*sin(2*d*x + 2*c) + (-36*I*d*f*x - 36*I*d*e + 4*f)*sin(d*x + c) - 16*f)/
(-48*I*a*d^2*cos(6*d*x + 6*c) + 96*a*d^2*cos(5*d*x + 5*c) - 48*I*a*d^2*cos(
4*d*x + 4*c) + 192*a*d^2*cos(3*d*x + 3*c) + 48*I*a*d^2*cos(2*d*x + 2*c) + 9
6*a*d^2*cos(d*x + c) + 48*a*d^2*sin(6*d*x + 6*c) + 96*I*a*d^2*sin(5*d*x + 5
*c) + 48*a*d^2*sin(4*d*x + 4*c) + 192*I*a*d^2*sin(3*d*x + 3*c) - 48*a*d^2*s
in(2*d*x + 2*c) + 96*I*a*d^2*sin(d*x + c) + 48*I*a*d^2)

```

Fricas [B] time = 2.48275, size = 2080, normalized size = 8.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

```
[Out] -1/48*(8*f*cos(d*x + c)^3 - 6*d*f*x + 18*(d*f*x + d*e)*cos(d*x + c)^2 - 6*d
*e + 14*f*cos(d*x + c) - (-9*I*f*cos(d*x + c)^2*sin(d*x + c) - 9*I*f*cos(d*
x + c)^2)*dilog(I*cos(d*x + c) + sin(d*x + c)) - (-9*I*f*cos(d*x + c)^2*sin
(d*x + c) - 9*I*f*cos(d*x + c)^2)*dilog(I*cos(d*x + c) - sin(d*x + c)) - (9
*I*f*cos(d*x + c)^2*sin(d*x + c) + 9*I*f*cos(d*x + c)^2)*dilog(-I*cos(d*x +
c) + sin(d*x + c)) - (9*I*f*cos(d*x + c)^2*sin(d*x + c) + 9*I*f*cos(d*x +
c)^2)*dilog(-I*cos(d*x + c) - sin(d*x + c)) - 9*((d*e - c*f)*cos(d*x + c)^2
*sin(d*x + c) + (d*e - c*f)*cos(d*x + c)^2)*log(cos(d*x + c) + I*sin(d*x +
c) + I) + 9*((d*e - c*f)*cos(d*x + c)^2*sin(d*x + c) + (d*e - c*f)*cos(d*x
+ c)^2)*log(cos(d*x + c) - I*sin(d*x + c) + I) - 9*((d*f*x + c*f)*cos(d*x +
c)^2*sin(d*x + c) + (d*f*x + c*f)*cos(d*x + c)^2)*log(I*cos(d*x + c) + sin
(d*x + c) + 1) + 9*((d*f*x + c*f)*cos(d*x + c)^2*sin(d*x + c) + (d*f*x + c*
f)*cos(d*x + c)^2)*log(I*cos(d*x + c) - sin(d*x + c) + 1) - 9*((d*f*x + c*f
)*cos(d*x + c)^2*sin(d*x + c) + (d*f*x + c*f)*cos(d*x + c)^2)*log(-I*cos(d*
x + c) + sin(d*x + c) + 1) + 9*((d*f*x + c*f)*cos(d*x + c)^2*sin(d*x + c) +
(d*f*x + c*f)*cos(d*x + c)^2)*log(-I*cos(d*x + c) - sin(d*x + c) + 1) - 9*
((d*e - c*f)*cos(d*x + c)^2*sin(d*x + c) + (d*e - c*f)*cos(d*x + c)^2)*log(
-cos(d*x + c) + I*sin(d*x + c) + I) + 9*((d*e - c*f)*cos(d*x + c)^2*sin(d*x
+ c) + (d*e - c*f)*cos(d*x + c)^2)*log(-cos(d*x + c) - I*sin(d*x + c) + I)
- 2*(9*d*f*x + 9*d*e - 5*f*cos(d*x + c))*sin(d*x + c))/(a*d^2*cos(d*x + c)
^2*sin(d*x + c) + a*d^2*cos(d*x + c)^2)
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{e \sec^3(c+dx)}{\sin(c+dx)+1} dx + \int \frac{fx \sec^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)**3/(a+a*sin(d*x+c)),x)
```

```
[Out] (Integral(e*sec(c + d*x)**3/(sin(c + d*x) + 1), x) + Integral(f*x*sec(c + d
*x)**3/(sin(c + d*x) + 1), x))/a
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sec(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sec(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.284 \quad \int \frac{\sec^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=77

$$-\frac{a}{8d(a \sin(c+dx)+a)^2} + \frac{1}{8d(a-a \sin(c+dx))} - \frac{1}{4d(a \sin(c+dx)+a)} + \frac{3 \tanh^{-1}(\sin(c+dx))}{8ad}$$

[Out] (3*ArcTanh[Sin[c + d*x]])/(8*a*d) + 1/(8*d*(a - a*Sin[c + d*x])) - a/(8*d*(a + a*Sin[c + d*x])^2) - 1/(4*d*(a + a*Sin[c + d*x]))

Rubi [A] time = 0.0798467, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2667, 44, 206}

$$-\frac{a}{8d(a \sin(c+dx)+a)^2} + \frac{1}{8d(a-a \sin(c+dx))} - \frac{1}{4d(a \sin(c+dx)+a)} + \frac{3 \tanh^{-1}(\sin(c+dx))}{8ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] (3*ArcTanh[Sin[c + d*x]])/(8*a*d) + 1/(8*d*(a - a*Sin[c + d*x])) - a/(8*d*(a + a*Sin[c + d*x])^2) - 1/(4*d*(a + a*Sin[c + d*x]))

Rule 2667

Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rule 44

Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 206

Int[((a_.) + (b_.)*(x_.)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)}{a+a\sin(c+dx)} dx &= \frac{a^3 \operatorname{Subst}\left(\int \frac{1}{(a-x)^2(a+x)^3} dx, x, a\sin(c+dx)\right)}{d} \\
&= \frac{a^3 \operatorname{Subst}\left(\int \left(\frac{1}{8a^3(a-x)^2} + \frac{1}{4a^2(a+x)^3} + \frac{1}{4a^3(a+x)^2} + \frac{3}{8a^3(a^2-x^2)}\right) dx, x, a\sin(c+dx)\right)}{d} \\
&= \frac{1}{8d(a-a\sin(c+dx))} - \frac{a}{8d(a+a\sin(c+dx))^2} - \frac{1}{4d(a+a\sin(c+dx))} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{a^2-x^2} dx\right)}{8d} \\
&= \frac{3 \tanh^{-1}(\sin(c+dx))}{8ad} + \frac{1}{8d(a-a\sin(c+dx))} - \frac{a}{8d(a+a\sin(c+dx))^2} - \frac{1}{4d(a+a\sin(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.102742, size = 75, normalized size = 0.97

$$\frac{\sec^2(c+dx)(-3\sin^2(c+dx) - 3\sin(c+dx) + 3(\sin(c+dx) - 1)(\sin(c+dx) + 1)^2 \tanh^{-1}(\sin(c+dx)) + 2)}{8ad(\sin(c+dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^3/(a + a*Sin[c + d*x]),x]

[Out] -(Sec[c + d*x]^2*(2 - 3*Sin[c + d*x] - 3*Sin[c + d*x]^2 + 3*ArcTanh[Sin[c + d*x]]*(-1 + Sin[c + d*x])*(1 + Sin[c + d*x])^2))/(8*a*d*(1 + Sin[c + d*x]))

Maple [A] time = 0.058, size = 90, normalized size = 1.2

$$\frac{1}{8da(\sin(dx+c)-1)} - \frac{3 \ln(\sin(dx+c)-1)}{16da} - \frac{1}{8da(1+\sin(dx+c))^2} - \frac{1}{4da(1+\sin(dx+c))} + \frac{3 \ln(1+\sin(dx+c))}{16da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3/(a+a*sin(d*x+c)),x)

[Out] -1/8/a/d/(sin(d*x+c)-1)-3/16/a/d*ln(sin(d*x+c)-1)-1/8/a/d/(1+sin(d*x+c))^2-1/4/a/d/(1+sin(d*x+c))+3/16*ln(1+sin(d*x+c))/a/d

Maxima [A] time = 0.966444, size = 123, normalized size = 1.6

$$\frac{2(3 \sin(dx+c)^2 + 3 \sin(dx+c) - 2)}{a \sin(dx+c)^3 + a \sin(dx+c)^2 - a \sin(dx+c) - a} - \frac{3 \log(\sin(dx+c)+1)}{a} + \frac{3 \log(\sin(dx+c)-1)}{a}$$

16d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] -1/16*(2*(3*sin(d*x + c)^2 + 3*sin(d*x + c) - 2)/(a*sin(d*x + c)^3 + a*sin(d*x + c)^2 - a*sin(d*x + c) - a) - 3*log(sin(d*x + c) + 1)/a + 3*log(sin(d*x + c) - 1)/a)/d

Fricas [A] time = 1.7482, size = 336, normalized size = 4.36

$$\frac{6 \cos(dx+c)^2 - 3(\cos(dx+c)^2 \sin(dx+c) + \cos(dx+c)^2) \log(\sin(dx+c)+1) + 3(\cos(dx+c)^2 \sin(dx+c) + \cos(dx+c)^2)}{16(ad \cos(dx+c)^2 \sin(dx+c) + ad \cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] -1/16*(6*cos(d*x + c)^2 - 3*(cos(d*x + c)^2*sin(d*x + c) + cos(d*x + c)^2)*log(sin(d*x + c) + 1) + 3*(cos(d*x + c)^2*sin(d*x + c) + cos(d*x + c)^2)*log(-sin(d*x + c) + 1) - 6*sin(d*x + c) - 2)/(a*d*cos(d*x + c)^2*sin(d*x + c) + a*d*cos(d*x + c)^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sec^3(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**3/(sin(c + d*x) + 1), x)/a

Giac [A] time = 1.23488, size = 130, normalized size = 1.69

$$\frac{\frac{6 \log(|\sin(dx+c)+1|)}{a} - \frac{6 \log(|\sin(dx+c)-1|)}{a} + \frac{2(3 \sin(dx+c)-5)}{a(\sin(dx+c)-1)} - \frac{9 \sin(dx+c)^2 + 26 \sin(dx+c) + 21}{a(\sin(dx+c)+1)^2}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] 1/32*(6*log(abs(sin(d*x + c) + 1))/a - 6*log(abs(sin(d*x + c) - 1))/a + 2*(3*sin(d*x + c) - 5)/(a*(sin(d*x + c) - 1)) - (9*sin(d*x + c)^2 + 26*sin(d*x + c) + 21)/(a*(sin(d*x + c) + 1)^2))/d

$$3.285 \quad \int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable}\left(\frac{\sec^3(c+dx)}{(e+fx)(a \sin(c+dx)+a)}, x\right)$$

[Out] Unintegrable[Sec[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0721693, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx = \int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 34.3505, size = 0, normalized size = 0.

$$\int \frac{\sec^3(c+dx)}{(e+fx)(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]^3/((e + f*x)*(a + a*Sin[c + d*x])), x]

Maple [A] time = 5.279, size = 0, normalized size = 0.

$$\int \frac{(\sec(dx+c))^3}{(fx+e)(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sec(dx+c)^3}{afx+ae+(afx+ae)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)^3/(a*f*x + a*e + (a*f*x + a*e)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{\sec^3(c+dx)}{e \sin(c+dx)+e+fx \sin(c+dx)+fx} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3/(f*x+e)/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**3/(e*sin(c + d*x) + e + f*x*sin(c + d*x) + f*x), x)/
a

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.286 \quad \int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\sec^3(c+dx)}{(e+fx)^2(a \sin(c+dx)+a)}, x \right)$$

[Out] Unintegrable[Sec[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi [A] time = 0.0721515, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Defer[Int][Sec[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Rubi steps

$$\int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx = \int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Mathematica [A] time = 51.9916, size = 0, normalized size = 0.

$$\int \frac{\sec^3(c+dx)}{(e+fx)^2(a+a \sin(c+dx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

[Out] Integrate[Sec[c + d*x]^3/((e + f*x)^2*(a + a*Sin[c + d*x])), x]

Maple [A] time = 1.749, size = 0, normalized size = 0.

$$\int \frac{(\sec(dx+c))^3}{(fx+e)^2(a+a \sin(dx+c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

[Out] int(sec(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Timed out

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sec(dx+c)^3}{af^2x^2+2aefx+ae^2+(af^2x^2+2aefx+ae^2)\sin(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral(sec(d*x + c)^3/(a*f^2*x^2 + 2*a*e*f*x + a*e^2 + (a*f^2*x^2 + 2*a*e*f*x + a*e^2)*sin(d*x + c)), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^3(c+dx)}{e^2 \sin(c+dx)+e^2+2efx \sin(c+dx)+2efx+f^2x^2 \sin(c+dx)+f^2x^2} dx$$

a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**3/(f*x+e)**2/(a+a*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**3/(e**2*sin(c + d*x) + e**2 + 2*e*f*x*sin(c + d*x) + 2*e*f*x + f**2*x**2*sin(c + d*x) + f**2*x**2), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(dx+c)^3}{(fx+e)^2(a \sin(dx+c)+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^3/(f*x+e)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate(sec(d*x + c)^3/((f*x + e)^2*(a*sin(d*x + c) + a)), x)

3.287 $\int \frac{(e+fx)^m \cos^4(c+dx)}{a+a \sin(c+dx)} dx$

Optimal. Leaf size=449

$$\frac{e^{i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \text{Gamma}\left(m+1, -\frac{id(e+fx)}{f}\right)}{8ad} - \frac{i2^{-m-3}e^{2i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \text{Gamma}\left(m+1, -\frac{id(e+fx)}{f}\right)}{ad}$$

```
[Out] (e + f*x)^(1 + m)/(2*a*f*(1 + m)) + (E^(I*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-I)*d*(e + f*x))/f])/(8*a*d*(((I)*d*(e + f*x))/f)^m + ((e + f*x)^m*Gamma[1 + m, (I*d*(e + f*x))/f])/(8*a*d*E^(I*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m) - (I*2^(-3 - m)*E^((2*I)*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-2*I)*d*(e + f*x))/f])/(a*d*(((I)*d*(e + f*x))/f)^m + (I*2^(-3 - m)*(e + f*x)^m*Gamma[1 + m, ((2*I)*d*(e + f*x))/f])/(a*d*E^((2*I)*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m) + (3^(-1 - m)*E^((3*I)*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-3*I)*d*(e + f*x))/f])/(8*a*d*(((I)*d*(e + f*x))/f)^m + (3^(-1 - m)*(e + f*x)^m*Gamma[1 + m, ((3*I)*d*(e + f*x))/f])/(8*a*d*E^((3*I)*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m)
```

Rubi [A] time = 0.642543, antiderivative size = 449, normalized size of antiderivative = 1., number of steps used = 14, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4523, 3312, 3307, 2181, 4406, 3308}

$$\frac{e^{i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \text{Gamma}\left(m+1, -\frac{id(e+fx)}{f}\right)}{8ad} - \frac{i2^{-m-3}e^{2i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \text{Gamma}\left(m+1, -\frac{id(e+fx)}{f}\right)}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^m * Cos[c + d*x]^4)/(a + a * Sin[c + d*x]), x]
```

```
[Out] (e + f*x)^(1 + m)/(2*a*f*(1 + m)) + (E^(I*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-I)*d*(e + f*x))/f])/(8*a*d*(((I)*d*(e + f*x))/f)^m + ((e + f*x)^m*Gamma[1 + m, (I*d*(e + f*x))/f])/(8*a*d*E^(I*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m) - (I*2^(-3 - m)*E^((2*I)*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-2*I)*d*(e + f*x))/f])/(a*d*(((I)*d*(e + f*x))/f)^m + (I*2^(-3 - m)*(e + f*x)^m*Gamma[1 + m, ((2*I)*d*(e + f*x))/f])/(a*d*E^((2*I)*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m) + (3^(-1 - m)*E^((3*I)*(c - (d*e)/f))*(e + f*x)^m*Gamma[1 + m, ((-3*I)*d*(e + f*x))/f])/(8*a*d*(((I)*d*(e + f*x))/f)^m + (3^(-1 - m)*(e + f*x)^m*Gamma[1 + m, ((3*I)*d*(e + f*x))/f])/(8*a*d*E^((3*I)*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m)
```

Rule 4523

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2) * Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Lo
g[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F
]*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I
ntegerQ[m]
```

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x
]^(n)*Cos[a + b*x]^(p), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IG
tQ[p, 0]
```

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^m \cos^4(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^m \cos^2(c+dx) dx}{a} - \frac{\int (e+fx)^m \cos^2(c+dx) \sin(c+dx) dx}{a} \\ &= \frac{\int \left(\frac{1}{2}(e+fx)^m + \frac{1}{2}(e+fx)^m \cos(2c+2dx) \right) dx}{a} - \frac{\int \left(\frac{1}{4}(e+fx)^m \sin(c+dx) + \frac{1}{4}(e+fx)^m \sin(3c+3dx) \right) dx}{a} \\ &= \frac{(e+fx)^{1+m}}{2af(1+m)} - \frac{\int (e+fx)^m \sin(c+dx) dx}{4a} - \frac{\int (e+fx)^m \sin(3c+3dx) dx}{4a} + \frac{\int (e+fx)^m \cos(c+dx) dx}{4a} \\ &= \frac{(e+fx)^{1+m}}{2af(1+m)} - \frac{i \int e^{-i(c+dx)} (e+fx)^m dx}{8a} + \frac{i \int e^{i(c+dx)} (e+fx)^m dx}{8a} - \frac{i \int e^{-i(3c+3dx)} (e+fx)^m dx}{8a} \\ &= \frac{(e+fx)^{1+m}}{2af(1+m)} + \frac{e^{i\left(c-\frac{de}{f}\right)} (e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, -\frac{id(e+fx)}{f}\right)}{8ad} + \frac{e^{-i\left(c-\frac{de}{f}\right)} (e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, \frac{id(e+fx)}{f}\right)}{8ad} \end{aligned}$$

Mathematica [A] time = 4.71712, size = 405, normalized size = 0.9

$$\frac{i(e+fx)^m \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right) \right)^2 \left(-3ie^{i\left(c-\frac{de}{f}\right)} \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right) - 3 \cdot 2^{-m} e^{2i\left(c-\frac{de}{f}\right)} \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, \frac{id(e+fx)}{f}\right) \right)}{8ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^m * Cos[c + d*x]^4)/(a + a*Sin[c + d*x]), x]
```

```
[Out] ((I/24)*(e + f*x)^m * (((-12*I)*d*(e + f*x))/(f*(1 + m)) - ((3*I)*E^(I*(c - (
d*e)/f))*Gamma[1 + m, ((-I)*d*(e + f*x))/f])/((-I)*d*(e + f*x))/f)^m - ((3
*I)*Gamma[1 + m, (I*d*(e + f*x))/f])/(E^(I*(c - (d*e)/f))*((I*d*(e + f*x))/
```


$$f)^m) - (3 * E^{((2 * I) * (c - (d * e) / f))} * \text{Gamma}[1 + m, ((-2 * I) * d * (e + f * x)) / f]) / (2^m * (((-I) * d * (e + f * x)) / f)^m) + (3 * \text{Gamma}[1 + m, ((2 * I) * d * (e + f * x)) / f]) / (2^m * E^{((2 * I) * (c - (d * e) / f))} * ((I * d * (e + f * x)) / f)^m) - (I * E^{((3 * I) * (c - (d * e) / f))} * \text{Gamma}[1 + m, ((-3 * I) * d * (e + f * x)) / f]) / (3^m * (((-I) * d * (e + f * x)) / f)^m) - (I * \text{Gamma}[1 + m, ((3 * I) * d * (e + f * x)) / f]) / (3^m * E^{((3 * I) * (c - (d * e) / f))} * ((I * d * (e + f * x)) / f)^m) * (\text{Cos}[(c + d * x) / 2] + \text{Sin}[(c + d * x) / 2])^2 / (a * d * (1 + \text{Sin}[c + d * x])))$$

Maple [F] time = 0.199, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m (\cos(dx + c))^4}{a + a \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*cos(d*x+c)^4/(a+a*sin(d*x+c)),x)

[Out] int((f*x+e)^m*cos(d*x+c)^4/(a+a*sin(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^4}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^4/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*cos(d*x + c)^4/(a*sin(d*x + c) + a), x)

Fricas [A] time = 1.99043, size = 861, normalized size = 1.92

$$(fm + f) e^{\left(\frac{fm \log\left(\frac{3id}{f}\right) - 3ide + 3icf}{f} \right)} \Gamma\left(m + 1, \frac{3idf x + 3ide}{f}\right) + (3ifm + 3if) e^{\left(\frac{fm \log\left(\frac{2id}{f}\right) - 2ide + 2icf}{f} \right)} \Gamma\left(m + 1, \frac{2idf x + 2ide}{f}\right) + 3(fm$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^4/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/24*((f*m + f)*e^(-(f*m*log(3*I*d/f) - 3*I*d*e + 3*I*c*f)/f)*gamma(m + 1, (3*I*d*f*x + 3*I*d*e)/f) + (3*I*f*m + 3*I*f)*e^(-(f*m*log(2*I*d/f) - 2*I*d*e + 2*I*c*f)/f)*gamma(m + 1, (2*I*d*f*x + 2*I*d*e)/f) + 3*(f*m + f)*e^(-(f*m*log(I*d/f) - I*d*e + I*c*f)/f)*gamma(m + 1, (I*d*f*x + I*d*e)/f) + 3*(f*m + f)*e^(-(f*m*log(-I*d/f) + I*d*e - I*c*f)/f)*gamma(m + 1, (-I*d*f*x - I*d*e)/f) + (-3*I*f*m - 3*I*f)*e^(-(f*m*log(-2*I*d/f) + 2*I*d*e - 2*I*c*f)/f)*gamma(m + 1, (-2*I*d*f*x - 2*I*d*e)/f) + (f*m + f)*e^(-(f*m*log(-3*I*d/f) + 3*I*d*e - 3*I*c*f)/f)*gamma(m + 1, (-3*I*d*f*x - 3*I*d*e)/f) + 12*(d*f*x + d*e)*(f*x + e)^m/(a*d*f*m + a*d*f)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*cos(d*x+c)**4/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^4}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^4/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*cos(d*x + c)^4/(a*sin(d*x + c) + a), x)

$$3.288 \quad \int \frac{(e+fx)^m \cos^3(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=277

$$\frac{ie^{i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{2^{-m-3}e^{2i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{ad}$$

[Out] $((-I/2)*E^{(I*(c - (d*e)/f))}*(e + f*x)^m*\Gamma[1 + m, ((-I)*d*(e + f*x))/f]) / (a*d*((-I)*d*(e + f*x))/f)^m + ((I/2)*(e + f*x)^m*\Gamma[1 + m, (I*d*(e + f*x))/f]) / (a*d*E^{(I*(c - (d*e)/f))}*((I*d*(e + f*x))/f)^m + (2^{(-3 - m)}*E^{((2*I)*(c - (d*e)/f))}*(e + f*x)^m*\Gamma[1 + m, ((-2*I)*d*(e + f*x))/f]) / (a*d*((-I)*d*(e + f*x))/f)^m + (2^{(-3 - m)}*(e + f*x)^m*\Gamma[1 + m, ((2*I)*d*(e + f*x))/f]) / (a*d*E^{((2*I)*(c - (d*e)/f))}*((I*d*(e + f*x))/f)^m)$

Rubi [A] time = 0.319053, antiderivative size = 277, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {4523, 3307, 2181, 4406, 12, 3308}

$$\frac{ie^{i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{2^{-m-3}e^{2i\left(\frac{c-de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^m * Cos[c + d*x]^3) / (a + a * Sin[c + d*x]), x]

[Out] $((-I/2)*E^{(I*(c - (d*e)/f))}*(e + f*x)^m*\Gamma[1 + m, ((-I)*d*(e + f*x))/f]) / (a*d*((-I)*d*(e + f*x))/f)^m + ((I/2)*(e + f*x)^m*\Gamma[1 + m, (I*d*(e + f*x))/f]) / (a*d*E^{(I*(c - (d*e)/f))}*((I*d*(e + f*x))/f)^m + (2^{(-3 - m)}*E^{((2*I)*(c - (d*e)/f))}*(e + f*x)^m*\Gamma[1 + m, ((-2*I)*d*(e + f*x))/f]) / (a*d*((-I)*d*(e + f*x))/f)^m + (2^{(-3 - m)}*(e + f*x)^m*\Gamma[1 + m, ((2*I)*d*(e + f*x))/f]) / (a*d*E^{((2*I)*(c - (d*e)/f))}*((I*d*(e + f*x))/f)^m)$

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.)] / ((a_.) + (b_.) * Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2) * Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_.) * sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m / (E^(I*k*Pi) * E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m * E^(I*k*Pi) * E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d)*(c + d*x]) / (d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 4406

```
Int[Cos[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[a + b*x]^n*Cos[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^m \cos^3(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^m \cos(c+dx) dx}{a} - \frac{\int (e+fx)^m \cos(c+dx) \sin(c+dx) dx}{a} \\ &= \frac{\int e^{-i(c+dx)}(e+fx)^m dx}{2a} + \frac{\int e^{i(c+dx)}(e+fx)^m dx}{2a} - \frac{\int \frac{1}{2}(e+fx)^m \sin(2c+2dx) dx}{a} \\ &= -\frac{ie^{i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{ie^{-i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, \frac{id(e+fx)}{f}\right)}{2ad} \\ &= -\frac{ie^{i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{ie^{-i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, \frac{id(e+fx)}{f}\right)}{2ad} \\ &= -\frac{ie^{i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{ie^{-i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, \frac{id(e+fx)}{f}\right)}{2ad} \end{aligned}$$

Mathematica [A] time = 2.51116, size = 253, normalized size = 0.91

$$\frac{2^{-m-3} e^{-\frac{2i(cf+de)}{f}} (e+fx)^m \left(\frac{d^2(e+fx)^2}{f^2}\right)^{-m} \left(i 2^{m+2} e^{i\left(c+\frac{3de}{f}\right)} \left(-\frac{id(e+fx)}{f}\right)^m \Gamma\left(m+1, \frac{id(e+fx)}{f}\right) - i 2^{m+2} e^{i\left(3c+\frac{de}{f}\right)} \left(\frac{id(e+fx)}{f}\right)^m \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)\right)}{ad}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^m*Cos[c + d*x]^3)/(a + a*Sin[c + d*x]),x]
```

```
[Out] (2^(-3 - m)*(e + f*x)^m*((-I)*2^(2 + m)*E^(I*(3*c + (d*e)/f))*((I*d*(e + f*x))/f)^m*Gamma[1 + m, ((-I)*d*(e + f*x))/f] + I*2^(2 + m)*E^(I*(c + (3*d*e)/f))*(((-I)*d*(e + f*x))/f)^m*Gamma[1 + m, (I*d*(e + f*x))/f] + E^((4*I)*c)*((I*d*(e + f*x))/f)^m*Gamma[1 + m, ((-2*I)*d*(e + f*x))/f] + E^(((4*I)*d*e)/f)*(((-I)*d*(e + f*x))/f)^m*Gamma[1 + m, ((2*I)*d*(e + f*x))/f])/(a*d*E^(((2*I)*(d*e + c*f))/f)*((d^2*(e + f*x)^2)/f^2)^m)
```

Maple [F] time = 0.19, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m (\cos(dx + c))^3}{a + a \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^m*cos(d*x+c)^3/(a+a*sin(d*x+c)),x)`

[Out] `int((f*x+e)^m*cos(d*x+c)^3/(a+a*sin(d*x+c)),x)`

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^m*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((f*x + e)^m*cos(d*x + c)^3/(a*sin(d*x + c) + a), x)`

Fricas [A] time = 1.9995, size = 468, normalized size = 1.69

$$\frac{e^{\left(-\frac{fm \log\left(\frac{2id}{f}\right) - 2ide + 2icf}{f}\right)} \Gamma\left(m + 1, \frac{2idfx + 2ide}{f}\right) + 4ie^{\left(-\frac{fm \log\left(\frac{id}{f}\right) - ide + icf}{f}\right)} \Gamma\left(m + 1, \frac{idfx + ide}{f}\right) - 4ie^{\left(-\frac{fm \log\left(-\frac{id}{f}\right) + ide - icf}{f}\right)} \Gamma\left(m + 1, \frac{-idfx + ide}{f}\right)}{8ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^m*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="fricas")`

[Out] `1/8*(e^(-(f*m*log(2*I*d/f) - 2*I*d*e + 2*I*c*f)/f)*gamma(m + 1, (2*I*d*f*x + 2*I*d*e)/f) + 4*I*e^(-(f*m*log(I*d/f) - I*d*e + I*c*f)/f)*gamma(m + 1, (I*d*f*x + I*d*e)/f) - 4*I*e^(-(f*m*log(-I*d/f) + I*d*e - I*c*f)/f)*gamma(m + 1, (-I*d*f*x - I*d*e)/f) + e^(-(f*m*log(-2*I*d/f) + 2*I*d*e - 2*I*c*f)/f)*gamma(m + 1, (-2*I*d*f*x - 2*I*d*e)/f))/(a*d)`

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**m*cos(d*x+c)**3/(a+a*sin(d*x+c)),x)`

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^3}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^m*cos(d*x+c)^3/(a+a*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^m*cos(d*x + c)^3/(a*sin(d*x + c) + a), x)
```

$$3.289 \quad \int \frac{(e+fx)^m \cos^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=154

$$\frac{e^{i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{e^{-i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, \frac{id(e+fx)}{f}\right)}{2ad}$$

[Out] (e + f*x)^(1 + m)/(a*f*(1 + m)) + (E^(I*(c - (d*e)/f)))*(e + f*x)^m*Gamma[1 + m, ((-I)*d*(e + f*x))/f]/(2*a*d*((-I)*d*(e + f*x))/f)^m + ((e + f*x)^m *Gamma[1 + m, (I*d*(e + f*x))/f])/ (2*a*d*E^(I*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m)

Rubi [A] time = 0.176591, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4523, 32, 3308, 2181}

$$\frac{e^{i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{e^{-i\left(c-\frac{de}{f}\right)}(e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(m+1, \frac{id(e+fx)}{f}\right)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^m *Cos[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] (e + f*x)^(1 + m)/(a*f*(1 + m)) + (E^(I*(c - (d*e)/f)))*(e + f*x)^m*Gamma[1 + m, ((-I)*d*(e + f*x))/f]/(2*a*d*((-I)*d*(e + f*x))/f)^m + ((e + f*x)^m *Gamma[1 + m, (I*d*(e + f*x))/f])/ (2*a*d*E^(I*(c - (d*e)/f))*((I*d*(e + f*x))/f)^m)

Rule 4523

Int[(Cos[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.)]/((a_.) + (b_.) *Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m *Cos[c + d*x]^(n - 2), x], x] - Dist[1/b, Int[(e + f*x)^m *Cos[c + d*x]^(n - 2) *Sin[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 1] && EqQ[a^2 - b^2, 0]

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3308

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 2181

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_.)))*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !I

ntegerQ [m]

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)^m \cos^2(c+dx)}{a+a\sin(c+dx)} dx &= \frac{\int (e+fx)^m dx}{a} - \frac{\int (e+fx)^m \sin(c+dx) dx}{a} \\ &= \frac{(e+fx)^{1+m}}{af(1+m)} - \frac{i \int e^{-i(c+dx)} (e+fx)^m dx}{2a} + \frac{i \int e^{i(c+dx)} (e+fx)^m dx}{2a} \\ &= \frac{(e+fx)^{1+m}}{af(1+m)} + \frac{e^{i\left(c-\frac{de}{f}\right)} (e+fx)^m \left(-\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, -\frac{id(e+fx)}{f}\right)}{2ad} + \frac{e^{-i\left(c-\frac{de}{f}\right)} (e+fx)^m \left(\frac{id(e+fx)}{f}\right)^{-m} \Gamma\left(1+m, \frac{id(e+fx)}{f}\right)}{2ad} \end{aligned}$$

Mathematica [A] time = 0.983611, size = 220, normalized size = 1.43

$$\frac{e^{i\left(c-\frac{de}{f}\right)} (e+fx)^m \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2 \left(\frac{d^2(e+fx)^2}{f^2}\right)^{-m} \left(f(m+1)e^{-2i\left(c-\frac{de}{f}\right)} \left(-\frac{id(e+fx)}{f}\right)^m \Gamma\left(m+1, \frac{id(e+fx)}{f}\right) + f(m+1)e^{2i\left(c-\frac{de}{f}\right)} \left(\frac{id(e+fx)}{f}\right)^m \Gamma\left(m+1, -\frac{id(e+fx)}{f}\right)\right)}{2adf(m+1)(\sin(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^m * Cos[c + d*x]^2) / (a + a * Sin[c + d*x]), x]

[Out] (E^(I*(c - (d*e)/f)) * (e + f*x)^m * ((2*d*(e + f*x) * ((d^2*(e + f*x)^2)/f^2)^m) / E^(I*(c - (d*e)/f)) + f*(1 + m) * ((I*d*(e + f*x))/f)^m * Gamma[1 + m, ((-I)*d*(e + f*x))/f] + (f*(1 + m) * (((-I)*d*(e + f*x))/f)^m * Gamma[1 + m, (I*d*(e + f*x))/f]) / E^((2*I)*(c - (d*e)/f))) * (Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) / (2*a*d*f*(1 + m) * ((d^2*(e + f*x)^2)/f^2)^m * (1 + Sin[c + d*x]))

Maple [F] time = 0.116, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\cos(dx+c))^2}{a+a\sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*cos(d*x+c)^2/(a+a*sin(d*x+c)),x)

[Out] int((f*x+e)^m*cos(d*x+c)^2/(a+a*sin(d*x+c)),x)

Maxima [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \cos(dx+c)^2}{a\sin(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*cos(d*x + c)^2/(a*sin(d*x + c) + a), x)

Fricas [A] time = 1.8099, size = 306, normalized size = 1.99

$$\frac{(fm + f)e^{\left(-\frac{fm \log\left(\frac{id}{f}\right) - ide + icf}{f}\right)} \Gamma\left(m + 1, \frac{idfx + ide}{f}\right) + (fm + f)e^{\left(-\frac{fm \log\left(-\frac{id}{f}\right) + ide - icf}{f}\right)} \Gamma\left(m + 1, \frac{-idfx - ide}{f}\right) + 2(df x + de)(fx + e)^m}{2(adfm + adf)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*((f*m + f)*e^(-(f*m*log(I*d/f) - I*d*e + I*c*f)/f)*gamma(m + 1, (I*d*f*x + I*d*e)/f) + (f*m + f)*e^(-(f*m*log(-I*d/f) + I*d*e - I*c*f)/f)*gamma(m + 1, (-I*d*f*x - I*d*e)/f) + 2*(d*f*x + d*e)*(f*x + e)^m)/(a*d*f*m + a*d*f)

Sympy [F-1] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*cos(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*cos(d*x + c)^2/(a*sin(d*x + c) + a), x)

$$3.290 \quad \int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\cos(c+dx)(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0437905, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int] [((e + f*x)^m*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 7.7043, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Cos[c + d*x])/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.088, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \cos(dx+c)}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*cos(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*cos(d*x+c)/(a+a*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*cos(d*x + c)/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \cos(dx + c)}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*cos(d*x + c)/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \cos(c+dx)}{a \sin(c+dx)+1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*cos(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*cos(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*cos(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.291 \quad \int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0636119, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m/(a + a*Sin[c + d*x]),x]

[Out] Defer[Int] [(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 0.332647, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m/(a + a*Sin[c + d*x]),x]

[Out] Integrate[(e + f*x)^m/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m/(a+a*sin(d*x+c)),x)

[Out] int((f*x+e)^m/(a+a*sin(d*x+c)),x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m/(a*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{\sin(c+dx)+1} \frac{dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m/(a*sin(d*x + c) + a), x)

$$3.292 \quad \int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sec(c+dx)(e+fx)^m}{a \sin(c+dx)+a}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.044138, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int] [((e + f*x)^m*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 9.26743, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sec[c + d*x])/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.126, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \sec(dx+c)}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sec(d*x+c)/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sec(d*x+c)/(a+a*sin(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \sec(dx + c)}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sec(d*x + c)/(a*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{(e+fx)^m \sec(c+dx)}{\sin(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sec(d*x+c)/(a+a*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*sec(c + d*x)/(sin(c + d*x) + 1), x)/a

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sec(d*x + c)/(a*sin(d*x + c) + a), x)

$$3.293 \quad \int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\sec^2(c+dx)(e+fx)^m}{a \sin(c+dx) + a}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi [A] time = 0.0735751, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Defer[Int] [((e + f*x)^m*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx = \int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Mathematica [A] time = 13.5437, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+a \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sec[c + d*x]^2)/(a + a*Sin[c + d*x]), x]

Maple [A] time = 0.165, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\sec(dx+c))^2}{a+a \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sec(d*x+c)^2/(a+a*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sec(d*x+c)^2/(a+a*sin(d*x+c)), x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \sec(dx + c)^2}{a \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sec(d*x + c)^2/(a*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sec(d*x+c)**2/(a+a*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)^2}{a \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+a*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sec(d*x + c)^2/(a*sin(d*x + c) + a), x)

$$3.294 \quad \int \frac{(e+fx)^3 \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=432

$$\frac{6f^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3} - \frac{3if(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{3if(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2}$$

[Out] $((-I/4)*(e + f*x)^4)/(b*f) + ((e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d) + ((e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^2) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^2) + (6*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^3) + (6*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^3) + ((6*I)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^4) + ((6*I)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^4)$

Rubi [A] time = 0.607751, antiderivative size = 432, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4519, 2190, 2531, 6609, 2282, 6589}

$$\frac{6f^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3} + \frac{6f^2(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3} - \frac{3if(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{3if(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*cos[c + d*x])/(a + b*sin[c + d*x]), x]

[Out] $((-I/4)*(e + f*x)^4)/(b*f) + ((e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d) + ((e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^2) - ((3*I)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^2) + (6*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^3) + (6*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^3) + ((6*I)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*d^4) + ((6*I)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*d^4)$

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]], x]

)^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_) * (x_)^(m_)), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_) + (f_)*(x_)^(m_))*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_) * (x_))))^(p_)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\int \frac{(e + fx)^3 \cos(c + dx)}{a + b \sin(c + dx)} dx = -\frac{i(e + fx)^4}{4bf} + \int \frac{e^{i(c+dx)}(e + fx)^3}{a - \sqrt{a^2 - b^2} - ibe^{i(c+dx)}} dx + \int \frac{e^{i(c+dx)}(e + fx)^3}{a + \sqrt{a^2 - b^2} - ibe^{i(c+dx)}} dx$$

$$= -\frac{i(e + fx)^4}{4bf} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} \quad (3f) \int (e + fx)^3 \cos(c + dx) dx$$

$$= -\frac{i(e + fx)^4}{4bf} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{3if(e + fx)^3 \sin(c + dx)}{bd}$$

$$= -\frac{i(e + fx)^4}{4bf} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{3if(e + fx)^3 \sin(c + dx)}{bd}$$

$$= -\frac{i(e + fx)^4}{4bf} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{3if(e + fx)^3 \sin(c + dx)}{bd}$$

$$= -\frac{i(e + fx)^4}{4bf} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{3if(e + fx)^3 \sin(c + dx)}{bd}$$

Mathematica [A] time = 0.186359, size = 410, normalized size = 0.95

$$\frac{12f\left(2f\left(d(e+fx)\text{PolyLog}\left(3,\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)+if\text{PolyLog}\left(4,\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)\right)-id^2(e+fx)^2\text{PolyLog}\left(2,\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)\right)}{d^4} + \frac{12f\left(2f\left(d(e+fx)\text{PolyLog}\left(3,\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)+if\text{PolyLog}\left(4,\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)\right)-id^2(e+fx)^2\text{PolyLog}\left(2,\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)\right)}{d^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^3*Cos[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (((-I)*(e + f*x)^4)/f + (4*(e + f*x)^3*Log[1 + (I*b*E^(I*(c + d*x))]/(-a + Sqrt[a^2 - b^2])))/d + (4*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])))/d + (12*f*((-I)*d^2*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x))]/(a - Sqrt[a^2 - b^2])) + 2*f*(d*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x))]/(a - Sqrt[a^2 - b^2])) + I*f*PolyLog[4, (I*b*E^(I*(c + d*x))]/(a - Sqrt[a^2 - b^2]))))/d^4 + (12*f*((-I)*d^2*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])) + 2*f*(d*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])) + I*f*PolyLog[4, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2]))))/d^4)/(4*b)
```

Maple [F] time = 0.921, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 2.98501, size = 4316, normalized size = 9.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(6*I*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*I*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*I*f^3*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*I*f^3*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a
```

```

sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)
+ 2*b)/b + 1) + (3*I*d^2*f^3*x^2 + 6*I*d^2*e*f^2*x + 3*I*d^2*e^2*f)*dilog(
-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d
*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-3*I*d^2*f^3*x^2 - 6*I*d^2
*e*f^2*x - 3*I*d^2*e^2*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c
) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b +
1) + (-3*I*d^2*f^3*x^2 - 6*I*d^2*e*f^2*x - 3*I*d^2*e^2*f)*dilog(-1/2*(-2*I
*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e
*f^2 - c^3*f^3)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2
- b^2)/b^2) + 2*I*a) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*
log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*
I*a) + (d^3*e^3 - 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*log(-2*b*cos(d*x
+ c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (d^3*e^3
- 3*c*d^2*e^2*f + 3*c^2*d*e*f^2 - c^3*f^3)*log(-2*b*cos(d*x + c) - 2*I*b*s
in(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + (d^3*f^3*x^3 + 3*d^3*e*
f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*log(1/2*
(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d
^3*e^2*f*x + 3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*log(1/2*(2*I*a*cos(d*
x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^
2 - b^2)/b^2) + 2*b)/b) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x +
3*c*d^2*e^2*f - 3*c^2*d*e*f^2 + c^3*f^3)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a
*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2
) + 2*b)/b) + (d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + 3*c*d^2*e^2*
f - 3*c^2*d*e*f^2 + c^3*f^3)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c
) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)
+ 6*(d*f^3*x + d*e*f^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x +
c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*(
d*f^3*x + d*e*f^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) -
2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*(d*f^3
*x + d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x +
c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*(d*f^3*x + d*e*f^2)*
polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(
d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b))/(b*d^4)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

```
[Out] integrate((f*x + e)^3*cos(d*x + c)/(b*sin(d*x + c) + a), x)
```

$$3.295 \quad \int \frac{(e+fx)^2 \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=320

$$\frac{2if(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{2if(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2} + \frac{2f^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3} + \frac{2f^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3}$$

```
[Out] ((-I/3)*(e + f*x)^3)/(b*f) + ((e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d) + ((e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^2) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^3) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^3)
```

Rubi [A] time = 0.512569, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$, Rules used = {4519, 2190, 2531, 2282, 6589}

$$\frac{2if(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{2if(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2} + \frac{2f^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3} + \frac{2f^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]
```

```
[Out] ((-I/3)*(e + f*x)^3)/(b*f) + ((e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d) + ((e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^2) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^3) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^3)
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^(n)]]/(b*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^2) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(b*d^3) + (2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(b*d^3)
```

```

)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^2 \cos(c + dx)}{a + b \sin(c + dx)} dx &= -\frac{i(e + fx)^3}{3bf} + \int \frac{e^{i(c+dx)}(e + fx)^2}{a - \sqrt{a^2 - b^2} - ibe^{i(c+dx)}} dx + \int \frac{e^{i(c+dx)}(e + fx)^2}{a + \sqrt{a^2 - b^2} - ibe^{i(c+dx)}} dx \\
 &= -\frac{i(e + fx)^3}{3bf} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{(2f) \int (e + fx)}{bd^2} \\
 &= -\frac{i(e + fx)^3}{3bf} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{2if(e + fx) \text{Li}}{bd^2} \\
 &= -\frac{i(e + fx)^3}{3bf} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{2if(e + fx) \text{Li}}{bd^2} \\
 &= -\frac{i(e + fx)^3}{3bf} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{bd} + \frac{(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{bd} - \frac{2if(e + fx) \text{Li}}{bd^2}
 \end{aligned}$$

Mathematica [A] time = 0.172019, size = 302, normalized size = 0.94

$$\frac{6f \left(f \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) - id(e + fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) \right)}{d^3} + \frac{6f \left(f \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right) - id(e + fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right) \right)}{d^3} + \frac{3(e + fx)^2 \log\left(1 + \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} - a}\right)}{d}$$

3b

Antiderivative was successfully verified.

```

[In] Integrate[((e + f*x)^2*Cos[c + d*x])/(a + b*Sin[c + d*x]),x]

```

```

[Out] (((-I)*(e + f*x)^3)/f + (3*(e + f*x)^2*Log[1 + (I*b*E^(I*(c + d*x))]/(-a +
Sqrt[a^2 - b^2]))/d + (3*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x))]/(a + Sq
rt[a^2 - b^2]))/d + (6*f*((-I)*d*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))
]/(a - Sqrt[a^2 - b^2])) + f*PolyLog[3, (I*b*E^(I*(c + d*x))]/(a - Sqrt[a^2
- b^2])))/d^3 + (6*f*((-I)*d*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))]/(
a + Sqrt[a^2 - b^2])) + f*PolyLog[3, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 -
b^2])))/d^3)/(3*b)

```


Maple [F] time = 0.716, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 2.6733, size = 3082, normalized size = 9.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/2*(2*f^2*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*f^2*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*f^2*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*f^2*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + (2*I*d*f^2*x + 2*I*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (2*I*d*f^2*x + 2*I*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-2*I*d*f^2*x - 2*I*d*e*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-2*I*d*f^2*x - 2*I*d*e*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (d^2*e^2 - 2*c*d*e*f + c^2*f^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (d^2*f^2*x^2 + 2*d^2*e*f*x + 2*c*d*e*f - c^2*f^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)

$$2f^2 \log\left(\frac{1}{2}(2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) - I b \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b\right) + (d^2 f^2 x^2 + 2d^2 e f x + 2c d e f - c^2 f^2) \log\left(\frac{1}{2}(-2Ia \cos(dx + c) + 2a \sin(dx + c) + 2(b \cos(dx + c) + I b \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b\right) + (d^2 f^2 x^2 + 2d^2 e f x + 2c d e f - c^2 f^2) \log\left(\frac{1}{2}(-2Ia \cos(dx + c) + 2a \sin(dx + c) - 2(b \cos(dx + c) + I b \sin(dx + c)) \sqrt{-(a^2 - b^2)/b^2} + 2b)/b\right) / (b d^3)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*cos(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.296 \quad \int \frac{(e+fx) \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=212

$$\frac{\operatorname{ifPolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{\operatorname{ifPolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2} + \frac{(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} + \frac{(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd}$$

```
[Out] ((-I/2)*(e + f*x)^2)/(b*f) + ((e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*d) + ((e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*d) - (I*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*d^2) - (I*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*d^2)
```

Rubi [A] time = 0.284708, antiderivative size = 212, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4519, 2190, 2279, 2391}

$$\frac{\operatorname{ifPolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} - \frac{\operatorname{ifPolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2} + \frac{(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} + \frac{(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]
```

```
[Out] ((-I/2)*(e + f*x)^2)/(b*f) + ((e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*d) + ((e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*d) - (I*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*d^2) - (I*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*d^2)
```

Rule 4519

```
Int[(Cos[(c_) + (d_)*(x_)]*((e_) + (f_)*(x_))^(m_))/((a_) + (b_)*Sin[(c_) + (d_)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{(e+fx)\cos(c+dx)}{a+b\sin(c+dx)} dx &= -\frac{i(e+fx)^2}{2bf} + \int \frac{e^{i(c+dx)}(e+fx)}{a-\sqrt{a^2-b^2}-ibe^{i(c+dx)}} dx + \int \frac{e^{i(c+dx)}(e+fx)}{a+\sqrt{a^2-b^2}-ibe^{i(c+dx)}} dx \\ &= -\frac{i(e+fx)^2}{2bf} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{bd} - \frac{f\int\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} \\ &= -\frac{i(e+fx)^2}{2bf} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{bd} + \frac{(if)\text{Subst}\left(\int\frac{\log}{\dots}\right)}{bd} \\ &= -\frac{i(e+fx)^2}{2bf} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd} + \frac{(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{bd} - \frac{if\text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2} \end{aligned}$$

Mathematica [A] time = 0.0485715, size = 197, normalized size = 0.93

$$\frac{i\left(2f^2\text{PolyLog}\left(2, -\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}-a}\right) + 2f^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right) + d(e+fx)\left(2if\log\left(1+\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}-a}\right) + 2if\log\left(1-\frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)\right)\right)}{2bd^2f}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] ((-I/2)*(d*(e + f*x)*(d*e + d*f*x + (2*I)*f*Log[1 + (I*b*E^(I*(c + d*x))])/(-a + Sqrt[a^2 - b^2])) + (2*I)*f*Log[1 - (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])) + 2*f^2*PolyLog[2, ((-I)*b*E^(I*(c + d*x))]/(-a + Sqrt[a^2 - b^2])) + 2*f^2*PolyLog[2, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])))/(b*d^2*f)

Maple [B] time = 0.162, size = 1006, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] I/b*e*x+I/b/d^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2-1/b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2*x-1/b/d^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2*c-1/b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*a^2*x-1/b/d^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*a^2*c-1/b/d^2*f*c*ln(I*b*exp(2*I*(d*x+c))-2*a*exp(I*(d*x+c))-I*b)-1/2*I/b*f*x^2-I*b/d^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-2*I/b/d*f*c*x+b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x+b/d^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))/(-a^2+b^2)

$$\begin{aligned} & ^2)^{(1/2)}) * x + b/d^2 * f / (-a^2 + b^2) * \ln((I * a + b * \exp(I * (d * x + c)) + (-a^2 + b^2)^{(1/2)}) \\ & / (I * a + (-a^2 + b^2)^{(1/2)})) * c - I/b/d^2 * f * c^2 - I * b/d^2 * f / (-a^2 + b^2) * \operatorname{dilog}((I * a + b * \\ & \exp(I * (d * x + c)) - (-a^2 + b^2)^{(1/2)}) / (I * a - (-a^2 + b^2)^{(1/2)})) + 2/b/d^2 * f * c * \ln(\exp \\ & (I * (d * x + c))) + I/b/d^2 * f / (-a^2 + b^2) * \operatorname{dilog}((I * a + b * \exp(I * (d * x + c)) - (-a^2 + b^2)^{(1/2)}) \\ & / (I * a - (-a^2 + b^2)^{(1/2)})) * a^2 + 1/b/d * e * \ln(I * b * \exp(2 * I * (d * x + c)) - 2 * a * \exp(I * \\ & (d * x + c)) - I * b) - 2/b/d * \ln(\exp(I * (d * x + c))) * e \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 2.87564, size = 1986, normalized size = 9.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/2 * (I * f * \operatorname{dilog}(-1/2 * (2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) + 2 * (b * \cos(d * x + \\ & c) - I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b + 1) + I * f * \operatorname{dilog}(-1 \\ & /2 * (2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) - 2 * (b * \cos(d * x + c) - I * b * \sin(d * x \\ & + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b + 1) - I * f * \operatorname{dilog}(-1/2 * (-2 * I * a * \cos(d * \\ & x + c) + 2 * a * \sin(d * x + c) + 2 * (b * \cos(d * x + c) + I * b * \sin(d * x + c)) * \sqrt{-(a^2 \\ & - b^2)/b^2} + 2 * b)/b + 1) - I * f * \operatorname{dilog}(-1/2 * (-2 * I * a * \cos(d * x + c) + 2 * a * \sin \\ & (d * x + c) - 2 * (b * \cos(d * x + c) + I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + \\ & 2 * b)/b + 1) + (d * e - c * f) * \log(2 * b * \cos(d * x + c) + 2 * I * b * \sin(d * x + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} + 2 * I * a) + (d * e - c * f) * \log(2 * b * \cos(d * x + c) - 2 * I * b * \sin(d * x + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} - 2 * I * a) + (d * e - c * f) * \log(-2 * b * \cos(d * x + c) + 2 * I * b * \sin(d * x + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} + 2 * I * a) + (d * e - c * f) * \log(-2 * b * \cos(d * x + c) - 2 * I * b * \sin(d * x + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} - 2 * I * a) + (d * f * x + c * f) * \log(1/2 * (2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) + 2 * (b * \cos(d * x + c) - I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b) + (d * f * x + c * f) * \log(1/2 * (2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) - 2 * (b * \cos(d * x + c) - I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b) + (d * f * x + c * f) * \log(1/2 * (-2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) + 2 * (b * \cos(d * x + c) + I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b) + (d * f * x + c * f) * \log(1/2 * (-2 * I * a * \cos(d * x + c) + 2 * a * \sin(d * x + c) - 2 * (b * \cos(d * x + c) + I * b * \sin(d * x + c)) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b)/b)) / (b * d^2) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*cos(d*x + c)/(b*sin(d*x + c) + a), x)
```

$$3.297 \quad \int \frac{\cos(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=18

$$\frac{\log(a + b \sin(c + dx))}{bd}$$

[Out] Log[a + b*Sin[c + d*x]]/(b*d)

Rubi [A] time = 0.0263503, antiderivative size = 18, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2668, 31}

$$\frac{\log(a + b \sin(c + dx))}{bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]/(a + b*Sin[c + d*x]),x]

[Out] Log[a + b*Sin[c + d*x]]/(b*d)

Rule 2668

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \sin(c+dx)\right)}{bd} \\ &= \frac{\log(a + b \sin(c + dx))}{bd} \end{aligned}$$

Mathematica [A] time = 0.0067264, size = 18, normalized size = 1.

$$\frac{\log(a + b \sin(c + dx))}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]/(a + b*Sin[c + d*x]),x]

[Out] Log[a + b*Sin[c + d*x]]/(b*d)

Maple [A] time = 0., size = 19, normalized size = 1.1

$$\frac{\ln(a + b \sin(dx + c))}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] ln(a+b*sin(d*x+c))/b/d

Maxima [A] time = 0.952665, size = 24, normalized size = 1.33

$$\frac{\log(b \sin(dx + c) + a)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] log(b*sin(d*x + c) + a)/(b*d)

Fricas [A] time = 1.57402, size = 42, normalized size = 2.33

$$\frac{\log(b \sin(dx + c) + a)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] log(b*sin(d*x + c) + a)/(b*d)

Sympy [A] time = 0.579853, size = 41, normalized size = 2.28

$$\begin{cases} \frac{x \cos(c)}{a} & \text{for } b = 0 \wedge d = 0 \\ \frac{x \cos(c)}{a} & \text{for } d = 0 \\ \frac{a+b \sin(c)}{\sin(c+dx)} & \text{for } b = 0 \\ \frac{\log\left(\frac{a}{b} + \sin(c+dx)\right)}{bd} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Piecewise((x*cos(c)/a, Eq(b, 0) & Eq(d, 0)), (x*cos(c)/(a + b*sin(c)), Eq(d, 0)), (sin(c + d*x)/(a*d), Eq(b, 0)), (log(a/b + sin(c + d*x))/(b*d), True))

Giac [A] time = 1.21605, size = 26, normalized size = 1.44

$$\frac{\log(|b \sin(dx + c) + a|)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] log(abs(b*sin(d*x + c) + a))/(b*d)
```

$$3.298 \quad \int \frac{(e+fx)^3 \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=618

$$\frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^3} - \frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^3} + \frac{3f\sqrt{a^2-b^2}(e+fx)^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2}$$

[Out] (a*(e + f*x)^4)/(4*b^2*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(b*d^3) + ((e + f*x)^3*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d) + (3*Sqrt[a^2 - b^2]*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^2) - (3*Sqrt[a^2 - b^2]*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^2) + ((6*I)*Sqrt[a^2 - b^2]*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^3) - ((6*I)*Sqrt[a^2 - b^2]*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^3) - (6*Sqrt[a^2 - b^2]*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^4) + (6*Sqrt[a^2 - b^2]*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^4) + (6*f^3*Sin[c + d*x])/(b*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(b*d^2)

Rubi [A] time = 1.06764, antiderivative size = 618, normalized size of antiderivative = 1., number of steps used = 18, number of rules used = 11, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.393$, Rules used = {4525, 32, 3296, 2637, 3323, 2264, 2190, 2531, 6609, 2282, 6589}

$$\frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^3} - \frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^3} + \frac{3f\sqrt{a^2-b^2}(e+fx)^2\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (a*(e + f*x)^4)/(4*b^2*f) - (6*f^2*(e + f*x)*Cos[c + d*x])/(b*d^3) + ((e + f*x)^3*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d) + (3*Sqrt[a^2 - b^2]*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^2) - (3*Sqrt[a^2 - b^2]*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^2) + ((6*I)*Sqrt[a^2 - b^2]*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^3) - ((6*I)*Sqrt[a^2 - b^2]*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^3) - (6*Sqrt[a^2 - b^2]*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^4) + (6*Sqrt[a^2 - b^2]*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^4) + (6*f^3*Sin[c + d*x])/(b*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(b*d^2)

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 32

$\text{Int}[(a + b*x)^m, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{m+1}/(b*(m+1)), x] /; \text{FreeQ}\{a, b, m, x\} \ \&\& \ \text{NeQ}[m, -1]$

Rule 3296

$\text{Int}[(c + d*x)^m * \sin[e + f*x], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m * \cos[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} * \cos[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 2637

$\text{Int}[\sin[\pi/2 + (c + d*x)], x_Symbol] \rightarrow \text{Simp}[\sin[c + d*x]/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 3323

$\text{Int}[(c + d*x)^m / ((a + b*\sin[e + f*x])), x_Symbol] \rightarrow \text{Dist}[2, \text{Int}[(c + d*x)^m * E^{I*(e + f*x)} / (I*b + 2*a * E^{I*(e + f*x)}) - I*b * E^{2*I*(e + f*x)}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2264

$\text{Int}[(F^u * (f + g*x)^m) / ((a + b * F^u) + c * F^v), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m * F^u / (b - q + 2*c * F^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(f + g*x)^m * F^u / (b + q + 2*c * F^u), x], x] /; \text{FreeQ}\{F, a, b, c, f, g, x\} \ \&\& \ \text{EqQ}[v, 2*u] \ \&\& \ \text{LinearQ}[u, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2190

$\text{Int}[(F^{(g*(e + f*x))^n} * (c + d*x)^m) / ((a + b * F^{(g*(e + f*x))^n})^n), x_Symbol] \rightarrow \text{Simp}[(c + d*x)^m * \log[1 + (b * F^{(g*(e + f*x))^n})/a] / (b * f * g * n * \log[F]), x] - \text{Dist}[(d*m) / (b * f * g * n * \log[F]), \text{Int}[(c + d*x)^{m-1} * \log[1 + (b * F^{(g*(e + f*x))^n})/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n, x\} \ \&\& \ \text{IGtQ}[m, 0]$

Rule 2531

$\text{Int}[\log[1 + (e + f*x)^m] * (c + d*x)^n, x_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m * \text{PolyLog}[2, -(e * F^{c*(a + b*x)})^n] / (b * c * n * \log[F]), x] + \text{Dist}[(g*m) / (b * c * n * \log[F]), \text{Int}[(f + g*x)^{m-1} * \text{PolyLog}[2, -(e * F^{c*(a + b*x)})^n], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 6609

$\text{Int}[(e + f*x)^m * \text{PolyLog}[n, (d * (F^{(c*(a + b*x))^p})^n], x_Symbol] \rightarrow \text{Simp}[(e + f*x)^m * \text{PolyLog}[n + 1, d * (F^{c*(a + b*x)})^p] / (b * c * p * \log[F]), x] - \text{Dist}[(f*m) / (b * c * p * \log[F]), \text{Int}[(e + f*x)^{m-1} * \text{PolyLog}[n + 1, d * (F^{c*(a + b*x)})^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 2282

$\text{Int}[u, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (w_*) * (a_*) * (v_*)^n]^m] /; \text{FreeQ}$

```
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\int \frac{(e + fx)^3 \cos^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{a \int (e + fx)^3 dx}{b^2} - \frac{\int (e + fx)^3 \sin(c + dx) dx}{b} - \frac{(a^2 - b^2) \int \frac{(e + fx)^3}{a + b \sin(c + dx)} dx}{b^2}$$

$$= \frac{a(e + fx)^4}{4b^2 f} + \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{(2(a^2 - b^2)) \int \frac{e^{i(c+dx)}(e+fx)^3}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2} - (3f) \int (e + fx)^3 \cos(c + dx) dx$$

$$= \frac{a(e + fx)^4}{4b^2 f} + \frac{(e + fx)^3 \cos(c + dx)}{bd} - \frac{3f(e + fx)^2 \sin(c + dx)}{bd^2} + \frac{(2i\sqrt{a^2 - b^2}) \int \frac{e^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}-be^{2i(c+dx)}} dx}{b}$$

$$= \frac{a(e + fx)^4}{4b^2 f} - \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} + \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(\frac{2a - 2\sqrt{a^2 - b^2} - be^{2i(c+dx)}}{2a - 2\sqrt{a^2 - b^2}}\right)}{b^2 d}$$

$$= \frac{a(e + fx)^4}{4b^2 f} - \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} + \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(\frac{2a - 2\sqrt{a^2 - b^2} - be^{2i(c+dx)}}{2a - 2\sqrt{a^2 - b^2}}\right)}{b^2 d}$$

$$= \frac{a(e + fx)^4}{4b^2 f} - \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} + \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(\frac{2a - 2\sqrt{a^2 - b^2} - be^{2i(c+dx)}}{2a - 2\sqrt{a^2 - b^2}}\right)}{b^2 d}$$

$$= \frac{a(e + fx)^4}{4b^2 f} - \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} + \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(\frac{2a - 2\sqrt{a^2 - b^2} - be^{2i(c+dx)}}{2a - 2\sqrt{a^2 - b^2}}\right)}{b^2 d}$$

$$= \frac{a(e + fx)^4}{4b^2 f} - \frac{6f^2(e + fx) \cos(c + dx)}{bd^3} + \frac{(e + fx)^3 \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(\frac{2a - 2\sqrt{a^2 - b^2} - be^{2i(c+dx)}}{2a - 2\sqrt{a^2 - b^2}}\right)}{b^2 d}$$

Mathematica [A] time = 3.47397, size = 1025, normalized size = 1.66

$$ax(4e^3 + 6fxe^2 + 4f^2x^2e + f^3x^3)d^4 + 4b(e + fx)(d^2(e + fx)^2 - 6f^2) \cos(c + dx)d + \frac{4(b^2 - a^2) \left(2\sqrt{b^2 - a^2} e^3 \tan^{-1} \left(\frac{ia + be^{i(c+dx)}}{\sqrt{a^2 - b^2}} \right) \right) d^3 + \dots}{b^2 d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (a*d^4*x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3) + 4*b*d*(e + f*x)*(-6*f^2 + d^2*(e + f*x)^2)*Cos[c + d*x] + (4*(-a^2 + b^2)*(2*Sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]]) + Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]]) - 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] - 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] - Sqrt[a^2 - b^2]*d^3*f^3*x
```

$$\begin{aligned} &^3 \text{Log}[1 + (b \cdot E^{I(c + d \cdot x)}) / (I \cdot a + \text{Sqrt}[-a^2 + b^2])] - (3 \cdot I) \cdot \text{Sqrt}[a^2 - \\ &b^2] \cdot d^2 \cdot f \cdot (e + f \cdot x)^2 \cdot \text{PolyLog}[2, (b \cdot E^{I(c + d \cdot x)}) / ((-I) \cdot a + \text{Sqrt}[-a^2 \\ &+ b^2])] + (3 \cdot I) \cdot \text{Sqrt}[a^2 - b^2] \cdot d^2 \cdot f \cdot (e + f \cdot x)^2 \cdot \text{PolyLog}[2, -((b \cdot E^{I(c \\ &+ d \cdot x)}) / (I \cdot a + \text{Sqrt}[-a^2 + b^2]))] + 6 \cdot \text{Sqrt}[a^2 - b^2] \cdot d \cdot e \cdot f^2 \cdot \text{PolyLog}[3, \\ &(b \cdot E^{I(c + d \cdot x)}) / ((-I) \cdot a + \text{Sqrt}[-a^2 + b^2])] + 6 \cdot \text{Sqrt}[a^2 - b^2] \cdot d \cdot f^3 \cdot x \\ &\cdot \text{PolyLog}[3, (b \cdot E^{I(c + d \cdot x)}) / ((-I) \cdot a + \text{Sqrt}[-a^2 + b^2])] - 6 \cdot \text{Sqrt}[a^2 \\ &- b^2] \cdot d \cdot e \cdot f^2 \cdot \text{PolyLog}[3, -((b \cdot E^{I(c + d \cdot x)}) / (I \cdot a + \text{Sqrt}[-a^2 + b^2]))] \\ &- 6 \cdot \text{Sqrt}[a^2 - b^2] \cdot d \cdot f^3 \cdot x \cdot \text{PolyLog}[3, -((b \cdot E^{I(c + d \cdot x)}) / (I \cdot a + \text{Sqrt}[-a \\ &^2 + b^2]))] + (6 \cdot I) \cdot \text{Sqrt}[a^2 - b^2] \cdot f^3 \cdot \text{PolyLog}[4, (b \cdot E^{I(c + d \cdot x)}) / ((- \\ &I) \cdot a + \text{Sqrt}[-a^2 + b^2])] - (6 \cdot I) \cdot \text{Sqrt}[a^2 - b^2] \cdot f^3 \cdot \text{PolyLog}[4, -((b \cdot E^{I \\ &(c + d \cdot x)}) / (I \cdot a + \text{Sqrt}[-a^2 + b^2]))] / \text{Sqrt}[-(a^2 - b^2)^2] - 12 \cdot b \cdot f \cdot (-2 \cdot \\ &f^2 + d^2 \cdot (e + f \cdot x)^2) \cdot \text{Sin}[c + d \cdot x] / (4 \cdot b^2 \cdot d^4) \end{aligned}$$

Maple [F] time = 1.177, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*cos(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.82456, size = 5505, normalized size = 8.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{4} \cdot (a \cdot d^4 \cdot f^3 \cdot x^4 + 4 \cdot a \cdot d^4 \cdot e \cdot f^2 \cdot x^3 + 6 \cdot a \cdot d^4 \cdot e^2 \cdot f \cdot x^2 + 4 \cdot a \cdot d^4 \cdot e^3 \cdot x + 12 \cdot I \cdot b \cdot f^3 \cdot \text{sqrt}(-(a^2 - b^2)/b^2) \cdot \text{polylog}(4, \frac{1}{2} \cdot (2 \cdot I \cdot a \cdot \cos(dx + c) - 2 \cdot a \cdot \sin(dx + c) + 2 \cdot (b \cdot \cos(dx + c) + I \cdot b \cdot \sin(dx + c)) \cdot \text{sqrt}(-(a^2 - b^2)/b^2)) / b - 12 \cdot I \cdot b \cdot f^3 \cdot \text{sqrt}(-(a^2 - b^2)/b^2) \cdot \text{polylog}(4, \frac{1}{2} \cdot (2 \cdot I \cdot a \cdot \cos(dx + c) - 2 \cdot a \cdot \sin(dx + c) - 2 \cdot (b \cdot \cos(dx + c) + I \cdot b \cdot \sin(dx + c)) \cdot \text{sqrt}(-(a^2 - b^2)/b^2)) / b) + 12 \cdot I \cdot b \cdot f^3 \cdot \text{sqrt}(-(a^2 - b^2)/b^2) \cdot \text{polylog}(4, -(I \cdot a \cdot \cos(dx + c) + a \cdot \sin(dx + c) + (b \cdot \cos(dx + c) - I \cdot b \cdot \sin(dx + c)) \cdot \text{sqrt}(-(a^2 - b^2)/b^2)) / b) - 12 \cdot I \cdot b \cdot f^3 \cdot \text{sqrt}(-(a^2 - b^2)/b^2) \cdot \text{polylog}(4, -(I \cdot a \cdot \cos(dx + c) + a \cdot \sin(dx + c) - (b \cdot \cos(dx + c) - I \cdot b \cdot \sin(dx + c)) \cdot \text{sqrt}(-(a^2 - b^2)/b^2)) / b)$

$$\begin{aligned}
& /b^2)/b) + 2*(-3*I*b*d^2*f^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + \\
& 2*(3*I*b*d^2*f^3*x^2 + 6*I*b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*(3*I*b*d^2*f^3*x^2 + 6*I*b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog} \\
& (-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*(-3*I*b*d^2*f^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(-2*I \\
& *a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b \\
& *c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(2*b*\cos(d*x + c) + 2*I \\
& *b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b*d^3*e^3 - 3*b* \\
& c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(2*b*c \\
& \cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) - 2*I*a) + 2* \\
& (b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2) \\
& /b^2)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/ \\
& b^2) + 2*I*a) + 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3) \\
& *\text{sqrt}(-(a^2 - b^2)/b^2)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b* \\
& \text{sqrt}(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3* \\
& b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - \\
& b^2)/b^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + \\
& c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d^3*f^3*x^3 \\
& + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + \\
& b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d* \\
& x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b \\
&)/b) - 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f \\
& - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(1/2*(-2*I*a* \\
& \cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt} \\
& (-a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b* \\
& d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - b \\
& ^2)/b^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c \\
&) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b) + 12*(b*d*f^3*x + b* \\
& d*e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin \\
& (d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/ \\
& b) - 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I* \\
& a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt} \\
& (-a^2 - b^2)/b^2))/b) - 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2) \\
& *\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin \\
& (d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(- \\
& (a^2 - b^2)/b^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d* \\
& x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 4*(b*d^3*f^3*x^3 + \\
& 3*b*d^3*e*f^2*x^2 + b*d^3*e^3 - 6*b*d*e*f^2 + 3*(b*d^3*e^2*f - 2*b*d*f^3)*x \\
&)*\cos(d*x + c) - 12*(b*d^2*f^3*x^2 + 2*b*d^2*e*f^2*x + b*d^2*e^2*f - 2*b*f^3) \\
& *\sin(d*x + c))/(b^2*d^4)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)
```

$$3.299 \quad \int \frac{(e+fx)^2 \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=460

$$\frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^2} - \frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2} + \frac{2if^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^3}$$

[Out] (a*(e + f*x)^3)/(3*b^2*f) - (2*f^2*Cos[c + d*x])/(b*d^3) + ((e + f*x)^2*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d) + (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d^2) - (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d^2) + ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d^3) - ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(b*d^2)

Rubi [A] time = 0.928734, antiderivative size = 460, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4525, 32, 3296, 2638, 3323, 2264, 2190, 2531, 2282, 6589}

$$\frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^2} - \frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2} + \frac{2if^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^3}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Cos[c + d*x]^2)/(a + b*SIN[c + d*x]),x]

[Out] (a*(e + f*x)^3)/(3*b^2*f) - (2*f^2*Cos[c + d*x])/(b*d^3) + ((e + f*x)^2*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d) + (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d^2) - (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d^2) + ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2]))/(b^2*d^3) - ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2]))/(b^2*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(b*d^2)

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
 ((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
 e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
 [{c, d}, x]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
 mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
 a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.
 *(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
 ((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
 m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
 ((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.), x_Symbol] := Simp
 [((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
 st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x
)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.
 *(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
)))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
 , g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
 , Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
 onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
 {a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
 (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
 ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
 , e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \cos^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{a \int (e+fx)^2 dx}{b^2} - \frac{\int (e+fx)^2 \sin(c+dx) dx}{b} - \frac{(a^2-b^2) \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{b^2} \\
&= \frac{a(e+fx)^3}{3b^2 f} + \frac{(e+fx)^2 \cos(c+dx)}{bd} - \frac{(2(a^2-b^2)) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2} - (2f) \int (e+fx) dx \\
&= \frac{a(e+fx)^3}{3b^2 f} + \frac{(e+fx)^2 \cos(c+dx)}{bd} - \frac{2f(e+fx) \sin(c+dx)}{bd^2} + \frac{(2i\sqrt{a^2-b^2}) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a-2\sqrt{a^2-b^2}} dx}{b} \\
&= \frac{a(e+fx)^3}{3b^2 f} - \frac{2f^2 \cos(c+dx)}{bd^3} + \frac{(e+fx)^2 \cos(c+dx)}{bd} + \frac{i\sqrt{a^2-b^2}(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d} \\
&= \frac{a(e+fx)^3}{3b^2 f} - \frac{2f^2 \cos(c+dx)}{bd^3} + \frac{(e+fx)^2 \cos(c+dx)}{bd} + \frac{i\sqrt{a^2-b^2}(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d} \\
&= \frac{a(e+fx)^3}{3b^2 f} - \frac{2f^2 \cos(c+dx)}{bd^3} + \frac{(e+fx)^2 \cos(c+dx)}{bd} + \frac{i\sqrt{a^2-b^2}(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d} \\
&= \frac{a(e+fx)^3}{3b^2 f} - \frac{2f^2 \cos(c+dx)}{bd^3} + \frac{(e+fx)^2 \cos(c+dx)}{bd} + \frac{i\sqrt{a^2-b^2}(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2 d}
\end{aligned}$$

Mathematica [A] time = 2.62308, size = 536, normalized size = 1.17

$$\frac{3i(b^2-a^2) \left(-i \left(2f^2 \sqrt{a^2-b^2} \text{PolyLog} \left(3, \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}-ia} \right) - 2f^2 \sqrt{a^2-b^2} \text{PolyLog} \left(3, -\frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}+ia} \right) \right) + d^2 \left(2e^2 \sqrt{b^2-a^2} \tan^{-1} \left(\frac{ia+be^{i(c+dx)}}{\sqrt{a^2-b^2}} \right) + fx \sqrt{a^2-b^2} (2e+fx) \left(\log \left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}-ia} \right) - \log \left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}+ia} \right) \right) \right)}{d^3 \sqrt{-(a^2-b^2)^2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (a*x*(3*e^2 + 3*e*f*x + f^2*x^2) + ((3*I)*(-a^2 + b^2)*(-2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x))]/((-I)*a + sqrt[-a^2 + b^2])) + 2*sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))] - I*(d^2*(2*sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x))]/sqrt[a^2 - b^2]) + sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x))]/((-I)*a + sqrt[-a^2 + b^2])) - Log[1 + (b*E^(I*(c + d*x))]/(I*a + sqrt[-a^2 + b^2]))]) + 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x))]/((-I)*a + sqrt[-a^2 + b^2])) - 2*sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + sqrt[-a^2 + b^2]))])))/(sqrt[-(a^2 - b^2)^2]*d^3) + (3*b*cos[d*x]*((-2*f^2 + d^2*(e + f*x)^2)*cos[c] - 2*d*f*(e + f*x)*sin[c])/d^3 - (3*b*(2*d*f*(e + f*x)*cos[c] + (-2*f^2 + d^2*(e + f*x)^2)*sin[c])*sin[d*x])/d^3)/(3*b^2)

Maple [F] time = 0.956, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\cos(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^2*\cos(d*x+c)^2/(a+b*\sin(d*x+c)),x)$

[Out] $\text{int}((f*x+e)^2*\cos(d*x+c)^2/(a+b*\sin(d*x+c)),x)$

Maxima [F-2] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^2*\cos(d*x+c)^2/(a+b*\sin(d*x+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [C] time = 3.1454, size = 3931, normalized size = 8.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^2*\cos(d*x+c)^2/(a+b*\sin(d*x+c)),x, \text{algorithm}="fricas")$

[Out] $\frac{1}{6}*(2*a*d^3*f^2*x^3 + 6*a*d^3*e*f*x^2 + 6*a*d^3*e^2*x + 6*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 6*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 6*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 6*b*f^2*\sqrt{-(a^2 - b^2)/b^2}*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + (-6*I*b*d*f^2*x - 6*I*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (6*I*b*d*f^2*x + 6*I*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (6*I*b*d*f^2*x + 6*I*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-6*I*b*d*f^2*x - 6*I*b*d*e*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{dilog}(-\frac{1}{2}*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 3*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 3*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 3*(b*d^2*f^2*x^2 + 2*$

```

b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I
*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 3*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c
*d*e*f - b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2
*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b
^2) + 2*b)/b) + 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + b*d^2*e^2 - 2*b*f^2)*cos
(d*x + c) - 12*(b*d*f^2*x + b*d*e*f)*sin(d*x + c))/(b^2*d^3)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*cos(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^2*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)
```

$$3.300 \quad \int \frac{(e+fx) \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=298

$$\frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^2} - \frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2} + \frac{i\sqrt{a^2-b^2}(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d} - \frac{i\sqrt{a^2-b^2}(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d}$$

[Out] (a*e*x)/b^2 + (a*f*x^2)/(2*b^2) + ((e + f*x)*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d) + (Sqrt[a^2 - b^2]*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^2) - (Sqrt[a^2 - b^2]*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^2) - (f*Sin[c + d*x])/(b*d^2)

Rubi [A] time = 0.535025, antiderivative size = 298, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 8, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {4525, 3296, 2637, 3323, 2264, 2190, 2279, 2391}

$$\frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d^2} - \frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d^2} + \frac{i\sqrt{a^2-b^2}(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^2d} - \frac{i\sqrt{a^2-b^2}(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] (a*e*x)/b^2 + (a*f*x^2)/(2*b^2) + ((e + f*x)*Cos[c + d*x])/(b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d) - (I*Sqrt[a^2 - b^2]*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d) + (Sqrt[a^2 - b^2]*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^2*d^2) - (Sqrt[a^2 - b^2]*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^2*d^2) - (f*Sin[c + d*x])/(b*d^2)

Rule 4525

Int[(Cos[(c_) + (d_)*(x_)]^(n_)*((e_) + (f_)*(x_))^(m_)]/((a_) + (b_) *Sin[(c_) + (d_)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3296

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_) + (d_)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:= Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol]
:= With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol]
:= Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n]/a), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:= -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{a \int (e + fx) dx}{b^2} - \frac{\int (e + fx) \sin(c + dx) dx}{b} - \frac{(a^2 - b^2) \int \frac{e + fx}{a + b \sin(c + dx)} dx}{b^2} \\ &= \frac{aex}{b^2} + \frac{afx^2}{2b^2} + \frac{(e + fx) \cos(c + dx)}{bd} - \frac{(2(a^2 - b^2)) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b^2} - \frac{f \int \cos(c + dx)}{bd} \\ &= \frac{aex}{b^2} + \frac{afx^2}{2b^2} + \frac{(e + fx) \cos(c + dx)}{bd} - \frac{f \sin(c + dx)}{bd^2} + \frac{(2i\sqrt{a^2 - b^2}) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{b} \\ &= \frac{aex}{b^2} + \frac{afx^2}{2b^2} + \frac{(e + fx) \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2d} - \frac{i\sqrt{a^2 - b^2}(e + fx)}{b} \\ &= \frac{aex}{b^2} + \frac{afx^2}{2b^2} + \frac{(e + fx) \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2d} - \frac{i\sqrt{a^2 - b^2}(e + fx)}{b} \\ &= \frac{aex}{b^2} + \frac{afx^2}{2b^2} + \frac{(e + fx) \cos(c + dx)}{bd} + \frac{i\sqrt{a^2 - b^2}(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^2d} - \frac{i\sqrt{a^2 - b^2}(e + fx)}{b} \end{aligned}$$

Mathematica [B] time = 6.91867, size = 716, normalized size = 2.4

$$2d(b^2-a^2)(e+fx) \left[\frac{\operatorname{if}\left(\operatorname{PolyLog}\left[2, \frac{a\left(1-i\tan\left(\frac{1}{2}(c+dx)\right)\right)}{a+i\sqrt{b^2-a^2}+b}\right)\right)+\log\left(1-i\tan\left(\frac{1}{2}(c+dx)\right)\right)\log\left(\frac{\sqrt{b^2-a^2}+a\tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{b^2-a^2}-ia+b}\right)}{\sqrt{b^2-a^2}} \right] + \frac{\operatorname{if}\left(\operatorname{PolyLog}\left[2, \frac{a\left(1+i\tan\left(\frac{1}{2}(c+dx)\right)\right)}{a-i\sqrt{b^2-a^2}+b}\right)\right)+\log\left(1+i\tan\left(\frac{1}{2}(c+dx)\right)\right)\log\left(\frac{\sqrt{b^2-a^2}-a\tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{b^2-a^2}+ia+b}\right)}{\sqrt{b^2-a^2}} \right]$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (-a*(c + d*x)*(c*f - d*(2*e + f*x))) + 2*b*d*(e + f*x)*Cos[c + d*x] + (2*(-a^2 + b^2)*d*(e + f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((I*a + b + Sqrt[-a^2 + b^2])]) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(-b + Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])/((I*a - b + Sqrt[-a^2 + b^2])]) + PolyLog[2, (a*(I + Tan[(c + d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2])])/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((I*a + b - Sqrt[-a^2 + b^2])]) + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/((a + I*(-b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2]))/(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]]) - 2*b*f*Sin[c + d*x]/(2*b^2*d^2)
```

Maple [B] time = 0.337, size = 1123, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*cos(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] 1/2*a*f*x^2/b^2+a*e*x/b^2+1/2*(d*f*x+I*f+d*e)/b/d^2*exp(I*(d*x+c))+1/2*(d*f*x-I*f+d*e)/b/d^2*exp(-I*(d*x+c))-a^2/b^2/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x-a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+a^2/b^2/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x+a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c-2*I/d^2*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+1/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x+1/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c-1/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x-1/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c+I/b^2/d^2*a^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+I/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))+2*I/d*e/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))-I/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+2*I/b^2/d^2*a^2*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))
```

```
2)) - I*a^2/b^2/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-2*I/b^2/d*a^2*e/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.22178, size = 2564, normalized size = 8.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/4*(2*a*d^2*f*x^2 + 4*a*d^2*e*x - 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 4*b*f*sin(d*x + c) - 2*(b*d*e - b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b*d*e - b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(b*d*e - b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*(b*d*e - b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(b*d*f*x + b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d*f*x + b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b*d*f*x + b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d*f*x + b*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 4*(b*d*f*x + b*d*e)*cos(d*x + c))/(b^2*d^2)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.301 \quad \int \frac{\cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=70

$$-\frac{2\sqrt{a^2-b^2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{b^2d} + \frac{ax}{b^2} + \frac{\cos(c+dx)}{bd}$$

[Out] (a*x)/b^2 - (2*Sqrt[a^2 - b^2]*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b^2*d) + Cos[c + d*x]/(b*d)

Rubi [A] time = 0.115843, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {2695, 2735, 2660, 618, 204}

$$-\frac{2\sqrt{a^2-b^2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{b^2d} + \frac{ax}{b^2} + \frac{\cos(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^2/(a + b*Sin[c + d*x]),x]

[Out] (a*x)/b^2 - (2*Sqrt[a^2 - b^2]*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b^2*d) + Cos[c + d*x]/(b*d)

Rule 2695

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2660

```
Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 618

```
Int[((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]
```

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\cos(c+dx)}{bd} + \frac{\int \frac{b+a\sin(c+dx)}{a+b\sin(c+dx)} dx}{b} \\ &= \frac{ax}{b^2} + \frac{\cos(c+dx)}{bd} - \frac{(a^2-b^2) \int \frac{1}{a+b\sin(c+dx)} dx}{b^2} \\ &= \frac{ax}{b^2} + \frac{\cos(c+dx)}{bd} - \frac{(2(a^2-b^2)) \text{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2d} \\ &= \frac{ax}{b^2} + \frac{\cos(c+dx)}{bd} + \frac{(4(a^2-b^2)) \text{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b+2a \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2d} \\ &= \frac{ax}{b^2} - \frac{2\sqrt{a^2-b^2} \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b^2d} + \frac{\cos(c+dx)}{bd} \end{aligned}$$

Mathematica [B] time = 2.12276, size = 398, normalized size = 5.69

$$\frac{b \cos(c+dx) \left(\sqrt{a+b} \left(2\sqrt{-b^2} \sqrt{-\frac{b(\sin(c+dx)-1)}{a+b}} \sinh^{-1}\left(\frac{\sqrt{a-b} \sqrt{\frac{b(\sin(c+dx)+1)}{a-b}}}{\sqrt{2}\sqrt{b}}\right) + \sqrt{a-b} \sqrt{1-\sin(c+dx)} \left(\sqrt{-b} \sqrt{-\frac{b(\sin(c+dx)}{a+b}} \right) \right)}{(-b)^{5/2} d \sqrt{a-b} \sqrt{a+b} \sqrt{1-\sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^2/(a + b*Sin[c + d*x]), x]

[Out] (b*Cos[c + d*x]*(-2*Sqrt[-b]*(-a + b)*ArcTanh[(Sqrt[a - b]*Sqrt[-((b*(1 + Sin[c + d*x]))/(a - b))])/(Sqrt[a + b]*Sqrt[-((b*(-1 + Sin[c + d*x]))/(a + b))])]*Sqrt[1 - Sin[c + d*x]] + Sqrt[a + b]*(2*Sqrt[-b^2]*ArcSinh[(Sqrt[a - b]*Sqrt[-((b*(1 + Sin[c + d*x]))/(a - b))])/(Sqrt[2]*Sqrt[b])]*Sqrt[-((b*(-1 + Sin[c + d*x]))/(a + b))] + Sqrt[a - b]*Sqrt[1 - Sin[c + d*x]]*(2*Sqrt[b]*ArcTan[(Sqrt[b]*Sqrt[(b*(1 + Sin[c + d*x]))/(-a + b))])/(Sqrt[-b]*Sqrt[-((b*(-1 + Sin[c + d*x]))/(a + b))])]) + Sqrt[-b]*Sqrt[-((b*(-1 + Sin[c + d*x]))/(a + b))] * Sqrt[(b*(1 + Sin[c + d*x]))/(-a + b)])))/(Sqrt[a - b]*(-b)^(5/2)*Sqrt[a + b]*d*Sqrt[1 - Sin[c + d*x]]*Sqrt[-((b*(-1 + Sin[c + d*x]))/(a + b))] * Sqrt[-((b*(1 + Sin[c + d*x]))/(a - b))])

Maple [B] time = 0.001, size = 142, normalized size = 2.

$$2 \frac{1}{bd(1 + (\tan(1/2 dx + c/2))^2)} + 2 \frac{a \arctan(\tan(1/2 dx + c/2))}{b^2d} - 2 \frac{a^2}{b^2d\sqrt{a^2-b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(1/2 dx + c/2) + \sqrt{a^2-b^2}}{\sqrt{a^2-b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2/(a+b*sin(d*x+c)), x)

[Out] $2/d/b/(1+\tan(1/2*d*x+1/2*c)^2)+2/d/b^2*a*\arctan(\tan(1/2*d*x+1/2*c))-2/d/b^2/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*a*\tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^{(1/2)})*a^2+2/d/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*a*\tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 1.85215, size = 498, normalized size = 7.11

$$\left[\frac{2 \, a \, dx + 2 \, b \, \cos(dx + c) + \sqrt{-a^2 + b^2} \log\left(\frac{(2a^2 - b^2)\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2 + 2(a\cos(dx+c)\sin(dx+c) + b\cos(dx+c))\sqrt{-a^2 + b^2}}{b^2\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2}\right)}{2b^2d}, \right] dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")`

[Out] $[1/2*(2*a*d*x + 2*b*\cos(d*x + c) + \sqrt{-a^2 + b^2}*\log(((2*a^2 - b^2)*\cos(d*x + c)^2 - 2*a*b*\sin(d*x + c) - a^2 - b^2 + 2*(a*\cos(d*x + c)*\sin(d*x + c) + b*\cos(d*x + c))*\sqrt{-a^2 + b^2}))/((b^2*\cos(d*x + c)^2 - 2*a*b*\sin(d*x + c) - a^2 - b^2)))/(b^2*d), (a*d*x + b*\cos(d*x + c) + \sqrt{a^2 - b^2}*\arctan(-(a*\sin(d*x + c) + b)/(\sqrt{a^2 - b^2}*\cos(d*x + c)))/(b^2*d)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+b*sin(d*x+c)),x)`

[Out] Timed out

Giac [A] time = 1.14904, size = 128, normalized size = 1.83

$$\frac{\frac{(dx+c)a}{b^2} - \frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + b}{\sqrt{a^2 - b^2}}\right)\right)\sqrt{a^2 - b^2}}{b^2}}{d} + \frac{2}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)b}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] ((d*x + c)*a/b^2 - 2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))*sqrt(a^2 - b^2)/b^2 + 2/((tan(1/2*d*x + 1/2*c)^2 + 1)*b))/d
```

$$3.302 \quad \int \frac{(e+fx)^3 \cos^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=737

$$\frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^3} - \frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3d^3} + \frac{3if(a^2-b^2)(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^3}$$

[Out] $(-3f^3x)/(8bd^3) + (e+fx)^3/(4bd) + ((I/4)(a^2-b^2)(e+fx)^4)/(b^3f) - (6af^3\text{Cos}[c+dx])/(b^2d^4) + (3af^2\text{Cos}[c+dx])/(b^2d^2) - ((a^2-b^2)(e+fx)^3\text{Log}[1-(IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d) - ((a^2-b^2)(e+fx)^3\text{Log}[1-(IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d) + ((3I)(a^2-b^2)f(e+fx)^2\text{PolyLog}[2, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^2) + ((3I)(a^2-b^2)f(e+fx)^2\text{PolyLog}[2, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^2) - (6(a^2-b^2)f^2(e+fx)\text{PolyLog}[3, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^3) - (6(a^2-b^2)f^2(e+fx)\text{PolyLog}[3, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^3) - ((6I)(a^2-b^2)f^3\text{PolyLog}[4, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^4) - ((6I)(a^2-b^2)f^3\text{PolyLog}[4, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^4) - (6af^2(e+fx)\text{Sin}[c+dx])/(b^2d^3) + (a(e+fx)^3\text{Sin}[c+dx])/(b^2d) + (3f^3\text{Cos}[c+dx]\text{Sin}[c+dx])/(8bd^4) - (3f^2\text{Cos}[c+dx]\text{Sin}[c+dx])/(4bd^2) + (3f^2(e+fx)\text{Sin}[c+dx]^2)/(4bd^3) - ((e+fx)^3\text{Sin}[c+dx]^2)/(2bd)$

Rubi [A] time = 0.880909, antiderivative size = 737, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 14, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4525, 3296, 2638, 4404, 3311, 32, 2635, 8, 4519, 2190, 2531, 6609, 2282, 6589}

$$\frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^3} - \frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3d^3} + \frac{3if(a^2-b^2)(e+fx)^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^3}$$

Antiderivative was successfully verified.

[In] Int[((e+fx)^3Cos[c+dx]^3)/(a+bSin[c+dx]),x]

[Out] $(-3f^3x)/(8bd^3) + (e+fx)^3/(4bd) + ((I/4)(a^2-b^2)(e+fx)^4)/(b^3f) - (6af^3\text{Cos}[c+dx])/(b^2d^4) + (3af^2\text{Cos}[c+dx])/(b^2d^2) - ((a^2-b^2)(e+fx)^3\text{Log}[1-(IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d) - ((a^2-b^2)(e+fx)^3\text{Log}[1-(IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d) + ((3I)(a^2-b^2)f(e+fx)^2\text{PolyLog}[2, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^2) + ((3I)(a^2-b^2)f(e+fx)^2\text{PolyLog}[2, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^2) - (6(a^2-b^2)f^2(e+fx)\text{PolyLog}[3, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^3) - (6(a^2-b^2)f^2(e+fx)\text{PolyLog}[3, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^3) - ((6I)(a^2-b^2)f^3\text{PolyLog}[4, (IbE^{I(c+dx)})]/(a-\text{Sqrt}[a^2-b^2]))/(b^3d^4) - ((6I)(a^2-b^2)f^3\text{PolyLog}[4, (IbE^{I(c+dx)})]/(a+\text{Sqrt}[a^2-b^2]))/(b^3d^4) - (6af^2(e+fx)\text{Sin}[c+dx])/(b^2d^3) + (a(e+fx)^3\text{Sin}[c+dx])/(b^2d) + (3f^3\text{Cos}[c+dx]\text{Sin}[c+dx])/(8bd^4) - (3f^2\text{Cos}[c+dx]\text{Sin}[c+dx])/(4bd^2) + (3f^2(e+fx)\text{Sin}[c+dx]^2)/(4bd^3) - ((e+fx)^3\text{Sin}[c+dx]^2)/(2bd)$

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*cos[c + d*x]^(n
- 2))/(a + b*sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x
_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*sin[a + b*x]^(n + 1))/(b*(n + 1))
, x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1),
x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbo
l] := Simp[(d*m*(c + d*x)^(m - 1)*(b*sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m +
1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[(e + f*x)^m*E^(I*(c + d*x))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[(e + f*x)^m*E^(I*(c + d*x))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &&
& PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n]])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_) ]/((d_) + (e_)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \cos^3(c+dx)}{a+b \sin(c+dx)} dx &= \frac{a \int (e+fx)^3 \cos(c+dx) dx}{b^2} - \frac{\int (e+fx)^3 \cos(c+dx) \sin(c+dx) dx}{b} - \frac{(a^2-b^2) \int \frac{(e+fx)}{a+b \sin(c+dx)} dx}{b^2} \\
&= \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} + \frac{a(e+fx)^3 \sin(c+dx)}{b^2 d} - \frac{(e+fx)^3 \sin^2(c+dx)}{2bd} - \frac{(a^2-b^2) \int \frac{(e+fx)}{a+b \sin(c+dx)} dx}{b^2} \\
&= \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} + \frac{3af(e+fx)^2 \cos(c+dx)}{b^2 d^2} - \frac{(a^2-b^2)(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d} \\
&= \frac{(e+fx)^3}{4bd} + \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} + \frac{3af(e+fx)^2 \cos(c+dx)}{b^2 d^2} - \frac{(a^2-b^2)(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3 d} \\
&= -\frac{3f^3 x}{8bd^3} + \frac{(e+fx)^3}{4bd} + \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} - \frac{6af^3 \cos(c+dx)}{b^2 d^4} + \frac{3af(e+fx)^2 \cos(c+dx)}{b^2 d^2} \\
&= -\frac{3f^3 x}{8bd^3} + \frac{(e+fx)^3}{4bd} + \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} - \frac{6af^3 \cos(c+dx)}{b^2 d^4} + \frac{3af(e+fx)^2 \cos(c+dx)}{b^2 d^2} \\
&= -\frac{3f^3 x}{8bd^3} + \frac{(e+fx)^3}{4bd} + \frac{i(a^2-b^2)(e+fx)^4}{4b^3 f} - \frac{6af^3 \cos(c+dx)}{b^2 d^4} + \frac{3af(e+fx)^2 \cos(c+dx)}{b^2 d^2}
\end{aligned}$$

Mathematica [B] time = 10.1211, size = 2452, normalized size = 3.33

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3 * Cos[c + d*x]^3) / (a + b * Sin[c + d*x]), x]

[Out] (-32*(a^2 - b^2)*e^3*x*Cot[c] - 48*(a^2 - b^2)*e^2*f*x^2*Cot[c] - 32*(a^2 - b^2)*e*f^2*x^3*Cot[c] - 8*(a^2 - b^2)*f^3*x^4*Cot[c] + (16*(a^2 - b^2)*((4*I)*d^4*e^3*E^((2*I)*c)*x + (6*I)*d^4*e^2*E^((2*I)*c)*f*x^2 + (4*I)*d^4*e*E^((2*I)*c)*f^2*x^3 + I*d^4*E^((2*I)*c)*f^3*x^4 + (2*I)*d^3*e^3*ArcTan[(2*a*E^I*(c + d*x))]/(b*(-1 + E^((2*I)*(c + d*x))))]) - (2*I)*d^3*e^3*E^((2*I)*c)*ArcTan[(2*a*E^I*(c + d*x))]/(b*(-1 + E^((2*I)*(c + d*x))))] + d^3*e^3*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] - d^3*e^3*E^((2*I)*c)*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] + 6*d^3*e^2*f*x*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 6*d^3*e^2*E^((2*I)*c)*f*x*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 6*d^3*e*f^2*x^2*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 2*d^3*f^3*x^3*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 2*d^3*E^((2*I)*c)*f^3*x^3*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 6*d^3*e^2*f*x*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 6*d^3*e^2*E^((2*I)*c)*f*x*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 6*d^3*e*f^2*x^2*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 6*d^3*e*E^((2*I)*c)*f^2*x^2*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 2*d^3*f^3*x^3*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 2*d^3*E^((2*I)*c)*f^3*x^3*Log[1 + (b*E^I*(2*c + d*x))]/(I*a*E^I*(c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + (6*I)*d^2*(-1 + E^((2*I)*c))*f*(e + f*x)^2*PolyLog[2, (I*b*E^I*(2*c + d*x))]/(a*E^I*(c) + I*Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + (6*I)*d^2*

$$\begin{aligned}
& (-1 + E^{(2I)c}) * f * (e + fx)^2 * \text{PolyLog}[2, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] + 12d * e * f^2 * \text{PolyLog}[3, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] - 12d * e * E^{(2I)c} * f^2 * \text{PolyLog}[3, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] + 12d * f^3 * x * \text{PolyLog}[3, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] - 12d * E^{(2I)c} * f^3 * x * \text{PolyLog}[3, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] + 12d * e * f^2 * \text{PolyLog}[3, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] - 12d * e * E^{(2I)c} * f^2 * \text{PolyLog}[3, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] + 12d * f^3 * x * \text{PolyLog}[3, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] - 12d * E^{(2I)c} * f^3 * x * \text{PolyLog}[3, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] + (12I) * f^3 * \text{PolyLog}[4, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] - (12I) * E^{(2I)c} * f^3 * \text{PolyLog}[4, (IbE^{I(2c+dx)}) / (aE^{Ic} + I\text{Sqrt}[(-a^2 + b^2)E^{(2I)c}])] + (12I) * f^3 * \text{PolyLog}[4, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] - (12I) * E^{(2I)c} * f^3 * \text{PolyLog}[4, -((bE^{I(2c+dx)}) / (IaE^{Ic} + \text{Sqrt}[(-a^2 + b^2)E^{(2I)c}]))] / (d^4 * (-1 + E^{(2I)c})) + (16 * a * b * (-6 * f^3 - (6I) * d * f^2 * (e + fx) + 3 * d^2 * f * (e + fx)^2 + I * d^3 * (e + fx)^3) * (Cos[c + dx] - I * Sin[c + dx])) / d^4 + (16 * a * b * (-6 * f^3 + (6I) * d * f^2 * (e + fx) + 3 * d^2 * f * (e + fx)^2 - I * d^3 * (e + fx)^3) * (Cos[c + dx] + I * Sin[c + dx])) / d^4 + (b^2 * ((3I) * f^3 - 6 * d * f^2 * (e + fx) - (6I) * d^2 * f * (e + fx)^2 + 4 * d^3 * (e + fx)^3) * (Cos[2 * (c + dx)] - I * Sin[2 * (c + dx)])) / d^4 + (b^2 * ((-3I) * f^3 - 6 * d * f^2 * (e + fx) + (6I) * d^2 * f * (e + fx)^2 + 4 * d^3 * (e + fx)^3) * (Cos[2 * (c + dx)] + I * Sin[2 * (c + dx)])) / d^4) / (32 * b^3)
\end{aligned}$$

Maple [F] time = 1.418, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^3}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)^3/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*cos(d*x+c)^3/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 4.34691, size = 6086, normalized size = 8.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/8*(2*b^2*d^3*f^3*x^3 + 6*b^2*d^3*e*f^2*x^2 + 24*I*(a^2 - b^2)*f^3*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 24*I*(a^2 - b^2)*f^3*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 24*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 24*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 2*(2*b^2*d^3*f^3*x^3 + 6*b^2*d^3*e*f^2*x^2 + 2*b^2*d^3*e^3 - 3*b^2*d*e*f^2 + 3*(2*b^2*d^3*e^2*f - b^2*d*f^3)*x)*\cos(d*x + c)^2 + 3*(2*b^2*d^3*e^2*f - b^2*d*f^3)*x - 24*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + a*b*d^2*e^2*f - 2*a*b*f^3)*\cos(d*x + c) - (-12*I*(a^2 - b^2)*d^2*f^3*x^2 - 24*I*(a^2 - b^2)*d^2*e*f^2*x - 12*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (-12*I*(a^2 - b^2)*d^2*f^3*x^2 - 24*I*(a^2 - b^2)*d^2*e*f^2*x - 12*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (12*I*(a^2 - b^2)*d^2*f^3*x^2 + 24*I*(a^2 - b^2)*d^2*e*f^2*x + 12*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (12*I*(a^2 - b^2)*d^2*f^3*x^2 + 24*I*(a^2 - b^2)*d^2*e*f^2*x + 12*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 4*((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 4*((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 4*((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 4*((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 4*((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 4*((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 4*((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 24*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 24*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 24*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 24*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)$$

$\wedge 2)) / b) - (8 * a * b * d^3 * f^3 * x^3 + 24 * a * b * d^3 * e * f^2 * x^2 + 8 * a * b * d^3 * e^3 - 48 * a * b * d * e * f^2 + 24 * (a * b * d^3 * e^2 * f - 2 * a * b * d * f^3) * x - 3 * (2 * b^2 * d^2 * f^3 * x^2 + 4 * b^2 * d^2 * e * f^2 * x + 2 * b^2 * d^2 * e^2 * f - b^2 * f^3) * \cos(d * x + c)) * \sin(d * x + c)) / (b^3 * d^4)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*cos(d*x + c)^3/(b*sin(d*x + c) + a), x)

$$3.303 \quad \int \frac{(e+fx)^2 \cos^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=548

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^2} + \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3d^2} - \frac{2f^2(a^2-b^2)\text{PolyLog}}{b^3d^3}$$

```
[Out] (e*f*x)/(2*b*d) + (f^2*x^2)/(4*b*d) + ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(b^3*
f) + (2*a*f*(e + f*x)*Cos[c + d*x])/(b^2*d^2) - ((a^2 - b^2)*(e + f*x)^2*Lo
g[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b^3*d) - ((a^2 - b^2)*
(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d) +
((2*I)*(a^2 - b^2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[
a^2 - b^2]])/(b^3*d^2) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*PolyLog[2, (I*b*E^
(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d^2) - (2*(a^2 - b^2)*f^2*PolyL
og[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b^3*d^3) - (2*(a^2 - b
^2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d^3)
- (2*a*f^2*Sin[c + d*x])/(b^2*d^3) + (a*(e + f*x)^2*Sin[c + d*x])/(b^2*d) -
(f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*b*d^2) + (f^2*Sin[c + d*x]^2)/(
4*b*d^3) - ((e + f*x)^2*Sin[c + d*x]^2)/(2*b*d)
```

Rubi [A] time = 0.733307, antiderivative size = 548, normalized size of antiderivative = 1., number of steps used = 16, number of rules used = 10, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4525, 3296, 2637, 4404, 3310, 4519, 2190, 2531, 2282, 6589}

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d^2} + \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{b^3d^2} - \frac{2f^2(a^2-b^2)\text{PolyLog}}{b^3d^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x]^3)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (e*f*x)/(2*b*d) + (f^2*x^2)/(4*b*d) + ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(b^3*
f) + (2*a*f*(e + f*x)*Cos[c + d*x])/(b^2*d^2) - ((a^2 - b^2)*(e + f*x)^2*Lo
g[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b^3*d) - ((a^2 - b^2)*
(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d) +
((2*I)*(a^2 - b^2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[
a^2 - b^2]])/(b^3*d^2) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*PolyLog[2, (I*b*E^
(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d^2) - (2*(a^2 - b^2)*f^2*PolyL
og[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b^3*d^3) - (2*(a^2 - b
^2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b^3*d^3)
- (2*a*f^2*Sin[c + d*x])/(b^2*d^3) + (a*(e + f*x)^2*Sin[c + d*x])/(b^2*d) -
(f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*b*d^2) + (f^2*Sin[c + d*x]^2)/(
4*b*d^3) - ((e + f*x)^2*Sin[c + d*x]^2)/(2*b*d)
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)])], x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n
- 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*cos[e + f*x]*(b*sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\int \frac{(e + fx)^2 \cos^3(c + dx)}{a + b \sin(c + dx)} dx = \frac{a \int (e + fx)^2 \cos(c + dx) dx}{b^2} - \frac{\int (e + fx)^2 \cos(c + dx) \sin(c + dx) dx}{b} - \frac{(a^2 - b^2) \int \frac{(e + fx)^2}{a + b \sin(c + dx)} dx}{b^2}$$

$$= \frac{i(a^2 - b^2)(e + fx)^3}{3b^3f} + \frac{a(e + fx)^2 \sin(c + dx)}{b^2d} - \frac{(e + fx)^2 \sin^2(c + dx)}{2bd} - \frac{(a^2 - b^2) \int \frac{(e + fx)^2}{a + b \sin(c + dx)} dx}{b^2}$$

$$= \frac{i(a^2 - b^2)(e + fx)^3}{3b^3f} + \frac{2af(e + fx) \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3d}$$

$$= \frac{efx}{2bd} + \frac{f^2x^2}{4bd} + \frac{i(a^2 - b^2)(e + fx)^3}{3b^3f} + \frac{2af(e + fx) \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3d}$$

$$= \frac{efx}{2bd} + \frac{f^2x^2}{4bd} + \frac{i(a^2 - b^2)(e + fx)^3}{3b^3f} + \frac{2af(e + fx) \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3d}$$

$$= \frac{efx}{2bd} + \frac{f^2x^2}{4bd} + \frac{i(a^2 - b^2)(e + fx)^3}{3b^3f} + \frac{2af(e + fx) \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3d}$$

Mathematica [B] time = 5.01989, size = 2397, normalized size = 4.37

Result too large to show

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Cos[c + d*x]^3)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((48*I)*a^2*d^3*e^2*E^((2*I)*c)*x - (48*I)*b^2*d^3*e^2*E^((2*I)*c)*x + (48*I)*a^2*d^3*e*E^((2*I)*c)*f*x^2 - (48*I)*b^2*d^3*e*E^((2*I)*c)*f*x^2 + (16*I)*a^2*d^3*E^((2*I)*c)*f^2*x^3 - (16*I)*b^2*d^3*E^((2*I)*c)*f^2*x^3 - (48*I)*a^2*d^2*e^2*E^((2*I)*c)*ArcTan[(2*a*E^((I*(c + d*x))))/(b*(-1 + E^((2*I)*(c + d*x))))] + (48*I)*b^2*d^2*e^2*E^((2*I)*c)*ArcTan[(2*a*E^((I*(c + d*x))))/(b*(-1 + E^((2*I)*(c + d*x))))] + (24*I)*a*b*d^2*e^2*E^((I*c))*Cos[d*x] - (24*I)*a*b*d^2*e^2*E^((3*I)*c))*Cos[d*x] + 48*a*b*d*e*E^((I*c))*f*Cos[d*x] + 48*a*b*d*e*E^((3*I)*c))*f*Cos[d*x] - (48*I)*a*b*E^((I*c))*f^2*Cos[d*x] + (48*I)*a*b*E^((3*I)*c))*f^2*Cos[d*x] + (48*I)*a*b*d^2*e*E^((I*c))*f*x*Cos[d*x] - (48*I)*a*b*d^2*e*E^((3*I)*c))*f*x*Cos[d*x] + 48*a*b*d*E^((I*c))*f^2*x*Cos[d*x] + 48*a*b*d*E^((3*I)*c))*f^2*x*Cos[d*x] + (24*I)*a*b*d^2*E^((I*c))*f^2*x^2*Cos[d*x] - (24*I)*a*b*d^2*E^((3*I)*c))*f^2*x^2*Cos[d*x] + 6*b^2*d^2*e^2*Cos[2*d*x] + 6*b^2*d^2*e^2*E^((4*I)*c))*Cos[2*d*x] - (6*I)*b^2*d*e*f*Cos[2*d*x] + (6*I)*b^2*d*e*E^((4*I)*c))*f*Cos[2*d*x] - 3*b^2*f^2*Cos[2*d*x] - 3*b^2*E^((4*I)*c))*f^2*Cos[2*d*x] + 12*b^2*d^2*e*f*x*Cos[2*d*x] + 12*b^2*d^2*e*E^((4*I)*c))*f*x*Cos[2*d*x] - (6*I)*b^2*d*f^2*x*Cos[2*d*x] + (6*I)*b^2*d*E^((4*I)*c))*f^2*x*Cos[2*d*x] + 6*b^2*d^2*f^2*x^2*Cos[2*d*x] + 6*b^2*d^2*E^((4*I)*c))*f^2*x^2*Cos[2*d*x] - 24*a^2*d^2*e^2*E^((2*I)*c))*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] + 24*b^2*d^2*e^2*E^((2*I)*c))*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] - 96*a^2*d^2*e*E^((2*I)*c))*f*x*Log[1 + (b*E^((I*(2*c + d*x))))/(I*a*E^((I*c)) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 96*b^2*d^2*e*E^((2*I)*c))*f*x*Log[1 + (b*E^((I*(2*c + d*x))))/(I*a*E^((I*c)) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 48*a^2*d^2*E^((2*I)*c))*f^2*x^2*L
```

```

og[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])
] + 48*b^2*d^2*E^((2*I)*c)*f^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*
c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 96*a^2*d^2*e*E^((2*I)*c)*f*x*Log[1
+ (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 9
6*b^2*d^2*e*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sq
rt[(-a^2 + b^2)*E^((2*I)*c)])] - 48*a^2*d^2*E^((2*I)*c)*f^2*x^2*Log[1 + (b*
E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 48*b^2
*d^2*E^((2*I)*c)*f^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[
(-a^2 + b^2)*E^((2*I)*c)])] + (96*I)*(a^2 - b^2)*d*E^((2*I)*c)*f*(e + f*x)*
PolyLog[2, (I*b*E^(I*(2*c + d*x)))/(a*E^(I*c) + I*Sqrt[(-a^2 + b^2)*E^((2*I
)*c)])] + (96*I)*(a^2 - b^2)*d*E^((2*I)*c)*f*(e + f*x)*PolyLog[2, -(b*E^(I
*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 96*a^2*E^
((2*I)*c)*f^2*PolyLog[3, (I*b*E^(I*(2*c + d*x)))/(a*E^(I*c) + I*Sqrt[(-a^2
+ b^2)*E^((2*I)*c)])] + 96*b^2*E^((2*I)*c)*f^2*PolyLog[3, (I*b*E^(I*(2*c +
d*x)))/(a*E^(I*c) + I*Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 96*a^2*E^((2*I)*c
)*f^2*PolyLog[3, -(b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^
((2*I)*c)])] + 96*b^2*E^((2*I)*c)*f^2*PolyLog[3, -(b*E^(I*(2*c + d*x)))/(
I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 24*a*b*d^2*e^2*E^(I*c)*Si
n[d*x] + 24*a*b*d^2*e^2*E^((3*I)*c)*Sin[d*x] - (48*I)*a*b*d*e*E^(I*c)*f*Sin
[d*x] + (48*I)*a*b*d*e*E^((3*I)*c)*f*Sin[d*x] - 48*a*b*E^(I*c)*f^2*Sin[d*x]
- 48*a*b*E^((3*I)*c)*f^2*Sin[d*x] + 48*a*b*d^2*e*E^(I*c)*f*x*Sin[d*x] + 48
*a*b*d^2*e*E^((3*I)*c)*f*x*Sin[d*x] - (48*I)*a*b*d*E^(I*c)*f^2*x*Sin[d*x] +
(48*I)*a*b*d*E^((3*I)*c)*f^2*x*Sin[d*x] + 24*a*b*d^2*E^(I*c)*f^2*x^2*Sin[d
*x] + 24*a*b*d^2*E^((3*I)*c)*f^2*x^2*Sin[d*x] - (6*I)*b^2*d^2*e^2*Sin[2*d*x
] + (6*I)*b^2*d^2*e^2*E^((4*I)*c)*Sin[2*d*x] - 6*b^2*d*e*f*Sin[2*d*x] - 6*b
^2*d*e*E^((4*I)*c)*f*Sin[2*d*x] + (3*I)*b^2*f^2*Sin[2*d*x] - (3*I)*b^2*E^((
4*I)*c)*f^2*Sin[2*d*x] - (12*I)*b^2*d^2*e*f*x*Sin[2*d*x] + (12*I)*b^2*d^2*e
*E^((4*I)*c)*f*x*Sin[2*d*x] - 6*b^2*d*f^2*x*Sin[2*d*x] - 6*b^2*d*E^((4*I)*c
)*f^2*x*Sin[2*d*x] - (6*I)*b^2*d^2*f^2*x^2*Sin[2*d*x] + (6*I)*b^2*d^2*E^((4
*I)*c)*f^2*x^2*Sin[2*d*x]/(48*b^3*d^3*E^((2*I)*c))

```

Maple [F] time = 1.442, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\cos(dx + c))^3}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*cos(d*x+c)^3/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*cos(d*x+c)^3/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 3.33455, size = 4139, normalized size = 7.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/4*(b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + 4*(a^2 - b^2)*f^2*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 4*(a^2 - b^2)*f^2*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 4*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 4*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) - (2*b^2*d^2*f^2*x^2 + 4*b^2*d^2*e*f*x + 2*b^2*d^2*e^2 - b^2*f^2)*\cos(d*x + c)^2 - 8*(a*b*d*f^2*x + a*b*d*e*f)*\cos(d*x + c) - (-4*I*(a^2 - b^2)*d*f^2*x - 4*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (-4*I*(a^2 - b^2)*d*f^2*x - 4*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (4*I*(a^2 - b^2)*d*f^2*x + 4*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (4*I*(a^2 - b^2)*d*f^2*x + 4*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(2*a*b*d^2*f^2*x^2 + 4*a*b*d^2*e*f*x + 2*a*b*d^2*e^2 - 4*a*b*f^2 - (b^2*d*f^2*x + b^2*d*e*f)*\cos(d*x + c))*\sin(d*x + c))/(b^3*d^3)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*cos(d*x + c)^3/(b*sin(d*x + c) + a), x)

$$3.304 \quad \int \frac{(e+fx) \cos^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=351

$$\frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d^2} + \frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d^2} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d}$$

[Out] (f*x)/(4*b*d) + ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(b^3*f) + (a*f*Cos[c + d*x])/(b^2*d^2) - ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*d) - ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*d) + (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*d^2) + (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*d^2) + (a*(e + f*x)*Sin[c + d*x])/(b^2*d) - (f*Cos[c + d*x]*Sin[c + d*x])/(4*b*d^2) - ((e + f*x)*Sin[c + d*x]^2)/(2*b*d)

Rubi [A] time = 0.409249, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {4525, 3296, 2638, 4404, 2635, 8, 4519, 2190, 2279, 2391}

$$\frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d^2} + \frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d^2} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b^3 d} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{b^3 d}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x]^3)/(a + b*Sin[c + d*x]), x]

[Out] (f*x)/(4*b*d) + ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(b^3*f) + (a*f*Cos[c + d*x])/(b^2*d^2) - ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*d) - ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*d) + (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(b^3*d^2) + (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(b^3*d^2) + (a*(e + f*x)*Sin[c + d*x])/(b^2*d) - (f*Cos[c + d*x]*Sin[c + d*x])/(4*b*d^2) - ((e + f*x)*Sin[c + d*x]^2)/(2*b*d)

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos^3(c + dx)}{a + b \sin(c + dx)} dx &= \frac{a \int (e + fx) \cos(c + dx) dx}{b^2} - \frac{\int (e + fx) \cos(c + dx) \sin(c + dx) dx}{b} - \frac{(a^2 - b^2) \int \frac{(e+fx)\cos}{a+b\sin}}{b^2} \\ &= \frac{i(a^2 - b^2)(e + fx)^2}{2b^3f} + \frac{a(e + fx) \sin(c + dx)}{b^2d} - \frac{(e + fx) \sin^2(c + dx)}{2bd} - \frac{(a^2 - b^2) \int \frac{e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}}{b^2} \\ &= \frac{i(a^2 - b^2)(e + fx)^2}{2b^3f} + \frac{af \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d} - \frac{(a^2 - b^2) \int \frac{e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}}{b^2} \\ &= \frac{fx}{4bd} + \frac{i(a^2 - b^2)(e + fx)^2}{2b^3f} + \frac{af \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d} - \frac{(a^2 - b^2) \int \frac{e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}}{b^2} \\ &= \frac{fx}{4bd} + \frac{i(a^2 - b^2)(e + fx)^2}{2b^3f} + \frac{af \cos(c + dx)}{b^2d^2} - \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b^3d} - \frac{(a^2 - b^2) \int \frac{e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}}{b^2} \end{aligned}$$

Mathematica [B] time = 14.4568, size = 2165, normalized size = 6.17

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Cos[c + d*x]^3)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (a*f*Cos[c + d*x])/(b^2*d^2) + ((d*e - c*f + f*(c + d*x))*Cos[2*(c + d*x)])
/(4*b*d^2) + (a*(d*e - c*f + f*(c + d*x))*Sin[c + d*x])/(b^2*d^2) - (f*Sin[
2*(c + d*x)]/(8*b*d^2) + ((f*(c + d*x)^2 + (2*I)*d*e*Log[Sec[(c + d*x)/2]^
2] - (2*I)*c*f*Log[Sec[(c + d*x)/2]^2] - (2*I)*d*e*Log[Sec[(c + d*x)/2]^2*(
a + b*Sin[c + d*x]]) + (2*I)*c*f*Log[Sec[(c + d*x)/2]^2*(a + b*Sin[c + d*x]
)]) - (4*I)*f*(c + d*x)*Log[(-2*I)/(-I + Tan[(c + d*x)/2])] - 2*f*Log[1 + I*
Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b
- Sqrt[-a^2 + b^2])] + 2*f*Log[1 - I*Tan[(c + d*x)/2]]*Log[-((b - Sqrt[-a^2
+ b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))] + 2*f*Log[1 -
I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a
+ b + Sqrt[-a^2 + b^2])] - 2*f*Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-
a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])] + 4*f*PolyLo
g[2, -Cos[c + d*x] + I*Sin[c + d*x]] + 2*f*PolyLog[2, (a*(1 - I*Tan[(c + d*
x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))] - 2*f*PolyLog[2, (a*(1 + I*Tan[(c +
d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))] + 2*f*PolyLog[2, (a*(I + Tan[(c
+ d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2])] - 2*f*PolyLog[2, (a + I*a*Tan[(c
+ d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2]))]*((e*Cos[c + d*x])/(a + b*Sin[c
+ d*x]) - (a^2*e*Cos[c + d*x])/(b^2*(a + b*Sin[c + d*x])) - (c*f*Cos[c + d
*x])/(d*(a + b*Sin[c + d*x])) + (a^2*c*f*Cos[c + d*x])/(b^2*d*(a + b*Sin[c
+ d*x])) + (f*(c + d*x)*Cos[c + d*x])/(d*(a + b*Sin[c + d*x])) - (a^2*f*(c
+ d*x)*Cos[c + d*x])/(b^2*d*(a + b*Sin[c + d*x])))/(d*(2*f*(c + d*x) - (4*
I)*f*Log[(-2*I)/(-I + Tan[(c + d*x)/2])] - (4*f*Log[1 + Cos[c + d*x] - I*Si
n[c + d*x]]*(I*Cos[c + d*x] + Sin[c + d*x]))/(-Cos[c + d*x] + I*Sin[c + d*x
]) + (I*f*Log[1 - (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]
))]*Sec[(c + d*x)/2]^2)/(1 - I*Tan[(c + d*x)/2]) - (I*f*Log[-((b - Sqrt[-a^
2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))]*Sec[(c + d*x)
/2]^2)/(1 - I*Tan[(c + d*x)/2]) - (I*f*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c
+ d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])]*Sec[(c + d*x)/2]^2)/(1 - I*Tan
[(c + d*x)/2]) + (I*f*Log[1 - (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt
[-a^2 + b^2]))]*Sec[(c + d*x)/2]^2)/(1 + I*Tan[(c + d*x)/2]) - (I*f*Log[(b
- Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])]*Sec[
(c + d*x)/2]^2)/(1 + I*Tan[(c + d*x)/2]) - (I*f*Log[(b + Sqrt[-a^2 + b^2] +
```

$$\begin{aligned}
& a \cdot \tan\left[\frac{c + dx}{2}\right] / (Ia + b + \sqrt{-a^2 + b^2}) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (1 + \\
& I \cdot \tan\left[\frac{c + dx}{2}\right] + (2I) \cdot d \cdot e \cdot \tan\left[\frac{c + dx}{2}\right] - (2I) \cdot c \cdot f \cdot \tan\left[\frac{c + dx}{2}\right] \\
& / 2 + ((2I) \cdot f \cdot (c + dx) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (-I + \tan\left[\frac{c + dx}{2}\right]) - (f \cdot \log[1 - \\
& (a \cdot (I + \tan\left[\frac{c + dx}{2}\right])) / (Ia - b + \sqrt{-a^2 + b^2})]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (I + \tan\left[\frac{c + dx}{2}\right]) \\
& + (I \cdot a \cdot f \cdot \log[1 - (a + I \cdot a \cdot \tan\left[\frac{c + dx}{2}\right]) / (a + I \cdot (-b + \sqrt{-a^2 + b^2})]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (a + I \cdot a \cdot \tan\left[\frac{c + dx}{2}\right]) \\
& / 2) + (a \cdot f \cdot \log[1 - I \cdot \tan\left[\frac{c + dx}{2}\right]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (b - \sqrt{-a^2 + b^2} + a \cdot \tan\left[\frac{c + dx}{2}\right]) \\
& - (a \cdot f \cdot \log[1 + I \cdot \tan\left[\frac{c + dx}{2}\right]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (b - \sqrt{-a^2 + b^2} + a \cdot \tan\left[\frac{c + dx}{2}\right]) \\
& + (a \cdot f \cdot \log[1 - I \cdot \tan\left[\frac{c + dx}{2}\right]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (b + \sqrt{-a^2 + b^2} + a \cdot \tan\left[\frac{c + dx}{2}\right]) \\
& - (a \cdot f \cdot \log[1 + I \cdot \tan\left[\frac{c + dx}{2}\right]) \cdot \sec\left[\frac{c + dx}{2}\right]^2 / (b + \sqrt{-a^2 + b^2} + a \cdot \tan\left[\frac{c + dx}{2}\right]) \\
& - ((2I) \cdot d \cdot e \cdot \cos\left[\frac{c + dx}{2}\right]^2 \cdot (b \cdot \cos[c + dx] \cdot \sec\left[\frac{c + dx}{2}\right]^2 + \sec\left[\frac{c + dx}{2}\right]^2 \cdot (a + b \cdot \sin[c + dx]) \cdot \tan\left[\frac{c + dx}{2}\right])) / (a + b \cdot \sin[c + dx]) \\
& + ((2I) \cdot c \cdot f \cdot \cos\left[\frac{c + dx}{2}\right]^2 \cdot (b \cdot \cos[c + dx] \cdot \sec\left[\frac{c + dx}{2}\right]^2 + \sec\left[\frac{c + dx}{2}\right]^2 \cdot (a + b \cdot \sin[c + dx]) \cdot \tan\left[\frac{c + dx}{2}\right])) / (a + b \cdot \sin[c + dx]))
\end{aligned}$$

Maple [B] time = 0.773, size = 1750, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*cos(d*x+c)^3/(a+b*sin(d*x+c)),x)`

[Out]
$$\begin{aligned}
& -1/b^3/d \cdot a^2 \cdot e \cdot \ln(I \cdot b \cdot \exp(2I \cdot (d \cdot x + c)) - 2 \cdot a \cdot \exp(I \cdot (d \cdot x + c)) - I \cdot b) + 2/b^3/d \cdot a^2 \cdot \\
& e \cdot \ln(\exp(I \cdot (d \cdot x + c))) + 1/2 \cdot I/b^3 \cdot a^2 \cdot f \cdot x^2 + 1/b^3/d \cdot a^4 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \\
& \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot x + 1/b^3/d^2 \cdot a^4 \cdot f \\
& / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \\
& \cdot c + 1/b^3/d \cdot a^4 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \\
& \cdot x + 1/b^3/d^2 \cdot a^4 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \\
& \cdot c - I/b^3/d^2 \cdot a^4 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) - I/b^3/d \\
& ^2 \cdot a^4 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) + 2 \cdot I/b^3/d \cdot a^2 \cdot f \cdot c \cdot x + 2 \cdot I/b/d^2 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot a^2 + 2 \cdot I/b/d^2 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \cdot a^2 - 1/b/d^2 \cdot f \cdot c \cdot \ln(I \cdot b \cdot \exp(2I \cdot (d \cdot x + c)) - 2 \cdot a \cdot \exp(I \cdot (d \cdot x + c)) - I \cdot b) + 2/b/d^2 \cdot f \cdot c \cdot \ln(\exp(I \cdot (d \cdot x + c))) - I/b/d^2 \cdot f \cdot c^2 + b/d \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot x + b/d^2 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot c + b/d \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \cdot x + b/d^2 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \cdot c - 2 \cdot I/b/d \cdot f \cdot c \cdot x + I/b \cdot e \cdot x + 1/b/d \cdot e \cdot \ln(I \cdot b \cdot \exp(2I \cdot (d \cdot x + c)) - 2 \cdot a \cdot \exp(I \cdot (d \cdot x + c)) - I \cdot b) - 2/b/d \cdot \ln(\exp(I \cdot (d \cdot x + c))) \cdot e - 1/2 \cdot I/b \cdot f \cdot x^2 - 1/2 \cdot I \cdot a \cdot (d \cdot f \cdot x + I \cdot f + d \cdot e) / d^2 / b^2 \cdot \exp(I \cdot (d \cdot x + c)) - I \cdot b/d^2 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) - I \cdot b/d^2 \cdot f / (-a^2 + b^2) \cdot \operatorname{dilog}((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) - 2/b/d \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \cdot a^2 \cdot x - 2/b/d^2 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) + (-a^2 + b^2)^{(1/2)}) / (I \cdot a + (-a^2 + b^2)^{(1/2)})) \cdot a^2 \cdot c - 2/b/d \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot a^2 \cdot x - 2/b/d^2 \cdot f / (-a^2 + b^2) \cdot \ln((I \cdot a + b \cdot \exp(I \cdot (d \cdot x + c)) - (-a^2 + b^2)^{(1/2)}) / (I \cdot a - (-a^2 + b^2)^{(1/2)})) \cdot a^2 \cdot c + I/b^3/d^2 \cdot a^2 \cdot f \cdot c^2 - 2/b^3/d^2 \cdot a^2 \cdot f \cdot c \cdot \ln(\exp(I \cdot (d \cdot x + c))) + 1/b^3/d^2 \cdot a^2 \cdot f \cdot c \cdot \ln(I \cdot b \cdot \exp(2I \cdot (d \cdot x + c)) - 2 \cdot a \cdot \exp(I \cdot (d \cdot x + c)) - I \cdot b) - I/b^3 \cdot a^2 \cdot e \cdot x + 1/2 \cdot I \cdot a \cdot (d \cdot f \cdot x - I \cdot f + d \cdot e) / d^2 / b^2 \cdot \exp(-I \cdot (d \cdot x + c)) + 1/16 \cdot (2 \cdot d \cdot f \cdot x + I \cdot f + 2 \cdot d \cdot e) / b/d^2 \cdot \exp(2I \cdot (d \cdot x + c)) + 1/16 \cdot (2 \cdot d \cdot f \cdot x - I \cdot f + 2 \cdot d \cdot e) / b/d^2 \cdot \exp(-2I \cdot (d \cdot x + c))
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.21873, size = 2533, normalized size = 7.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/4*(b^2*d*f*x - 4*a*b*f*\cos(d*x + c) - 2*(b^2*d*f*x + b^2*d*e)*\cos(d*x + \\ & c)^2 + 2*I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) \\ & + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1 \\ &) + 2*I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2 \\ & *(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - \\ & 2*I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(\\ & b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2 \\ & *I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b* \\ & \cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*(\\ & (a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) \\ &) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*((a^2 - b^2)*d*e - (a^2 - b^2)* \\ & c*f)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} \\ & - 2*I*a) + 2*((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(-2*b*\cos(d*x + c) + 2 \\ & *I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*((a^2 - b^2)*d* \\ & e - (a^2 - b^2)*c*f)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{ \\ & -(a^2 - b^2)/b^2} - 2*I*a) + 2*((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/ \\ & 2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x \\ & + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2 - b^2)*d*f*x + (a^2 - b^2) \\ & *c*f)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - \\ & I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2 - b^2)*d*f*x + \\ & (a^2 - b^2)*c*f)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*co \\ & s(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2 - \\ & b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + \\ & c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b \\ &) - (4*a*b*d*f*x + 4*a*b*d*e - b^2*f*\cos(d*x + c))*\sin(d*x + c))/(b^3*d^2) \end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)^3}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)*cos(d*x + c)^3/(b*sin(d*x + c) + a), x)

$$3.305 \quad \int \frac{\cos^3(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=61

$$-\frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{b^3 d} + \frac{a \sin(c + dx)}{b^2 d} - \frac{\sin^2(c + dx)}{2bd}$$

[Out] -(((a^2 - b^2)*Log[a + b*Sin[c + d*x]])/(b^3*d)) + (a*Sin[c + d*x])/(b^2*d) - Sin[c + d*x]^2/(2*b*d)

Rubi [A] time = 0.0677086, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2668, 697}

$$-\frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{b^3 d} + \frac{a \sin(c + dx)}{b^2 d} - \frac{\sin^2(c + dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d*x]^3/(a + b*Sin[c + d*x]), x]

[Out] -(((a^2 - b^2)*Log[a + b*Sin[c + d*x]])/(b^3*d)) + (a*Sin[c + d*x])/(b^2*d) - Sin[c + d*x]^2/(2*b*d)

Rule 2668

Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rule 697

Int[((d_.) + (e_.)*(x_.))^(m_.)*((a_.) + (c_.)*(x_.)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\text{Subst}\left(\int \frac{b^2 - x^2}{a + x} dx, x, b \sin(c + dx)\right)}{b^3 d} \\ &= \frac{\text{Subst}\left(\int \left(a - x + \frac{-a^2 + b^2}{a + x}\right) dx, x, b \sin(c + dx)\right)}{b^3 d} \\ &= -\frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{b^3 d} + \frac{a \sin(c + dx)}{b^2 d} - \frac{\sin^2(c + dx)}{2bd} \end{aligned}$$

Mathematica [A] time = 0.0766312, size = 54, normalized size = 0.89

$$-\frac{(a^2 - b^2) \log(a + b \sin(c + dx)) + ab \sin(c + dx) - \frac{1}{2} b^2 \sin^2(c + dx)}{b^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d*x]^3/(a + b*Sin[c + d*x]),x]

[Out] $-\frac{((a^2 - b^2) \cdot \text{Log}[a + b \cdot \text{Sin}[c + d \cdot x]]) + a \cdot b \cdot \text{Sin}[c + d \cdot x] - (b^2 \cdot \text{Sin}[c + d \cdot x]^2)/2}{b^3 \cdot d}$

Maple [A] time = 0.001, size = 72, normalized size = 1.2

$$-\frac{(\sin(dx+c))^2}{2bd} + \frac{a \sin(dx+c)}{b^2d} - \frac{\ln(a+b \sin(dx+c))a^2}{db^3} + \frac{\ln(a+b \sin(dx+c))}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3/(a+b*sin(d*x+c)),x)

[Out] $-1/2 \cdot \sin(d \cdot x + c)^2 / b / d + a \cdot \sin(d \cdot x + c) / b^2 / d - 1 / d / b^3 \cdot \ln(a + b \cdot \sin(d \cdot x + c)) \cdot a^2 + \ln(a + b \cdot \sin(d \cdot x + c)) / b / d$

Maxima [A] time = 0.945538, size = 74, normalized size = 1.21

$$-\frac{\frac{b \sin(dx+c)^2 - 2a \sin(dx+c)}{b^2} + \frac{2(a^2 - b^2) \log(b \sin(dx+c) + a)}{b^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] $-1/2 \cdot ((b \cdot \sin(d \cdot x + c))^2 - 2 \cdot a \cdot \sin(d \cdot x + c)) / b^2 + 2 \cdot (a^2 - b^2) \cdot \log(b \cdot \sin(d \cdot x + c) + a) / b^3 / d$

Fricas [A] time = 1.73674, size = 128, normalized size = 2.1

$$\frac{b^2 \cos(dx+c)^2 + 2ab \sin(dx+c) - 2(a^2 - b^2) \log(b \sin(dx+c) + a)}{2b^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $1/2 \cdot (b^2 \cdot \cos(d \cdot x + c)^2 + 2 \cdot a \cdot b \cdot \sin(d \cdot x + c) - 2 \cdot (a^2 - b^2) \cdot \log(b \cdot \sin(d \cdot x + c) + a)) / (b^3 \cdot d)$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 1.18506, size = 76, normalized size = 1.25

$$-\frac{\frac{b \sin(dx+c)^2 - 2a \sin(dx+c)}{b^2} + \frac{2(a^2 - b^2) \log(|b \sin(dx+c) + a|)}{b^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] -1/2*((b*sin(d*x + c))^2 - 2*a*sin(d*x + c))/b^2 + 2*(a^2 - b^2)*log(abs(b*sin(d*x + c) + a))/b^3/d

3.306 $\int \frac{(e+fx)^3 \sec(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=937

$$-\frac{6ia \operatorname{PolyLog}\left(4, -ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{6ia \operatorname{PolyLog}\left(4, ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} - \frac{6ib \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) f^3}{(a^2 - b^2) d^4} - \frac{6ib \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right) f^3}{(a^2 - b^2) d^4}$$

```
[Out] ((-2*I)*a*(e + f*x)^3*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) + (b*(e + f*x)^3*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + ((3*I)*a*f*(e + f*x)^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - ((3*I)*a*f*(e + f*x)^2*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - (((3*I)/2)*b*f*(e + f*x)^2*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) - (6*a*f^2*(e + f*x)*PolyLog[3, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (6*a*f^2*(e + f*x)*PolyLog[3, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - (6*b*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) - (6*b*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) + (3*b*f^2*(e + f*x)*PolyLog[3, -E^((2*I)*(c + d*x))])/((2*(a^2 - b^2)*d^3) - ((6*I)*a*f^3*PolyLog[4, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^4) + ((6*I)*a*f^3*PolyLog[4, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^4) - ((6*I)*b*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^4) - ((6*I)*b*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^4) + (((3*I)/4)*b*f^3*PolyLog[4, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^4)
```

Rubi [A] time = 1.61759, antiderivative size = 937, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 10, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {4533, 4519, 2190, 2531, 6609, 2282, 6589, 6742, 4181, 3719}

$$-\frac{6ia \operatorname{PolyLog}\left(4, -ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{6ia \operatorname{PolyLog}\left(4, ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} - \frac{6ib \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right) f^3}{(a^2 - b^2) d^4} - \frac{6ib \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right) f^3}{(a^2 - b^2) d^4}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Sec[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-2*I)*a*(e + f*x)^3*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) + (b*(e + f*x)^3*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + ((3*I)*a*f*(e + f*x)^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - ((3*I)*a*f*(e + f*x)^2*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - (((3*I)/2)*b*f*(e + f*x)^2*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) - (6*a*f^2*(e + f*x)*PolyLog[3, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (6*a*f^2*(e + f*x)*PolyLog[3, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - (6*b*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) - (6*b*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) + (3*b*f^2*(e + f*x)*PolyLog[3, -E^((2*I)*(c + d*x))])/((2*(a^2 - b^2)*d^3) - ((6*I)*a*f^3*PolyLog[4, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^4) + ((6*I)*a*f^3*PolyLog[4, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^4) - ((6*I)*b*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^4) - ((6*I)*b*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^4) + (((3*I)/4)*b*f^3*PolyLog[4, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^4)
```

$$(a^2 - b^2)d^3) + (3bf^2(e + fx) \text{PolyLog}[3, -E^{(2I)(c + dx)}]) / (2(a^2 - b^2)d^3) - ((6I)af^3 \text{PolyLog}[4, (-I)E^{I(c + dx)}]) / ((a^2 - b^2)d^4) + ((6I)af^3 \text{PolyLog}[4, IE^{I(c + dx)}]) / ((a^2 - b^2)d^4) - ((6I)bf^3 \text{PolyLog}[4, (IbE^{I(c + dx)}) / (a - \text{Sqrt}[a^2 - b^2])] / ((a^2 - b^2)d^4) - ((6I)bf^3 \text{PolyLog}[4, (IbE^{I(c + dx)}) / (a + \text{Sqrt}[a^2 - b^2])] / ((a^2 - b^2)d^4) + (((3I)/4)bf^3 \text{PolyLog}[4, -E^{(2I)(c + dx)}]) / ((a^2 - b^2)d^4)$$
Rule 4533

$$\text{Int}[\frac{(e_{.}) + (f_{.})(x_{.})^{(m_{.})} \text{Sec}[(c_{.}) + (d_{.})(x_{.})^{(n_{.})}])}{(a_{.}) + (b_{.}) \text{Sin}[(c_{.}) + (d_{.})(x_{.})]}, x_{\text{Symbol}}] \rightarrow -\text{Dist}[b^2/(a^2 - b^2), \text{Int}[(e + fx)^m \text{Sec}[c + dx]^{(n - 2)} / (a + b \text{Sin}[c + dx]), x], x] + \text{Dist}[1/(a^2 - b^2), \text{Int}[(e + fx)^m \text{Sec}[c + dx]^{(n - 2)} / (a - b \text{Sin}[c + dx]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 4519

$$\text{Int}[(\text{Cos}[(c_{.}) + (d_{.})(x_{.})] * ((e_{.}) + (f_{.})(x_{.})^{(m_{.})})) / ((a_{.}) + (b_{.}) \text{Sin}[(c_{.}) + (d_{.})(x_{.})]), x_{\text{Symbol}}] \rightarrow -\text{Simp}[(I(e + fx)^{(m + 1)}) / (b * f * (m + 1)), x] + (\text{Int}[(e + fx)^m E^{I(c + dx)} / (a - \text{Rt}[a^2 - b^2, 2] - I * b * E^{I(c + dx)}), x] + \text{Int}[(e + fx)^m E^{I(c + dx)} / (a + \text{Rt}[a^2 - b^2, 2] - I * b * E^{I(c + dx)}), x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{PosQ}[a^2 - b^2]$$
Rule 2190

$$\text{Int}[\frac{(F_{.})^{((g_{.}) * ((e_{.}) + (f_{.})(x_{.})))^{(n_{.})} * ((c_{.}) + (d_{.})(x_{.})^{(m_{.})})}{((a_{.}) + (b_{.}) * (F_{.})^{((g_{.}) * ((e_{.}) + (f_{.})(x_{.})))^{(n_{.})})}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(c + dx)^m \text{Log}[1 + (b * (F^{(g * (e + fx)))^n) / a)] / (b * f * g * n * \text{Log}[F]), x] - \text{Dist}[(d * m) / (b * f * g * n * \text{Log}[F]), \text{Int}[(c + dx)^{(m - 1)} \text{Log}[1 + (b * (F^{(g * (e + fx)))^n) / a)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$$
Rule 2531

$$\text{Int}[\text{Log}[1 + (e_{.}) * ((F_{.})^{((c_{.}) * ((a_{.}) + (b_{.})(x_{.})))^{(n_{.})}) * ((f_{.}) + (g_{.})(x_{.})^{(m_{.})})], x_{\text{Symbol}}] \rightarrow -\text{Simp}[(f + gx)^m \text{PolyLog}[2, -(e * (F^{(c * (a + b * x)))^n)] / (b * c * n * \text{Log}[F]), x] + \text{Dist}[(g * m) / (b * c * n * \text{Log}[F]), \text{Int}[(f + gx)^{(m - 1)} \text{PolyLog}[2, -(e * (F^{(c * (a + b * x)))^n)], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$$
Rule 6609

$$\text{Int}[\frac{(e_{.}) + (f_{.})(x_{.})^{(m_{.})} \text{PolyLog}[n_{.}, (d_{.}) * ((F_{.})^{((c_{.}) * ((a_{.}) + (b_{.})(x_{.})))^{(p_{.})})]}{(a_{.}) + (b_{.}) \text{Sin}[(c_{.}) + (d_{.})(x_{.})]}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(e + fx)^m \text{PolyLog}[n + 1, d * (F^{(c * (a + b * x)))^p)] / (b * c * p * \text{Log}[F]), x] - \text{Dist}[(f * m) / (b * c * p * \text{Log}[F]), \text{Int}[(e + fx)^{(m - 1)} \text{PolyLog}[n + 1, d * (F^{(c * (a + b * x)))^p)], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$$
Rule 2282

$$\text{Int}[u_{.}, x_{\text{Symbol}}] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_{.}) * ((a_{.}) * (v_{.})^{(n_{.})})^{(m_{.})} /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m * n] \&\& !\text{MatchQ}[u, E^{((c_{.}) * ((a_{.}) + (b_{.}) * x)) * (F_{.})[v_{.}]} /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$$
Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*(e + f*x))]/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^3 \sec(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \sec(c + dx)(a - b \sin(c + dx)) dx}{a^2 - b^2} - \frac{b^2 \int \frac{(e + fx)^3 \cos(c + dx)}{a + b \sin(c + dx)} dx}{a^2 - b^2} \\ &= \frac{ib(e + fx)^4}{4(a^2 - b^2)f} + \frac{\int (a(e + fx)^3 \sec(c + dx) - b(e + fx)^3 \tan(c + dx)) dx}{a^2 - b^2} - \frac{b^2 \int \frac{e^{i(c + dx)}(e + fx)}{a - \sqrt{a^2 - b^2} - ibe^{i(c + dx)}} dx}{a^2 - b^2} \\ &= \frac{ib(e + fx)^4}{4(a^2 - b^2)f} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} + \frac{a \int (e + fx)^3 dx}{a} \\ &= -\frac{2ia(e + fx)^3 \tan^{-1}\left(e^{i(c + dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} \\ &= -\frac{2ia(e + fx)^3 \tan^{-1}\left(e^{i(c + dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} \\ &= -\frac{2ia(e + fx)^3 \tan^{-1}\left(e^{i(c + dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} \\ &= -\frac{2ia(e + fx)^3 \tan^{-1}\left(e^{i(c + dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} \\ &= -\frac{2ia(e + fx)^3 \tan^{-1}\left(e^{i(c + dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^3 \log\left(1 - \frac{ibe^{i(c + dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} \end{aligned}$$

Mathematica [B] time = 9.83598, size = 2496, normalized size = 2.66

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Sec[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out]
$$\begin{aligned} & \left(\frac{4 \left((I b (e + f x)^4) / f - (2 (a - b) (1 + E^{(2 I) c})) (e + f x)^3 \operatorname{Log}\left[\frac{1 - I / E^{(I (c + d x))}}{1 + I / E^{(I (c + d x))}} \right] \right)}{d} + \frac{2 (a + b) (1 + E^{(2 I) c}) (e + f x)^3 \operatorname{Log}\left[\frac{1 + I / E^{(I (c + d x))}}{1 - I / E^{(I (c + d x))}} \right]}{d} + (6 (a + b) (1 + E^{(2 I) c})) f (I d^2 (e + f x)^2 \operatorname{PolyLog}[2, (-I) / E^{(I (c + d x))}] + 2 f (d (e + f x) \operatorname{PolyLog}[3, (-I) / E^{(I (c + d x))}] - I f \operatorname{PolyLog}[4, (-I) / E^{(I (c + d x))}]))}{d^4} - \frac{((6 I) (a - b) (1 + E^{(2 I) c})) f (d^2 (e + f x)^2 \operatorname{PolyLog}[2, I / E^{(I (c + d x))}] - (2 I) d f (e + f x) \operatorname{PolyLog}[3, I / E^{(I (c + d x))}] - 2 f^2 \operatorname{PolyLog}[4, I / E^{(I (c + d x))}]))}{d^4} \right) / \left((a^2 - b^2) (1 + E^{(2 I) c}) \right) + (4 b ((-4 I) d^4 e^3 E^{(2 I) c} x - (6 I) d^4 e^2 E^{(2 I) c} f x^2 - (4 I) d^4 e E^{(2 I) c} f^2 x^3 - I d^4 E^{(2 I) c} f^3 x^4 - (2 I) d^3 e^3 \operatorname{ArcTan}\left[\frac{2 a E^{(I (c + d x))}}{b (-1 + E^{(2 I) (c + d x)})} \right] + (2 I) d^3 e^3 E^{(2 I) c} \operatorname{ArcTan}\left[\frac{2 a E^{(I (c + d x))}}{b (-1 + E^{(2 I) (c + d x)})} \right] - d^3 e^3 \operatorname{Log}\left[\frac{4 a^2 E^{(2 I) (c + d x)} + b^2 (-1 + E^{(2 I) (c + d x)})^2}{4 a^2 E^{(2 I) (c + d x)} + b^2 (-1 + E^{(2 I) (c + d x)})^2} \right] - 6 d^3 e^2 f x \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 6 d^3 e^2 E^{(2 I) c} f x \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - 6 d^3 e f^2 x^2 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 6 d^3 e E^{(2 I) c} f^2 x^2 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - 2 d^3 f^3 x^3 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 2 d^3 E^{(2 I) c} f^3 x^3 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} - \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - 6 d^3 e^2 f x \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 6 d^3 e^2 E^{(2 I) c} f x \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - 6 d^3 e f^2 x^2 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 6 d^3 e E^{(2 I) c} f^2 x^2 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - 2 d^3 f^3 x^3 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] + 2 d^3 E^{(2 I) c} f^3 x^3 \operatorname{Log}\left[\frac{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})}{1 + (b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})} \right] - (6 I) d^2 (-1 + E^{(2 I) c}) f (e + f x)^2 \operatorname{PolyLog}[2, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - (6 I) d^2 (-1 + E^{(2 I) c}) f (e + f x)^2 \operatorname{PolyLog}[2, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - 12 d e f^2 \operatorname{PolyLog}[3, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + 12 d e E^{(2 I) c} f^2 \operatorname{PolyLog}[3, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - 12 d f^3 x \operatorname{PolyLog}[3, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + 12 d E^{(2 I) c} f^3 x \operatorname{PolyLog}[3, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - 12 d e f^2 \operatorname{PolyLog}[3, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + 12 d e E^{(2 I) c} f^2 \operatorname{PolyLog}[3, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - 12 d f^3 x \operatorname{PolyLog}[3, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + 12 d E^{(2 I) c} f^3 x \operatorname{PolyLog}[3, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - (12 I) f^3 \operatorname{PolyLog}[4, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + (12 I) E^{(2 I) c} f^3 \operatorname{PolyLog}[4, (I b E^{(I (2 c + d x))}) / (a E^{(I c)} + I \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] - (12 I) f^3 \operatorname{PolyLog}[4, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] + (12 I) E^{(2 I) c} f^3 \operatorname{PolyLog}[4, -(b E^{(I (2 c + d x))}) / (I a E^{(I c)} + \operatorname{Sqrt}[-a^2 + b^2] E^{(2 I) c})] \right) / \left((-a^2 + b^2) d^4 (-1 + E^{(2 I) c}) \right) - (8 b x (4 e^3 + 6 e^2 f x + 4 e f^2 x^2 + f^3 x^3) \operatorname{Csc}[c] \end{aligned}$$

$$^3)/((a - b)*(a + b)*(Csc[c/2] - Sec[c/2])*(Csc[c/2] + Sec[c/2]))/8$$

Maple [F] time = 0.914, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sec(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*sec(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.97027, size = 7549, normalized size = 8.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(6*I*b*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*I*b*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*I*b*f^3*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*I*b*f^3*polylog(4, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 6*I*(a - b)*f^3*polylog(4, I*cos(d*x + c) + sin(d*x + c)) - 6*I*(a + b)*f^3*polylog(4, I*cos(d*x + c) - sin(d*x + c)) + 6*I*(a - b)*f^3*polylog(4, -I*cos(d*x + c) + sin(d*x + c)) + 6*I*(a + b)*f^3*polylog(4, -I*cos(d*x + c) - sin(d*x + c)) + (3*I*b*d^2*f^3*x^2 + 6*I*b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (3*I*b*d^2*f^3*x^2 + 6*I*b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-3*I*b*d^2*f^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-3*I*b*d^2*f^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) \end{aligned}$$

$$\begin{aligned}
& 2*b)/b + 1) + (3*I*(a - b)*d^2*f^3*x^2 + 6*I*(a - b)*d^2*e*f^2*x + 3*I*(a - \\
& b)*d^2*e^2*f)*\text{dilog}(I*\cos(d*x + c) + \sin(d*x + c)) + (3*I*(a + b)*d^2*f^3* \\
& x^2 + 6*I*(a + b)*d^2*e*f^2*x + 3*I*(a + b)*d^2*e^2*f)*\text{dilog}(I*\cos(d*x + c) \\
& - \sin(d*x + c)) + (-3*I*(a - b)*d^2*f^3*x^2 - 6*I*(a - b)*d^2*e*f^2*x - 3* \\
& I*(a - b)*d^2*e^2*f)*\text{dilog}(-I*\cos(d*x + c) + \sin(d*x + c)) + (-3*I*(a + b)* \\
& d^2*f^3*x^2 - 6*I*(a + b)*d^2*e*f^2*x - 3*I*(a + b)*d^2*e^2*f)*\text{dilog}(-I*\cos \\
& (d*x + c) - \sin(d*x + c)) + (b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 \\
& - b*c^3*f^3)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b \\
& ^2)/b^2}) + 2*I*a) + (b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3) \\
& * \log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) \\
& - 2*I*a) + (b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\log \\
& (-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) + 2*I* \\
& a) + (b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\log(-2*b*c \\
& \cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) - 2*I*a) + (b \\
& *d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b* \\
& c^2*d*e*f^2 + b*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2 \\
& *(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + (b* \\
& d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c \\
& ^2*d*e*f^2 + b*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2* \\
& (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + (b*d \\
& ^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c \\
& ^2*d*e*f^2 + b*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2* \\
& (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) + (b*d \\
& ^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c \\
& ^2*d*e*f^2 + b*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2* \\
& (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}) + 2*b)/b) - ((a \\
& + b)*d^3*e^3 - 3*(a + b)*c*d^2*e^2*f + 3*(a + b)*c^2*d*e*f^2 - (a + b)*c^3* \\
& f^3)*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) + ((a - b)*d^3*e^3 - 3*(a - b)* \\
& c*d^2*e^2*f + 3*(a - b)*c^2*d*e*f^2 - (a - b)*c^3*f^3)*\log(\cos(d*x + c) - I \\
& *\sin(d*x + c) + I) - ((a + b)*d^3*f^3*x^3 + 3*(a + b)*d^3*e*f^2*x^2 + 3*(a \\
& + b)*d^3*e^2*f*x + 3*(a + b)*c*d^2*e^2*f - 3*(a + b)*c^2*d*e*f^2 + (a + b)* \\
& c^3*f^3)*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) + ((a - b)*d^3*f^3*x^3 + 3* \\
& (a - b)*d^3*e*f^2*x^2 + 3*(a - b)*d^3*e^2*f*x + 3*(a - b)*c*d^2*e^2*f - 3*(\\
& a - b)*c^2*d*e*f^2 + (a - b)*c^3*f^3)*\log(I*\cos(d*x + c) - \sin(d*x + c) + 1) \\
& - ((a + b)*d^3*f^3*x^3 + 3*(a + b)*d^3*e*f^2*x^2 + 3*(a + b)*d^3*e^2*f*x \\
& + 3*(a + b)*c*d^2*e^2*f - 3*(a + b)*c^2*d*e*f^2 + (a + b)*c^3*f^3)*\log(-I*\cos \\
& (d*x + c) + \sin(d*x + c) + 1) + ((a - b)*d^3*f^3*x^3 + 3*(a - b)*d^3*e*f^ \\
& 2*x^2 + 3*(a - b)*d^3*e^2*f*x + 3*(a - b)*c*d^2*e^2*f - 3*(a - b)*c^2*d*e*f \\
& ^2 + (a - b)*c^3*f^3)*\log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) - ((a + b)*d^ \\
& 3*e^3 - 3*(a + b)*c*d^2*e^2*f + 3*(a + b)*c^2*d*e*f^2 - (a + b)*c^3*f^3)*\log \\
& (-\cos(d*x + c) + I*\sin(d*x + c) + I) + ((a - b)*d^3*e^3 - 3*(a - b)*c*d^2* \\
& e^2*f + 3*(a - b)*c^2*d*e*f^2 - (a - b)*c^3*f^3)*\log(-\cos(d*x + c) - I*\sin \\
& (d*x + c) + I) + 6*(b*d*f^3*x + b*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) \\
&) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b \\
& ^2)/b^2})/b) + 6*(b*d*f^3*x + b*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) \\
& - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b \\
& ^2)/b^2})/b) + 6*(b*d*f^3*x + b*d*e*f^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*s \\
& \sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) \\
&) + 6*(b*d*f^3*x + b*d*e*f^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) \\
&) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 6*((a \\
& - b)*d*f^3*x + (a - b)*d*e*f^2)*\text{polylog}(3, I*\cos(d*x + c) + \sin(d*x + c)) - \\
& 6*((a + b)*d*f^3*x + (a + b)*d*e*f^2)*\text{polylog}(3, I*\cos(d*x + c) - \sin(d*x \\
& + c)) + 6*((a - b)*d*f^3*x + (a - b)*d*e*f^2)*\text{polylog}(3, -I*\cos(d*x + c) + \\
& \sin(d*x + c)) - 6*((a + b)*d*f^3*x + (a + b)*d*e*f^2)*\text{polylog}(3, -I*\cos(d*x \\
& + c) - \sin(d*x + c))/((a^2 - b^2)*d^4)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \sec(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**3*sec(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \sec(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sec(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.307 \quad \int \frac{(e+fx)^2 \sec(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=667

$$\frac{2iaf(e+fx)\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{d^2(a^2-b^2)} - \frac{2iaf(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{d^2(a^2-b^2)} + \frac{2ibf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)} + \frac{2ibf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)}$$

```
[Out] ((-2*I)*a*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) + (b*(e + f*x)^2*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + ((2*I)*a*f*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - ((2*I)*a*f*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - (I*b*f*(e + f*x)*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) - (2*a*f^2*PolyLog[3, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (2*a*f^2*PolyLog[3, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - (2*b*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) - (2*b*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) + (b*f^2*PolyLog[3, -E^((2*I)*(c + d*x))])/((2*(a^2 - b^2)*d^3)
```

Rubi [A] time = 1.14299, antiderivative size = 667, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4533, 4519, 2190, 2531, 2282, 6589, 6742, 4181, 3719}

$$\frac{2iaf(e+fx)\text{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{d^2(a^2-b^2)} - \frac{2iaf(e+fx)\text{PolyLog}\left(2, ie^{i(c+dx)}\right)}{d^2(a^2-b^2)} + \frac{2ibf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)} + \frac{2ibf(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]
```

```
[Out] ((-2*I)*a*(e + f*x)^2*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) + (b*(e + f*x)^2*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + ((2*I)*a*f*(e + f*x)*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - ((2*I)*a*f*(e + f*x)*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - (I*b*f*(e + f*x)*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) - (2*a*f^2*PolyLog[3, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (2*a*f^2*PolyLog[3, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - (2*b*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) - (2*b*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^3) + (b*f^2*PolyLog[3, -E^((2*I)*(c + d*x))])/((2*(a^2 - b^2)*d^3)
```

Rule 4533

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Dist[b^2/(a^2 - b^2), Int[((e + f
```

```
*x)^m*Sec[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x] + Dist[1/(a^2 - b^2), Int[(e + f*x)^m*Sec[c + d*x]^n*(a - b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] :> Simp[(
```

$I*(c + d*x)^(m + 1)/(d*(m + 1), x] - \text{Dist}[2*I, \text{Int}[((c + d*x)^m * E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\int \frac{(e + fx)^2 \sec(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \sec(c + dx)(a - b \sin(c + dx)) dx}{a^2 - b^2} - \frac{b^2 \int \frac{(e+fx)^2 \cos(c+dx)}{a+b \sin(c+dx)} dx}{a^2 - b^2}$$

$$= \frac{ib(e + fx)^3}{3(a^2 - b^2)f} + \frac{\int (a(e + fx)^2 \sec(c + dx) - b(e + fx)^2 \tan(c + dx)) dx}{a^2 - b^2} - \frac{b^2 \int \frac{e^{i(c+dx)}(e + fx)^2}{a - \sqrt{a^2 - b^2} \sin(c + dx)} dx}{a^2 - b^2}$$

$$= \frac{ib(e + fx)^3}{3(a^2 - b^2)f} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} + \frac{a \int (e + fx)^2 \sec(c + dx) dx}{a^2 - b^2}$$

$$= -\frac{2ia(e + fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d}$$

$$= -\frac{2ia(e + fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d}$$

$$= -\frac{2ia(e + fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d}$$

$$= -\frac{2ia(e + fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d}$$

$$= -\frac{2ia(e + fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d} - \frac{b(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)d}$$

Mathematica [B] time = 5.54789, size = 1561, normalized size = 2.34

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Sec[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] ((2*((2*I)*b*(e + f*x)^3)/f - (3*(a - b)*(1 + E^((2*I)*c)))*(e + f*x)^2*Log[1 - I/E^(I*(c + d*x))])/d + (3*(a + b)*(1 + E^((2*I)*c)))*(e + f*x)^2*Log[1 + I/E^(I*(c + d*x))])/d + (6*(a + b)*(1 + E^((2*I)*c))*f*(I*d*(e + f*x)*PolyLog[2, (-I)/E^(I*(c + d*x))] + f*PolyLog[3, (-I)/E^(I*(c + d*x))])/d^3 - ((6*I)*(a - b)*(1 + E^((2*I)*c))*f*(d*(e + f*x)*PolyLog[2, I/E^(I*(c + d*x))]) - I*f*PolyLog[3, I/E^(I*(c + d*x))])/d^3)/((a^2 - b^2)*(1 + E^((2*I)*c))) + (b*((-12*I)*d^3*e^2*E^((2*I)*c)*x - (12*I)*d^3*e*E^((2*I)*c)*f*x^2 - (4*I)*d^3*E^((2*I)*c)*f^2*x^3 - (6*I)*d^2*e^2*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x))))]) + (6*I)*d^2*e^2*E^((2*I)*c)*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x))))]) - 3*d^2*e^2*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] + 3*d^2*e^2*E^((2*I)*c)*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] - 12*d^2*e*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] + 12*d^2*e*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])] - 6*d^2*f^2*x^2*Log[1 + (b*E^(I*(2*c

$$\begin{aligned}
& + dx)) / (I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}]) + 6*d^2*E^{((2*I)*c)} \\
& *f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - 12*d^2*e*f*x*\text{Log}[1 + (b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& + 12*d^2*e*E^{((2*I)*c)}*f*x*\text{Log}[1 + (b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - 6*d^2*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& + 6*d^2*E^{((2*I)*c)}*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - (12*I)*d*(-1 + E^{((2*I)*c)})*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(2*c + d*x))}) / (a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - (12*I)*d*(-1 + E^{((2*I)*c)})*f*(e + f*x)*\text{PolyLog}[2, -(b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - 12*f^2*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))}) / (a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& + 12*E^{((2*I)*c)}*f^2*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))}) / (a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - 12*f^2*\text{PolyLog}[3, -(b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& + 12*E^{((2*I)*c)}*f^2*\text{PolyLog}[3, -(b*E^{(I*(2*c + d*x))}) / (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
&) / ((-a^2 + b^2)*d^3*(-1 + E^{((2*I)*c)})) - (8*b*x*(3*e^2 + 3*e*f*x + f^2*x^2)*\text{Csc}[c]^3) / ((a - b)*(a + b)*(Csc[c/2] - Sec[c/2])*(Csc[c/2] + Sec[c/2])) / 6
\end{aligned}$$

Maple [F] time = 0.7, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sec(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*sec(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.32858, size = 5157, normalized size = 7.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] -1/2*(2*b*f^2*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*b*f^2*polylog

```

og(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*
sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*b*f^2*polylog(3, -(I*a*cos(d*x
+ c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b
^2)/b^2))/b) + 2*b*f^2*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*
cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 2*(a - b)*f^2
*polylog(3, I*cos(d*x + c) + sin(d*x + c)) - 2*(a + b)*f^2*polylog(3, I*cos
(d*x + c) - sin(d*x + c)) + 2*(a - b)*f^2*polylog(3, -I*cos(d*x + c) + sin(
d*x + c)) - 2*(a + b)*f^2*polylog(3, -I*cos(d*x + c) - sin(d*x + c)) + (2*I
*b*d*f^2*x + 2*I*b*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c)
+ 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b +
1) + (2*I*b*d*f^2*x + 2*I*b*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin
(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) +
2*b)/b + 1) + (-2*I*b*d*f^2*x - 2*I*b*d*e*f)*dilog(-1/2*(-2*I*a*cos(d*x + c
) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b
^2)/b^2) + 2*b)/b + 1) + (-2*I*b*d*f^2*x - 2*I*b*d*e*f)*dilog(-1/2*(-2*I*a*
cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqr
t(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (2*I*(a - b)*d*f^2*x + 2*I*(a - b)*d*e*
f)*dilog(I*cos(d*x + c) + sin(d*x + c)) + (2*I*(a + b)*d*f^2*x + 2*I*(a + b
)*d*e*f)*dilog(I*cos(d*x + c) - sin(d*x + c)) + (-2*I*(a - b)*d*f^2*x - 2*I
*(a - b)*d*e*f)*dilog(-I*cos(d*x + c) + sin(d*x + c)) + (-2*I*(a + b)*d*f^2
*x - 2*I*(a + b)*d*e*f)*dilog(-I*cos(d*x + c) - sin(d*x + c)) + (b*d^2*e^2
- 2*b*c*d*e*f + b*c^2*f^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*
sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*log
(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a
) + (b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin
(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (b*d^2*e^2 - 2*b*c*d*e*f
+ b*c^2*f^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 -
b^2)/b^2) - 2*I*a) + (b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f
^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*
b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (b*d^2*f^2*x^2 + 2*b*d^2
*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x
+ c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)
/b) + (b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*log(1/2*(-2
*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c)
))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c
*d*e*f - b*c^2*f^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*
cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - ((a + b
)*d^2*e^2 - 2*(a + b)*c*d*e*f + (a + b)*c^2*f^2)*log(cos(d*x + c) + I*sin(d
*x + c) + I) + ((a - b)*d^2*e^2 - 2*(a - b)*c*d*e*f + (a - b)*c^2*f^2)*log(
cos(d*x + c) - I*sin(d*x + c) + I) - ((a + b)*d^2*f^2*x^2 + 2*(a + b)*d^2*e
*f*x + 2*(a + b)*c*d*e*f - (a + b)*c^2*f^2)*log(I*cos(d*x + c) + sin(d*x +
c) + 1) + ((a - b)*d^2*f^2*x^2 + 2*(a - b)*d^2*e*f*x + 2*(a - b)*c*d*e*f -
(a - b)*c^2*f^2)*log(I*cos(d*x + c) - sin(d*x + c) + 1) - ((a + b)*d^2*f^2*
x^2 + 2*(a + b)*d^2*e*f*x + 2*(a + b)*c*d*e*f - (a + b)*c^2*f^2)*log(-I*cos
(d*x + c) + sin(d*x + c) + 1) + ((a - b)*d^2*f^2*x^2 + 2*(a - b)*d^2*e*f*x
+ 2*(a - b)*c*d*e*f - (a - b)*c^2*f^2)*log(-I*cos(d*x + c) - sin(d*x + c) +
1) - ((a + b)*d^2*e^2 - 2*(a + b)*c*d*e*f + (a + b)*c^2*f^2)*log(-cos(d*x
+ c) + I*sin(d*x + c) + I) + ((a - b)*d^2*e^2 - 2*(a - b)*c*d*e*f + (a - b)
*c^2*f^2)*log(-cos(d*x + c) - I*sin(d*x + c) + I))/((a^2 - b^2)*d^3)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \sec(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*sec(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \sec(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sec(d*x + c)/(b*sin(d*x + c) + a), x)

3.308 $\int \frac{(e+fx) \sec(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=413

$$\frac{iaf \operatorname{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{d^2(a^2 - b^2)} - \frac{iaf \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{d^2(a^2 - b^2)} + \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{d^2(a^2 - b^2)} + \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{d^2(a^2 - b^2)} - \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} - a}\right)}{d^2(a^2 - b^2)}$$

```
[Out] ((-2*I)*a*(e + f*x)*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)
*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b
*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^
2)*d) + (b*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + (I*a*f
*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - (I*a*f*PolyLog[2, I*
E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + (I*b*f*PolyLog[2, (I*b*E^(I*(c + d*x)
)))/(a - Sqrt[a^2 - b^2])/((a^2 - b^2)*d^2) + (I*b*f*PolyLog[2, (I*b*E^(I*
(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - ((I/2)*b*f*PolyLog[
2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2)
```

Rubi [A] time = 0.635319, antiderivative size = 413, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 8, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {4533, 4519, 2190, 2279, 2391, 6742, 4181, 3719}

$$\frac{iaf \operatorname{PolyLog}\left(2, -ie^{i(c+dx)}\right)}{d^2(a^2 - b^2)} - \frac{iaf \operatorname{PolyLog}\left(2, ie^{i(c+dx)}\right)}{d^2(a^2 - b^2)} + \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{d^2(a^2 - b^2)} + \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{d^2(a^2 - b^2)} - \frac{ibf \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} - a}\right)}{d^2(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]
```

```
[Out] ((-2*I)*a*(e + f*x)*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d) - (b*(e + f*x)
*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)*d) - (b
*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^
2)*d) + (b*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d) + (I*a*f
*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^2) - (I*a*f*PolyLog[2, I*
E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + (I*b*f*PolyLog[2, (I*b*E^(I*(c + d*x)
)))/(a - Sqrt[a^2 - b^2])/((a^2 - b^2)*d^2) + (I*b*f*PolyLog[2, (I*b*E^(I*
(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)*d^2) - ((I/2)*b*f*PolyLog[
2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2)
```

Rule 4533

```
Int[(((e_.) + (f_.)*(x_.))^(m_.)*Sec[(c_.) + (d_.)*(x_.)]^(n_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Dist[b^2/(a^2 - b^2), Int[((e + f
*x)^m*Sec[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x] + Dist[1/(a^2 - b^
2), Int[(e + f*x)^m*Sec[c + d*x]^n*(a - b*Sin[c + d*x]), x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0] && IGtQ[n, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 4181

```
Int[csc[(e_) + Pi*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 3719

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (f_)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
 + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\sec(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int (e+fx)\sec(c+dx)(a-b\sin(c+dx)) dx}{a^2-b^2} - \frac{b^2 \int \frac{(e+fx)\cos(c+dx)}{a+b\sin(c+dx)} dx}{a^2-b^2} \\
&= \frac{ib(e+fx)^2}{2(a^2-b^2)f} + \frac{\int (a(e+fx)\sec(c+dx) - b(e+fx)\tan(c+dx)) dx}{a^2-b^2} - \frac{b^2 \int \frac{e^{i(c+dx)}(e+fx)}{a-\sqrt{a^2-b^2}-ibe^{i(c+dx)}} dx}{a^2-b^2} \\
&= \frac{ib(e+fx)^2}{2(a^2-b^2)f} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} + \frac{a \int (e+fx) dx}{a} \\
&= -\frac{2ia(e+fx)\tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} \\
&= -\frac{2ia(e+fx)\tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} \\
&= -\frac{2ia(e+fx)\tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} \\
&= -\frac{2ia(e+fx)\tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d} - \frac{b(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)d}
\end{aligned}$$

Mathematica [B] time = 16.59, size = 2743, normalized size = 6.64

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Sec[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] ((d*e + d*f*x)*((-I)*b*(d*e + d*f*x)^2)/f + 2*(a - b)*(d*e - c*f)*Log[1 - Tan[(c + d*x)/2]] - 4*b*(d*e + d*f*x)*Log[(-2*I)/(-I + Tan[(c + d*x)/2])] - 2*(a + b)*(d*e - c*f)*Log[1 + Tan[(c + d*x)/2]] - (4*I)*b*f*PolyLog[2, -Cos[c + d*x] + I*Sin[c + d*x]] + (2*I)*(a + b)*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(1/2 - I/2)*(1 + Tan[(c + d*x)/2])] + PolyLog[2, ((1 + I) - (1 - I)*Tan[(c + d*x)/2])/2]) - (2*I)*(a + b)*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(1/2 + I/2)*(1 + Tan[(c + d*x)/2])] + PolyLog[2, (-1/2 - I/2)*(I + Tan[(c + d*x)/2])]) + (2*I)*(a - b)*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(-1/2 + I/2)*(-1 + Tan[(c + d*x)/2])] + PolyLog[2, ((1 + I) + (1 - I)*Tan[(c + d*x)/2])/2]) - (2*I)*(a - b)*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(-1/2 - I/2)*(-1 + Tan[(c + d*x)/2])] + PolyLog[2, ((1 - I) + (1 + I)*Tan[(c + d*x)/2])/2])*(a - b*Sin[c + d*x])/((a^2 - b^2)*d^2*(-2*a*d*e + 2*a*c*f - (2*I)*a*f*Log[1 - I*Tan[(c + d*x)/2]] + (2*I)*a*f*Log[1 + I*Tan[(c + d*x)/2]] + 4*b*f*Cos[c + d*x]*(Log[1 + Cos[c + d*x] - I*Sin[c + d*x]] - Log[(-2*I)/(-I + Tan[(c + d*x)/2])]) + b*(d*e - c*f + f*(c + d*x))*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + b*d*e*Tan[(c + d*x)/2] - b*c*f*Tan[(c + d*x)/2] - b*f*(c + d*x)*Tan[(c + d*x)/2] + (2*I)*b*f*Log[1 - I*Tan[(c + d*x)/2]]*Tan[(c + d*x)/2] - (2*I)*b*f*Log[1 + I*Tan[(c + d*x)/2]]*Tan[(c + d*x)/2]) + ((f*(c + d*x)^2 + (2*I)*d*e*Log[Sec[(c + d*x)/2]^2] - (2*I)*c*f*Log[Sec[(c + d*x)/2]^2] - (2*I)*d*e*Log[Sec[(c + d*x)/2]^2*(a + b*Sin[c + d*x])] + (2*I)*c*f*Log[Sec[(c + d*x)/2]^2*(a + b*Sin[c + d*x])]) - (4*I)*f*(c + d*x)*Log[(-2*I)/(-I + Tan[(c + d*x)/2])] - 2*f*Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])] + 2*f*Log[1 - I*Tan[(c + d*x)/2]]*Log[-(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a

$$\begin{aligned} &^2 + b^2)))] + 2*f*\text{Log}[1 - I*\text{Tan}[(c + d*x)/2]]*\text{Log}[(b + \text{Sqrt}[-a^2 + b^2] + \\ &a*\text{Tan}[(c + d*x)/2])/((-I)*a + b + \text{Sqrt}[-a^2 + b^2])] - 2*f*\text{Log}[1 + I*\text{Tan}[(c \\ &+ d*x)/2]]*\text{Log}[(b + \text{Sqrt}[-a^2 + b^2] + a*\text{Tan}[(c + d*x)/2])/(I*a + b + \text{Sqrt} \\ &[-a^2 + b^2])] + 4*f*\text{PolyLog}[2, -\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]] + 2*f*\text{PolyL} \\ &\text{og}[2, (a*(1 - I*\text{Tan}[(c + d*x)/2]))/(a + I*(b + \text{Sqrt}[-a^2 + b^2]))] - 2*f*Po \\ &\text{lyLog}[2, (a*(1 + I*\text{Tan}[(c + d*x)/2]))/(a - I*(b + \text{Sqrt}[-a^2 + b^2]))] + 2*f \\ &*PolyLog[2, (a*(I + \text{Tan}[(c + d*x)/2]))/(I*a - b + \text{Sqrt}[-a^2 + b^2])] - 2*f* \\ &PolyLog[2, (a + I*a*\text{Tan}[(c + d*x)/2])/(a + I*(-b + \text{Sqrt}[-a^2 + b^2]))]*(- \\ &(b^2*e*\text{Cos}[c + d*x])/((a^2 - b^2)*(a + b*\text{Sin}[c + d*x]))) + (b^2*c*f*\text{Cos}[c + \\ &d*x])/((a^2 - b^2)*d*(a + b*\text{Sin}[c + d*x])) - (b^2*f*(c + d*x)*\text{Cos}[c + d*x] \\ &)/((a^2 - b^2)*d*(a + b*\text{Sin}[c + d*x]))/(d*(2*f*(c + d*x) - (4*I)*f*\text{Log}[(- \\ &2*I)/(-I + \text{Tan}[(c + d*x)/2])] - (4*f*\text{Log}[1 + \text{Cos}[c + d*x] - I*\text{Sin}[c + d*x]] \\ &*(I*\text{Cos}[c + d*x] + \text{Sin}[c + d*x]))/(-\text{Cos}[c + d*x] + I*\text{Sin}[c + d*x]) + (I*f*L \\ &\text{og}[1 - (a*(1 - I*\text{Tan}[(c + d*x)/2]))/(a + I*(b + \text{Sqrt}[-a^2 + b^2]))]*\text{Sec}[(c \\ &+ d*x)/2]^2)/(1 - I*\text{Tan}[(c + d*x)/2]) - (I*f*\text{Log}[-((b - \text{Sqrt}[-a^2 + b^2] + \\ &a*\text{Tan}[(c + d*x)/2])/(I*a - b + \text{Sqrt}[-a^2 + b^2]))]*\text{Sec}[(c + d*x)/2]^2)/(1 - \\ &I*\text{Tan}[(c + d*x)/2]) - (I*f*\text{Log}[(b + \text{Sqrt}[-a^2 + b^2] + a*\text{Tan}[(c + d*x)/2]) \\ &/((-I)*a + b + \text{Sqrt}[-a^2 + b^2])]*\text{Sec}[(c + d*x)/2]^2)/(1 - I*\text{Tan}[(c + d*x)/ \\ &2]) + (I*f*\text{Log}[1 - (a*(1 + I*\text{Tan}[(c + d*x)/2]))/(a - I*(b + \text{Sqrt}[-a^2 + b^2 \\ &]))]*\text{Sec}[(c + d*x)/2]^2)/(1 + I*\text{Tan}[(c + d*x)/2]) - (I*f*\text{Log}[(b - \text{Sqrt}[-a^2 \\ &+ b^2] + a*\text{Tan}[(c + d*x)/2])/(I*a + b - \text{Sqrt}[-a^2 + b^2])]*\text{Sec}[(c + d*x)/2 \\ &]^2)/(1 + I*\text{Tan}[(c + d*x)/2]) - (I*f*\text{Log}[(b + \text{Sqrt}[-a^2 + b^2] + a*\text{Tan}[(c + \\ &d*x)/2])/(I*a + b + \text{Sqrt}[-a^2 + b^2])]*\text{Sec}[(c + d*x)/2]^2)/(1 + I*\text{Tan}[(c + \\ &d*x)/2]) + (2*I)*d*e*\text{Tan}[(c + d*x)/2] - (2*I)*c*f*\text{Tan}[(c + d*x)/2] + ((2*I \\ &)*f*(c + d*x)*\text{Sec}[(c + d*x)/2]^2)/(-I + \text{Tan}[(c + d*x)/2]) - (f*\text{Log}[1 - (a*(\\ &I + \text{Tan}[(c + d*x)/2]))/(I*a - b + \text{Sqrt}[-a^2 + b^2])]*\text{Sec}[(c + d*x)/2]^2)/(I \\ &+ \text{Tan}[(c + d*x)/2]) + (I*a*f*\text{Log}[1 - (a + I*a*\text{Tan}[(c + d*x)/2])/(a + I*(-b \\ &+ \text{Sqrt}[-a^2 + b^2]))]*\text{Sec}[(c + d*x)/2]^2)/(a + I*a*\text{Tan}[(c + d*x)/2]) + (a* \\ &f*\text{Log}[1 - I*\text{Tan}[(c + d*x)/2]]*\text{Sec}[(c + d*x)/2]^2)/(b - \text{Sqrt}[-a^2 + b^2] + a \\ &*\text{Tan}[(c + d*x)/2]) - (a*f*\text{Log}[1 + I*\text{Tan}[(c + d*x)/2]]*\text{Sec}[(c + d*x)/2]^2)/(\\ &b - \text{Sqrt}[-a^2 + b^2] + a*\text{Tan}[(c + d*x)/2]) + (a*f*\text{Log}[1 - I*\text{Tan}[(c + d*x)/2 \\ &]]*\text{Sec}[(c + d*x)/2]^2)/(b + \text{Sqrt}[-a^2 + b^2] + a*\text{Tan}[(c + d*x)/2]) - (a*f*L \\ &\text{og}[1 + I*\text{Tan}[(c + d*x)/2]]*\text{Sec}[(c + d*x)/2]^2)/(b + \text{Sqrt}[-a^2 + b^2] + a*Ta \\ &\text{n}[(c + d*x)/2]) - ((2*I)*d*e*\text{Cos}[(c + d*x)/2]^2*(b*\text{Cos}[c + d*x]*\text{Sec}[(c + d* \\ &x)/2]^2 + \text{Sec}[(c + d*x)/2]^2*(a + b*\text{Sin}[c + d*x])* \text{Tan}[(c + d*x)/2]))/(a + b \\ &*\text{Sin}[c + d*x]) + ((2*I)*c*f*\text{Cos}[(c + d*x)/2]^2*(b*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x \\ &)/2]^2 + \text{Sec}[(c + d*x)/2]^2*(a + b*\text{Sin}[c + d*x])* \text{Tan}[(c + d*x)/2]))/(a + b* \\ &\text{Sin}[c + d*x])) \end{aligned}$$

Maple [B] time = 0.254, size = 861, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)*\text{sec}(d*x+c)/(a+b*\text{sin}(d*x+c)),x)$

[Out] $\frac{4}{d*e} \frac{(4*a-4*b)*\ln(\exp(I*(d*x+c))+I)-1}{d*e*b/(a-b)/(a+b)*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-4} - \frac{4}{d*e} \frac{(4*a+4*b)*\ln(\exp(I*(d*x+c))-I)-1}{d*f*b/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2}))} *x - \frac{1}{d^2*f*b/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2}))} *c - \frac{4*I}{d^2*f/(4*a+4*b)*\text{dilog}(-I*\exp(I*(d*x+c)))-4} \frac{d*f}{(4*a+4*b)*\ln(-I*(I-\exp(I*(d*x+c))))} *x - \frac{4}{d^2*f/(4*a+4*b)*\ln(-I*(I-\exp(I*(d*x+c))))} *c - \frac{4*I}{d^2*f/(4*a-4*b)*\text{dilog}(-I*(\exp(I*(d*x+c))+I))+4} \frac{d*f}{(4*a-4*b)*\ln(-I*(\exp(I*(d*x+c))+I))} *x + \frac{4}{d^2*f/(4*a-4*b)*\ln(-I*(\exp(I*(d*x+c))+I))} *c + \frac{I}{d^2*f*b/(a-b)/(a+b)*\text{dilog}((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2}))} + \frac{I}{d^2*f*b/(a-b)/(a+b)*\text{dilog}(-I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a$

$$\begin{aligned} & (a^2-b^2)^{(1/2)})-1/d*f*b/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)} \\ & 2)-a)/(a+(a^2-b^2)^{(1/2)}))*x-1/d^2*f*b/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(\\ & (a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*c-4*I/d^2*f/(4*a+4*b)*\ln(-I*(I-\exp(\\ & I*(d*x+c))))*\ln(-I*\exp(I*(d*x+c)))-4/d^2*f*c/(4*a-4*b)*\ln(\exp(I*(d*x+c))+I) \\ & +1/d^2*f*c*b/(a-b)/(a+b)*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+4/ \\ & d^2*f*c/(4*a+4*b)*\ln(\exp(I*(d*x+c))-I) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.77881, size = 3094, normalized size = 7.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(I*b*f*dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + I*b*f*dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - I*b*f*dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - I*b*f*dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + I*(a - b)*f*dilog(I*\cos(d*x + c) + \sin(d*x + c)) + I*(a + b)*f*dilog(I*\cos(d*x + c) - \sin(d*x + c)) - I*(a - b)*f*dilog(-I*\cos(d*x + c) + \sin(d*x + c)) - I*(a + b)*f*dilog(-I*\cos(d*x + c) - \sin(d*x + c)) + (b*d*e - b*c*f)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + (b*d*e - b*c*f)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + (b*d*e - b*c*f)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + (b*d*e - b*c*f)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + (b*d*f*x + b*c*f)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + (b*d*f*x + b*c*f)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + (b*d*f*x + b*c*f)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + (b*d*f*x + b*c*f)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - ((a + b)*d*e - (a + b)*c*f)*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) + ((a - b)*d*e - (a - b)*c*f)*\log(\cos(d*x + c) - I*\sin(d*x + c) + I) - ((a + b)*d*f*x + (a + b)*c*f)*\log(I*\cos(d*x + c) + \sin(d*x + c) + 1) + ((a - b)*d*f*x + (a - b)*c*f)*\log(I*\cos(d*x + c) - \sin(d*x + c) + 1) - ((a + b)*d*f*x + (a + b)*c*f)*\log(-I*\cos(d*x + c) + \sin(d*x + c) + 1) + ((a - b)*d*f*x + (a - b)*c*f)*\log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) - ((a + b)*d*e - (a + b)*c*f)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + I) + ((a - b)*d*e - (a - b)*c*f)*\log(-\cos(d*x + c) \end{aligned}$$

- I*sin(d*x + c) + I)/((a^2 - b^2)*d^2)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \sec(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*sec(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sec(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)*sec(d*x + c)/(b*sin(d*x + c) + a), x)

3.309 $\int \frac{\sec(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=75

$$-\frac{b \log(a + b \sin(c + dx))}{d(a^2 - b^2)} - \frac{\log(1 - \sin(c + dx))}{2d(a + b)} + \frac{\log(\sin(c + dx) + 1)}{2d(a - b)}$$

[Out] $-\text{Log}[1 - \text{Sin}[c + d*x]]/(2*(a + b)*d) + \text{Log}[1 + \text{Sin}[c + d*x]]/(2*(a - b)*d) - (b*\text{Log}[a + b*\text{Sin}[c + d*x]])/((a^2 - b^2)*d)$

Rubi [A] time = 0.080833, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.21$, Rules used = {2668, 706, 31, 633}

$$-\frac{b \log(a + b \sin(c + dx))}{d(a^2 - b^2)} - \frac{\log(1 - \sin(c + dx))}{2d(a + b)} + \frac{\log(\sin(c + dx) + 1)}{2d(a - b)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sec}[c + d*x]/(a + b*\text{Sin}[c + d*x]), x]$

[Out] $-\text{Log}[1 - \text{Sin}[c + d*x]]/(2*(a + b)*d) + \text{Log}[1 + \text{Sin}[c + d*x]]/(2*(a - b)*d) - (b*\text{Log}[a + b*\text{Sin}[c + d*x]])/((a^2 - b^2)*d)$

Rule 2668

$\text{Int}[\cos[(e_.) + (f_.)*(x_.)]^{(p_.)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x_Symbol] := \text{Dist}[1/(b^p*f), \text{Subst}[\text{Int}[(a + x)^m*(b^2 - x^2)^{(p-1)/2}, x], x, b*\text{Sin}[e + f*x]], x] /; \text{FreeQ}\{a, b, e, f, m\}, x\} \ \&\& \ \text{IntegerQ}[(p-1)/2] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 706

$\text{Int}[1/(((d_) + (e_.)*(x_.))*((a_) + (c_.)*(x_.)^2)), x_Symbol] := \text{Dist}[e^2/(c*d^2 + a*e^2), \text{Int}[1/(d + e*x), x], x] + \text{Dist}[1/(c*d^2 + a*e^2), \text{Int}[(c*d - c*e*x)/(a + c*x^2), x], x] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NeQ}[c*d^2 + a*e^2, 0]$

Rule 31

$\text{Int}(((a_) + (b_.)*(x_.))^{-1}, x_Symbol] := \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x, x]]/b, x] /; \text{FreeQ}\{a, b\}, x]$

Rule 633

$\text{Int}(((d_) + (e_.)*(x_.))/((a_) + (c_.)*(x_.)^2), x_Symbol] := \text{With}\{q = \text{Rt}[-(a*c), 2]\}, \text{Dist}[e/2 + (c*d)/(2*q), \text{Int}[1/(-q + c*x), x], x] + \text{Dist}[e/2 - (c*d)/(2*q), \text{Int}[1/(q + c*x), x], x]] /; \text{FreeQ}\{a, c, d, e\}, x\} \ \&\& \ \text{NiceSqrtQ}[-(a*c)]$

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)}{a+b\sin(c+dx)} dx &= \frac{b \operatorname{Subst}\left(\int \frac{1}{(a+x)(b^2-x^2)} dx, x, b\sin(c+dx)\right)}{d} \\
&= -\frac{b \operatorname{Subst}\left(\int \frac{1}{a+x} dx, x, b\sin(c+dx)\right)}{(a^2-b^2)d} - \frac{b \operatorname{Subst}\left(\int \frac{-a+x}{b^2-x^2} dx, x, b\sin(c+dx)\right)}{(a^2-b^2)d} \\
&= -\frac{b \log(a+b\sin(c+dx))}{(a^2-b^2)d} - \frac{\operatorname{Subst}\left(\int \frac{1}{-b-x} dx, x, b\sin(c+dx)\right)}{2(a-b)d} + \frac{\operatorname{Subst}\left(\int \frac{1}{b-x} dx, x, b\sin(c+dx)\right)}{2(a+b)d} \\
&= -\frac{\log(1-\sin(c+dx))}{2(a+b)d} + \frac{\log(1+\sin(c+dx))}{2(a-b)d} - \frac{b \log(a+b\sin(c+dx))}{(a^2-b^2)d}
\end{aligned}$$

Mathematica [A] time = 0.0609976, size = 64, normalized size = 0.85

$$\frac{(b-a)\log(1-\sin(c+dx)) + (a+b)\log(\sin(c+dx)+1) - 2b\log(a+b\sin(c+dx))}{2d(a-b)(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]/(a + b*Sin[c + d*x]),x]

[Out] ((-a + b)*Log[1 - Sin[c + d*x]] + (a + b)*Log[1 + Sin[c + d*x]] - 2*b*Log[a + b*Sin[c + d*x]])/(2*(a - b)*(a + b)*d)

Maple [A] time = 0.002, size = 76, normalized size = 1.

$$-\frac{b \ln(a+b\sin(dx+c))}{d(a-b)(a+b)} - \frac{\ln(\sin(dx+c)-1)}{d(2a+2b)} + \frac{\ln(1+\sin(dx+c))}{d(2a-2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] -1/d*b/(a-b)/(a+b)*ln(a+b*sin(d*x+c))-1/d/(2*a+2*b)*ln(sin(d*x+c)-1)+1/d/(2*a-2*b)*ln(1+sin(d*x+c))

Maxima [A] time = 0.946195, size = 86, normalized size = 1.15

$$-\frac{\frac{2b \log(b\sin(dx+c)+a)}{a^2-b^2} - \frac{\log(\sin(dx+c)+1)}{a-b} + \frac{\log(\sin(dx+c)-1)}{a+b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(2*b*log(b*sin(d*x + c) + a)/(a^2 - b^2) - log(sin(d*x + c) + 1)/(a - b) + log(sin(d*x + c) - 1)/(a + b))/d

Fricas [A] time = 2.25565, size = 158, normalized size = 2.11

$$\frac{2b \log(b \sin(dx + c) + a) - (a + b) \log(\sin(dx + c) + 1) + (a - b) \log(-\sin(dx + c) + 1)}{2(a^2 - b^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] -1/2*(2*b*log(b*sin(d*x + c) + a) - (a + b)*log(sin(d*x + c) + 1) + (a - b)*log(-sin(d*x + c) + 1))/(a^2 - b^2)*d

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.19167, size = 96, normalized size = 1.28

$$\frac{\frac{2b^2 \log(|b \sin(dx+c)+a|)}{a^2b-b^3} - \frac{\log(|\sin(dx+c)+1|)}{a-b} + \frac{\log(|\sin(dx+c)-1|)}{a+b}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] -1/2*(2*b^2*log(abs(b*sin(d*x + c) + a))/(a^2*b - b^3) - log(abs(sin(d*x + c) + 1))/(a - b) + log(abs(sin(d*x + c) - 1))/(a + b))/d

$$3.310 \quad \int \frac{(e+fx)^3 \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=923

$$-\frac{6b \operatorname{PolyLog}\left(3, -ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{6b \operatorname{PolyLog}\left(3, ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{3a \operatorname{PolyLog}\left(3, -e^{2i(c+dx)}\right) f^3}{2(a^2 - b^2) d^4} - \frac{6b^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d^4}$$

[Out] $((-I)*a*(e + f*x)^3)/((a^2 - b^2)*d) - ((6*I)*b*f*(e + f*x)^2*\operatorname{ArcTan}[E^{(I*(c + d*x))}]/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d) - (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d) + (3*a*f*(e + f*x)^2*\operatorname{Log}[1 + E^{((2*I)*(c + d*x))}])/((a^2 - b^2)*d^2) + ((6*I)*b*f^2*(e + f*x)*\operatorname{PolyLog}[2, (-I)*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^3) - ((6*I)*b*f^2*(e + f*x)*\operatorname{PolyLog}[2, I*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^3) + (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^2) - (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^2) - ((3*I)*a*f^2*(e + f*x)*\operatorname{PolyLog}[2, -E^{((2*I)*(c + d*x))}])/((a^2 - b^2)*d^3) - (6*b*f^3*\operatorname{PolyLog}[3, (-I)*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^4) + (6*b*f^3*\operatorname{PolyLog}[3, I*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^4) + ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^3) - ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^3) + (3*a*f^3*\operatorname{PolyLog}[3, -E^{((2*I)*(c + d*x))}])/((2*(a^2 - b^2)*d^4) - (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^4) + (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^4) - (b*(e + f*x)^3*\operatorname{Sec}[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)^3*\operatorname{Tan}[c + d*x])/((a^2 - b^2)*d)$

Rubi [A] time = 1.93669, antiderivative size = 923, normalized size of antiderivative = 1., number of steps used = 29, number of rules used = 13, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.464$, Rules used = {4533, 3323, 2264, 2190, 2531, 6609, 2282, 6589, 6742, 4184, 3719, 4409, 4181}

$$-\frac{6b \operatorname{PolyLog}\left(3, -ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{6b \operatorname{PolyLog}\left(3, ie^{i(c+dx)}\right) f^3}{(a^2 - b^2) d^4} + \frac{3a \operatorname{PolyLog}\left(3, -e^{2i(c+dx)}\right) f^3}{2(a^2 - b^2) d^4} - \frac{6b^2 \operatorname{PolyLog}\left(4, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d^4}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^3*\operatorname{Sec}[c + d*x]^2/(a + b*\operatorname{Sin}[c + d*x]), x]$

[Out] $((-I)*a*(e + f*x)^3)/((a^2 - b^2)*d) - ((6*I)*b*f*(e + f*x)^2*\operatorname{ArcTan}[E^{(I*(c + d*x))}]/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d) - (I*b^2*(e + f*x)^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d) + (3*a*f*(e + f*x)^2*\operatorname{Log}[1 + E^{((2*I)*(c + d*x))}])/((a^2 - b^2)*d^2) + ((6*I)*b*f^2*(e + f*x)*\operatorname{PolyLog}[2, (-I)*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^3) - ((6*I)*b*f^2*(e + f*x)*\operatorname{PolyLog}[2, I*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^3) + (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^2) - (3*b^2*f*(e + f*x)^2*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^2) - ((3*I)*a*f^2*(e + f*x)*\operatorname{PolyLog}[2, -E^{((2*I)*(c + d*x))}])/((a^2 - b^2)*d^3) - (6*b*f^3*\operatorname{PolyLog}[3, (-I)*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^4) + (6*b*f^3*\operatorname{PolyLog}[3, I*E^{(I*(c + d*x))}])/((a^2 - b^2)*d^4) + ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^3) - ((6*I)*b^2*f^2*(e + f*x)*\operatorname{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^3) + (3*a*f^3*\operatorname{PolyLog}[3, -E^{((2*I)*(c + d*x))}])/((2*(a^2 - b^2)*d^4) - (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^4) + (6*b^2*f^3*\operatorname{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/((a^2 - b^2)^{(3/2)*d^4) - (b*(e + f*x)^3*\operatorname{Sec}[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)^3*\operatorname{Tan}[c + d*x])/((a^2 - b^2)*d)$

$$2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^3) + (3*a*f^3*PolyLog[3, -E^((2*I)*(c + d*x))]/(2*(a^2 - b^2)*d^4) - (6*b^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^4) + (6*b^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^4) - (b*(e + f*x)^3*Sec[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)^3*Tan[c + d*x])/((a^2 - b^2)*d)$$
Rule 4533

$$\text{Int}[\frac{((e + f*x)^m * \text{Sec}[c + d*x]^n)}{(a + b*\text{Sin}[c + d*x])}, x, x] \rightarrow -\text{Dist}[b^2/(a^2 - b^2), \text{Int}[\frac{(e + f*x)^m * \text{Sec}[c + d*x]^{n-2}}{(a + b*\text{Sin}[c + d*x])}, x, x] + \text{Dist}[1/(a^2 - b^2), \text{Int}[(e + f*x)^m * \text{Sec}[c + d*x]^n * (a - b*\text{Sin}[c + d*x]), x, x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[n, 0]$$
Rule 3323

$$\text{Int}[\frac{(c + d*x)^m}{(a + b*\text{sin}[e + f*x])}, x, x] \rightarrow \text{Dist}[2, \text{Int}[\frac{(c + d*x)^m * E^{I*(e + f*x)}}{(I*b + 2*a*E^{I*(e + f*x)}) - I*b*E^{2*I*(e + f*x)}}, x, x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$$
Rule 2264

$$\text{Int}[\frac{(F^u * (f + g*x)^m)}{(a + b*(F^u + c*(F^v))}, x, x] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[\frac{(f + g*x)^m * F^u}{(b - q + 2*c*F^u)}, x, x] - \text{Dist}[(2*c)/q, \text{Int}[\frac{(f + g*x)^m * F^u}{(b + q + 2*c*F^u)}, x, x] /; \text{FreeQ}\{F, a, b, c, f, g\}, x] \&\& \text{EqQ}[v, 2*u] \&\& \text{LinearQ}[u, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[m, 0]$$
Rule 2190

$$\text{Int}[\frac{(F^{(g*(e + f*x))})^n * (c + d*x)^m}{(a + b*(F^{(g*(e + f*x))})^n)}, x, x] \rightarrow \text{Simp}[\frac{(c + d*x)^m * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]}{(b*f*g*n*\text{Log}[F])}, x] - \text{Dist}[\frac{(d*m)/(b*f*g*n*\text{Log}[F])}{\text{Int}[(c + d*x)^{m-1} * \text{Log}[1 + (b*(F^{(g*(e + f*x))})^n)/a]}, x, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$$
Rule 2531

$$\text{Int}[\text{Log}[1 + (e + f*x)^m * (F^{(c*(a + b*x))})^n] * (f + g*x)^m, x, x] \rightarrow -\text{Simp}[\frac{(f + g*x)^m * \text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)]}{(b*c*n*\text{Log}[F])}, x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{m-1} * \text{PolyLog}[2, -(e*(F^{(c*(a + b*x))})^n)], x, x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x] \&\& \text{GtQ}[m, 0]$$
Rule 6609

$$\text{Int}[\frac{(e + f*x)^m * \text{PolyLog}[n, d*(F^{(c*(a + b*x))})^p]}{(b*c*p*\text{Log}[F])}, x, x] \rightarrow \text{Simp}[\frac{(e + f*x)^m * \text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))})^p]}{(b*c*p*\text{Log}[F])}, x] - \text{Dist}[\frac{(f*m)/(b*c*p*\text{Log}[F])}{\text{Int}[(e + f*x)^{m-1} * \text{PolyLog}[n + 1, d*(F^{(c*(a + b*x))})^p]}, x, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$$
Rule 2282

$$\text{Int}[u, x, x] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_*) * (a_*) * (v_*)^n]^m /; \text{FreeQ}[$$

```
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6742

```
Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[
((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot
[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] :> Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] -
Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a,
b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \sec^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^3 \sec^2(c+dx)(a-b \sin(c+dx)) dx}{a^2-b^2} - \frac{b^2 \int \frac{(e+fx)^3}{a+b \sin(c+dx)} dx}{a^2-b^2} \\
&= \frac{\int (a(e+fx)^3 \sec^2(c+dx) - b(e+fx)^3 \sec(c+dx) \tan(c+dx)) dx}{a^2-b^2} - \frac{(2b^2) \int \frac{e^{i(c+dx)}}{ib+2ae^{i(c+dx)}} dx}{a^2-b^2} \\
&= \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)^3}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2-b^2)^{3/2}} - \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)^3}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2-b^2)^{3/2}} + \frac{a \int (e+fx)^3 \sec^2(c+dx) dx}{a^2-b^2} \\
&= \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{b(e+fx)^3 \sec(c+dx)}{(a^2-b^2) d} \\
&= \frac{ia(e+fx)^3}{(a^2-b^2) d} - \frac{6ibf(e+fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} \\
&= \frac{ia(e+fx)^3}{(a^2-b^2) d} - \frac{6ibf(e+fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} \\
&= \frac{ia(e+fx)^3}{(a^2-b^2) d} - \frac{6ibf(e+fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} \\
&= \frac{ia(e+fx)^3}{(a^2-b^2) d} - \frac{6ibf(e+fx)^2 \tan^{-1}\left(e^{i(c+dx)}\right)}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d}
\end{aligned}$$

Mathematica [A] time = 9.37484, size = 1438, normalized size = 1.56

$$\frac{b \sec(c)(e+fx)^3}{(b^2-a^2)d} + \frac{f \left(\frac{2ia(e+fx)^3}{f} + \frac{3(a-b)(1+e^{2ic}) \log(1-ie^{-i(c+dx)})(e+fx)^2}{d} + \frac{3(a+b)(1+e^{2ic}) \log(1+ie^{-i(c+dx)})(e+fx)^2}{d} + \frac{6(a+b)(1+e^{2ic})f(id)}{(a^2-b^2)^{3/2}} \right)}{(a^2-b^2)^{3/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (f*(((2*I)*a*(e + f*x)^3)/f + (3*(a - b)*(1 + E^((2*I)*c))*(e + f*x)^2*Log[1 - I/E^(I*(c + d*x))])/d + (3*(a + b)*(1 + E^((2*I)*c))*(e + f*x)^2*Log[1 + I/E^(I*(c + d*x))])/d + (6*(a + b)*(1 + E^((2*I)*c))*f*(I*d*(e + f*x)*PolyLog[2, (-I)/E^(I*(c + d*x))] + f*PolyLog[3, (-I)/E^(I*(c + d*x))])/d^3 + (6*(a - b)*(1 + E^((2*I)*c))*f*(I*d*(e + f*x)*PolyLog[2, I/E^(I*(c + d*x))] + f*PolyLog[3, I/E^(I*(c + d*x))])/d^3)/((a^2 - b^2)*d*(1 + E^((2*I)*c))) + (b^2*(2*Sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 3*Sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] - 3*Sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])] - Sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a

$$\begin{aligned} &^2 + b^2)] - (3I)\sqrt{a^2 - b^2}d^2f(e + fx)^2\text{PolyLog}[2, (bE^{I(c + dx)})/((-I)a + \sqrt{-a^2 + b^2})] + (3I)\sqrt{a^2 - b^2}d^2f(e + f \\ & *x)^2\text{PolyLog}[2, -((bE^{I(c + dx)})/(Ia + \sqrt{-a^2 + b^2}))] + 6\sqrt{a^2 - b^2}d^2e^2f^2\text{PolyLog}[3, (bE^{I(c + dx)})/((-I)a + \sqrt{-a^2 + b^2} \\ &)] + 6\sqrt{a^2 - b^2}d^2f^3x\text{PolyLog}[3, (bE^{I(c + dx)})/((-I)a + \sqrt{-a^2 + b^2})] - 6\sqrt{a^2 - b^2}d^2e^2f^2\text{PolyLog}[3, -((bE^{I(c + dx)}) \\ &)/(Ia + \sqrt{-a^2 + b^2})] - 6\sqrt{a^2 - b^2}d^2f^3x\text{PolyLog}[3, -((bE^{I(c + dx)})/(Ia + \sqrt{-a^2 + b^2}))] + (6I)\sqrt{a^2 - b^2}f^3\text{Poly} \\ & \text{Log}[4, (bE^{I(c + dx)})/((-I)a + \sqrt{-a^2 + b^2})] - (6I)\sqrt{a^2 - b^2}f^3\text{PolyLog}[4, -((bE^{I(c + dx)})/(Ia + \sqrt{-a^2 + b^2})))]/(\sqrt{ \\ & -(a^2 - b^2)^2}*(-a^2 + b^2)d^4) + (b(e + fx)^3\text{Sec}[c])/((-a^2 + b^2)d) + (e^3\text{Sin}[(dx)/2] + 3e^2fx\text{Sin}[(dx)/2] + 3e^2fx^2\text{Sin}[(dx)/2] \\ & + f^3x^3\text{Sin}[(dx)/2])/((a + b)d*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (dx)/2] - \text{Sin}[c/2 + (dx)/2])) + (e^3\text{Sin}[(dx)/2] + 3e^2fx\text{Sin}[(dx)/2] + 3e \\ & *f^2x^2\text{Sin}[(dx)/2] + f^3x^3\text{Sin}[(dx)/2])/((a - b)d*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (dx)/2] + \text{Sin}[c/2 + (dx)/2])) \end{aligned}$$

Maple [F] time = 2.507, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\sec(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sec(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*sec(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 7.73611, size = 9469, normalized size = 10.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} &-1/4*(4*(a^2*b - b^3)d^3f^3x^3 + 12*(a^2*b - b^3)d^3e^2f^2x^2 - 12I*b \\ &^3f^3\sqrt{-(a^2 - b^2)/b^2}\cos(dx + c)\text{polylog}(4, 1/2*(2Ia\cos(dx + \\ & c) - 2a\sin(dx + c) + 2*(b\cos(dx + c) + Ib\sin(dx + c))\sqrt{-(a^2 - \\ & b^2)/b^2})/b) + 12I*b^3f^3\sqrt{-(a^2 - b^2)/b^2}\cos(dx + c)\text{polylog}(4, \\ & 1/2*(2Ia\cos(dx + c) - 2a\sin(dx + c) - 2*(b\cos(dx + c) + Ib\sin(dx \end{aligned}$$

$$\begin{aligned}
& *x + c))\sqrt{-(a^2 - b^2)/b^2})/b - 12*I*b^3*f^3\sqrt{-(a^2 - b^2)/b^2}*c \\
& \text{os}(d*x + c)*\text{polylog}(4, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) \\
&) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) + 12*I*b^3*f^3\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\text{polylog}(4, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) + 12*(a^2*b - \\
& b^3)*d^3*e^2*f*x + 4*(a^2*b - b^3)*d^3*e^3 - 12*(a^3 - a^2*b - a*b^2 + b^3) \\
&)*f^3*\text{cos}(d*x + c)*\text{polylog}(3, I*\text{cos}(d*x + c) + \text{sin}(d*x + c)) - 12*(a^3 + a^2*b - a*b^2 - b^3)*f^3*\text{cos}(d*x + c)*\text{polylog}(3, I*\text{cos}(d*x + c) - \text{sin}(d*x + c)) \\
&) - 12*(a^3 - a^2*b - a*b^2 + b^3)*f^3*\text{cos}(d*x + c)*\text{polylog}(3, -I*\text{cos}(d*x + c) + \text{sin}(d*x + c)) - 12*(a^3 + a^2*b - a*b^2 - b^3)*f^3*\text{cos}(d*x + c)*\text{poly} \\
& \text{log}(3, -I*\text{cos}(d*x + c) - \text{sin}(d*x + c)) - 2*(-3*I*b^3*d^2*f^3*x^2 - 6*I*b^3*d^2*e*f^2*x - 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\text{dilog} \\
& (-1/2*(2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(3*I*b^3*d^2*f^3*x^2 + 6*I \\
& I*b^3*d^2*e*f^2*x + 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)* \\
& \text{dilog}(-1/2*(2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) - 2*(b*\text{cos}(d*x + c) - I*b \\
& *sin(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(3*I*b^3*d^2*f^3*x^2 \\
& + 6*I*b^3*d^2*e*f^2*x + 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x \\
& + c)*\text{dilog}(-1/2*(-2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) \\
&) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*(-3*I*b^3*d^2 \\
& f^3*x^2 - 6*I*b^3*d^2*e*f^2*x - 3*I*b^3*d^2*e^2*f)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\text{dilog}(-1/2*(-2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) - 2*(b*\text{cos} \\
& (d*x + c) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*(b^3 \\
& *d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(2*b*\text{cos}(d*x + c) + 2*I*b*\text{sin}(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(2*b*\text{cos}(d*x + c) - 2*I*b*\text{sin}(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(-2*b*\text{cos}(d*x + c) + 2*I*b*\text{sin}(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 2*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(-2*b*\text{cos}(d*x + c) - 2*I*b*\text{sin}(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(1/2*(2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(b^3*d^3*f^3*x^3 + 3*b^3*d^3 \\
& e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\log(1/2*(2*I*a*\text{cos}(d*x + c) \\
&) + 2*a*\text{sin}(d*x + c) - 2*(b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2} \\
& *\text{cos}(d*x + c)*\log(1/2*(-2*I*a*\text{cos}(d*x + c) + 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*(b^3*d^3*f^3*x^3 + 3*b^3*d^3 \\
& e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\log(1/2*(2*I*a*\text{cos}(d*x + c) - 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) + 12*(b^3*d*f^3*x + b^3*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\text{polylog}(3, 1/2*(2*I*a*\text{cos}(d*x + c) - 2*a*\text{sin}(d*x + c) + 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) + 12*(b^3*d*f^3*x + b^3*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\text{polylog}(3, 1/2*(2*I*a*\text{cos}(d*x + c) - 2*a*\text{sin}(d*x + c) - 2*(b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) + 12*(b^3*d*f^3*x + b^3*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\text{polylog}(3, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) - 12*(b^3*d*f^3*x + b^3*d*e*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\text{cos}(d*x + c)*\text{poly} \\
& \text{log}(3, -(I*a*\text{cos}(d*x + c) + a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))\sqrt{-(a^2 - b^2)/b^2})/b) - (12*I*(a^3 - a^2*b - a*b^2 + b^3)*d*f^3*x + 12*I*(a^3 - a^2*b - a*b^2 + b^3)*d*e*f^2)*\text{cos}(d*x + c)*\text{dilog}(I*\text{cos}(d
\end{aligned}$$

$$\begin{aligned}
& *x + c) + \sin(dx + c)) - (-12*I*(a^3 + a^2*b - a*b^2 - b^3)*d*f^3*x - 12*I \\
& *(a^3 + a^2*b - a*b^2 - b^3)*d*e*f^2)*\cos(dx + c)*\operatorname{dilog}(I*\cos(dx + c) - \sin(dx + c)) - \\
& (-12*I*(a^3 - a^2*b - a*b^2 + b^3)*d*f^3*x - 12*I*(a^3 - a^2 \\
& *b - a*b^2 + b^3)*d*e*f^2)*\cos(dx + c)*\operatorname{dilog}(-I*\cos(dx + c) + \sin(dx + c \\
&)) - (12*I*(a^3 + a^2*b - a*b^2 - b^3)*d*f^3*x + 12*I*(a^3 + a^2*b - a*b^2 \\
& - b^3)*d*e*f^2)*\cos(dx + c)*\operatorname{dilog}(-I*\cos(dx + c) - \sin(dx + c)) - 6*((a^ \\
& 3 + a^2*b - a*b^2 - b^3)*d^2*e^2*f - 2*(a^3 + a^2*b - a*b^2 - b^3)*c*d*e*f^ \\
& 2 + (a^3 + a^2*b - a*b^2 - b^3)*c^2*f^3)*\cos(dx + c)*\log(\cos(dx + c) + I* \\
& \sin(dx + c) + I) - 6*((a^3 - a^2*b - a*b^2 + b^3)*d^2*e^2*f - 2*(a^3 - a^2 \\
& *b - a*b^2 + b^3)*c*d*e*f^2 + (a^3 - a^2*b - a*b^2 + b^3)*c^2*f^3)*\cos(dx \\
& + c)*\log(\cos(dx + c) - I*\sin(dx + c) + I) - 6*((a^3 + a^2*b - a*b^2 - b^3 \\
&)*d^2*f^3*x^2 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d^2*e*f^2*x + 2*(a^3 + a^2*b \\
& - a*b^2 - b^3)*c*d*e*f^2 - (a^3 + a^2*b - a*b^2 - b^3)*c^2*f^3)*\cos(dx + c \\
&)*\log(I*\cos(dx + c) + \sin(dx + c) + 1) - 6*((a^3 - a^2*b - a*b^2 + b^3)*d \\
& ^2*f^3*x^2 + 2*(a^3 - a^2*b - a*b^2 + b^3)*d^2*e*f^2*x + 2*(a^3 - a^2*b - a \\
& *b^2 + b^3)*c*d*e*f^2 - (a^3 - a^2*b - a*b^2 + b^3)*c^2*f^3)*\cos(dx + c)*\log(I*\cos(dx + c) - \sin(dx + c) + 1) - 6*((a^3 + a^2*b - a*b^2 - b^3)*d^2*f^3*x^2 + 2*(a^3 + a^2*b - a*b^2 - b^3)*d^2*e*f^2*x + 2*(a^3 + a^2*b - a*b^2 - b^3)*c*d*e*f^2 - (a^3 + a^2*b - a*b^2 - b^3)*c^2*f^3)*\cos(dx + c)*\log(-I*\cos(dx + c) + \sin(dx + c) + 1) - 6*((a^3 - a^2*b - a*b^2 + b^3)*d^2*f^3*x^2 + 2*(a^3 - a^2*b - a*b^2 + b^3)*d^2*e*f^2*x + 2*(a^3 - a^2*b - a*b^2 + b^3)*c*d*e*f^2 - (a^3 - a^2*b - a*b^2 + b^3)*c^2*f^3)*\cos(dx + c)*\log(-I*\cos(dx + c) - \sin(dx + c) + 1) - 6*((a^3 + a^2*b - a*b^2 - b^3)*d^2*e^2*f - 2*(a^3 + a^2*b - a*b^2 - b^3)*c*d*e*f^2 + (a^3 + a^2*b - a*b^2 - b^3)*c^2*f^3)*\cos(dx + c)*\log(-\cos(dx + c) + I*\sin(dx + c) + I) - 6*((a^3 - a^2*b - a*b^2 + b^3)*d^2*e^2*f - 2*(a^3 - a^2*b - a*b^2 + b^3)*c*d*e*f^2 + (a^3 - a^2*b - a*b^2 + b^3)*c^2*f^3)*\cos(dx + c)*\log(-\cos(dx + c) - I*\sin(dx + c) + I) - 4*((a^3 - a*b^2)*d^3*f^3*x^3 + 3*(a^3 - a*b^2)*d^3*e*f^2*x^2 + 3*(a^3 - a*b^2)*d^3*e^2*f*x + (a^3 - a*b^2)*d^3*e^3)*\sin(dx + c))/((a^4 - 2*a^2*b^2 + b^4)*d^4*\cos(dx + c))
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sec(dx+c)**2/(a+b*sin(dx+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sec(dx+c)^2/(a+b*sin(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.311 \quad \int \frac{(e+fx)^2 \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=659

$$\frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 (a^2-b^2)^{3/2}} - \frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d^2 (a^2-b^2)^{3/2}} + \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^3 (a^2-b^2)^{3/2}} - \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d^3 (a^2-b^2)^{3/2}}$$

```
[Out] ((-I)*a*(e + f*x)^2)/((a^2 - b^2)*d) - ((4*I)*b*f*(e + f*x)*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d) - (I*b^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d) + (2*a*f*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) + ((2*I)*b*f^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - ((2*I)*b*f^2*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (2*b^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^2) - (2*b^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^2) - (I*a*f^2*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^3) + ((2*I)*b^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^3) - ((2*I)*b^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^3) - (b*(e + f*x)^2*Sec[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)^2*Tan[c + d*x])/((a^2 - b^2)*d)
```

Rubi [A] time = 1.43355, antiderivative size = 659, normalized size of antiderivative = 1., number of steps used = 24, number of rules used = 14, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4533, 3323, 2264, 2190, 2531, 2282, 6589, 6742, 4184, 3719, 2279, 2391, 4409, 4181}

$$\frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 (a^2-b^2)^{3/2}} - \frac{2b^2 f(e+fx) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d^2 (a^2-b^2)^{3/2}} + \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^3 (a^2-b^2)^{3/2}} - \frac{2ib^2 f^2 \text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d^3 (a^2-b^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-I)*a*(e + f*x)^2)/((a^2 - b^2)*d) - ((4*I)*b*f*(e + f*x)*ArcTan[E^(I*(c + d*x))])/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d) - (I*b^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d) + (2*a*f*(e + f*x)*Log[1 + E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^2) + ((2*I)*b*f^2*PolyLog[2, (-I)*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) - ((2*I)*b*f^2*PolyLog[2, I*E^(I*(c + d*x))])/((a^2 - b^2)*d^3) + (2*b^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^2) - (2*b^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^2) - (I*a*f^2*PolyLog[2, -E^((2*I)*(c + d*x))])/((a^2 - b^2)*d^3) + ((2*I)*b^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^3) - ((2*I)*b^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/((a^2 - b^2)^(3/2)*d^3) - (b*(e + f*x)^2*Sec[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)^2*Tan[c + d*x])/((a^2 - b^2)*d)
```

Rule 4533

```
Int[(((e_.) + (f_.)*(x_))^(m_.)*Sec[(c_.) + (d_.)*(x_)]^(n_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Dist[b^2/(a^2 - b^2), Int[((e + f*x)^m*Sec[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x] + Dist[1/(a^2 - b^2), Int[(e + f*x)^m*Sec[c + d*x]^n*(a - b*SIN[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0] && IGtQ[n, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
```

$p[(c + dx)^m \cot(e + fx)]/f, x] + \text{Dist}[(d \cdot m)/f, \text{Int}[(c + dx)^{(m-1)} \cot(e + fx), x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3719

$\text{Int}[(c + dx)^m \tan(e + fx), x_Symbol] \rightarrow \text{Simp}[(I(c + dx)^{(m+1)})/(d(m+1)), x] - \text{Dist}[2I, \text{Int}[(c + dx)^m E^{(2I(e + fx))}]/(1 + E^{(2I(e + fx))}), x], x] /;$ FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

$\text{Int}[\text{Log}[(a + b \cdot (F)^{(e + dx))}]^n], x_Symbol] \rightarrow \text{Dist}[1/(d \cdot e \cdot n \cdot \text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b \cdot x]/x, x], x, (F)^{(e + dx)}]^n], x] /;$ FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

$\text{Int}[\text{Log}[(c + dx)^n]/(x), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c \cdot e \cdot x^n)]/n, x] /;$ FreeQ[{c, d, e, n}, x] && EqQ[c \cdot d, 1]

Rule 4409

$\text{Int}[(c + dx)^m \sec(a + bx)^n \tan(a + bx)^p, x_Symbol] \rightarrow \text{Simp}[(c + dx)^m \sec(a + bx)^n / (b \cdot n), x] - \text{Dist}[(d \cdot m)/(b \cdot n), \text{Int}[(c + dx)^{(m-1)} \sec(a + bx)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4181

$\text{Int}[\csc(e + \pi \cdot k + fx)^m, x_Symbol] \rightarrow \text{Simp}[(-2(c + dx)^m \text{ArcTanh}[E^{(I \cdot k \cdot \pi)} E^{(I(e + fx))}])/f, x] + (-\text{Dist}[(d \cdot m)/f, \text{Int}[(c + dx)^{(m-1)} \text{Log}[1 - E^{(I \cdot k \cdot \pi)} E^{(I(e + fx))}], x], x] + \text{Dist}[(d \cdot m)/f, \text{Int}[(c + dx)^{(m-1)} \text{Log}[1 + E^{(I \cdot k \cdot \pi)} E^{(I(e + fx))}], x], x]) /;$ FreeQ[{c, d, e, f}, x] && IntegerQ[2 \cdot k] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \sec^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^2 \sec^2(c+dx)(a-b \sin(c+dx)) dx}{a^2-b^2} - \frac{b^2 \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{a^2-b^2} \\
&= \frac{\int (a(e+fx)^2 \sec^2(c+dx) - b(e+fx)^2 \sec(c+dx) \tan(c+dx)) dx}{a^2-b^2} - \frac{(2b^2) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}} dx}{a^2-b^2} \\
&= \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2-b^2)^{3/2}} - \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2-b^2)^{3/2}} + \frac{a \int (e+fx)^2 \sec^2(c+dx) dx}{a^2-b^2} \\
&= \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{b(e+fx)^2 \sec(c+dx)}{(a^2-b^2) d} \\
&= -\frac{ia(e+fx)^2}{(a^2-b^2) d} - \frac{4ibf(e+fx) \tan^{-1}(e^{i(c+dx)})}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} \\
&= -\frac{ia(e+fx)^2}{(a^2-b^2) d} - \frac{4ibf(e+fx) \tan^{-1}(e^{i(c+dx)})}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} \\
&= -\frac{ia(e+fx)^2}{(a^2-b^2) d} - \frac{4ibf(e+fx) \tan^{-1}(e^{i(c+dx)})}{(a^2-b^2) d^2} + \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d} - \frac{ib^2(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2} d}
\end{aligned}$$

Mathematica [A] time = 7.9013, size = 1122, normalized size = 1.7

$$\frac{i\left(-2\sqrt{a^2-b^2}df(e+fx)\text{PolyLog}\left(2, \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}-ia}\right) + 2\sqrt{a^2-b^2}df(e+fx)\text{PolyLog}\left(2, -\frac{be^{i(c+dx)}}{ia+\sqrt{b^2-a^2}}\right) - i\left(\left(2\sqrt{b^2-a^2} \tan^{-1}\left(\frac{e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right) - \left(2\sqrt{b^2-a^2} \tan^{-1}\left(\frac{e^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)\right)\right)\right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (I*b^2*(-2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x))]/((-I)*a + Sqrt[-a^2 + b^2])) + 2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -(b*E^(I*(c + d*x))]/(I*a + Sqrt[-a^2 + b^2]))] - I*(d^2*(2*Sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x))]/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x))]/((-I)*a + Sqrt[-a^2 + b^2]))] - Log[1 + (b*E^(I*(c + d*x))]/(I*a + Sqrt[-a^2 + b^2]))]) + 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x))]/((-I)*a + Sqrt[-a^2 + b^2]))] - 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, -(b*E^(I*(c + d*x))]/(I*a + Sqrt[-a^2 + b^2]))])/(Sqrt[-(a^2 - b^2)^2]*(-a^2 + b^2)*d^3) + (b*(e + f*x)^2*Sec[c])/((-a^2 + b^2)*d) + (2*a*e*f*Sec[c]*(Cos[c]*Log[Cos[c]*Cos[d*x] - Sin[c]*Sin[d*x]] + d*x*Sin[c]))/(a^2 - b^2)*d^2*(Cos[c]^2 + Sin[c]^2) + ((4*I)*b*e*f*ArcTan[((-I)*Sin[c] - I*Cos[c]*Tan[(d*x)/2])/Sqrt[Cos[c]^2 + Sin[c]^2]])/(a^2 - b^2)*d^2*Sqrt[Cos[c]^2 + Sin[c]^2] + (a*f^2*Csc[c]*((d^2*x^2)/E^(I*ArcTan[Cot[c]])) - (Cot[c]*(I*d*x*(-Pi - 2*ArcTan[Cot[c]])) - Pi*Log[1 + E^((-2*I)*d*x)] - 2*(d*x - ArcTan[Cot[c]])*Log[1 - E^((2*I)*(d*x - ArcTan[Cot[c]])])]) + Pi

```
*Log[Cos[d*x]] - 2*ArcTan[Cot[c]]*Log[Sin[d*x - ArcTan[Cot[c]]]] + I*PolyLog[2, E^((2*I)*(d*x - ArcTan[Cot[c]])))/Sqrt[1 + Cot[c]^2]*Sec[c]]/((a^2 - b^2)*d^3*Sqrt[Csc[c]^2*(Cos[c]^2 + Sin[c]^2)] + (2*b*f^2*(-((Csc[c]*((d*x - ArcTan[Cot[c]]*(Log[1 - E^(I*(d*x - ArcTan[Cot[c]]))) - Log[1 + E^(I*(d*x - ArcTan[Cot[c]]))) + I*(PolyLog[2, -E^(I*(d*x - ArcTan[Cot[c]]))]) - PolyLog[2, E^(I*(d*x - ArcTan[Cot[c]]))])])]/Sqrt[1 + Cot[c]^2]) + (2*ArcTan[Cot[c]]*ArcTanh[(Sin[c] + Cos[c]*Tan[(d*x)/2])/Sqrt[Cos[c]^2 + Sin[c]^2])/Sqrt[Cos[c]^2 + Sin[c]^2])/((a^2 - b^2)*d^3) + (e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2])/((a + b)*d*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (e^2*Sin[(d*x)/2] + 2*e*f*x*Sin[(d*x)/2] + f^2*x^2*Sin[(d*x)/2])/((a - b)*d*(Cos[c/2] + Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))
```

Maple [F] time = 3.475, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\sec(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*sec(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*sec(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 5.22192, size = 6276, normalized size = 9.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/4*(4*b^3*f^2*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 4*b^3*f^2*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 4*b^3*f^2*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 4*b^3*f^2*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 4*(a^2*b - b
```

$$\begin{aligned}
& ^3*d^2*f^2*x^2 - 8*(a^2*b - b^3)*d^2*e*f*x - 4*(a^2*b - b^3)*d^2*e^2 + 4*I \\
& *(a^3 - a^2*b - a*b^2 + b^3)*f^2*\cos(d*x + c)*\operatorname{dilog}(I*\cos(d*x + c) + \sin(d* \\
& x + c)) - 4*I*(a^3 + a^2*b - a*b^2 - b^3)*f^2*\cos(d*x + c)*\operatorname{dilog}(I*\cos(d*x \\
& + c) - \sin(d*x + c)) - 4*I*(a^3 - a^2*b - a*b^2 + b^3)*f^2*\cos(d*x + c)*\operatorname{dil} \\
& \operatorname{og}(-I*\cos(d*x + c) + \sin(d*x + c)) + 4*I*(a^3 + a^2*b - a*b^2 - b^3)*f^2*co \\
& s(d*x + c)*\operatorname{dilog}(-I*\cos(d*x + c) - \sin(d*x + c)) + 2*(-2*I*b^3*d*f^2*x - 2* \\
& I*b^3*d*e*f)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x \\
& + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 \\
& - b^2)/b^2) + 2*b)/b + 1) + 2*(2*I*b^3*d*f^2*x + 2*I*b^3*d*e*f)*\operatorname{sqrt}(-(a^2 \\
& - b^2)/b^2)*\cos(d*x + c)*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) \\
& - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1 \\
&) + 2*(2*I*b^3*d*f^2*x + 2*I*b^3*d*e*f)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c) \\
& *\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I \\
& *b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*(-2*I*b^3*d*f^2*x \\
& - 2*I*b^3*d*e*f)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\operatorname{dilog}(-1/2*(-2*I*a*co \\
& s(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\operatorname{sqrt} \\
& -(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2* \\
& f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d \\
& *x + c) + 2*b*\operatorname{sqrt}(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b^3*d^2*e^2 - 2*b^3*c*d* \\
& e*f + b^3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(2*b*\cos(d*x + c) \\
& - 2*I*b*\sin(d*x + c) + 2*b*\operatorname{sqrt}(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(b^3*d^2*e^ \\
& 2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(-2 \\
& *b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\operatorname{sqrt}(-(a^2 - b^2)/b^2) + 2*I*a) \\
& + 2*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(\\
& d*x + c)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\operatorname{sqrt}(-(a^2 - b^2) \\
& /b^2) - 2*I*a) - 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f*x + 2*b^3*c*d*e*f - b^3 \\
& *c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(1/2*(2*I*a*\cos(d*x + c) + \\
& 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - b^2) \\
& /b^2) + 2*b)/b) + 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f*x + 2*b^3*c*d*e*f - b^ \\
& 3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(1/2*(2*I*a*\cos(d*x + c) \\
& + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - b^2) \\
&)/b^2) + 2*b)/b) - 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f*x + 2*b^3*c*d*e*f - b \\
& ^3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(1/2*(-2*I*a*\cos(d*x + c \\
&) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - b \\
& ^2)/b^2) + 2*b)/b) + 2*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f*x + 2*b^3*c*d*e*f - \\
& b^3*c^2*f^2)*\operatorname{sqrt}(-(a^2 - b^2)/b^2)*\cos(d*x + c)*\log(1/2*(-2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\operatorname{sqrt}(-(a^2 - \\
& b^2)/b^2) + 2*b)/b) + 4*((a^3 + a^2*b - a*b^2 - b^3)*d*e*f - (a^3 + a^2*b \\
& - a*b^2 - b^3)*c*f^2)*\cos(d*x + c)*\log(\cos(d*x + c) + I*\sin(d*x + c) + I) + \\
& 4*((a^3 - a^2*b - a*b^2 + b^3)*d*e*f - (a^3 - a^2*b - a*b^2 + b^3)*c*f^2)* \\
& \cos(d*x + c)*\log(\cos(d*x + c) - I*\sin(d*x + c) + I) + 4*((a^3 + a^2*b - a*b \\
& ^2 - b^3)*d*f^2*x + (a^3 + a^2*b - a*b^2 - b^3)*c*f^2)*\cos(d*x + c)*\log(I*co \\
& s(d*x + c) + \sin(d*x + c) + 1) + 4*((a^3 - a^2*b - a*b^2 + b^3)*d*f^2*x + \\
& (a^3 - a^2*b - a*b^2 + b^3)*c*f^2)*\cos(d*x + c)*\log(I*\cos(d*x + c) - \sin(d* \\
& x + c) + 1) + 4*((a^3 + a^2*b - a*b^2 - b^3)*d*f^2*x + (a^3 + a^2*b - a*b^2 \\
& - b^3)*c*f^2)*\cos(d*x + c)*\log(-I*\cos(d*x + c) + \sin(d*x + c) + 1) + 4*((a \\
& ^3 - a^2*b - a*b^2 + b^3)*d*f^2*x + (a^3 - a^2*b - a*b^2 + b^3)*c*f^2)*\cos(\\
& d*x + c)*\log(-I*\cos(d*x + c) - \sin(d*x + c) + 1) + 4*((a^3 + a^2*b - a*b^2 \\
& - b^3)*d*e*f - (a^3 + a^2*b - a*b^2 - b^3)*c*f^2)*\cos(d*x + c)*\log(-\cos(d*x \\
& + c) + I*\sin(d*x + c) + I) + 4*((a^3 - a^2*b - a*b^2 + b^3)*d*e*f - (a^3 - \\
& a^2*b - a*b^2 + b^3)*c*f^2)*\cos(d*x + c)*\log(-\cos(d*x + c) - I*\sin(d*x + c \\
&) + I) + 4*((a^3 - a*b^2)*d^2*f^2*x^2 + 2*(a^3 - a*b^2)*d^2*e*f*x + (a^3 - \\
& a*b^2)*d^2*e^2)*\sin(d*x + c))/((a^4 - 2*a^2*b^2 + b^4)*d^3*\cos(d*x + c))
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \sec^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sec(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*sec(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.312 \quad \int \frac{(e+fx) \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=349

$$\frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 (a^2-b^2)^{3/2}} - \frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2+a}}\right)}{d^2 (a^2-b^2)^{3/2}} + \frac{bf \tanh^{-1}(\sin(c+dx))}{d^2 (a^2-b^2)} + \frac{af \log(\cos(c+dx))}{d^2 (a^2-b^2)} + \frac{ib^2(e+fx) \log(\cos(c+dx))}{d(a^2-b^2)}$$

```
[Out] (b*f*ArcTanh[Sin[c + d*x]])/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d) - (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d) + (a*f*Log[Cos[c + d*x]])/((a^2 - b^2)*d^2) + (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^2) - (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^2) - (b*(e + f*x)*Sec[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)*Tan[c + d*x])/((a^2 - b^2)*d)
```

Rubi [A] time = 0.794791, antiderivative size = 349, normalized size of antiderivative = 1., number of steps used = 15, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {4533, 3323, 2264, 2190, 2279, 2391, 6742, 4184, 3475, 4409, 3770}

$$\frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 (a^2-b^2)^{3/2}} - \frac{b^2 f \operatorname{PolyLog}\left(2, \frac{ib e^{i(c+dx)}}{\sqrt{a^2-b^2+a}}\right)}{d^2 (a^2-b^2)^{3/2}} + \frac{bf \tanh^{-1}(\sin(c+dx))}{d^2 (a^2-b^2)} + \frac{af \log(\cos(c+dx))}{d^2 (a^2-b^2)} + \frac{ib^2(e+fx) \log(\cos(c+dx))}{d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]
```

```
[Out] (b*f*ArcTanh[Sin[c + d*x]])/((a^2 - b^2)*d^2) + (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d) - (I*b^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d) + (a*f*Log[Cos[c + d*x]])/((a^2 - b^2)*d^2) + (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^2) - (b^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])]/((a^2 - b^2)^(3/2)*d^2) - (b*(e + f*x)*Sec[c + d*x])/((a^2 - b^2)*d) + (a*(e + f*x)*Tan[c + d*x])/((a^2 - b^2)*d)
```

Rule 4533

```
Int[((e_.) + (f_.)*(x_))^(m_.)*Sec[(c_.) + (d_.)*(x_)]^(n_.)/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> -Dist[b^2/(a^2 - b^2), Int[((e + f*x)^m*Sec[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x] + Dist[1/(a^2 - b^2), Int[(e + f*x)^m*Sec[c + d*x]^n*(a - b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[a^2 - b^2, 0] && IGtQ[n, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264


```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 6742

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d
*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4409

```
Int[((c_.) + (d_.)*(x_))^(m_.)*Sec[(a_.) + (b_.)*(x_)]^(n_.)*Tan[(a_.) + (b
_.)*(x_)]^(p_.), x_Symbol] := Simp[((c + d*x)^m*Sec[a + b*x]^n)/(b*n), x] -
Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Sec[a + b*x]^n, x], x] /; FreeQ[{a
, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx) \sec^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx) \sec^2(c + dx)(a - b \sin(c + dx)) dx}{a^2 - b^2} - \frac{b^2 \int \frac{e + fx}{a + b \sin(c + dx)} dx}{a^2 - b^2} \\
 &= \frac{\int (a(e + fx) \sec^2(c + dx) - b(e + fx) \sec(c + dx) \tan(c + dx)) dx}{a^2 - b^2} - \frac{(2b^2) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{a^2 - b^2} \\
 &= \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2 - b^2)^{3/2}} - \frac{(2ib^3) \int \frac{e^{i(c+dx)}(e+fx)}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{(a^2 - b^2)^{3/2}} + \frac{a \int (e + fx) \sec^2(c + dx) dx}{a^2 - b^2} \\
 &= \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} - \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} - \frac{b(e + fx) \sec(c + dx)}{(a^2 - b^2) d} + \frac{a \int (e + fx) \sec^2(c + dx) dx}{a^2 - b^2} \\
 &= \frac{bf \tanh^{-1}(\sin(c + dx))}{(a^2 - b^2) d^2} + \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} - \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} + \frac{a \int (e + fx) \sec^2(c + dx) dx}{a^2 - b^2} \\
 &= \frac{bf \tanh^{-1}(\sin(c + dx))}{(a^2 - b^2) d^2} + \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} - \frac{ib^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2} d} + \frac{a \int (e + fx) \sec^2(c + dx) dx}{a^2 - b^2}
 \end{aligned}$$

Mathematica [B] time = 9.7094, size = 842, normalized size = 2.41

$$d(e+fx) \left[\frac{2(de-cf) \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{if \left(\log\left(1-i \tan\left(\frac{1}{2}(c+dx)\right)\right) \log\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)+\sqrt{b^2-a^2}}{-ia+b+\sqrt{b^2-a^2}}\right) + \text{PolyLog}\left[2, \frac{a(1-i \tan\left(\frac{1}{2}(c+dx)\right))}{a+i(b+\sqrt{b^2-a^2})}\right] \right)}{\sqrt{b^2-a^2}} \right] + \frac{if \left(\log\left(i \tan\left(\frac{1}{2}(c+dx)\right)+1\right) \log\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)+\sqrt{b^2-a^2}}{ia+b+\sqrt{b^2-a^2}}\right) + \text{PolyLog}\left[2, \frac{a(1+i \tan\left(\frac{1}{2}(c+dx)\right))}{a-i(b+\sqrt{b^2-a^2})}\right] \right)}{\sqrt{b^2-a^2}} \right]$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((b*d*(e + f*x))/(-a^2 + b^2) + (f*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]]
)/(a + b) + (f*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/(a - b) + (b^2*d*(
e + f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/
Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^
2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(
1 - I*Tan[(c + d*x)/2])]/(a + I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2]
+ (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c +
d*x)/2])/((I*a + b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(1 + I*Tan[(c + d*x
)/2])]/(a - I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I
*Tan[(c + d*x)/2]]*Log[(-b + Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])/((I*a -
b + Sqrt[-a^2 + b^2])) + PolyLog[2, (a*(I + Tan[(c + d*x)/2])]/(I*a - b + S
qrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Lo
g[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((I*a + b - Sqrt[-a^2 + b^2]))]
+ PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/((a + I*(-b + Sqrt[-a^2 + b^2])))))/
Sqrt[-a^2 + b^2])/((-a^2 + b^2)*(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/
2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]])) + (d*(e + f*x)*Sin[(c + d*x)/2])/((
a + b)*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) + (d*(e + f*x)*Sin[(c + d*x)/
2])/((a - b)*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/d^2
```

Maple [B] time = 0.359, size = 1542, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)*\sec(dx+c)^2/(a+b*\sin(dx+c)),x)$

[Out]
$$2*(f*x+e)*(-I*a+b*\exp(I*(d*x+c)))/d/(-a^2+b^2)/(1+\exp(2*I*(d*x+c)))-I/d/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*a^2*x-2*I/d^2/(a^2-b^2)*b^4*c*f/(a-b)/(a+b)/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})+I/d/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*x-I/d^2/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*c-I/d/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*x+2*I/d^2/(a^2-b^2)*b^2*c*f/(a-b)/(a+b)/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})*a^2-4/d^2/(a^2-b^2)*b^2*f/(4*a-4*b)*\ln(\exp(I*(d*x+c))+I)-4/d^2/(a^2-b^2)*b^2*f/(4*a+4*b)*\ln(\exp(I*(d*x+c))-I)+4/d^2/(a^2-b^2)*a^2*f/(4*a-4*b)*\ln(\exp(I*(d*x+c))+I)+4/d^2/(a^2-b^2)*a^2*f/(4*a+4*b)*\ln(\exp(I*(d*x+c))-I)-2/d^2/(a^2-b^2)*a*f*\ln(\exp(I*(d*x+c)))+1/d^2/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\text{dilog}(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))-1/d^2/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\text{dilog}((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))+2*I/d/(a^2-b^2)*b^4*e/(a-b)/(a+b)/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})+I/d^2/(a^2-b^2)^{(3/2)}*b^4*f/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*c-I/d^2/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\ln(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*a^2*c-2*I/d/(a^2-b^2)*b^2*e/(a-b)/(a+b)/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})*a^2+I/d/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*a^2*x+I/d^2/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\ln((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*a^2*c-1/d^2/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\text{dilog}(-(I*b*\exp(I*(d*x+c))-(a^2-b^2)^{(1/2)}-a)/(a+(a^2-b^2)^{(1/2)}))*a^2+1/d^2/(a^2-b^2)^{(3/2)}*b^2*f/(a-b)/(a+b)*\text{dilog}((I*b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*a^2$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*\sec(dx+c)^2/(a+b*\sin(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out] Exception raised: ValueError

Fricas [B] time = 3.95523, size = 3087, normalized size = 8.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*\sec(dx+c)^2/(a+b*\sin(dx+c)),x, \text{algorithm}=\text{"fricas"})$

```
[Out] 1/4*(-2*I*b^3*f*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b^3*f*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b^3*f*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*b^3*f*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 4*(a^2*b - b^3)*d*f*x + 2*(a^3 + a^2*b - a*b^2 - b^3)*f*cos(d*x + c)*log(sin(d*x + c) + 1) + 2*(a^3 - a^2*b - a*b^2 + b^3)*f*cos(d*x + c)*log(-sin(d*x + c) + 1) - 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*(b^3*d*e - b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b^3*d*f*x + b^3*c*f)*sqrt(-(a^2 - b^2)/b^2)*cos(d*x + c)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 4*(a^2*b - b^3)*d*e + 4*((a^3 - a*b^2)*d*f*x + (a^3 - a*b^2)*d*e)*sin(d*x + c)/((a^4 - 2*a^2*b^2 + b^4)*d^2*cos(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \sec^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Integral((e + f*x)*sec(c + d*x)**2/(a + b*sin(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \sec(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((f*x + e)*sec(d*x + c)^2/(b*sin(d*x + c) + a), x)
```

$$3.313 \quad \int \frac{\sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=84

$$\frac{2b^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}} - \frac{\sec(c+dx)(b-a \sin(c+dx))}{d(a^2-b^2)}$$

[Out] $(-2*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/((a^2 - b^2)^(3/2)*d) - (Sec[c + d*x]*(b - a*Sin[c + d*x]))/((a^2 - b^2)*d)$

Rubi [A] time = 0.100608, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {2696, 12, 2660, 618, 204}

$$\frac{2b^2 \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}} - \frac{\sec(c+dx)(b-a \sin(c+dx))}{d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d*x]^2/(a + b*Sin[c + d*x]),x]

[Out] $(-2*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/((a^2 - b^2)^(3/2)*d) - (Sec[c + d*x]*(b - a*Sin[c + d*x]))/((a^2 - b^2)*d)$

Rule 2696

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b - a*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*(a^2*(p + 2) - b^2*(m + p + 2) + a*b*(m + p + 3)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegersQ[2*m, 2*p]

Rule 12

Int[(a_.)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_) /; FreeQ[b, x]]

Rule 2660

Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

$\text{Int}[(a + b \cdot x^2)^{-1}, x_Symbol] \rightarrow -\text{Simp}[\text{ArcTan}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[-a, 2]] / (\text{Rt}[-a, 2] \cdot \text{Rt}[-b, 2]), x] / ; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{LtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)}{a + b \sin(c + dx)} dx &= -\frac{\sec(c + dx)(b - a \sin(c + dx))}{(a^2 - b^2)d} + \frac{\int \frac{b^2}{a + b \sin(c + dx)} dx}{-a^2 + b^2} \\ &= -\frac{\sec(c + dx)(b - a \sin(c + dx))}{(a^2 - b^2)d} - \frac{b^2 \int \frac{1}{a + b \sin(c + dx)} dx}{a^2 - b^2} \\ &= -\frac{\sec(c + dx)(b - a \sin(c + dx))}{(a^2 - b^2)d} - \frac{(2b^2) \text{Subst}\left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{(a^2 - b^2)d} \\ &= -\frac{\sec(c + dx)(b - a \sin(c + dx))}{(a^2 - b^2)d} + \frac{(4b^2) \text{Subst}\left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan\left(\frac{1}{2}(c + dx)\right)\right)}{(a^2 - b^2)d} \\ &= -\frac{2b^2 \tan^{-1}\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a^2 - b^2}}\right)}{(a^2 - b^2)^{3/2}d} - \frac{\sec(c + dx)(b - a \sin(c + dx))}{(a^2 - b^2)d} \end{aligned}$$

Mathematica [A] time = 0.263402, size = 152, normalized size = 1.81

$$\frac{\sqrt{a^2 - b^2}(-a \sin(c + dx) + b(-\cos(c + dx)) + b) + 2b^2 \cos(c + dx) \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c + dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{d(b - a)(a + b)\sqrt{a^2 - b^2}\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d*x]^2/(a + b*Sin[c + d*x]),x]

[Out] (2*b^2*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]*Cos[c + d*x] + Sqrt[a^2 - b^2]*(b - b*Cos[c + d*x] - a*Sin[c + d*x]))/((-a + b)*(a + b)*Sqrt[a^2 - b^2]*d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))

Maple [A] time = 0.002, size = 117, normalized size = 1.4

$$-2 \frac{1}{d(2a - 2b)(\tan(1/2 dx + c/2) + 1)} - 2 \frac{1}{d(2a + 2b)(\tan(1/2 dx + c/2) - 1)} - 2 \frac{b^2}{d(a - b)(a + b)\sqrt{a^2 - b^2}} \arctan\left(\frac{1}{2} \frac{b + a \tan(1/2 dx + c/2)}{\sqrt{a^2 - b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] -2/d/(2*a-2*b)/(tan(1/2*d*x+1/2*c)+1)-2/d/(2*a+2*b)/(tan(1/2*d*x+1/2*c)-1)-2/d*b^2/(a-b)/(a+b)/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/sqrt(a^2-b^2))

$$/(a^2-b^2)^{(1/2)}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.18245, size = 684, normalized size = 8.14

$$\frac{\sqrt{-a^2 + b^2} b^2 \cos(dx + c) \log\left(\frac{(2a^2 - b^2) \cos(dx + c)^2 - 2ab \sin(dx + c) - a^2 - b^2 + 2(a \cos(dx + c) \sin(dx + c) + b \cos(dx + c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx + c)^2 - 2ab \sin(dx + c) - a^2 - b^2}\right) - 2a^2 b + 2b^3}{2(a^4 - 2a^2 b^2 + b^4) d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [1/2*(sqrt(-a^2 + b^2)*b^2*cos(d*x + c)*log(((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 + 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)) - 2*a^2*b + 2*b^3 + 2*(a^3 - a*b^2)*sin(d*x + c))/((a^4 - 2*a^2*b^2 + b^4)*d*cos(d*x + c)), (sqrt(a^2 - b^2)*b^2*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))*cos(d*x + c) - a^2*b + b^3 + (a^3 - a*b^2)*sin(d*x + c))/((a^4 - 2*a^2*b^2 + b^4)*d*cos(d*x + c))]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\sec^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral(sec(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.65691, size = 144, normalized size = 1.71

$$\frac{2 \left(\frac{\left(\left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}} \right) \right)^2}{(a^2 - b^2)^{\frac{3}{2}}} + \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b}{(a^2 - b^2) \left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1 \right)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] -2*((pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*  
c) + b)/sqrt(a^2 - b^2)))*b^2/(a^2 - b^2)^(3/2) + (a*tan(1/2*d*x + 1/2*c) -  
b)/((a^2 - b^2)*(tan(1/2*d*x + 1/2*c)^2 - 1)))/d
```


$$3.314 \quad \int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\cos^2(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0713742, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 4.55248, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \cos^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Cos[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.243, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\cos(dx+c))^2}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*cos(d*x+c)^2/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*cos(d*x+c)^2/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(fx + e)^m \cos(dx + c)^2}{b \sin(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*cos(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*cos(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.315 \quad \int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\cos(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0457507, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 3.29973, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \cos(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Cos[c + d*x])/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.151, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \cos(dx+c)}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*cos(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*cos(d*x+c)/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*cos(d*x + c)/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \cos(dx + c)}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*cos(d*x + c)/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m \cos(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*cos(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*cos(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \cos(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*cos(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*cos(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.316 \quad \int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=22

$$\text{Unintegrable}\left(\frac{(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0582688, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 0.10955, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

[Out] Integrate[(e + f*x)^m/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m/(b*sin(d*x + c) + a), x)

$$3.317 \quad \int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=28

$$\text{Unintegrable}\left(\frac{\sec(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x\right)$$

[Out] Unintegrable[((e + f*x)^m*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.044306, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 139.158, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sec(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sec[c + d*x])/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.079, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m \sec(dx+c)}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sec(d*x+c)/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sec(d*x+c)/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sec(d*x + c)/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(fx + e)^m \sec(dx + c)}{b \sin(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sec(d*x + c)/(b*sin(d*x + c) + a), x)

Sympy [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^m \sec(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sec(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**m*sec(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sec(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.318 \quad \int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=30

$$\text{Unintegrable} \left(\frac{\sec^2(c+dx)(e+fx)^m}{a+b \sin(c+dx)}, x \right)$$

[Out] Unintegrable[((e + f*x)^m*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi [A] time = 0.0672621, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.$, Rules used = {}

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Int[((e + f*x)^m*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Defer[Int][[(e + f*x)^m*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Rubi steps

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx = \int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Mathematica [A] time = 6.20772, size = 0, normalized size = 0.

$$\int \frac{(e+fx)^m \sec^2(c+dx)}{a+b \sin(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[((e + f*x)^m*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Integrate[((e + f*x)^m*Sec[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

Maple [A] time = 0.129, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^m (\sec(dx+c))^2}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*sec(d*x+c)^2/(a+b*sin(d*x+c)), x)

[Out] int((f*x+e)^m*sec(d*x+c)^2/(a+b*sin(d*x+c)), x)

Maxima [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] integrate((f*x + e)^m*sec(d*x + c)^2/(b*sin(d*x + c) + a), x)

Fricas [A] time = 0., size = 0, normalized size = 0.

$$\text{integral} \left(\frac{(fx + e)^m \sec(dx + c)^2}{b \sin(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] integral((f*x + e)^m*sec(d*x + c)^2/(b*sin(d*x + c) + a), x)

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**m*sec(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^m \sec(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*sec(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)^m*sec(d*x + c)^2/(b*sin(d*x + c) + a), x)

$$3.319 \quad \int \frac{(e+fx) \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$$

Optimal. Leaf size=77

$$\frac{2f \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx) \right) + b}{\sqrt{a^2 - b^2}} \right)}{bd^2 \sqrt{a^2 - b^2}} - \frac{e + fx}{bd(a + b \sin(c + dx))}$$

[Out] (2*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]/(b*Sqrt[a^2 - b^2]*d^2) - (e + f*x)/(b*d*(a + b*Sin[c + d*x]))

Rubi [A] time = 0.0717487, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {4422, 2660, 618, 204}

$$\frac{2f \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx) \right) + b}{\sqrt{a^2 - b^2}} \right)}{bd^2 \sqrt{a^2 - b^2}} - \frac{e + fx}{bd(a + b \sin(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x])^2,x]

[Out] (2*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]]/(b*Sqrt[a^2 - b^2]*d^2) - (e + f*x)/(b*d*(a + b*Sin[c + d*x]))

Rule 4422

Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[((e + f*x)^m*(a + b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2660

Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\cos(c+dx)}{(a+b\sin(c+dx))^2} dx &= -\frac{e+fx}{bd(a+b\sin(c+dx))} + \frac{f \int \frac{1}{a+b\sin(c+dx)} dx}{bd} \\
&= -\frac{e+fx}{bd(a+b\sin(c+dx))} + \frac{(2f) \operatorname{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{bd^2} \\
&= -\frac{e+fx}{bd(a+b\sin(c+dx))} - \frac{(4f) \operatorname{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b+2a \tan\left(\frac{1}{2}(c+dx)\right)\right)}{bd^2} \\
&= \frac{2f \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} - \frac{e+fx}{bd(a+b\sin(c+dx))}
\end{aligned}$$

Mathematica [A] time = 0.445768, size = 73, normalized size = 0.95

$$\frac{2f \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{d(e+fx)}{a+b\sin(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x])^2,x]

[Out] ((2*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (d*(e + f*x))/(a + b*Sin[c + d*x]))/(b*d^2)

Maple [C] time = 0.889, size = 194, normalized size = 2.5

$$\frac{-2i(fx+e)e^{i(dx+c)}}{bd(be^{2i(dx+c)}-b+2iae^{i(dx+c)})} - \frac{f}{bd^2} \ln\left(e^{i(dx+c)} + \frac{1}{b}\left(ia\sqrt{-a^2+b^2}-a^2+b^2\right)\frac{1}{\sqrt{-a^2+b^2}}\right)\frac{1}{\sqrt{-a^2+b^2}} + \frac{f}{bd^2} \ln\left(e^{i(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^2,x)

[Out] -2*I*(f*x+e)*exp(I*(d*x+c))/b/d/(b*exp(2*I*(d*x+c))-b+2*I*a*exp(I*(d*x+c))) - 1/(-a^2+b^2)^(1/2)*f/d^2/b*ln(exp(I*(d*x+c))+(I*a*(-a^2+b^2)^(1/2)-a^2+b^2)/(-a^2+b^2)^(1/2)/b)+1/(-a^2+b^2)^(1/2)*f/d^2/b*ln(exp(I*(d*x+c))+(I*a*(-a^2+b^2)^(1/2)+a^2-b^2)/(-a^2+b^2)^(1/2)/b)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.07617, size = 736, normalized size = 9.56

$$\left[\frac{2(a^2 - b^2)dfx + 2(a^2 - b^2)de + (bf \sin(dx + c) + af)\sqrt{-a^2 + b^2} \log\left(\frac{(2a^2 - b^2)\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2 + 2(a\cos(dx+c) + b\sin(dx+c))\sqrt{-a^2 + b^2}}{b^2\cos(dx+c)^2 - 2ab\sin(dx+c) - a^2 - b^2}\right)}{2((a^2b^2 - b^4)d^2 \sin(dx + c) + (a^3b - ab^3)d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")

[Out] [-1/2*(2*(a^2 - b^2)*d*f*x + 2*(a^2 - b^2)*d*e + (b*f*sin(d*x + c) + a*f)*sqrt(-a^2 + b^2)*log(((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 + 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)))/((a^2*b^2 - b^4)*d^2*sin(d*x + c) + (a^3*b - a*b^3)*d^2), -((a^2 - b^2)*d*f*x + (a^2 - b^2)*d*e + (b*f*sin(d*x + c) + a*f)*sqrt(a^2 - b^2)*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))/((a^2*b^2 - b^4)*d^2*sin(d*x + c) + (a^3*b - a*b^3)*d^2)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)*cos(d*x + c)/(b*sin(d*x + c) + a)^2, x)

3.320 $\int \frac{(e+fx)^2 \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$

Optimal. Leaf size=280

$$-\frac{2f^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{2f^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{2if(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{2if(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}}$$

[Out] $((-2*I)*f*(e+f*x)*\text{Log}[1 - (I*b*E^(I*(c+d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^2) + ((2*I)*f*(e+f*x)*\text{Log}[1 - (I*b*E^(I*(c+d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^2) - (2*f^2*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^3) + (2*f^2*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^3) - (e+f*x)^2/(b*d*(a+b*\text{Sin}[c+d*x]))$

Rubi [A] time = 0.527671, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4422, 3323, 2264, 2190, 2279, 2391}

$$-\frac{2f^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{2f^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{2if(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}} + \frac{2if(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}}\right)}{bd^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e+f*x)^2*\text{Cos}[c+d*x]/(a+b*\text{Sin}[c+d*x])^2, x]$

[Out] $((-2*I)*f*(e+f*x)*\text{Log}[1 - (I*b*E^(I*(c+d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^2) + ((2*I)*f*(e+f*x)*\text{Log}[1 - (I*b*E^(I*(c+d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^2) - (2*f^2*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))]/(a - \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^3) + (2*f^2*\text{PolyLog}[2, (I*b*E^(I*(c+d*x)))]/(a + \text{Sqrt}[a^2 - b^2]))/(b*\text{Sqrt}[a^2 - b^2]*d^3) - (e+f*x)^2/(b*d*(a+b*\text{Sin}[c+d*x]))$

Rule 4422

$\text{Int}[\text{Cos}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(e+f*x)^m*(a+b*\text{Sin}[c+d*x])^{n+1}/(b*d*(n+1)), x] - \text{Dist}[(f*m)/(b*d*(n+1)), \text{Int}[(e+f*x)^{m-1}*(a+b*\text{Sin}[c+d*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{NeQ}[n, -1]$

Rule 3323

$\text{Int}[(c_.) + (d_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[2, \text{Int}[(c+d*x)^m*E^(I*(e+f*x))]/(I*b+2*a*E^(I*(e+f*x)) - I*b*E^(2*I*(e+f*x))), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2264

$\text{Int}[(F_.)^{(u_.)}*((f_.) + (g_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*(F_.)^{(u_.)} + (c_.)*(F_.)^{(v_.)}), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Dist}[(2*c)/q, \text{Int}[(f+g*x)^m*F^u/(b-q+2*c*F^u), x], x] - \text{Dist}[(2*c)/q, \text{Int}[(f+g*x)^m*F^u/(b+q+2*c*F^u), x], x] /; \text{FreeQ}\{F, a, b, c, f, g\}, x] \&\& \text{EqQ}[v, 2*u] \&\& \text{LinearQ}[u, x] \&\& \text{NeQ}[b^2 - 4*a*c, 0] \&\& \text{IGtQ}[m, 0]$

Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rubi steps

$$\int \frac{(e + fx)^2 \cos(c + dx)}{(a + b \sin(c + dx))^2} dx = -\frac{(e + fx)^2}{bd(a + b \sin(c + dx))} + \frac{(2f) \int \frac{e+fx}{a+b \sin(c+dx)} dx}{bd}$$

$$= -\frac{(e + fx)^2}{bd(a + b \sin(c + dx))} + \frac{(4f) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{bd}$$

$$= -\frac{(e + fx)^2}{bd(a + b \sin(c + dx))} - \frac{(4if) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2 - b^2}d} + \frac{(4if) \int \frac{e^{i(c+dx)}(e+fx)}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2 - b^2}d}$$

$$= -\frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} + \frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} - \frac{(e + fx)^2}{bd(a + b \sin(c + dx))}$$

$$= -\frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} + \frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} - \frac{(e + fx)^2}{bd(a + b \sin(c + dx))}$$

$$= -\frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} + \frac{2if(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^2} - \frac{2f^2 \text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2 - b^2}d^3}$$

Mathematica [A] time = 3.08874, size = 311, normalized size = 1.11

$$-\frac{(e + fx)^2}{bd(a + b \sin(c + dx))} + \frac{2if \left(-f\sqrt{a^2 - b^2} \text{PolyLog}\left(2, \frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 - ia}}\right) + f\sqrt{a^2 - b^2} \text{PolyLog}\left(2, -\frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 + ia}}\right) - id \left(2e\sqrt{b^2 - a^2} \right) \right)}{bd^3 \sqrt{-(a^2 - b^2)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^2*Cos[c + d*x])/(a + b*Sin[c + d*x])^2,x]
```

```
[Out] ((2*I)*f*((-I)*d*(2*Sqrt[-a^2 + b^2]*e*ArcTan[(I*a + b*E^(I*(c + d*x))]/Sqr
t[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a +
Sqrt[-a^2 + b^2]]) - Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]]))
) - Sqrt[a^2 - b^2]*f*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 +
b^2])] + Sqrt[a^2 - b^2]*f*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^
2 + b^2]))]/(b*Sqrt[-(a^2 - b^2)^2]*d^3) - (e + f*x)^2/(b*d*(a + b*Sin[c
```

+ d*x]))

Maple [B] time = 0.892, size = 606, normalized size = 2.2

$$\frac{-2i(f^2x^2 + 2fex + e^2)e^{i(dx+c)}}{bd(be^{2i(dx+c)} - b + 2iae^{i(dx+c)})} + \frac{4ife}{bd^2} \arctan\left(\frac{2ibe^{i(dx+c)} - 2a}{2\sqrt{-a^2 + b^2}}\right) \frac{1}{\sqrt{-a^2 + b^2}} + 2\frac{f^2x}{bd^2\sqrt{-a^2 + b^2}} \ln\left(\frac{ia + be^{i(dx+c)}}{ia - be^{i(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^2,x)

[Out] $-2*I*(f^2*x^2+2*e*f*x+e^2)*\exp(I*(d*x+c))/b/d/(b*\exp(2*I*(d*x+c))-b+2*I*a*\exp(I*(d*x+c)))+4*I*f/b/d^2*e/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})+2*f^2/b/d^2/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})+2*f^2/b/d^3/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})+2*f^2/b/d^2/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})+2*f^2/b/d^3/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})+2*I*f^2/b/d^3/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})+2*I*f^2/b/d^3/(-a^2+b^2)^{(1/2)}*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c)))/(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})-4*I*f^2/b/d^3*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)})$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.8509, size = 3263, normalized size = 11.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")

[Out] $-((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + (a^2 - b^2)*d^2*e^2 + (-I*b^2*f^2*\sin(d*x + c) - I*a*b*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (I*b^2*f^2*\sin(d*x + c) + I*a*b*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (I*b^2*f^2*\sin(d*x + c) + I*a*b*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-I*b^2*f^2*\sin(d*x + c) - I*a*b*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (I*b^2*f^2*\sin(d*x + c) + I*a*b*f^2)*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)$


```

*b*f^2)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*
x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b
)/b + 1) - (a*b*d*e*f - a*b*c*f^2 + (b^2*d*e*f - b^2*c*f^2)*sin(d*x + c))*s
qrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(
-(a^2 - b^2)/b^2) + 2*I*a) - (a*b*d*e*f - a*b*c*f^2 + (b^2*d*e*f - b^2*c*f^
2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*
x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + (a*b*d*e*f - a*b*c*f^2 + (b^
2*d*e*f - b^2*c*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x
+ c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + (a*b*d*e*
f - a*b*c*f^2 + (b^2*d*e*f - b^2*c*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2
)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) -
2*I*a) - (a*b*d*f^2*x + a*b*c*f^2 + (b^2*d*f^2*x + b^2*c*f^2)*sin(d*x + c)
)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2
*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a*
b*d*f^2*x + a*b*c*f^2 + (b^2*d*f^2*x + b^2*c*f^2)*sin(d*x + c))*sqrt(-(a^2
- b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x +
c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a*b*d*f^2*x + a
*b*c*f^2 + (b^2*d*f^2*x + b^2*c*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*l
og(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*si
n(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a*b*d*f^2*x + a*b*c*f^2 + (
b^2*d*f^2*x + b^2*c*f^2)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I
*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*
sqrt(-(a^2 - b^2)/b^2) + 2*b)/b))/((a^2*b^2 - b^4)*d^3*sin(d*x + c) + (a^3*
b - a*b^3)*d^3)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)/(a+b*sin(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^2*cos(d*x + c)/(b*sin(d*x + c) + a)^2, x)

$$3.321 \quad \int \frac{(e+fx)^3 \cos(c+dx)}{(a+b \sin(c+dx))^2} dx$$

Optimal. Leaf size=418

$$-\frac{6f^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{6f^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{6if^3\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^4\sqrt{a^2-b^2}} + \frac{6if^3\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^4\sqrt{a^2-b^2}}$$

```
[Out] ((-3*I)*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^2) + ((3*I)*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^2) - (6*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^3) + (6*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^3) - ((6*I)*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^4) + ((6*I)*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^4) - (e + f*x)^3/(b*d*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 0.885268, antiderivative size = 418, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 7, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {4422, 3323, 2264, 2190, 2531, 2282, 6589}

$$-\frac{6f^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3\sqrt{a^2-b^2}} + \frac{6f^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3\sqrt{a^2-b^2}} - \frac{6if^3\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^4\sqrt{a^2-b^2}} + \frac{6if^3\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^4\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Cos[c + d*x])/(a + b*Sin[c + d*x])^2,x]
```

```
[Out] ((-3*I)*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^2) + ((3*I)*f*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^2) - (6*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^3) + (6*f^2*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^3) - ((6*I)*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^4) + ((6*I)*f^3*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(b*Sqrt[a^2 - b^2]*d^4) - (e + f*x)^3/(b*d*(a + b*Sin[c + d*x]))
```

Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] := Simp[((e + f*x)^m*(a + b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^3 \cos(c+dx)}{(a+b \sin(c+dx))^2} dx &= -\frac{(e+fx)^3}{bd(a+b \sin(c+dx))} + \frac{(3f) \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{bd} \\
&= -\frac{(e+fx)^3}{bd(a+b \sin(c+dx))} + \frac{(6f) \int \frac{e^{i(c+dx)}(e+fx)^2}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{bd} \\
&= -\frac{(e+fx)^3}{bd(a+b \sin(c+dx))} - \frac{(6if) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}d} + \frac{(6if) \int \frac{e^{i(c+dx)}(e+fx)^2}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{\sqrt{a^2-b^2}d} \\
&= -\frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} + \frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} - \frac{(e+fx)^3}{bd(a+b \sin(c+dx))} \\
&= -\frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} + \frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} - \frac{6f^2(e+fx)\text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^3} \\
&= -\frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} + \frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} - \frac{6f^2(e+fx)\text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^3} \\
&= -\frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} + \frac{3if(e+fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^2} - \frac{6f^2(e+fx)\text{Li}_2\left(\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b\sqrt{a^2-b^2}d^3}
\end{aligned}$$

Mathematica [A] time = 2.37336, size = 446, normalized size = 1.07

$$-\frac{(e+fx)^3}{bd(a+b \sin(c+dx))} + \frac{3if\left(-i\left(2f^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, \frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}-ia}\right) - 2f^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, -\frac{be^{i(c+dx)}}{\sqrt{b^2-a^2}+ia}\right) + d^2\left(2e^{2i(c+dx)}\sqrt{a^2-b^2}\right)\right)}{b\sqrt{a^2-b^2}d^3}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Cos[c + d*x])/(a + b*Sin[c + d*x])^2,x]

[Out] ((3*I)*f*(-2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x))])/((-I)*a + Sqrt[-a^2 + b^2])) + 2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -(b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])) - I*(d^2*(2*Sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]]))] + 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, -(b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])])]/(b*Sqrt[-(a^2 - b^2)^2]*d^4) - (e + f*x)^3/(b*d*(a + b*Sin[c + d*x]))

Maple [F] time = 1.598, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^3 \cos(dx+c)}{(a+b \sin(dx+c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^2,x)

[Out] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^2,x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.70981, size = 5299, normalized size = 12.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*(a^2 - b^2)*d^3*f^3*x^3 + 6*(a^2 - b^2)*d^3*e*f^2*x^2 + 6*(a^2 - b^2)*d^3*e^2*f*x + 2*(a^2 - b^2)*d^3*e^3 + (-6*I*a*b*d*f^3*x - 6*I*a*b*d*e*f^2 + (-6*I*b^2*d*f^3*x - 6*I*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (6*I*a*b*d*f^3*x + 6*I*a*b*d*e*f^2 + (6*I*b^2*d*f^3*x + 6*I*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *dilog(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (6*I*a*b*d*f^3*x + 6*I*a*b*d*e*f^2 + (6*I*b^2*d*f^3*x + 6*I*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-6*I*a*b*d*f^3*x - 6*I*a*b*d*e*f^2 + (-6*I*b^2*d*f^3*x - 6*I*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 3*(a*b*d^2*e^2*f - 2*a*b*c*d*e*f^2 + a*b*c^2*f^3 + (b^2*d^2*e^2*f - 2*b^2*c*d*e*f^2 + b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 3*(a*b*d^2*e^2*f - 2*a*b*c*d*e*f^2 + a*b*c^2*f^3 + (b^2*d^2*e^2*f - 2*b^2*c*d*e*f^2 + b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 3*(a*b*d^2*e^2*f - 2*a*b*c*d*e*f^2 + a*b*c^2*f^3 + (b^2*d^2*e^2*f - 2*b^2*c*d*e*f^2 + b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 3*(a*b*d^2*e^2*f - 2*a*b*c*d*e*f^2 + a*b*c^2*f^3 + (b^2*d^2*e^2*f - 2*b^2*c*d*e*f^2 + b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 3*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + 2*a*b*c*d*e*f^2 - a*b*c^2*f^3 + (b^2*d^2*f^3*x^2 + 2*b^2*d^2*e*f^2*x + 2*b^2*c*d*e*f^2 - b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 3*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + 2*a*b*c*d*e*f^2 - a*b*c^2*f^3 + (b^2*d^2*f^3*x^2 + 2*b^2*d^2*e*f^2*x + 2*b^2*c*d*e*f^2 - b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 3*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + 2*a*b*c*d*e*f^2 - a*b*c^2*f^3 + (b^2*d^2*f^3*x^2 + 2*b^2*d^2*e*f^2*x + 2*b^2*c*d*e*f^2 - b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 3*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + 2*a*b*c*d*e*f^2 - a*b*c^2*f^3 + (b^2*d^2*f^3*x^2 + 2*b^2*d^2*e*f^2*x + 2*b^2*c*d*e*f^2 - b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\ & *log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) \end{aligned}$$

$$d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 3*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + 2*a*b*c*d*e*f^2 - a*b*c^2*f^3 + (b^2*d^2*f^3*x^2 + 2*b^2*d^2*e*f^2*x + 2*b^2*c*d*e*f^2 - b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 6*(b^2*f^3*\sin(d*x + c) + a*b*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) - 6*(b^2*f^3*\sin(d*x + c) + a*b*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) - 6*(b^2*f^3*\sin(d*x + c) + a*b*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) + 6*(b^2*f^3*\sin(d*x + c) + a*b*f^3)*\sqrt{-(a^2 - b^2)/b^2}*polylog(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2}))/b))/((a^2*b^2 - b^4)*d^4*\sin(d*x + c) + (a^3*b - a*b^3)*d^4)$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)/(a+b*sin(d*x+c))**2,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{(b \sin(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^3*cos(d*x + c)/(b*sin(d*x + c) + a)^2, x)

$$3.322 \quad \int \frac{(e+fx) \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$$

Optimal. Leaf size=116

$$\frac{af \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx) \right) + b}{\sqrt{a^2 - b^2}} \right)}{bd^2 (a^2 - b^2)^{3/2}} + \frac{f \cos(c + dx)}{2d^2 (a^2 - b^2) (a + b \sin(c + dx))} - \frac{e + fx}{2bd(a + b \sin(c + dx))^2}$$

[Out] (a*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)*d^2) - (e + f*x)/(2*b*d*(a + b*Sin[c + d*x])^2) + (f*Cos[c + d*x])/(2*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x]))

Rubi [A] time = 0.0967485, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.25$, Rules used = {4422, 2664, 12, 2660, 618, 204}

$$\frac{af \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx) \right) + b}{\sqrt{a^2 - b^2}} \right)}{bd^2 (a^2 - b^2)^{3/2}} + \frac{f \cos(c + dx)}{2d^2 (a^2 - b^2) (a + b \sin(c + dx))} - \frac{e + fx}{2bd(a + b \sin(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x])^3,x]

[Out] (a*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)*d^2) - (e + f*x)/(2*b*d*(a + b*Sin[c + d*x])^2) + (f*Cos[c + d*x])/(2*(a^2 - b^2)*d^2*(a + b*Sin[c + d*x]))

Rule 4422

Int[Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((e + f*x)^m*(a + b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2664

Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 - b^2)), x] + Dist[1/((n + 1)*(a^2 - b^2)), Int[(a + b*Sin[c + d*x])^(n + 1)*Simp[a*(n + 1) - b*(n + 2)*Sin[c + d*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]

Rule 12

Int[(a_.)*(u_.), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_.) /; FreeQ[b, x]]

Rule 2660

Int[((a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[

$a^2 - b^2, 0]$

Rule 618

`Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

Rule 204

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos(c + dx)}{(a + b \sin(c + dx))^3} dx &= -\frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \int \frac{1}{(a + b \sin(c + dx))^2} dx}{2bd} \\ &= -\frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \cos(c + dx)}{2(a^2 - b^2) d^2(a + b \sin(c + dx))} + \frac{f \int \frac{a}{a + b \sin(c + dx)} dx}{2b(a^2 - b^2) d} \\ &= -\frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \cos(c + dx)}{2(a^2 - b^2) d^2(a + b \sin(c + dx))} + \frac{(af) \int \frac{1}{a + b \sin(c + dx)} dx}{2b(a^2 - b^2) d} \\ &= -\frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \cos(c + dx)}{2(a^2 - b^2) d^2(a + b \sin(c + dx))} + \frac{(af) \text{Subst}\left(\int \frac{1}{a + 2bx + ax^2} dx, x, \frac{a + b \sin(c + dx)}{b(a^2 - b^2)}\right)}{b(a^2 - b^2) d} \\ &= -\frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \cos(c + dx)}{2(a^2 - b^2) d^2(a + b \sin(c + dx))} - \frac{(2af) \text{Subst}\left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, \frac{a + b \sin(c + dx)}{b(a^2 - b^2)}\right)}{b(a^2 - b^2) d} \\ &= \frac{af \tan^{-1}\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} - \frac{e + fx}{2bd(a + b \sin(c + dx))^2} + \frac{f \cos(c + dx)}{2(a^2 - b^2) d^2(a + b \sin(c + dx))} \end{aligned}$$

Mathematica [A] time = 1.11504, size = 112, normalized size = 0.97

$$\frac{2af \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c + dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)^{3/2}} + \frac{f \cos(c + dx)(a + b \sin(c + dx)) - \frac{d(e + fx)}{b}}{(a - b)(a + b)(a + b \sin(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)*Cos[c + d*x])/(a + b*Sin[c + d*x])^3,x]

[Out] ((2*a*f*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(b*(a^2 - b^2)^(3/2)) + (-((d*(e + f*x))/b) + (f*Cos[c + d*x]*(a + b*Sin[c + d*x]))/((a - b)*(a + b)))/(a + b*Sin[c + d*x])^2)/(2*d^2)

Maple [C] time = 1.747, size = 349, normalized size = 3.

$$\frac{2a^2dfxe^{2i(dx+c)} - 2b^2dfxe^{2i(dx+c)} + 2ia^2fe^{2i(dx+c)} + ib^2fe^{2i(dx+c)} + 2a^2dee^{2i(dx+c)} + bafe^{3i(dx+c)} - 2b^2dee^{2i(dx+c)} - ib^2f}{(be^{2i(dx+c)} - b + 2iae^{i(dx+c)})^2 d^2 (a^2 - b^2) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^3,x)`

[Out] $(2a^2dfx \exp(2I(d*x+c)) - 2b^2dfx \exp(2I(d*x+c)) + 2Ia^2f \exp(2I(d*x+c)) + Ib^2f \exp(2I(d*x+c)) + 2a^2de \exp(2I(d*x+c)) + baf \exp(3I(d*x+c)) - 2b^2de \exp(2I(d*x+c)) - Ib^2f - 3abf \exp(I(d*x+c))) / (b \exp(2I(d*x+c)) - b + 2Ia \exp(I(d*x+c)))^2 / d^2 / (a^2 - b^2) / b - 1/2 / (-a^2 + b^2)^{(1/2)} * fa / (a+b) / (a-b) / d^2 / b \ln(\exp(I(d*x+c))) + (Ia(-a^2 + b^2)^{(1/2)} - a^2 + b^2) / (-a^2 + b^2)^{(1/2)} / b + 1/2 / (-a^2 + b^2)^{(1/2)} * fa / (a+b) / (a-b) / d^2 / b \ln(\exp(I(d*x+c))) + (Ia(-a^2 + b^2)^{(1/2)} + a^2 - b^2) / (-a^2 + b^2)^{(1/2)} / b$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [B] time = 2.03261, size = 1364, normalized size = 11.76

$$\frac{2(a^4 - 2a^2b^2 + b^4)dfx - 2(a^2b^2 - b^4)f \cos(dx + c) \sin(dx + c) + 2(a^4 - 2a^2b^2 + b^4)de - 2(a^3b - ab^3)f \cos(dx + c)}{4((a^4b^3 - 2a^2b^5 + b^7)d^2 \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")`

[Out] $[1/4*(2*(a^4 - 2a^2b^2 + b^4)*dfx - 2*(a^2b^2 - b^4)*f*cos(dx + c)*sin(dx + c) + 2*(a^4 - 2a^2b^2 + b^4)*de - 2*(a^3b - ab^3)*f*cos(dx + c) + (a*b^2*f*cos(dx + c)^2 - 2*a^2*b*f*sin(dx + c) - (a^3 + a*b^2)*f)*sqrt(-a^2 + b^2)*log(-((2*a^2 - b^2)*cos(dx + c)^2 - 2*a*b*sin(dx + c) - a^2 - b^2 - 2*(a*cos(dx + c)*sin(dx + c) + b*cos(dx + c))*sqrt(-a^2 + b^2)))/(b^2*cos(dx + c)^2 - 2*a*b*sin(dx + c) - a^2 - b^2)))/((a^4*b^3 - 2*a^2*b^5 + b^7)*d^2*cos(dx + c)^2 - 2*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*d^2*sin(dx + c) - (a^6*b - a^4*b^3 - a^2*b^5 + b^7)*d^2), 1/2*((a^4 - 2*a^2*b^2 + b^4)*dfx - (a^2*b^2 - b^4)*f*cos(dx + c)*sin(dx + c) + (a^4 - 2*a^2*b^2 + b^4)*de - (a^3*b - a*b^3)*f*cos(dx + c) - (a*b^2*f*cos(dx + c)^2 - 2*a^2*b*f*sin(dx + c) - (a^3 + a*b^2)*f)*sqrt(a^2 - b^2)*arctan(-(a*sin(dx + c) + b)/(sqrt(a^2 - b^2)*cos(dx + c)))/((a^4*b^3 - 2*a^2*b^5 + b^7)*d^2*cos(dx + c)^2 - 2*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*d^2*sin(dx + c) - (a^6*b - a^4*b^3 - a^2*b^5 + b^7)*d^2)]$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")

[Out] integrate((f*x + e)*cos(d*x + c)/(b*sin(d*x + c) + a)^3, x)

3.323 $\int \frac{(e+fx)^2 \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$

Optimal. Leaf size=357

$$-\frac{af^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3 (a^2-b^2)^{3/2}} + \frac{af^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3 (a^2-b^2)^{3/2}} - \frac{iaf(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2 (a^2-b^2)^{3/2}} + \frac{iaf(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2 (a^2-b^2)^{3/2}}$$

```
[Out] ((-I)*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(
b*(a^2 - b^2)^(3/2)*d^2) + (I*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(
a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (f^2*Log[a + b*Sin[c + d
*x]])/(b*(a^2 - b^2)*d^3) - (a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sq
rt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + (a*f^2*PolyLog[2, (I*b*E^(I*(c
+ d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) - (e + f*x)^2/(
2*b*d*(a + b*Sin[c + d*x])^2) + (f*(e + f*x)*Cos[c + d*x])/((a^2 - b^2)*d^2
*(a + b*Sin[c + d*x]))
```

Rubi [A] time = 0.611193, antiderivative size = 357, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 9, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.346$, Rules used = {4422, 3324, 3323, 2264, 2190, 2279, 2391, 2668, 31}

$$-\frac{af^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3 (a^2-b^2)^{3/2}} + \frac{af^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3 (a^2-b^2)^{3/2}} - \frac{iaf(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^2 (a^2-b^2)^{3/2}} + \frac{iaf(e+fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^2 (a^2-b^2)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x])/(a + b*Sin[c + d*x])^3,x]
```

```
[Out] ((-I)*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(
b*(a^2 - b^2)^(3/2)*d^2) + (I*a*f*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))/(
a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^2) - (f^2*Log[a + b*Sin[c + d
*x]])/(b*(a^2 - b^2)*d^3) - (a*f^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sq
rt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) + (a*f^2*PolyLog[2, (I*b*E^(I*(c
+ d*x)))/(a + Sqrt[a^2 - b^2])])/(b*(a^2 - b^2)^(3/2)*d^3) - (e + f*x)^2/(
2*b*d*(a + b*Sin[c + d*x])^2) + (f*(e + f*x)*Cos[c + d*x])/((a^2 - b^2)*d^2
*(a + b*Sin[c + d*x]))
```

Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_) + (b_.)*Sin[(c
_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> Simp[((e + f*x)^m*(a + b*Sin[c + d*x
])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m
- 1)*(a + b*Sin[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x]
&& IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^2, x_
Symbol] :> Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e +
f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x],
x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a
+ b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^
2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:> Dist[2, Int[(c + d*x)^m*E^(I*(e + f*x))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol]
:> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol]
:> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2668

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)), x_Symbol]
:> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 31

```
Int[((a_) + (b_.)*(x_))^(n_), x_Symbol]
:> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^2 \cos(c + dx)}{(a + b \sin(c + dx))^3} dx &= -\frac{(e + fx)^2}{2bd(a + b \sin(c + dx))^2} + \frac{f \int \frac{e+fx}{(a+b \sin(c+dx))^2} dx}{bd} \\
 &= -\frac{(e + fx)^2}{2bd(a + b \sin(c + dx))^2} + \frac{f(e + fx) \cos(c + dx)}{(a^2 - b^2) d^2(a + b \sin(c + dx))} + \frac{(af) \int \frac{e+fx}{a+b \sin(c+dx)} dx}{b(a^2 - b^2) d} - \frac{f^2 \log(a + b \sin(c + dx))}{b(a^2 - b^2) d^3} \\
 &= -\frac{(e + fx)^2}{2bd(a + b \sin(c + dx))^2} + \frac{f(e + fx) \cos(c + dx)}{(a^2 - b^2) d^2(a + b \sin(c + dx))} + \frac{(2af) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ibe^{2i(c+dx)}} dx}{b(a^2 - b^2) d} \\
 &= -\frac{f^2 \log(a + b \sin(c + dx))}{b(a^2 - b^2) d^3} - \frac{(e + fx)^2}{2bd(a + b \sin(c + dx))^2} + \frac{f(e + fx) \cos(c + dx)}{(a^2 - b^2) d^2(a + b \sin(c + dx))} \\
 &= -\frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} + \frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} - \frac{f^2 \log(a + b \sin(c + dx))}{b(a^2 - b^2) d^3} \\
 &= -\frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} + \frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} - \frac{f^2 \log(a + b \sin(c + dx))}{b(a^2 - b^2) d^3} \\
 &= -\frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} + \frac{iaf(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{b(a^2 - b^2)^{3/2} d^2} - \frac{f^2 \log(a + b \sin(c + dx))}{b(a^2 - b^2) d^3}
 \end{aligned}$$

Mathematica [B] time = 14.8127, size = 1104, normalized size = 3.09

$$\frac{x \cot(c) f^2}{b(b^2 - a^2) d^2} - \frac{x \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{c}{2}\right) + \sin\left(\frac{c}{2}\right)\right) f^2}{2b(b - a)(a + b) d^2} - \frac{ie^{ic} \left(4e^{ic} f x - \frac{2iae^{2ic} f \log\left(\frac{e^{i(2c+dx)} b}{iae^{ic} - \sqrt{(b^2 - a^2)} e^{2ic}} + 1\right)}{\sqrt{(b^2 - a^2)} e^{2ic}} \right)}{b(b^2 - a^2) d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Cos[c + d*x])/(a + b*Sin[c + d*x])^3,x]
```

```
[Out] (f^2*x*Cot[c])/(b*(-a^2 + b^2)*d^2) - ((I/2)*E^(I*c)*f*(4*E^(I*c)*f*x + ((4*I)*a*e*ArcTan[(I*a + b*E^(I*(c + d*x))]/Sqrt[a^2 - b^2])]/(Sqrt[a^2 - b^2]*E^(I*c)) - ((4*I)*a*e*E^(I*c)*ArcTan[(I*a + b*E^(I*(c + d*x))]/Sqrt[a^2 - b^2])]/Sqrt[a^2 - b^2] + (2*f*ArcTan[(2*a*E^(I*(c + d*x))]/(b*(-1 + E^((2*I)*(c + d*x)))))]/(d*E^(I*c)) - (2*E^(I*c)*f*ArcTan[(2*a*E^(I*(c + d*x))]/(b*(-1 + E^((2*I)*(c + d*x)))))]/d - (I*f*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2])/(d*E^(I*c)) + (I*E^(I*c)*f*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2])/d + ((2*I)*a*f*x*Log[1 + (b*E^(I*(2*c + d*x))]/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/Sqrt[(-a^2 + b^2)*E^((2*I)*c)] - ((2*I)*a*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x))]/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/Sqrt[(-a^2 + b^2)*E^((2*I)*c)] - ((2*I)*a*f*x*Log[1 + (b*E^(I*(2*c + d*x))]/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/Sqrt[(-a^2 + b^2)*E^((2*I)*c)] + ((2*I)*a*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x))]/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/Sqrt[(-a^2 + b^2)*E^((2*I)*c)] - (2*a*(-1 + E^((2*I)*c))*f*PolyLog[2, (I*b*E^(I*(2*c + d*x))]/(a*E^(I*c) + I*Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/(d*Sqrt[(-a^2 + b^2)*E^((2*I)*c)]) + (2*a*(-1 + E^((2*I)*c))*f*PolyLog[2, -(b*E^(I*(2*c + d*x))]/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/(d*Sqrt[(-a^2 + b^2)*E^((2*I)*c)])]/(b*(-a^2 + b^2)*d^2*(-1 +
```

$$E^{((2*I)*c)}) - (f^2*x*Csc[c/2]*Sec[c/2]*(Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2]))/(2*b*(-a + b)*(a + b)*d^2) - (e + f*x)^2/(2*b*d*(a + b*Sin[c + d*x])^2) + (Csc[c/2]*Sec[c/2]*(-(a*e*f*Cos[c]) - a*f^2*x*Cos[c] - b*e*f*Sin[d*x] - b*f^2*x*Sin[d*x]))/(2*(a - b)*b*(a + b)*d^2*(a + b*Sin[c + d*x]))$$

Maple [B] time = 1.967, size = 946, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^3,x)

[Out] $2*(a^2*d*f^2*x^2*exp(2*I*(d*x+c))-b^2*d*f^2*x^2*exp(2*I*(d*x+c))+I*b^2*e*f*exp(2*I*(d*x+c))+2*I*a^2*e*f*exp(2*I*(d*x+c))+2*a^2*d*e*f*x*exp(2*I*(d*x+c))+b*a*f^2*x*exp(3*I*(d*x+c))-2*b^2*d*e*f*x*exp(2*I*(d*x+c))+I*b^2*f^2*x*exp(2*I*(d*x+c))-I*b^2*e*f+a^2*d*e^2*exp(2*I*(d*x+c))+b*a*e*f*exp(3*I*(d*x+c))-b^2*d*e^2*exp(2*I*(d*x+c))+2*I*a^2*f^2*x*exp(2*I*(d*x+c))-3*a*b*f^2*x*exp(I*(d*x+c))-I*b^2*f^2*x-3*a*b*e*f*exp(I*(d*x+c)))/(b*exp(2*I*(d*x+c))-b+2*I*a*exp(I*(d*x+c)))^2/d^2/(a^2-b^2)/b-2*f^2/d^3/(-a^2+b^2)/b*ln(exp(I*(d*x+c)))+f^2/d^3/(-a^2+b^2)/b*ln(I*b*exp(2*I*(d*x+c))-2*a*exp(I*(d*x+c))-I*b)-I*f^2/d^3/(-a^2+b^2)^(3/2)/b*a*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))-f^2/d^2/(-a^2+b^2)^(3/2)/b*a*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))*x-f^2/d^3/(-a^2+b^2)^(3/2)/b*a*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))*c+2*I*f^2/d^3/(-a^2+b^2)^(3/2)/b*a*c*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))-2*I*f/d^2/(-a^2+b^2)^(3/2)/b*a*e*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+f^2/d^2/(-a^2+b^2)^(3/2)/b*a*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))*x+f^2/d^3/(-a^2+b^2)^(3/2)/b*a*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2))*c+I*f^2/d^3/(-a^2+b^2)^(3/2)/b*a*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 4.33164, size = 5252, normalized size = 14.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")

[Out] $1/2*((a^4 - 2*a^2*b^2 + b^4)*d^2*f^2*x^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d^2*e*f*x + (a^4 - 2*a^2*b^2 + b^4)*d^2*e^2 - 2*((a^2*b^2 - b^4)*d*f^2*x + (a^2*b$

$$\begin{aligned}
&^2 - b^4) * d * e * f) * \cos(dx + c) * \sin(dx + c) - (-I * a * b^3 * f^2 * \cos(dx + c)^2 + \\
&2 * I * a^2 * b^2 * f^2 * \sin(dx + c) + I * (a^3 * b + a * b^3) * f^2) * \sqrt{-(a^2 - b^2) / b^2} \\
&2) * \operatorname{dilog}(-1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) - \\
&I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b + 1) - (I * a * b^3 * f^2 * \cos(dx \\
&*x + c)^2 - 2 * I * a^2 * b^2 * f^2 * \sin(dx + c) - I * (a^3 * b + a * b^3) * f^2) * \sqrt{-(a^2 \\
&2 - b^2) / b^2} * \operatorname{dilog}(-1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * \cos(dx \\
&dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b + 1) - (I * a * b^3 \\
&3 * f^2 * \cos(dx + c)^2 - 2 * I * a^2 * b^2 * f^2 * \sin(dx + c) - I * (a^3 * b + a * b^3) * f^2) \\
&)* \sqrt{-(a^2 - b^2) / b^2} * \operatorname{dilog}(-1/2 * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) \\
&+ 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b + \\
&1) - (-I * a * b^3 * f^2 * \cos(dx + c)^2 + 2 * I * a^2 * b^2 * f^2 * \sin(dx + c) + I * (a^3 * b \\
&+ a * b^3) * f^2) * \sqrt{-(a^2 - b^2) / b^2} * \operatorname{dilog}(-1/2 * (-2 * I * a * \cos(dx + c) + 2 * a \\
&* \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} \\
&+ 2 * b) / b + 1) - ((a^3 * b + a * b^3) * d * f^2 * x + (a^3 * b + a * b^3) * c * f^2 - (a * b^3 \\
&* d * f^2 * x + a * b^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * f^2 * x + a^2 * b^2 * c * f^2 \\
&)* \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} * \log(1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin \\
&n(dx + c) + 2 * (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + \\
&2 * b) / b) + ((a^3 * b + a * b^3) * d * f^2 * x + (a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * f^2 * \\
&x + a * b^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * f^2 * x + a^2 * b^2 * c * f^2) * \sin(dx \\
&*x + c)) * \sqrt{-(a^2 - b^2) / b^2} * \log(1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + \\
&c) - 2 * (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b) \\
&) - ((a^3 * b + a * b^3) * d * f^2 * x + (a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * f^2 * x + a * b \\
&^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * f^2 * x + a^2 * b^2 * c * f^2) * \sin(dx + c) \\
&)* \sqrt{-(a^2 - b^2) / b^2} * \log(1/2 * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + \\
&2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b) + ((\\
&a^3 * b + a * b^3) * d * f^2 * x + (a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * f^2 * x + a * b^3 * c * f \\
&^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * f^2 * x + a^2 * b^2 * c * f^2) * \sin(dx + c)) * \sqrt{ \\
&-(a^2 - b^2) / b^2} * \log(1/2 * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * c \\
&os(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2} + 2 * b) / b) - 2 * ((a^3 * \\
&b - a * b^3) * d * f^2 * x + (a^3 * b - a * b^3) * d * e * f) * \cos(dx + c) - ((a^2 * b^2 - b^4) \\
&* f^2 * \cos(dx + c)^2 - 2 * (a^3 * b - a * b^3) * f^2 * \sin(dx + c) - (a^4 - b^4) * f^2 \\
&+ ((a^3 * b + a * b^3) * d * e * f - (a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * e * f - a * b^3 * c * f \\
&^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * e * f - a^2 * b^2 * c * f^2) * \sin(dx + c)) * \sqrt{-(\\
&(a^2 - b^2) / b^2)} * \log(2 * b * \cos(dx + c) + 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 \\
&2 - b^2) / b^2} + 2 * I * a) - ((a^2 * b^2 - b^4) * f^2 * \cos(dx + c)^2 - 2 * (a^3 * b - a \\
&* b^3) * f^2 * \sin(dx + c) - (a^4 - b^4) * f^2 + ((a^3 * b + a * b^3) * d * e * f - (a^3 * b \\
&+ a * b^3) * c * f^2 - (a * b^3 * d * e * f - a * b^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * \\
&e * f - a^2 * b^2 * c * f^2) * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2)} * \log(2 * b * \cos(dx \\
&+ c) - 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2) / b^2} - 2 * I * a) - ((a^2 * b^2 \\
&- b^4) * f^2 * \cos(dx + c)^2 - 2 * (a^3 * b - a * b^3) * f^2 * \sin(dx + c) - (a^4 - b^4) \\
&4) * f^2 - ((a^3 * b + a * b^3) * d * e * f - (a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * e * f - a * \\
&b^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 * b^2 * d * e * f - a^2 * b^2 * c * f^2) * \sin(dx + c)) \\
&)* \sqrt{-(a^2 - b^2) / b^2)} * \log(-2 * b * \cos(dx + c) + 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{ \\
&-(a^2 - b^2) / b^2} + 2 * I * a) - ((a^2 * b^2 - b^4) * f^2 * \cos(dx + c)^2 - 2 * (a^3 * b - a * b^3) \\
&3 * b - a * b^3) * f^2 * \sin(dx + c) - (a^4 - b^4) * f^2 - ((a^3 * b + a * b^3) * d * e * f - \\
&(a^3 * b + a * b^3) * c * f^2 - (a * b^3 * d * e * f - a * b^3 * c * f^2) * \cos(dx + c)^2 + 2 * (a^2 \\
&2 * b^2 * d * e * f - a^2 * b^2 * c * f^2) * \sin(dx + c)) * \sqrt{-(a^2 - b^2) / b^2)} * \log(-2 * b \\
&* \cos(dx + c) - 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2) / b^2} - 2 * I * a)) / (\\
&(a^4 * b^3 - 2 * a^2 * b^5 + b^7) * d^3 * \cos(dx + c)^2 - 2 * (a^5 * b^2 - 2 * a^3 * b^4 + a \\
&* b^6) * d^3 * \sin(dx + c) - (a^6 * b - a^4 * b^3 - a^2 * b^5 + b^7) * d^3)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(dx+c)/(a+b*sin(dx+c))**3,x)

[Out] Timed out

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")

[Out] integrate((f*x + e)^2*cos(d*x + c)/(b*sin(d*x + c) + a)^3, x)

$$3.324 \quad \int \frac{(e+fx)^3 \cos(c+dx)}{(a+b \sin(c+dx))^3} dx$$

Optimal. Leaf size=753

$$-\frac{3af^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3(a^2-b^2)^{3/2}} + \frac{3af^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3(a^2-b^2)^{3/2}} + \frac{3if^3\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^4(a^2-b^2)} + \frac{3if^3\text{Pol}}{b}$$

[Out] (((3*I)/2)*f*(e+f*x)^2)/(b*(a^2-b^2)*d^2) - (3*f^2*(e+f*x)*Log[1 - (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^3) - (((3*I)/2)*a*f*(e+f*x)^2*Log[1 - (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^2) - (3*f^2*(e+f*x)*Log[1 - (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^3) + (((3*I)/2)*a*f*(e+f*x)^2*Log[1 - (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^2) + ((3*I)*f^3*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^4) - (3*a*f^2*(e+f*x)*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^3) + ((3*I)*f^3*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^4) + (3*a*f^2*(e+f*x)*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^3) - ((3*I)*a*f^3*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^4) + ((3*I)*a*f^3*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^4) - (e+f*x)^3/(2*b*d*(a+b*Sin[c+d*x])^2) + (3*f*(e+f*x)^2*Cos[c+d*x])/(2*(a^2-b^2)*d^2*(a+b*Sin[c+d*x]))

Rubi [A] time = 1.2742, antiderivative size = 753, normalized size of antiderivative = 1., number of steps used = 19, number of rules used = 11, integrand size = 26, $\frac{\text{number of rules}}{\text{integrand size}} = 0.423$, Rules used = {4422, 3324, 3323, 2264, 2190, 2531, 2282, 6589, 4519, 2279, 2391}

$$-\frac{3af^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^3(a^2-b^2)^{3/2}} + \frac{3af^2(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{bd^3(a^2-b^2)^{3/2}} + \frac{3if^3\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{bd^4(a^2-b^2)} + \frac{3if^3\text{Pol}}{b}$$

Antiderivative was successfully verified.

[In] Int[((e+f*x)^3*Cos[c+d*x])/(a+b*Sin[c+d*x])^3,x]

[Out] (((3*I)/2)*f*(e+f*x)^2)/(b*(a^2-b^2)*d^2) - (3*f^2*(e+f*x)*Log[1 - (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^3) - (((3*I)/2)*a*f*(e+f*x)^2*Log[1 - (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^2) - (3*f^2*(e+f*x)*Log[1 - (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^3) + (((3*I)/2)*a*f*(e+f*x)^2*Log[1 - (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^2) + ((3*I)*f^3*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^4) - (3*a*f^2*(e+f*x)*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^3) + ((3*I)*f^3*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)*d^4) + (3*a*f^2*(e+f*x)*PolyLog[2, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^3) - ((3*I)*a*f^3*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a-Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^4) + ((3*I)*a*f^3*PolyLog[3, (I*b*E^(I*(c+d*x)))/(a+Sqrt[a^2-b^2])])/(b*(a^2-b^2)^(3/2)*d^4) - (e+f*x)^3/(2*b*d*(a+b*Sin[c+d*x])^2) + (3*f*(e+f*x)^2*Cos[c+d*x])/(2*(a^2-b^2)*d^2*(a+b*Sin[c+d*x]))

Rule 4422

```
Int[Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] := Simp[((e + f*x)^m*(a + b*SIN[c + d*x])^(n + 1))/(b*d*(n + 1)), x] - Dist[(f*m)/(b*d*(n + 1)), Int[(e + f*x)^(m - 1)*(a + b*SIN[c + d*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3324

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := Simp[(b*(c + d*x)^m*cos[e + f*x])/(f*(a^2 - b^2)*(a + b*SIN[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*SIN[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a + b*SIN[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[(f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
```

, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_.)]*(e_.) + (f_.)*(x_.))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] :> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] & & PosQ[a^2 - b^2]

Rule 2279

Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rubi steps

$$\begin{aligned} \int \frac{(e + fx)^3 \cos(c + dx)}{(a + b \sin(c + dx))^3} dx &= -\frac{(e + fx)^3}{2bd(a + b \sin(c + dx))^2} + \frac{(3f) \int \frac{(e+fx)^2}{(a+b \sin(c+dx))^2} dx}{2bd} \\ &= -\frac{(e + fx)^3}{2bd(a + b \sin(c + dx))^2} + \frac{3f(e + fx)^2 \cos(c + dx)}{2(a^2 - b^2)d^2(a + b \sin(c + dx))} + \frac{(3af) \int \frac{(e+fx)^2}{a+b \sin(c+dx)} dx}{2b(a^2 - b^2)d} \\ &= \frac{3if(e + fx)^2}{2b(a^2 - b^2)d^2} - \frac{(e + fx)^3}{2bd(a + b \sin(c + dx))^2} + \frac{3f(e + fx)^2 \cos(c + dx)}{2(a^2 - b^2)d^2(a + b \sin(c + dx))} + \frac{(3af) \int}{2b} \\ &= \frac{3if(e + fx)^2}{2b(a^2 - b^2)d^2} - \frac{3f^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)d^3} - \frac{3f^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a + \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)d^3} - \frac{3af}{2b} \\ &= \frac{3if(e + fx)^2}{2b(a^2 - b^2)d^2} - \frac{3f^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)d^3} - \frac{3iaf(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{2b(a^2 - b^2)^{3/2}d^2} - \frac{3af}{2b} \\ &= \frac{3if(e + fx)^2}{2b(a^2 - b^2)d^2} - \frac{3f^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)d^3} - \frac{3iaf(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{2b(a^2 - b^2)^{3/2}d^2} - \frac{3af}{2b} \\ &= \frac{3if(e + fx)^2}{2b(a^2 - b^2)d^2} - \frac{3f^2(e + fx) \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{b(a^2 - b^2)d^3} - \frac{3iaf(e + fx)^2 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{2b(a^2 - b^2)^{3/2}d^2} - \frac{3af}{2b} \end{aligned}$$

Mathematica [B] time = 19.5174, size = 2311, normalized size = 3.07

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*cos[c + d*x])/(a + b*sin[c + d*x])^3,x]

[Out]
$$\begin{aligned} &((-3*I)*E^{(I*c)}*f*(2*e*E^{(I*c)}*f*x + E^{(I*c)}*f^2*x^2 + (I*a*e^2*ArcTan[(I*a + b*E^{(I*(c + d*x))})/Sqrt[a^2 - b^2]])/(Sqrt[a^2 - b^2]*E^{(I*c)}) - (I*a*e^2*E^{(I*c)}*ArcTan[(I*a + b*E^{(I*(c + d*x))})/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] \\ &+ (2*a*e*f*ArcTan[(I*a + b*E^{(I*(c + d*x))})/Sqrt[a^2 - b^2]])/(Sqrt[a^2 - b^2]*d*E^{(I*c)}) + (e*f*ArcTan[(2*a*E^{(I*(c + d*x))})/(b*(-1 + E^{((2*I)*(c + d*x))})])]/(d*E^{(I*c)}) - (e*E^{(I*c)}*f*ArcTan[(2*a*E^{(I*(c + d*x))})/(b*(-1 + E^{((2*I)*(c + d*x))})])]/d \\ &+ ((2*I)*a*e*f*ArcTanh[(-a + I*b*E^{(I*(c + d*x))})/Sqrt[a^2 - b^2]])/(Sqrt[a^2 - b^2]*d*E^{(I*c)}) - ((I/2)*e*f*Log[4*a^2*E^{((2*I)*(c + d*x))} + b^2*(-1 + E^{((2*I)*(c + d*x))})^2]/(d*E^{(I*c)}) + ((I/2)*e*E^{(I*c)}*f*Log[4*a^2*E^{((2*I)*(c + d*x))} + b^2*(-1 + E^{((2*I)*(c + d*x))})^2])/d \\ &+ (I*a*e*f*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - (I*a*e*E^{((2*I)*c)}*f*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - (I*f^2*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d*E^{(I*c)}) + (I*E^{(I*c)}*f^2*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/d \\ &+ ((I/2)*a*f^2*x^2*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - ((I/2)*a*E^{((2*I)*c)}*f^2*x^2*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - (I/2)*a*E^{((2*I)*c)}*f^2*x^2*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - (I*a*e*f*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] + (I*a*e*E^{((2*I)*c)}*f*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - (I*f^2*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d*E^{(I*c)}) + (I*E^{(I*c)}*f^2*x*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/d \\ &- ((I/2)*a*f^2*x^2*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] + ((I/2)*a*E^{((2*I)*c)}*f^2*x^2*Log[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] - ((-1 + E^{((2*I)*c)})*f*(-(Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}]*f) + a*d*E^{(I*c)}*(e + f*x))*PolyLog[2, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*E^{(I*c)}*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] + ((-1 + E^{((2*I)*c)})*f*(Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}]*f + a*d*E^{(I*c)}*(e + f*x))*PolyLog[2, -(b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*E^{(I*c)}*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}] + (I*a*f^2*PolyLog[3, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}]) - (I*a*E^{((2*I)*c)}*f^2*PolyLog[3, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}]) - (I*a*f^2*PolyLog[3, -(b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}]) + (I*a*E^{((2*I)*c)}*f^2*PolyLog[3, -(b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(d^2*Sqrt[(-a^2 + b^2)*E^{((2*I)*c)}])]/(b*(-a^2 + b^2)*d^2*(-1 + E^{((2*I)*c)})) - (e + f*x)^3/(2*b*d*(a + b*sin[c + d*x])^2) - (3*Csc[c/2]*Sec[c/2]*(a*e^2*f*cos[c] + 2*a*e*f^2*x*cos[c] + a*f^3*x^2*cos[c] + b*e^2*f*sin[d*x] + 2*b*e*f^2*x*sin[d*x] + b*f^3*x^2*sin[d*x]))/(4*(a - b)*b*(a + b)*d^2*(a + b*sin[c + d*x])) \end{aligned}$$

Maple [F] time = 1.497, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{(a + b \sin(dx + c))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^3,x)
```

```
[Out] int((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^3,x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 6.01823, size = 10630, normalized size = 14.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/8*(4*(a^4 - 2*a^2*b^2 + b^4)*d^3*f^3*x^3 + 12*(a^4 - 2*a^2*b^2 + b^4)*d^3
*e*f^2*x^2 + 12*(a^4 - 2*a^2*b^2 + b^4)*d^3*e^2*f*x + 4*(a^4 - 2*a^2*b^2 +
b^4)*d^3*e^3 - 12*((a^2*b^2 - b^4)*d^2*f^3*x^2 + 2*(a^2*b^2 - b^4)*d^2*e*f^
2*x + (a^2*b^2 - b^4)*d^2*e^2*f)*cos(d*x + c)*sin(d*x + c) - 12*(a*b^3*f^3*
cos(d*x + c)^2 - 2*a^2*b^2*f^3*sin(d*x + c) - (a^3*b + a*b^3)*f^3)*sqrt(-(a
^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b
*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 12*(a*b^3*f^
3*cos(d*x + c)^2 - 2*a^2*b^2*f^3*sin(d*x + c) - (a^3*b + a*b^3)*f^3)*sqrt(-
(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*
(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 12*(a*b^3*
f^3*cos(d*x + c)^2 - 2*a^2*b^2*f^3*sin(d*x + c) - (a^3*b + a*b^3)*f^3)*sqrt
(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(
d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 12*(a*b^3*f^3*cos
(d*x + c)^2 - 2*a^2*b^2*f^3*sin(d*x + c) - (a^3*b + a*b^3)*f^3)*sqrt(-(a^2
- b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c
) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 12*((a^3*b - a*b^3)*d^2*
f^3*x^2 + 2*(a^3*b - a*b^3)*d^2*e*f^2*x + (a^3*b - a*b^3)*d^2*e^2*f)*cos(d*
x + c) - (12*I*(a^2*b^2 - b^4)*f^3*cos(d*x + c)^2 - 24*I*(a^3*b - a*b^3)*f^
3*sin(d*x + c) - 12*I*(a^4 - b^4)*f^3 + 2*(6*I*(a^3*b + a*b^3)*d*f^3*x + 6*
I*(a^3*b + a*b^3)*d*e*f^2 + (-6*I*a*b^3*d*f^3*x - 6*I*a*b^3*d*e*f^2)*cos(d*
x + c)^2 + (12*I*a^2*b^2*d*f^3*x + 12*I*a^2*b^2*d*e*f^2)*sin(d*x + c))*sqrt
(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(
b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - (
12*I*(a^2*b^2 - b^4)*f^3*cos(d*x + c)^2 - 24*I*(a^3*b - a*b^3)*f^3*sin(d*x
+ c) - 12*I*(a^4 - b^4)*f^3 + 2*(-6*I*(a^3*b + a*b^3)*d*f^3*x - 6*I*(a^3*b
+ a*b^3)*d*e*f^2 + (6*I*a*b^3*d*f^3*x + 6*I*a*b^3*d*e*f^2)*cos(d*x + c)^2 +
(-12*I*a^2*b^2*d*f^3*x - 12*I*a^2*b^2*d*e*f^2)*sin(d*x + c))*sqrt(-(a^2 -
b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x
+ c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - (-12*I*(a^
2*b^2 - b^4)*f^3*cos(d*x + c)^2 + 24*I*(a^3*b - a*b^3)*f^3*sin(d*x + c) + 1
```

$$\begin{aligned}
& 2*I*(a^4 - b^4)*f^3 + 2*(-6*I*(a^3*b + a*b^3)*d*f^3*x - 6*I*(a^3*b + a*b^3) \\
& *d*e*f^2 + (6*I*a*b^3*d*f^3*x + 6*I*a*b^3*d*e*f^2)*\cos(d*x + c)^2 + (-12*I* \\
& a^2*b^2*d*f^3*x - 12*I*a^2*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\
&))*dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + \\
& I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - (-12*I*(a^2*b^2 - \\
& b^4)*f^3*\cos(d*x + c)^2 + 24*I*(a^3*b - a*b^3)*f^3*\sin(d*x + c) + 12*I*(a^4 \\
& - b^4)*f^3 + 2*(6*I*(a^3*b + a*b^3)*d*f^3*x + 6*I*(a^3*b + a*b^3)*d*e*f^2 \\
& + (-6*I*a*b^3*d*f^3*x - 6*I*a*b^3*d*e*f^2)*\cos(d*x + c)^2 + (12*I*a^2*b^2* \\
& d*f^3*x + 12*I*a^2*b^2*d*e*f^2)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*dilog \\
& (-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin \\
& (d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 6*(2*(a^4 - b^4)*d*e*f^2 \\
& - 2*(a^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*e*f^2 - (a^2*b^2 - b^4)*c*f^3) \\
& *\cos(d*x + c)^2 + 4*((a^3*b - a*b^3)*d*e*f^2 - (a^3*b - a*b^3)*c*f^3)*\sin(d \\
& *x + c) - ((a^3*b + a*b^3)*d^2*e^2*f - 2*(a^3*b + a*b^3)*c*d*e*f^2 + (a^3*b \\
& + a*b^3)*c^2*f^3 - (a*b^3*d^2*e^2*f - 2*a*b^3*c*d*e*f^2 + a*b^3*c^2*f^3)*\cos \\
& (d*x + c)^2 + 2*(a^2*b^2*d^2*e^2*f - 2*a^2*b^2*c*d*e*f^2 + a^2*b^2*c^2*f^3) \\
& *\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d \\
& *x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 6*(2*(a^4 - b^4)*d*e*f^2 - \\
& 2*(a^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*e*f^2 - (a^2*b^2 - b^4)*c*f^3)*\cos \\
& (d*x + c)^2 + 4*((a^3*b - a*b^3)*d*e*f^2 - (a^3*b - a*b^3)*c*f^3)*\sin(d*x \\
& + c) - ((a^3*b + a*b^3)*d^2*e^2*f - 2*(a^3*b + a*b^3)*c*d*e*f^2 + (a^3*b + \\
& a*b^3)*c^2*f^3 - (a*b^3*d^2*e^2*f - 2*a*b^3*c*d*e*f^2 + a*b^3*c^2*f^3)*\cos \\
& (d*x + c)^2 + 2*(a^2*b^2*d^2*e^2*f - 2*a^2*b^2*c*d*e*f^2 + a^2*b^2*c^2*f^3) \\
& *\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x \\
& + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 6*(2*(a^4 - b^4)*d*e*f^2 - 2* \\
& (a^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*e*f^2 - (a^2*b^2 - b^4)*c*f^3)*\cos \\
& (d*x + c)^2 + 4*((a^3*b - a*b^3)*d*e*f^2 - (a^3*b - a*b^3)*c*f^3)*\sin(d*x + \\
& c) + ((a^3*b + a*b^3)*d^2*e^2*f - 2*(a^3*b + a*b^3)*c*d*e*f^2 + (a^3*b + a \\
& *b^3)*c^2*f^3 - (a*b^3*d^2*e^2*f - 2*a*b^3*c*d*e*f^2 + a*b^3*c^2*f^3)*\cos(d \\
& *x + c)^2 + 2*(a^2*b^2*d^2*e^2*f - 2*a^2*b^2*c*d*e*f^2 + a^2*b^2*c^2*f^3)*\sin \\
& (d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x \\
& + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 6*(2*(a^4 - b^4)*d*e*f^2 - 2*(\\
& a^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*e*f^2 - (a^2*b^2 - b^4)*c*f^3)*\cos(\\
& d*x + c)^2 + 4*((a^3*b - a*b^3)*d*e*f^2 - (a^3*b - a*b^3)*c*f^3)*\sin(d*x + \\
& c) + ((a^3*b + a*b^3)*d^2*e^2*f - 2*(a^3*b + a*b^3)*c*d*e*f^2 + (a^3*b + a \\
& *b^3)*c^2*f^3 - (a*b^3*d^2*e^2*f - 2*a*b^3*c*d*e*f^2 + a*b^3*c^2*f^3)*\cos(d \\
& *x + c)^2 + 2*(a^2*b^2*d^2*e^2*f - 2*a^2*b^2*c*d*e*f^2 + a^2*b^2*c^2*f^3)*\sin \\
& (d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + \\
& c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 6*(2*(a^4 - b^4)*d*f^3*x + 2*(a \\
& ^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*f^3*x + (a^2*b^2 - b^4)*c*f^3)*\cos(d \\
& *x + c)^2 + 4*((a^3*b - a*b^3)*d*f^3*x + (a^3*b - a*b^3)*c*f^3)*\sin(d*x + c \\
&) - ((a^3*b + a*b^3)*d^2*f^3*x^2 + 2*(a^3*b + a*b^3)*d^2*e*f^2*x + 2*(a^3*b \\
& + a*b^3)*c*d*e*f^2 - (a^3*b + a*b^3)*c^2*f^3 - (a*b^3*d^2*f^3*x^2 + 2*a*b^3 \\
& *d^2*e*f^2*x + 2*a*b^3*c*d*e*f^2 - a*b^3*c^2*f^3)*\cos(d*x + c)^2 + 2*(a^2*b \\
& ^2*d^2*f^3*x^2 + 2*a^2*b^2*d^2*e*f^2*x + 2*a^2*b^2*c*d*e*f^2 - a^2*b^2*c^2 \\
& *f^3)*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(d*x + c) + 2 \\
& *a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b \\
& ^2} + 2*b)/b) + 6*(2*(a^4 - b^4)*d*f^3*x + 2*(a^4 - b^4)*c*f^3 - 2*((a^2*b^2 \\
& - b^4)*d*f^3*x + (a^2*b^2 - b^4)*c*f^3)*\cos(d*x + c)^2 + 4*((a^3*b - a*b^ \\
& 3)*d*f^3*x + (a^3*b - a*b^3)*c*f^3)*\sin(d*x + c) + ((a^3*b + a*b^3)*d^2*f^3 \\
& *x^2 + 2*(a^3*b + a*b^3)*d^2*e*f^2*x + 2*(a^3*b + a*b^3)*c*d*e*f^2 - (a^3*b \\
& + a*b^3)*c^2*f^3 - (a*b^3*d^2*f^3*x^2 + 2*a*b^3*d^2*e*f^2*x + 2*a*b^3*c*d* \\
& e*f^2 - a*b^3*c^2*f^3)*\cos(d*x + c)^2 + 2*(a^2*b^2*d^2*f^3*x^2 + 2*a^2*b^2* \\
& d^2*e*f^2*x + 2*a^2*b^2*c*d*e*f^2 - a^2*b^2*c^2*f^3)*\sin(d*x + c))*\sqrt{-(a \\
& ^2 - b^2)/b^2})*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d \\
& *x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 6*(2*(a^4 - \\
& b^4)*d*f^3*x + 2*(a^4 - b^4)*c*f^3 - 2*((a^2*b^2 - b^4)*d*f^3*x + (a^2*b^2 \\
& - b^4)*c*f^3)*\cos(d*x + c)^2 + 4*((a^3*b - a*b^3)*d*f^3*x + (a^3*b - a*b^3) \\
& *c*f^3)*\sin(d*x + c) - ((a^3*b + a*b^3)*d^2*f^3*x^2 + 2*(a^3*b + a*b^3)*d^2
\end{aligned}$$

```
*e*f^2*x + 2*(a^3*b + a*b^3)*c*d*e*f^2 - (a^3*b + a*b^3)*c^2*f^3 - (a*b^3*d
^2*f^3*x^2 + 2*a*b^3*d^2*e*f^2*x + 2*a*b^3*c*d*e*f^2 - a*b^3*c^2*f^3)*cos(d
*x + c)^2 + 2*(a^2*b^2*d^2*f^3*x^2 + 2*a^2*b^2*d^2*e*f^2*x + 2*a^2*b^2*c*d*
e*f^2 - a^2*b^2*c^2*f^3)*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(-2*
I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))
*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 6*(2*(a^4 - b^4)*d*f^3*x + 2*(a^4 - b^4
)*c*f^3 - 2*((a^2*b^2 - b^4)*d*f^3*x + (a^2*b^2 - b^4)*c*f^3)*cos(d*x + c)^
2 + 4*((a^3*b - a*b^3)*d*f^3*x + (a^3*b - a*b^3)*c*f^3)*sin(d*x + c) + ((a^
3*b + a*b^3)*d^2*f^3*x^2 + 2*(a^3*b + a*b^3)*d^2*e*f^2*x + 2*(a^3*b + a*b^3
)*c*d*e*f^2 - (a^3*b + a*b^3)*c^2*f^3 - (a*b^3*d^2*f^3*x^2 + 2*a*b^3*d^2*e*
f^2*x + 2*a*b^3*c*d*e*f^2 - a*b^3*c^2*f^3)*cos(d*x + c)^2 + 2*(a^2*b^2*d^2*
f^3*x^2 + 2*a^2*b^2*d^2*e*f^2*x + 2*a^2*b^2*c*d*e*f^2 - a^2*b^2*c^2*f^3)*si
n(d*x + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(
d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2
*b)/b))/((a^4*b^3 - 2*a^2*b^5 + b^7)*d^4*cos(d*x + c)^2 - 2*(a^5*b^2 - 2*a^
3*b^4 + a*b^6)*d^4*sin(d*x + c) - (a^6*b - a^4*b^3 - a^2*b^5 + b^7)*d^4)
```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*cos(d*x+c)/(a+b*sin(d*x+c))**3,x)
```

```
[Out] Timed out
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c)}{(b \sin(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)/(a+b*sin(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((f*x + e)^3*cos(d*x + c)/(b*sin(d*x + c) + a)^3, x)
```

$$3.325 \quad \int \frac{(e+fx)^3 \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=765

$$\frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^3} + \frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^3} - \frac{3f\sqrt{a^2-b^2}(e+fx)^2\text{PolyLog}\left(2, -E^{i(c+dx)}\right)}{abd^2}$$

[Out] $-(e+fx)^4/(4*b*f) - (2*(e+fx)^3*\text{ArcTanh}[E^{i(c+dx)}])/(a*d) - (I*\text{Sqrt}[a^2-b^2]*(e+fx)^3*\text{Log}[1 - (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d) + (I*\text{Sqrt}[a^2-b^2]*(e+fx)^3*\text{Log}[1 - (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d) + ((3*I)*f*(e+fx)^2*\text{PolyLog}[2, -E^{i(c+dx)}])/(a*d^2) - ((3*I)*f*(e+fx)^2*\text{PolyLog}[2, E^{i(c+dx)}])/(a*d^2) - (3*\text{Sqrt}[a^2-b^2]*f*(e+fx)^2*\text{PolyLog}[2, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^2) + (3*\text{Sqrt}[a^2-b^2]*f*(e+fx)^2*\text{PolyLog}[2, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^2) - (6*f^2*(e+fx)*\text{PolyLog}[3, -E^{i(c+dx)}])/(a*d^3) + (6*f^2*(e+fx)*\text{PolyLog}[3, E^{i(c+dx)}])/(a*d^3) - ((6*I)*\text{Sqrt}[a^2-b^2]*f^2*(e+fx)*\text{PolyLog}[3, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^3) + ((6*I)*\text{Sqrt}[a^2-b^2]*f^2*(e+fx)*\text{PolyLog}[3, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^3) - ((6*I)*f^3*\text{PolyLog}[4, -E^{i(c+dx)}])/(a*d^4) + ((6*I)*f^3*\text{PolyLog}[4, E^{i(c+dx)}])/(a*d^4) + (6*\text{Sqrt}[a^2-b^2]*f^3*\text{PolyLog}[4, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^4) - (6*\text{Sqrt}[a^2-b^2]*f^3*\text{PolyLog}[4, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^4)$

Rubi [A] time = 1.42568, antiderivative size = 765, normalized size of antiderivative = 1., number of steps used = 33, number of rules used = 14, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {4543, 4408, 3296, 2637, 4183, 2531, 6609, 2282, 6589, 4525, 32, 3323, 2264, 2190}

$$\frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^3} + \frac{6if^2\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^3} - \frac{3f\sqrt{a^2-b^2}(e+fx)^2\text{PolyLog}\left(2, -E^{i(c+dx)}\right)}{abd^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e+fx)^3*\text{Cos}[c+dx]*\text{Cot}[c+dx]/(a+b*\text{Sin}[c+dx]),x]$

[Out] $-(e+fx)^4/(4*b*f) - (2*(e+fx)^3*\text{ArcTanh}[E^{i(c+dx)}])/(a*d) - (I*\text{Sqrt}[a^2-b^2]*(e+fx)^3*\text{Log}[1 - (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d) + (I*\text{Sqrt}[a^2-b^2]*(e+fx)^3*\text{Log}[1 - (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d) + ((3*I)*f*(e+fx)^2*\text{PolyLog}[2, -E^{i(c+dx)}])/(a*d^2) - ((3*I)*f*(e+fx)^2*\text{PolyLog}[2, E^{i(c+dx)}])/(a*d^2) - (3*\text{Sqrt}[a^2-b^2]*f*(e+fx)^2*\text{PolyLog}[2, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^2) + (3*\text{Sqrt}[a^2-b^2]*f*(e+fx)^2*\text{PolyLog}[2, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^2) - (6*f^2*(e+fx)*\text{PolyLog}[3, -E^{i(c+dx)}])/(a*d^3) + (6*f^2*(e+fx)*\text{PolyLog}[3, E^{i(c+dx)}])/(a*d^3) - ((6*I)*\text{Sqrt}[a^2-b^2]*f^2*(e+fx)*\text{PolyLog}[3, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^3) + ((6*I)*\text{Sqrt}[a^2-b^2]*f^2*(e+fx)*\text{PolyLog}[3, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^3) - ((6*I)*f^3*\text{PolyLog}[4, -E^{i(c+dx)}])/(a*d^4) + ((6*I)*f^3*\text{PolyLog}[4, E^{i(c+dx)}])/(a*d^4) + (6*\text{Sqrt}[a^2-b^2]*f^3*\text{PolyLog}[4, (I*b*E^{i(c+dx)})]/(a - \text{Sqrt}[a^2-b^2]))/(a*b*d^4) - (6*\text{Sqrt}[a^2-b^2]*f^3*\text{PolyLog}[4, (I*b*E^{i(c+dx)})]/(a + \text{Sqrt}[a^2-b^2]))/(a*b*d^4)$

Rule 4543


```
Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (
f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist
[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int
[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*SIN[c + d*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && I
GtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d
_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^
(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; Fr
eeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[SIN[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^
(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol]
:> Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol]
:> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol]
:> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol]
:> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^3 \cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \cos(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^2(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= \frac{\int (e + fx)^3 \csc(c + dx) dx}{a} - \frac{\int (e + fx)^3 dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{(e + fx)^3}{a + b \sin(c + dx)}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \left(2\left(\frac{a}{b} - \frac{b}{a}\right)\right) \int \frac{e^{i(c+dx)}(e + fx)^3}{ib + 2ae^{i(c+dx)}}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{3if(e + fx)^2 \text{Li}_2(-e^{i(c+dx)})}{ad^2}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

$$= -\frac{(e + fx)^4}{4bf} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^3 \log\left(1 - \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}$$

Mathematica [A] time = 2.24113, size = 1194, normalized size = 1.56

$$-\frac{x(4e^3 + 6fxe^2 + 4f^2x^2e + f^3x^3)}{4b} + \frac{(a^2 - b^2) \left(2\sqrt{b^2 - a^2}e^3 \tan^{-1}\left(\frac{ia + be^{i(c+dx)}}{\sqrt{a^2 - b^2}}\right) d^3 + \sqrt{a^2 - b^2} f^3 x^3 \log\left(1 - \frac{be^{i(c+dx)}}{\sqrt{b^2 - a^2 - ia}}\right)\right)}{abd}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3 * Cos[c + d*x] * Cot[c + d*x]) / (a + b * Sin[c + d*x]), x]
```

```
[Out] -(x*(4*e^3 + 6*f*x*e^2 + 4*f^2*x^2*e + f^3*x^3))/(4*b) + ((a^2 - b^2)*(2*sqrt[-a^2 + b^2]*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))]/sqrt[a^2 - b^2]] + 3*sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 - (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) + 3*sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 - (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) + sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 - (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) - 3*sqrt[a^2 - b^2]*d^3*e^2*f*x*Log[1 + (b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) - 3*sqrt[a^2 - b^2]*d^3*e*f^2*x^2*Log[1 + (b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) - sqrt[a^2 - b^2]*d^3*f^3*x^3*Log[1 + (b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) - (3*I)*sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) + (3*I)*sqrt[a^2 - b^2]*d^2*f*(e + f*x)^2*PolyLog[2, -(b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) + 6*sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) + 6*sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) - 6*sqrt[a^2 - b^2]*d*e*f^2*PolyLog[3, -(b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) - 6*sqrt[a^2 - b^2]*d*f^3*x*PolyLog[3, -(b*E^(I*(c + d*x)))]/(I*a + sqrt[-a^2 + b^2])) + (6*I)*sqrt[a^2 - b^2]*f^3*PolyLog[4, (b*E^(I*(c + d*x)))]/((-I)*a + sqrt[-a^2 + b^2])) - (6*I)*sqrt[a^2 - b^2]*f^3*PolyL
```

```
og[4, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))]/(a*b*Sqrt[-(a^2 -
b^2)^2]*d^4) + (I*((2*I)*(e + f*x)^3*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]]
+ (3*f*(d^2*(e + f*x)^2*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] + (2*I)
*d*f*(e + f*x)*PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] - 2*f^2*PolyLog[4
, -Cos[c + d*x] - I*Sin[c + d*x]]))/d^3 - (3*f*(d^2*(e + f*x)^2*PolyLog[2,
Cos[c + d*x] + I*Sin[c + d*x]] + (2*I)*d*f*(e + f*x)*PolyLog[3, Cos[c + d*x
] + I*Sin[c + d*x]] - 2*f^2*PolyLog[4, Cos[c + d*x] + I*Sin[c + d*x]]))/d^3
))/(a*d)
```

Maple [F] time = 2.293, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c) \cot(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="ma
xima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 3.96738, size = 7471, normalized size = 9.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fr
icas")
```

```
[Out] -1/4*(a*d^4*f^3*x^4 + 4*a*d^4*e*f^2*x^3 + 6*a*d^4*e^2*f*x^2 + 4*a*d^4*e^3*x
+ 12*I*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2
*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b
^2))/b) - 12*I*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x +
c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 -
b^2)/b^2))/b) + 12*I*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, -(I*a*cos(d*x
+ c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b
^2)/b^2))/b) - 12*I*b*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, -(I*a*cos(d*x +
c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2
)/b^2))/b) - 12*I*b*f^3*polylog(4, cos(d*x + c) + I*sin(d*x + c)) + 12*I*b*
f^3*polylog(4, cos(d*x + c) - I*sin(d*x + c)) - 12*I*b*f^3*polylog(4, -cos(
```

$$\begin{aligned}
& d*x + c) + I*\sin(d*x + c)) + 12*I*b*f^3*\text{polylog}(4, -\cos(d*x + c) - I*\sin(d*x \\
& x + c)) - 2*(3*I*b*d^2*f^3*x^2 + 6*I*b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*\text{sqrt}(\\
& -(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b* \\
& \cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(\\
& -3*I*b*d^2*f^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2) \\
& /b^2)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) \\
& - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(-3*I*b*d^2*f \\
& ^3*x^2 - 6*I*b*d^2*e*f^2*x - 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(\\
& -1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(\\
& d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(3*I*b*d^2*f^3*x^2 + 6*I \\
& *b*d^2*e*f^2*x + 3*I*b*d^2*e^2*f)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{dilog}(-1/2*(-2*I*a \\
& *\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sq} \\
& \text{rt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c \\
& ^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(2*b*\cos(d*x + c) + 2*I*b \\
& *\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*I*a) - 2*(b*d^3*e^3 - 3*b*c* \\
& d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(2*b*\cos \\
& (d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(b \\
& *d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2) \\
& /b^2)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^ \\
& 2) + 2*I*a) + 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3) \\
& *\text{sqrt}(-(a^2 - b^2)/b^2)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\text{sq} \\
& \text{rt}(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b* \\
& d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - b \\
& ^2)/b^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) \\
& - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d^3*f^3*x^3 + \\
& 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + b \\
& *c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x \\
& + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/ \\
& b) - 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2 \\
& *f - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2)/b^2)*\log(1/2*(-2*I*a*co \\
& s(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(\\
& -(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^ \\
& 3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2*d*e*f^2 + b*c^3*f^3)*\text{sqrt}(-(a^2 - b^2) \\
&)/b^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) \\
& + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b) + 12*(b*d*f^3*x + b*d* \\
& e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(\\
& d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) \\
& - 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2)*\text{polylog}(3, 1/2*(2*I*a* \\
& \cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sq} \\
& \text{rt}(-(a^2 - b^2)/b^2))/b) - 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(-(a^2 - b^2)/b^2) \\
& *\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin \\
& (d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) + 12*(b*d*f^3*x + b*d*e*f^2)*\text{sqrt}(-(a \\
& ^2 - b^2)/b^2)*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x \\
& + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b) - (-6*I*b*d^2*f^3*x^2 - \\
& 12*I*b*d^2*e*f^2*x - 6*I*b*d^2*e^2*f)*\text{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) \\
& - (6*I*b*d^2*f^3*x^2 + 12*I*b*d^2*e*f^2*x + 6*I*b*d^2*e^2*f)*\text{dilog}(\cos(d*x \\
& + c) - I*\sin(d*x + c)) - (-6*I*b*d^2*f^3*x^2 - 12*I*b*d^2*e*f^2*x - 6*I*b* \\
& d^2*e^2*f)*\text{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) - (6*I*b*d^2*f^3*x^2 + 12* \\
& I*b*d^2*e*f^2*x + 6*I*b*d^2*e^2*f)*\text{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) + \\
& 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + b*d^3*e^3)*\log(\cos \\
& (d*x + c) + I*\sin(d*x + c) + 1) + 2*(b*d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3* \\
& b*d^3*e^2*f*x + b*d^3*e^3)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) - 2*(b*d^ \\
& 3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\log(-1/2*\cos(d*x + c \\
&) + 1/2*I*\sin(d*x + c) + 1/2) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d* \\
& e*f^2 - b*c^3*f^3)*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2) - 2*(b \\
& *d^3*f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b* \\
& c^2*d*e*f^2 + b*c^3*f^3)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) - 2*(b*d^3 \\
& *f^3*x^3 + 3*b*d^3*e*f^2*x^2 + 3*b*d^3*e^2*f*x + 3*b*c*d^2*e^2*f - 3*b*c^2* \\
& d*e*f^2 + b*c^3*f^3)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) - 12*(b*d*f^3*
\end{aligned}$$

$x + b*d*e*f^2)*polylog(3, \cos(d*x + c) + I*\sin(d*x + c)) - 12*(b*d*f^3*x + b*d*e*f^2)*polylog(3, \cos(d*x + c) - I*\sin(d*x + c)) + 12*(b*d*f^3*x + b*d*e*f^2)*polylog(3, -\cos(d*x + c) + I*\sin(d*x + c)) + 12*(b*d*f^3*x + b*d*e*f^2)*polylog(3, -\cos(d*x + c) - I*\sin(d*x + c)))/(a*b*d^4)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**3*cos(c + d*x)*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.326 \quad \int \frac{(e+fx)^2 \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=557

$$\frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^2} + \frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^2} - \frac{2if^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^3}$$

```
[Out] -(e + f*x)^3/(3*b*f) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) - (I*
Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b
^2])])/(a*b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)
)))/(a + Sqrt[a^2 - b^2])])/(a*b*d) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c
+ d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2
) - (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sq
rt[a^2 - b^2])])/(a*b*d^2) + (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b
*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a*b*d^2) - (2*f^2*PolyLog[3, -E^
(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - ((2
*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^
2])])/(a*b*d^3) + ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)
)))/(a + Sqrt[a^2 - b^2])])/(a*b*d^3)
```

Rubi [A] time = 1.1903, antiderivative size = 557, normalized size of antiderivative = 1., number of steps used = 27, number of rules used = 13, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$, Rules used = {4543, 4408, 3296, 2638, 4183, 2531, 2282, 6589, 4525, 32, 3323, 2264, 2190}

$$\frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^2} + \frac{2f\sqrt{a^2-b^2}(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^2} - \frac{2if^2\sqrt{a^2-b^2}\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^3}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x]*Cot[c + d*x])/(a + b*Sin[c + d*x]), x]
```

```
[Out] -(e + f*x)^3/(3*b*f) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) - (I*
Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b
^2])])/(a*b*d) + (I*Sqrt[a^2 - b^2]*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)
)))/(a + Sqrt[a^2 - b^2])])/(a*b*d) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c
+ d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2
) - (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sq
rt[a^2 - b^2])])/(a*b*d^2) + (2*Sqrt[a^2 - b^2]*f*(e + f*x)*PolyLog[2, (I*b
*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a*b*d^2) - (2*f^2*PolyLog[3, -E^
(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) - ((2
*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^
2])])/(a*b*d^3) + ((2*I)*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)
)))/(a + Sqrt[a^2 - b^2])])/(a*b*d^3)
```

Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_.)]^(p_.)*Cot[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (
f_.)*(x_.))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist
[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int
[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && I
GtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 32

Int[((a_.) + (b_.)*(x_.))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3323

Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int((((F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*(F_)^(g_.)*((e_.) + (f_.)*(x_.)))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^2 \cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^2 \cos(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^2 \cos^2(c + dx)}{a + b \sin(c + dx)} dx}{a} \\
 &= \frac{\int (e + fx)^2 \csc(c + dx) dx}{a} - \frac{\int (e + fx)^2 dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{(e + fx)^2}{a + b \sin(c + dx)} dx \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} + \left(2\left(\frac{a}{b} - \frac{b}{a}\right)\right) \int \frac{e^{i(c + dx)}(e + fx)}{ib + 2ae^{i(c + dx)}} dx \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{2if(e + fx)\text{Li}_2(-e^{i(c + dx)})}{ad^2} - \frac{2i}{ad} \int \frac{e^{i(c + dx)}}{ib + 2ae^{i(c + dx)}} dx \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^2 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd} \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^2 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd} \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^2 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd} \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^2 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd} \\
 &= -\frac{(e + fx)^3}{3bf} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c + dx)})}{ad} - \frac{i\sqrt{a^2 - b^2}(e + fx)^2 \log\left(1 - \frac{ibe^{i(c + dx)}}{a - \sqrt{a^2 - b^2}}\right)}{abd}
 \end{aligned}$$

Mathematica [A] time = 1.75015, size = 607, normalized size = 1.09

$$i(a^2 - b^2) \left(-i \left(2f^2 \sqrt{a^2 - b^2} \text{PolyLog} \left(3, \frac{be^{i(c + dx)}}{\sqrt{b^2 - a^2 - ia}} \right) - 2f^2 \sqrt{a^2 - b^2} \text{PolyLog} \left(3, -\frac{be^{i(c + dx)}}{\sqrt{b^2 - a^2 + ia}} \right) + d^2 \left(2e^2 \sqrt{b^2 - a^2} \tan^{-1} \left(\frac{e^{i(c + dx)}}{\sqrt{b^2 - a^2}} \right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*cos[c + d*x]*Cot[c + d*x])/(a + b*sin[c + d*x]),x]
```

```
[Out] -(x*(3*e^2 + 3*e*f*x + f^2*x^2))/(3*b) + ((e + f*x)^2*Log[1 - E^(I*(c + d*x))] - (e + f*x)^2*Log[1 + E^(I*(c + d*x))] + ((2*I)*f*(d*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))] + I*f*PolyLog[3, -E^(I*(c + d*x))]))/d^2 + (2*f*((-I)*d*(e + f*x)*PolyLog[2, E^(I*(c + d*x))] + f*PolyLog[3, E^(I*(c + d*x))]))/d^2)/(a*d) + (I*(a^2 - b^2)*(-2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] + 2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))] - I*(d^2*(2*Sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])]) - Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))]) + 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])]) - 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))])))/(a*b*Sqrt[-(a^2 - b^2)^2]*d^3)
```

Maple [F] time = 1.974, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c) \cot(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 3.30347, size = 5239, normalized size = 9.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/12*(4*a*d^3*f^2*x^3 + 12*a*d^3*e*f*x^2 + 12*a*d^3*e^2*x + 12*b*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2
```

```

*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 12*b*f^2*
sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c)
) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 12*b
*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c)
+ (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 12*b*f^2
*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b
*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 12*b*f^2*pol
ylog(3, cos(d*x + c) + I*sin(d*x + c)) - 12*b*f^2*polylog(3, cos(d*x + c) -
I*sin(d*x + c)) + 12*b*f^2*polylog(3, -cos(d*x + c) + I*sin(d*x + c)) + 12
*b*f^2*polylog(3, -cos(d*x + c) - I*sin(d*x + c)) - 2*(6*I*b*d*f^2*x + 6*I*
b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*
x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b
)/b + 1) - 2*(-6*I*b*d*f^2*x - 6*I*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1
/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x
+ c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(-6*I*b*d*f^2*x - 6*I*b*d*e
*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x +
c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b
+ 1) - 2*(6*I*b*d*f^2*x + 6*I*b*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-
2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c
))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 6*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^
2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2
*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 6*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2
)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sq
rt(-(a^2 - b^2)/b^2) - 2*I*a) + 6*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sq
rt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-
(a^2 - b^2)/b^2) + 2*I*a) + 6*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sqrt(-
(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-
(a^2 - b^2)/b^2) - 2*I*a) - 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*
c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x +
c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b
) + 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*sqrt(-(a^2
- b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x +
c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 6*(b*d^2*f^2*x^2
+ 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*
(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x +
2*b*c*d*e*f - b*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c
) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b
^2)/b^2) + 2*b)/b) - (-12*I*b*d*f^2*x - 12*I*b*d*e*f)*dilog(cos(d*x + c) +
I*sin(d*x + c)) - (12*I*b*d*f^2*x + 12*I*b*d*e*f)*dilog(cos(d*x + c) - I*si
n(d*x + c)) - (-12*I*b*d*f^2*x - 12*I*b*d*e*f)*dilog(-cos(d*x + c) + I*sin(
d*x + c)) - (12*I*b*d*f^2*x + 12*I*b*d*e*f)*dilog(-cos(d*x + c) - I*sin(d*x
+ c)) + 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + b*d^2*e^2)*log(cos(d*x + c) + I
*sin(d*x + c) + 1) + 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + b*d^2*e^2)*log(cos(
d*x + c) - I*sin(d*x + c) + 1) - 6*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*lo
g(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2) - 6*(b*d^2*e^2 - 2*b*c*d*e*
f + b*c^2*f^2)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2) - 6*(b*d^2
*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f^2)*log(-cos(d*x + c) + I*s
in(d*x + c) + 1) - 6*(b*d^2*f^2*x^2 + 2*b*d^2*e*f*x + 2*b*c*d*e*f - b*c^2*f
^2)*log(-cos(d*x + c) - I*sin(d*x + c) + 1))/(a*b*d^3)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] Integral((e + f*x)**2*cos(c + d*x)*cot(c + d*x)/(a + b*sin(c + d*x)), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.327 \quad \int \frac{(e+fx) \cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=351

$$-\frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^2} + \frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^2} + \frac{if\text{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if\text{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2}$$

[Out] $-\left(\frac{e*x}{b} - \frac{f*x^2}{2*b} - \frac{2*(e + f*x)*\text{ArcTanh}[E^{(I*(c + d*x))}]}{(a*d) - (I*\text{Sqrt}[a^2 - b^2]*(e + f*x)*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])}/(a*b*d) + (I*\text{Sqrt}[a^2 - b^2]*(e + f*x)*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])}/(a*b*d) + (I*f*\text{PolyLog}[2, -E^{(I*(c + d*x))}]}{(a*d^2) - (I*f*\text{PolyLog}[2, E^{(I*(c + d*x))}]}{(a*d^2) - (\text{Sqrt}[a^2 - b^2]*f*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])}/(a*b*d^2) + (\text{Sqrt}[a^2 - b^2]*f*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])}/(a*b*d^2)$

Rubi [A] time = 0.660472, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 21, number of rules used = 11, integrand size = 30, $\frac{\text{number of rules}}{\text{integrand size}} = 0.367$, Rules used = {4543, 4408, 3296, 2637, 4183, 2279, 2391, 4525, 3323, 2264, 2190}

$$-\frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd^2} + \frac{f\sqrt{a^2-b^2}\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{abd^2} + \frac{if\text{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if\text{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2}$$

Antiderivative was successfully verified.

[In] `Int[((e + f*x)*Cos[c + d*x]*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]`

[Out] $-\left(\frac{e*x}{b} - \frac{f*x^2}{2*b} - \frac{2*(e + f*x)*\text{ArcTanh}[E^{(I*(c + d*x))}]}{(a*d) - (I*\text{Sqrt}[a^2 - b^2]*(e + f*x)*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])}/(a*b*d) + (I*\text{Sqrt}[a^2 - b^2]*(e + f*x)*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])}/(a*b*d) + (I*f*\text{PolyLog}[2, -E^{(I*(c + d*x))}]}{(a*d^2) - (I*f*\text{PolyLog}[2, E^{(I*(c + d*x))}]}{(a*d^2) - (\text{Sqrt}[a^2 - b^2]*f*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])}/(a*b*d^2) + (\text{Sqrt}[a^2 - b^2]*f*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])}/(a*b*d^2)$

Rule 4543

`Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/(a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*cos[c + d*x]^p*cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*cos[c + d*x]^(p + 1)*cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]`

Rule 4408

`Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*cos[a + b*x]^n*cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*cos[a + b*x]^(n - 2)*cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)], x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\cos(c+dx)\cot(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int (e+fx)\cos(c+dx)\cot(c+dx) dx}{a} - \frac{b \int \frac{(e+fx)\cos^2(c+dx)}{a+b\sin(c+dx)} dx}{a} \\
&= \frac{\int (e+fx)\csc(c+dx) dx}{a} - \frac{\int (e+fx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{e+fx}{a+b\sin(c+dx)} dx \\
&= -\frac{ex}{b} - \frac{fx^2}{2b} - \frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} + \left(2\left(\frac{a}{b} - \frac{b}{a}\right)\right) \int \frac{e^{i(c+dx)}(e+fx)}{ib+2ae^{i(c+dx)}-ib} dx \\
&= -\frac{ex}{b} - \frac{fx^2}{2b} - \frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{(2i\sqrt{a^2-b^2}) \int \frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx}{a} \\
&= -\frac{ex}{b} - \frac{fx^2}{2b} - \frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2-b^2}(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd} \\
&= -\frac{ex}{b} - \frac{fx^2}{2b} - \frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2-b^2}(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd} \\
&= -\frac{ex}{b} - \frac{fx^2}{2b} - \frac{2(e+fx)\tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{i\sqrt{a^2-b^2}(e+fx)\log\left(1-\frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{abd}
\end{aligned}$$

Mathematica [B] time = 6.79811, size = 812, normalized size = 2.31

$$\frac{(c+dx)(cf-d(2e+fx))}{b} + \frac{2de \log\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)}{a} - \frac{2cf \log\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)}{a} + \frac{2f((c+dx)(\log(1-e^{i(c+dx)})-\log(1+e^{i(c+dx)}))+i(\text{PolyLog}(2,-e^{i(c+dx)})-\text{PolyLog}(2,e^{i(c+dx)})))}{a}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Cos[c + d*x]*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (((c + d*x)*(c*f - d*(2*e + f*x)))/b + (2*d*e*Log[Tan[(c + d*x)/2]])/a - (2*c*f*Log[Tan[(c + d*x)/2]])/a + (2*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))])))/a + (2*(a^2 - b^2)*d*(e + f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])] + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2])])/(a + I*(b + Sqrt[-a^2 + b^2])))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])] + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2])])/(a - I*(b + Sqrt[-a^2 + b^2])))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(-b + Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2])] + PolyLog[2, (a*(I + Tan[(c + d*x)/2])])/(I*a - b + Sqrt[-a^2 + b^2])))/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])] + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2])))/Sqrt[-a^2 + b^2]))/(a*b*(d*e - c*f + I*f*Log[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]])))/(2*d^2)

Maple [B] time = 0.306, size = 1207, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] -1/2*f*x^2/b-e*x/b+1/b*a/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x+1/b*a/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+2*I/b/d*a*e/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+1/d/a*e*ln(exp(I*(d*x+c))-1)-1/d/a*e*ln(exp(I*(d*x+c))+1)+I/b/d^2*a*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-1/d^2/a*f*c*ln(exp(I*(d*x+c))-1)-1/d*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x-1/d^2*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+2*I/d^2*f*c/a*b/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+I/d^2*f*b/a/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))-I/b*a/d^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+I/d^2*f/a*dilog(exp(I*(d*x+c)))+I/d^2*f/a*dilog(exp(I*(d*x+c))+1)+1/d*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x+1/d^2*f*b/a/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c-1/b*a/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x-1/b*a/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c-2*I/d*e/a*b/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))-2*I/b/d^2*a*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))-1/d/a*ln(exp(I*(d*x+c))+1)*f*x-I/d^2*f*b/a/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 3.31358, size = 3267, normalized size = 9.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(2*a*d^2*f*x^2 + 4*a*d^2*e*x - 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*f*sqrt(-(a^2
```


$$\begin{aligned}
& -b^2/b^2) * \operatorname{dilog}(-1/2 * (-2I * a * \cos(dx + c) + 2a * \sin(dx + c) + 2 * (b * \cos(dx + c) + I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b + 1) - 2 * I * b * f * \\
& \sqrt{-(a^2 - b^2)/b^2} * \operatorname{dilog}(-1/2 * (-2I * a * \cos(dx + c) + 2a * \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b + 1) \\
& + 2 * I * b * f * \operatorname{dilog}(\cos(dx + c) + I * \sin(dx + c)) - 2 * I * b * f * \operatorname{dilog}(\cos(dx + c) - I * \sin(dx + c)) + 2 * I * b * f * \operatorname{dilog}(-\cos(dx + c) + I * \sin(dx + c)) - 2 * I * b * \\
& f * \operatorname{dilog}(-\cos(dx + c) - I * \sin(dx + c)) - 2 * (b * d * e - b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(2 * b * \cos(dx + c) + 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} / \\
& b^2) + 2 * I * a) - 2 * (b * d * e - b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(2 * b * \cos(dx + c) - 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} - 2 * I * a) + 2 * (b * d * e - \\
& b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(-2 * b * \cos(dx + c) + 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} + 2 * I * a) + 2 * (b * d * e - b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \\
& \log(-2 * b * \cos(dx + c) - 2 * I * b * \sin(dx + c) + 2 * b * \sqrt{-(a^2 - b^2)/b^2} - 2 * I * a) - 2 * (b * d * f * x + b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) - I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b) + 2 * (b * d * f * x + b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2 * (2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) - I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b) - 2 * (b * d * f * x + b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2 * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) + 2 * (b * \cos(dx + c) + I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b) + 2 * (b * d * f * x + b * c * f) * \sqrt{-(a^2 - b^2)/b^2} * \log(1/2 * (-2 * I * a * \cos(dx + c) + 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c))) * \sqrt{-(a^2 - b^2)/b^2} + 2 * b) / b) + 2 * (b * d * f * x + b * d * e) * \log(\cos(dx + c) + I * \sin(dx + c) + 1) + 2 * (b * d * f * x + b * d * e) * \log(\cos(dx + c) - I * \sin(dx + c) + 1) - 2 * (b * d * e - b * c * f) * \log(-1/2 * \cos(dx + c) + 1/2 * I * \sin(dx + c) + 1/2) - 2 * (b * d * e - b * c * f) * \log(-1/2 * \cos(dx + c) - 1/2 * I * \sin(dx + c) + 1/2) - 2 * (b * d * f * x + b * c * f) * \log(-\cos(dx + c) + I * \sin(dx + c) + 1) - 2 * (b * d * f * x + b * c * f) * \log(-\cos(dx + c) - I * \sin(dx + c) + 1)) / (a * b * d^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(dx+c)*cot(dx+c)/(a+b*sin(dx+c)),x)

[Out] Integral((e + f*x)*cos(c + d*x)*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(dx+c)*cot(dx+c)/(a+b*sin(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.328 \quad \int \frac{\cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=75

$$\frac{2\sqrt{a^2 - b^2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{abd} - \frac{\tanh^{-1}(\cos(c + dx))}{ad} - \frac{x}{b}$$

[Out] $-(x/b) + (2*\text{Sqrt}[a^2 - b^2]*\text{ArcTan}[(b + a*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a^2 - b^2]])/(a*b*d) - \text{ArcTanh}[\text{Cos}[c + d*x]]/(a*d)$

Rubi [A] time = 0.184407, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$, Rules used = {2889, 3058, 2660, 618, 204, 3770}

$$\frac{2\sqrt{a^2 - b^2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{abd} - \frac{\tanh^{-1}(\cos(c + dx))}{ad} - \frac{x}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(\text{Cos}[c + d*x]*\text{Cot}[c + d*x])/(a + b*\text{Sin}[c + d*x]), x]$

[Out] $-(x/b) + (2*\text{Sqrt}[a^2 - b^2]*\text{ArcTan}[(b + a*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a^2 - b^2]])/(a*b*d) - \text{ArcTanh}[\text{Cos}[c + d*x]]/(a*d)$

Rule 2889

$\text{Int}[\cos[(e_.) + (f_.)*(x_.)]^2*((d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x_Symbol] \rightarrow \text{Int}[(d*\text{Sin}[e + f*x])^n*(a + b*\text{Sin}[e + f*x])^m*(1 - \text{Sin}[e + f*x]^2), x] /;$ FreeQ[{a, b, d, e, f, m, n}, x] && NeQ[a^2 - b^2, 0] && (IGtQ[m, 0] || IntegersQ[2*m, 2*n])

Rule 3058

$\text{Int}[(A_.) + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(C*x)/(b*d), x] + (\text{Dist}[(A*b^2 + a^2*C)/(b*(b*c - a*d)), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] - \text{Dist}[(c^2*C + A*d^2)/(d*(b*c - a*d)), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x]) /;$ FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2660

$\text{Int}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(-1)}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + 2*b*e*x + a*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /;$ FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

$\text{Int}[(a_.) + (b_.)*(x_.) + (c_.)*(x_.)^2]^{(-1)}, x_Symbol] \rightarrow \text{Dist}[-2, \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /;$ FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 3770

Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx &= \int \frac{\csc(c+dx) (1-\sin^2(c+dx))}{a+b \sin(c+dx)} dx \\ &= -\frac{x}{b} + \frac{\int \csc(c+dx) dx}{a} - \left(-\frac{a}{b} + \frac{b}{a}\right) \int \frac{1}{a+b \sin(c+dx)} dx \\ &= -\frac{x}{b} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{\left(2\left(\frac{a}{b} - \frac{b}{a}\right)\right) \text{Subst}\left(\int \frac{1}{a+2bx+ax^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{d} \\ &= -\frac{x}{b} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} - \frac{\left(4\left(\frac{a}{b} - \frac{b}{a}\right)\right) \text{Subst}\left(\int \frac{1}{-4(a^2-b^2)-x^2} dx, x, 2b+2a \tan\left(\frac{1}{2}(c+dx)\right)\right)}{d} \\ &= -\frac{x}{b} + \frac{2\sqrt{a^2-b^2} \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{abd} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} \end{aligned}$$

Mathematica [A] time = 0.111835, size = 90, normalized size = 1.2

$$\frac{-2\sqrt{a^2-b^2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right) + ac + adx - b \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) + b \log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)}{abd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] -((a*c + a*d*x - 2*Sqrt[a^2 - b^2]*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]] + b*Log[Cos[(c + d*x)/2]] - b*Log[Sin[(c + d*x)/2]])/(a*b*d)

Maple [A] time = 0.003, size = 137, normalized size = 1.8

$$-2 \frac{\arctan(\tan(1/2 dx + c/2))}{bd} + \frac{1}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 2 \frac{a}{bd\sqrt{a^2-b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(1/2 dx + c/2) + 2b}{\sqrt{a^2-b^2}}\right) - 2 \frac{a}{bd\sqrt{a^2-b^2}} \arctan\left(\frac{1}{2} \frac{2a \tan(1/2 dx + c/2) - 2b}{\sqrt{a^2-b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] -2/d/b*arctan(tan(1/2*d*x+1/2*c))+1/a/d*ln(tan(1/2*d*x+1/2*c))+2/d/b*a/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))-2/d/a*b/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 2.0534, size = 640, normalized size = 8.53

$$\left[\frac{2 \, a \, d \, x + b \log\left(\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - b \log\left(-\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - \sqrt{-a^2 + b^2} \log\left(-\frac{(2a^2 - b^2) \cos(dx+c)^2 - 2ab \sin(dx+c) - a^2 - b^2}{b^2 \cos(dx+c)^2 - 2}\right)}{2 \, a \, b \, d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*(2*a*d*x + b*log(1/2*cos(d*x + c) + 1/2) - b*log(-1/2*cos(d*x + c) + 1/2) - sqrt(-a^2 + b^2)*log(-((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)))/(a*b*d), -1/2*(2*a*d*x + b*log(1/2*cos(d*x + c) + 1/2) - b*log(-1/2*cos(d*x + c) + 1/2) + 2*sqrt(a^2 - b^2)*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c))))/(a*b*d)]

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral(cos(c + d*x)*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 2.16688, size = 127, normalized size = 1.69

$$\frac{\frac{dx+c}{b} - \frac{\log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)}{a}}{d} - \frac{2 \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}}\right) \right) \sqrt{a^2 - b^2}}{ab}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

```
[Out] -((d*x + c)/b - log(abs(tan(1/2*d*x + 1/2*c))))/a - 2*(pi*floor(1/2*(d*x + c  
) / pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))*  
sqrt(a^2 - b^2)/(a*b))/d
```

$$3.329 \quad \int \frac{(e+fx)^3 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=763

$$\frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^3} + \frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ab^2d^3} - \frac{3if(a^2-b^2)(e+fx)^2\text{Pol}}{ab^2d^2}$$

[Out] $((-I/4)*(e + f*x)^4)/(a*f) - ((I/4)*(a^2 - b^2)*(e + f*x)^4)/(a*b^2*f) + (6*f^3*\text{Cos}[c + d*x])/(b*d^4) - (3*f*(e + f*x)^2*\text{Cos}[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((e + f*x)^3*\text{Log}[1 - E^((2*I)*(c + d*x))]/(a*d) - ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - (((3*I)/2)*f*(e + f*x)^2*\text{PolyLog}[2, E^((2*I)*(c + d*x))]/(a*d^2) + (6*(a^2 - b^2)*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (6*(a^2 - b^2)*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (3*f^2*(e + f*x)*\text{PolyLog}[3, E^((2*I)*(c + d*x))]/(2*a*d^3) + ((6*I)*(a^2 - b^2)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^4) + ((6*I)*(a^2 - b^2)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^4) + (((3*I)/4)*f^3*\text{PolyLog}[4, E^((2*I)*(c + d*x))]/(a*d^4) + (6*f^2*(e + f*x)*\text{Sin}[c + d*x])/(b*d^3) - ((e + f*x)^3*\text{Sin}[c + d*x])/(b*d)$

Rubi [A] time = 1.35906, antiderivative size = 763, normalized size of antiderivative = 1., number of steps used = 34, number of rules used = 17, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4543, 4408, 4404, 3311, 32, 2635, 8, 3717, 2190, 2531, 6609, 2282, 6589, 4525, 3296, 2638, 4519}

$$\frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^3} + \frac{6f^2(a^2-b^2)(e+fx)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ab^2d^3} - \frac{3if(a^2-b^2)(e+fx)^2\text{Pol}}{ab^2d^2}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] $((-I/4)*(e + f*x)^4)/(a*f) - ((I/4)*(a^2 - b^2)*(e + f*x)^4)/(a*b^2*f) + (6*f^3*\text{Cos}[c + d*x])/(b*d^4) - (3*f*(e + f*x)^2*\text{Cos}[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)^3*\text{Log}[1 - (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((e + f*x)^3*\text{Log}[1 - E^((2*I)*(c + d*x))]/(a*d) - ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - (((3*I)/2)*f*(e + f*x)^2*\text{PolyLog}[2, E^((2*I)*(c + d*x))]/(a*d^2) + (6*(a^2 - b^2)*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (6*(a^2 - b^2)*f^2*(e + f*x)*\text{PolyLog}[3, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (3*f^2*(e + f*x)*\text{PolyLog}[3, E^((2*I)*(c + d*x))]/(2*a*d^3) + ((6*I)*(a^2 - b^2)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x))]/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^4) + ((6*I)*(a^2 - b^2)*f^3*\text{PolyLog}[4, (I*b*E^(I*(c + d*x))]/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^4) + (((3*I)/4)*f^3*\text{PolyLog}[4, E^((2*I)*(c + d*x))]/(a*d^4) + (6*f^2*(e + f*x)*\text{Sin}[c + d*x])/(b*d^3) - ((e + f*x)^3*\text{Sin}[c + d*x])/(b*d)$

Rule 4543

Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*SIN[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4408

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*SIN[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*COS[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] := -Simp[(b*COS[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*(F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Di

```
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*
(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/
(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2,
-(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*
(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/
(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1,
d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
```


- I*b*E^(I*(c + d*x)), x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]

Rubi steps

$$\begin{aligned}
 \int \frac{(e + fx)^3 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^3 \cos^2(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^3(c + dx)}{a + b \sin(c + dx)} dx}{a} \\
 &= \frac{\int (e + fx)^3 \cot(c + dx) dx}{a} - \frac{\int (e + fx)^3 \cos(c + dx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{(e + fx)^3}{a + b \sin(c + dx)} dx \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} - \frac{(e + fx)^3 \sin(c + dx)}{bd} - \frac{(2i) \int \frac{e^{2i(c + dx)}}{1 - e^{2i(c + dx)}} dx}{a} \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} - \frac{3f(e + fx)^2 \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2) \int \frac{e^{2i(c + dx)}}{1 - e^{2i(c + dx)}} dx}{a} \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} - \frac{3f(e + fx)^2 \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2) \int \frac{e^{2i(c + dx)}}{1 - e^{2i(c + dx)}} dx}{a} \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} + \frac{6f^3 \cos(c + dx)}{bd^4} - \frac{3f(e + fx)^2 \cos(c + dx)}{bd^2} \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} + \frac{6f^3 \cos(c + dx)}{bd^4} - \frac{3f(e + fx)^2 \cos(c + dx)}{bd^2} \\
 &= -\frac{i(e + fx)^4}{4af} - \frac{i(a^2 - b^2)(e + fx)^4}{4ab^2f} + \frac{6f^3 \cos(c + dx)}{bd^4} - \frac{3f(e + fx)^2 \cos(c + dx)}{bd^2}
 \end{aligned}$$

Mathematica [B] time = 10.6296, size = 4014, normalized size = 5.26

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^3*Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] -(e*E^(I*c)*f^2*Csc[c]*((2*d^3*x^3)/E^((2*I)*c) + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 - E^((-I)*(c + d*x))] + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 + E^((-I)*(c + d*x))] - (6*(-1 + E^((2*I)*c))*(d*x*PolyLog[2, -E^((-I)*(c + d*x))]) - I*PolyLog[3, -E^((-I)*(c + d*x))])/E^((2*I)*c) - (6*(-1 + E^((2*I)*c))*(d*x*PolyLog[2, E^((-I)*(c + d*x))]) - I*PolyLog[3, E^((-I)*(c + d*x))])/E^((2*I)*c))/(2*a*d^3) - (E^(I*c)*f^3*Csc[c]*((d^4*x^4)/E^((2*I)*c) + (2*I)*d^3*(1 - E^((-2*I)*c))*x^3*Log[1 - E^((-I)*(c + d*x))] + (2*I)*d^3*(1 - E^((-2*I)*c))*x^3*Log[1 + E^((-I)*(c + d*x))] - (6*(-1 + E^((2*I)*c))*(d^2*x^2*PolyLog[2, -E^((-I)*(c + d*x))]) - (2*I)*d*x*PolyLog[3, -E^((-I)*(c + d*x))]) - 2*PolyLog[4, -E^((-I)*(c + d*x))])/E^((2*I)*c) - (6*(-1 + E^((2*I)*c))*(d^2*x^2*PolyLog[2, E^((-I)*(c + d*x))]) - (2*I)*d*x*PolyLog[3, E^((-I)*(c + d*x))]) - 2*PolyLog[4, E^((-I)*(c + d*x))])/E^((2*I)*c))/(4*a*d^4) + ((a^2 - b^2)*((-4*I)*d^4*e^3*E^((2*I)*c)*x - (6*I)*d^4*e^2*E^((2*I)*c)*f*x^2 - (4*I)*d^4*e*E^((2*I)*c)*f^2*x^3 - I*d^4*E^((2*I)*c)*f^3*x^4 - (2*I)*d^3*e^3*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x))))]) + (2*I)*d^3*e^3*E^((2*I)*c)*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x))))]) - d^3*e^3*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] + d^3*e^3*E^((2*I)*c)*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] - 6*d^3*e^2*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a

$$\begin{aligned}
& *E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}]] + 6*d^3*e^2*E^{((2*I)*c)}*f*x*\text{Log} \\
& [1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& - 6*d^3*e*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + \\
& b^2)*E^{((2*I)*c)}])] + 6*d^3*e*E^{((2*I)*c)}*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d \\
& *x))})/(I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - 2*d^3*f^3*x^3*\text{Log}[1 \\
& + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + \\
& 2*d^3*E^{((2*I)*c)}*f^3*x^3*\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} - \text{Sqrt} \\
& [(-a^2 + b^2)*E^{((2*I)*c)}])] - 6*d^3*e^2*f*x*\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/ \\
& (I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + 6*d^3*e^2*E^{((2*I)*c)}*f*x \\
& *\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)} \\
&])] - 6*d^3*e*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a \\
& ^2 + b^2)*E^{((2*I)*c)}])] + 6*d^3*e*E^{((2*I)*c)}*f^2*x^2*\text{Log}[1 + (b*E^{(I*(2*c \\
& + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - 2*d^3*f^3*x^3*L \\
& \text{og}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] \\
& + 2*d^3*E^{((2*I)*c)}*f^3*x^3*\text{Log}[1 + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \\
& \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - (6*I)*d^2*(-1 + E^{((2*I)*c)})*f*(e + f*x) \\
& ^2*\text{PolyLog}[2, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((\\
& 2*I)*c)}])] - (6*I)*d^2*(-1 + E^{((2*I)*c)})*f*(e + f*x)^2*\text{PolyLog}[2, -((b*E^{(\\
& I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])]) - 12*d*e*f \\
& ^2*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((\\
& 2*I)*c)}])] + 12*d*e*E^{((2*I)*c)}*f^2*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))})/(a*E \\
& ^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - 12*d*f^3*x*\text{PolyLog}[3, (I*b*E^{(\\
& I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + 12*d*E^{(\\
& (2*I)*c)}*f^3*x*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 \\
& + b^2)*E^{((2*I)*c)}])] - 12*d*e*f^2*\text{PolyLog}[3, -((b*E^{(I*(2*c + d*x))})/(I*a \\
& *E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])]) + 12*d*e*E^{((2*I)*c)}*f^2*\text{PolyL} \\
& \text{og}[3, -((b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}] \\
&))] - 12*d*f^3*x*\text{PolyLog}[3, -((b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a \\
& ^2 + b^2)*E^{((2*I)*c)}])]) + 12*d*E^{((2*I)*c)}*f^3*x*\text{PolyLog}[3, -((b*E^{(I*(2* \\
& c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])]) - (12*I)*f^3*Po \\
& lyLog[4, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)* \\
& c)}])] + (12*I)*E^{((2*I)*c)}*f^3*\text{PolyLog}[4, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I*c} \\
&) + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - (12*I)*f^3*\text{PolyLog}[4, -((b*E^{(I*(2 \\
& *c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])]) + (12*I)*E^{((2 \\
& *I)*c)}*f^3*\text{PolyLog}[4, -((b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b \\
& ^2)*E^{((2*I)*c)}])])])/(2*a*b^2*d^4*(-1 + E^{((2*I)*c)})) + (e^3*\text{Csc}[c]*(-d*x \\
& *\text{Cos}[c]) + \text{Log}[\text{Cos}[d*x]*\text{Sin}[c] + \text{Cos}[c]*\text{Sin}[d*x]]*\text{Sin}[c]))/(a*d*(\text{Cos}[c]^2 + \\
& \text{Sin}[c]^2)) + \text{Csc}[c]*(\text{Cos}[c + d*x]/(8*b^2*d^4) - ((I/8)*\text{Sin}[c + d*x])/(b^2* \\
& d^4))*(4*a*d^4*e^3*x*\text{Cos}[d*x] + 6*a*d^4*e^2*f*x^2*\text{Cos}[d*x] + 4*a*d^4*e*f^2* \\
& x^3*\text{Cos}[d*x] + a*d^4*f^3*x^4*\text{Cos}[d*x] + 4*a*d^4*e^3*x*\text{Cos}[2*c + d*x] + 6*a* \\
& d^4*e^2*f*x^2*\text{Cos}[2*c + d*x] + 4*a*d^4*e*f^2*x^3*\text{Cos}[2*c + d*x] + a*d^4*f^3 \\
& *x^4*\text{Cos}[2*c + d*x] - 2*b*d^3*e^3*\text{Cos}[c + 2*d*x] - (6*I)*b*d^2*e^2*f*\text{Cos}[c \\
& + 2*d*x] + 12*b*d*e*f^2*\text{Cos}[c + 2*d*x] + (12*I)*b*f^3*\text{Cos}[c + 2*d*x] - 6*b* \\
& d^3*e^2*f*x*\text{Cos}[c + 2*d*x] - (12*I)*b*d^2*e*f^2*x*\text{Cos}[c + 2*d*x] + 12*b*d*f \\
& ^3*x*\text{Cos}[c + 2*d*x] - 6*b*d^3*e*f^2*x^2*\text{Cos}[c + 2*d*x] - (6*I)*b*d^2*f^3*x^ \\
& 2*\text{Cos}[c + 2*d*x] - 2*b*d^3*f^3*x^3*\text{Cos}[c + 2*d*x] + 2*b*d^3*e^3*\text{Cos}[3*c + 2 \\
& *d*x] + (6*I)*b*d^2*e^2*f*\text{Cos}[3*c + 2*d*x] - 12*b*d*e*f^2*\text{Cos}[3*c + 2*d*x] \\
& - (12*I)*b*f^3*\text{Cos}[3*c + 2*d*x] + 6*b*d^3*e^2*f*x*\text{Cos}[3*c + 2*d*x] + (12*I) \\
& *b*d^2*e*f^2*x*\text{Cos}[3*c + 2*d*x] - 12*b*d*f^3*x*\text{Cos}[3*c + 2*d*x] + 6*b*d^3*e \\
& *f^2*x^2*\text{Cos}[3*c + 2*d*x] + (6*I)*b*d^2*f^3*x^2*\text{Cos}[3*c + 2*d*x] + 2*b*d^3* \\
& f^3*x^3*\text{Cos}[3*c + 2*d*x] - (4*I)*b*d^3*e^3*\text{Sin}[c] - 12*b*d^2*e^2*f*\text{Sin}[c] + \\
& (24*I)*b*d*e*f^2*\text{Sin}[c] + 24*b*f^3*\text{Sin}[c] - (12*I)*b*d^3*e^2*f*x*\text{Sin}[c] - \\
& 24*b*d^2*e*f^2*x*\text{Sin}[c] + (24*I)*b*d*f^3*x*\text{Sin}[c] - (12*I)*b*d^3*e*f^2*x^2* \\
& \text{Sin}[c] - 12*b*d^2*f^3*x^2*\text{Sin}[c] - (4*I)*b*d^3*f^3*x^3*\text{Sin}[c] + (4*I)*a*d^4 \\
& *e^3*x*\text{Sin}[d*x] + (6*I)*a*d^4*e^2*f*x^2*\text{Sin}[d*x] + (4*I)*a*d^4*e*f^2*x^3*\text{Si} \\
& n[d*x] + I*a*d^4*f^3*x^4*\text{Sin}[d*x] + (4*I)*a*d^4*e^3*x*\text{Sin}[2*c + d*x] + (6*I) \\
& *a*d^4*e^2*f*x^2*\text{Sin}[2*c + d*x] + (4*I)*a*d^4*e*f^2*x^3*\text{Sin}[2*c + d*x] + I \\
& *a*d^4*f^3*x^4*\text{Sin}[2*c + d*x] - (2*I)*b*d^3*e^3*\text{Sin}[c + 2*d*x] + 6*b*d^2*e^ \\
& 2*f*\text{Sin}[c + 2*d*x] + (12*I)*b*d*e*f^2*\text{Sin}[c + 2*d*x] - 12*b*f^3*\text{Sin}[c + 2*d
\end{aligned}$$

```
*x] - (6*I)*b*d^3*e^2*f*x*Sin[c + 2*d*x] + 12*b*d^2*e*f^2*x*Sin[c + 2*d*x]
+ (12*I)*b*d*f^3*x*Sin[c + 2*d*x] - (6*I)*b*d^3*e*f^2*x^2*Sin[c + 2*d*x] +
6*b*d^2*f^3*x^2*Sin[c + 2*d*x] - (2*I)*b*d^3*f^3*x^3*Sin[c + 2*d*x] + (2*I)
*b*d^3*e^3*Sin[3*c + 2*d*x] - 6*b*d^2*e^2*f*Sin[3*c + 2*d*x] - (12*I)*b*d*e
*f^2*Sin[3*c + 2*d*x] + 12*b*f^3*Sin[3*c + 2*d*x] + (6*I)*b*d^3*e^2*f*x*Sin
[3*c + 2*d*x] - 12*b*d^2*e*f^2*x*Sin[3*c + 2*d*x] - (12*I)*b*d*f^3*x*Sin[3*
c + 2*d*x] + (6*I)*b*d^3*e*f^2*x^2*Sin[3*c + 2*d*x] - 6*b*d^2*f^3*x^2*Sin[3
*c + 2*d*x] + (2*I)*b*d^3*f^3*x^3*Sin[3*c + 2*d*x]) - (3*e^2*f*Csc[c]*Sec[c
]*(d^2*E^(I*ArcTan[Tan[c]])*x^2 + ((I*d*x*(-Pi + 2*ArcTan[Tan[c]]) - Pi*Log
[1 + E^((-2*I)*d*x)] - 2*(d*x + ArcTan[Tan[c]])*Log[1 - E^((2*I)*(d*x + Arc
Tan[Tan[c]])]) + Pi*Log[Cos[d*x]] + 2*ArcTan[Tan[c]]*Log[Sin[d*x + ArcTan[T
an[c]]])) + I*PolyLog[2, E^((2*I)*(d*x + ArcTan[Tan[c]])]))*Tan[c])/Sqrt[1 +
Tan[c]^2))/(2*a*d^2*Sqrt[Sec[c]^2*(Cos[c]^2 + Sin[c]^2)])
```

Maple [F] time = 4.033, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^2 \cot(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="
maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 5.83696, size = 7961, normalized size = 10.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="
fricas")
```

```
[Out] 1/2*(6*I*b^2*f^3*polylog(4, cos(d*x + c) + I*sin(d*x + c)) - 6*I*b^2*f^3*po
lylog(4, cos(d*x + c) - I*sin(d*x + c)) - 6*I*b^2*f^3*polylog(4, -cos(d*x +
c) + I*sin(d*x + c)) + 6*I*b^2*f^3*polylog(4, -cos(d*x + c) - I*sin(d*x +
c)) + 6*I*(a^2 - b^2)*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x
+ c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6
*I*(a^2 - b^2)*f^3*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) -
```

$$\begin{aligned}
& 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 6*(a*b*d^2*f^3*x^2 + 2*a*b*d^2*e*f^2*x + a*b*d^2*e^2*f - 2*a*b*f^3)*\cos(d*x + c) + (3*I*(a^2 - b^2)*d^2*f^3*x^2 + 6*I*(a^2 - b^2)*d^2*e*f^2*x + 3*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (3*I*(a^2 - b^2)*d^2*f^3*x^2 + 6*I*(a^2 - b^2)*d^2*e*f^2*x + 3*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-3*I*(a^2 - b^2)*d^2*f^3*x^2 - 6*I*(a^2 - b^2)*d^2*e*f^2*x - 3*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-3*I*(a^2 - b^2)*d^2*f^3*x^2 - 6*I*(a^2 - b^2)*d^2*e*f^2*x - 3*I*(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-3*I*b^2*d^2*f^3*x^2 - 6*I*b^2*d^2*e*f^2*x - 3*I*b^2*d^2*e^2*f)*\text{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + (3*I*b^2*d^2*f^3*x^2 + 6*I*b^2*d^2*e*f^2*x + 3*I*b^2*d^2*e^2*f)*\text{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) + (3*I*b^2*d^2*f^3*x^2 + 6*I*b^2*d^2*e*f^2*x + 3*I*b^2*d^2*e^2*f)*\text{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + (-3*I*b^2*d^2*f^3*x^2 - 6*I*b^2*d^2*e*f^2*x - 3*I*b^2*d^2*e^2*f)*\text{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2}) + 2*I*a) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + (b^2*d^3*f^3*x^3 + 3*b^2*d^3*e*f^2*x^2 + 3*b^2*d^3*e^2*f*x + b^2*d^3*e^3)*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1) + (b^2*d^3*f^3*x^3 + 3*b^2*d^3*e*f^2*x^2 + 3*b^2*d^3*e^2*f*x + b^2*d^3*e^3)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) + (b^2*d^3*e^3 - 3*b^2*c*d^2*e^2*f + 3*b^2*c^2*d*e*f^2 - b^2*c^3*f^3)*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2) + (b^2*d^3*e^3 - 3*b^2*c*d^2*e^2*f + 3*b^2*c^2*d*e*f^2 - b^2*c^3*f^3)*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2) + (b^2*d^3*f^3*x^3 + 3*b^2*d^3*e*f^2*x^2 + 3*b^2*d^3*e^2*f*x + 3*b^2*c*d^2*e^2*f - 3*b^2*c^2*d*e*f^2 + b^2*c^3*f^3)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) + (b^2*d^3*f^3*x^3 + 3*b^2*d^3*e*f^2*x^2 + 3*b^2*d^3*e^2*f*x + 3*b^2*c*d^2*e^2*f - 3*b^2*c^2*d*e*f^2 + b^2*c^3*f^3)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*\text{polylog}(3, 1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b)
\end{aligned}$$

```

os(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt
(-(a^2 - b^2)/b^2))/b) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*poly
log(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b
*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*((a^2 - b^2)*d*f^3*x + (a^2 -
b^2)*d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x
+ c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*((a^2 - b^2)*d*f^3*
x + (a^2 - b^2)*d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (
b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 6*(b^2*d*f^
3*x + b^2*d*e*f^2)*polylog(3, cos(d*x + c) + I*sin(d*x + c)) + 6*(b^2*d*f^3*
*x + b^2*d*e*f^2)*polylog(3, cos(d*x + c) - I*sin(d*x + c)) + 6*(b^2*d*f^3*
*x + b^2*d*e*f^2)*polylog(3, -cos(d*x + c) + I*sin(d*x + c)) + 6*(b^2*d*f^3*
*x + b^2*d*e*f^2)*polylog(3, -cos(d*x + c) - I*sin(d*x + c)) - 2*(a*b*d^3*f^
3*x^3 + 3*a*b*d^3*e*f^2*x^2 + a*b*d^3*e^3 - 6*a*b*d*e*f^2 + 3*(a*b*d^3*e^2*
f - 2*a*b*d*f^3)*x)*sin(d*x + c))/(a*b^2*d^4)

```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*cos(d*x+c)**2*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] Integral((e + f*x)**3*cos(c + d*x)**2*cot(c + d*x)/(a + b*sin(c + d*x)), x)
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="
giac")
```

```
[Out] Timed out
```

$$3.330 \quad \int \frac{(e+fx)^2 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=566

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^2} - \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ab^2d^2} + \frac{2f^2(a^2-b^2)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^3}$$

[Out] $((-I/3)*(e + f*x)^3)/(a*f) - ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(a*b^2*f) - (2*f*(e + f*x)*\text{Cos}[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((e + f*x)^2*\text{Log}[1 - E^{((2*I)*(c + d*x))})/(a*d) - ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - (I*f*(e + f*x)*\text{PolyLog}[2, E^{((2*I)*(c + d*x))})/(a*d^2) + (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (f^2*\text{PolyLog}[3, E^{((2*I)*(c + d*x))})/(2*a*d^3) + (2*f^2*\text{Sin}[c + d*x])/(b*d^3) - ((e + f*x)^2*\text{Sin}[c + d*x])/(b*d)$

Rubi [A] time = 1.12232, antiderivative size = 566, normalized size of antiderivative = 1., number of steps used = 26, number of rules used = 13, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.382$, Rules used = {4543, 4408, 4404, 3310, 3717, 2190, 2531, 2282, 6589, 4525, 3296, 2637, 4519}

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^2} - \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{ab^2d^2} + \frac{2f^2(a^2-b^2)\text{PolyLog}\left(3, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{ab^2d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Cos}[c + d*x]^2*\text{Cot}[c + d*x]/(a + b*\text{Sin}[c + d*x]), x]$

[Out] $((-I/3)*(e + f*x)^3)/(a*f) - ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(a*b^2*f) - (2*f*(e + f*x)*\text{Cos}[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d) + ((e + f*x)^2*\text{Log}[1 - E^{((2*I)*(c + d*x))})/(a*d) - ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^2) - (I*f*(e + f*x)*\text{PolyLog}[2, E^{((2*I)*(c + d*x))})/(a*d^2) + (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a - \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a*b^2*d^3) + (f^2*\text{PolyLog}[3, E^{((2*I)*(c + d*x))})/(2*a*d^3) + (2*f^2*\text{Sin}[c + d*x])/(b*d^3) - ((e + f*x)^2*\text{Sin}[c + d*x])/(b*d)$

Rule 4543

$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]^{(p_.)*\text{Cot}[(c_.) + (d_.)*(x_.)]^{(n_.)*((e_.) + (f_.)*(x_.))^{(m_.)}/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \rightarrow \text{Dist}[1/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^p*\text{Cot}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^{(p + 1)*\text{Cot}[c + d*x]^{(n - 1)}/(a + b*\text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4404

```
Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*SIN[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n
- 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e + fx)^2 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx)^2 \cos^2(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^2 \cos^3(c + dx)}{a + b \sin(c + dx)} dx}{a} \\
&= \frac{\int (e + fx)^2 \cot(c + dx) dx}{a} - \frac{\int (e + fx)^2 \cos(c + dx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{(e + fx)}{a + b \sin(c + dx)} dx \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{(e + fx)^2 \sin(c + dx)}{bd} - \frac{(2i) \int \frac{e^{2i(c+dx)}(e+fx)}{1-e^{2i(c+dx)}} dx}{a} \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{2f(e + fx) \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx)}{a} \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{2f(e + fx) \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx)}{a} \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{2f(e + fx) \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx)}{a} \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{2f(e + fx) \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx)}{a} \\
&= -\frac{i(e + fx)^3}{3af} - \frac{i(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{2f(e + fx) \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx)}{a}
\end{aligned}$$

Mathematica [B] time = 9.36273, size = 1834, normalized size = 3.24

result too large to display

Warning: Unable to verify antiderivative.

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.79429, size = 5391, normalized size = 9.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*b^2*f^2*\text{polylog}(3, \cos(d*x + c) + I*\sin(d*x + c)) + 2*b^2*f^2*\text{polylog}(3, \cos(d*x + c) - I*\sin(d*x + c)) + 2*b^2*f^2*\text{polylog}(3, -\cos(d*x + c) + I*\sin(d*x + c)) + 2*b^2*f^2*\text{polylog}(3, -\cos(d*x + c) - I*\sin(d*x + c)) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, \frac{1}{2}*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b) - 4*(a*b*d*f^2*x + a*b*d*e*f)*\cos(d*x + c) + (2*I*(a^2 - b^2)*d*f^2*x + 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (2*I*(a^2 - b^2)*d*f^2*x + 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-2*I*(a^2 - b^2)*d*f^2*x - 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-\frac{1}{2}*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-2*I*(a^2 - b^2)*d*f^2*x - 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-\frac{1}{2}*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + (-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f)*\text{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + (2*I*b^2*d*f^2*x + 2*I*b^2*d*e*f)*\text{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) + (2*I*b^2*d*f^2*x + 2*I*b^2*d*e*f)*\text{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + (-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f)*\text{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + ((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(\frac{1}{2}*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})$

$$\begin{aligned}
& - b^2/b^2) + 2*b)/b) + ((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x \\
& + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(2*I*a*\cos(d*x + c) \\
& + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2) \\
& 2)/b^2) + 2*b)/b) + ((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2* \\
& (a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2 \\
& *a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b \\
& ^2) + 2*b)/b) + ((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 \\
& - b^2)*c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*s \\
& in(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} \\
& + 2*b)/b) + (b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + b^2*d^2*e^2)*\log(\cos(d*x + \\
& c) + I*\sin(d*x + c) + 1) + (b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + b^2*d^2*e^ \\
& 2)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) + (b^2*d^2*e^2 - 2*b^2*c*d*e*f + \\
& b^2*c^2*f^2)*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2) + (b^2*d^2*e \\
& ^2 - 2*b^2*c*d*e*f + b^2*c^2*f^2)*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c \\
&) + 1/2) + (b^2*d^2*f^2*x^2 + 2*b^2*d^2*e*f*x + 2*b^2*c*d*e*f - b^2*c^2*f^2) \\
&)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) + (b^2*d^2*f^2*x^2 + 2*b^2*d^2*e* \\
& f*x + 2*b^2*c*d*e*f - b^2*c^2*f^2)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) \\
& - 2*(a*b*d^2*f^2*x^2 + 2*a*b*d^2*e*f*x + a*b*d^2*e^2 - 2*a*b*f^2)*\sin(d*x + \\
& c))/(a*b^2*d^3)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)**2*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*cos(c + d*x)**2*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

3.331 $\int \frac{(e+fx) \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$

Optimal. Leaf size=379

$$\frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{ab^2d^2} - \frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{ab^2d^2} - \frac{if \text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2ad^2} + \frac{(a^2 - b^2)(e + fx)}{a}$$

```
[Out] ((-I/2)*(e + f*x)^2)/(a*f) - ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(a*b^2*f) - (f
*Cos[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)
))]/(a - Sqrt[a^2 - b^2]))/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*
E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^2*d) + ((e + f*x)*Log[1 - E^(
(2*I)*(c + d*x)))]/(a*d) - (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)
))]/(a - Sqrt[a^2 - b^2]))/(a*b^2*d^2) - (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(
I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^2*d^2) - ((I/2)*f*PolyLog[2, E^(
(2*I)*(c + d*x)))]/(a*d^2) - ((e + f*x)*Sin[c + d*x])/(b*d)
```

Rubi [A] time = 0.631195, antiderivative size = 379, normalized size of antiderivative = 1., number of steps used = 22, number of rules used = 13, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.406$, Rules used = {4543, 4408, 4404, 2635, 8, 3717, 2190, 2279, 2391, 4525, 3296, 2638, 4519}

$$\frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{ab^2d^2} - \frac{if(a^2 - b^2) \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{ab^2d^2} - \frac{if \text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2ad^2} + \frac{(a^2 - b^2)(e + fx)}{a}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-I/2)*(e + f*x)^2)/(a*f) - ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(a*b^2*f) - (f
*Cos[c + d*x])/(b*d^2) + ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)
))]/(a - Sqrt[a^2 - b^2]))/(a*b^2*d) + ((a^2 - b^2)*(e + f*x)*Log[1 - (I*b*
E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^2*d) + ((e + f*x)*Log[1 - E^(
(2*I)*(c + d*x)))]/(a*d) - (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)
))]/(a - Sqrt[a^2 - b^2]))/(a*b^2*d^2) - (I*(a^2 - b^2)*f*PolyLog[2, (I*b*E^(
I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^2*d^2) - ((I/2)*f*PolyLog[2, E^(
(2*I)*(c + d*x)))]/(a*d^2) - ((e + f*x)*Sin[c + d*x])/(b*d)
```

Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (
f_.)*(x_))^(m_.))/(a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist
[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int
[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && I
GtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d
_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^
(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; Fr
eeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*cos[c + d*x]^(n - 2))/(a + b*sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_)])*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] & & PosQ[a^2 - b^2]

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx) \cos^2(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx) \cos^3(c + dx)}{a + b \sin(c + dx)} dx}{a} \\ &= \frac{\int (e + fx) \cot(c + dx) dx}{a} - \frac{\int (e + fx) \cos(c + dx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{(e + fx) \cos(c + dx)}{a + b \sin(c + dx)} dx \\ &= -\frac{i(e + fx)^2}{2af} - \frac{i(a^2 - b^2)(e + fx)^2}{2ab^2f} - \frac{(e + fx) \sin(c + dx)}{bd} - \frac{(2i) \int \frac{e^{2i(c + dx)}(e + fx)}{1 - e^{2i(c + dx)}} dx}{a} \\ &= -\frac{i(e + fx)^2}{2af} - \frac{i(a^2 - b^2)(e + fx)^2}{2ab^2f} - \frac{f \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{e^{2i(c + dx)}(e + fx)}{1 - e^{2i(c + dx)}}\right)}{ab^2d} \\ &= -\frac{i(e + fx)^2}{2af} - \frac{i(a^2 - b^2)(e + fx)^2}{2ab^2f} - \frac{f \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{e^{2i(c + dx)}(e + fx)}{1 - e^{2i(c + dx)}}\right)}{ab^2d} \\ &= -\frac{i(e + fx)^2}{2af} - \frac{i(a^2 - b^2)(e + fx)^2}{2ab^2f} - \frac{f \cos(c + dx)}{bd^2} + \frac{(a^2 - b^2)(e + fx) \log\left(1 - \frac{e^{2i(c + dx)}(e + fx)}{1 - e^{2i(c + dx)}}\right)}{ab^2d} \end{aligned}$$

Mathematica [B] time = 14.8322, size = 2209, normalized size = 5.83

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] -((f*Cos[c + d*x])/(b*d^2)) + (e*Log[Sin[c + d*x]])/(a*d) - (c*f*Log[Sin[c + d*x]])/(a*d^2) + (f*((c + d*x)*Log[1 - E^((2*I)*(c + d*x))] - (I/2)*((c + d*x)^2 + PolyLog[2, E^((2*I)*(c + d*x))]))/(a*d^2) - ((d*e - c*f + f*(c + d*x))*Sin[c + d*x])/(b*d^2) + ((f*(c + d*x)^2 + (2*I)*d*e*Log[Sec[(c + d*x)/2]^2] - (2*I)*c*f*Log[Sec[(c + d*x)/2]^2] - (2*I)*d*e*Log[Sec[(c + d*x)/2]^2*(a + b*Sin[c + d*x])] + (2*I)*c*f*Log[Sec[(c + d*x)/2]^2*(a + b*Sin[c + d*x])]) - (4*I)*f*(c + d*x)*Log[(-2*I)/(-I + Tan[(c + d*x)/2])] - 2*f*Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])] + 2*f*Log[1 - I*Tan[(c + d*x)/2]]*Log[-((b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))] + 2*f*Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])] - 2*f*Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])] + 4*f*PolyLog[2, -Cos[c + d*x] + I*Sin[c + d*x]] + 2*f*PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))] - 2*f*PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))]

$$\begin{aligned} & \left[\frac{(c + dx)/2}{(a - I(b + \sqrt{-a^2 + b^2}))} \right] + 2f \operatorname{PolyLog}[2, (a(I + \tan((c + dx)/2)))/(Ia - b + \sqrt{-a^2 + b^2})] - 2f \operatorname{PolyLog}[2, (a + I a \tan((c + dx)/2))/(a + I(-b + \sqrt{-a^2 + b^2}))] * ((a e^{\cos[c + dx]})/(b(a + b \sin[c + dx])) - (b e^{\cos[c + dx]})/(a(a + b \sin[c + dx])) - (a c f \cos[c + dx])/(b d (a + b \sin[c + dx])) + (b c f \cos[c + dx])/(a d (a + b \sin[c + dx])) + (a f (c + dx) \cos[c + dx])/(b d (a + b \sin[c + dx])) - (b f (c + dx) \cos[c + dx])/(a d (a + b \sin[c + dx]))) / (d(2f(c + dx) - (4I)f \log[(-2I)/(-I + \tan((c + dx)/2))] - (4f \log[1 + \cos[c + dx] - I \sin[c + dx]] * (I \cos[c + dx] + \sin[c + dx])) / (-\cos[c + dx] + I \sin[c + dx]) + (I f \log[1 - (a(1 - I \tan((c + dx)/2)))/(a + I(b + \sqrt{-a^2 + b^2}))]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 - I \tan((c + dx)/2)) - (I f \log[-(b - \sqrt{-a^2 + b^2} + a \tan((c + dx)/2))/(Ia - b + \sqrt{-a^2 + b^2})]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 - I \tan((c + dx)/2)) - (I f \log[(b + \sqrt{-a^2 + b^2} + a \tan((c + dx)/2))/((-I)a + b + \sqrt{-a^2 + b^2})]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 - I \tan((c + dx)/2)) + (I f \log[1 - (a(1 + I \tan((c + dx)/2)))/(a - I(b + \sqrt{-a^2 + b^2}))]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 + I \tan((c + dx)/2)) - (I f \log[(b - \sqrt{-a^2 + b^2} + a \tan((c + dx)/2))/(Ia + b - \sqrt{-a^2 + b^2})]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 + I \tan((c + dx)/2)) - (I f \log[(b + \sqrt{-a^2 + b^2} + a \tan((c + dx)/2))/(Ia + b + \sqrt{-a^2 + b^2})]) * \operatorname{Sec}[(c + dx)/2]^2 / (1 + I \tan((c + dx)/2)) + (2I) d e^{\tan[(c + dx)/2]} - (2I) c f \tan[(c + dx)/2] + ((2I) f (c + dx) \operatorname{Sec}[(c + dx)/2]^2 / (-I + \tan((c + dx)/2)) - (f \log[1 - (a(I + \tan((c + dx)/2)))/(Ia - b + \sqrt{-a^2 + b^2})]) * \operatorname{Sec}[(c + dx)/2]^2 / (I + \tan((c + dx)/2)) + (I a f \log[1 - (a + I a \tan((c + dx)/2))/(a + I(-b + \sqrt{-a^2 + b^2}))]) * \operatorname{Sec}[(c + dx)/2]^2 / (a + I a \tan((c + dx)/2)) + (a f \log[1 - I \tan((c + dx)/2)] * \operatorname{Sec}[(c + dx)/2]^2 / (b - \sqrt{-a^2 + b^2} + a \tan((c + dx)/2)) - (a f \log[1 + I \tan((c + dx)/2)] * \operatorname{Sec}[(c + dx)/2]^2 / (b - \sqrt{-a^2 + b^2} + a \tan((c + dx)/2)) + (a f \log[1 - I \tan((c + dx)/2)] * \operatorname{Sec}[(c + dx)/2]^2 / (b + \sqrt{-a^2 + b^2} + a \tan((c + dx)/2)) - (a f \log[1 + I \tan((c + dx)/2)] * \operatorname{Sec}[(c + dx)/2]^2 / (b + \sqrt{-a^2 + b^2} + a \tan((c + dx)/2)) - ((2I) d e^{\cos[(c + dx)/2]} * (b \cos[c + dx] * \operatorname{Sec}[(c + dx)/2]^2 + \operatorname{Sec}[(c + dx)/2]^2 * (a + b \sin[c + dx]) * \tan[(c + dx)/2])) / (a + b \sin[c + dx]) + ((2I) c f \cos[(c + dx)/2]^2 * (b \cos[c + dx] * \operatorname{Sec}[(c + dx)/2]^2 + \operatorname{Sec}[(c + dx)/2]^2 * (a + b \sin[c + dx]) * \tan[(c + dx)/2])) / (a + b \sin[c + dx])) \end{aligned}$$

Maple [B] time = 1.253, size = 1721, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (f*x+e)*\cos(dx+c)^2*\cot(dx+c)/(a+b*\sin(dx+c)),x$

[Out] $Ia/b^2 e^{x+2/d} f / (-a^2+b^2) * \ln((Ia+b*\exp(I*(dx+c))+(-a^2+b^2)^{(1/2)})/(Ia+(-a^2+b^2)^{(1/2)})) * a*x+2/d^2 f / (-a^2+b^2) * \ln((Ia+b*\exp(I*(dx+c))+(-a^2+b^2)^{(1/2)})/(Ia+(-a^2+b^2)^{(1/2)})) * a*c+2/d f / (-a^2+b^2) * \ln((Ia+b*\exp(I*(dx+c))-(-a^2+b^2)^{(1/2)})/(Ia-(-a^2+b^2)^{(1/2)})) * a*x+2/d^2 f / (-a^2+b^2) * \ln((Ia+b*\exp(I*(dx+c))-(-a^2+b^2)^{(1/2)})/(Ia-(-a^2+b^2)^{(1/2)})) * a*c+2/b^2/d^2 * a*f*c*\ln(\exp(I*(dx+c)))-1/b^2/d^2 * a*f*c*\ln(I*b*\exp(2*I*(dx+c))-2*a*\exp(I*(dx+c))-I*b)-I/b^2/d^2 * a*f*c^2-2*I/d^2 f / (-a^2+b^2) * \operatorname{dilog}((Ia+b*\exp(I*(dx+c))-(-a^2+b^2)^{(1/2)})/(Ia-(-a^2+b^2)^{(1/2)})) * a-2*I/d^2 f / (-a^2+b^2) * \operatorname{dilog}((Ia+b*\exp(I*(dx+c))+(-a^2+b^2)^{(1/2)})/(Ia+(-a^2+b^2)^{(1/2)})) * a+1/d^2 * f*c/a*\ln(I*b*\exp(2*I*(dx+c))-2*a*\exp(I*(dx+c))-I*b)+1/b^2/d * a*e*\ln(I*b*\exp(2*I*(dx+c))-2*a*\exp(I*(dx+c))-I*b)-2/b^2/d * a*e*\ln(\exp(I*(dx+c)))-I/d^2 * f/a*\operatorname{dilog}(\exp(I*(dx+c))+1)+1/2*I*(d*f*x+I*f+d*e)/b/d^2*\exp(I*(dx+c))-1/2*I*a/b^2*f*x^2+I/d^2*f/a*\operatorname{dilog}(\exp(I*(dx+c)))-1/d^2/a*f*c*\ln(\exp(I*(dx+c))-1)+1/d/a*\ln(\exp(I*(dx+c))+1)*f*x+1/d/a*e*\ln(\exp(I*(dx+c))-1)+1/d/a*e*$

$$\begin{aligned} & \ln(\exp(I*(d*x+c))+1)-b^2/d*f/a/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *x-b^2/d^2*f/a/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *c-b^2/d*f/a/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *x-b^2/d^2*f/a/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *c-1/b^2/d*a^3*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *x-1/b^2/d^2*a^3*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *c-1/b^2/d*a^3*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *x-1/d*e/a*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-1/2*I*(d*f*x-I*f+d*e)/b/d^2*\exp(-I*(d*x+c))-1/b^2/d^2*a^3*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *c+I/b^2/d^2*a^3*f/(-a^2+b^2)*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}))+I/b^2/d^2*a^3*f/(-a^2+b^2)*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}))+I*b^2/d^2*f/a/(-a^2+b^2)*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)}))+I*b^2/d^2*f/a/(-a^2+b^2)*\operatorname{dilog}((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)}))-2*I/b^2/d*a*f*c*x \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 3.54769, size = 3194, normalized size = 8.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*a*b*f*\cos(d*x + c) + I*b^2*f*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) - I*b^2*f*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) - I*b^2*f*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + I*b^2*f*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) - I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + I*(a^2 - b^2)*f*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - \end{aligned}$$

$$\begin{aligned} & ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin \\ & (d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + \\ & 2*b)/b) - ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/2*(2*I*a*\cos(d*x + c) \\ & + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2) \\ & 2)/b^2} + 2*b)/b) - ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/2*(-2*I*a*c \\ & \cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{ \\ & -(a^2 - b^2)/b^2} + 2*b)/b) - ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*\log(1/ \\ & 2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x \\ & + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - (b^2*d*f*x + b^2*d*e)*\log(\cos(d*x \\ & + c) + I*\sin(d*x + c) + 1) - (b^2*d*f*x + b^2*d*e)*\log(\cos(d*x + c) - I*si \\ & n(d*x + c) + 1) - (b^2*d*e - b^2*c*f)*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x \\ & + c) + 1/2) - (b^2*d*e - b^2*c*f)*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + \\ & c) + 1/2) - (b^2*d*f*x + b^2*c*f)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1) - \\ & (b^2*d*f*x + b^2*c*f)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1) + 2*(a*b*d*f \\ & *x + a*b*d*e)*\sin(d*x + c))/(a*b^2*d^2) \end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**2*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*cos(c + d*x)**2*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c)^2 \cot(dx + c)}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] integrate((f*x + e)*cos(d*x + c)^2*cot(d*x + c)/(b*sin(d*x + c) + a), x)

$$3.332 \quad \int \frac{\cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=59

$$\frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{ab^2d} + \frac{\log(\sin(c + dx))}{ad} - \frac{\sin(c + dx)}{bd}$$

[Out] Log[Sin[c + d*x]]/(a*d) + ((a^2 - b^2)*Log[a + b*Sin[c + d*x]])/(a*b^2*d) - Sin[c + d*x]/(b*d)

Rubi [A] time = 0.107853, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2837, 12, 894}

$$\frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{ab^2d} + \frac{\log(\sin(c + dx))}{ad} - \frac{\sin(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] Log[Sin[c + d*x]]/(a*d) + ((a^2 - b^2)*Log[a + b*Sin[c + d*x]])/(a*b^2*d) - Sin[c + d*x]/(b*d)

Rule 2837

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_
.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dist[1/(b^p*
f), Subst[Int[(a + x)^m*(c + (d*x)/b)^n*(b^2 - x^2)^((p - 1)/2), x], x, b*S
in[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IntegerQ[(p - 1)/
2] && NeQ[a^2 - b^2, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 894

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^
2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x
^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c
*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegersQ[m, n]) || (ILtQ
[m, 0] && ILtQ[n, 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\text{Subst} \left(\int \frac{b(b^2 - x^2)}{x(a+x)} dx, x, b \sin(c + dx) \right)}{b^3 d} \\
&= \frac{\text{Subst} \left(\int \frac{b^2 - x^2}{x(a+x)} dx, x, b \sin(c + dx) \right)}{b^2 d} \\
&= \frac{\text{Subst} \left(\int \left(-1 + \frac{b^2}{ax} + \frac{a^2 - b^2}{a(a+x)} \right) dx, x, b \sin(c + dx) \right)}{b^2 d} \\
&= \frac{\log(\sin(c + dx))}{ad} + \frac{(a^2 - b^2) \log(a + b \sin(c + dx))}{ab^2 d} - \frac{\sin(c + dx)}{bd}
\end{aligned}$$

Mathematica [A] time = 0.0751889, size = 53, normalized size = 0.9

$$\frac{(a^2 - b^2) \log(a + b \sin(c + dx)) - ab \sin(c + dx) + b^2 \log(\sin(c + dx))}{ab^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (b^2*Log[Sin[c + d*x]] + (a^2 - b^2)*Log[a + b*Sin[c + d*x]] - a*b*Sin[c + d*x])/(a*b^2*d)

Maple [A] time = 0.073, size = 68, normalized size = 1.2

$$-\frac{\sin(dx + c)}{bd} + \frac{a \ln(a + b \sin(dx + c))}{b^2 d} - \frac{\ln(a + b \sin(dx + c))}{da} + \frac{\ln(\sin(dx + c))}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] -sin(d*x+c)/b/d+1/d/b^2*a*ln(a+b*sin(d*x+c))-1/d/a*ln(a+b*sin(d*x+c))+ln(sin(d*x+c))/a/d

Maxima [A] time = 0.96684, size = 73, normalized size = 1.24

$$\frac{\frac{\log(\sin(dx+c))}{a} - \frac{\sin(dx+c)}{b} + \frac{(a^2-b^2)\log(b\sin(dx+c)+a)}{ab^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] (log(sin(d*x + c))/a - sin(d*x + c)/b + (a^2 - b^2)*log(b*sin(d*x + c) + a)/(a*b^2))/d

Fricas [A] time = 1.96669, size = 131, normalized size = 2.22

$$\frac{b^2 \log\left(-\frac{1}{2} \sin(dx + c)\right) - ab \sin(dx + c) + (a^2 - b^2) \log(b \sin(dx + c) + a)}{ab^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] (b^2*log(-1/2*sin(d*x + c)) - a*b*sin(d*x + c) + (a^2 - b^2)*log(b*sin(d*x + c) + a))/(a*b^2*d)

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral(cos(c + d*x)**2*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.25766, size = 76, normalized size = 1.29

$$\frac{\frac{\log(|\sin(dx+c)|)}{a} - \frac{\sin(dx+c)}{b} + \frac{(a^2-b^2)\log(|b \sin(dx+c)+a|)}{ab^2}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] (log(abs(sin(d*x + c)))/a - sin(d*x + c)/b + (a^2 - b^2)*log(abs(b*sin(d*x + c) + a))/(a*b^2))/d

$$3.333 \quad \int \frac{(e+fx)^3 \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=1138

result too large to display

```
[Out] (3*e*f^2*x)/(4*b*d^2) + (3*f^3*x^2)/(8*b*d^2) - (e + f*x)^4/(8*b*f) + ((a^2 - b^2)*(e + f*x)^4)/(4*b^3*f) - (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) - (6*(a^2 - b^2)*f^2*(e + f*x)*Cos[c + d*x])/(a*b^2*d^3) + ((e + f*x)^3*Cos[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)^3*Cos[c + d*x])/(a*b^2*d) + (3*f^3*Cos[c + d*x]^2)/(8*b*d^4) - (3*f*(e + f*x)^2*Cos[c + d*x]^2)/(4*b*d^2) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d) + ((3*I)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (6*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) + ((6*I)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((6*I)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((6*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4) - (6*(a^2 - b^2)^(3/2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^4) + (6*(a^2 - b^2)^(3/2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^4) + (6*f^3*Sin[c + d*x])/(a*d^4) + (6*(a^2 - b^2)*f^3*Sin[c + d*x])/(a*b^2*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(a*d^2) - (3*(a^2 - b^2)*f*(e + f*x)^2*Sin[c + d*x])/(a*b^2*d^2) + (3*f^2*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(4*b*d^3) - ((e + f*x)^3*Cos[c + d*x]*Sin[c + d*x])/(2*b*d)
```

Rubi [A] time = 2.10748, antiderivative size = 1138, normalized size of antiderivative = 1., number of steps used = 53, number of rules used = 18, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {4543, 4408, 4405, 3311, 3296, 2637, 2633, 4183, 2531, 6609, 2282, 6589, 4525, 32, 3310, 3323, 2264, 2190}

$$\frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{(e + fx)^4}{8bf} - \frac{2 \tanh^{-1}(e^{i(c+dx)})(e + fx)^3}{ad} + \frac{(a^2 - b^2) \cos(c + dx)(e + fx)^3}{ab^2d} + \frac{\cos(c + dx)(e + fx)}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (3*e*f^2*x)/(4*b*d^2) + (3*f^3*x^2)/(8*b*d^2) - (e + f*x)^4/(8*b*f) + ((a^2 - b^2)*(e + f*x)^4)/(4*b^3*f) - (2*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a*d) - (6*f^2*(e + f*x)*Cos[c + d*x])/(a*d^3) - (6*(a^2 - b^2)*f^2*(e + f*x)*Cos[c + d*x])/(a*b^2*d^3) + ((e + f*x)^3*Cos[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)^3*Cos[c + d*x])/(a*b^2*d) + (3*f^3*Cos[c + d*x]^2)/(8*b*d^4) - (3*f*(e + f*x)^2*Cos[c + d*x]^2)/(4*b*d^2) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d) + ((3*I)*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - ((3*I)*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (6*f^2*(e + f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) + ((6*I)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((6*I)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((6*I)*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a*d^4) + ((6*I)*f^3*PolyLog[4, E^(I*(c + d*x))])/(a*d^4) - (6*(a^2 - b^2)^(3/2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^4) + (6*(a^2 - b^2)^(3/2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^4) + (6*f^3*Sin[c + d*x])/(a*d^4) + (6*(a^2 - b^2)*f^3*Sin[c + d*x])/(a*b^2*d^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/(a*d^2) - (3*(a^2 - b^2)*f*(e + f*x)^2*Sin[c + d*x])/(a*b^2*d^2) + (3*f^2*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(4*b*d^3) - ((e + f*x)^3*Cos[c + d*x]*Sin[c + d*x])/(2*b*d)
```

$$\begin{aligned} & \dots]]/(a*b^3*d^2) - (3*(a^2 - b^2)^{(3/2)}*f*(e + f*x)^2*PolyLog[2, (I*b*E^ \\ & I*(c + d*x))]/(a + Sqrt[a^2 - b^2])]/(a*b^3*d^2) - (6*f^2*(e + f*x)*PolyLo \\ & g[3, -E^(I*(c + d*x))]/(a*d^3) + (6*f^2*(e + f*x)*PolyLog[3, E^(I*(c + d*x \\ &))]/(a*d^3) + ((6*I)*(a^2 - b^2)^{(3/2)}*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I* \\ & (c + d*x))]/(a - Sqrt[a^2 - b^2])]/(a*b^3*d^3) - ((6*I)*(a^2 - b^2)^{(3/2)}* \\ & f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])]/(a*b \\ & ^3*d^3) - ((6*I)*f^3*PolyLog[4, -E^(I*(c + d*x))]/(a*d^4) + ((6*I)*f^3*Pol \\ & yLog[4, E^(I*(c + d*x))]/(a*d^4) - (6*(a^2 - b^2)^{(3/2)}*f^3*PolyLog[4, (I* \\ & b*E^(I*(c + d*x))]/(a - Sqrt[a^2 - b^2])]/(a*b^3*d^4) + (6*(a^2 - b^2)^{(3/ \\ & 2)}*f^3*PolyLog[4, (I*b*E^(I*(c + d*x))]/(a + Sqrt[a^2 - b^2])]/(a*b^3*d^4) \\ & + (6*f^3*Sin[c + d*x])/a*d^4 + (6*(a^2 - b^2)*f^3*Sin[c + d*x])/a*b^2*d \\ & ^4) - (3*f*(e + f*x)^2*Sin[c + d*x])/a*d^2) - (3*(a^2 - b^2)*f*(e + f*x)^2 \\ & *Sin[c + d*x])/a*b^2*d^2) + (3*f^2*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/4 \\ & *b*d^3) - ((e + f*x)^3*Cos[c + d*x]*Sin[c + d*x])/(2*b*d) \end{aligned}$$
Rule 4543

$$\begin{aligned} & \text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]^{(p_.)}*\text{Cot}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (\\ & f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \text{ :> Dist} \\ & [1/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^p*\text{Cot}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int} \\ & [((e + f*x)^m*\text{Cos}[c + d*x]^{(p + 1)}*\text{Cot}[c + d*x]^{(n - 1)})/(a + b*\text{Sin}[c + d*x \\ &]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{IGtQ}\{m, 0\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{I} \\ & \text{GtQ}\{p, 0\} \end{aligned}$$
Rule 4408

$$\begin{aligned} & \text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\text{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d \\ & _.*(x_.))^{(m_.)}, x_Symbol] \text{ :> -Int}[(c + d*x)^m*\text{Cos}[a + b*x]^n*\text{Cot}[a + b*x]^ \\ & (p - 2), x] + \text{Int}[(c + d*x)^m*\text{Cos}[a + b*x]^{(n - 2)}*\text{Cot}[a + b*x]^p, x] /; \text{Fr} \\ & eeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{IGtQ}\{p, 0\} \end{aligned}$$
Rule 4405

$$\begin{aligned} & \text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sin}[(a_.) + (b \\ & _.*(x_.)], x_Symbol] \text{ :> -Simp}[(c + d*x)^m*\text{Cos}[a + b*x]^{(n + 1)})/(b*(n + 1) \\ &), x] + \text{Dist}[(d*m)/(b*(n + 1)), \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[a + b*x]^{(n + 1)}, \\ & x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{IGtQ}\{m, 0\} \&\& \text{NeQ}\{n, -1\} \end{aligned}$$
Rule 3311

$$\begin{aligned} & \text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbo \\ & l] \text{ :> Simp}[(d*m*(c + d*x)^{(m - 1)}*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist} \\ & [(b^2*(n - 1))/n, \text{Int}[(c + d*x)^m*(b*\text{Sin}[e + f*x])^{(n - 2)}, x], x] - \text{Dist}[(\\ & d^2*m*(m - 1))/(f^2*n^2), \text{Int}[(c + d*x)^{(m - 2)}*(b*\text{Sin}[e + f*x])^n, x], x] \\ & - \text{Simp}[(b*(c + d*x)^m*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n - 1)})/(f*n), x]) /; \\ & \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{GtQ}\{n, 1\} \&\& \text{GtQ}\{m, 1\} \end{aligned}$$
Rule 3296

$$\begin{aligned} & \text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \text{ :> -Simp} [\\ & ((c + d*x)^m*\text{Cos}[e + f*x])/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos} \\ & [e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}\{m, 0\} \end{aligned}$$
Rule 2637

$$\begin{aligned} & \text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Simp}[\text{Sin}[c + d*x]/d, x] /; \\ & \text{FreeQ}\{c, d\}, x\} \end{aligned}$$
Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :=

```
Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^3 \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \cos^3(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^4(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= \frac{\int (e + fx)^3 \cos(c + dx) \cot(c + dx) dx}{a} - \frac{\int (e + fx)^3 \cos^2(c + dx) dx}{b} + \left(\frac{a}{b}\right)$$

$$= -\frac{3f(e + fx)^2 \cos^2(c + dx)}{4bd^2} - \frac{(e + fx)^3 \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int (e + fx)^3 \cos^2(c + dx) dx}{b}$$

$$= -\frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e + fx)^3 \cos^2(c + dx)}{b}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

$$= \frac{3ef^2x}{4bd^2} + \frac{3f^3x^2}{8bd^2} - \frac{(e + fx)^4}{8bf} + \frac{(a^2 - b^2)(e + fx)^4}{4b^3f} - \frac{2(e + fx)^3 \tanh^{-1}(e^{i(c+dx)})}{ad}$$

Mathematica [A] time = 6.63455, size = 1181, normalized size = 1.04

$$2a(2a^2 - 3b^2)f^3x^4d^4 + 8a(2a^2 - 3b^2)ef^2x^3d^4 + 12a(2a^2 - 3b^2)e^2fx^2d^4 + 8a(2a^2 - 3b^2)e^3xd^4 - 32b^3(e + fx)^3 \tan^{-1}\left(\frac{e^{i(c+dx)}}{a + b \sin(c + dx)}\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3*Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] (8*a*(2*a^2 - 3*b^2)*d^4*e^3*x + 12*a*(2*a^2 - 3*b^2)*d^4*e^2*f*x^2 + 8*a*(2*a^2 - 3*b^2)*d^4*e*f^2*x^3 + 2*a*(2*a^2 - 3*b^2)*d^4*f^3*x^4 - 32*b^3*d^3*(e + f*x)^3*ArcTanh[Cos[c + d*x] + I*Sin[c + d*x]] - 96*a^2*b*d*f^2*(e + f*x)*Cos[c + d*x] + 16*a^2*b*d^3*(e + f*x)^3*Cos[c + d*x] + 3*a*b^2*f^3*Cos[2*(c + d*x)] - 6*a*b^2*d^2*f*(e + f*x)^2*Cos[2*(c + d*x)] + 48*(a^2 - b^2)^(3/2)*d^2*f*(e + f*x)^2*PolyLog[2, ((-I)*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + (16*I)*(a^2 - b^2)^(3/2)*((2*I)*d^3*e^3*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + 3*d^3*e^2*f*x*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + 3*d^3*e*f^2*x^2*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] + d^3*f^3*x^3*Log[1 + (I*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 3*d^3*e^2*f*x*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] - 3*d^3*e*f^2*x^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] - d^3*f^3*x^3*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + (3*I)*d^2*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + 6*d*f^2*(e + f*x)*PolyLog[3, ((-I)*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - 6*d*e*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] -
```

```
6*d*f^3*x*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + (6*I)*f^3*PolyLog[4, ((-I)*b*E^(I*(c + d*x)))/(-a + Sqrt[a^2 - b^2])] - (6*I)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])] + (48*I)*b^3*f*(d^2*(e + f*x)^2*PolyLog[2, -Cos[c + d*x] - I*Sin[c + d*x]] + (2*I)*d*f*(e + f*x)*PolyLog[3, -Cos[c + d*x] - I*Sin[c + d*x]] - 2*f^2*PolyLog[4, -Cos[c + d*x] - I*Sin[c + d*x]]) - (48*I)*b^3*f*(d^2*(e + f*x)^2*PolyLog[2, Cos[c + d*x] + I*Sin[c + d*x]] + (2*I)*d*f*(e + f*x)*PolyLog[3, Cos[c + d*x] + I*Sin[c + d*x]] - 2*f^2*PolyLog[4, Cos[c + d*x] + I*Sin[c + d*x]]) + 96*a^2*b*f^3*Sin[c + d*x] - 48*a^2*b*d^2*f*(e + f*x)^2*Sin[c + d*x] + 6*a*b^2*d*f^2*(e + f*x)*Sin[2*(c + d*x)] - 4*a*b^2*d^3*(e + f*x)^3*Sin[2*(c + d*x)]/(16*a*b^3*d^4)
```

Maple [F] time = 3.191, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^3 \cot(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 7.69813, size = 9441, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/8*((2*a^3 - 3*a*b^2)*d^4*f^3*x^4 + 4*(2*a^3 - 3*a*b^2)*d^4*e*f^2*x^3 + 24*I*b^3*f^3*polylog(4, cos(d*x + c) + I*sin(d*x + c)) - 24*I*b^3*f^3*polylog(4, cos(d*x + c) - I*sin(d*x + c)) + 24*I*b^3*f^3*polylog(4, -cos(d*x + c) + I*sin(d*x + c)) - 24*I*b^3*f^3*polylog(4, -cos(d*x + c) - I*sin(d*x + c)) + 24*I*(a^2*b - b^3)*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b - 24*I*(a^2*b - b^3)*f^3*sqrt(-(a^2 - b^2)/b^2)*polylog(4, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*si
```


$$\begin{aligned}
& b) + 2*(2*(2*a^3 - 3*a*b^2)*d^4*e^3 + 3*a*b^2*d^2*e*f^2)*x + 8*(a^2*b*d^3*f^3*x^3 + 3*a^2*b*d^3*e*f^2*x^2 + a^2*b*d^3*e^3 - 6*a^2*b*d*e*f^2 + 3*(a^2*b*d^3*e^2*f - 2*a^2*b*d*f^3)*x)*\cos(dx + c) + (-12*I*b^3*d^2*f^3*x^2 - 24*I*b^3*d^2*e*f^2*x - 12*I*b^3*d^2*e^2*f)*\operatorname{dilog}(\cos(dx + c) + I*\sin(dx + c)) \\
& + (12*I*b^3*d^2*f^3*x^2 + 24*I*b^3*d^2*e*f^2*x + 12*I*b^3*d^2*e^2*f)*\operatorname{dilog}(\cos(dx + c) - I*\sin(dx + c)) + (-12*I*b^3*d^2*f^3*x^2 - 24*I*b^3*d^2*e*f^2*x - 12*I*b^3*d^2*e^2*f)*\operatorname{dilog}(-\cos(dx + c) + I*\sin(dx + c)) + (12*I*b^3*d^2*f^3*x^2 + 24*I*b^3*d^2*e*f^2*x + 12*I*b^3*d^2*e^2*f)*\operatorname{dilog}(-\cos(dx + c) - I*\sin(dx + c)) - 4*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + b^3*d^3*e^3)*\log(\cos(dx + c) + I*\sin(dx + c) + 1) - 4*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + b^3*d^3*e^3)*\log(\cos(dx + c) - I*\sin(dx + c) + 1) + 4*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\log(-1/2*\cos(dx + c) + 1/2*I*\sin(dx + c) + 1/2) + 4*(b^3*d^3*e^3 - 3*b^3*c*d^2*e^2*f + 3*b^3*c^2*d*e*f^2 - b^3*c^3*f^3)*\log(-1/2*\cos(dx + c) - 1/2*I*\sin(dx + c) + 1/2) + 4*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\log(-\cos(dx + c) + I*\sin(dx + c) + 1) + 4*(b^3*d^3*f^3*x^3 + 3*b^3*d^3*e*f^2*x^2 + 3*b^3*d^3*e^2*f*x + 3*b^3*c*d^2*e^2*f - 3*b^3*c^2*d*e*f^2 + b^3*c^3*f^3)*\log(-\cos(dx + c) - I*\sin(dx + c) + 1) + 24*(b^3*d*f^3*x + b^3*d*e*f^2)*\operatorname{polylog}(3, \cos(dx + c) + I*\sin(dx + c)) + 24*(b^3*d*f^3*x + b^3*d*e*f^2)*\operatorname{polylog}(3, \cos(dx + c) - I*\sin(dx + c)) - 24*(b^3*d*f^3*x + b^3*d*e*f^2)*\operatorname{polylog}(3, -\cos(dx + c) + I*\sin(dx + c)) - 24*(b^3*d*f^3*x + b^3*d*e*f^2)*\operatorname{polylog}(3, -\cos(dx + c) - I*\sin(dx + c)) - 2*(12*a^2*b*d^2*f^3*x^2 + 24*a^2*b*d^2*e*f^2*x + 12*a^2*b*d^2*e^2*f - 24*a^2*b*f^3 + (2*a*b^2*d^3*f^3*x^3 + 6*a*b^2*d^3*e*f^2*x^2 + 2*a*b^2*d^3*e^3 - 3*a*b^2*d*e*f^2 + 3*(2*a*b^2*d^3*e^2*f - a*b^2*d*f^3)*x)*\cos(dx + c))*\sin(dx + c))/(a*b^3*d^4)
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(dx+c)**3*cot(dx+c)/(a+b*sin(dx+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(dx+c)^3*cot(dx+c)/(a+b*sin(dx+c)),x, algorithm="giac")

[Out] Timed out

$$3.334 \quad \int \frac{(e+fx)^2 \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=825

$$\frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{(e + fx)^3}{6bf} - \frac{2 \tanh^{-1}(e^{i(c+dx)})(e + fx)^2}{ad} + \frac{(a^2 - b^2) \cos(c + dx)(e + fx)^2}{ab^2d} + \frac{\cos(c + dx)(e + fx)}{ad}$$

[Out] (f^2*x)/(4*b*d^2) - (e + f*x)^3/(6*b*f) + ((a^2 - b^2)*(e + f*x)^3)/(3*b^3*f) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) - (2*f^2*Cos[c + d*x])/(a*d^3) - (2*(a^2 - b^2)*f^2*Cos[c + d*x])/(a*b^2*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)^2*Cos[c + d*x])/(a*b^2*d) - (f*(e + f*x)*Cos[c + d*x]^2)/(2*b*d^2) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) + ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2) - (2*(a^2 - b^2)*f*(e + f*x)*Sin[c + d*x])/(a*b^2*d^2) + (f^2*Cos[c + d*x]*Sin[c + d*x])/(4*b*d^3) - ((e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(2*b*d)

Rubi [A] time = 1.6327, antiderivative size = 825, normalized size of antiderivative = 1., number of steps used = 41, number of rules used = 18, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.529$, Rules used = {4543, 4408, 4405, 3310, 3296, 2638, 4183, 2531, 2282, 6589, 4525, 3311, 32, 2635, 8, 3323, 2264, 2190}

$$\frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{(e + fx)^3}{6bf} - \frac{2 \tanh^{-1}(e^{i(c+dx)})(e + fx)^2}{ad} + \frac{(a^2 - b^2) \cos(c + dx)(e + fx)^2}{ab^2d} + \frac{\cos(c + dx)(e + fx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^2*Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] (f^2*x)/(4*b*d^2) - (e + f*x)^3/(6*b*f) + ((a^2 - b^2)*(e + f*x)^3)/(3*b^3*f) - (2*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d) - (2*f^2*Cos[c + d*x])/(a*d^3) - (2*(a^2 - b^2)*f^2*Cos[c + d*x])/(a*b^2*d^3) + ((e + f*x)^2*Cos[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)^2*Cos[c + d*x])/(a*b^2*d) - (f*(e + f*x)*Cos[c + d*x]^2)/(2*b*d^2) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d) + ((2*I)*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^2) - ((2*I)*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^2) + (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^2) - (2*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a*d^3) + (2*f^2*PolyLog[3, E^(I*(c + d*x))])/(a*d^3) + ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a*b^3*d^3) - ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a*b^3*d^3) - (2*f*(e + f*x)*Sin[c + d*x])/(a*d^2) - (2*(a^2 - b^2)*f*(e + f*x)*Sin[c + d*x])/(a*b^2*d^2) + (f^2*Cos[c + d*x]*Sin[c + d*x])

$$/(4*b*d^3) - ((e + f*x)^2*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*b*d)$$
Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (
f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :> Dist
[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int
[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*SIN[c + d*x
]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && I
GtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d
_.)*(x_))^(m_.), x_Symbol] :> -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^
(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; Fr
eeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4405

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)
), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1),
x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :>
Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
```

, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_)), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx)^2 \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \cos^3(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^2 \cos^4(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= \frac{\int (e + fx)^2 \cos(c + dx) \cot(c + dx) dx}{a} - \frac{\int (e + fx)^2 \cos^2(c + dx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right)$$

$$= -\frac{f(e + fx) \cos^2(c + dx)}{2bd^2} - \frac{(e + fx)^2 \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int (e + fx)^2 \csc(c + dx) dx}{a}$$

$$= -\frac{(e + fx)^3}{6bf} + \frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e + fx)^2 \csc(c + dx)}{ad}$$

$$= \frac{f^2x}{4bd^2} - \frac{(e + fx)^3}{6bf} + \frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} + \frac{(e + fx)^2 \csc(c + dx)}{ad}$$

$$= \frac{f^2x}{4bd^2} - \frac{(e + fx)^3}{6bf} + \frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{2f^2 \csc(c + dx)}{ad}$$

$$= \frac{f^2x}{4bd^2} - \frac{(e + fx)^3}{6bf} + \frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{2f^2 \csc(c + dx)}{ad}$$

$$= \frac{f^2x}{4bd^2} - \frac{(e + fx)^3}{6bf} + \frac{(a^2 - b^2)(e + fx)^3}{3b^3f} - \frac{2(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad} - \frac{2f^2 \csc(c + dx)}{ad}$$

Mathematica [A] time = 4.98437, size = 1254, normalized size = 1.52

$$-24d^2e^2 \log(1 - e^{i(c+dx)})b^3 - 24d^2f^2x^2 \log(1 - e^{i(c+dx)})b^3 - 48d^2efx \log(1 - e^{i(c+dx)})b^3 + 24d^2e^2 \log(1 + e^{i(c+dx)})b^3 +$$

Antiderivative was successfully verified.

```
[In] Integrate[((e + f*x)^2*Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] -(-24*a^3*d^3*e^2*x + 36*a*b^2*d^3*e^2*x - 24*a^3*d^3*e*f*x^2 + 36*a*b^2*d^
3*e*f*x^2 - 8*a^3*d^3*f^2*x^3 + 12*a*b^2*d^3*f^2*x^3 + 48*(a^2 - b^2)^(3/2)
*d^2*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]]) - 24*a^2*b*d^2*e
```


$$\begin{aligned} &^2 \cos[c + dx] + 48a^2 b f^2 \cos[c + dx] - 48a^2 b d^2 e f x \cos[c + dx] \\ &- 24a^2 b d^2 f^2 x^2 \cos[c + dx] + 6a b^2 d e f \cos[2(c + dx)] + 6 \\ &a b^2 d f^2 x \cos[2(c + dx)] - 24b^3 d^2 e^2 \log[1 - E^{I(c + dx)}] - \\ &48b^3 d^2 e f x \log[1 - E^{I(c + dx)}] - 24b^3 d^2 f^2 x^2 \log[1 - E^{I(c + dx)}] \\ &+ 24b^3 d^2 e^2 \log[1 + E^{I(c + dx)}] + 48b^3 d^2 e f x \log[1 + E^{I(c + dx)}] \\ &+ 24b^3 d^2 f^2 x^2 \log[1 + E^{I(c + dx)}] - (48I)(a^2 - b^2)^{3/2} d^2 e f x \log[1 + (I b E^{I(c + dx)}) / (-a + \sqrt{a^2 - b^2})] \\ &- (24I)(a^2 - b^2)^{3/2} d^2 f^2 x^2 \log[1 + (I b E^{I(c + dx)}) / (-a + \sqrt{a^2 - b^2})] \\ &+ (48I)(a^2 - b^2)^{3/2} d^2 e f x \log[1 - (I b E^{I(c + dx)}) / (a + \sqrt{a^2 - b^2})] \\ &+ (24I)(a^2 - b^2)^{3/2} d^2 f^2 x^2 \log[1 - (I b E^{I(c + dx)}) / (a + \sqrt{a^2 - b^2})] \\ &- (48I) b^3 d e f \operatorname{PolyLog}[2, -E^{I(c + dx)}] - (48I) b^3 d f^2 x \operatorname{PolyLog}[2, -E^{I(c + dx)}] \\ &+ (48I) b^3 d e f \operatorname{PolyLog}[2, E^{I(c + dx)}] + (48I) b^3 d f^2 x \operatorname{PolyLog}[2, E^{I(c + dx)}] \\ &- 48(a^2 - b^2)^{3/2} d e f \operatorname{PolyLog}[2, ((-I) b E^{I(c + dx)}) / (-a + \sqrt{a^2 - b^2})] \\ &- 48(a^2 - b^2)^{3/2} d f^2 x \operatorname{PolyLog}[2, ((-I) b E^{I(c + dx)}) / (-a + \sqrt{a^2 - b^2})] \\ &+ 48(a^2 - b^2)^{3/2} d e f \operatorname{PolyLog}[2, (I b E^{I(c + dx)}) / (a + \sqrt{a^2 - b^2})] \\ &+ 48(a^2 - b^2)^{3/2} d f^2 x \operatorname{PolyLog}[2, (I b E^{I(c + dx)}) / (a + \sqrt{a^2 - b^2})] \\ &+ 48b^3 f^2 \operatorname{PolyLog}[3, -E^{I(c + dx)}] - 48b^3 f^2 \operatorname{PolyLog}[3, E^{I(c + dx)}] \\ &- (48I)(a^2 - b^2)^{3/2} f^2 \operatorname{PolyLog}[3, ((-I) b E^{I(c + dx)}) / (-a + \sqrt{a^2 - b^2})] \\ &+ (48I)(a^2 - b^2)^{3/2} f^2 \operatorname{PolyLog}[3, (I b E^{I(c + dx)}) / (a + \sqrt{a^2 - b^2})] \\ &+ 48a^2 b d e f \sin[c + dx] + 48a^2 b d f^2 x \sin[c + dx] + 6a b^2 d^2 e^2 \sin[2(c + dx)] \\ &- 3a b^2 f^2 \sin[2(c + dx)] + 12a b^2 d^2 e f x \sin[2(c + dx)] + 6a b^2 d^2 f^2 x^2 \sin[2(c + dx)] \\ &/ (24a b^3 d^3) \end{aligned}$$

Maple [F] time = 3.208, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\cos(dx + c))^3 \cot(dx + c)}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 5.14962, size = 6433, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.


```

*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*log(-1/2*cos(d*x + c) + 1/2*I*
sin(d*x + c) + 1/2) + 6*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*log(-1/
2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2) + 6*(b^3*d^2*f^2*x^2 + 2*b^3*d^2
*e*f*x + 2*b^3*c*d*e*f - b^3*c^2*f^2)*log(-cos(d*x + c) + I*sin(d*x + c) +
1) + 6*(b^3*d^2*f^2*x^2 + 2*b^3*d^2*e*f*x + 2*b^3*c*d*e*f - b^3*c^2*f^2)*lo
g(-cos(d*x + c) - I*sin(d*x + c) + 1) - 3*(8*a^2*b*d*f^2*x + 8*a^2*b*d*e*f
+ (2*a*b^2*d^2*f^2*x^2 + 4*a*b^2*d^2*e*f*x + 2*a*b^2*d^2*e^2 - a*b^2*f^2)*c
os(d*x + c))*sin(d*x + c))/(a*b^3*d^3)

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*cos(d*x+c)**3*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="
giac")
```

```
[Out] Timed out
```

$$3.335 \quad \int \frac{(e+fx) \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=524

$$\frac{f(a^2 - b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{ab^3 d^2} - \frac{f(a^2 - b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{ab^3 d^2} + \frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2}$$

[Out] $-(e*x)/(2*b) + ((a^2 - b^2)*e*x)/b^3 - (f*x^2)/(4*b) + ((a^2 - b^2)*f*x^2)/(2*b^3) - (2*(e + f*x)*\operatorname{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + ((e + f*x)*\operatorname{Cos}[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)*\operatorname{Cos}[c + d*x])/(a*b^2*d) - (f*\operatorname{Cos}[c + d*x]^2)/(4*b*d^2) + (I*(a^2 - b^2)^{(3/2)}*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a - \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^{(3/2)}*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a + \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d) + (I*f*\operatorname{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - (I*f*\operatorname{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + ((a^2 - b^2)^{(3/2)}*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a - \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d^2) - ((a^2 - b^2)^{(3/2)}*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a + \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d^2) - (f*\operatorname{Sin}[c + d*x])/(a*d^2) - ((a^2 - b^2)*f*\operatorname{Sin}[c + d*x])/(a*b^2*d^2) - ((e + f*x)*\operatorname{Cos}[c + d*x]*\operatorname{Sin}[c + d*x])/(2*b*d)$

Rubi [A] time = 0.898953, antiderivative size = 524, normalized size of antiderivative = 1., number of steps used = 31, number of rules used = 14, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {4543, 4408, 4405, 2633, 3296, 2637, 4183, 2279, 2391, 4525, 3310, 3323, 2264, 2190}

$$\frac{f(a^2 - b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a - \sqrt{a^2 - b^2}}\right)}{ab^3 d^2} - \frac{f(a^2 - b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2 - b^2} + a}\right)}{ab^3 d^2} + \frac{if \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{ad^2} - \frac{if \operatorname{PolyLog}\left(2, e^{i(c+dx)}\right)}{ad^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Cos}[c + d*x]^3*\operatorname{Cot}[c + d*x]/(a + b*\operatorname{Sin}[c + d*x]), x]$

[Out] $-(e*x)/(2*b) + ((a^2 - b^2)*e*x)/b^3 - (f*x^2)/(4*b) + ((a^2 - b^2)*f*x^2)/(2*b^3) - (2*(e + f*x)*\operatorname{ArcTanh}[E^{(I*(c + d*x))}])/(a*d) + ((e + f*x)*\operatorname{Cos}[c + d*x])/(a*d) + ((a^2 - b^2)*(e + f*x)*\operatorname{Cos}[c + d*x])/(a*b^2*d) - (f*\operatorname{Cos}[c + d*x]^2)/(4*b*d^2) + (I*(a^2 - b^2)^{(3/2)}*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a - \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d) - (I*(a^2 - b^2)^{(3/2)}*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a + \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d) + (I*f*\operatorname{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^2) - (I*f*\operatorname{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^2) + ((a^2 - b^2)^{(3/2)}*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a - \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d^2) - ((a^2 - b^2)^{(3/2)}*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a + \operatorname{Sqrt}[a^2 - b^2]))/(a*b^3*d^2) - (f*\operatorname{Sin}[c + d*x])/(a*d^2) - ((a^2 - b^2)*f*\operatorname{Sin}[c + d*x])/(a*b^2*d^2) - ((e + f*x)*\operatorname{Cos}[c + d*x]*\operatorname{Sin}[c + d*x])/(2*b*d)$

Rule 4543

$\operatorname{Int}[(\operatorname{Cos}[(c_.) + (d_.)*(x_)]^{(p_.)}*\operatorname{Cot}[(c_.) + (d_.)*(x_)]^{(n_.)}*((e_.) + (f_.)*(x_))^{(m_.)})/((a_.) + (b_.)*\operatorname{Sin}[(c_.) + (d_.)*(x_)]), x_Symbol] \rightarrow \operatorname{Dist}[1/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^p*\operatorname{Cot}[c + d*x]^n, x], x] - \operatorname{Dist}[b/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^{(p + 1)}*\operatorname{Cot}[c + d*x]^{(n - 1)}]/(a + b*\operatorname{Sin}[c + d*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4408

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e + fx) \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx) \cos^3(c + dx) \cot(c + dx) dx}{a} - \frac{b \int \frac{(e + fx) \cos^4(c + dx)}{a + b \sin(c + dx)} dx}{a} \\
&= \frac{\int (e + fx) \cos(c + dx) \cot(c + dx) dx}{a} - \frac{\int (e + fx) \cos^2(c + dx) dx}{b} + \left(\frac{a}{b} - \frac{b}{a}\right) \int \frac{1}{\sin(c + dx)} dx \\
&= -\frac{f \cos^2(c + dx)}{4bd^2} - \frac{(e + fx) \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int (e + fx) \csc(c + dx) dx}{a} \\
&= -\frac{ex}{2b} + \frac{(a^2 - b^2)ex}{b^3} - \frac{fx^2}{4b} + \frac{(a^2 - b^2)fx^2}{2b^3} - \frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(e + fx) \csc(c + dx)}{a} \\
&= -\frac{ex}{2b} + \frac{(a^2 - b^2)ex}{b^3} - \frac{fx^2}{4b} + \frac{(a^2 - b^2)fx^2}{2b^3} - \frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(e + fx) \csc(c + dx)}{a} \\
&= -\frac{ex}{2b} + \frac{(a^2 - b^2)ex}{b^3} - \frac{fx^2}{4b} + \frac{(a^2 - b^2)fx^2}{2b^3} - \frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(e + fx) \csc(c + dx)}{a} \\
&= -\frac{ex}{2b} + \frac{(a^2 - b^2)ex}{b^3} - \frac{fx^2}{4b} + \frac{(a^2 - b^2)fx^2}{2b^3} - \frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(e + fx) \csc(c + dx)}{a} \\
&= -\frac{ex}{2b} + \frac{(a^2 - b^2)ex}{b^3} - \frac{fx^2}{4b} + \frac{(a^2 - b^2)fx^2}{2b^3} - \frac{2(e + fx) \tanh^{-1}(e^{i(c + dx)})}{ad} + \frac{(e + fx) \csc(c + dx)}{a}
\end{aligned}$$

Mathematica [A] time = 11.8142, size = 934, normalized size = 1.78

$$(de + dfx) \left(\frac{2(de - cf) \tan^{-1} \left(\frac{b + a \tan \left(\frac{1}{2}(c + dx) \right)}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2}} - \frac{if \left(\log \left(1 - i \tan \left(\frac{1}{2}(c + dx) \right) \right) \log \left(\frac{b + a \tan \left(\frac{1}{2}(c + dx) \right) + \sqrt{b^2 - a^2}}{-ia + b + \sqrt{b^2 - a^2}} \right) + \text{PolyLog} \left(2, \frac{a(1 - i \tan \left(\frac{1}{2}(c + dx) \right))}{a + i(b + \sqrt{b^2 - a^2})} \right) \right)}{\sqrt{b^2 - a^2}} \right) + \dots$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]
```

```
[Out] -((-2*a^2 + 3*b^2)*(c + d*x)*(2*d*e - 2*c*f + f*(c + d*x)))/(4*b^3*d^2) + (
a*(d*e - c*f + f*(c + d*x))*Cos[c + d*x])/(b^2*d^2) - (f*Cos[2*(c + d*x)])/
(8*b*d^2) + (e*Log[Tan[(c + d*x)/2]])/(a*d) - (c*f*Log[Tan[(c + d*x)/2]])/(
a*d^2) + (f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]
) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))]))/(a*d^2
) - ((a^2 - b^2)^2*(d*e + d*f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x
)/2]])/Sqrt[a^2 - b^2]))/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]
*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 +
b^2])] + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^
2]))])/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[
-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])] + PolyLog[2
, (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2
+ b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[-((b - Sqrt[-a^2 + b^2] + a*
Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))] + PolyLog[2, (a*(I + Tan[(
c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2] - (I*f*(Log[
1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*
a + b - Sqrt[-a^2 + b^2])] + PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/(a + I*(
-b + Sqrt[-a^2 + b^2]))])/Sqrt[-a^2 + b^2]))/(a*b^3*d^2*(d*e - c*f + I*f*L
og[1 - I*Tan[(c + d*x)/2]] - I*f*Log[1 + I*Tan[(c + d*x)/2]])) - (a*f*Sin[c
+ d*x])/(b^2*d^2) - ((d*e - c*f + f*(c + d*x))*Sin[2*(c + d*x)])/(4*b*d^2)
```

Maple [B] time = 1.073, size = 1901, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)
```

```
[Out] 1/16*I*(2*d*f*x+I*f+2*d*e)/b/d^2*exp(2*I*(d*x+c))+1/2*a*(d*f*x-I*f+d*e)/b^2
/d^2*exp(-I*(d*x+c))-1/16*I*(2*d*f*x-I*f+2*d*e)/b/d^2*exp(-2*I*(d*x+c))+1/2
*a*(d*f*x+I*f+d*e)/b^2/d^2*exp(I*(d*x+c))+2*I/d^2*f*c/a*b/(-a^2+b^2)^(1/2)*
arctan(1/2*(2*I*b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+1/2*a^2*f*x^2/b^3+2
/b*a/d^2*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a
-(-a^2+b^2)^(1/2)))*c-2/b*a/d*f/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))+(
-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x-2/b*a/d^2*f/(-a^2+b^2)^(1/2)*ln(
(I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c+2/b*a/d*f
/(-a^2+b^2)^(1/2)*ln((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2
)^(1/2)))*x+2*I*a^3/b^3/d^2*f*c/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*b*exp(I*(d
*x+c))-2*a)/(-a^2+b^2)^(1/2))+4*I/b/d*a*e/(-a^2+b^2)^(1/2)*arctan(1/2*(2*I*
b*exp(I*(d*x+c))-2*a)/(-a^2+b^2)^(1/2))+2*I/b/d^2*a*f/(-a^2+b^2)^(1/2)*dilo
g((I*a+b*exp(I*(d*x+c))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-2*I/b*a/d
^2*f/(-a^2+b^2)^(1/2)*dilog((I*a+b*exp(I*(d*x+c))-(-a^2+b^2)^(1/2))/(I*a-(-
a^2+b^2)^(1/2)))+I/d^2*f/a*dilog(exp(I*(d*x+c)))+I/d^2*f/a*dilog(exp(I*(d*x
```

$$\begin{aligned}
& +c)) + 1) - 1/d*f*b/a/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) * x - 1/d^2*f*b/a/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) * c + 1/d*f*b/a/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)})) * x + 1/d^2*f*b/a/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)})) * c + I/d^2*f*b/a/(-a^2+b^2)^{(1/2)} * \operatorname{dilog}((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) - 2*I/d*e/a*b/(-a^2+b^2)^{(1/2)} * \arctan(1/2*(2*I*b*\exp(I*(d*x+c)) - 2*a) / (-a^2+b^2)^{(1/2)}) - I/d^2*f*b/a/(-a^2+b^2)^{(1/2)} * \operatorname{dilog}((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)})) - 1/d^2/a*f*c * \ln(\exp(I*(d*x+c)) - 1) - 1/d/a * \ln(\exp(I*(d*x+c)) + 1) * f*x + 1/d/a * e * \ln(\exp(I*(d*x+c)) - 1) - 1/d/a * e * \ln(\exp(I*(d*x+c)) + 1) - 3/4*f*x^2/b - 4*I/b/d^2*a*f*c/(-a^2+b^2)^{(1/2)} * \arctan(1/2*(2*I*b*\exp(I*(d*x+c)) - 2*a) / (-a^2+b^2)^{(1/2)}) - 3/2*e*x/b + a^2*e*x/b^3 - a^3/b^3/d*f/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) * x - a^3/b^3/d^2*f/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) * c + a^3/b^3/d*f/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)})) * x + a^3/b^3/d^2*f/(-a^2+b^2)^{(1/2)} * \ln((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)})) * c + I*a^3/b^3/d^2*f/(-a^2+b^2)^{(1/2)} * \operatorname{dilog}((I*a+b*\exp(I*(d*x+c)) - (-a^2+b^2)^{(1/2)}) / (I*a - (-a^2+b^2)^{(1/2)})) - 2*I*a^3/b^3/d*e/(-a^2+b^2)^{(1/2)} * \arctan(1/2*(2*I*b*\exp(I*(d*x+c)) - 2*a) / (-a^2+b^2)^{(1/2)}) - I*a^3/b^3/d^2*f/(-a^2+b^2)^{(1/2)} * \operatorname{dilog}((I*a+b*\exp(I*(d*x+c)) + (-a^2+b^2)^{(1/2)}) / (I*a + (-a^2+b^2)^{(1/2)}))
\end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [B] time = 4.03225, size = 3862, normalized size = 7.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $1/4*((2*a^3 - 3*a*b^2)*d^2*f*x^2 - a*b^2*f*\cos(d*x + c)^2 + 2*(2*a^3 - 3*a*b^2)*d^2*e*x - 2*I*b^3*f*\operatorname{dilog}(\cos(d*x + c) + I*\sin(d*x + c)) + 2*I*b^3*f*\operatorname{dilog}(\cos(d*x + c) - I*\sin(d*x + c)) - 2*I*b^3*f*\operatorname{dilog}(-\cos(d*x + c) + I*\sin(d*x + c)) + 2*I*b^3*f*\operatorname{dilog}(-\cos(d*x + c) - I*\sin(d*x + c)) - 2*I*(a^2*b - b^3)*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*I*(a^2*b - b^3)*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 2*I*(a^2*b - b^3)*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 2*I*(a^2*b - b^3)*f*\sqrt{-(a^2 - b^2)/b^2}*\operatorname{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) -$

$$\begin{aligned}
& 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) \\
& - 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b \\
& *\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - \\
& 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(2*b*\cos \\
& s(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) + 2*(\\
& (a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(\\
& d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2*((a \\
& ^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(-2*b*\cos(d* \\
& x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*((a^2 \\
& *b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a* \\
& \cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{ \\
& t(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f) \\
& *\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2* \\
& (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) - 2*((\\
& a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(-2* \\
& I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c)) \\
& *\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)* \\
& c*f)*\sqrt{-(a^2 - b^2)/b^2}*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) \\
& - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + \\
& 4*(a^2*b*d*f*x + a^2*b*d*e)*\cos(d*x + c) - 2*(b^3*d*f*x + b^3*d*e)*\log(\cos \\
& (d*x + c) + I*\sin(d*x + c) + 1) - 2*(b^3*d*f*x + b^3*d*e)*\log(\cos(d*x + c) \\
& - I*\sin(d*x + c) + 1) + 2*(b^3*d*e - b^3*c*f)*\log(-1/2*\cos(d*x + c) + 1/2*I \\
& *\sin(d*x + c) + 1/2) + 2*(b^3*d*e - b^3*c*f)*\log(-1/2*\cos(d*x + c) - 1/2*I* \\
& \sin(d*x + c) + 1/2) + 2*(b^3*d*f*x + b^3*c*f)*\log(-\cos(d*x + c) + I*\sin(d*x \\
& + c) + 1) + 2*(b^3*d*f*x + b^3*c*f)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1 \\
&) - 2*(2*a^2*b*f + (a*b^2*d*f*x + a*b^2*d*e)*\cos(d*x + c))*\sin(d*x + c))/(a \\
& *b^3*d^2)
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**3*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*cos(c + d*x)**3*cot(c + d*x)/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.336 \quad \int \frac{\cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=124

$$\frac{2(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{ab^3d} + \frac{x(2a^2 - 3b^2)}{2b^3} + \frac{a \cos(c + dx)}{b^2d} - \frac{\tanh^{-1}(\cos(c + dx))}{ad} - \frac{\sin(c + dx) \cos(c + dx)}{2bd}$$

[Out] $((2*a^2 - 3*b^2)*x)/(2*b^3) - (2*(a^2 - b^2)^{(3/2)}*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a*b^3*d) - ArcTanh[Cos[c + d*x]]/(a*d) + (a*Cos[c + d*x])/(b^2*d) - (Cos[c + d*x]*Sin[c + d*x])/(2*b*d)$

Rubi [A] time = 0.279724, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {2895, 3057, 2660, 618, 204, 3770}

$$\frac{2(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{ab^3d} + \frac{x(2a^2 - 3b^2)}{2b^3} + \frac{a \cos(c + dx)}{b^2d} - \frac{\tanh^{-1}(\cos(c + dx))}{ad} - \frac{\sin(c + dx) \cos(c + dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]), x]

[Out] $((2*a^2 - 3*b^2)*x)/(2*b^3) - (2*(a^2 - b^2)^{(3/2)}*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a*b^3*d) - ArcTanh[Cos[c + d*x]]/(a*d) + (a*Cos[c + d*x])/(b^2*d) - (Cos[c + d*x]*Sin[c + d*x])/(2*b*d)$

Rule 2895

Int[cos[(e_.) + (f_.)*(x_)]^4*((d_.)*sin[(e_.) + (f_.)*(x_)]^(n_))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_), x_Symbol] :> Simp[(a*(n + 3)*Cos[e + f*x]*(d*Sin[e + f*x])^(n + 1)*(a + b*Sin[e + f*x])^(m + 1))/(b^2*d*f*(m + n + 3)*(m + n + 4)), x] + (-Dist[1/(b^2*(m + n + 3)*(m + n + 4)), Int[(d*Sin[e + f*x])^n*(a + b*Sin[e + f*x])^m*Simp[a^2*(n + 1)*(n + 3) - b^2*(m + n + 3)*(m + n + 4) + a*b*m*Sin[e + f*x] - (a^2*(n + 2)*(n + 3) - b^2*(m + n + 3)*(m + n + 5))*Sin[e + f*x]^2, x], x], x] - Simp[(Cos[e + f*x]*(d*Sin[e + f*x])^(n + 2)*(a + b*Sin[e + f*x])^(m + 1))/(b*d^2*f*(m + n + 4)), x]) /; FreeQ[{a, b, d, e, f, m, n}, x] && NeQ[a^2 - b^2, 0] && (IGtQ[m, 0] || IntegersQ[2*m, 2*n]) && !m < -1 && !LtQ[n, -1] && NeQ[m + n + 3, 0] && NeQ[m + n + 4, 0]

Rule 3057

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] :> Simp[(C*x)/(b*d), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(b*(b*c - a*d)), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/(d*(b*c - a*d)), Int[1/(c + d*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2660

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*

e^{2*x^2} , x], x, Tan[(c + d*x)/2]/e, x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx &= \frac{a \cos(c+dx)}{b^2 d} - \frac{\cos(c+dx) \sin(c+dx)}{2bd} - \frac{\int \frac{\csc(c+dx)(-2b^2-ab \sin(c+dx)-(2a^2-3b^2) \sin^2(c+dx))}{a+b \sin(c+dx)} dx}{2b^2} \\ &= \frac{(2a^2-3b^2)x}{2b^3} + \frac{a \cos(c+dx)}{b^2 d} - \frac{\cos(c+dx) \sin(c+dx)}{2bd} + \frac{\int \csc(c+dx) dx}{a} - \frac{(a^2-3b^2)}{2b^3} \\ &= \frac{(2a^2-3b^2)x}{2b^3} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{a \cos(c+dx)}{b^2 d} - \frac{\cos(c+dx) \sin(c+dx)}{2bd} - \frac{(a^2-3b^2)}{2b^3} \\ &= \frac{(2a^2-3b^2)x}{2b^3} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{a \cos(c+dx)}{b^2 d} - \frac{\cos(c+dx) \sin(c+dx)}{2bd} + \frac{(a^2-3b^2)}{2b^3} \\ &= \frac{(2a^2-3b^2)x}{2b^3} - \frac{2(a^2-b^2)^{3/2} \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{ab^3 d} - \frac{\tanh^{-1}(\cos(c+dx))}{ad} + \frac{a \cos(c+dx)}{b^2 d} \end{aligned}$$

Mathematica [A] time = 0.281121, size = 143, normalized size = 1.15

$$\frac{8(a^2-b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right) - 4a^2 b \cos(c+dx) - 4a^3 c - 4a^3 dx + ab^2 \sin(2(c+dx)) + 6ab^2 c + 6ab^2 dx - 4b^3}{4ab^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*Cot[c + d*x])/(a + b*Sin[c + d*x]),x]

[Out] -(-4*a^3*c + 6*a*b^2*c - 4*a^3*d*x + 6*a*b^2*d*x + 8*(a^2 - b^2)^(3/2)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]] - 4*a^2*b*Cos[c + d*x] + 4*b^3*Log[Cos[(c + d*x)/2]] - 4*b^3*Log[Sin[(c + d*x)/2]] + a*b^2*Sin[2*(c + d*x)])/ (4*a*b^3*d)

Maple [B] time = 0.083, size = 334, normalized size = 2.7

$$\frac{1}{bd} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} + 2 \frac{(\tan(1/2 dx + c/2))^2 a}{b^2 d (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{1}{bd} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] 1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3+2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^2*a-1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)+2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*a+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))*a^2-3/d/b*arctan(tan(1/2*d*x+1/2*c))-2/d*a^3/b^3/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))+4/d/b*a/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))-2/d/a*b/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))+1/a/d*ln(tan(1/2*d*x+1/2*c))

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [A] time = 3.0426, size = 853, normalized size = 6.88

$$\left[\frac{ab^2 \cos(dx + c) \sin(dx + c) - 2a^2b \cos(dx + c) + b^3 \log\left(\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - b^3 \log\left(-\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) - (2a^3 - 3ab^2) \cos(dx + c) - a^2 - b^2 - 2(a \cos(dx + c) \sin(dx + c) + b \cos(dx + c)) \sqrt{-a^2 + b^2}}{2ab^3d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] [-1/2*(a*b^2*cos(d*x + c)*sin(d*x + c) - 2*a^2*b*cos(d*x + c) + b^3*log(1/2*cos(d*x + c) + 1/2) - b^3*log(-1/2*cos(d*x + c) + 1/2) - (2*a^3 - 3*a*b^2)*d*x - (-a^2 + b^2)^(3/2)*log(-((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2)^(1/2)))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2))/(a*b^3*d), -1/2*(a*b^2*cos(d*x + c)*sin(d*x + c) - 2*a^2*b*cos(d*x + c) + b^3*log(1/2*cos(d*x + c) + 1/2) - b^3*log(-1/2*cos(d*x + c) + 1/2) - (2*a^3 - 3*a*b^2)*d*x - 2*(a^2 - b^2)^(3/2)*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))/(a*b^3*d)]

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*cot(d*x+c)/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 2.08771, size = 247, normalized size = 1.99

$$\frac{2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right|\right)}{a} + \frac{(2a^2 - 3b^2)(dx+c)}{b^3} - \frac{4(a^4 - 2a^2b^2 + b^4)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2} ab^3} + \frac{2\left(b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 2a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^3}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 + 1} \cdot \frac{1}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] 1/2*(2*log(abs(tan(1/2*d*x + 1/2*c)))/a + (2*a^2 - 3*b^2)*(d*x + c)/b^3 - 4*(a^4 - 2*a^2*b^2 + b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*a*b^3) + 2*(b*tan(1/2*d*x + 1/2*c)^3 + 2*a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c) + 2*a)/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d

$$3.337 \quad \int \frac{(e+fx)^3 \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=852

$$\frac{ib(e+fx)^4}{4a^2f} + \frac{i(a^2-b^2)(e+fx)^4}{4a^2bf} - \frac{\csc(c+dx)(e+fx)^3}{ad} - \frac{(a^2-b^2) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)(e+fx)^3}{a^2bd} - \frac{(a^2-b^2) \log\left(1 - \frac{ib}{a+\sqrt{a^2-b^2}}\right)(e+fx)^3}{a^2bd}$$

[Out] $((I/4)*b*(e + f*x)^4)/(a^2*f) + ((I/4)*(a^2 - b^2)*(e + f*x)^4)/(a^2*b*f) - (6*f*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d^2) - ((e + f*x)^3*Csc[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d) - (b*(e + f*x)^3*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) + ((6*I)*f^2*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^3) - ((6*I)*f^2*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^3) + ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^2) + ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^2) + (((3*I)/2)*b*f*(e + f*x)^2*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) - (6*f^3*PolyLog[3, -E^(I*(c + d*x))])/(a*d^4) + (6*f^3*PolyLog[3, E^(I*(c + d*x))])/(a*d^4) - (6*(a^2 - b^2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^3) - (6*(a^2 - b^2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^3) - (3*b*f^2*(e + f*x)*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a^2*d^3) - ((6*I)*(a^2 - b^2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^4) - ((6*I)*(a^2 - b^2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^4) - (((3*I)/4)*b*f^3*PolyLog[4, E^((2*I)*(c + d*x))])/(a^2*d^4)$

Rubi [A] time = 1.78215, antiderivative size = 852, normalized size of antiderivative = 1., number of steps used = 48, number of rules used = 19, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.559$, Rules used = {4543, 4408, 3296, 2638, 4410, 4183, 2531, 2282, 6589, 4404, 3311, 32, 2635, 8, 3717, 2190, 6609, 4525, 4519}

$$\frac{ib(e+fx)^4}{4a^2f} + \frac{i(a^2-b^2)(e+fx)^4}{4a^2bf} - \frac{\csc(c+dx)(e+fx)^3}{ad} - \frac{(a^2-b^2) \log\left(1 - \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)(e+fx)^3}{a^2bd} - \frac{(a^2-b^2) \log\left(1 - \frac{ib}{a+\sqrt{a^2-b^2}}\right)(e+fx)^3}{a^2bd}$$

Antiderivative was successfully verified.

[In] Int[((e + f*x)^3*Cos[c + d*x]*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] $((I/4)*b*(e + f*x)^4)/(a^2*f) + ((I/4)*(a^2 - b^2)*(e + f*x)^4)/(a^2*b*f) - (6*f*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d^2) - ((e + f*x)^3*Csc[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d) - (b*(e + f*x)^3*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) + ((6*I)*f^2*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^3) - ((6*I)*f^2*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^3) + ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^2) + ((3*I)*(a^2 - b^2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^2) + (((3*I)/2)*b*f*(e + f*x)^2*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) - (6*f^3*PolyLog[3, -E^(I*(c + d*x))])/(a*d^4) + (6*f^3*PolyLog[3, E^(I*(c + d*x))])/(a*d^4) - (6*(a^2 - b^2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^3) - (6*(a^2 - b^2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^3) - (3*b*f^2*(e + f*x)*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a^2*d^3) - ((6*I)*(a^2 - b^2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b*d^4) - ((6*I)*(a^2 - b^2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b*d^4) - (((3*I)/4)*b*f^3*PolyLog[4, E^((2*I)*(c + d*x))])/(a^2*d^4)$

$$E^{(I*(c + d*x))}/(a - \text{Sqrt}[a^2 - b^2])]/(a^2*b*d^4) - ((6*I)*(a^2 - b^2)*f^3*\text{PolyLog}[4, (I*b*E^{(I*(c + d*x))})/(a + \text{Sqrt}[a^2 - b^2])])/(a^2*b*d^4) - ((3*I)/4)*b*f^3*\text{PolyLog}[4, E^{((2*I)*(c + d*x))})/(a^2*d^4)$$
Rule 4543

$$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]^{(p_.)}*\text{Cot}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] := \text{Dist}[1/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^p*\text{Cot}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int}[((e + f*x)^m*\text{Cos}[c + d*x]^{(p + 1)}*\text{Cot}[c + d*x]^{(n - 1)})/(a + b*\text{Sin}[c + d*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$$
Rule 4408

$$\text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\text{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] := -\text{Int}[(c + d*x)^m*\text{Cos}[a + b*x]^n*\text{Cot}[a + b*x]^{(p - 2)}, x] + \text{Int}[(c + d*x)^m*\text{Cos}[a + b*x]^{(n - 2)}*\text{Cot}[a + b*x]^p, x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$$
Rule 3296

$$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] := -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}[m, 0]$$
Rule 2638

$$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x_Symbol] := -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x\}$$
Rule 4410

$$\text{Int}[\text{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)}*\text{Csc}[(a_.) + (b_.)*(x_.)]^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] := -\text{Simp}[(c + d*x)^m*\text{Csc}[a + b*x]^n/(b*n), x] + \text{Dist}[(d*m)/(b*n), \text{Int}[(c + d*x)^{(m - 1)}*\text{Csc}[a + b*x]^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x\} \&\& \text{EqQ}[p, 1] \&\& \text{GtQ}[m, 0]$$
Rule 4183

$$\text{Int}[\text{csc}[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] := \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 - E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + E^{(I*(e + f*x))}], x], x]) /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{IGtQ}[m, 0]$$
Rule 2531

$$\text{Int}[\text{Log}[1 + (e_.)*((F_)^{((c_.)*((a_.) + (b_.)*(x_.)))})^{(n_.)}]*((f_.) + (g_.)*(x_.))^{(m_.)}, x_Symbol] := -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n]/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m - 1)}*\text{PolyLog}[2, -(e*(F^{(c*(a + b*x)))})^n], x], x] /; \text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \&\& \text{GtQ}[m, 0]$$
Rule 2282

$$\text{Int}[u, x_Symbol] := \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_.)*(v_)^{(n_.)})^{(m_.)} /; \text{FreeQ}[$$

{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Ssin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Ccos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] :> -Simp[(b*Ccos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 6609


```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*(a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.
)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n
- 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[
(c_.) + (d_.)*(x_.)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1
)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rubi steps

$$\int \frac{(e + fx)^3 \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \cos(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{\int (e + fx)^3 \cos(c + dx) dx}{a} + \frac{\int (e + fx)^3 \cot(c + dx) \csc(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{(e + fx)^3 \csc(c + dx)}{ad} - \frac{(e + fx)^3 \sin(c + dx)}{ad} + \frac{\int (e + fx)^3 \cos(c + dx) dx}{a}$$

$$= \frac{ib(e + fx)^4}{4a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4bf} - \frac{6f(e + fx)^2 \tanh^{-1}\left(e^{i(c + dx)}\right)}{ad^2} - \frac{3f(e + fx)^2}{ad^2}$$

$$= \frac{ib(e + fx)^4}{4a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4bf} - \frac{6f(e + fx)^2 \tanh^{-1}\left(e^{i(c + dx)}\right)}{ad^2} - \frac{(e + fx)^2}{ad^2}$$

$$= \frac{ib(e + fx)^4}{4a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4bf} - \frac{6f(e + fx)^2 \tanh^{-1}\left(e^{i(c + dx)}\right)}{ad^2} + \frac{6f^3 \cos^2(c + dx)}{ad^2}$$

$$= \frac{ib(e + fx)^4}{4a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4bf} - \frac{6f(e + fx)^2 \tanh^{-1}\left(e^{i(c + dx)}\right)}{ad^2} - \frac{(e + fx)^2}{ad^2}$$

$$= \frac{ib(e + fx)^4}{4a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4bf} - \frac{6f(e + fx)^2 \tanh^{-1}\left(e^{i(c + dx)}\right)}{ad^2} - \frac{(e + fx)^2}{ad^2}$$

Mathematica [B] time = 46.364, size = 2974, normalized size = 3.49

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*cos[c + d*x]*cot[c + d*x]^2)/(a + b*sin[c + d*x]),x]

[Out]
$$\begin{aligned} & -\left(\frac{(-1)*b*(e + f*x)^4}{(-1 + E^{(2*I)*c})}*f\right) + (6*e*f*(b*d*e - 2*a*f))*x*\text{Log}[1 - E^{(-1)*(c + d*x)}] \\ & /d^2 + (6*f^2*(b*d*e - a*f))*x^2*\text{Log}[1 - E^{(-1)*(c + d*x)}] /d^2 + (2*b*f^3*x^3*\text{Log}[1 - E^{(-1)*(c + d*x)}]) /d \\ & + (6*e*f*(b*d*e + 2*a*f))*x*\text{Log}[1 + E^{(-1)*(c + d*x)}] /d^2 + (6*f^2*(b*d*e + a*f))*x^2*\text{Log}[1 + E^{(-1)*(c + d*x)}] /d^2 \\ & + (2*b*f^3*x^3*\text{Log}[1 + E^{(-1)*(c + d*x)}]) /d + (2*e^2*(b*d*e - 3*a*f)*((-1)*d*x + \text{Log}[1 - E^{I*(c + d*x)}]) /d^2 + (2 \\ & *e^2*(b*d*e + 3*a*f)*((-1)*d*x + \text{Log}[1 + E^{I*(c + d*x)}]) /d^2 + ((6*I)*e*f*(b*d*e + 2*a*f))*\text{PolyLog}[2, -E^{(-1)*(c + d*x)}] /d^3 \\ & + ((6*I)*e*f*(b*d*e - 2*a*f))*\text{PolyLog}[2, E^{(-1)*(c + d*x)}] /d^3 + (12*f^2*(b*d*e + a*f)*(I*d*x*\text{PolyLog}[2, -E^{(-1)*(c + d*x)}] \\ & + \text{PolyLog}[3, -E^{(-1)*(c + d*x)}]) /d^4 + (12*f^2*(b*d*e - a*f)*(I*d*x*\text{PolyLog}[2, E^{(-1)*(c + d*x)}] + \text{PolyLog}[3, E^{(-1)*(c + d*x)}]) /d^4 \\ & + (6*b*f^3*(I*d^2*x^2*\text{PolyLog}[2, -E^{(-1)*(c + d*x)}] + 2*d*x*\text{PolyLog}[3, E^{(-1)*(c + d*x)}] - (2*I)*\text{PolyLog}[4, -E^{(-1)*(c + d*x)}]) /d^4 \\ & + (6*b*f^3*(I*d^2*x^2*\text{PolyLog}[2, E^{(-1)*(c + d*x)}] + 2*d*x*\text{PolyLog}[3, E^{(-1)*(c + d*x)}] - (2*I)*\text{PolyLog}[4, E^{(-1)*(c + d*x)}]) /d^4 \\ & / (2*a^2) + ((a^2 - b^2)*((4*I)*d^4*e^3*E^{(2*I)*c})*x + (6*I)*d^4*e^2*E^{(2*I)*c})*f*x^2 + (4*I)*d^4*e*E^{(2*I)*c})*f^2*x^3 + I*d^4*E^{(2*I)*c})*f^3*x^4 \\ & + (2*I)*d^3*e^3*\text{ArcTan}[(2*a*E^{I*(c + d*x)})/(b*(-1 + E^{(2*I)*(c + d*x)}))] - (2*I)*d^3*e^3*E^{(2*I)*c})*\text{ArcTan}[(2*a*E^{I*(c + d*x)})/(b*(-1 + E^{(2*I)*(c + d*x)}))] \\ & + d^3*e^3*\text{Log}[4*a^2*E^{(2*I)*(c + d*x)} + b^2*(-1 + E^{(2*I)*(c + d*x)})^2] - d^3*e^3*E^{(2*I)*c})*\text{Log}[4*a^2*E^{(2*I)*(c + d*x)} + b^2*(-1 + E^{(2*I)*(c + d*x)})^2] \\ & + 6*d^3*e^2*f*x*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 6*d^3*e^2*E^{(2*I)*c})*f*x*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 6*d^3*e*f^2*x^2*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 6*d^3*e*E^{(2*I)*c})*f^2*x^2*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 2*d^3*f^3*x^3*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 2*d^3*E^{(2*I)*c})*f^3*x^3*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) - \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 6*d^3*e^2*f*x*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 6*d^3*e^2*E^{(2*I)*c})*f*x*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 6*d^3*e*f^2*x^2*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 6*d^3*e*E^{(2*I)*c})*f^2*x^2*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 2*d^3*f^3*x^3*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 2*d^3*E^{(2*I)*c})*f^3*x^3*\text{Log}[1 + (b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + (6*I)*d^2*(-1 + E^{(2*I)*c})*f*(e + f*x)^2*\text{PolyLog}[2, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + (6*I)*d^2*(-1 + E^{(2*I)*c})*f*(e + f*x)^2*\text{PolyLog}[2, -(b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 12*d*e*f^2*\text{PolyLog}[3, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 12*d*e*E^{(2*I)*c})*f^2*\text{PolyLog}[3, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 12*d*f^3*x*\text{PolyLog}[3, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 12*d*E^{(2*I)*c})*f^3*x*\text{PolyLog}[3, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 12*d*e*f^2*\text{PolyLog}[3, -(b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 12*d*e*E^{(2*I)*c})*f^2*\text{PolyLog}[3, -(b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + 12*d*f^3*x*\text{PolyLog}[3, -(b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - 12*d*E^{(2*I)*c})*f^3*x*\text{PolyLog}[3, -(b*E^{I*(2*c + d*x)})/(I*a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + (12*I)*f^3*\text{PolyLog}[4, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - (12*I)*E^{(2*I)*c})*f^3*\text{PolyLog}[4, (I*b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + I*\text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \\ & + (12*I)*f^3*\text{PolyLog}[4, -(b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] - (12*I)*E^{(2*I)*c})*f^3*\text{PolyLog}[4, -(b*E^{I*(2*c + d*x)})/(a*E^{I*c}) + \text{Sqrt}[(-a^2 + b^2)*E^{(2*I)*c}]] \end{aligned}$$

$$\frac{(I*(2*c + d*x)))/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}]) - (12*I)*E^{((2*I)*c)}*f^3*\text{PolyLog}[4, -((b*E^{(I*(2*c + d*x)))/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}]))])/(2*a^2*b*d^4*(-1 + E^{((2*I)*c)})) + ((-4*b*e^3 - 12*b*e^2*f*x - 12*b*e*f^2*x^2 - 4*b*f^3*x^3 - 4*a*d*e^3*x*\text{Cos}[c] - 6*a*d*e^2*f*x^2*\text{Cos}[c] - 4*a*d*e*f^2*x^3*\text{Cos}[c] - a*d*f^3*x^4*\text{Cos}[c])*Csc[c/2]*\text{Sec}[c/2])/(8*a*b*d) + (\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(-e^3*\text{Sin}[(d*x)/2]) - 3*e^2*f*x*\text{Sin}[(d*x)/2] - 3*e*f^2*x^2*\text{Sin}[(d*x)/2] - f^3*x^3*\text{Sin}[(d*x)/2]))/(2*a*d) + (\text{Csc}[c/2]*\text{Csc}[c/2 + (d*x)/2]*(e^3*\text{Sin}[(d*x)/2] + 3*e^2*f*x*\text{Sin}[(d*x)/2] + 3*e*f^2*x^2*\text{Sin}[(d*x)/2] + f^3*x^3*\text{Sin}[(d*x)/2]))/(2*a*d)}$$

Maple [F] time = 2.659, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 \cos(dx + c) (\cot(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 5.06862, size = 9106, normalized size = 10.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out]
$$-1/2*(2*a*b*d^3*f^3*x^3 + 6*a*b*d^3*e*f^2*x^2 + 6*a*b*d^3*e^2*f*x + 2*a*b*d^3*e^3 + 6*I*b^2*f^3*\text{polylog}(4, \cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - 6*I*b^2*f^3*\text{polylog}(4, \cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) - 6*I*b^2*f^3*\text{polylog}(4, -\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) + 6*I*b^2*f^3*\text{polylog}(4, -\cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) + 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b)*\sin(d*x + c) + 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, 1/2*(2*I*a*\cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2))/b)*\sin(d*x + c) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2)))/b)*\sin(d*x + c) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2)))/b)*\sin(d*x + c) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) - a*\sin(d*x + c) + (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2)))/b)*\sin(d*x + c) - 6*I*(a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) - a*\sin(d*x + c) - (b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2)))/b)*\sin(d*x + c)$$

$$\begin{aligned}
& d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) - 6*I* \\
& (a^2 - b^2)*f^3*\text{polylog}(4, -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x \\
& + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2})/b)*\sin(d*x + c) - (-3*I*(\\
& a^2 - b^2)*d^2*f^3*x^2 - 6*I*(a^2 - b^2)*d^2*e*f^2*x - 3*I*(a^2 - b^2)*d^2* \\
& e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c \\
&) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + c) - (\\
& -3*I*(a^2 - b^2)*d^2*f^3*x^2 - 6*I*(a^2 - b^2)*d^2*e*f^2*x - 3*I*(a^2 - b^2 \\
&)*d^2*e^2*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d \\
& *x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(d*x + \\
& c) - (3*I*(a^2 - b^2)*d^2*f^3*x^2 + 6*I*(a^2 - b^2)*d^2*e*f^2*x + 3*I*(a^2 \\
& - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b \\
& *cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1)*\sin(\\
& d*x + c) - (3*I*(a^2 - b^2)*d^2*f^3*x^2 + 6*I*(a^2 - b^2)*d^2*e*f^2*x + 3*I \\
& *(a^2 - b^2)*d^2*e^2*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) \\
& - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1 \\
&)*\sin(d*x + c) - (3*I*b^2*d^2*f^3*x^2 + 3*I*b^2*d^2*e^2*f - 6*I*a*b*d*e*f^2 \\
& + 6*I*(b^2*d^2*e*f^2 - a*b*d*f^3)*x)*\text{dilog}(\cos(d*x + c) + I*\sin(d*x + c))* \\
& \sin(d*x + c) - (-3*I*b^2*d^2*f^3*x^2 - 3*I*b^2*d^2*e^2*f + 6*I*a*b*d*e*f^2 \\
& - 6*I*(b^2*d^2*e*f^2 - a*b*d*f^3)*x)*\text{dilog}(\cos(d*x + c) - I*\sin(d*x + c))*s \\
& \sin(d*x + c) - (-3*I*b^2*d^2*f^3*x^2 - 3*I*b^2*d^2*e^2*f - 6*I*a*b*d*e*f^2 - \\
& 6*I*(b^2*d^2*e*f^2 + a*b*d*f^3)*x)*\text{dilog}(-\cos(d*x + c) + I*\sin(d*x + c))*s \\
& \sin(d*x + c) - (3*I*b^2*d^2*f^3*x^2 + 3*I*b^2*d^2*e^2*f + 6*I*a*b*d*e*f^2 + \\
& 6*I*(b^2*d^2*e*f^2 + a*b*d*f^3)*x)*\text{dilog}(-\cos(d*x + c) - I*\sin(d*x + c))*s \\
& \sin(d*x + c) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^ \\
& 2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x \\
& + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^3* \\
& e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c \\
& ^3*f^3)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b \\
& ^2} - 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2* \\
& f + 3*(a^2 - b^2)*c^2*d*e*f^2 - (a^2 - b^2)*c^3*f^3)*\log(-2*b*\cos(d*x + c) \\
& + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a)*\sin(d*x + c) + (\\
& (a^2 - b^2)*d^3*e^3 - 3*(a^2 - b^2)*c*d^2*e^2*f + 3*(a^2 - b^2)*c^2*d*e*f^2 \\
& - (a^2 - b^2)*c^3*f^3)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*sq \\
& rt(-(a^2 - b^2)/b^2) - 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(\\
& a^2 - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2* \\
& e^2*f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos \\
& (d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(\\
& a^2 - b^2)/b^2} + 2*b)/b)*\sin(d*x + c) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 \\
& - b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2 \\
& *f - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(2*I*a*\cos(d* \\
& x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^ \\
& 2 - b^2)/b^2} + 2*b)/b)*\sin(d*x + c) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - \\
& b^2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f \\
& - 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x \\
& + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 \\
& - b^2)/b^2} + 2*b)/b)*\sin(d*x + c) + ((a^2 - b^2)*d^3*f^3*x^3 + 3*(a^2 - b^ \\
& 2)*d^3*e*f^2*x^2 + 3*(a^2 - b^2)*d^3*e^2*f*x + 3*(a^2 - b^2)*c*d^2*e^2*f - \\
& 3*(a^2 - b^2)*c^2*d*e*f^2 + (a^2 - b^2)*c^3*f^3)*\log(1/2*(-2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a^2 - \\
& b^2)/b^2} + 2*b)/b)*\sin(d*x + c) + (b^2*d^3*f^3*x^3 + b^2*d^3*e^3 + 3*a*b*d \\
& ^2*e^2*f + 3*(b^2*d^3*e*f^2 + a*b*d^2*f^3)*x^2 + 3*(b^2*d^3*e^2*f + 2*a*b*d \\
& ^2*e*f^2)*x)*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1)*\sin(d*x + c) + (b^2*d^3 \\
& *f^3*x^3 + b^2*d^3*e^3 + 3*a*b*d^2*e^2*f + 3*(b^2*d^3*e*f^2 + a*b*d^2*f^3)* \\
& x^2 + 3*(b^2*d^3*e^2*f + 2*a*b*d^2*e*f^2)*x)*\log(\cos(d*x + c) - I*\sin(d*x + \\
& c) + 1)*\sin(d*x + c) + (b^2*d^3*e^3 - 3*(b^2*c + a*b)*d^2*e^2*f + 3*(b^2*c \\
& ^2 + 2*a*b*c)*d*e*f^2 - (b^2*c^3 + 3*a*b*c^2)*f^3)*\log(-1/2*\cos(d*x + c) + \\
& 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) + (b^2*d^3*e^3 - 3*(b^2*c + a*b)*d^2 \\
& *e^2*f + 3*(b^2*c^2 + 2*a*b*c)*d*e*f^2 - (b^2*c^3 + 3*a*b*c^2)*f^3)*\log(-1/ \\
& 2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) + (b^2*d^3*f^3*x^3
\end{aligned}$$

+ 3*b^2*c*d^2*e^2*f - 3*(b^2*c^2 + 2*a*b*c)*d*e*f^2 + (b^2*c^3 + 3*a*b*c^2)*f^3 + 3*(b^2*d^3*e*f^2 - a*b*d^2*f^3)*x^2 + 3*(b^2*d^3*e^2*f - 2*a*b*d^2*e*f^2)*x*log(-cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) + (b^2*d^3*f^3*x^3 + 3*b^2*c*d^2*e^2*f - 3*(b^2*c^2 + 2*a*b*c)*d*e*f^2 + (b^2*c^3 + 3*a*b*c^2)*f^3 + 3*(b^2*d^3*e*f^2 - a*b*d^2*f^3)*x^2 + 3*(b^2*d^3*e^2*f - 2*a*b*d^2*e*f^2)*x*log(-cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 6*((a^2 - b^2)*d*f^3*x + (a^2 - b^2)*d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 6*(b^2*d*f^3*x + b^2*d*e*f^2 - a*b*f^3)*polylog(3, cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 6*(b^2*d*f^3*x + b^2*d*e*f^2 - a*b*f^3)*polylog(3, cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 6*(b^2*d*f^3*x + b^2*d*e*f^2 + a*b*f^3)*polylog(3, -cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 6*(b^2*d*f^3*x + b^2*d*e*f^2 + a*b*f^3)*polylog(3, -cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c))/(a^2*b*d^4*sin(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^3 \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(d*x+c)*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**3*cos(c + d*x)*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.338 \quad \int \frac{(e+fx)^2 \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=616

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2bd^2} + \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2bd^2} - \frac{2f^2(a^2-b^2)\text{PolyLog}\left(3, \dots\right)}{a^2bd^3}$$

[Out] $((I/3)*b*(e + f*x)^3)/(a^2*f) + ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(a^2*b*f) - (4*f*(e + f*x)*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d^2) - ((e + f*x)^2*\text{Csc}[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d) - (b*(e + f*x)^2*\text{Log}[1 - E^{((2*I)*(c + d*x))}])/(a^2*d) + ((2*I)*f^2*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^3) - ((2*I)*f^2*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^3) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^2) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^2) + (I*b*f*(e + f*x)*\text{PolyLog}[2, E^{((2*I)*(c + d*x))}])/(a^2*d^2) - (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^3) - (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^3) - (b*f^2*\text{PolyLog}[3, E^{((2*I)*(c + d*x))}])/(2*a^2*d^3)$

Rubi [A] time = 1.38718, antiderivative size = 616, normalized size of antiderivative = 1., number of steps used = 37, number of rules used = 17, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4543, 4408, 3296, 2637, 4410, 4183, 2279, 2391, 4404, 3310, 3717, 2190, 2531, 2282, 6589, 4525, 4519}

$$\frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2bd^2} + \frac{2if(a^2-b^2)(e+fx)\text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2bd^2} - \frac{2f^2(a^2-b^2)\text{PolyLog}\left(3, \dots\right)}{a^2bd^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Cos}[c + d*x]*\text{Cot}[c + d*x]^2/(a + b*\text{Sin}[c + d*x]), x]$

[Out] $((I/3)*b*(e + f*x)^3)/(a^2*f) + ((I/3)*(a^2 - b^2)*(e + f*x)^3)/(a^2*b*f) - (4*f*(e + f*x)*\text{ArcTanh}[E^{(I*(c + d*x))}])/(a*d^2) - ((e + f*x)^2*\text{Csc}[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)^2*\text{Log}[1 - (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d) - (b*(e + f*x)^2*\text{Log}[1 - E^{((2*I)*(c + d*x))}])/(a^2*d) + ((2*I)*f^2*\text{PolyLog}[2, -E^{(I*(c + d*x))}])/(a*d^3) - ((2*I)*f^2*\text{PolyLog}[2, E^{(I*(c + d*x))}])/(a*d^3) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^2) + ((2*I)*(a^2 - b^2)*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^2) + (I*b*f*(e + f*x)*\text{PolyLog}[2, E^{((2*I)*(c + d*x))}])/(a^2*d^2) - (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})]/(a - \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^3) - (2*(a^2 - b^2)*f^2*\text{PolyLog}[3, (I*b*E^{(I*(c + d*x))})]/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b*d^3) - (b*f^2*\text{PolyLog}[3, E^{((2*I)*(c + d*x))}])/(2*a^2*d^3)$

Rule 4543

$\text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_)]^{(p_.)}*\text{Cot}[(c_.) + (d_.)*(x_)]^{(n_.)}*((e_.) + (f_.)*(x_))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_)]), x_Symbol] := \text{Dist}[1/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^p*\text{Cot}[c + d*x]^n, x] - \text{Dist}[b/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^{(p + 1)}*\text{Cot}[c + d*x]^{(n - 1)}]/(a + b*\text{Sin}[c + d*x$

]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4408

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4410

Int[Cot[(a_.) + (b_.)*(x_)]^(p_.)*Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b

```
*Sin[e + f*x]]^(n - 1))/(f*n), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^(m)*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol]
:> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol]
:> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol]
:> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_.) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol]
:> Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol]
:> -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]
```

Rubi steps

$$\int \frac{(e + fx)^2 \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \cos(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e+fx)^2 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx}{a}$$

$$= -\frac{\int (e + fx)^2 \cos(c + dx) dx}{a} + \frac{\int (e + fx)^2 \cot(c + dx) \csc(c + dx) dx}{a} - \frac{b \int \frac{(e+fx)^2 \cos^2(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx}{a}$$

$$= -\frac{(e + fx)^2 \csc(c + dx)}{ad} - \frac{(e + fx)^2 \sin(c + dx)}{ad} + \frac{\int (e + fx)^2 \cos(c + dx) dx}{a}$$

$$= \frac{ib(e + fx)^3}{3a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{3bf} - \frac{4f(e + fx) \tanh^{-1}\left(e^{i(c+dx)}\right)}{ad^2} - \frac{2f(e + fx)}{a}$$

$$= \frac{ib(e + fx)^3}{3a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{3bf} - \frac{4f(e + fx) \tanh^{-1}\left(e^{i(c+dx)}\right)}{ad^2} - \frac{(e + fx)}{a}$$

$$= \frac{ib(e + fx)^3}{3a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{3bf} - \frac{4f(e + fx) \tanh^{-1}\left(e^{i(c+dx)}\right)}{ad^2} - \frac{(e + fx)}{a}$$

$$= \frac{ib(e + fx)^3}{3a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{3bf} - \frac{4f(e + fx) \tanh^{-1}\left(e^{i(c+dx)}\right)}{ad^2} - \frac{(e + fx)}{a}$$

$$= \frac{ib(e + fx)^3}{3a^2 f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{3bf} - \frac{4f(e + fx) \tanh^{-1}\left(e^{i(c+dx)}\right)}{ad^2} - \frac{(e + fx)}{a}$$

Mathematica [B] time = 14.0071, size = 1833, normalized size = 2.98

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Cos[c + d*x]*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] (((2*I)*b*(e + f*x)^3)/((-1 + E^((2*I)*c))*f) + (6*f*(-(b*d*e) + a*f)*x*Log[1 - E^((-I)*(c + d*x))])/d^2 - (3*b*f^2*x^2*Log[1 - E^((-I)*(c + d*x))])/d - (6*f*(b*d*e + a*f)*x*Log[1 + E^((-I)*(c + d*x))])/d^2 - (3*b*f^2*x^2*Log[1 + E^((-I)*(c + d*x))])/d + ((3*I)*e*(b*d*e - 2*a*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]))/d^2 + ((3*I)*e*(b*d*e + 2*a*f)*(d*x + I*Log[1 + E^(I*(c + d*x))]))/d^2 - ((6*I)*f*(b*d*e + a*f)*PolyLog[2, -E^((-I)*(c + d*x))])/d^3 + ((6*I)*f*(-(b*d*e) + a*f)*PolyLog[2, E^((-I)*(c + d*x))])/d^3 - ((6*I)*b*f^2*(d*x*PolyLog[2, -E^((-I)*(c + d*x))] - I*PolyLog[3, -E^((-I)*(c + d*x))])/d^3 - ((6*I)*b*f^2*(d*x*PolyLog[2, E^((-I)*(c + d*x))] - I*PolyLog[3, E^((-I)*(c + d*x))])/d^3)/(3*a^2) + ((a^2 - b^2)*((12*I)*d^3*e^2*E^((2*I)*c)*x + (12*I)*d^3*e*E^((2*I)*c)*f*x^2 + (4*I)*d^3*E^((2*I)*c)*f^2*x^3 + (6*I)*d^2*e^2*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x)))] - (6*I)*d^2*e^2*E^((2*I)*c)*ArcTan[(2*a*E^(I*(c + d*x)))/(b*(-1 + E^((2*I)*(c + d*x)))] + 3*d^2*e^2*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] - 3*d^2*e^2*E^((2*I)*c)*Log[4*a^2*E^((2*I)*(c + d*x)) + b^2*(-1 + E^((2*I)*(c + d*x)))^2] + 12*d^2*e*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] - 12*d^2*e*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] + 6*d^2*f^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] - 6*d^2*E^((2*I)*c)*f^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) - Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] + 12*d^2*e*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] - 12*d^2*e*E^((2*I)*c)*f*x*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E^(I*c) + Sqrt[(-a^2 + b^2)*E^((2*I)*c)]] + 6*d^2*f^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(I*a*E

$$\begin{aligned} & \wedge(I*c) + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}] - 6*d^2*E^{((2*I)*c)}*f^2*x^2*\text{Log}[1 \\ & + (b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + \\ & (12*I)*d*(-1 + E^{((2*I)*c)})*f*(e + f*x)*\text{PolyLog}[2, (I*b*E^{(I*(2*c + d*x))})/ \\ & (a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + (12*I)*d*(-1 + E^{((2*I)*c)} \\ &))*f*(e + f*x)*\text{PolyLog}[2, -((b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 \\ & + b^2)*E^{((2*I)*c)}])]] + 12*f^2*\text{PolyLog}[3, (I*b*E^{(I*(2*c + d*x))})/(a*E^{(I \\ & *c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] - 12*E^{((2*I)*c)}*f^2*\text{PolyLog}[3, (I \\ & *b*E^{(I*(2*c + d*x))})/(a*E^{(I*c)} + I*\text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])] + 12* \\ & f^2*\text{PolyLog}[3, -((b*E^{(I*(2*c + d*x))})/(I*a*E^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{(\\ & (2*I)*c)}])]] - 12*E^{((2*I)*c)}*f^2*\text{PolyLog}[3, -((b*E^{(I*(2*c + d*x))})/(I*a*E \\ & ^{(I*c)} + \text{Sqrt}[(-a^2 + b^2)*E^{((2*I)*c)}])]])/(6*a^2*b*d^3*(-1 + E^{((2*I)*c)} \\ &)) + ((-3*b*e^2 - 6*b*e*f*x - 3*b*f^2*x^2 - 3*a*d*e^2*x*\text{Cos}[c] - 3*a*d*e*f* \\ & x^2*\text{Cos}[c] - a*d*f^2*x^3*\text{Cos}[c])*Csc[c/2]*Sec[c/2])/(6*a*b*d) + (\text{Sec}[c/2]*S \\ & ec[c/2 + (d*x)/2]*(-e^2*\text{Sin}[(d*x)/2]) - 2*e*f*x*\text{Sin}[(d*x)/2] - f^2*x^2*\text{Sin} \\ & [(d*x)/2]))/(2*a*d) + (\text{Csc}[c/2]*\text{Csc}[c/2 + (d*x)/2]*(e^2*\text{Sin}[(d*x)/2] + 2*e* \\ & f*x*\text{Sin}[(d*x)/2] + f^2*x^2*\text{Sin}[(d*x)/2]))/(2*a*d) \end{aligned}$$

Maple [F] time = 2.075, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 \cos(dx + c) (\cot(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 3.5389, size = 6120, normalized size = 9.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $-1/2*(2*a*b*d^2*f^2*x^2 + 4*a*b*d^2*e*f*x + 2*a*b*d^2*e^2 + 2*b^2*f^2*\text{polylog}(3, \cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) + 2*b^2*f^2*\text{polylog}(3, \cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) + 2*b^2*f^2*\text{polylog}(3, -\cos(d*x +$

$$\begin{aligned}
& c) + I*\sin(d*x + c))*\sin(d*x + c) + 2*b^2*f^2*\text{polylog}(3, -\cos(d*x + c) - I \\
& *\sin(d*x + c))*\sin(d*x + c) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, 1/2*(2*I*a*\cos(d \\
& *x + c) - 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a \\
& ^2 - b^2)/b^2))/b)*\sin(d*x + c) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, 1/2*(2*I*a*c \\
& \cos(d*x + c) - 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt} \\
& (-(a^2 - b^2)/b^2))/b)*\sin(d*x + c) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos \\
& s(d*x + c) + a*\sin(d*x + c) + (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^ \\
& 2 - b^2)/b^2))/b)*\sin(d*x + c) + 2*(a^2 - b^2)*f^2*\text{polylog}(3, -(I*a*\cos(d*x \\
& + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b \\
& ^2)/b^2))/b)*\sin(d*x + c) - (-2*I*(a^2 - b^2)*d*f^2*x - 2*I*(a^2 - b^2)*d*e \\
& *f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - \\
& I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*\sin(d*x + c) - (-2* \\
& I*(a^2 - b^2)*d*f^2*x - 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - \\
& b^2)/b^2) + 2*b)/b + 1)*\sin(d*x + c) - (2*I*(a^2 - b^2)*d*f^2*x + 2*I*(a^2 \\
& - b^2)*d*e*f)*\text{dilog}(-1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos \\
& (d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*\sin(d*x \\
& + c) - (2*I*(a^2 - b^2)*d*f^2*x + 2*I*(a^2 - b^2)*d*e*f)*\text{dilog}(-1/2*(-2*I*a \\
& *\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sq} \\
& \text{rt}(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*\sin(d*x + c) - (2*I*b^2*d*f^2*x + 2*I*b^ \\
& 2*d*e*f - 2*I*a*b*f^2)*\text{dilog}(\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - \\
& (-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f + 2*I*a*b*f^2)*\text{dilog}(\cos(d*x + c) - I*\sin \\
& (d*x + c))*\sin(d*x + c) - (-2*I*b^2*d*f^2*x - 2*I*b^2*d*e*f - 2*I*a*b*f^2)* \\
& \text{dilog}(-\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - (2*I*b^2*d*f^2*x + 2*I \\
& *b^2*d*e*f + 2*I*a*b*f^2)*\text{dilog}(-\cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c \\
&) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log \\
& (2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*I*a \\
&)*\sin(d*x + c) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f + (a^2 - b^2) \\
& *c^2*f^2)*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\text{sqrt}(-(a^2 - b^2) \\
& /b^2) - 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - b^2)*c*d*e*f \\
& + (a^2 - b^2)*c^2*f^2)*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\text{sq} \\
& \text{rt}(-(a^2 - b^2)/b^2) + 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^2*e^2 - 2*(a^2 - \\
& b^2)*c*d*e*f + (a^2 - b^2)*c^2*f^2)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x \\
& + c) + 2*b*\text{sqrt}(-(a^2 - b^2)/b^2) - 2*I*a)*\sin(d*x + c) + ((a^2 - b^2)*d^2* \\
& f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - b^2)*c^2 \\
& *f^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - \\
& I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b)*\sin(d*x + c) + ((a^2 - b \\
& ^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - (a^2 - \\
& b^2)*c^2*f^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x \\
& + c) - I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b)*\sin(d*x + c) + (\\
& (a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)*c*d*e*f - \\
& (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(\\
& b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b)*\sin(d*x \\
& + c) + ((a^2 - b^2)*d^2*f^2*x^2 + 2*(a^2 - b^2)*d^2*e*f*x + 2*(a^2 - b^2)* \\
& c*d*e*f - (a^2 - b^2)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + \\
& c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\text{sqrt}(-(a^2 - b^2)/b^2) + 2*b)/b \\
&)*\sin(d*x + c) + (b^2*d^2*f^2*x^2 + b^2*d^2*e^2 + 2*a*b*d*e*f + 2*(b^2*d^2* \\
& e*f + a*b*d*f^2)*x)*\log(\cos(d*x + c) + I*\sin(d*x + c) + 1)*\sin(d*x + c) + (\\
& b^2*d^2*f^2*x^2 + b^2*d^2*e^2 + 2*a*b*d*e*f + 2*(b^2*d^2*e*f + a*b*d*f^2)*x \\
&)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(d*x + c) + (b^2*d^2*e^2 - 2*(b \\
& ^2*c + a*b)*d*e*f + (b^2*c^2 + 2*a*b*c)*f^2)*\log(-1/2*\cos(d*x + c) + 1/2*I* \\
& \sin(d*x + c) + 1/2)*\sin(d*x + c) + (b^2*d^2*e^2 - 2*(b^2*c + a*b)*d*e*f + (\\
& b^2*c^2 + 2*a*b*c)*f^2)*\log(-1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2)*s \\
& \sin(d*x + c) + (b^2*d^2*f^2*x^2 + 2*b^2*c*d*e*f - (b^2*c^2 + 2*a*b*c)*f^2 + 2*(\\
& b^2*d^2*e*f - a*b*d*f^2)*x)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(\\
& d*x + c) + (b^2*d^2*f^2*x^2 + 2*b^2*c*d*e*f - (b^2*c^2 + 2*a*b*c)*f^2 + 2*(\\
& b^2*d^2*e*f - a*b*d*f^2)*x)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(d*x \\
& + c))/(a^2*b*d^3*\sin(d*x + c))
\end{aligned}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*cos(c + d*x)*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.339 \quad \int \frac{(e+fx) \cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=386

$$\frac{if(a^2-b^2) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2bd^2} + \frac{if(a^2-b^2) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2bd^2} + \frac{ibf \operatorname{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2a^2d^2} - \frac{(a^2-b^2)(e+fx)}{a^2bd^2}$$

[Out] $((I/2)*b*(e + f*x)^2)/(a^2*f) + ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(a^2*b*f) - (f*\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]])/(a*d^2) - ((e + f*x)*\operatorname{Csc}[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d) - (b*(e + f*x)*\operatorname{Log}[1 - E^{((2*I)*(c + d*x))})/(a^2*d) + (I*(a^2 - b^2)*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d^2) + (I*(a^2 - b^2)*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d^2) + ((I/2)*b*f*\operatorname{PolyLog}[2, E^{((2*I)*(c + d*x))})/(a^2*d^2)$

Rubi [A] time = 0.784269, antiderivative size = 386, normalized size of antiderivative = 1., number of steps used = 28, number of rules used = 15, integrand size = 32, $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$, Rules used = {4543, 4408, 3296, 2638, 4410, 3770, 4404, 2635, 8, 3717, 2190, 2279, 2391, 4525, 4519}

$$\frac{if(a^2-b^2) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2bd^2} + \frac{if(a^2-b^2) \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2bd^2} + \frac{ibf \operatorname{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2a^2d^2} - \frac{(a^2-b^2)(e+fx)}{a^2bd^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Cos}[c + d*x]*\operatorname{Cot}[c + d*x]^2/(a + b*\operatorname{Sin}[c + d*x]), x]$

[Out] $((I/2)*b*(e + f*x)^2)/(a^2*f) + ((I/2)*(a^2 - b^2)*(e + f*x)^2)/(a^2*b*f) - (f*\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]])/(a*d^2) - ((e + f*x)*\operatorname{Csc}[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d) - ((a^2 - b^2)*(e + f*x)*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d) - (b*(e + f*x)*\operatorname{Log}[1 - E^{((2*I)*(c + d*x))})/(a^2*d) + (I*(a^2 - b^2)*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d^2) + (I*(a^2 - b^2)*f*\operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2*b*d^2) + ((I/2)*b*f*\operatorname{PolyLog}[2, E^{((2*I)*(c + d*x))})/(a^2*d^2)$

Rule 4543

$\operatorname{Int}[(\operatorname{Cos}[(c_.) + (d_.)*(x_.)]^{(p_.)*\operatorname{Cot}[(c_.) + (d_.)*(x_.)]^{(n_.)*((e_.) + (f_.)*(x_.))^{(m_.)}})/((a_.) + (b_.)*\operatorname{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] := \operatorname{Dist}[1/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^p*\operatorname{Cot}[c + d*x]^n, x], x] - \operatorname{Dist}[b/a, \operatorname{Int}[(e + f*x)^m*\operatorname{Cos}[c + d*x]^{(p+1)*\operatorname{Cot}[c + d*x]^{(n-1)}}/(a + b*\operatorname{Sin}[c + d*x]), x], x] /;$ FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4408

$\operatorname{Int}[\operatorname{Cos}[(a_.) + (b_.)*(x_.)]^{(n_.)*\operatorname{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)*((c_.) + (d_.)*(x_.))^{(m_.)}], x_Symbol] := -\operatorname{Int}[(c + d*x)^m*\operatorname{Cos}[a + b*x]^n*\operatorname{Cot}[a + b*x]^{(p-2)}, x] + \operatorname{Int}[(c + d*x)^m*\operatorname{Cos}[a + b*x]^{(n-2)*\operatorname{Cot}[a + b*x]^p, x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]

Rule 4410

Int[Cot[(a_.) + (b_.)*(x_)]^(p_.)*Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d
.)*(x))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x]
+ Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{
a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x
)^(n.), x_Symbol] := Simp[((c + d*x)^m*Ssin[a + b*x]^(n + 1))/(b*(n + 1))
, x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1),
x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)
^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x
)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))

$]^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] \text{:>} -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

Rule 4525

$\text{Int}[(\text{Cos}[c_.] + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(m_.))]/((a_.) + (b_.)*\text{Sin}[c_.] + (d_.)*(x_)]), x_Symbol] \text{:>} \text{Dist}[a/b^2, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^(n - 2), x], x] + (-\text{Dist}[1/b, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^(n - 2)*\text{Sin}[c + d*x], x], x] - \text{Dist}[(a^2 - b^2)/b^2, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^(n - 2)]/(a + b*\text{Sin}[c + d*x]), x], x) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[n, 1] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0]$

Rule 4519

$\text{Int}[(\text{Cos}[c_.] + (d_.)*(x_))*((e_.) + (f_.)*(x_)^(m_.))]/((a_.) + (b_.)*\text{Sin}[c_.] + (d_.)*(x_)]), x_Symbol] \text{:>} -\text{Simp}[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (\text{Int}[(e + f*x)^m*\text{E}^{I*(c + d*x)}]/(a - \text{Rt}[a^2 - b^2, 2] - I*b*\text{E}^{I*(c + d*x)}), x] + \text{Int}[(e + f*x)^m*\text{E}^{I*(c + d*x)}]/(a + \text{Rt}[a^2 - b^2, 2] - I*b*\text{E}^{I*(c + d*x)}), x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[m, 0] \& \& \text{PosQ}[a^2 - b^2]$

Rubi steps

$$\begin{aligned} \int \frac{(e + fx) \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx &= \frac{\int (e + fx) \cos(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx) \cos^2(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a} \\ &= -\frac{\int (e + fx) \cos(c + dx) dx}{a} + \frac{\int (e + fx) \cot(c + dx) \csc(c + dx) dx}{a} - \frac{b \int (e + fx) \cos^2(c + dx) \cot(c + dx) dx}{a + b \sin(c + dx)} \\ &= -\frac{(e + fx) \csc(c + dx)}{ad} - \frac{(e + fx) \sin(c + dx)}{ad} + \frac{\int (e + fx) \cos(c + dx) dx}{a} - \frac{b \int (e + fx) \cos^2(c + dx) \cot(c + dx) dx}{a + b \sin(c + dx)} \\ &= \frac{ib(e + fx)^2}{2a^2f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^2}{2bf} - \frac{f \tanh^{-1}(\cos(c + dx))}{ad^2} - \frac{f \cos(c + dx)}{ad^2} \\ &= \frac{ib(e + fx)^2}{2a^2f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^2}{2bf} - \frac{f \tanh^{-1}(\cos(c + dx))}{ad^2} - \frac{(e + fx) \csc(c + dx)}{ad} \\ &= \frac{ib(e + fx)^2}{2a^2f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^2}{2bf} - \frac{f \tanh^{-1}(\cos(c + dx))}{ad^2} - \frac{(e + fx) \csc(c + dx)}{ad} \\ &= \frac{ib(e + fx)^2}{2a^2f} + \frac{i\left(1 - \frac{b^2}{a^2}\right)(e + fx)^2}{2bf} - \frac{f \tanh^{-1}(\cos(c + dx))}{ad^2} - \frac{(e + fx) \csc(c + dx)}{ad} \end{aligned}$$

Mathematica [B] time = 14.7458, size = 2314, normalized size = 5.99

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Cos[c + d*x]*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

```
[Out] ((-(d*e*cos[(c + d*x)/2]) + c*f*cos[(c + d*x)/2] - f*(c + d*x)*cos[(c + d*x)/2])*Csc[(c + d*x)/2])/(2*a*d^2) - (b*e*log[sin[c + d*x]])/(a^2*d) + (b*c*f*log[sin[c + d*x]])/(a^2*d^2) + (f*log[tan[(c + d*x)/2]])/(a*d^2) - (b*f*(c + d*x)*log[1 - E^((2*I)*(c + d*x))] - (I/2)*((c + d*x)^2 + PolyLog[2, E^((2*I)*(c + d*x))]))/(a^2*d^2) + (Sec[(c + d*x)/2]*(-(d*e*sin[(c + d*x)/2]) + c*f*sin[(c + d*x)/2] - f*(c + d*x)*sin[(c + d*x)/2]))/(2*a*d^2) + ((f*(c + d*x)^2 + (2*I)*d*e*log[Sec[(c + d*x)/2]^2] - (2*I)*c*f*log[Sec[(c + d*x)/2]^2] - (2*I)*d*e*log[Sec[(c + d*x)/2]^2*(a + b*sin[c + d*x])] + (2*I)*c*f*log[Sec[(c + d*x)/2]^2*(a + b*sin[c + d*x])] - (4*I)*f*(c + d*x)*log[(-2*I)/(-I + Tan[(c + d*x)/2])] - 2*f*log[1 + I*Tan[(c + d*x)/2]]*log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2])]) + 2*f*log[1 - I*Tan[(c + d*x)/2]]*log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])] - 2*f*log[1 + I*Tan[(c + d*x)/2]]*log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])] + 4*f*PolyLog[2, -Cos[c + d*x] + I*sin[c + d*x]] + 2*f*PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))] - 2*f*PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))] + 2*f*PolyLog[2, (a*(I + Tan[(c + d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2])] - 2*f*PolyLog[2, (a + I*a*Tan[(c + d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2]))])*(-((e*cos[c + d*x])/(a + b*sin[c + d*x])) + (b^2*e*cos[c + d*x])/(a^2*(a + b*sin[c + d*x])) + (c*f*cos[c + d*x])/(d*(a + b*sin[c + d*x])) - (b^2*c*f*cos[c + d*x])/(a^2*d*(a + b*sin[c + d*x])) - (f*(c + d*x)*cos[c + d*x])/(d*(a + b*sin[c + d*x])) + (b^2*f*(c + d*x)*cos[c + d*x])/(a^2*d*(a + b*sin[c + d*x])))/(d*(2*f*(c + d*x) - (4*I)*f*log[(-2*I)/(-I + Tan[(c + d*x)/2])] - (4*f*log[1 + Cos[c + d*x] - I*sin[c + d*x]]*(I*cos[c + d*x] + sin[c + d*x]))/(-Cos[c + d*x] + I*sin[c + d*x]) + (I*f*log[1 - (a*(1 - I*Tan[(c + d*x)/2]))/(a + I*(b + Sqrt[-a^2 + b^2]))]*Sec[(c + d*x)/2]^2)/(1 - I*Tan[(c + d*x)/2]) - (I*f*log[-(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2])])*Sec[(c + d*x)/2]^2)/(1 - I*Tan[(c + d*x)/2]) - (I*f*log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2])])*Sec[(c + d*x)/2]^2)/(1 - I*Tan[(c + d*x)/2]) + (I*f*log[1 - (a*(1 + I*Tan[(c + d*x)/2]))/(a - I*(b + Sqrt[-a^2 + b^2]))]*Sec[(c + d*x)/2]^2)/(1 + I*Tan[(c + d*x)/2]) - (I*f*log[(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b - Sqrt[-a^2 + b^2])])*Sec[(c + d*x)/2]^2)/(1 + I*Tan[(c + d*x)/2]) - (I*f*log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])])*Sec[(c + d*x)/2]^2)/(1 + I*Tan[(c + d*x)/2]) + (2*I)*d*e*tan[(c + d*x)/2] - (2*I)*c*f*tan[(c + d*x)/2] + ((2*I)*f*(c + d*x)*Sec[(c + d*x)/2]^2)/(-I + Tan[(c + d*x)/2]) - (f*log[1 - (a*(I + Tan[(c + d*x)/2]))/(I*a - b + Sqrt[-a^2 + b^2])])*Sec[(c + d*x)/2]^2)/(I + Tan[(c + d*x)/2]) + (I*a*f*log[1 - (a + I*a*Tan[(c + d*x)/2])/(a + I*(-b + Sqrt[-a^2 + b^2]))])*Sec[(c + d*x)/2]^2)/(a + I*a*Tan[(c + d*x)/2]) + (a*f*log[1 - I*Tan[(c + d*x)/2]]*Sec[(c + d*x)/2]^2)/(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2]) - (a*f*log[1 + I*Tan[(c + d*x)/2]]*Sec[(c + d*x)/2]^2)/(b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2]) + (a*f*log[1 - I*Tan[(c + d*x)/2]]*Sec[(c + d*x)/2]^2)/(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2]) - (a*f*log[1 + I*Tan[(c + d*x)/2]]*Sec[(c + d*x)/2]^2)/(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2]) - ((2*I)*d*e*cos[(c + d*x)/2]^2*(b*cos[c + d*x]*Sec[(c + d*x)/2]^2 + Sec[(c + d*x)/2]^2*(a + b*sin[c + d*x])*Tan[(c + d*x)/2]))/(a + b*sin[c + d*x]) + ((2*I)*c*f*cos[(c + d*x)/2]^2*(b*cos[c + d*x]*Sec[(c + d*x)/2]^2 + Sec[(c + d*x)/2]^2*(a + b*sin[c + d*x])*Tan[(c + d*x)/2]))/(a + b*sin[c + d*x]))
```

Maple [B] time = 0.381, size = 1732, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)*\cos(d*x+c)*\cot(d*x+c)^2/(a+b*\sin(d*x+c)),x)$

[Out] $\frac{1}{2}I/b*f*x^2-2*I*(f*x+e)*\exp(I*(d*x+c))/d/a/(\exp(2*I*(d*x+c))-1)+1/b/d^2*f*c*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-2/b/d^2*f*c*\ln(\exp(I*(d*x+c)))-I/b*e*x+1/d*b/a^2*e*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+I/d^2/b*c^2*f-2*b/d*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*x-2*b/d^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*c-2*b/d*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*x-2*b/d^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*c-1/b/d*e*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+2/b/d*\ln(\exp(I*(d*x+c)))*e+1/d^2/a^2*b*f*c*\ln(\exp(I*(d*x+c))-1)-1/d/a^2*b*f*\ln(\exp(I*(d*x+c))+1)*x-I/d^2/a^2*b*f*dilog(\exp(I*(d*x+c)))+1/b/d*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*a^2*x+1/b/d^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*a^2*c+1/b/d*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*a^2*x+1/b/d^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*a^2*c-1/d^2*b/a^2*f*c*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+I/d^2*b/a^2*f*dilog(\exp(I*(d*x+c))+1)+2*I/d^2*b*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))+2*I/d^2*b*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))+2*I/d/b*c*f*x-1/d/a^2*b*e*\ln(\exp(I*(d*x+c))-1)-1/d/a^2*b*e*\ln(\exp(I*(d*x+c))+1)-I/b/d^2*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*a^2-I/b/d^2*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*a^2+1/d^2/a*f*\ln(\exp(I*(d*x+c))-1)-1/d^2/a*f*\ln(\exp(I*(d*x+c))+1)+1/d^2*b^3/a^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*c+1/d^2*b^3/a^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*c+1/d*b^3/a^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))*x+1/d*b^3/a^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))*x-I/d^2*b^3/a^2*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)}))-I/d^2*b^3/a^2*f/(-a^2+b^2)*dilog((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)}))$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*\cos(d*x+c)*\cot(d*x+c)^2/(a+b*\sin(d*x+c)),x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

Fricas [B] time = 3.48655, size = 3592, normalized size = 9.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)*\cos(d*x+c)*\cot(d*x+c)^2/(a+b*\sin(d*x+c)),x, \text{algorithm}="fricas")$

```
[Out] -1/2*(2*a*b*d*f*x - I*b^2*f*dilog(cos(d*x + c) + I*sin(d*x + c))*sin(d*x +
c) + I*b^2*f*dilog(cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + I*b^2*f*di
log(-cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) - I*b^2*f*dilog(-cos(d*x +
c) - I*sin(d*x + c))*sin(d*x + c) + 2*a*b*d*e + I*(a^2 - b^2)*f*dilog(-1/2
*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) + I*(a^2 - b^2)*f*di
log(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*s
in(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) - I*(a^2 - b
^2)*f*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c
) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) - I
*(a^2 - b^2)*f*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*co
s(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x
+ c) + ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*log(2*b*cos(d*x + c) + 2*I*b*si
n(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) + ((a^2 - b^2
)*d*e - (a^2 - b^2)*c*f)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sq
rt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c) + ((a^2 - b^2)*d*e - (a^2 - b^2)
*c*f)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^
2) + 2*I*a)*sin(d*x + c) + ((a^2 - b^2)*d*e - (a^2 - b^2)*c*f)*log(-2*b*cos
(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*
x + c) + ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*log(1/2*(2*I*a*cos(d*x + c)
+ 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2
)/b^2) + 2*b)/b)*sin(d*x + c) + ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*log(1
/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x
+ c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) + ((a^2 - b^2)*d*f*x +
(a^2 - b^2)*c*f)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*co
s(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c
) + ((a^2 - b^2)*d*f*x + (a^2 - b^2)*c*f)*log(1/2*(-2*I*a*cos(d*x + c) + 2*
a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^
2) + 2*b)/b)*sin(d*x + c) + (b^2*d*f*x + b^2*d*e + a*b*f)*log(cos(d*x + c)
+ I*sin(d*x + c) + 1)*sin(d*x + c) + (b^2*d*f*x + b^2*d*e + a*b*f)*log(cos(
d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + (b^2*d*e - (b^2*c + a*b)*f)*l
og(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + (b^2*d*e -
(b^2*c + a*b)*f)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2)*sin(d*x
+ c) + (b^2*d*f*x + b^2*c*f)*log(-cos(d*x + c) + I*sin(d*x + c) + 1)*sin(
d*x + c) + (b^2*d*f*x + b^2*c*f)*log(-cos(d*x + c) - I*sin(d*x + c) + 1)*sin(
d*x + c))/(a^2*b*d^2*sin(d*x + c))
```

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Integral((e + f*x)*cos(c + d*x)*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)
```

Giac [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(fx + e) \cos(dx + c) \cot(dx + c)^2}{b \sin(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="gi  
ac")
```

```
[Out] integrate((f*x + e)*cos(d*x + c)*cot(d*x + c)^2/(b*sin(d*x + c) + a), x)
```

$$3.340 \quad \int \frac{\cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=60

$$-\frac{\left(1 - \frac{b^2}{a^2}\right) \log(a + b \sin(c + dx))}{bd} - \frac{b \log(\sin(c + dx))}{a^2 d} - \frac{\csc(c + dx)}{ad}$$

[Out] -(Csc[c + d*x]/(a*d)) - (b*Log[Sin[c + d*x]]/(a^2*d) - ((1 - b^2/a^2)*Log[a + b*Sin[c + d*x]])/(b*d)

Rubi [A] time = 0.123461, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2837, 12, 894}

$$-\frac{\left(1 - \frac{b^2}{a^2}\right) \log(a + b \sin(c + dx))}{bd} - \frac{b \log(\sin(c + dx))}{a^2 d} - \frac{\csc(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] -(Csc[c + d*x]/(a*d)) - (b*Log[Sin[c + d*x]]/(a^2*d) - ((1 - b^2/a^2)*Log[a + b*Sin[c + d*x]])/(b*d)

Rule 2837

Int[cos[(e_.) + (f_.)*(x_)]^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(c + (d*x)/b)^n*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 894

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\text{Subst} \left(\int \frac{b^2(b^2-x^2)}{x^2(a+x)} dx, x, b \sin(c+dx) \right)}{b^3 d} \\
&= \frac{\text{Subst} \left(\int \frac{b^2-x^2}{x^2(a+x)} dx, x, b \sin(c+dx) \right)}{bd} \\
&= \frac{\text{Subst} \left(\int \left(\frac{b^2}{ax^2} - \frac{b^2}{a^2 x} + \frac{-a^2+b^2}{a^2(a+x)} \right) dx, x, b \sin(c+dx) \right)}{bd} \\
&= -\frac{\csc(c+dx)}{ad} - \frac{b \log(\sin(c+dx))}{a^2 d} - \frac{\left(1 - \frac{b^2}{a^2}\right) \log(a+b \sin(c+dx))}{bd}
\end{aligned}$$

Mathematica [A] time = 0.0937522, size = 54, normalized size = 0.9

$$\frac{(b^2 - a^2) \log(a + b \sin(c + dx)) - ab \csc(c + dx) + b^2(-\log(\sin(c + dx)))}{a^2 bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] $(-(a*b*\text{Csc}[c + d*x]) - b^2*\text{Log}[\text{Sin}[c + d*x]] + (-a^2 + b^2)*\text{Log}[a + b*\text{Sin}[c + d*x]])/(a^2*b*d)$

Maple [A] time = 0.003, size = 72, normalized size = 1.2

$$-\frac{\ln(a + b \sin(dx + c))}{bd} + \frac{b \ln(a + b \sin(dx + c))}{da^2} - \frac{1}{da \sin(dx + c)} - \frac{b \ln(\sin(dx + c))}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] $-\ln(a+b*\sin(d*x+c))/b/d+1/d/a^2*b*\ln(a+b*\sin(d*x+c))-1/d/a/\sin(d*x+c)-b*\ln(\sin(d*x+c))/a^2/d$

Maxima [A] time = 0.973981, size = 77, normalized size = 1.28

$$-\frac{\frac{b \log(\sin(dx+c))}{a^2} + \frac{(a^2-b^2) \log(b \sin(dx+c)+a)}{a^2 b} + \frac{1}{a \sin(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] $-(b*\log(\sin(d*x + c)))/a^2 + (a^2 - b^2)*\log(b*\sin(d*x + c) + a)/(a^2*b) + 1/(a*\sin(d*x + c))/d$

Fricas [A] time = 1.95147, size = 166, normalized size = 2.77

$$\frac{b^2 \log\left(\frac{1}{2} \sin(dx + c)\right) \sin(dx + c) + (a^2 - b^2) \log(b \sin(dx + c) + a) \sin(dx + c) + ab}{a^2 b d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] -(b^2*log(1/2*sin(d*x + c))*sin(d*x + c) + (a^2 - b^2)*log(b*sin(d*x + c) + a)*sin(d*x + c) + a*b)/(a^2*b*d*sin(d*x + c))

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral(cos(c + d*x)*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [A] time = 1.15671, size = 97, normalized size = 1.62

$$\frac{\frac{b \log(|\sin(dx+c)|)}{a^2} + \frac{(a^2-b^2) \log(|b \sin(dx+c)+a|)}{a^2 b} - \frac{b \sin(dx+c)-a}{a^2 \sin(dx+c)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] -(b*log(abs(sin(d*x + c)))/a^2 + (a^2 - b^2)*log(abs(b*sin(d*x + c) + a))/(a^2*b) - (b*sin(d*x + c) - a)/(a^2*sin(d*x + c)))/d

$$3.341 \quad \int \frac{(e+fx)^3 \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=1144

result too large to display

```
[Out] ((-I)*(e + f*x)^3)/(a*d) - (e + f*x)^4/(4*a*f) - ((a^2 - b^2)*(e + f*x)^4)/
(4*a*b^2*f) + (2*b*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a^2*d) + (6*b*f^2
*(e + f*x)*Cos[c + d*x])/(a^2*d^3) + (6*(a^2 - b^2)*f^2*(e + f*x)*Cos[c + d
*x])/(a^2*b*d^3) - (b*(e + f*x)^3*Cot[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e +
f*x)^3*Cot[c + d*x])/(a^2*b*d) - ((e + f*x)^3*Cot[c + d*x])/(a*d) - (I*(a^
2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^
2])])/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c +
d*x))])/(a + Sqrt[a^2 - b^2])])/(a^2*b^2*d) + (3*f*(e + f*x)^2*Log[1 - E^((
2*I)*(c + d*x))])/(a*d^2) - ((3*I)*b*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*
x))])/(a^2*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a^2*
d^2) - (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x))])/
(a - Sqrt[a^2 - b^2])])/(a^2*b^2*d^2) + (3*(a^2 - b^2)^(3/2)*f*(e + f*x)^2*
PolyLog[2, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2])])/(a^2*b^2*d^2) - ((
3*I)*f^2*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) + (6*b*f^2*(e +
f*x)*PolyLog[3, -E^(I*(c + d*x))])/(a^2*d^3) - (6*b*f^2*(e + f*x)*PolyLog[
3, E^(I*(c + d*x))])/(a^2*d^3) - ((6*I)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*Pol
yLog[3, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2])])/(a^2*b^2*d^3) + ((6*I
)*(a^2 - b^2)^(3/2)*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x))])/(a + Sqr
t[a^2 - b^2])])/(a^2*b^2*d^3) + (3*f^3*PolyLog[3, E^((2*I)*(c + d*x))])/(2*
a*d^4) + ((6*I)*b*f^3*PolyLog[4, -E^(I*(c + d*x))])/(a^2*d^4) - ((6*I)*b*f^
3*PolyLog[4, E^(I*(c + d*x))])/(a^2*d^4) + (6*(a^2 - b^2)^(3/2)*f^3*PolyLog
[4, (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^2])])/(a^2*b^2*d^4) - (6*(a^2 -
b^2)^(3/2)*f^3*PolyLog[4, (I*b*E^(I*(c + d*x))])/(a + Sqrt[a^2 - b^2])])/(a
^2*b^2*d^4) - (6*b*f^3*Sin[c + d*x])/(a^2*d^4) - (6*(a^2 - b^2)*f^3*Sin[c +
d*x])/(a^2*b*d^4) + (3*b*f*(e + f*x)^2*Sin[c + d*x])/(a^2*d^2) + (3*(a^2 -
b^2)*f*(e + f*x)^2*Sin[c + d*x])/(a^2*b*d^2)
```

Rubi [A] time = 2.6563, antiderivative size = 1144, normalized size of antiderivative = 1., number of steps used = 66, number of rules used = 20, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {4543, 4408, 3311, 32, 3310, 3720, 3717, 2190, 2531, 2282, 6589, 4405, 3296, 2637, 2633, 4183, 6609, 4525, 3323, 2264}

$$\frac{(a^2 - b^2)(e + fx)^4}{4ab^2f} - \frac{(e + fx)^4}{4af} + \frac{2b \tanh^{-1}(e^{i(c+dx)})(e + fx)^3}{a^2d} - \frac{b \cos(c + dx)(e + fx)^3}{a^2d} - \frac{(a^2 - b^2) \cos(c + dx)(e + fx)^4}{a^2bd}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-I)*(e + f*x)^3)/(a*d) - (e + f*x)^4/(4*a*f) - ((a^2 - b^2)*(e + f*x)^4)/
(4*a*b^2*f) + (2*b*(e + f*x)^3*ArcTanh[E^(I*(c + d*x))])/(a^2*d) + (6*b*f^2
*(e + f*x)*Cos[c + d*x])/(a^2*d^3) + (6*(a^2 - b^2)*f^2*(e + f*x)*Cos[c + d
*x])/(a^2*b*d^3) - (b*(e + f*x)^3*Cot[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e +
f*x)^3*Cot[c + d*x])/(a^2*b*d) - ((e + f*x)^3*Cot[c + d*x])/(a*d) - (I*(a^
2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x))])/(a - Sqrt[a^2 - b^
2])])/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^3*Log[1 - (I*b*E^(I*(c +
d*x))])/(a + Sqrt[a^2 - b^2])])/(a^2*b^2*d) + (3*f*(e + f*x)^2*Log[1 - E^((
2*I)*(c + d*x))])/(a*d^2) - ((3*I)*b*f*(e + f*x)^2*PolyLog[2, -E^(I*(c + d*
x))])/(a^2*d^2) + ((3*I)*b*f*(e + f*x)^2*PolyLog[2, E^(I*(c + d*x))])/(a^2*
```

$$d^2) - (3(a^2 - b^2)^{3/2} f (e + f x)^2 \text{PolyLog}[2, (I b E^{I(c + d x)}) / (a - \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^2) + (3(a^2 - b^2)^{3/2} f (e + f x)^2 \text{PolyLog}[2, (I b E^{I(c + d x)}) / (a + \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^2) - ((3 I) f^2 (e + f x) \text{PolyLog}[2, E^{(2 I)(c + d x)}]) / (a d^3) + (6 b f^2 (e + f x) \text{PolyLog}[3, -E^{I(c + d x)}]) / (a^2 d^3) - (6 b f^2 (e + f x) \text{PolyLog}[3, E^{I(c + d x)}]) / (a^2 d^3) - ((6 I) (a^2 - b^2)^{3/2} f^2 (e + f x) \text{PolyLog}[3, (I b E^{I(c + d x)}) / (a - \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^3) + ((6 I) (a^2 - b^2)^{3/2} f^2 (e + f x) \text{PolyLog}[3, (I b E^{I(c + d x)}) / (a + \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^3) + (3 f^3 \text{PolyLog}[3, E^{(2 I)(c + d x)}]) / (2 a d^4) + ((6 I) b f^3 \text{PolyLog}[4, -E^{I(c + d x)}]) / (a^2 d^4) - ((6 I) b f^3 \text{PolyLog}[4, E^{I(c + d x)}]) / (a^2 d^4) + (6 (a^2 - b^2)^{3/2} f^3 \text{PolyLog}[4, (I b E^{I(c + d x)}) / (a - \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^4) - (6 (a^2 - b^2)^{3/2} f^3 \text{PolyLog}[4, (I b E^{I(c + d x)}) / (a + \text{Sqrt}[a^2 - b^2])]) / (a^2 b^2 d^4) - (6 b f^3 \text{Sin}[c + d x]) / (a^2 d^4) - (6 (a^2 - b^2) f^3 \text{Sin}[c + d x]) / (a^2 b d^4) + (3 b f (e + f x)^2 \text{Sin}[c + d x]) / (a^2 d^2) + (3 (a^2 - b^2) f (e + f x)^2 \text{Sin}[c + d x]) / (a^2 b d^2)$$
Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 32

```
Int[((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3720

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Simp[(b*(c + d*x)^m*(b*Tan[e + f*x])^(n - 1))/(f*(n - 1)), x] + (-Di
```


st[(b*d*m)/(f*(n - 1)), Int[(c + d*x)^(m - 1)*(b*Tan[e + f*x])^(n - 1), x], x] - Dist[b^2, Int[(c + d*x)^m*(b*Tan[e + f*x])^(n - 2), x], x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 0]

Rule 3717

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int((((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(n_.)]*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := -Simp[((f + g*x)^m * PolyLog[2, -(e*(F^(c*(a + b*x)))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_.)]^(n_.)*((c_.) + (d_.)*(x_.))^(m_.)*Sin[(a_.) + (b_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m * Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 2264

Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v, 2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rubi steps

$$\int \frac{(e + fx)^3 \cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \cos^2(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{\int (e + fx)^3 \cos^2(c + dx) dx}{a} + \frac{\int (e + fx)^3 \cot^2(c + dx) dx}{a} - \frac{b \int (e + fx)^3}{a}$$

$$= -\frac{3f(e + fx)^2 \cos^2(c + dx)}{4ad^2} - \frac{(e + fx)^3 \cot(c + dx)}{ad} - \frac{(e + fx)^3 \cos(c + dx)}{2ad}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{3(e + fx)^4}{8af} + \frac{3f^3 \cos^2(c + dx)}{8ad^4} - \frac{(e + fx)^3 \cot(c + dx)}{ad} + \frac{3}{a}$$

$$= \frac{3ef^2x}{4ad^2} + \frac{3f^3x^2}{8ad^2} - \frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

$$= -\frac{i(e + fx)^3}{ad} - \frac{(e + fx)^4}{4af} - \frac{a\left(1 - \frac{b^2}{a^2}\right)(e + fx)^4}{4b^2f} + \frac{2b(e + fx)^3 \tanh^{-1}(e^{i(c + dx)})}{a^2d}$$

Mathematica [B] time = 42.502, size = 3860, normalized size = 3.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)^3*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]
```

```
[Out] (((-2*I)*a*d^3*(e + f*x)^3)/(-1 + E^((2*I)*c)) - 3*d^2*e*f*(b*d*e - 2*a*f)*x*Log[1 - E^((-I)*(c + d*x))] - 3*d^2*f^2*(b*d*e - a*f)*x^2*Log[1 - E^((-I)*(c + d*x))] - b*d^3*f^3*x^3*Log[1 - E^((-I)*(c + d*x))] + 3*d^2*e*f*(b*d*e + 2*a*f)*x*Log[1 + E^((-I)*(c + d*x))] + 3*d^2*f^2*(b*d*e + a*f)*x^2*Log[1 + E^((-I)*(c + d*x))] + b*d^3*f^3*x^3*Log[1 + E^((-I)*(c + d*x))] + I*d^2*e^2*(b*d*e - 3*a*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]) + d^2*e^2*(b*d*e + 3*a*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))]) + (3*I)*d*e*f*(b*d*e + 2*a*f)*PolyLog[2, -E^((-I)*(c + d*x))] - (3*I)*d*e*f*(b*d*e - 2*a*f)*PolyLog[2, E^((-I)*(c + d*x))] + 6*f^2*(b*d*e + a*f)*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))]) + 6*f^2*(-(b*d*e) + a*f)*(I*d*x*PolyLog[2, E^((-I)*(c + d*x))] + PolyLog[3, E^((-I)*(c + d*x))]) + 3*b*f^3*(I*d^2*x^2*PolyLog[2, -E^((-I)*(c + d*x))] + 2*d*x*PolyLog[3, -E^((-I)*(c + d*x))] - (2*I)*PolyLog[4, -E^((-I)*(c + d*x))]) - (3*I)*b*f^3*(d^2*x^2*PolyLog[2, E^((-I)*(c + d*x))] - (2*I)*d*x*PolyLog[3, E^((-I)*(c + d*x))] - 2*PolyL
```

$$\begin{aligned} & \log[4, E^{(-I)(c+dx)}] / (a^2 d^4) + (\text{Sqrt}[-(a^2 - b^2)^2] * (-2 * \text{Sqrt}[-a^2 \\ & + b^2] * d^3 * e^3 * \text{ArcTan}[I * a + b * E^{I(c+dx)}]) / \text{Sqrt}[a^2 - b^2] - 3 * \text{Sqrt}[\\ & a^2 - b^2] * d^3 * e^2 * f * x * \text{Log}[1 - (b * E^{I(c+dx)})] / ((-I) * a + \text{Sqrt}[-a^2 + b^2]) \\ & - 3 * \text{Sqrt}[a^2 - b^2] * d^3 * e * f^2 * x^2 * \text{Log}[1 - (b * E^{I(c+dx)})] / ((-I) * a \\ & + \text{Sqrt}[-a^2 + b^2]) - \text{Sqrt}[a^2 - b^2] * d^3 * f^3 * x^3 * \text{Log}[1 - (b * E^{I(c+dx)})] / ((-I) * a \\ & + \text{Sqrt}[-a^2 + b^2]) + 3 * \text{Sqrt}[a^2 - b^2] * d^3 * e^2 * f * x * \text{Log}[1 + (b \\ & * E^{I(c+dx)})] / (I * a + \text{Sqrt}[-a^2 + b^2]) + 3 * \text{Sqrt}[a^2 - b^2] * d^3 * e * f^2 * x \\ & ^2 * \text{Log}[1 + (b * E^{I(c+dx)})] / (I * a + \text{Sqrt}[-a^2 + b^2]) + \text{Sqrt}[a^2 - b^2] * \\ & d^3 * f^3 * x^3 * \text{Log}[1 + (b * E^{I(c+dx)})] / (I * a + \text{Sqrt}[-a^2 + b^2]) + (3 * I) * \text{S} \\ & \text{qrt}[a^2 - b^2] * d^2 * f * (e + f * x)^2 * \text{PolyLog}[2, (b * E^{I(c+dx)})] / ((-I) * a + \text{S} \\ & \text{qrt}[-a^2 + b^2]) - (3 * I) * \text{Sqrt}[a^2 - b^2] * d^2 * f * (e + f * x)^2 * \text{PolyLog}[2, -((b \\ & * E^{I(c+dx)}) / (I * a + \text{Sqrt}[-a^2 + b^2]))] - 6 * \text{Sqrt}[a^2 - b^2] * d * e * f^2 * \text{Po} \\ & \text{lyLog}[3, (b * E^{I(c+dx)})] / ((-I) * a + \text{Sqrt}[-a^2 + b^2]) - 6 * \text{Sqrt}[a^2 - b^2] \\ & * d * f^3 * x * \text{PolyLog}[3, (b * E^{I(c+dx)})] / ((-I) * a + \text{Sqrt}[-a^2 + b^2]) + 6 * \\ & \text{Sqrt}[a^2 - b^2] * d * e * f^2 * \text{PolyLog}[3, -((b * E^{I(c+dx)}) / (I * a + \text{Sqrt}[-a^2 + \\ & b^2]))] + 6 * \text{Sqrt}[a^2 - b^2] * d * f^3 * x * \text{PolyLog}[3, -((b * E^{I(c+dx)}) / (I * a \\ & + \text{Sqrt}[-a^2 + b^2]))] - (6 * I) * \text{Sqrt}[a^2 - b^2] * f^3 * \text{PolyLog}[4, (b * E^{I(c+dx)} \\ &)] / ((-I) * a + \text{Sqrt}[-a^2 + b^2]) + (6 * I) * \text{Sqrt}[a^2 - b^2] * f^3 * \text{PolyLog}[4, - \\ & ((b * E^{I(c+dx)}) / (I * a + \text{Sqrt}[-a^2 + b^2]))] / (a^2 * b^2 * d^4) + \text{Csc}[c] * \text{C} \\ & \text{sc}[c + dx] * (\text{Cos}[c + dx] / (16 * a * b^2 * d^4) - ((I / 16) * \text{Sin}[c + dx]) / (a * b^2 * d^4) \\ &) * ((8 * I) * b^2 * d^3 * e^3 * \text{Cos}[c] + (24 * I) * b^2 * d^3 * e^2 * f * x * \text{Cos}[c] + (24 * I) * b^2 * d^3 \\ & * e * f^2 * x^2 * \text{Cos}[c] + (8 * I) * b^2 * d^3 * f^3 * x^3 * \text{Cos}[c] - 2 * a * b * d^3 * e^3 * \text{Cos}[dx] \\ & + (18 * I) * a * b * d^2 * e^2 * f * \text{Cos}[dx] + 12 * a * b * d * e * f^2 * \text{Cos}[dx] - (36 * I) * a * b * f^3 * \\ & \text{Cos}[dx] - 6 * a * b * d^3 * e^2 * f * x * \text{Cos}[dx] + (36 * I) * a * b * d^2 * e * f^2 * x * \text{Cos}[dx] + 1 \\ & 2 * a * b * d * f^3 * x * \text{Cos}[dx] - 6 * a * b * d^3 * e * f^2 * x^2 * \text{Cos}[dx] + (18 * I) * a * b * d^2 * f^3 * \\ & x^2 * \text{Cos}[dx] - 2 * a * b * d^3 * f^3 * x^3 * \text{Cos}[dx] + 2 * a * b * d^3 * e^3 * \text{Cos}[2 * c + dx] - \\ & (18 * I) * a * b * d^2 * e^2 * f * \text{Cos}[2 * c + dx] - 12 * a * b * d * e * f^2 * \text{Cos}[2 * c + dx] + (36 * I) \\ &) * a * b * f^3 * \text{Cos}[2 * c + dx] + 6 * a * b * d^3 * e^2 * f * x * \text{Cos}[2 * c + dx] - (36 * I) * a * b * d^2 \\ & * e * f^2 * x * \text{Cos}[2 * c + dx] - 12 * a * b * d * f^3 * x * \text{Cos}[2 * c + dx] + 6 * a * b * d^3 * e * f^2 * \\ & x^2 * \text{Cos}[2 * c + dx] - (18 * I) * a * b * d^2 * f^3 * x^2 * \text{Cos}[2 * c + dx] + 2 * a * b * d^3 * f^3 * \\ & x^3 * \text{Cos}[2 * c + dx] - (8 * I) * b^2 * d^3 * e^3 * \text{Cos}[c + 2 * dx] - 4 * a^2 * d^4 * e^3 * x * \text{Cos} \\ & [c + 2 * dx] - (24 * I) * b^2 * d^3 * e^2 * f * x * \text{Cos}[c + 2 * dx] - 6 * a^2 * d^4 * e^2 * f * x^2 * \text{C} \\ & \text{os}[c + 2 * dx] - (24 * I) * b^2 * d^3 * e * f^2 * x^2 * \text{Cos}[c + 2 * dx] - 4 * a^2 * d^4 * e * f^2 * x \\ & ^3 * \text{Cos}[c + 2 * dx] - (8 * I) * b^2 * d^3 * f^3 * x^3 * \text{Cos}[c + 2 * dx] - a^2 * d^4 * f^3 * x^4 * \\ & \text{Cos}[c + 2 * dx] + 4 * a^2 * d^4 * e^3 * x * \text{Cos}[3 * c + 2 * dx] + 6 * a^2 * d^4 * e^2 * f * x^2 * \text{Cos} \\ & [3 * c + 2 * dx] + 4 * a^2 * d^4 * e * f^2 * x^3 * \text{Cos}[3 * c + 2 * dx] + a^2 * d^4 * f^3 * x^4 * \text{Cos} \\ & [3 * c + 2 * dx] - 2 * a * b * d^3 * e^3 * \text{Cos}[2 * c + 3 * dx] - (6 * I) * a * b * d^2 * e^2 * f * \text{Cos}[2 * c \\ & + 3 * dx] + 12 * a * b * d * e * f^2 * \text{Cos}[2 * c + 3 * dx] + (12 * I) * a * b * f^3 * \text{Cos}[2 * c + 3 * d \\ & x] - 6 * a * b * d^3 * e^2 * f * x * \text{Cos}[2 * c + 3 * dx] - (12 * I) * a * b * d^2 * e * f^2 * x * \text{Cos}[2 * c + \\ & 3 * dx] + 12 * a * b * d * f^3 * x * \text{Cos}[2 * c + 3 * dx] - 6 * a * b * d^3 * e * f^2 * x^2 * \text{Cos}[2 * c + 3 * \\ & dx] - (6 * I) * a * b * d^2 * f^3 * x^2 * \text{Cos}[2 * c + 3 * dx] - 2 * a * b * d^3 * f^3 * x^3 * \text{Cos}[2 * c + \\ & 3 * dx] + 2 * a * b * d^3 * e^3 * \text{Cos}[4 * c + 3 * dx] + (6 * I) * a * b * d^2 * e^2 * f * \text{Cos}[4 * c + 3 * \\ & dx] - 12 * a * b * d * e * f^2 * \text{Cos}[4 * c + 3 * dx] - (12 * I) * a * b * f^3 * \text{Cos}[4 * c + 3 * dx] + \\ & 6 * a * b * d^3 * e^2 * f * x * \text{Cos}[4 * c + 3 * dx] + (12 * I) * a * b * d^2 * e * f^2 * x * \text{Cos}[4 * c + 3 * dx] \\ &] - 12 * a * b * d * f^3 * x * \text{Cos}[4 * c + 3 * dx] + 6 * a * b * d^3 * e * f^2 * x^2 * \text{Cos}[4 * c + 3 * dx] \\ & + (6 * I) * a * b * d^2 * f^3 * x^2 * \text{Cos}[4 * c + 3 * dx] + 2 * a * b * d^3 * f^3 * x^3 * \text{Cos}[4 * c + 3 * dx] \\ & x] - 8 * b^2 * d^3 * e^3 * \text{Sin}[c] - (8 * I) * a^2 * d^4 * e^3 * x * \text{Sin}[c] - 24 * b^2 * d^3 * e^2 * f * x \\ & * \text{Sin}[c] - (12 * I) * a^2 * d^4 * e^2 * f * x^2 * \text{Sin}[c] - 24 * b^2 * d^3 * e * f^2 * x^2 * \text{Sin}[c] - (\\ & 8 * I) * a^2 * d^4 * e * f^2 * x^3 * \text{Sin}[c] - 8 * b^2 * d^3 * f^3 * x^3 * \text{Sin}[c] - (2 * I) * a^2 * d^4 * f^3 \\ & * x^4 * \text{Sin}[c] + (2 * I) * a * b * d^3 * e^3 * \text{Sin}[dx] - 6 * a * b * d^2 * e^2 * f * \text{Sin}[dx] - (12 * \\ & I) * a * b * d * e * f^2 * \text{Sin}[dx] + 12 * a * b * f^3 * \text{Sin}[dx] + (6 * I) * a * b * d^3 * e^2 * f * x * \text{Sin}[d \\ & x] - 12 * a * b * d^2 * e * f^2 * x * \text{Sin}[dx] - (12 * I) * a * b * d * f^3 * x * \text{Sin}[dx] + (6 * I) * a * b \\ & * d^3 * e * f^2 * x^2 * \text{Sin}[dx] - 6 * a * b * d^2 * f^3 * x^2 * \text{Sin}[dx] + (2 * I) * a * b * d^3 * f^3 * x^3 \\ & * \text{Sin}[dx] - (2 * I) * a * b * d^3 * e^3 * \text{Sin}[2 * c + dx] + 6 * a * b * d^2 * e^2 * f * \text{Sin}[2 * c + d \\ & x] + (12 * I) * a * b * d * e * f^2 * \text{Sin}[2 * c + dx] - 12 * a * b * f^3 * \text{Sin}[2 * c + dx] - (6 * I) \\ &) * a * b * d^3 * e^2 * f * x * \text{Sin}[2 * c + dx] + 12 * a * b * d^2 * e * f^2 * x * \text{Sin}[2 * c + dx] + (12 * I) \\ &) * a * b * d * f^3 * x * \text{Sin}[2 * c + dx] - (6 * I) * a * b * d^3 * e * f^2 * x^2 * \text{Sin}[2 * c + dx] + 6 * a \\ & * b * d^2 * f^3 * x^2 * \text{Sin}[2 * c + dx] - (2 * I) * a * b * d^3 * f^3 * x^3 * \text{Sin}[2 * c + dx] + 8 * b^2 \\ & * d^3 * e^3 * \text{Sin}[c + 2 * dx] - (4 * I) * a^2 * d^4 * e^3 * x * \text{Sin}[c + 2 * dx] + 24 * b^2 * d^3 * \end{aligned}$$

$$\begin{aligned}
& e^{2fx} \sin[c + 2dx] - (6I)a^2d^4e^{2fx^2} \sin[c + 2dx] + 24b^2d^3e^{2fx^2} \sin[c + 2dx] - (4I)a^2d^4e^{2fx^3} \sin[c + 2dx] + 8b^2d^3f^3x^3 \sin[c + 2dx] - I a^2d^4f^3x^4 \sin[c + 2dx] + (4I)a^2d^4e^{3x} \sin[3c + 2dx] + (6I)a^2d^4e^{2fx^2} \sin[3c + 2dx] + (4I)a^2d^4e^{2fx^3} \sin[3c + 2dx] + I a^2d^4f^3x^4 \sin[3c + 2dx] \\
& - (2I)abd^3e^3 \sin[2c + 3dx] + 6abd^2e^{2f} \sin[2c + 3dx] + (12I)abd^2e^{2f} \sin[2c + 3dx] - 12abf^3 \sin[2c + 3dx] - (6I)abd^3e^{2fx} \sin[2c + 3dx] + 12abd^2e^{2fx} \sin[2c + 3dx] + (12I)abd^2f^3x^2 \sin[2c + 3dx] - (6I)abd^3e^{2fx^2} \sin[2c + 3dx] + 6abd^2f^3x^2 \sin[2c + 3dx] - (2I)abd^3f^3x^3 \sin[2c + 3dx] + (2I)abd^3e^3 \sin[4c + 3dx] - 6abd^2e^{2f} \sin[4c + 3dx] - (12I)abd^2e^{2f} \sin[4c + 3dx] + 12abf^3 \sin[4c + 3dx] + (6I)abd^3e^{2fx} \sin[4c + 3dx] - 12abd^2e^{2fx} \sin[4c + 3dx] - (12I)abd^2f^3x \sin[4c + 3dx] + (6I)abd^3e^{2fx^2} \sin[4c + 3dx] - 6abd^2f^3x^2 \sin[4c + 3dx] + (2I)abd^3f^3x^3 \sin[4c + 3dx]
\end{aligned}$$

Maple [F] time = 3.043, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^2 (\cot(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

Fricas [C] time = 8.59119, size = 10645, normalized size = 9.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(12*a^2*b*d^2*f^3*x^2 + 24*a^2*b*d^2*e*f^2*x + 12*a^2*b*d^2*e^2*f - 12*I*b^3*f^3*polylog(4, cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 12*I*b^3*f^3*polylog(4, cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - 12*I*b^3*f^3

$$\begin{aligned}
& - b^2/b^2) * \text{polylog}(3, 1/2 * (2 * I * a * \cos(dx + c) - 2 * a * \sin(dx + c) - 2 * (b * \cos(dx + c) + I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2}) / b * \sin(dx + c) + 1 \\
& 2 * ((a^2 * b - b^3) * d * f^3 * x + (a^2 * b - b^3) * d * e * f^2) * \sqrt{-(a^2 - b^2)/b^2}) * \text{polylog}(3, -(I * a * \cos(dx + c) + a * \sin(dx + c) + (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2}) / b * \sin(dx + c) - 12 * ((a^2 * b - b^3) * d * f^3 * x + (a^2 * b - b^3) * d * e * f^2) * \sqrt{-(a^2 - b^2)/b^2}) * \text{polylog}(3, -(I * a * \cos(dx + c) + a * \sin(dx + c) - (b * \cos(dx + c) - I * b * \sin(dx + c)) * \sqrt{-(a^2 - b^2)/b^2}) / b * \sin(dx + c) - 12 * (a^2 * b * d^2 * f^3 * x^2 + 2 * a^2 * b * d^2 * e * f^2 * x + a^2 * b * d^2 * e^2 * f - 2 * a^2 * b * f^3) * \cos(dx + c)^2 + (6 * I * b^3 * d^2 * f^3 * x^2 + 6 * I * b^3 * d^2 * e^2 * f - 12 * I * a * b^2 * d * e * f^2 + 12 * I * (b^3 * d^2 * e * f^2 - a * b^2 * d * f^3) * x) * \text{dilog}(\cos(dx + c) + I * \sin(dx + c)) * \sin(dx + c) + (-6 * I * b^3 * d^2 * f^3 * x^2 - 6 * I * b^3 * d^2 * e^2 * f + 12 * I * a * b^2 * d * e * f^2 - 12 * I * (b^3 * d^2 * e * f^2 - a * b^2 * d * f^3) * x) * \text{dilog}(\cos(dx + c) - I * \sin(dx + c)) * \sin(dx + c) + (6 * I * b^3 * d^2 * f^3 * x^2 + 6 * I * b^3 * d^2 * e^2 * f + 12 * I * a * b^2 * d * e * f^2 + 12 * I * (b^3 * d^2 * e * f^2 + a * b^2 * d * f^3) * x) * \text{dilog}(-\cos(dx + c) + I * \sin(dx + c)) * \sin(dx + c) + (-6 * I * b^3 * d^2 * f^3 * x^2 - 6 * I * b^3 * d^2 * e^2 * f - 12 * I * a * b^2 * d * e * f^2 - 12 * I * (b^3 * d^2 * e * f^2 + a * b^2 * d * f^3) * x) * \text{dilog}(-\cos(dx + c) - I * \sin(dx + c)) * \sin(dx + c) + 2 * (b^3 * d^3 * f^3 * x^3 + b^3 * d^3 * e^3 + 3 * a * b^2 * d^2 * e^2 * f + 3 * (b^3 * d^3 * e * f^2 + a * b^2 * d^2 * f^3) * x^2 + 3 * (b^3 * d^3 * e^2 * f + 2 * a * b^2 * d^2 * e * f^2) * x) * \log(\cos(dx + c) + I * \sin(dx + c) + 1) * \sin(dx + c) + 2 * (b^3 * d^3 * f^3 * x^3 + b^3 * d^3 * e^3 + 3 * a * b^2 * d^2 * e^2 * f + 3 * (b^3 * d^3 * e * f^2 + a * b^2 * d^2 * f^3) * x^2 + 3 * (b^3 * d^3 * e^2 * f + 2 * a * b^2 * d^2 * e * f^2) * x) * \log(\cos(dx + c) - I * \sin(dx + c) + 1) * \sin(dx + c) - 2 * (b^3 * d^3 * e^3 - 3 * (b^3 * c + a * b^2) * d^2 * e^2 * f + 3 * (b^3 * c^2 + 2 * a * b^2 * c) * d * e * f^2 - (b^3 * c^3 + 3 * a * b^2 * c^2) * f^3) * \log(-1/2 * \cos(dx + c) + 1/2 * I * \sin(dx + c) + 1/2) * \sin(dx + c) - 2 * (b^3 * d^3 * e^3 - 3 * (b^3 * c + a * b^2) * d^2 * e^2 * f + 3 * (b^3 * c^2 + 2 * a * b^2 * c) * d * e * f^2 - (b^3 * c^3 + 3 * a * b^2 * c^2) * f^3) * \log(-1/2 * \cos(dx + c) + 1/2 * I * \sin(dx + c) + 1/2) * \sin(dx + c) - 2 * (b^3 * d^3 * f^3 * x^3 + 3 * b^3 * c * d^2 * e^2 * f - 3 * (b^3 * c^2 + 2 * a * b^2 * c) * d * e * f^2 + (b^3 * c^3 + 3 * a * b^2 * c^2) * f^3 + 3 * (b^3 * d^3 * e * f^2 - a * b^2 * d^2 * f^3) * x^2 + 3 * (b^3 * d^3 * e^2 * f - 2 * a * b^2 * d^2 * e * f^2) * x) * \log(-\cos(dx + c) + I * \sin(dx + c) + 1) * \sin(dx + c) - 2 * (b^3 * d^3 * f^3 * x^3 + 3 * b^3 * c * d^2 * e^2 * f - 3 * (b^3 * c^2 + 2 * a * b^2 * c) * d * e * f^2 + (b^3 * c^3 + 3 * a * b^2 * c^2) * f^3 + 3 * (b^3 * d^3 * e * f^2 - a * b^2 * d^2 * f^3) * x^2 + 3 * (b^3 * d^3 * e^2 * f - 2 * a * b^2 * d^2 * e * f^2) * x) * \log(-\cos(dx + c) - I * \sin(dx + c) + 1) * \sin(dx + c) - 12 * (b^3 * d * f^3 * x + b^3 * d * e * f^2 - a * b^2 * f^3) * \text{polylog}(3, \cos(dx + c) + I * \sin(dx + c)) * \sin(dx + c) - 12 * (b^3 * d * f^3 * x + b^3 * d * e * f^2 - a * b^2 * f^3) * \text{polylog}(3, \cos(dx + c) - I * \sin(dx + c)) * \sin(dx + c) + 12 * (b^3 * d * f^3 * x + b^3 * d * e * f^2 + a * b^2 * f^3) * \text{polylog}(3, -\cos(dx + c) + I * \sin(dx + c)) * \sin(dx + c) + 12 * (b^3 * d * f^3 * x + b^3 * d * e * f^2 + a * b^2 * f^3) * \text{polylog}(3, -\cos(dx + c) - I * \sin(dx + c)) * \sin(dx + c) - 4 * (a * b^2 * d^3 * f^3 * x^3 + 3 * a * b^2 * d^3 * e * f^2 * x^2 + 3 * a * b^2 * d^3 * e^2 * f * x + a * b^2 * d^3 * e^3) * \cos(dx + c) - (a^3 * d^4 * f^3 * x^4 + 4 * a^3 * d^4 * e * f^2 * x^3 + 6 * a^3 * d^4 * e^2 * f * x^2 + 4 * a^3 * d^4 * e^3 * x + 4 * (a^2 * b * d^3 * f^3 * x^3 + 3 * a^2 * b * d^3 * e * f^2 * x^2 + a^2 * b * d^3 * e^3 - 6 * a^2 * b * d * e * f^2 + 3 * (a^2 * b * d^3 * e^2 * f - 2 * a^2 * b * d * f^3) * x) * \cos(dx + c)) * \sin(dx + c)) / (a^2 * b^2 * d^4 * \sin(dx + c))
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*cos(dx+c)**2*cot(dx+c)**2/(a+b*sin(dx+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```


$$3.342 \quad \int \frac{(e+fx)^2 \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=840

$$\frac{(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{(e + fx)^3}{3af} + \frac{2b \tanh^{-1}(e^{i(c+dx)})(e + fx)^2}{a^2d} - \frac{b \cos(c + dx)(e + fx)^2}{a^2d} - \frac{(a^2 - b^2) \cos(c + dx)(e + fx)}{a^2bd}$$

```
[Out] ((-I)*(e + f*x)^2)/(a*d) - (e + f*x)^3/(3*a*f) - ((a^2 - b^2)*(e + f*x)^3)/(3*a*b^2*f) + (2*b*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a^2*d) + (2*b*f^2*Cos[c + d*x])/(a^2*d^3) + (2*(a^2 - b^2)*f^2*Cos[c + d*x])/(a^2*b*d^3) - (b*(e + f*x)^2*Cos[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e + f*x)^2*Cos[c + d*x])/(a^2*b*d) - ((e + f*x)^2*Cot[c + d*x])/(a*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (2*f*(e + f*x)*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*b*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d^2) + (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d^2) - (I*f^2*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*b*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a^2*d^3) - (2*b*f^2*PolyLog[3, E^(I*(c + d*x))])/(a^2*d^3) - ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d^3) + ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d^3) + (2*b*f*(e + f*x)*Sin[c + d*x])/(a^2*d^2) + (2*(a^2 - b^2)*f*(e + f*x)*Sin[c + d*x])/(a^2*b*d^2)
```

Rubi [A] time = 2.15194, antiderivative size = 840, normalized size of antiderivative = 1., number of steps used = 53, number of rules used = 22, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {4543, 4408, 3311, 32, 2635, 8, 3720, 3717, 2190, 2279, 2391, 4405, 3310, 3296, 2638, 4183, 2531, 2282, 6589, 4525, 3323, 2264}

$$\frac{(a^2 - b^2)(e + fx)^3}{3ab^2f} - \frac{(e + fx)^3}{3af} + \frac{2b \tanh^{-1}(e^{i(c+dx)})(e + fx)^2}{a^2d} - \frac{b \cos(c + dx)(e + fx)^2}{a^2d} - \frac{(a^2 - b^2) \cos(c + dx)(e + fx)}{a^2bd}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] ((-I)*(e + f*x)^2)/(a*d) - (e + f*x)^3/(3*a*f) - ((a^2 - b^2)*(e + f*x)^3)/(3*a*b^2*f) + (2*b*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a^2*d) + (2*b*f^2*Cos[c + d*x])/(a^2*d^3) + (2*(a^2 - b^2)*f^2*Cos[c + d*x])/(a^2*b*d^3) - (b*(e + f*x)^2*Cos[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e + f*x)^2*Cos[c + d*x])/(a^2*b*d) - ((e + f*x)^2*Cot[c + d*x])/(a*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (2*f*(e + f*x)*Log[1 - E^((2*I)*(c + d*x))])/(a*d^2) - ((2*I)*b*f*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + ((2*I)*b*f*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d^2) + (2*(a^2 - b^2)^(3/2)*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d^2) - (I*f^2*PolyLog[2, E^((2*I)*(c + d*x))])/(a*d^3) + (2*b*f^2*PolyLog[3, -E^(I*(c + d*x))])/(a^2*d^3) - (2*b*f^2*PolyLog[3, E^(I*(c + d*x))])/(a^2*d^3) - ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2]])/(a^2*b^2*d^3) + ((2*I)*(a^2 - b^2)^(3/2)*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2]])/(a^2*b^2*d^3) + (2*b*f*(e + f*x)*Sin[c + d*x])/(a^2*d^2) + (2*(a^2 - b^2)*f*(e + f*x)*Sin[c + d*x])/(a^2*b*d^2)
```

$I*(a^2 - b^2)^{(3/2)}*f^2*PolyLog[3, (I*b*E^{(I*(c + d*x))})/(a + Sqrt[a^2 - b^2])]/(a^2*b^2*d^3) + (2*b*f*(e + f*x)*Sin[c + d*x])/(a^2*d^2) + (2*(a^2 - b^2)*f*(e + f*x)*Sin[c + d*x])/(a^2*b*d^2)$

Rule 4543

$Int[(Cos[(c_.) + (d_.)*(x_.)]^{(p_.)}*Cot[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m * Cos[c + d*x]^p * Cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m * Cos[c + d*x]^{(p + 1)} * Cot[c + d*x]^{(n - 1)})/(a + b * Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]$

Rule 4408

$Int[Cos[(a_.) + (b_.)*(x_.)]^{(n_.)}*Cot[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol] := -Int[(c + d*x)^m * Cos[a + b*x]^n * Cot[a + b*x]^{(p - 2)}, x] + Int[(c + d*x)^m * Cos[a + b*x]^{(n - 2)} * Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]$

Rule 3311

$Int[((c_.) + (d_.)*(x_.))^{(m_.)}*((b_.)*sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := Simp[(d*m*(c + d*x)^{(m - 1)}*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^{(n - 2)}, x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^{(m - 2)}*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m * Cos[e + f*x] * (b*Ssin[e + f*x])^{(n - 1)})/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]$

Rule 32

$Int[((a_.) + (b_.)*(x_.))^{(m_.)}, x_Symbol] := Simp[(a + b*x)^{(m + 1)}/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]$

Rule 2635

$Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x_Symbol] := -Simp[(b * Cos[c + d*x] * (b * Sin[c + d*x])^{(n - 1)})/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b * Sin[c + d*x])^{(n - 2)}, x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]$

Rule 8

$Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]$

Rule 3720

$Int[((c_.) + (d_.)*(x_.))^{(m_.)}*((b_.)*tan[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] := Simp[(b*(c + d*x)^m * (b * Tan[e + f*x])^{(n - 1)})/(f*(n - 1)), x] + (-Dist[(b*d*m)/(f*(n - 1)), Int[(c + d*x)^{(m - 1)} * (b * Tan[e + f*x])^{(n - 1)}, x], x] - Dist[b^2, Int[(c + d*x)^m * (b * Tan[e + f*x])^{(n - 2)}, x], x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 0]$

Rule 3717

$Int[((c_.) + (d_.)*(x_.))^{(m_.)}*tan[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol] := Simp[(I*(c + d*x)^{(m + 1)})/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m * E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}/(1 + E^{(2*I*k*Pi)} * E^{(2*I*(e + f*x))}), x],$

$x]$ /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4405

Int[Cos[(a_) + (b_)*(x_)]^(n_)*((c_) + (d_)*(x_))^(m_)*Sin[(a_) + (b_)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Ssin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_) + (d_)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4183

Int[csc[(e_) + (f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2531

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n])

```

)))^n)]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]

```

Rule 2282

```

Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :=> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rule 4525

```

Int[((Cos[(c_.) + (d_.)*(x_)]^(n_))*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] :=> Dist[a/b^2, Int[(e + f*x)^m*cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*cos[c + d*x]^(n
- 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

```

Rule 3323

```

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] :=> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]

```

Rule 2264

```

Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] :=> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

```

Rubi steps

$$\int \frac{(e + fx)^2 \cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^2 \cos^2(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^2 \cos^3(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{\int (e + fx)^2 \cos^2(c + dx) dx}{a} + \frac{\int (e + fx)^2 \cot^2(c + dx) dx}{a} - \frac{b \int (e + fx)^2}{a}$$

$$= -\frac{f(e + fx) \cos^2(c + dx)}{2ad^2} - \frac{(e + fx)^2 \cot(c + dx)}{ad} - \frac{(e + fx)^2 \cos(c + dx) \sin(c + dx)}{2ad}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{2af} - \frac{(e + fx)^2 \cot(c + dx)}{ad} + \frac{f^2 \cos(c + dx) \sin(c + dx)}{4ad^3}$$

$$= \frac{f^2 x}{4ad^2} - \frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

$$= -\frac{i(e + fx)^2}{ad} - \frac{(e + fx)^3}{3af} - \frac{a \left(1 - \frac{b^2}{a^2}\right) (e + fx)^3}{3b^2 f} + \frac{2b(e + fx)^2 \tanh^{-1}\left(\frac{e + fx}{a}\right)}{a^2 d}$$

Mathematica [A] time = 10.8118, size = 951, normalized size = 1.13

$$12 \left(-bd^2 x^2 \log(1 - e^{-i(c+dx)}) f^2 + bd^2 x^2 \log(1 + e^{-i(c+dx)}) f^2 + 2b \left(\text{id}x \text{PolyLog}(2, -e^{-i(c+dx)}) + \text{PolyLog}(3, -e^{-i(c+dx)}) \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)^2*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] (12*(((2*I)*a*d^2*(e + f*x)^2)/(-1 + E^((2*I)*c)) - 2*d*f*(b*d*e - a*f)*x*Log[1 - E^((-I)*(c + d*x))] - b*d^2*f^2*x^2*Log[1 - E^((-I)*(c + d*x))] + 2*d*f*(b*d*e + a*f)*x*Log[1 + E^((-I)*(c + d*x))] + b*d^2*f^2*x^2*Log[1 + E^((-I)*(c + d*x))] + I*d*e*(b*d*e - 2*a*f)*(d*x + I*Log[1 - E^(I*(c + d*x))]) + d*e*(b*d*e + 2*a*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))]) + (2*I)*f*(b*d*e + a*f)*PolyLog[2, -E^((-I)*(c + d*x))] + (2*I)*f*(-(b*d*e) + a*f)*PolyLog[2, E^((-I)*(c + d*x))] + 2*b*f^2*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))]) - (2*I)*b*f^2*(d*x*PolyLog[2, E^((-I)*(c + d*x))] - I*PolyLog[3, E^((-I)*(c + d*x))]) - ((12*I)*Sqrt[-(a^2 - b^2)]^2*(-2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, (b*E^(I*(c + d*x))]/((-I)*a + Sqrt[-a^2 + b^2]]) + 2*Sqrt[a^2 - b^2]*d*f*(e + f*x)*PolyLog[2, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2]))] - I*(d^2*(2*Sqrt[-a^2 + b^2]*e^2*ArcTan[(I*a + b*E^(I*(c + d*x)))/Sqrt[a^2 - b^2]] + Sqrt[a^2 - b^2]*f*x*(2*e + f*x)*(Log[1 - (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2]]) - Log[1 + (b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])])) + 2*Sqrt[a^2 - b^2]*f^2*Po

```
lyLog[3, (b*E^(I*(c + d*x)))/((-I)*a + Sqrt[-a^2 + b^2])] - 2*Sqrt[a^2 - b^2]*f^2*PolyLog[3, -((b*E^(I*(c + d*x)))/(I*a + Sqrt[-a^2 + b^2])))]/b^2 + (a*Csc[c]*Csc[c + d*x]*(-2*a^2*d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2)*Cos[d*x] + 2*a^2*d^3*x*(3*e^2 + 3*e*f*x + f^2*x^2)*Cos[2*c + d*x] + 3*b*(-(a*(-2*f^2 + d^2*(e + f*x)^2)*Cos[c + 2*d*x]) + a*(-2*f^2 + d^2*(e + f*x)^2)*Cos[3*c + 2*d*x] + 2*d*(e + f*x)*(2*b*d*(e + f*x)*Sin[d*x] + 4*a*f*Sin[c]*Sin[c + d*x]^2)))/b^2)/(12*a^2*d^3)
```

Maple [F] time = 3.44, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^2 (\cos(dx + c))^2 (\cot(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

```
[Out] int((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)
```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [C] time = 5.3425, size = 7205, normalized size = 8.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/12*(24*a^2*b*d*f^2*x - 12*b^3*f^2*polylog(3, cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) - 12*b^3*f^2*polylog(3, cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 12*b^3*f^2*polylog(3, -cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 12*b^3*f^2*polylog(3, -cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 24*a^2*b*d*e*f - 12*(a^2*b - b^3)*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 12*(a^2*b - b^3)*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 12*(a^2*b - b^3)*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) - 12*(a^2*b - b^3)*f^2*sqrt(-(a^2 - b^2)/b^2)*polylog(3
```

$$\begin{aligned}
& , -(I*a*\cos(d*x + c) + a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c)) \\
& *sqrt(-(a^2 - b^2)/b^2))/b)*\sin(d*x + c) + 2*(6*I*(a^2*b - b^3)*d*f^2*x + 6 \\
& *I*(a^2*b - b^3)*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*\cos(d*x + \\
& c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*sqrt(-(a^2 - \\
& b^2)/b^2) + 2*b)/b + 1)*\sin(d*x + c) + 2*(-6*I*(a^2*b - b^3)*d*f^2*x - 6*I* \\
& (a^2*b - b^3)*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*\cos(d*x + c) \\
& + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2) \\
&)/b^2) + 2*b)/b + 1)*\sin(d*x + c) + 2*(-6*I*(a^2*b - b^3)*d*f^2*x - 6*I*(a^ \\
& 2*b - b^3)*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*\cos(d*x + c) + \\
& 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2)/ \\
& b^2) + 2*b)/b + 1)*\sin(d*x + c) + 2*(6*I*(a^2*b - b^3)*d*f^2*x + 6*I*(a^2*b \\
& - b^3)*d*e*f)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*\cos(d*x + c) + 2*a \\
& *sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2 \\
&) + 2*b)/b + 1)*\sin(d*x + c) + 6*((a^2*b - b^3)*d^2*e^2 - 2*(a^2*b - b^3)*c \\
& *d*e*f + (a^2*b - b^3)*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*\cos(d*x + c) \\
& + 2*I*b*\sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*\sin(d*x + c) + \\
& 6*((a^2*b - b^3)*d^2*e^2 - 2*(a^2*b - b^3)*c*d*e*f + (a^2*b - b^3)*c^2*f^2) \\
& *sqrt(-(a^2 - b^2)/b^2)*log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*sqrt \\
& t(-(a^2 - b^2)/b^2) - 2*I*a)*\sin(d*x + c) - 6*((a^2*b - b^3)*d^2*e^2 - 2*(a \\
& ^2*b - b^3)*c*d*e*f + (a^2*b - b^3)*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2* \\
& b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*s \\
& in(d*x + c) - 6*((a^2*b - b^3)*d^2*e^2 - 2*(a^2*b - b^3)*c*d*e*f + (a^2*b - \\
& b^3)*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x \\
& + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*\sin(d*x + c) + 6*((a^2*b - b^3) \\
& *d^2*f^2*x^2 + 2*(a^2*b - b^3)*d^2*e*f*x + 2*(a^2*b - b^3)*c*d*e*f - (a^2*b \\
& - b^3)*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*\cos(d*x + c) + 2*a*s \\
& in(d*x + c) + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) \\
& + 2*b)/b)*\sin(d*x + c) - 6*((a^2*b - b^3)*d^2*f^2*x^2 + 2*(a^2*b - b^3)*d^2 \\
& *e*f*x + 2*(a^2*b - b^3)*c*d*e*f - (a^2*b - b^3)*c^2*f^2)*sqrt(-(a^2 - b^2) \\
& /b^2)*log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) - \\
& I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*\sin(d*x + c) + 6*((a^2*b \\
& - b^3)*d^2*f^2*x^2 + 2*(a^2*b - b^3)*d^2*e*f*x + 2*(a^2*b - b^3)*c*d*e*f - \\
& (a^2*b - b^3)*c^2*f^2)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*\cos(d*x + c) \\
& + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*sqrt(-(a^2 - b^ \\
& 2)/b^2) + 2*b)/b)*\sin(d*x + c) - 6*((a^2*b - b^3)*d^2*f^2*x^2 + 2*(a^2*b - \\
& b^3)*d^2*e*f*x + 2*(a^2*b - b^3)*c*d*e*f - (a^2*b - b^3)*c^2*f^2)*sqrt(-(a^ \\
& 2 - b^2)/b^2)*log(1/2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d \\
& x + c) + I*b*\sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*\sin(d*x + c) - \\
& 24*(a^2*b*d*f^2*x + a^2*b*d*e*f)*\cos(d*x + c)^2 + (12*I*b^3*d*f^2*x + 12*I* \\
& b^3*d*e*f - 12*I*a*b^2*f^2)*dilog(\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + \\
& c) + (-12*I*b^3*d*f^2*x - 12*I*b^3*d*e*f + 12*I*a*b^2*f^2)*dilog(\cos(d*x + \\
& c) - I*\sin(d*x + c))*\sin(d*x + c) + (12*I*b^3*d*f^2*x + 12*I*b^3*d*e*f + 12 \\
& *I*a*b^2*f^2)*dilog(-\cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) + (-12*I*b \\
& ^3*d*f^2*x - 12*I*b^3*d*e*f - 12*I*a*b^2*f^2)*dilog(-\cos(d*x + c) - I*\sin(d \\
& *x + c))*\sin(d*x + c) + 6*(b^3*d^2*f^2*x^2 + b^3*d^2*e^2 + 2*a*b^2*d*e*f + \\
& 2*(b^3*d^2*e*f + a*b^2*d*f^2)*x)*log(\cos(d*x + c) + I*\sin(d*x + c) + 1)*\sin \\
& (d*x + c) + 6*(b^3*d^2*f^2*x^2 + b^3*d^2*e^2 + 2*a*b^2*d*e*f + 2*(b^3*d^2*e \\
& *f + a*b^2*d*f^2)*x)*log(\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(d*x + c) - \\
& 6*(b^3*d^2*e^2 - 2*(b^3*c + a*b^2)*d*e*f + (b^3*c^2 + 2*a*b^2*c)*f^2)*log(- \\
& 1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) - 6*(b^3*d^2*e^2 \\
& - 2*(b^3*c + a*b^2)*d*e*f + (b^3*c^2 + 2*a*b^2*c)*f^2)*log(-1/2*\cos(d*x + c \\
&) - 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) - 6*(b^3*d^2*f^2*x^2 + 2*b^3*c*d \\
& *e*f - (b^3*c^2 + 2*a*b^2*c)*f^2 + 2*(b^3*d^2*e*f - a*b^2*d*f^2)*x)*log(-co \\
& s(d*x + c) + I*\sin(d*x + c) + 1)*\sin(d*x + c) - 6*(b^3*d^2*f^2*x^2 + 2*b^3*c \\
& *d*e*f - (b^3*c^2 + 2*a*b^2*c)*f^2 + 2*(b^3*d^2*e*f - a*b^2*d*f^2)*x)*log(\\
& -\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(d*x + c) - 12*(a*b^2*d^2*f^2*x^2 + \\
& 2*a*b^2*d^2*e*f*x + a*b^2*d^2*e^2)*\cos(d*x + c) - 4*(a^3*d^3*f^2*x^3 + 3*a^ \\
& 3*d^3*e*f*x^2 + 3*a^3*d^3*e^2*x + 3*(a^2*b*d^2*f^2*x^2 + 2*a^2*b*d^2*e*f*x \\
& + a^2*b*d^2*e^2 - 2*a^2*b*f^2)*\cos(d*x + c))*\sin(d*x + c))/(a^2*b^2*d^3*\sin
\end{aligned}$$

$(d*x + c)$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx)^2 \cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)**2*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)**2*cos(c + d*x)**2*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.343 \quad \int \frac{(e+fx) \cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=517

$$\frac{f(a^2-b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2b^2d^2} + \frac{f(a^2-b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2b^2d^2} - \frac{ibf \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2d^2} + \frac{ibf \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2d^2}$$

```
[Out] -((e*x)/a) + ((1 - a^2/b^2)*e*x)/a - (f*x^2)/(2*a) + ((1 - a^2/b^2)*f*x^2)/(2*a) + (2*b*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a^2*d) - (b*(e + f*x)*Cos[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e + f*x)*Cos[c + d*x])/(a^2*b*d) - ((e + f*x)*Cot[c + d*x])/(a*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^2*d) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*b*f*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + (I*b*f*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - ((a^2 - b^2)^(3/2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^2*d^2) + ((a^2 - b^2)^(3/2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^2*d^2) + (b*f*Sin[c + d*x])/(a^2*d^2) + ((a^2 - b^2)*f*Sin[c + d*x])/(a^2*b*d^2)
```

Rubi [A] time = 1.14243, antiderivative size = 517, normalized size of antiderivative = 1., number of steps used = 38, number of rules used = 16, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.471$, Rules used = {4543, 4408, 3310, 3720, 3475, 4405, 2633, 3296, 2637, 4183, 2279, 2391, 4525, 3323, 2264, 2190}

$$\frac{f(a^2-b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2b^2d^2} + \frac{f(a^2-b^2)^{3/2} \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2b^2d^2} - \frac{ibf \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2d^2} + \frac{ibf \operatorname{PolyLog}\left(2, -e^{i(c+dx)}\right)}{a^2d^2}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]
```

```
[Out] -((e*x)/a) + ((1 - a^2/b^2)*e*x)/a - (f*x^2)/(2*a) + ((1 - a^2/b^2)*f*x^2)/(2*a) + (2*b*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a^2*d) - (b*(e + f*x)*Cos[c + d*x])/(a^2*d) - ((a^2 - b^2)*(e + f*x)*Cos[c + d*x])/(a^2*b*d) - ((e + f*x)*Cot[c + d*x])/(a*d) - (I*(a^2 - b^2)^(3/2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^2*d) + (I*(a^2 - b^2)^(3/2)*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^2*d) + (f*Log[Sin[c + d*x]])/(a*d^2) - (I*b*f*PolyLog[2, -E^(I*(c + d*x))])/(a^2*d^2) + (I*b*f*PolyLog[2, E^(I*(c + d*x))])/(a^2*d^2) - ((a^2 - b^2)^(3/2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^2*d^2) + ((a^2 - b^2)^(3/2)*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^2*d^2) + (b*f*Sin[c + d*x])/(a^2*d^2) + ((a^2 - b^2)*f*Sin[c + d*x])/(a^2*b*d^2)
```

Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_.)]^(p_.)*Cot[(c_.) + (d_.)*(x_.)]^(n_.)*((e_.) + (f_.)*(x_.))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 4408

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]
```

Rule 3720

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*tan[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(c + d*x)^m*(b*Tan[e + f*x])^(n - 1))/(f*(n - 1)), x] + (-Dist[(b*d*m)/(f*(n - 1)), Int[(c + d*x)^(m - 1)*(b*Tan[e + f*x])^(n - 1), x], x] - Dist[b^2, Int[(c + d*x)^m*(b*Tan[e + f*x])^(n - 2), x], x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 0]
```

Rule 3475

```
Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4405

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)
*Sin[(c_.) + (d_.)*(x_)])], x_Symbol] :> Dist[a/b^2, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n
- 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2190

```
Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/
((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] :> Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\int \frac{(e + fx) \cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx) \cos^2(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e+fx) \cos^3(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx}{a}$$

$$= -\frac{\int (e + fx) \cos^2(c + dx) dx}{a} + \frac{\int (e + fx) \cot^2(c + dx) dx}{a} - \frac{b \int (e + fx) \cos^3(c + dx) dx}{a}$$

$$= -\frac{f \cos^2(c + dx)}{4ad^2} - \frac{(e + fx) \cot(c + dx)}{ad} - \frac{(e + fx) \cos(c + dx) \sin(c + dx)}{2ad}$$

$$= -\frac{3ex}{2a} - \frac{3fx^2}{4a} - \frac{(e + fx) \cot(c + dx)}{ad} + \frac{f \log(\sin(c + dx))}{ad^2} + \frac{\int (e + fx) dx}{2a} - \frac{b \int (e + fx) \cos^3(c + dx) dx}{a}$$

$$= -\frac{ex}{a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) ex}{b^2} - \frac{fx^2}{2a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) fx^2}{2b^2} + \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d}$$

$$= -\frac{ex}{a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) ex}{b^2} - \frac{fx^2}{2a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) fx^2}{2b^2} + \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d}$$

$$= -\frac{ex}{a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) ex}{b^2} - \frac{fx^2}{2a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) fx^2}{2b^2} + \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d}$$

$$= -\frac{ex}{a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) ex}{b^2} - \frac{fx^2}{2a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) fx^2}{2b^2} + \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d}$$

$$= -\frac{ex}{a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) ex}{b^2} - \frac{fx^2}{2a} - \frac{a \left(1 - \frac{b^2}{a^2}\right) fx^2}{2b^2} + \frac{2b(e + fx) \tanh^{-1}(e^{i(c+dx)})}{a^2 d}$$

Mathematica [A] time = 11.9493, size = 1019, normalized size = 1.97

$$(de + dfx) \left(\frac{2(de - cf) \tan^{-1}\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a^2 - b^2}}\right)}{\sqrt{a^2 - b^2}} - \frac{if \left(\log\left(1 - i \tan\left(\frac{1}{2}(c + dx)\right)\right) \log\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right) + \sqrt{b^2 - a^2}}{-ia + b + \sqrt{b^2 - a^2}}\right) + \text{PolyLog}\left(2, \frac{a^{1 - i \tan\left(\frac{1}{2}(c + dx)\right)}}{a + i(b + \sqrt{b^2 - a^2})}\right) \right)}{\sqrt{b^2 - a^2}} + \frac{if \left(\log\left(i \tan\left(\frac{1}{2}(c + dx)\right)\right) \log\left(\frac{b + a \tan\left(\frac{1}{2}(c + dx)\right) - \sqrt{b^2 - a^2}}{-ia + b + \sqrt{b^2 - a^2}}\right) + \text{PolyLog}\left(2, \frac{a^{1 + i \tan\left(\frac{1}{2}(c + dx)\right)}}{a + i(b + \sqrt{b^2 - a^2})}\right) \right)}{\sqrt{b^2 - a^2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((e + f*x)*Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] -(a*(c + d*x)*(2*d*e - 2*c*f + f*(c + d*x)))/(2*b^2*d^2) - ((d*e - c*f + f*(c + d*x))*Cos[c + d*x])/(b*d^2) + ((-(d*e*Cos[(c + d*x)/2]) + c*f*Cos[(c + d*x)/2] - f*(c + d*x)*Cos[(c + d*x)/2])*Csc[(c + d*x)/2])/(2*a*d^2) + (f*Log[Sin[c + d*x]])/(a*d^2) - (b*e*Log[Tan[(c + d*x)/2]])/(a^2*d) + (b*c*f*Log[Tan[(c + d*x)/2]])/(a^2*d^2) - (b*f*((c + d*x)*(Log[1 - E^(I*(c + d*x))] - Log[1 + E^(I*(c + d*x))]) + I*(PolyLog[2, -E^(I*(c + d*x))] - PolyLog[2, E^(I*(c + d*x))])))/(a^2*d^2) + ((a^2 - b^2)^2*(d*e + d*f*x)*((2*(d*e - c*f)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] - (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/((-I)*a + b + Sqrt[-a^2 + b^2]]) + PolyLog[2, (a*(1 - I*Tan[(c + d*x)/2])]/(a + I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b + Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2]]) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2])]/(a - I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] + (I*f*(Log[1 - I*Tan[(c + d*x)/2]]*Log[-((b - Sqrt[-a^2 + b^2] + a*Tan[(c + d*x)/2])/(I*a - b + Sqrt[-a^2 + b^2]))] + PolyLog[2, (a*(I + Tan[(c + d*x)/2])]/(I*a - b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2] - (I*f*(Log[1 + I*Tan[(c + d*x)/2]]*Log[(b - Sqrt[-a^2 + b^2] - a*Tan[(c + d*x)/2])/(I*a + b + Sqrt[-a^2 + b^2])]) + PolyLog[2, (a*(1 + I*Tan[(c + d*x)/2])]/(a + I*(b + Sqrt[-a^2 + b^2]))))/Sqrt[-a^2 + b^2]
```

$$2] + a*\text{Tan}[(c + d*x)/2])/(I*a + b - \text{Sqrt}[-a^2 + b^2])) + \text{PolyLog}[2, (a + I*a*\text{Tan}[(c + d*x)/2])/(a + I*(-b + \text{Sqrt}[-a^2 + b^2])))]/\text{Sqrt}[-a^2 + b^2]))/(a^2*b^2*d^2*(d*e - c*f + I*f*\text{Log}[1 - I*\text{Tan}[(c + d*x)/2]] - I*f*\text{Log}[1 + I*\text{Tan}[(c + d*x)/2]]) + (\text{Sec}[(c + d*x)/2]*(d*e*\text{Sin}[(c + d*x)/2] - c*f*\text{Sin}[(c + d*x)/2] + f*(c + d*x)*\text{Sin}[(c + d*x)/2]))/(2*a*d^2) + (f*\text{Sin}[c + d*x])/(b*d^2)$$

Maple [B] time = 1.136, size = 1890, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)*\cos(d*x+c)^2*\cot(d*x+c)^2/(a+b*\sin(d*x+c)), x)$

[Out]
$$\begin{aligned} & -2/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *x-2/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *c+2/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *x+2/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *c-a *e*x/b^2+2*I/d^2*f/(-a^2+b^2)^{(1/2)}*\text{dilog}((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) -2*I/d^2*f/(-a^2+b^2)^{(1/2)}*\text{dilog}((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) -4*I/d*e/(-a^2+b^2)^{(1/2)} * \arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}+a^2/b^2/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *x+a^2/b^2/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *c-a^2/b^2/d*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *x-a^2/b^2/d^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *c+I*a^2/b^2/d^2*f/(-a^2+b^2)^{(1/2)}*\text{dilog}((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) +2*I*a^2/b^2/d*e/(-a^2+b^2)^{(1/2)}*\arctan(1/2 * (2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}-I*a^2/b^2/d^2*f/(-a^2+b^2)^{(1/2)}*\text{dilog}((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) -2 *I/d^2/a^2*b^2*f*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}-1/2*a*f*x^2/b^2+1/d^2/a^2*b*f*c*\ln(\exp(I*(d*x+c))-1)+1/d/a^2*b*f*\ln(\exp(I*(d*x+c))+1)*x-I/d^2/a^2*b*f*\text{dilog}(\exp(I*(d*x+c))+1)-I/d^2/a^2*b*f*\text{dilog}(\exp(I*(d*x+c)))-1/2*(d*f*x-I*f+d*e)/b/d^2*\exp(-I*(d*x+c))-2*I*(f*x+e)/d/a/(\exp(2*I*(d*x+c))-1)+4*I/d^2*f*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2 *I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}+I/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)} * \text{dilog}((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) +1/d/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *x+1/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) *c-1/d/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *x-1/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\ln((I*a+b*\exp(I*(d*x+c))+(a^2+b^2)^{(1/2)})/(I*a+(a^2+b^2)^{(1/2)})) *c+2*I/d/a^2*b^2*e/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b * \exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}-I/d^2/a^2*b^2*f/(-a^2+b^2)^{(1/2)}*\text{dilog}((I*a+b*\exp(I*(d*x+c))-(a^2+b^2)^{(1/2)})/(I*a-(a^2+b^2)^{(1/2)})) -2*I*a^2/b^2/d^2*f*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*I*b*\exp(I*(d*x+c))-2*a)/(-a^2+b^2)^{(1/2)}-2/d^2/a*f*\ln(\exp(I*(d*x+c)))-1/d/a^2*b*e*\ln(\exp(I*(d*x+c))-1)+1/d/a^2*b*e*\ln(\exp(I*(d*x+c))+1)+1/d^2/a*f*\ln(\exp(I*(d*x+c))-1)+1/d^2/a*f*\ln(\exp(I*(d*x+c))+1)-1/2*(d*f*x+I*f+d*e)/b/d^2*\exp(I*(d*x+c)) \end{aligned}$$

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

Fricas [B] time = 4.27251, size = 4292, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(4*a^2*b*f*cos(d*x + c)^2 - 2*I*b^3*f*dilog(cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 2*I*b^3*f*dilog(cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - 2*I*b^3*f*dilog(-cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 2*I*b^3*f*dilog(-cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - 2*I*(a^2*b - b^3)*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) + 2*I*(a^2*b - b^3)*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) + 2*I*(a^2*b - b^3)*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) - 2*I*(a^2*b - b^3)*f*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) - 4*a^2*b*f - 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) - 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c) + 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) + 2*((a^2*b - b^3)*d*e - (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*c*f)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*(b^3*d*f*x + b^3*d*e + a*b^2*f)*log(cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) - 2*(b^3*d*f*x + b^3*d*e + a*b^2*f)*log(cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 2*(b^3*d*e - (b^3*c + a*b^2)*f)*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 2*(b^3*d*e - (b^3*c + a*b^2)*f)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 2*(b^3*d*f*x + b^3*c*f)*log(-cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) + 2*(b^3*d*f*x + b^3*c*f)*log(-cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 4*(a*b^2*d*f*x + a*b^2*d*e)*cos(d*x + c) + 2*(a^3*d^2*f*x^2
```

$$\frac{2 + 2*a^3*d^2*e*x + 2*(a^2*b*d*f*x + a^2*b*d*e)*\cos(d*x + c)*\sin(d*x + c)}{(a^2*b^2*d^2*\sin(d*x + c))}$$

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{(e + fx) \cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**2*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral((e + f*x)*cos(c + d*x)**2*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.344 \quad \int \frac{\cos^2(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=104

$$\frac{2(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{a^2 b^2 d} + \frac{b \tanh^{-1}(\cos(c + dx))}{a^2 d} - \frac{ax}{b^2} - \frac{\cot(c + dx)}{ad} - \frac{\cos(c + dx)}{bd}$$

[Out] -((a*x)/b^2) + (2*(a^2 - b^2)^(3/2)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (b*ArcTanh[Cos[c + d*x]])/(a^2*d) - Cos[c + d*x]/(b*d) - Cot[c + d*x]/(a*d)

Rubi [A] time = 0.270288, antiderivative size = 104, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2894, 3057, 2660, 618, 204, 3770}

$$\frac{2(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right) + b}{\sqrt{a^2 - b^2}}\right)}{a^2 b^2 d} + \frac{b \tanh^{-1}(\cos(c + dx))}{a^2 d} - \frac{ax}{b^2} - \frac{\cot(c + dx)}{ad} - \frac{\cos(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] -((a*x)/b^2) + (2*(a^2 - b^2)^(3/2)*ArcTan[(b + a*Tan[(c + d*x)/2])/Sqrt[a^2 - b^2]])/(a^2*b^2*d) + (b*ArcTanh[Cos[c + d*x]])/(a^2*d) - Cos[c + d*x]/(b*d) - Cot[c + d*x]/(a*d)

Rule 2894

Int[cos[(e_.) + (f_.)*(x_)]^4*((d_.)*sin[(e_.) + (f_.)*(x_)]^(n_))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_), x_Symbol] := Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(d*Sin[e + f*x])^(n + 1))/(a*d*f*(n + 1)), x] + (Dist[1/(a*b*d*(n + 1)*(m + n + 4)), Int[(a + b*Sin[e + f*x])^m*(d*Sin[e + f*x])^(n + 1)*Simp[a^2*(n + 1)*(n + 2) - b^2*(m + n + 2)*(m + n + 4) + a*b*(m + 3)*Sin[e + f*x] - (a^2*(n + 1)*(n + 3) - b^2*(m + n + 3)*(m + n + 4))*Sin[e + f*x]^2, x], x], x] - Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(d*Sin[e + f*x])^(n + 2))/(b*d^2*f*(m + n + 4)), x] /; FreeQ[{a, b, d, e, f, m}, x] && NeQ[a^2 - b^2, 0] && (IGtQ[m, 0] || IntegersQ[2*m, 2*n]) && !m < -1 && LtQ[n, -1] && NeQ[m + n + 4, 0]

Rule 3057

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[(C*x)/(b*d), x] + (Dist[(A*b^2 - a*b*B + a^2*C)/(b*(b*c - a*d)), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[(c^2*C - B*c*d + A*d^2)/(d*(b*c - a*d)), Int[1/(c + d*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2660

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a

e^{2*x^2} , x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = -\frac{\cos(c + dx)}{bd} - \frac{\cot(c + dx)}{ad} - \frac{\int \frac{\csc(c+dx)(b^2+2ab \sin(c+dx)+a^2 \sin^2(c+dx))}{a+b \sin(c+dx)} dx}{ab}$$

$$= -\frac{ax}{b^2} - \frac{\cos(c + dx)}{bd} - \frac{\cot(c + dx)}{ad} - \frac{b \int \csc(c + dx) dx}{a^2} + \frac{(a^2 - b^2)^2 \int \frac{1}{a+b \sin(c+dx)} dx}{a^2 b^2}$$

$$= -\frac{ax}{b^2} + \frac{b \tanh^{-1}(\cos(c + dx))}{a^2 d} - \frac{\cos(c + dx)}{bd} - \frac{\cot(c + dx)}{ad} + \frac{(2(a^2 - b^2)^2) \text{Subst}}{a^2 b^2}$$

$$= -\frac{ax}{b^2} + \frac{b \tanh^{-1}(\cos(c + dx))}{a^2 d} - \frac{\cos(c + dx)}{bd} - \frac{\cot(c + dx)}{ad} - \frac{(4(a^2 - b^2)^2) \text{Subst}}{a^2 b^2}$$

$$= -\frac{ax}{b^2} + \frac{2(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{b+a \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a^2-b^2}}\right)}{a^2 b^2 d} + \frac{b \tanh^{-1}(\cos(c + dx))}{a^2 d} - \frac{\cos(c + dx)}{bd}$$

Mathematica [A] time = 0.802352, size = 146, normalized size = 1.4

$$\frac{-4(a^2 - b^2)^{3/2} \tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx)\right)+b}{\sqrt{a^2-b^2}}\right) + 2a^2 b \cos(c + dx) + 2a^3 c + 2a^3 dx - ab^2 \tan\left(\frac{1}{2}(c + dx)\right) + ab^2 \cot\left(\frac{1}{2}(c + dx)\right)}{2a^2 b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^2*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] -(2*a^3*c + 2*a^3*d*x - 4*(a^2 - b^2)^(3/2)*ArcTan[(b + a*Tan[(c + d*x)/2]]/Sqrt[a^2 - b^2]) + 2*a^2*b*Cos[c + d*x] + a*b^2*Cot[(c + d*x)/2] - 2*b^3*Log[Cos[(c + d*x)/2]] + 2*b^3*Log[Sin[(c + d*x)/2]] - a*b^2*Tan[(c + d*x)/2])/(2*a^2*b^2*d)

Maple [B] time = 0.076, size = 249, normalized size = 2.4

$$\frac{1}{2da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 2 \frac{1}{bd(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{a \arctan(\tan(1/2 dx + c/2))}{b^2 d} + 2 \frac{a^2}{b^2 d \sqrt{a^2 - b^2}} \arctan\left(1/2 \frac{2at}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)`

[Out] `1/2/a/d*tan(1/2*d*x+1/2*c)-2/d/b/(1+tan(1/2*d*x+1/2*c)^2)-2/d/b^2*a*arctan(tan(1/2*d*x+1/2*c))+2/d/b^2/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))*a^2-4/d/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))+2/d*b^2/a^2/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x+1/2*c)+2*b)/(a^2-b^2)^(1/2))-1/2/a/d/tan(1/2*d*x+1/2*c)-1/d/a^2*b*ln(tan(1/2*d*x+1/2*c))`

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

Fricas [A] time = 2.95285, size = 981, normalized size = 9.43

$$\left[\frac{b^3 \log\left(\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) \sin(dx + c) - b^3 \log\left(-\frac{1}{2} \cos(dx + c) + \frac{1}{2}\right) \sin(dx + c) - 2ab^2 \cos(dx + c) - (a^2 - b^2) \sqrt{-a^2}}{2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")`

[Out] `[1/2*(b^3*log(1/2*cos(d*x + c) + 1/2)*sin(d*x + c) - b^3*log(-1/2*cos(d*x + c) + 1/2)*sin(d*x + c) - 2*a*b^2*cos(d*x + c) - (a^2 - b^2)*sqrt(-a^2 + b^2)*log(((2*a^2 - b^2)*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2 + 2*(a*cos(d*x + c)*sin(d*x + c) + b*cos(d*x + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x + c)^2 - 2*a*b*sin(d*x + c) - a^2 - b^2))*sin(d*x + c) - 2*(a^3*d*x + a^2*b*cos(d*x + c))*sin(d*x + c))/(a^2*b^2*d*sin(d*x + c)), 1/2*(b^3*log(1/2*cos(d*x + c) + 1/2)*sin(d*x + c) - b^3*log(-1/2*cos(d*x + c) + 1/2)*sin(d*x + c) - 2*a*b^2*cos(d*x + c) - 2*(a^2 - b^2)^(3/2)*arctan(-(a*sin(d*x + c) + b)/(sqrt(a^2 - b^2)*cos(d*x + c)))*sin(d*x + c) - 2*(a^3*d*x + a^2*b*cos(d*x + c))*sin(d*x + c))/(a^2*b^2*d*sin(d*x + c))]`

Sympy [F] time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos^2(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**2*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Integral(cos(c + d*x)**2*cot(c + d*x)**2/(a + b*sin(c + d*x)), x)

Giac [B] time = 1.81875, size = 298, normalized size = 2.87

$$\frac{6(dx+c)a}{b^2} + \frac{6b \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right|\right)}{a^2} - \frac{3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a} - \frac{12\left(a^4 - 2a^2b^2 + b^4\right)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + b}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2}a^2b^2} - \frac{2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^2*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out]
$$-1/6*(6*(d*x + c)*a/b^2 + 6*b*log(abs(tan(1/2*d*x + 1/2*c))))/a^2 - 3*tan(1/2*d*x + 1/2*c)/a - 12*(a^4 - 2*a^2*b^2 + b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x + 1/2*c) + b)/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*a^2*b^2) - (2*b^2*tan(1/2*d*x + 1/2*c)^3 - 3*a*b*tan(1/2*d*x + 1/2*c)^2 - 12*a^2*tan(1/2*d*x + 1/2*c) + 2*b^2*tan(1/2*d*x + 1/2*c) - 3*a*b)/((tan(1/2*d*x + 1/2*c)^3 + tan(1/2*d*x + 1/2*c))*a^2*b)/d$$

$$3.345 \quad \int \frac{(e+fx)^3 \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=1432

result too large to display

```
[Out] (3*b*f^3*x)/(8*a^2*d^3) + (3*(a^2 - b^2)*f^3*x)/(8*a^2*b*d^3) - (b*(e + f*x)^3)/(4*a^2*d) - ((a^2 - b^2)*(e + f*x)^3)/(4*a^2*b*d) + ((I/4)*b*(e + f*x)^4)/(a^2*f) - ((I/4)*(a^2 - b^2)^2*(e + f*x)^4)/(a^2*b^3*f) - (6*f*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d^2) + (6*f^3*Cos[c + d*x])/(a*d^4) + (6*(a^2 - b^2)*f^3*Cos[c + d*x])/(a*b^2*d^4) - (3*f*(e + f*x)^2*Cos[c + d*x])/(a*d^2) - (3*(a^2 - b^2)*f*(e + f*x)^2*Cos[c + d*x])/(a*b^2*d^2) - ((e + f*x)^3*Csc[c + d*x])/(a*d) + ((a^2 - b^2)^2*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d) + ((a^2 - b^2)^2*(e + f*x)^3*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d) - (b*(e + f*x)^3*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) + ((6*I)*f^2*(e + f*x)*PolyLog[2, -E^(I*(c + d*x))])/(a*d^3) - ((6*I)*f^2*(e + f*x)*PolyLog[2, E^(I*(c + d*x))])/(a*d^3) - ((3*I)*(a^2 - b^2)^2*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) - ((3*I)*(a^2 - b^2)^2*f*(e + f*x)^2*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) + (((3*I)/2)*b*f*(e + f*x)^2*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) - (6*f^3*PolyLog[3, -E^(I*(c + d*x))])/(a*d^4) + (6*f^3*PolyLog[3, E^(I*(c + d*x))])/(a*d^4) + (6*(a^2 - b^2)^2*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d^3) + (6*(a^2 - b^2)^2*f^2*(e + f*x)*PolyLog[3, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d^3) - (3*b*f^2*(e + f*x)*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a^2*d^3) + ((6*I)*(a^2 - b^2)^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d^4) + ((6*I)*(a^2 - b^2)^2*f^3*PolyLog[4, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d^4) - (((3*I)/4)*b*f^3*PolyLog[4, E^((2*I)*(c + d*x))])/(a^2*d^4) + (6*f^2*(e + f*x)*Sin[c + d*x])/(a*d^3) + (6*(a^2 - b^2)*f^2*(e + f*x)*Sin[c + d*x])/(a*b^2*d^3) - ((e + f*x)^3*Sin[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^3*Sin[c + d*x])/(a*b^2*d) - (3*b*f^3*Cos[c + d*x]*Sin[c + d*x])/(8*a^2*d^4) - (3*(a^2 - b^2)*f^3*Cos[c + d*x]*Sin[c + d*x])/(8*a^2*b*d^4) + (3*b*f*(e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*d^2) + (3*(a^2 - b^2)*f*(e + f*x)^2*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*b*d^2) - (3*b*f^2*(e + f*x)*Sin[c + d*x]^2)/(4*a^2*d^3) - (3*(a^2 - b^2)*f^2*(e + f*x)*Sin[c + d*x]^2)/(4*a^2*b*d^3) + (b*(e + f*x)^3*Sin[c + d*x]^2)/(2*a^2*d) + ((a^2 - b^2)*(e + f*x)^3*Sin[c + d*x]^2)/(2*a^2*b*d)
```

Rubi [A] time = 2.94674, antiderivative size = 1432, normalized size of antiderivative = 1., number of steps used = 85, number of rules used = 21, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {4543, 4408, 3311, 3296, 2638, 3310, 4410, 4183, 2531, 2282, 6589, 4405, 32, 2635, 8, 4404, 3717, 2190, 6609, 4525, 4519}

$$-\frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2 b^3 f} + \frac{ib(e + fx)^4}{4a^2 f} + \frac{b \sin^2(c + dx)(e + fx)^3}{2a^2 d} + \frac{(a^2 - b^2) \sin^2(c + dx)(e + fx)^3}{2a^2 b d} - \frac{\csc(c + dx)(e + fx)^3}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^3*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] (3*b*f^3*x)/(8*a^2*d^3) + (3*(a^2 - b^2)*f^3*x)/(8*a^2*b*d^3) - (b*(e + f*x)^3)/(4*a^2*d) - ((a^2 - b^2)*(e + f*x)^3)/(4*a^2*b*d) + ((I/4)*b*(e + f*x)^4)/(a^2*f) - ((I/4)*(a^2 - b^2)^2*(e + f*x)^4)/(a^2*b^3*f) - (6*f*(e + f*x)^2*ArcTanh[E^(I*(c + d*x))])/(a*d^2) + (6*f^3*Cos[c + d*x])/(a*d^4) + (6*(
```

$$\begin{aligned}
& a^2 - b^2) f^3 \cos[c + dx] / (a b^2 d^4) - (3 f (e + f x)^2 \cos[c + dx]) / (a d^2) - (3 (a^2 - b^2) f (e + f x)^2 \cos[c + dx]) / (a b^2 d^2) - ((e + f x)^3 \csc[c + dx]) / (a d) + ((a^2 - b^2)^2 (e + f x)^3 \log[1 - (I b E^I(c + dx))] / (a - \sqrt{a^2 - b^2})) / (a^2 b^3 d) + ((a^2 - b^2)^2 (e + f x)^3 \log[1 - (I b E^I(c + dx))] / (a + \sqrt{a^2 - b^2})) / (a^2 b^3 d) - (b (e + f x)^3 \log[1 - E^I(2 I (c + dx))]) / (a^2 d) + ((6 I) f^2 (e + f x) \text{PolyLog}[2, -E^I(c + dx)]) / (a d^3) - ((6 I) f^2 (e + f x) \text{PolyLog}[2, E^I(c + dx)]) / (a d^3) - ((3 I) (a^2 - b^2)^2 f (e + f x)^2 \text{PolyLog}[2, (I b E^I(c + dx))] / (a - \sqrt{a^2 - b^2})) / (a^2 b^3 d^2) - ((3 I) (a^2 - b^2)^2 f (e + f x)^2 \text{PolyLog}[2, (I b E^I(c + dx))] / (a + \sqrt{a^2 - b^2})) / (a^2 b^3 d^2) + (((3 I) / 2) b f (e + f x)^2 \text{PolyLog}[2, E^I(2 I (c + dx))]) / (a^2 d^2) - (6 f^3 \text{PolyLog}[3, -E^I(c + dx)]) / (a d^4) + (6 f^3 \text{PolyLog}[3, E^I(c + dx)]) / (a d^4) + (6 (a^2 - b^2)^2 f^2 (e + f x) \text{PolyLog}[3, (I b E^I(c + dx))] / (a - \sqrt{a^2 - b^2})) / (a^2 b^3 d^3) + (6 (a^2 - b^2)^2 f^2 (e + f x) \text{PolyLog}[3, (I b E^I(c + dx))] / (a + \sqrt{a^2 - b^2})) / (a^2 b^3 d^3) - (3 b f^2 (e + f x) \text{PolyLog}[3, E^I(2 I (c + dx))]) / (2 a^2 d^3) + ((6 I) (a^2 - b^2)^2 f^3 \text{PolyLog}[4, (I b E^I(c + dx))] / (a - \sqrt{a^2 - b^2})) / (a^2 b^3 d^4) + ((6 I) (a^2 - b^2)^2 f^3 \text{PolyLog}[4, (I b E^I(c + dx))] / (a + \sqrt{a^2 - b^2})) / (a^2 b^3 d^4) - (((3 I) / 4) b f^3 \text{PolyLog}[4, E^I(2 I (c + dx))]) / (a^2 d^4) + (6 f^2 (e + f x) \sin[c + dx]) / (a d^3) + (6 (a^2 - b^2) f^2 (e + f x) \sin[c + dx]) / (a b^2 d^3) - ((e + f x)^3 \sin[c + dx]) / (a d) - ((a^2 - b^2) (e + f x)^3 \sin[c + dx]) / (a b^2 d) - (3 b f^3 \cos[c + dx] \sin[c + dx]) / (8 a^2 d^4) - (3 (a^2 - b^2) f^3 \cos[c + dx] \sin[c + dx]) / (8 a^2 b d^4) + (3 b f (e + f x)^2 \cos[c + dx] \sin[c + dx]) / (4 a^2 d^2) + (3 (a^2 - b^2) f (e + f x)^2 \cos[c + dx] \sin[c + dx]) / (4 a^2 b d^2) - (3 b f^2 (e + f x) \sin[c + dx]^2) / (4 a^2 d^3) - (3 (a^2 - b^2) f^2 (e + f x) \sin[c + dx]^2) / (4 a^2 b d^3) + (b (e + f x)^3 \sin[c + dx]^2) / (2 a^2 d) + ((a^2 - b^2) (e + f x)^3 \sin[c + dx]^2) / (2 a^2 b d)
\end{aligned}$$

Rule 4543

$$\text{Int}[(\cos[(c_{.}) + (d_{.}) (x_{.})]^{\text{p}_{.}} \cot[(c_{.}) + (d_{.}) (x_{.})]^{\text{n}_{.}} ((e_{.}) + (f_{.}) (x_{.}))^{\text{m}_{.}}) / ((a_{.}) + (b_{.}) \sin[(c_{.}) + (d_{.}) (x_{.})]), x_{\text{Symbol}}] \text{ :> } \text{Dist}[1/a, \text{Int}[(e + f x)^m \cos[c + dx]^p \cot[c + dx]^n, x], x] - \text{Dist}[b/a, \text{Int}[(e + f x)^m \cos[c + dx]^{(p+1)} \cot[c + dx]^{(n-1)} / (a + b \sin[c + dx]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{IGtQ}\{m, 0\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{IGtQ}\{p, 0\}$$

Rule 4408

$$\text{Int}[\cos[(a_{.}) + (b_{.}) (x_{.})]^{\text{n}_{.}} \cot[(a_{.}) + (b_{.}) (x_{.})]^{\text{p}_{.}} ((c_{.}) + (d_{.}) (x_{.}))^{\text{m}_{.}}], x_{\text{Symbol}}] \text{ :> } -\text{Int}[(c + dx)^m \cos[a + b x]^n \cot[a + b x]^{(p-2)}, x] + \text{Int}[(c + dx)^m \cos[a + b x]^{(n-2)} \cot[a + b x]^p, x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{IGtQ}\{p, 0\}$$

Rule 3311

$$\text{Int}[(c_{.}) + (d_{.}) (x_{.})]^{\text{m}_{.}} ((b_{.}) \sin[(e_{.}) + (f_{.}) (x_{.})])^{\text{n}_{.}}, x_{\text{Symbol}}] \text{ :> } \text{Simp}[(d m (c + dx)^{(m-1)} (b \sin[e + f x])^n) / (f^2 n^2), x] + (\text{Dist}[(b^2 (n-1)) / n, \text{Int}[(c + dx)^m (b \sin[e + f x])^{(n-2)}], x], x] - \text{Dist}[(d^2 m (m-1)) / (f^2 n^2), \text{Int}[(c + dx)^{(m-2)} (b \sin[e + f x])^n], x] - \text{Simp}[(b (c + dx)^m \cos[e + f x] (b \sin[e + f x])^{(n-1)}) / (f n), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{GtQ}\{n, 1\} \&\& \text{GtQ}\{m, 1\}$$

Rule 3296

$$\text{Int}[(c_{.}) + (d_{.}) (x_{.})]^{\text{m}_{.}} \sin[(e_{.}) + (f_{.}) (x_{.})], x_{\text{Symbol}}] \text{ :> } -\text{Simp}[(c + dx)^m \cos[e + f x] / f, x] + \text{Dist}[(d m) / f, \text{Int}[(c + dx)^{(m-1)} \cos[e + f x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}\{m, 0\}$$

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
Simp[(d*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Ssin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 4410

```
Int[Cot[(a_.) + (b_.)*(x_)]^(p_.)*Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d
_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Csc[a + b*x]^n)/(b*n), x]
+ Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{
a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]
```

Rule 4183

```
Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(
-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_.)*((a_.)*(v_)^(n_.))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4405

```
Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b
_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)
), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1),
x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]
```

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m * E^(2*I*k*Pi) * E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi) * E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int((((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m * Log[1 + (b*(F^(g*(e + f*x)))^n]/a)/(b*f*g*n * Log[F]), x] - Dist[(d*m)/(b*f*g*n * Log[F]), Int[(c + d*x)^(m - 1) * Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 6609

Int(((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m * PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p * Log[F]), x] - Dist[(f*m)/(b*c*p * Log[F]), Int[(e + f*x)^(m - 1) * PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m * Cos[c + d*x]^(n - 2) * Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m * Cos[c + d*x]^(n - 2))/(a + b * Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m * E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b * E^(I*(c + d*x))), x] + Int[((e + f*x)^m * E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]

- I*b*E^(I*(c + d*x)), x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]

Rubi steps

$$\int \frac{(e + fx)^3 \cos^3(c + dx) \cot^2(c + dx)}{a + b \sin(c + dx)} dx = \frac{\int (e + fx)^3 \cos^3(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^4(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{\int (e + fx)^3 \cos^3(c + dx) dx}{a} + \frac{\int (e + fx)^3 \cos(c + dx) \cot^2(c + dx) dx}{a} - \frac{b \int \frac{(e + fx)^3 \cos^4(c + dx) \cot(c + dx)}{a + b \sin(c + dx)} dx}{a}$$

$$= -\frac{f(e + fx)^2 \cos^3(c + dx)}{3ad^2} - \frac{(e + fx)^3 \cos^2(c + dx) \sin(c + dx)}{3ad} - \frac{2 \int (e + fx)^3 \cos^2(c + dx) dx}{3ad}$$

$$= \frac{2f^3 \cos^3(c + dx)}{27ad^4} - \frac{(e + fx)^3 \csc(c + dx)}{ad} - \frac{5(e + fx)^3 \sin(c + dx)}{3ad} + \frac{2f^2(e + fx)^2 \cos^2(c + dx)}{3ad}$$

$$= \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f} - \frac{6f(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad^2} - \frac{5f(e + fx)^3 \cos^2(c + dx)}{3ad}$$

$$= \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f} - \frac{6f(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad^2} + \frac{4f^3 \cos^2(c + dx)}{9ad}$$

$$= -\frac{b(e + fx)^3}{4a^2d} - \frac{\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{4bd} + \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f} - \frac{6f(e + fx)^2 \tanh^{-1}(e^{i(c+dx)})}{ad^2}$$

$$= \frac{3bf^3x}{8a^2d^3} + \frac{3\left(1 - \frac{b^2}{a^2}\right)f^3x}{8bd^3} - \frac{b(e + fx)^3}{4a^2d} - \frac{\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{4bd} + \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f}$$

$$= \frac{3bf^3x}{8a^2d^3} + \frac{3\left(1 - \frac{b^2}{a^2}\right)f^3x}{8bd^3} - \frac{b(e + fx)^3}{4a^2d} - \frac{\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{4bd} + \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f}$$

$$= \frac{3bf^3x}{8a^2d^3} + \frac{3\left(1 - \frac{b^2}{a^2}\right)f^3x}{8bd^3} - \frac{b(e + fx)^3}{4a^2d} - \frac{\left(1 - \frac{b^2}{a^2}\right)(e + fx)^3}{4bd} + \frac{ib(e + fx)^4}{4a^2f} - \frac{i(a^2 - b^2)^2 (e + fx)^4}{4a^2b^3f}$$

Mathematica [B] time = 44.8669, size = 3944, normalized size = 2.75

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^3*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] ((-e^3 - 3*e^2*f*x - 3*e*f^2*x^2 - f^3*x^3)*Csc[c + d*x])/(a*d) - (((-I)*b*(e + f*x)^4)/((-1 + E^((2*I)*c))*f) + (6*e*f*(b*d*e - 2*a*f)*x*Log[1 - E^((-I)*(c + d*x))])/d^2 + (6*f^2*(b*d*e - a*f)*x^2*Log[1 - E^((-I)*(c + d*x))])/d^2 + (2*b*f^3*x^3*Log[1 - E^((-I)*(c + d*x))])/d + (6*e*f*(b*d*e + 2*a*f)*x*Log[1 + E^((-I)*(c + d*x))])/d^2 + (6*f^2*(b*d*e + a*f)*x^2*Log[1 + E^((-I)*(c + d*x))])/d^2 + (2*b*f^3*x^3*Log[1 + E^((-I)*(c + d*x))])/d + (2*e^2*(b*d*e - 3*a*f)*((-I)*d*x + Log[1 - E^(I*(c + d*x))])/d^2 + (2*e^2*(b*d*e + 3*a*f)*((-I)*d*x + Log[1 + E^(I*(c + d*x))])/d^2 + ((6*I)*e*f*(b*d*e + 2*a*f)*PolyLog[2, -E^((-I)*(c + d*x))])/d^3 + ((6*I)*e*f*(b*d*e - 2*a*f)*PolyLog[2, E^((-I)*(c + d*x))])/d^3 + (12*f^2*(b*d*e + a*f)*(I*d*x*PolyLog[2, -E^((-I)*(c + d*x))] + PolyLog[3, -E^((-I)*(c + d*x))])/d^4 + (12*f^2*(b*d*e - a*f)*(I*d*x*PolyLog[2, E^((-I)*(c + d*x))] + PolyLog[3, E^((-I)*(c + d*x))])/d^4

$$\begin{aligned}
& + ((I/2)*a*\sin[c])/(b^2*d^4) + (((3*I)/2)*x^2*(a*d*e*f^2*\cos[c] + I*a*f^3*\cos[c] + I*a*d*e*f^2*\sin[c] - a*f^3*\sin[c]))/(b^2*d^2) + (((3*I)/2)*x*(a*d^2*e^2*f*\cos[c] + (2*I)*a*d*e*f^2*\cos[c] - 2*a*f^3*\cos[c] + I*a*d^2*e^2*f*\sin[c] - 2*a*d*e*f^2*\sin[c] - (2*I)*a*f^3*\sin[c]))/(b^2*d^3)*(Cos[d*x] + I*\sin[d*x]) + (-(f^3*x^3*\cos[2*c])/(8*b*d) + ((I/8)*f^3*x^3*\sin[2*c])/(b*d) + (4*d^3*e^3 - (6*I)*d^2*e^2*f - 6*d*e*f^2 + (3*I)*f^3)*(-\cos[2*c])/(32*b*d^4) + ((I/32)*\sin[2*c])/(b*d^4)) + ((2*I)*d^2*e^2*f + 2*d*e*f^2 - I*f^3)*(((3*I)/16)*x*\cos[2*c])/(b*d^3) + (3*x*\sin[2*c])/(16*b*d^3)) + ((2*I)*d*e*f^2 + f^3)*(((3*I)/16)*x^2*\cos[2*c])/(b*d^2) + (3*x^2*\sin[2*c])/(16*b*d^2))*(\cos[2*d*x] - I*\sin[2*d*x]) + (-(f^3*x^3*\cos[2*c])/(8*b*d) - ((I/8)*f^3*x^3*\sin[2*c])/(b*d) + (4*d^3*e^3 + (6*I)*d^2*e^2*f - 6*d*e*f^2 - (3*I)*f^3)*(-\cos[2*c])/(32*b*d^4) - ((I/32)*\sin[2*c])/(b*d^4)) - (((3*I)/16)*x*((-2*I)*d^2*e^2*f*\cos[2*c] + 2*d*e*f^2*\cos[2*c] + I*f^3*\cos[2*c] + 2*d^2*e^2*f*\sin[2*c] + (2*I)*d*e*f^2*\sin[2*c] - f^3*\sin[2*c]))/(b*d^3) - (((3*I)/16)*x^2*((-2*I)*d*e*f^2*\cos[2*c] + f^3*\cos[2*c] + 2*d*e*f^2*\sin[2*c] + I*f^3*\sin[2*c]))/(b*d^2))*(\cos[2*d*x] + I*\sin[2*d*x])
\end{aligned}$$

Maple [F] time = 4.713, size = 0, normalized size = 0.

$$\int \frac{(fx + e)^3 (\cos(dx + c))^3 (\cot(dx + c))^2}{a + b \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: RuntimeError

Fricas [C] time = 9.77457, size = 11439, normalized size = 7.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] $-1/8*(8*(a^3*b + a*b^3)*d^3*f^3*x^3 + 24*(a^3*b + a*b^3)*d^3*e*f^2*x^2 + 24*I*b^4*f^3*\text{polylog}(4, \cos(d*x + c) + I*\sin(d*x + c))*\sin(d*x + c) - 24*I*b^4*f^3*\text{polylog}(4, \cos(d*x + c) - I*\sin(d*x + c))*\sin(d*x + c) - 24*I*b^4*f^3$


```

*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x
+ c) - 4*((a^4 - 2*a^2*b^2 + b^4)*d^3*f^3*x^3 + 3*(a^4 - 2*a^2*b^2 + b^4)*d
^3*e*f^2*x^2 + 3*(a^4 - 2*a^2*b^2 + b^4)*d^3*e^2*f*x + 3*(a^4 - 2*a^2*b^2 +
b^4)*c*d^2*e^2*f - 3*(a^4 - 2*a^2*b^2 + b^4)*c^2*d*e*f^2 + (a^4 - 2*a^2*b^
2 + b^4)*c^3*f^3)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos
(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c
) - 4*((a^4 - 2*a^2*b^2 + b^4)*d^3*f^3*x^3 + 3*(a^4 - 2*a^2*b^2 + b^4)*d^3*
e*f^2*x^2 + 3*(a^4 - 2*a^2*b^2 + b^4)*d^3*e^2*f*x + 3*(a^4 - 2*a^2*b^2 + b^
4)*c*d^2*e^2*f - 3*(a^4 - 2*a^2*b^2 + b^4)*c^2*d*e*f^2 + (a^4 - 2*a^2*b^2 +
b^4)*c^3*f^3)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d
*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) +
4*(b^4*d^3*f^3*x^3 + b^4*d^3*e^3 + 3*a*b^3*d^2*e^2*f + 3*(b^4*d^3*e*f^2 +
a*b^3*d^2*f^3)*x^2 + 3*(b^4*d^3*e^2*f + 2*a*b^3*d^2*e*f^2)*x)*log(cos(d*x +
c) + I*sin(d*x + c) + 1)*sin(d*x + c) + 4*(b^4*d^3*f^3*x^3 + b^4*d^3*e^3 +
3*a*b^3*d^2*e^2*f + 3*(b^4*d^3*e*f^2 + a*b^3*d^2*f^3)*x^2 + 3*(b^4*d^3*e^2
*f + 2*a*b^3*d^2*e*f^2)*x)*log(cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x +
c) + 4*(b^4*d^3*e^3 - 3*(b^4*c + a*b^3)*d^2*e^2*f + 3*(b^4*c^2 + 2*a*b^3*c
)*d*e*f^2 - (b^4*c^3 + 3*a*b^3*c^2)*f^3)*log(-1/2*cos(d*x + c) + 1/2*I*sin(
d*x + c) + 1/2)*sin(d*x + c) + 4*(b^4*d^3*e^3 - 3*(b^4*c + a*b^3)*d^2*e^2*f
+ 3*(b^4*c^2 + 2*a*b^3*c)*d*e*f^2 - (b^4*c^3 + 3*a*b^3*c^2)*f^3)*log(-1/2*
cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 4*(b^4*d^3*f^3*x^3
+ 3*b^4*c*d^2*e^2*f - 3*(b^4*c^2 + 2*a*b^3*c)*d*e*f^2 + (b^4*c^3 + 3*a*b^3*
c^2)*f^3 + 3*(b^4*d^3*e*f^2 - a*b^3*d^2*f^3)*x^2 + 3*(b^4*d^3*e^2*f - 2*a*b
^3*d^2*e*f^2)*x)*log(-cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) + 4*(
b^4*d^3*f^3*x^3 + 3*b^4*c*d^2*e^2*f - 3*(b^4*c^2 + 2*a*b^3*c)*d*e*f^2 + (b^
4*c^3 + 3*a*b^3*c^2)*f^3 + 3*(b^4*d^3*e*f^2 - a*b^3*d^2*f^3)*x^2 + 3*(b^4*d
^3*e^2*f - 2*a*b^3*d^2*e*f^2)*x)*log(-cos(d*x + c) - I*sin(d*x + c) + 1)*si
n(d*x + c) - 24*((a^4 - 2*a^2*b^2 + b^4)*d*f^3*x + (a^4 - 2*a^2*b^2 + b^4)*
d*e*f^2)*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) + 2*(b*cos(d
*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) - 24*((
a^4 - 2*a^2*b^2 + b^4)*d*f^3*x + (a^4 - 2*a^2*b^2 + b^4)*d*e*f^2)*polylog(3
, 1/2*(2*I*a*cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(
d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) - 24*((a^4 - 2*a^2*b^2 +
b^4)*d*f^3*x + (a^4 - 2*a^2*b^2 + b^4)*d*e*f^2)*polylog(3, -(I*a*cos(d*x +
c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
/b^2))/b)*sin(d*x + c) - 24*((a^4 - 2*a^2*b^2 + b^4)*d*f^3*x + (a^4 - 2*a^2
*b^2 + b^4)*d*e*f^2)*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos
(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 24
*(b^4*d*f^3*x + b^4*d*e*f^2 - a*b^3*f^3)*polylog(3, cos(d*x + c) + I*sin(d*
x + c))*sin(d*x + c) + 24*(b^4*d*f^3*x + b^4*d*e*f^2 - a*b^3*f^3)*polylog(3
, cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 24*(b^4*d*f^3*x + b^4*d*e*f
^2 + a*b^3*f^3)*polylog(3, -cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 2
4*(b^4*d*f^3*x + b^4*d*e*f^2 + a*b^3*f^3)*polylog(3, -cos(d*x + c) - I*sin(
d*x + c))*sin(d*x + c) - 24*(2*a^3*b*d*f^3 - (a^3*b + a*b^3)*d^3*e^2*f)*x -
3*(2*a^2*b^2*d^2*f^3*x^2 + 4*a^2*b^2*d^2*e*f^2*x + 2*a^2*b^2*d^2*e^2*f - a
^2*b^2*f^3)*cos(d*x + c) - (2*a^2*b^2*d^3*f^3*x^3 + 6*a^2*b^2*d^3*e*f^2*x^2
+ 2*a^2*b^2*d^3*e^3 - 3*a^2*b^2*d*e*f^2 - 2*(2*a^2*b^2*d^3*f^3*x^3 + 6*a^2
*b^2*d^3*e*f^2*x^2 + 2*a^2*b^2*d^3*e^3 - 3*a^2*b^2*d*e*f^2 + 3*(2*a^2*b^2*d
^3*e^2*f - a^2*b^2*d*f^3)*x)*cos(d*x + c)^2 + 3*(2*a^2*b^2*d^3*e^2*f - a^2*
b^2*d*f^3)*x - 24*(a^3*b*d^2*f^3*x^2 + 2*a^3*b*d^2*e*f^2*x + a^3*b*d^2*e^2*
f - 2*a^3*b*f^3)*cos(d*x + c))*sin(d*x + c))/(a^2*b^3*d^4*sin(d*x + c))

```

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*cos(d*x+c)**3*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)
```

```
[Out] Timed out
```

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm  
="giac")
```

```
[Out] Timed out
```

$$3.346 \quad \int \frac{(e+fx)^2 \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=1051

result too large to display

```
[Out] -(b*e*f*x)/(2*a^2*d) - ((a^2 - b^2)*e*f*x)/(2*a^2*b*d) - (b*f^2*x^2)/(4*a^2*d) - ((a^2 - b^2)*f^2*x^2)/(4*a^2*b*d) + ((I/3)*b*(e + f*x)^3)/(a^2*f) - ((I/3)*(a^2 - b^2)^2*(e + f*x)^3)/(a^2*b^3*f) - (4*f*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d^2) - (2*f*(e + f*x)*Cos[c + d*x])/(a*d^2) - (2*(a^2 - b^2)*f*(e + f*x)*Cos[c + d*x])/(a*b^2*d^2) - ((e + f*x)^2*Csc[c + d*x])/(a*d) + ((a^2 - b^2)^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d) + ((a^2 - b^2)^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d) - (b*(e + f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) + ((2*I)*f^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^3) - ((2*I)*(a^2 - b^2)^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d^2) - ((2*I)*(a^2 - b^2)^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d^2) + (I*b*f*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d^3) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d^3) - (b*f^2*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a^2*d^3) + (2*f^2*Sin[c + d*x])/(a*d^3) + (2*(a^2 - b^2)*f^2*Sin[c + d*x])/(a*b^2*d^3) - ((e + f*x)^2*Sin[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^2*Sin[c + d*x])/(a*b^2*d) + (b*f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d^2) + ((a^2 - b^2)*f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*b*d^2) - (b*f^2*Sin[c + d*x]^2)/(4*a^2*d^3) - ((a^2 - b^2)*f^2*Sin[c + d*x]^2)/(4*a^2*b*d^3) + (b*(e + f*x)^2*Sin[c + d*x]^2)/(2*a^2*d) + ((a^2 - b^2)*(e + f*x)^2*Sin[c + d*x]^2)/(2*a^2*b*d)
```

Rubi [A] time = 2.24098, antiderivative size = 1051, normalized size of antiderivative = 1., number of steps used = 60, number of rules used = 20, integrand size = 36, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {4543, 4408, 3311, 3296, 2637, 2633, 4410, 4183, 2279, 2391, 4405, 3310, 4404, 3717, 2190, 2531, 2282, 6589, 4525, 4519}

$$-\frac{i(a^2 - b^2)^2(e + fx)^3}{3a^2b^3f} + \frac{ib(e + fx)^3}{3a^2f} + \frac{b \sin^2(c + dx)(e + fx)^2}{2a^2d} + \frac{(a^2 - b^2) \sin^2(c + dx)(e + fx)^2}{2a^2bd} - \frac{\csc(c + dx)(e + fx)^2}{ad}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)^2*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]
```

```
[Out] -(b*e*f*x)/(2*a^2*d) - ((a^2 - b^2)*e*f*x)/(2*a^2*b*d) - (b*f^2*x^2)/(4*a^2*d) - ((a^2 - b^2)*f^2*x^2)/(4*a^2*b*d) + ((I/3)*b*(e + f*x)^3)/(a^2*f) - ((I/3)*(a^2 - b^2)^2*(e + f*x)^3)/(a^2*b^3*f) - (4*f*(e + f*x)*ArcTanh[E^(I*(c + d*x))])/(a*d^2) - (2*f*(e + f*x)*Cos[c + d*x])/(a*d^2) - (2*(a^2 - b^2)*f*(e + f*x)*Cos[c + d*x])/(a*b^2*d^2) - ((e + f*x)^2*Csc[c + d*x])/(a*d) + ((a^2 - b^2)^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d) + ((a^2 - b^2)^2*(e + f*x)^2*Log[1 - (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d) - (b*(e + f*x)^2*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) + ((2*I)*f^2*PolyLog[2, -E^(I*(c + d*x))])/(a*d^3) - ((2*I)*f^2*PolyLog[2, E^(I*(c + d*x))])/(a*d^3) - ((2*I)*(a^2 - b^2)^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d^2) - ((2*I)*(a^2 - b^2)^2*f*(e + f*x)*PolyLog[2, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d^2) + (I*b*f*(e + f*x)*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a - Sqrt[a^2 - b^2])])/(a^2*b^3*d^3) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I*b*E^(I*(c + d*x)))/(a + Sqrt[a^2 - b^2])])/(a^2*b^3*d^3) - (b*f^2*PolyLog[3, E^((2*I)*(c + d*x))])/(2*a^2*d^3) + (2*f^2*Sin[c + d*x])/(a*d^3) + (2*(a^2 - b^2)*f^2*Sin[c + d*x])/(a*b^2*d^3) - ((e + f*x)^2*Sin[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)^2*Sin[c + d*x])/(a*b^2*d) + (b*f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*d^2) + ((a^2 - b^2)*f*(e + f*x)*Cos[c + d*x]*Sin[c + d*x])/(2*a^2*b*d^2) - (b*f^2*Sin[c + d*x]^2)/(4*a^2*d^3) - ((a^2 - b^2)*f^2*Sin[c + d*x]^2)/(4*a^2*b*d^3) + (b*(e + f*x)^2*Sin[c + d*x]^2)/(2*a^2*d) + ((a^2 - b^2)*(e + f*x)^2*Sin[c + d*x]^2)/(2*a^2*b*d)
```

$$\begin{aligned}
& + d*x)))/(a^2*d^2) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I*b*E^{I*(c + d*x)})] \\
& / (a - \text{Sqrt}[a^2 - b^2]))/(a^2*b^3*d^3) + (2*(a^2 - b^2)^2*f^2*PolyLog[3, (I \\
& *b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2]))/(a^2*b^3*d^3) - (b*f^2*PolyLog[\\
& 3, E^{((2*I)*(c + d*x))})/(2*a^2*d^3) + (2*f^2*\text{Sin}[c + d*x])/(a*d^3) + (2*(a \\
& ^2 - b^2)*f^2*\text{Sin}[c + d*x])/(a*b^2*d^3) - ((e + f*x)^2*\text{Sin}[c + d*x])/(a*d) \\
& - ((a^2 - b^2)*(e + f*x)^2*\text{Sin}[c + d*x])/(a*b^2*d) + (b*f*(e + f*x)*\text{Cos}[c + \\
& d*x]*\text{Sin}[c + d*x])/(2*a^2*d^2) + ((a^2 - b^2)*f*(e + f*x)*\text{Cos}[c + d*x]*\text{Sin} \\
& [c + d*x])/(2*a^2*b*d^2) - (b*f^2*\text{Sin}[c + d*x]^2)/(4*a^2*d^3) - ((a^2 - b^2) \\
&)*f^2*\text{Sin}[c + d*x]^2)/(4*a^2*b*d^3) + (b*(e + f*x)^2*\text{Sin}[c + d*x]^2)/(2*a^2 \\
& *d) + ((a^2 - b^2)*(e + f*x)^2*\text{Sin}[c + d*x]^2)/(2*a^2*b*d)
\end{aligned}$$
Rule 4543

$$\begin{aligned}
& \text{Int}[(\text{Cos}[(c_.) + (d_.)*(x_.)]^{(p_.)}*\text{Cot}[(c_.) + (d_.)*(x_.)]^{(n_.)}*((e_.) + (\\
& f_.)*(x_.))^{(m_.)})/((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)]), x_Symbol] \text{ :> Dist} \\
& [1/a, \text{Int}[(e + f*x)^m*\text{Cos}[c + d*x]^p*\text{Cot}[c + d*x]^n, x], x] - \text{Dist}[b/a, \text{Int} \\
& [((e + f*x)^m*\text{Cos}[c + d*x]^{(p + 1)}*\text{Cot}[c + d*x]^{(n - 1)})/(a + b*\text{Sin}[c + d*x] \\
&), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{IGtQ}\{m, 0\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{IGtQ}\{p, 0\}
\end{aligned}$$
Rule 4408

$$\begin{aligned}
& \text{Int}[\text{Cos}[(a_.) + (b_.)*(x_.)]^{(n_.)}*\text{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d \\
& _.*)(x_.))^{(m_.)}, x_Symbol] \text{ :> -Int}[(c + d*x)^m*\text{Cos}[a + b*x]^n*\text{Cot}[a + b*x]^ \\
& (p - 2), x] + \text{Int}[(c + d*x)^m*\text{Cos}[a + b*x]^{(n - 2)}*\text{Cot}[a + b*x]^p, x] /; \text{Fr} \\
& eeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}\{n, 0\} \&\& \text{IGtQ}\{p, 0\}
\end{aligned}$$
Rule 3311

$$\begin{aligned}
& \text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}, x_Symbo \\
& l] \text{ :> Simp}[(d*m*(c + d*x)^{(m - 1)}*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist} \\
& [(b^2*(n - 1))/n, \text{Int}[(c + d*x)^m*(b*\text{Sin}[e + f*x])^{(n - 2)}, x], x] - \text{Dist}[(\\
& d^2*m*(m - 1))/(f^2*n^2), \text{Int}[(c + d*x)^{(m - 2)}*(b*\text{Sin}[e + f*x])^n, x], x] \\
& - \text{Simp}[(b*(c + d*x)^m*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n - 1)})/(f*n), x]) /; \\
& \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{GtQ}\{n, 1\} \&\& \text{GtQ}\{m, 1\}
\end{aligned}$$
Rule 3296

$$\begin{aligned}
& \text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \text{ :> -Simp} \\
& [(c + d*x)^m*\text{Cos}[e + f*x])/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[\\
& e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{GtQ}\{m, 0\}
\end{aligned}$$
Rule 2637

$$\begin{aligned}
& \text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> Simp}[\text{Sin}[c + d*x]/d, x] /; \\
& \text{FreeQ}\{c, d\}, x\}
\end{aligned}$$
Rule 2633

$$\begin{aligned}
& \text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> -Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expa} \\
& nd[(1 - x^2)^{(n - 1)/2}, x], x], x, \text{Cos}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \\
& \&\& \text{IGtQ}\{(n - 1)/2, 0\}
\end{aligned}$$
Rule 4410

$$\begin{aligned}
& \text{Int}[\text{Cot}[(a_.) + (b_.)*(x_.)]^{(p_.)}*\text{Csc}[(a_.) + (b_.)*(x_.)]^{(n_.)}*((c_.) + (d \\
& _.*)(x_.))^{(m_.)}, x_Symbol] \text{ :> -Simp}[(c + d*x)^m*\text{Csc}[a + b*x]^n/(b*n), x] \\
& + \text{Dist}[(d*m)/(b*n), \text{Int}[(c + d*x)^{(m - 1)}*\text{Csc}[a + b*x]^n, x], x] /; \text{FreeQ}\{
\end{aligned}$$

a, b, c, d, n, x && EqQ[p, 1] && GtQ[m, 0]

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[a + b*x]^(n + 1))/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x))]/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)], x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2531


```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*(a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 4525

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)
*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c +
d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Si
n[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n
- 2))/(a + b*Sin[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGt
Q[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 4519

```
Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[
(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)
), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I
*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2]
- I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] &
& PosQ[a^2 - b^2]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)^2 \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\int (e+fx)^2 \cos^3(c+dx) \cot^2(c+dx) dx}{a} - \frac{b \int \frac{(e+fx)^2 \cos^4(c+dx) \cot(c+dx)}{a+b \sin(c+dx)} dx}{a} \\
&= -\frac{\int (e+fx)^2 \cos^3(c+dx) dx}{a} + \frac{\int (e+fx)^2 \cos(c+dx) \cot^2(c+dx) dx}{a} - \frac{b \int (e+fx)^2 \cos^4(c+dx) \cot(c+dx) dx}{a} \\
&= -\frac{2f(e+fx) \cos^3(c+dx)}{9ad^2} - \frac{(e+fx)^2 \cos^2(c+dx) \sin(c+dx)}{3ad} - \frac{2 \int (e+fx)^2 \cos^4(c+dx) \cot(c+dx) dx}{a} \\
&= -\frac{(e+fx)^2 \csc(c+dx)}{ad} - \frac{5(e+fx)^2 \sin(c+dx)}{3ad} + \frac{2 \int (e+fx)^2 \cos(c+dx) dx}{3a} \\
&= \frac{ib(e+fx)^3}{3a^2f} - \frac{i(a^2-b^2)^2(e+fx)^3}{3a^2b^3f} - \frac{4f(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^2} - \frac{10f(e+fx)^2 \sin(c+dx)}{3a^2b^3} \\
&= \frac{ib(e+fx)^3}{3a^2f} - \frac{i(a^2-b^2)^2(e+fx)^3}{3a^2b^3f} - \frac{4f(e+fx) \tanh^{-1}(e^{i(c+dx)})}{ad^2} - \frac{2f(e+fx)^2 \sin(c+dx)}{3a^2b^3} \\
&= -\frac{befx}{2a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)efx}{2bd} - \frac{bf^2x^2}{4a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)f^2x^2}{4bd} + \frac{ib(e+fx)^3}{3a^2f} - \frac{i(a^2-b^2)^2(e+fx)^3}{3a^2b^3} \\
&= -\frac{befx}{2a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)efx}{2bd} - \frac{bf^2x^2}{4a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)f^2x^2}{4bd} + \frac{ib(e+fx)^3}{3a^2f} - \frac{i(a^2-b^2)^2(e+fx)^3}{3a^2b^3} \\
&= -\frac{befx}{2a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)efx}{2bd} - \frac{bf^2x^2}{4a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)f^2x^2}{4bd} + \frac{ib(e+fx)^3}{3a^2f} - \frac{i(a^2-b^2)^2(e+fx)^3}{3a^2b^3}
\end{aligned}$$

Mathematica [B] time = 13.5755, size = 5156, normalized size = 4.91

Result too large to show

Antiderivative was successfully verified.

[In] Integrate[((e + f*x)^2*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]

[Out] Result too large to show

Maple [F] time = 4.864, size = 0, normalized size = 0.

$$\int \frac{(fx+e)^2 (\cos(dx+c))^3 (\cot(dx+c))^2}{a+b \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] int((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [C] time = 5.62446, size = 7509, normalized size = 7.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm
="fricas")
```

```
[Out] -1/8*(8*b^4*f^2*polylog(3, cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 8*
b^4*f^2*polylog(3, cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 8*b^4*f^2*
polylog(3, -cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 8*b^4*f^2*polylo
g(3, -cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 8*(a^3*b + a*b^3)*d^2*f^
2*x^2 - 16*a^3*b*f^2 + 16*(a^3*b + a*b^3)*d^2*e*f*x + 8*(a^3*b + a*b^3)*d^2
*e^2 - 8*(a^4 - 2*a^2*b^2 + b^4)*f^2*polylog(3, 1/2*(2*I*a*cos(d*x + c) - 2
*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b
^2))/b)*sin(d*x + c) - 8*(a^4 - 2*a^2*b^2 + b^4)*f^2*polylog(3, 1/2*(2*I*a*
cos(d*x + c) - 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqr
t(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) - 8*(a^4 - 2*a^2*b^2 + b^4)*f^2*polylo
g(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x +
c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) - 8*(a^4 - 2*a^2*b^2 + b^4)*f^2
*polylog(3, -(I*a*cos(d*x + c) + a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin
(d*x + c))*sqrt(-(a^2 - b^2)/b^2))/b)*sin(d*x + c) + 4*(a^2*b^2*d*f^2*x + a
^2*b^2*d*e*f)*cos(d*x + c)^3 - 8*(a^3*b*d^2*f^2*x^2 + 2*a^3*b*d^2*e*f*x + a
^3*b*d^2*e^2 - 2*a^3*b*f^2)*cos(d*x + c)^2 - (8*I*(a^4 - 2*a^2*b^2 + b^4)*d
*f^2*x + 8*I*(a^4 - 2*a^2*b^2 + b^4)*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c)
+ 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)
)/b^2) + 2*b)/b + 1)*sin(d*x + c) - (8*I*(a^4 - 2*a^2*b^2 + b^4)*d*f^2*x +
8*I*(a^4 - 2*a^2*b^2 + b^4)*d*e*f)*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin
(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) +
2*b)/b + 1)*sin(d*x + c) - (-8*I*(a^4 - 2*a^2*b^2 + b^4)*d*f^2*x - 8*I*(a^4
- 2*a^2*b^2 + b^4)*d*e*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x +
c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b
+ 1)*sin(d*x + c) - (-8*I*(a^4 - 2*a^2*b^2 + b^4)*d*f^2*x - 8*I*(a^4 - 2*a^
2*b^2 + b^4)*d*e*f)*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*
(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*si
n(d*x + c) - (8*I*b^4*d*f^2*x + 8*I*b^4*d*e*f - 8*I*a*b^3*f^2)*dilog(cos(d*
x + c) + I*sin(d*x + c))*sin(d*x + c) - (-8*I*b^4*d*f^2*x - 8*I*b^4*d*e*f +
8*I*a*b^3*f^2)*dilog(cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - (-8*I*b
^4*d*f^2*x - 8*I*b^4*d*e*f - 8*I*a*b^3*f^2)*dilog(-cos(d*x + c) + I*sin(d*x
+ c))*sin(d*x + c) - (8*I*b^4*d*f^2*x + 8*I*b^4*d*e*f + 8*I*a*b^3*f^2)*dil
og(-cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 + b^4)
*d^2*e^2 - 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f + (a^4 - 2*a^2*b^2 + b^4)*c^2
*f^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2
) + 2*I*a)*sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 + b^4)*d^2*e^2 - 2*(a^4 - 2*a
^2*b^2 + b^4)*c*d*e*f + (a^4 - 2*a^2*b^2 + b^4)*c^2*f^2)*log(2*b*cos(d*x +
c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c)
- 4*((a^4 - 2*a^2*b^2 + b^4)*d^2*e^2 - 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f +
(a^4 - 2*a^2*b^2 + b^4)*c^2*f^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c)
+ 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 +
```

$$\begin{aligned}
& b^4*d^2*e^2 - 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f + (a^4 - 2*a^2*b^2 + b^4) \\
& *c^2*f^2)*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{-(a^2 - b^2)} \\
&)/b^2) - 2*I*a)*\sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 + b^4)*d^2*f^2*x^2 + 2*(\\
& a^4 - 2*a^2*b^2 + b^4)*d^2*e*f*x + 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f - (a^4 \\
& - 2*a^2*b^2 + b^4)*c^2*f^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) \\
& + 2*(b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)}/b^2) + 2*b)/b)*s \\
& \sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 + b^4)*d^2*f^2*x^2 + 2*(a^4 - 2*a^2*b^2 + b^4) \\
& *d^2*e*f*x + 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f - (a^4 - 2*a^2*b^2 + b^4) \\
& *c^2*f^2)*\log(1/2*(2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + \\
& c) - I*b*\sin(d*x + c))*\sqrt{-(a^2 - b^2)}/b^2) + 2*b)/b)*\sin(d*x + c) - 4*(\\
& (a^4 - 2*a^2*b^2 + b^4)*d^2*f^2*x^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d^2*e*f*x + \\
& 2*(a^4 - 2*a^2*b^2 + b^4)*c*d*e*f - (a^4 - 2*a^2*b^2 + b^4)*c^2*f^2)*\log(1 \\
& /2*(-2*I*a*\cos(d*x + c) + 2*a*\sin(d*x + c) + 2*(b*\cos(d*x + c) + I*b*\sin(d* \\
& x + c))*\sqrt{-(a^2 - b^2)}/b^2) + 2*b)/b)*\sin(d*x + c) - 4*((a^4 - 2*a^2*b^2 \\
& + b^4)*d^2*f^2*x^2 + 2*(a^4 - 2*a^2*b^2 + b^4)*d^2*e*f*x + 2*(a^4 - 2*a^2*b^2 \\
& + b^4)*c*d*e*f - (a^4 - 2*a^2*b^2 + b^4)*c^2*f^2)*\log(1/2*(-2*I*a*\cos(d \\
& *x + c) + 2*a*\sin(d*x + c) - 2*(b*\cos(d*x + c) + I*b*\sin(d*x + c))*\sqrt{-(a \\
& ^2 - b^2)}/b^2) + 2*b)/b)*\sin(d*x + c) + 4*(b^4*d^2*f^2*x^2 + b^4*d^2*e^2 + \\
& 2*a*b^3*d*e*f + 2*(b^4*d^2*e*f + a*b^3*d*f^2)*x)*\log(\cos(d*x + c) + I*\sin(d \\
& *x + c) + 1)*\sin(d*x + c) + 4*(b^4*d^2*f^2*x^2 + b^4*d^2*e^2 + 2*a*b^3*d*e* \\
& f + 2*(b^4*d^2*e*f + a*b^3*d*f^2)*x)*\log(\cos(d*x + c) - I*\sin(d*x + c) + 1) \\
& *\sin(d*x + c) + 4*(b^4*d^2*e^2 - 2*(b^4*c + a*b^3)*d*e*f + (b^4*c^2 + 2*a*b \\
& ^3*c)*f^2)*\log(-1/2*\cos(d*x + c) + 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) + \\
& 4*(b^4*d^2*e^2 - 2*(b^4*c + a*b^3)*d*e*f + (b^4*c^2 + 2*a*b^3*c)*f^2)*\log(\\
& -1/2*\cos(d*x + c) - 1/2*I*\sin(d*x + c) + 1/2)*\sin(d*x + c) + 4*(b^4*d^2*f^2 \\
& *x^2 + 2*b^4*c*d*e*f - (b^4*c^2 + 2*a*b^3*c)*f^2 + 2*(b^4*d^2*e*f - a*b^3*d \\
& *f^2)*x)*\log(-\cos(d*x + c) + I*\sin(d*x + c) + 1)*\sin(d*x + c) + 4*(b^4*d^2* \\
& f^2*x^2 + 2*b^4*c*d*e*f - (b^4*c^2 + 2*a*b^3*c)*f^2 + 2*(b^4*d^2*e*f - a*b^ \\
& 3*d*f^2)*x)*\log(-\cos(d*x + c) - I*\sin(d*x + c) + 1)*\sin(d*x + c) - 4*(a^2*b \\
& ^2*d*f^2*x + a^2*b^2*d*e*f)*\cos(d*x + c) - (2*a^2*b^2*d^2*f^2*x^2 + 4*a^2*b \\
& ^2*d^2*e*f*x + 2*a^2*b^2*d^2*e^2 - a^2*b^2*f^2 - 2*(2*a^2*b^2*d^2*f^2*x^2 + \\
& 4*a^2*b^2*d^2*e*f*x + 2*a^2*b^2*d^2*e^2 - a^2*b^2*f^2)*\cos(d*x + c)^2 - 16 \\
& *(a^3*b*d*f^2*x + a^3*b*d*e*f)*\cos(d*x + c))*\sin(d*x + c))/(a^2*b^3*d^3*\sin \\
& (d*x + c))
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*cos(d*x+c)**3*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.347 \quad \int \frac{(e+fx) \cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=641

$$\frac{if(a^2-b^2)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2b^3d^2} - \frac{if(a^2-b^2)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2b^3d^2} + \frac{ibf \text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2a^2d^2} - \frac{f(a^2-b^2)}{ab}$$

```
[Out] -(b*f*x)/(4*a^2*d) - ((a^2 - b^2)*f*x)/(4*a^2*b*d) + ((I/2)*b*(e + f*x)^2)/(a^2*f) - ((I/2)*(a^2 - b^2)^2*(e + f*x)^2)/(a^2*b^3*f) - (f*ArcTanh[Cos[c + d*x]])/(a*d^2) - (f*Cos[c + d*x])/(a*d^2) - ((a^2 - b^2)*f*Cos[c + d*x])/(a*b^2*d^2) - ((e + f*x)*Csc[c + d*x])/(a*d) + ((a^2 - b^2)^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d) + ((a^2 - b^2)^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d) - (b*(e + f*x)*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) - (I*(a^2 - b^2)^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) - (I*(a^2 - b^2)^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) + ((I/2)*b*f*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) - ((e + f*x)*Sin[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)*Sin[c + d*x])/(a*b^2*d) + (b*f*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*d^2) + ((a^2 - b^2)*f*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*b*d^2) + (b*(e + f*x)*Sin[c + d*x]^2)/(2*a^2*d) + ((a^2 - b^2)*(e + f*x)*Sin[c + d*x]^2)/(2*a^2*b*d)
```

Rubi [A] time = 1.22528, antiderivative size = 641, normalized size of antiderivative = 1., number of steps used = 45, number of rules used = 17, integrand size = 34, $\frac{\text{number of rules}}{\text{integrand size}} = 0.5$, Rules used = {4543, 4408, 3310, 3296, 2638, 4410, 3770, 4405, 2635, 8, 4404, 3717, 2190, 2279, 2391, 4525, 4519}

$$\frac{if(a^2-b^2)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{a^2b^3d^2} - \frac{if(a^2-b^2)^2 \text{PolyLog}\left(2, \frac{ibe^{i(c+dx)}}{\sqrt{a^2-b^2}+a}\right)}{a^2b^3d^2} + \frac{ibf \text{PolyLog}\left(2, e^{2i(c+dx)}\right)}{2a^2d^2} - \frac{f(a^2-b^2)}{ab}$$

Antiderivative was successfully verified.

```
[In] Int[((e + f*x)*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]), x]
```

```
[Out] -(b*f*x)/(4*a^2*d) - ((a^2 - b^2)*f*x)/(4*a^2*b*d) + ((I/2)*b*(e + f*x)^2)/(a^2*f) - ((I/2)*(a^2 - b^2)^2*(e + f*x)^2)/(a^2*b^3*f) - (f*ArcTanh[Cos[c + d*x]])/(a*d^2) - (f*Cos[c + d*x])/(a*d^2) - ((a^2 - b^2)*f*Cos[c + d*x])/(a*b^2*d^2) - ((e + f*x)*Csc[c + d*x])/(a*d) + ((a^2 - b^2)^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d) + ((a^2 - b^2)^2*(e + f*x)*Log[1 - (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d) - (b*(e + f*x)*Log[1 - E^((2*I)*(c + d*x))])/(a^2*d) - (I*(a^2 - b^2)^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a - Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) - (I*(a^2 - b^2)^2*f*PolyLog[2, (I*b*E^(I*(c + d*x)))]/(a + Sqrt[a^2 - b^2]))/(a^2*b^3*d^2) + ((I/2)*b*f*PolyLog[2, E^((2*I)*(c + d*x))])/(a^2*d^2) - ((e + f*x)*Sin[c + d*x])/(a*d) - ((a^2 - b^2)*(e + f*x)*Sin[c + d*x])/(a*b^2*d) + (b*f*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*d^2) + ((a^2 - b^2)*f*Cos[c + d*x]*Sin[c + d*x])/(4*a^2*b*d^2) + (b*(e + f*x)*Sin[c + d*x]^2)/(2*a^2*d) + ((a^2 - b^2)*(e + f*x)*Sin[c + d*x]^2)/(2*a^2*b*d)
```

Rule 4543

```
Int[(Cos[(c_.) + (d_.)*(x_)]^(p_.)*Cot[(c_.) + (d_.)*(x_)]^(n_.)*((e_.) + (f_.)*(x_))^(m_.)]/((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[1/a, Int[(e + f*x)^m*Cos[c + d*x]^p*Cot[c + d*x]^n, x], x] - Dist[b/a, Int[((e + f*x)^m*Cos[c + d*x]^(p + 1)*Cot[c + d*x]^(n - 1))/(a + b*Sin[c + d*x
```

]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 4408

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*Cot[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Int[(c + d*x)^m*Cos[a + b*x]^n*Cot[a + b*x]^(p - 2), x] + Int[(c + d*x)^m*Cos[a + b*x]^(n - 2)*Cot[a + b*x]^p, x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sine + f*x))^n/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine + f*x)^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine + f*x)^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 4410

Int[Cot[(a_.) + (b_.)*(x_)]^(p_.)*Csc[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[(c + d*x)^m*Csc[a + b*x]^n/(b*n), x] + Dist[(d*m)/(b*n), Int[(c + d*x)^(m - 1)*Csc[a + b*x]^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[p, 1] && GtQ[m, 0]

Rule 3770

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4405

Int[Cos[(a_.) + (b_.)*(x_)]^(n_.)*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[a + b*x]^(n + 1)/(b*(n + 1)), x] + Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Cos[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(b*Sine + f*x)^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sine + f*x)^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 4404

Int[Cos[(a_.) + (b_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.)*Sin[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Simp[((c + d*x)^m*Sin[a + b*x]^(n + 1))/(b*(n + 1)), x] - Dist[(d*m)/(b*(n + 1)), Int[(c + d*x)^(m - 1)*Sin[a + b*x]^(n + 1), x], x] /; FreeQ[{a, b, c, d, n}, x] && IGtQ[m, 0] && NeQ[n, -1]

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 2190

Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4525

Int[(Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := Dist[a/b^2, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2), x], x] + (-Dist[1/b, Int[(e + f*x)^m*Cos[c + d*x]^(n - 2)*Sin[c + d*x], x], x] - Dist[(a^2 - b^2)/b^2, Int[((e + f*x)^m*Cos[c + d*x]^(n - 2))/(a + b*SIN[c + d*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[n, 1] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rubi steps

$$\begin{aligned}
\int \frac{(e+fx)\cos^3(c+dx)\cot^2(c+dx)}{a+b\sin(c+dx)} dx &= \frac{\int (e+fx)\cos^3(c+dx)\cot^2(c+dx) dx}{a} - \frac{b \int \frac{(e+fx)\cos^4(c+dx)\cot(c+dx)}{a+b\sin(c+dx)} dx}{a} \\
&= -\frac{\int (e+fx)\cos^3(c+dx) dx}{a} + \frac{\int (e+fx)\cos(c+dx)\cot^2(c+dx) dx}{a} - \frac{b \int (e+fx)\cos^4(c+dx)\cot(c+dx) dx}{a(a+b\sin(c+dx))} \\
&= -\frac{f\cos^3(c+dx)}{9ad^2} - \frac{(e+fx)\cos^2(c+dx)\sin(c+dx)}{3ad} - \frac{2 \int (e+fx)\cos(c+dx) dx}{3a} \\
&= -\frac{(e+fx)\csc(c+dx)}{ad} - \frac{5(e+fx)\sin(c+dx)}{3ad} + \frac{2 \int (e+fx)\cos(c+dx) dx}{3a} \\
&= \frac{ib(e+fx)^2}{2a^2f} - \frac{i(a^2-b^2)^2(e+fx)^2}{2a^2b^3f} - \frac{f \tanh^{-1}(\cos(c+dx))}{ad^2} - \frac{5f\cos(c+dx)}{3ad^2} \\
&= \frac{ib(e+fx)^2}{2a^2f} - \frac{i(a^2-b^2)^2(e+fx)^2}{2a^2b^3f} - \frac{f \tanh^{-1}(\cos(c+dx))}{ad^2} - \frac{f\cos(c+dx)}{ad^2} \\
&= -\frac{bfx}{4a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)fx}{4bd} + \frac{ib(e+fx)^2}{2a^2f} - \frac{i(a^2-b^2)^2(e+fx)^2}{2a^2b^3f} - \frac{f \tanh^{-1}(\cos(c+dx))}{ad^2} \\
&= -\frac{bfx}{4a^2d} - \frac{\left(1-\frac{b^2}{a^2}\right)fx}{4bd} + \frac{ib(e+fx)^2}{2a^2f} - \frac{i(a^2-b^2)^2(e+fx)^2}{2a^2b^3f} - \frac{f \tanh^{-1}(\cos(c+dx))}{ad^2}
\end{aligned}$$

Mathematica [B] time = 15.2167, size = 2504, normalized size = 3.91

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((e + f*x)*Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] $-\frac{(a*f*\cos[c + d*x])}{(b^2*d^2)} - \frac{((d*e - c*f + f*(c + d*x))*\cos[2*(c + d*x)])}{(4*b*d^2)} + \frac{((-d*e*\cos[(c + d*x)/2]) + c*f*\cos[(c + d*x)/2] - f*(c + d*x)*\cos[(c + d*x)/2])*Csc[(c + d*x)/2]}{(2*a*d^2) - (b*e*\log[\sin[c + d*x]])}$
 $\frac{f*\log[\tan[(c + d*x)/2]]}{(a*d^2) - (b*f*((c + d*x)*\log[1 - E^{((2*I)*(c + d*x))}] - (I/2)*((c + d*x)^2 + \text{PolyLog}[2, E^{((2*I)*(c + d*x))}])))}$
 $\frac{((f*(c + d*x)^2 + (2*I)*d*e*\log[\sec[(c + d*x)/2]^2] - (2*I)*c*f*\log[\sec[(c + d*x)/2]^2] - (2*I)*d*e*\log[\sec[(c + d*x)/2]^2*(a + b*\sin[c + d*x]]) + (2*I)*c*f*\log[\sec[(c + d*x)/2]^2*(a + b*\sin[c + d*x]]) - (4*I)*f*(c + d*x)*\log[(-2*I)/(-I + \tan[(c + d*x)/2])] - 2*f*\log[1 + I*\tan[(c + d*x)/2]]*\log[(b - \sqrt{-a^2 + b^2} + a*\tan[(c + d*x)/2])/(I*a + b - \sqrt{-a^2 + b^2})] + 2*f*\log[1 - I*\tan[(c + d*x)/2]]*\log[-((b - \sqrt{-a^2 + b^2} + a*\tan[(c + d*x)/2])/(I*a - b + \sqrt{-a^2 + b^2}))] + 2*f*\log[1 - I*\tan[(c + d*x)/2]]*\log[(b + \sqrt{-a^2 + b^2} + a*\tan[(c + d*x)/2])/((-I)*a + b + \sqrt{-a^2 + b^2})] - 2*f*\log[1 + I*\tan[(c + d*x)/2]]*\log[(b + \sqrt{-a^2 + b^2} + a*\tan[(c + d*x)/2])/(I*a + b + \sqrt{-a^2 + b^2})] + 4*f*\text{PolyLog}[2, -\cos[c + d*x] + I*\sin[c + d*x]] + 2*f*\text{PolyLog}[2, (a*(1 - I*\tan[(c + d*x)/2]))/(a + I*(b + \sqrt{-a^2 + b^2}))] - 2*f*\text{PolyLog}[2, (a*(1 + I*\tan[(c + d*x)/2]))/(a - I*(b + \sqrt{-a^2 + b^2}))] + 2*f*\text{PolyLog}[2, (a*(I + \tan[(c + d*x)/2]))/(I*a - b + \sqrt{-a^2 + b^2})] - 2*f*\text{PolyLog}[2, (a + I*a*\tan[(c + d*x)/2])/(a + I*(-b + \sqrt{-a^2 + b^2}))]}*((-2*e*\cos[c + d*x])/(a + b*\sin[c + d*x])) + \frac{(a^2*e*\cos[c + d*x])}{(b^2*(a + b*\sin[c + d*x]))} + \frac{(b^2*e*\cos[c + d*x])}{(b^2*(a + b*\sin[c + d*x]))}$

$$\begin{aligned}
& + d*x]/(a^2*(a + b*\sin[c + d*x])) + (2*c*f*\cos[c + d*x])/(d*(a + b*\sin[c + \\
& d*x])) - (a^2*c*f*\cos[c + d*x])/(b^2*d*(a + b*\sin[c + d*x])) - (b^2*c*f*\cos \\
& s[c + d*x])/(a^2*d*(a + b*\sin[c + d*x])) - (2*f*(c + d*x)*\cos[c + d*x])/(d* \\
& (a + b*\sin[c + d*x])) + (a^2*f*(c + d*x)*\cos[c + d*x])/(b^2*d*(a + b*\sin[c \\
& + d*x])) + (b^2*f*(c + d*x)*\cos[c + d*x])/(a^2*d*(a + b*\sin[c + d*x]))/(d \\
& *(2*f*(c + d*x) - (4*I)*f*\log[(-2*I)/(-I + \tan[(c + d*x)/2])] - (4*f*\log[1 \\
& + \cos[c + d*x] - I*\sin[c + d*x]]*(I*\cos[c + d*x] + \sin[c + d*x]))/(-\cos[c + \\
& d*x] + I*\sin[c + d*x]) + (I*f*\log[1 - (a*(1 - I*\tan[(c + d*x)/2]))]/(a + I* \\
& (b + \sqrt{-a^2 + b^2}))) * \sec[(c + d*x)/2]^2 / (1 - I*\tan[(c + d*x)/2]) - (I* \\
& f*\log[-((b - \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2])]/(I*a - b + \sqrt{-a^2 + \\
& b^2})) * \sec[(c + d*x)/2]^2 / (1 - I*\tan[(c + d*x)/2]) - (I*f*\log[(b + \sqrt{- \\
& a^2 + b^2}) + a*\tan[(c + d*x)/2])]/((-I)*a + b + \sqrt{-a^2 + b^2})) * \sec[(c + \\
& d*x)/2]^2 / (1 - I*\tan[(c + d*x)/2]) + (I*f*\log[1 - (a*(1 + I*\tan[(c + d*x)/ \\
& 2]))]/(a - I*(b + \sqrt{-a^2 + b^2}))) * \sec[(c + d*x)/2]^2 / (1 + I*\tan[(c + d* \\
& x)/2]) - (I*f*\log[(b - \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2])]/(I*a + b - \sqrt{- \\
& a^2 + b^2})) * \sec[(c + d*x)/2]^2 / (1 + I*\tan[(c + d*x)/2]) - (I*f*\log[(b \\
& + \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2])]/(I*a + b + \sqrt{-a^2 + b^2})) * \sec \\
& [(c + d*x)/2]^2 / (1 + I*\tan[(c + d*x)/2]) + (2*I)*d*e*\tan[(c + d*x)/2] - (2 \\
& *I)*c*f*\tan[(c + d*x)/2] + ((2*I)*f*(c + d*x)*\sec[(c + d*x)/2]^2 / (-I + \tan \\
& [(c + d*x)/2]) - (f*\log[1 - (a*(I + \tan[(c + d*x)/2]))]/(I*a - b + \sqrt{-a^2 \\
& + b^2})) * \sec[(c + d*x)/2]^2 / (I + \tan[(c + d*x)/2]) + (I*a*f*\log[1 - (a + \\
& I*a*\tan[(c + d*x)/2])]/(a + I*(-b + \sqrt{-a^2 + b^2}))) * \sec[(c + d*x)/2]^2 / \\
& (a + I*a*\tan[(c + d*x)/2]) + (a*f*\log[1 - I*\tan[(c + d*x)/2]] * \sec[(c + d*x) \\
& /2]^2 / (b - \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2]) - (a*f*\log[1 + I*\tan[(c \\
& + d*x)/2]] * \sec[(c + d*x)/2]^2 / (b - \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2]) \\
& + (a*f*\log[1 - I*\tan[(c + d*x)/2]] * \sec[(c + d*x)/2]^2 / (b + \sqrt{-a^2 + b^2} \\
&] + a*\tan[(c + d*x)/2]) - (a*f*\log[1 + I*\tan[(c + d*x)/2]] * \sec[(c + d*x)/2] \\
& ^2 / (b + \sqrt{-a^2 + b^2}) + a*\tan[(c + d*x)/2]) - ((2*I)*d*e*\cos[(c + d*x)/ \\
& 2]^2*(b*\cos[c + d*x]*\sec[(c + d*x)/2]^2 + \sec[(c + d*x)/2]^2*(a + b*\sin[c + \\
& d*x])* \tan[(c + d*x)/2])) / (a + b*\sin[c + d*x]) + ((2*I)*c*f*\cos[(c + d*x)/2 \\
&]^2*(b*\cos[c + d*x]*\sec[(c + d*x)/2]^2 + \sec[(c + d*x)/2]^2*(a + b*\sin[c + \\
& d*x])* \tan[(c + d*x)/2])) / (a + b*\sin[c + d*x]))
\end{aligned}$$

Maple [B] time = 2.569, size = 2485, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (f*x+e)*\cos(d*x+c)^3*\cot(d*x+c)^2/(a+b*\sin(d*x+c)), x$

[Out] $\begin{aligned}
& 1/b^3/d*a^2*e*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-2/b^3/d*a^2*e \\
& * \ln(\exp(I*(d*x+c)))-1/b^3/d*a^4*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c)))-(-a^2 \\
& +b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})) * x - 1/b^3/d^2*a^4*f/(-a^2+b^2)*\ln((I*a+b \\
& * \exp(I*(d*x+c))-(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})) * c - 1/b^3/d*a^4*f/(\\
& -a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})) \\
&) * x - 1/b^3/d^2*a^4*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(\\
& I*a+(-a^2+b^2)^{(1/2)})) * c - 2*I*(f*x+e)*\exp(I*(d*x+c))/d/a/(\exp(2*I*(d*x+c))-1 \\
&)+2/b/d^2*f*c*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)-4/b/d^2*f*c*\ln \\
& (\exp(I*(d*x+c)))+1/d*b/a^2*e*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I* \\
& b)+I/b^3*a^2*e*x-3*b/d*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c))-(-a^2+b^2)^{(1/ \\
& 2)})/(I*a-(-a^2+b^2)^{(1/2)})) * x - 3*b/d^2*f/(-a^2+b^2)*\ln((I*a+b*\exp(I*(d*x+c)) \\
& -(-a^2+b^2)^{(1/2)})/(I*a-(-a^2+b^2)^{(1/2)})) * c - 3*b/d*f/(-a^2+b^2)*\ln((I*a+b*e \\
& xp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})) * x - 3*b/d^2*f/(-a^2+b \\
& ^2)*\ln((I*a+b*\exp(I*(d*x+c))+(-a^2+b^2)^{(1/2)})/(I*a+(-a^2+b^2)^{(1/2)})) * c - 2/ \\
& b/d*e*\ln(I*b*\exp(2*I*(d*x+c))-2*a*\exp(I*(d*x+c))-I*b)+4/b/d*\ln(\exp(I*(d*x+c) \\
&)) * e + 1/d^2/a^2*b*f*c*\ln(\exp(I*(d*x+c))-1)-1/d/a^2*b*f*\ln(\exp(I*(d*x+c))+1)
\end{aligned}$

```

*x-I/d^2/a^2*b*f*dilog(exp(I*(d*x+c)))+3/b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2*x+3/b/d^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2*c+3/b/d*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*a^2*x+3/b/d^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*a^2*c-1/d^2*b/a^2*f*c*ln(I*b*exp(2*I*(d*x+c))-2*a*exp(I*(d*x+c))-I*b)+I/d^2*b/a^2*f*dilog(exp(I*(d*x+c))+1)-1/d/a^2*b*e*ln(exp(I*(d*x+c))-1)-1/d/a^2*b*e*ln(exp(I*(d*x+c))+1)+2/b^3/d^2*a^2*f*c*ln(exp(I*(d*x+c)))-1/b^3/d^2*a^2*f*c*ln(I*b*exp(2*I*(d*x+c))-2*a*exp(I*(d*x+c))-I*b)+1/2*I*a*(d*f*x+I*f+d*e)/b^2/d^2*exp(I*(d*x+c))+1/d^2/a*f*ln(exp(I*(d*x+c))-1)-1/d^2/a*f*ln(exp(I*(d*x+c))+1)-I/b^3/d^2*a^2*f*c^2+3*I/d^2*b*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+3*I/d^2*b*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))+4*I/d/b*c*f*x-1/16*(2*d*f*x+I*f+2*d*e)/b/d^2*exp(2*I*(d*x+c))-1/16*(2*d*f*x-I*f+2*d*e)/b/d^2*exp(-2*I*(d*x+c))+I/b*f*x^2-2*I/b*e*x+1/d^2*b^3/a^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*c+1/d^2*b^3/a^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*c+1/d*b^3/a^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*x+1/d*b^3/a^2*f/(-a^2+b^2)*ln((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*x-I/d^2*b^3/a^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))-I/d^2*b^3/a^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))+I/d^2/b^3*a^4*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))+I/d^2/b^3*a^4*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))-3*I/b/d^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))-(-a^2+b^2)^(1/2))/(I*a-(-a^2+b^2)^(1/2)))*a^2-3*I/b/d^2*f/(-a^2+b^2)*dilog((I*a+b*exp(I*(d*x+c)))+(-a^2+b^2)^(1/2))/(I*a+(-a^2+b^2)^(1/2)))*a^2-2*I/d/b^3*a^2*c*f*x-1/2*I/b^3*a^2*f*x^2-1/2*I*a*(d*f*x-I*f+d*e)/b^2/d^2*exp(-I*(d*x+c))+2*I/d^2/b*c^2*f

```

Maxima [F(-2)] time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError
```

Fricas [B] time = 4.42835, size = 4313, normalized size = 6.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(a^2*b^2*f*cos(d*x + c)^3 - 2*I*b^4*f*dilog(cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) + 2*I*b^4*f*dilog(cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) + 2*I*b^4*f*dilog(-cos(d*x + c) + I*sin(d*x + c))*sin(d*x + c) - 2*I*b^4*f*dilog(-cos(d*x + c) - I*sin(d*x + c))*sin(d*x + c) - a^2*b^2*f*cos(d*x
```

$$\begin{aligned}
& + c) + 4*(a^3*b + a*b^3)*d*f*x - 2*I*(a^4 - 2*a^2*b^2 + b^4)*f*dilog(-1/2* \\
& (2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + \\
& c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) - 2*I*(a^4 - 2*a^2*b^2 + b^4)*f*dilog(-1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) \\
& + 2*I*(a^4 - 2*a^2*b^2 + b^4)*f*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) + 2*I*(a^4 - 2*a^2*b^2 + b^4)*f*dilog(-1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)*sin(d*x + c) + 4*(a^3*b + a*b^3)*d*e - 4*(a^3*b*d*f*x + a^3*b*d*e)*cos(d*x + c)^2 - 2*((a^4 - 2*a^2*b^2 + b^4)*d*e - (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*e - (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*e - (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*e - (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*f*x + (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*f*x + (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(1/2*(2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*f*x + (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) + 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) - 2*((a^4 - 2*a^2*b^2 + b^4)*d*f*x + (a^4 - 2*a^2*b^2 + b^4)*c*f)*log(1/2*(-2*I*a*cos(d*x + c) + 2*a*sin(d*x + c) - 2*(b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)*sin(d*x + c) + 2*(b^4*d*f*x + b^4*d*e + a*b^3*f)*log(cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) + 2*(b^4*d*f*x + b^4*d*e + a*b^3*f)*log(cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) + 2*(b^4*d*e - (b^4*c + a*b^3)*f)*log(-1/2*cos(d*x + c) + 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 2*(b^4*d*e - (b^4*c + a*b^3)*f)*log(-1/2*cos(d*x + c) - 1/2*I*sin(d*x + c) + 1/2)*sin(d*x + c) + 2*(b^4*d*f*x + b^4*c*f)*log(-cos(d*x + c) + I*sin(d*x + c) + 1)*sin(d*x + c) + 2*(b^4*d*f*x + b^4*c*f)*log(-cos(d*x + c) - I*sin(d*x + c) + 1)*sin(d*x + c) - (a^2*b^2*d*f*x + a^2*b^2*d*e)*cos(d*x + c)^2*(sin(d*x + c))/(a^2*b^3*d^2*sin(d*x + c))
\end{aligned}$$

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*cos(d*x+c)**3*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.348 \quad \int \frac{\cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx$$

Optimal. Leaf size=96

$$\frac{(a^2 - b^2)^2 \log(a + b \sin(c + dx))}{a^2 b^3 d} - \frac{b \log(\sin(c + dx))}{a^2 d} - \frac{a \sin(c + dx)}{b^2 d} - \frac{\csc(c + dx)}{ad} + \frac{\sin^2(c + dx)}{2bd}$$

[Out] -(Csc[c + d*x]/(a*d)) - (b*Log[Sin[c + d*x]]/(a^2*d) + ((a^2 - b^2)^2*Log[a + b*Sin[c + d*x]]/(a^2*b^3*d) - (a*Sin[c + d*x])/(b^2*d) + Sin[c + d*x]^2/(2*b*d)

Rubi [A] time = 0.155076, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 29, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2837, 12, 894}

$$\frac{(a^2 - b^2)^2 \log(a + b \sin(c + dx))}{a^2 b^3 d} - \frac{b \log(\sin(c + dx))}{a^2 d} - \frac{a \sin(c + dx)}{b^2 d} - \frac{\csc(c + dx)}{ad} + \frac{\sin^2(c + dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] -(Csc[c + d*x]/(a*d)) - (b*Log[Sin[c + d*x]]/(a^2*d) + ((a^2 - b^2)^2*Log[a + b*Sin[c + d*x]]/(a^2*b^3*d) - (a*Sin[c + d*x])/(b^2*d) + Sin[c + d*x]^2/(2*b*d)

Rule 2837

Int[cos[(e_.) + (f_.)*(x_)]^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(c + (d*x)/b)^n*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 894

Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))^(n_)*((a_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(f + g*x)^n*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[p] && ((EqQ[p, 1] && IntegerQ[m, n]) || (ILtQ[m, 0] && ILtQ[n, 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx) \cot^2(c+dx)}{a+b \sin(c+dx)} dx &= \frac{\text{Subst}\left(\int \frac{b^2(b^2-x^2)^2}{x^2(a+x)} dx, x, b \sin(c+dx)\right)}{b^5 d} \\
&= \frac{\text{Subst}\left(\int \frac{(b^2-x^2)^2}{x^2(a+x)} dx, x, b \sin(c+dx)\right)}{b^3 d} \\
&= \frac{\text{Subst}\left(\int \left(-a + \frac{b^4}{ax^2} - \frac{b^4}{a^2 x} + x + \frac{(a^2-b^2)^2}{a^2(a+x)}\right) dx, x, b \sin(c+dx)\right)}{b^3 d} \\
&= -\frac{\csc(c+dx)}{ad} - \frac{b \log(\sin(c+dx))}{a^2 d} + \frac{(a^2-b^2)^2 \log(a+b \sin(c+dx))}{a^2 b^3 d} - \frac{a \sin(c+dx)}{b^2 d}
\end{aligned}$$

Mathematica [A] time = 0.192026, size = 86, normalized size = 0.9

$$\frac{\frac{2(a^2-b^2)^2 \log(a+b \sin(c+dx))}{a^2 b^3} - \frac{2b \log(\sin(c+dx))}{a^2} - \frac{2a \sin(c+dx)}{b^2} - \frac{2 \csc(c+dx)}{a} + \frac{\sin^2(c+dx)}{b}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d*x]^3*Cot[c + d*x]^2)/(a + b*Sin[c + d*x]),x]

[Out] ((-2*Csc[c + d*x])/a - (2*b*Log[Sin[c + d*x]])/a^2 + (2*(a^2 - b^2)^2*Log[a + b*Sin[c + d*x]])/(a^2*b^3) - (2*a*Sin[c + d*x])/b^2 + Sin[c + d*x]^2/b)/(2*d)

Maple [A] time = 0.073, size = 124, normalized size = 1.3

$$\frac{(\sin(dx+c))^2}{2bd} - \frac{a \sin(dx+c)}{b^2 d} + \frac{\ln(a+b \sin(dx+c)) a^2}{db^3} - 2 \frac{\ln(a+b \sin(dx+c))}{bd} + \frac{b \ln(a+b \sin(dx+c))}{da^2} - \frac{1}{da \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x)

[Out] 1/2*sin(d*x+c)^2/b/d-a*sin(d*x+c)/b^2/d+1/d/b^3*ln(a+b*sin(d*x+c))*a^2-2*ln(a+b*sin(d*x+c))/b/d+1/d/a^2*b*ln(a+b*sin(d*x+c))-1/d/a/sin(d*x+c)-b*ln(sin(d*x+c))/a^2/d

Maxima [A] time = 0.982893, size = 123, normalized size = 1.28

$$-\frac{\frac{2b \log(\sin(dx+c))}{a^2} - \frac{b \sin(dx+c)^2 - 2a \sin(dx+c)}{b^2} + \frac{2}{a \sin(dx+c)} - \frac{2(a^4 - 2a^2 b^2 + b^4) \log(b \sin(dx+c) + a)}{a^2 b^3}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="maxima")

[Out] -1/2*(2*b*log(sin(d*x + c))/a^2 - (b*sin(d*x + c))^2 - 2*a*sin(d*x + c))/b^2 + 2/(a*sin(d*x + c)) - 2*(a^4 - 2*a^2*b^2 + b^4)*log(b*sin(d*x + c) + a)/(

$a^2 b^3) / d$

Fricas [A] time = 2.16953, size = 317, normalized size = 3.3

$$\frac{4 a^3 b \cos(dx + c)^2 - 4 b^4 \log\left(\frac{1}{2} \sin(dx + c)\right) \sin(dx + c) - 4 a^3 b - 4 a b^3 + 4 (a^4 - 2 a^2 b^2 + b^4) \log(b \sin(dx + c) + a)}{4 a^2 b^3 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="fricas")

[Out] 1/4*(4*a^3*b*cos(d*x + c)^2 - 4*b^4*log(1/2*sin(d*x + c))*sin(d*x + c) - 4*a^3*b - 4*a*b^3 + 4*(a^4 - 2*a^2*b^2 + b^4)*log(b*sin(d*x + c) + a)*sin(d*x + c) - (2*a^2*b^2*cos(d*x + c)^2 - a^2*b^2)*sin(d*x + c))/(a^2*b^3*d*sin(d*x + c))

Sympy [F(-1)] time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)**3*cot(d*x+c)**2/(a+b*sin(d*x+c)),x)

[Out] Timed out

Giac [A] time = 2.19449, size = 142, normalized size = 1.48

$$\frac{\frac{2 b \log(|\sin(dx+c)|)}{a^2} - \frac{b \sin(dx+c)^2 - 2 a \sin(dx+c)}{b^2} - \frac{2 (b \sin(dx+c) - a)}{a^2 \sin(dx+c)} - \frac{2 (a^4 - 2 a^2 b^2 + b^4) \log(|b \sin(dx+c) + a|)}{a^2 b^3}}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d*x+c)^3*cot(d*x+c)^2/(a+b*sin(d*x+c)),x, algorithm="giac")

[Out] -1/2*(2*b*log(abs(sin(d*x + c)))/a^2 - (b*sin(d*x + c)^2 - 2*a*sin(d*x + c))/b^2 - 2*(b*sin(d*x + c) - a)/(a^2*sin(d*x + c)) - 2*(a^4 - 2*a^2*b^2 + b^4)*log(abs(b*sin(d*x + c) + a))/(a^2*b^3))/d

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```



```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```

```

119   if type(expn,'atomic') then
120       1
121   elif type(expn,'list') then
122       apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124       if type(op(1,expn),'rational') then
125           1
126       else
127           max(2,ExpnType(op(1,expn)))
128       end if
129   elif type(expn,'^^') then
130       if type(op(2,expn),'integer') then
131           ExpnType(op(1,expn))
132       elif type(op(2,expn),'rational') then
133           if type(op(1,expn),'rational') then
134               1
135           else
136               max(2,ExpnType(op(1,expn)))
137           end if
138       else
139           max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140       end if
141   elif type(expn,'+`') or type(expn,'*`') then
142       max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144       max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146       max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148       max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product.  rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124 else:
125     return "C"

```

4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than

```



```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #isinstance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```